

Index

A

AddProposalRequestTest method, 239–240

Address class

- creating headquarter address dropdown, 147
- defining Aggregate boundaries, 111–112
- designing domain model, 110

Address property, Project, 68–70

Addresses UserControl, 145–146

AddressesViewModel class, 148–151

AddressFactory class, 127

AddRfiTest method, RFI, 204–205, 207

AddSubmittalTest method, 162, 164

AddTest method, IClientTransaction Repository, 331

AddTest method, ICompanyRepository, 115–116

Aggregate boundaries

- Change Order, 268
- Company and Contact, 111–112
- Construction Change Directive Aggregate, 298
- Employee, 57–58
- Project, 57–58
- Proposal Request, 236–237
- Request for Information, 202
- Submittal, 159–160

Aggregates

- Change Order Aggregate, 266–268
- Company Aggregate, 57–58, 111–112
- Construction Change Directive Aggregate, 296–298
- Contact Aggregate, 110–112
- Employee Aggregate, 57–59
- overview of, 16–17

- Project Aggregate, 56–59, 111–112
- Proposal Request Aggregate, 234–237
- RFI Aggregate, 201–203, 213–219
- Submittal Aggregate, 158–161

Allowances property, Project, 75

AmountChanged property, ChangeOrder, 277

API (application programming interface), 14

AppendAddresses method,

CompanyRepository, 125–126

AppendConstructionAdministrator method, ProjectRepository, 85

AppendContractor method

- ChangeOrderRepository class, 283
- ConstructionChangeDirective class, 308

AppendCopyToList method

- RequestForInformation class, 214, 217–218
- Submittal class, 180–181

AppendFrom method

- ProposalRequest class, 254
- RequestForInformation class, 214
- Submittal class, 179

AppendOwner method,

ProjectRepository, 84

AppendPrincipal method,

ProjectRepository, 85

AppendProjectAllowances method, ProjectRepository, 84, 85–86

AppendRoutingItems method

- ChangeOrderRepository class, 283–284
- RequestForInformation class, 214
- Submittal class, 182–183

AppendTo method

- ConstructionChangeDirective class, 308
- ProposalRequest class, 254
- Submittal class, 179–180

AppendTrackingItems method, Submittal, 181–182

Application class, 371–372

application layer

- defined, 7–9
- designing, 14
- services, 16

application programming interface (API), 14

Application property,

- IClientMembershipProvider, 373

Applying Domain-Driven Design and Patterns, With Examples in C# and .NET (Nilsson), 15, 30

architectural layers. See layered architecture

Auto-update requirement, 5, 11

Availability requirement, 4, 6

B

BidPackageNumber property, Contract, 77

BindingList<MutableAddress> type, CompanyViewModel, 140–141

BindingList<T>, SubmittalViewModel constructors, 188–189

BrokenRule class, ProposalRequest, 249–250

BrokenRuleMessages class

- ChangeOrder class, 282
- ConstructionChangeDirective class, 304
- ProposalRequest class, 250–251

BuildBaseWhereClause method, SqlCeRepositoryBase<T>, 79, 88

BuildChildCallbacks method

- ChangeOrderRepository class, 283
- CompanyRepository class, 125
- ConstructionChangeDirective class, 307–308
- ProjectRepository class, 83–86

ProposalRequest class, 254

RequestForInformation class, 213–214

SqlCeRepositoryBase<T> class, 39

SubmittalRepository class, 178–179

BuildEntitiesFromSql method, SqlCeRepositoryBase<T>, 41

BuildEntity method, IEntityFactory<T>, 42

BuildEntityFromReader method, SqlCeRepositoryBase<T>, 40–41

BuildEntityFromSql method, SqlCeRepositoryBase<T>, 40

BuildFactory method, EntityFactorBuilder class, 44–45

BuildNewEntity method, ConstructionChangeDirectiveView-Model, 323

C

C# 3.0 object initializer features, 100

CalculateDaysLapsed method, Submittal, 177

caller registration, Unit of Work, 30

CancelCommand property, ViewModel, 51, 94

Change Order Aggregate, 266–268

Change Orders, 265–293

- design, 266–267, 267, 268, 268–271, 271
- problem, 265
- solution, 271–275, 275–280, 280–283, 283–285, 285–288, 288–289, 289–291, 292–293

ChangeOrderNumberSpecification class, 278

ChangeOrderRepository class, 283–285

ChangeOrderRuleMessages class, 282

ChangeOrderService class, 288–289, 305–306

ChangeOrderViewModel class, 289–291

ChangePassword method, IClientMembershipProvider, 364–365, 379–381

- ChangePasswordQuestionAndAnswer method,**
 - IClientMembershipProvider, 365–366, 381–382**
- CheckParameter method,**
 - SecurityHelper class, 362–363**
- CheckPassword method,**
 - IClientMembershipProvider, 378**
- CheckPasswordAnswer method,**
 - IClientMembershipProvider, 378**
- ChildCallbacks property, 39, 84**
- class signature**
 - ClientMembershipProvider class, 374–375
 - SqlCeClientMembershipProvider class, 384
 - User class, 360–361
- classes**
 - application layer design, 14
 - Change Order Aggregate, 267
 - Company and Contact Aggregates, 111
 - Construction Change Directive, 296
 - Construction Change Directive Aggregate, 298
 - designing Repositories for, 58–59
 - Project Aggregate, 56–57
 - Repository base, 33–41
 - Request for Information, 200
 - RFI Aggregate, 201–202
 - Submittal Aggregate, 159
- ClickOnce technology, 11**
- Client Device requirement, 5–7**
- Client Membership System, 357–389**
 - designing, 358–359
 - domain model classes, 360, 360–367, 367–371, 371–372, 387. *See* Client Membership System Provider
 - Microsoft ASP.NET Membership vs., 359
 - password security, 358
 - problem, 357
 - unit tests, 388–389
- Client Membership System Provider, 372–387**
 - ClientMembershipProvider class, 374–384
 - designing, 359
 - IClientMembershipProvider, 372–373
 - ProviderFactory class, 373–374
 - SqlCeClientMembershipProvider class, 384–386
- ClientMembershipProvider class, 374–384**
 - class signature and private fields, 374–375
 - constructors, 375
 - IUnitOfWorkRepository implementation, 384
 - methods, 375–384
- ClientMembershipUser class**
 - class signature and private fields, 367
 - constructor, 367–368
 - methods, 368–369, 369–370, 370, 371
 - properties, 368
- ClientTransaction class, 329, 338**
- ClientTransactionRepository class, 334, 341**
- ClientTransactionRepositoryFactory class, 340**
- ClientTransactionService class, 348–349**
- CollectionView class, 49**
- CollectionView variable,**
 - SubmittalViewModel, 189, 192**
- ComboBox control, headquarters address dropdown, 147**
- ComboBox declaration, viewModel, 52–53**
- command handlers. *See* handlers**
- Command pattern, WPF, 47–53**
- Command property, Delete Button, 146**
- Commit method, Unit of Work**
 - AddProposalRequestTest method, 240
 - AddRfiTest method, 205
 - AddSubmittalTest method, 163
 - AddTest method, Companies, 116
 - CompanyService class, 135
 - overview of, 33
 - RepositoryBase<T> class, 132
 - synchronizing with server, 333–334
- Companies and Contacts, 109–155**
 - designing, 110, 110–111, 110–119, 111–112, 112–114, 114–119
 - problem, 109

Companies and Contacts (continued)

solution, 119–121, 119–155, 121–123, 123–124, 124–130, 130–131, 131–134, 134–137, 137–143, 144–147, 148–154, 154–155

Company Aggregate, 57–58, 111–112

Company class, 70–71, 119–121

Company property, Contact, 111

CompanyRepository class, 124–130

AppendAddresses method, 125–126

AppendOwner method, 84

BuildChildCallbacks method, 125

GetBaseQuery method, 126

GetBaseWhereClause, 127

implementing, 124

overview of, 124–130

public constructors, 125

Unit of Work implementation, 127–130

CompanyRepositoryTest class, 114

CompanyService class, 134–135

CompanyView class

HeadquartersAddress dropdown, 147

overview of, 144–145

using Xceed DataGrid, 145–146

CompanyViewModel class, 137–143

constructors, 140–141

handlers, 143

implementing, 137–140

properties, 141–143

Configuration folder

EntityFactoryFramework, 44

RepositoryFramework, 24–28

configuration section, Entity Factory Framework, 42–44

configuration section, Repository Factory, 24–28

ConfigurationElementCollection class, 27

ConfigurationSection class, 25

Construction Administration Database

design requirement, 4–6

problems of legacy application, 1–3

solution, 6–11

Construction Administrator, Project Domain, 56–57

Construction Change Directive, 295–325

designing, 296, 297, 298, 299, 300

problem, 295

solution, 300–302, 302–304, 304–305,

305–306, 306–307, 307–309,

310–313, 313–314, 314–321,

321–323, 324–325

Construction Change Directive Aggregate, 296–298

ConstructionAdministrator property, Project class, 71–73

ConstructionChangeDirectiveRule Messages class, 304

ConstructionChangeDirectiveService class, 313–314

ConstructionChangeDirectiveView Model class

EditableViewModel<T> class, 317–319

handlers, 319–320

overview of, 314–316

refactoring ViewModel class, 316

constructors

ChangeOrder class, 271–275

ChangeOrderViewModel class, 289–290

ClientMembershipProvider class, 375

Company class, 121

CompanyRepository class, 125

Construction Change Directive, 300–302

ConstructionChangeDirectiveView Model class, 315

ContactRepository class, 130

EditableViewModel<T> class, 317–318

EmployeeRepository class, 88–89

Project class, 65–67

ProjectContactViewModel class, 152

ProjectInformationViewModel class, 98–101

ProjectRepository class, 80–83

ProposalRequest class, 242–245

ProposalRequestViewModel class, 258–259

RequestForInformation class, 207–209

RequestForInformationViewmodel class, 228–229

- SqlCeClientTransactionRepository class, 342
 - Submittal class, 164–166
 - SubmittalViewModel class, 188–189
 - Synchronizer class, 349
 - TransmittalViewModel<T> class, RFI, 225–226
 - UnitOfWork class, new, 335
 - User class, 361–363
 - Contact Aggregate, 110–112**
 - Contact class, 121–124**
 - Contact instance, ProjectContact, 123–124**
 - ContactRepository class, 130–131**
 - Contacts. See Companies and Contacts**
 - ContactService class, 135–137**
 - ContingencyAllowanceAmount property, Project, 75**
 - Contract price, ChangeOrder, 265**
 - Contract time, Change Order, 265**
 - ContractBase class, 339**
 - Contracts, Project Domain, 56–57**
 - Contracts property, Project, 76–77**
 - controls, and Rich Client Applications, 11**
 - Converter class, 345–346**
 - CopyTo instances, RequestForInformation, 217–219**
 - CopyToList property, Submittal, 171–172**
 - CopyToList section, SubmittalView, 195–197**
 - CreateNumberedProjectChild method, 307**
 - CSLA Framework (CSLA Framework), 249**
 - CurrentChangeOrder property, ChangeOrderViewModel, 290–291**
 - CurrentCompany property**
 - CompanyViewModel class, 141–143
 - Contact class, 111–112, 123
 - ProjectContactViewModel, 153
 - CurrentEntity property, EditableViewModel<T>, 319**
 - CurrentObjectState property, EditableViewModel<T>, 318–319**
 - CurrentObjectState property, ProjectInformationViewModel, 105**
 - CurrentSubmittal property, SubmittalViewModel, 190–191**
 - CurrentTransmittal property, TransmittalViewModel<T>, 226**
 - customization, and Rich Client Applications, 11**
- ## D
- Data Contracts, 339**
 - Data Transfer Objects (DTOs), 15, 339**
 - data transfer, requirement, 6**
 - Database property, SqlCeRepositoryBase<T>, 39**
 - data-binding, 47**
 - DataGridControl, 145–146**
 - DataHelper class, 40–41**
 - DateOfSubstantialCompletion property, ChangeOrder, 277–278**
 - DatePicker control, 194**
 - DateReceived property, RequestForInformation, 206**
 - DateSent property, RoutingItem, 177**
 - DateToFieldSpecification property, RequestForInformation, 212**
 - DaysLapsed property, RequestForInformation, 211**
 - DDD rule, 270**
 - declarative programming, WPF, 10**
 - DeferredApproval property, Submittal, 174**
 - DelegateCommand class, 49–51**
 - DelegateCommand properties**
 - CompanyViewModel class, 144
 - ProjectContactViewModel class, 153
 - SubmittalViewModel class, 191–192
 - Delete Button, Xceed DataGrid, 146**
 - DeleteAddressCommandHandler method, CompanyViewModel, 143**
 - DeleteCopyToCommandHandler method, SubmittalViewModel, 192**
 - DeleteCopyToList method**
 - PersistUpdatedItem method, 257
 - RequestForInformation class, 218, 222

DeleteCopyToList method (continued)

Submittal class, 186

DeleteRoutingItems method

RequestForInformation class, 222

Submittal class, 186

DeleteTrackingItems method,

Submittal, 186

DeliveryMethod property, Submittal, 170–171

dependencies, implementing Visual Studio, 19

deployment, and Rich Client Applications, 11

DeploymentItem attribute, 63

Description property, Proposal

Request, 240

DescriptionRuleMessageKeys class, 304

DescriptionSpecification property

ConstructionChangeDirective class, 302–303

ProposalRequest class, 248

Deserialize method, 345

Deserializer class, 345

Design Patterns: Elements of Reusable

Object-Oriented Software (Gamma, Helm, Johnson and Vlissides), 110

Discipline property, RoutingItem, 177

domain layer

designing, 15–18

fulfilling Maintainability requirement, 8–9

services, 16

domain model

Change Orders, 266–267

Client Membership System classes, 360, 360–367, 367–371, 371–372, 387.

See Client Membership System Provider

Companies and Contacts, 110

Construction Change Directive, 296

Project, 56

Proposal Requests, 234–235

Request for Information, 200–201

Submittal Transmittal, 158

Domain-Driven Design, concepts of, 15–17

Domain-Driven Design: Tackling Complexity in

the Heart of Software (Evans), 2, 15, 17, 69, 200

double dispatch, 384

DTOs (Data Transfer Objects), 15, 339

E

EditableViewModel<T> class, 316, 317–319

Employee Aggregate, 57–59

Employee class, 71–73

Employee Repositories, 59, 88–90

EmployeeService class, 91–92

EncodePassword method,

IClientMembershipProvider, 378, 380

encryption, password security, 358

Entities

Domain-Driven Design concept, 15

Value objects vs., 15

Entity Factory Framework

configuration section, 42–44

defined, 41

EntityFactorBuilder class, 44–45

IEntityFactory<T> interface, 42

IProjectRepository implementation, 82–83

EntityBase class

ChangeOrder class, 280–282

implementing architectural layers, 20–22

ProposalRequest class, 250–251

RequestForInformation class, 217–218

ValidateInitialization method, 275

EntityFactorBuilder class, 44–45

EntityName property,

RequestForInformation, 217–219

ExecuteReader method,

SqlCeRepositoryBase<T>, 40–41

expectedContractorReturnDays class variable, 244

Extensible Application Markup Language (XAML), 10, 144–147

F

Factories, Domain-Driven Design, 17

FieldNames static class, 83

Find methods, 23

FindAll methods, 78–79, 82

- FindAllDisciplines method**,
ISubmittalRepository, 161
- FindAllMarketSegmentsTest method**,
unit test, 64
- FindAllSpecificationSections method**,
ISubmittalRepository, 161
- FindAllSubmittalStatuses method**,
ISubmittalRepository, 161
- FindAllTest method**,
ICompanyRepository, 115
- FindBy method**
 ChangeOrderRepository class, 284
 ConstructionChangeDirective
 class, 309
 FindSubmittalsByProjectTest
 method, 162
 ProjectRepository class, 79, 81–82, 132
 SubmittalRepository class, 161
- FindByKeyTest method**,
ICompanyRepository, 114–115
- FindByProjectNumberTest method**,
 63–64
- FindBySegmentsAndNotCompletedTest
 method**, 62–63
- FindPending method**,
SqlCeClientTransactionRepository,
 343–347
- FindPendingTransactionsTest method**,
IClientTransactionRepository,
 331–332
- FindProposalRequestsByProjectTest
 method**, 239
- FindRfisByProjectTest method**, 204
- FindSubmittalsByProjectTest method**,
 161–162
- G**
- Gang-of-Four (GoF)**, 110
- GetBaseQuery method**
 CompanyRepository class, 126
 ContactRepository class, 131
 Employee Repository class, 89
 ProjectRepository class, 86
 refactoring FindAll method, 78
- GetBaseWhereClause method**
 CompanyRepository class, 127
 ContactRepository class, 131
 ProjectRepository class, 86
 SqlCeRepositoryBase<T> class, 79
- GetBrokenRulesMessages method**,
ChangeOrder, 282
- GetClientMembershipUser method**,
IClientMembershipProvider, 379
- GetConstructionAdministrators
 method**, **IEmployeeRepository**, 65,
 89, 91–92
- GetCurrentProject method**,
ChangeOrder, 275
- GetEmployee method**, **Proposal
 Request**, 254
- GetEntitiesList method**,
**ConstructionChangeDirectiveView
 Model**, 324
- GetExpectedContractorReturnDays
 method**, **ProposalRequest**, 243–244
- GetLastSynchronization method**,
**SqlCeClientTransaction
 Repository**, 347
- GetLastSynchronizationTest
 method**, 332
- GetLastSynchronized method**,
Synchronizer, 349–350
- GetPassword method**,
IClientMembershipProvider, 376
- GetPasswordAnswerFromPersistence
 method**,
IClientMembershipProvider, 377
- GetPreviousAuthorizedAmountFrom
 method**, **ChangeOrder**, 269, 276,
 284–285
- GetPreviousTimeChangedTotal method**,
ChangeOrder, 269, 277–278
- GetPreviousTimeChangedTotalFrom
 method**, **ChangeOrder**, 285
- GetPrincipals method**,
IEmployeeRepository, 64, 89,
 91–92
- GetProjectContact method**
 ProjectContactService, 180
 ProposalRequest c, 254

GetProjects method, ProjectService, 47

GetRepository method,

RepositoryFactory, 28–30

GetRuleDescription method,

ProposalRequest, 250

GetTransmittals method

ProposalRequestViewModel class, 260

RequestForInformationViewmodel
class, 231

TransmittalViewModel<T> class,
226, 228

GetUser method

ClientMembershipService class, 387

IClientMembershipProvider, 376

SqlCeClientMembershipProvider
class, 384–386

GoF (Gang-of-Four), 110

Gossman, John, 47

H

handlers

ChangeOrderViewModel class, 291–292

EditableViewModel<T> class, 319–320

ProjectContactViewModel class, 154

ProposalRequestViewModel class,
259–260

RequestForInformationViewmodel
class, 230–231

SubmittalViewModel class, 191–192

TransmittalViewModel class, 321–323

TransmittalViewModel<T> class,
227–228

**HasBeenTransformedToChangeOrder
property, ConstructionChange
Directive, 303–304**

hashing, password security, 358

headquarter address dropdown, 147

**HeadquartersAddress property, Company,
121, 142–143**

I

IAggregateRoot interface, 270–271, 297

IBindingList<T> interface, 188–189

**ICChangeOrderRepository interface,
269–271, 283–285, 288–289**

**IClientMembershipProvider interface,
372–373, 375**

**IClientTransactionRepository
interface, 329, 331–332**

ICommand interface, 49

ICompanyRepository interface

designing Company Repository, 112–113
unit tests, 114–115, 115, 115–116,
116–117, 117

**IConstructionChangeDirective
Repository interface**

ConstructionChangeDirective
Service class, 313–314

implementing Repository, 307–309
overview of, 299

IContactRepository interface, 118

IDataReader interface, 38, 40–42

IDescribable interface, 297

IEmployeeRepository interface

EmployeeRepository class, 89–90

EmployeeService class, 91–92

overview of, 59

unit tests, 64–65

IEntity interface

Transaction class implementing, 330

User class implementing, 360

ValidateInitialization method,
274–275

**IEntityFactory<T> interface,
39–40, 42**

immutable Value objects, 15

indexer

CompanyService class, 135

UpdateSubmittalTest method, 163

infrastructure layer

designing, 18

fulfilling Maintainability requirement, 8–9

naming standards for, 14

services, 16

Initialize method

IClientMembershipProvider
class, 375

SqlCeClientMembershipProvider
class, 384

INotifyPropertyChanged interface,
ViewModel class, 94

InsertCopyTo method,
RequestForInformation, 218–219,
221–222

InsertCopyToList method
 RequestForInformation class,
 218–219, 221–222
 Submittal class, 184–185

InsertRoutingItems method
 ChangeOrder class, 287
 Submittal class, 184–185

InsertTrackingItems method,
Submittal, 184–185

Intelligent Installation requirement, 5, 11

INumberedProjectChild interface
 Change Orders, 267, 269–270, 274, 280
 Construction Change Directive, 297,
 306–307

IProjectRepository interface
 Companies and Contacts, 113–114,
 118–119
 managing projects, 61–64, 77, 81–83, 91

IProposalRequestRepository interface,
238, 253–257

IReferenceDataRepository, 351,
352–354

IRepository<T> interface
 IEmployeeRepository implementing, 59
 implementing Repository Framework,
 22–23
 INumberedProjectChild extending, 269
 IProjectRepository implementing, 59
 refactoring FindAll method, 78–79
 RepositoryBase<T> class implementing,
 33–35
 TRepository parameter, 29–30

IRequestForInformationRepository
interface, 203, 206

IRoutableTransmittal interface, 215, 221

ISubmittalRepository interface, 161,
178–187

ITransmittal interface
 ProposalRequest class, 234
 RequestForInformation class,
 214–215, 217–218

IUnitOfWork interface
 refactoring for synchronization with
 server, 329
 RemoveProposalRequestTest
 method, 241
 RepositoryBase<T> class implementing,
 35, 132
 Unit of Work implementation, 31–33

IUnitOfWorkRepository interface
 ClientMembershipProvider class
 implementing, 384
 RepositoryBase<T> class
 implementing, 35
 Unit of Work implementation, 31–33

K

Key property, Transaction, 335–337

KeyFieldName property,
RequestForInformation, 217–218

KPIs (key performance indicators), 5

L

layered architecture, 13–53
 designing, 13–14, 14, 15–18, 18
 problem, 13
 solution, 19, 20–22, 41–45, 45–53.
 See Repository Framework

Layered Supertype, 18, 20–22

LINQ queries, RFIs, 212

login test, 388

M

Maintainability requirement, 5, 7–9

managing projects, 55–107
 designing, 56, 56–57, 57–58, 58–59,
 60–65
 problem, 55
 solution, 88–90, 90–92, 92–102,
 102–106. See Project class; Project
 Repository

Market Segments (Sectors), Project Domain

defined, 56

Project Aggregate classes, 57

Segment property, Project class, 73–75
unit tests, 63–64

MarketSector class, 73–75

MarketSegment class, 74–75

Microsoft ASP.NET Membership, 359

Microsoft Synchronization Services for ADO .NET, 7, 327–328

Model-View-Controller (MVC) pattern, 47

Model-View-Presenter (MVP) pattern, 47

Model-View-ViewModel pattern, 45–53

defining ViewModel, 46

example, 47–53

overview of, 46

traditional presentation patterns, 45–46

MutableAddress class

CompanyViewModel class, 141, 142–143

creating headquarter address

dropdown, 147

ProjectInformationViewModel

class, 99

using C# 3.0 initializer features, 100

MutableCopyTo type,

SubmittalViewModel, 189

MutableCopyToList property,

SubmittalViewModel, 191–192

MVC (Model-View-Controller) pattern, 47

MVP (Model-View-Presenter) pattern, 47

MyTestInitialize method, unit test, 62

RequestForInformationViewModel
class, 230–231

SubmittalViewModel class, 191–192

TransmittalViewModel<T> class,
227–228

**NewConstructionCost property,
ChangeOrder, 276–277**

Number property, Project, 67–68

**NumberedProjectChildFactory class,
306–307**

**NumberedProjectChildRepository-
Helper class, 309**

**NumberedProjectChildValidator class,
273–274**

NumberSpecification property

ChangeOrder class, 278–280

ProposalRequest class, 247–248

RequestForInformation class,
211–212

O

object registration, Unit of Work, 30

ObjectState property, ViewModel, 94

Offline capability requirement, 5, 6–7

**OnFinalDistributionList property,
ProjectContact, 124**

**OriginalConstructionCost property,
ChangeOrder, 275–276**

Owner, Project, 56, 57, 84

Owner property, Project class, 70–71

N

Name property, Project, 67–68

namespace pattern, Visual Studio, 14

.NET Generics, 23

.NET Reflection, 44–45

.NET Value types, 68

NewCommandHandler method

ChangeOrderViewModel class, 291

CompanyViewModel class, 143

EditableViewModel<T> class, 319–320

ProjectContactViewModel class, 154

ProposalRequestViewModel class, 259

P

password security

ClientMembershipProvider class
methods, 375–384

ClientMembershipUser class, 368–369,
369–370, 370, 371

designing, 358

IClientMembershipProvider and, 373
unit tests for, 388–389

User class, 364–365, 365–366,
366–367

- PasswordAnswerAttemptFailed method, ClientMembershipUser, 370**
- PasswordAnswerAttemptSucceeded method, ClientMembershipUser, 371**
- PasswordAttemptFailed method, ClientMembershipUser, 368–369**
- PasswordAttemptSucceeded method, ClientMembershipUser, 369–370**
- PasswordFormat enumeration, 358**
- Patterns of Enterprise Application Architecture (Fowler), 15, 17–18, 30**
- PersistChangedPassword method, IClientMembershipProvider, 381**
- PersistChangedPasswordQuestion and Answer method, IClientMembershipProvider, 382**
- PersistDeletedItem method**
 - CompanyRepository class, 129–130
 - ProjectRepository class, 88, 132–133
 - RequestForInformationRepository class, 222–223
 - SubmittalRepository class, 186–187
- persistence ignorance, 7, 17**
- PersistNewItem method**
 - ChangeOrderRepository class, 285–287
 - CompanyRepository class, 127–128
 - ConstructionChangeDirective class, 310–311
 - IProjectRepository, 88
 - ProjectRepository class, 132–133
 - ProposalRequest class, 255–256
 - RequestForInformationRepository class, 220–221
 - SubmittalRepository class, 183–185
- PersistNewTransaction method, SqlCeClientTransaction Repository, 342–343**
- PersistUpdatedItem method**
 - ChangeOrderRepository class, 287–288
 - CompanyRepository class, 128–129
 - ConstructionChangeDirective class, 311–313
 - IProjectRepository, 87–88
 - IUnitOfWorkRepository, 384
 - ProjectRepository class, 132–133
 - ProposalRequest class, 256–257
 - RequestForInformationRepository class, 221–222
 - SubmittalRepository class, 185–186
- Person class, 72–73**
- Plain-Old CLR Objects (POCO) approach, 15**
- POCO (Plain-Old CLR Objects) approach, 15**
- PopulateAddresses method, ProjectContactViewModel, 153**
- PopulateMutableCopyToList method**
 - SubmittalViewModel class, 190–191
 - TransmittalViewModel<T> class, 227
- PopulateRoutingItems method, SubmittalViewModel, 191**
- PopulateSubmittalChildren method**
 - SubmittalViewModel class, 190
 - TransmittalViewModel<T> class, 226–227
- presentation layer, designing, 18**
- PreviousAuthorizedAmount property, ChangeOrder, 276**
- PreviousTimeChangedTotal property, ChangeOrder, 277**
- PriceChangeDirection property, ChangeOrderViewModel, 290**
- Principal-in-Charge, Project Domain, 56–57**
- PrincipalInCharge property, Project, 71–73**
- private fields**
 - ChangeOrder class, 271–275
 - ClientMembershipProvider class, 374–375
 - ConstructionChangeDirective class, 300–302
 - EditableViewModel<T> class, 317–318
 - Project class, 65–67
 - ProposalRequest class, 242–245
 - RequestForInformation class, 207–209
 - SqlCeClientMembershipProvider class, 384
 - Submittal class, 164–166
 - User class, 360–361

- ProcessReferenceData method, Synchronizer, 350–351**
- ProcessServerTransactions method, Synchronizer, 354–355**
- Project Aggregate, 56–59, 111–112**
- Project class, 65–77**
 - Address property, 68–70
 - ConstructionAdministrator property, 71–73
 - ContingencyAllowanceAmount property, 75
 - Contracts property, 76–77
 - Name and Number properties, 67–68
 - overview of, 65
 - Owner property, 70–71
 - PrincipalInCharge property, 71–73
 - private fields and constructors, 65–67
 - Segment property, 73–75
 - TestingAllowanceAmount property, 75
 - UtilityAllowanceAmount property, 75
- Project Repository. See also IProjectRepository interface**
 - Companies and Contacts, implementing, 131–134
 - managing projects, 77–88, 78–79, 80, 80–83, 83–86, 86, 87–88
- ProjectAddress property, ProjectInformationViewModel, 106**
- ProjectContact class**
 - defining aggregates, 110–111
 - designing domain model, 110
 - designing Repositories, 113–114
 - implementing, 123–124
 - ProjectRepository class, 132
- ProjectContactView class, 154–155**
- ProjectContactViewModel class**
 - constructors, 152
 - handlers, 154
 - overview of, 148–151
 - properties, 153
- ProjectInformationView class, 102–106**
- ProjectInformationViewModel class**
 - constructors, 98–101
 - creating, 94–98
 - properties, 101–102
 - view implementation, 102–106
- projectKey parameter, Submittal, 164**
- ProjectName property, ProjectInformationViewModel, 101–102**
- ProjectNumber property, ProjectInformationViewModel, 101–102**
- ProjectService class**
 - implementing, 90–91
 - saving ProjectContact, 136–137
 - ViewModel class, 47–53
- properties**
 - ChangeOrder class, 275–280
 - CompanyViewModel class, 141–143
 - ConstructionChangeDirective class, 302–304
 - ConstructionChangeDirectiveView Model class, 315–316
 - EditableViewModel<T> class, 318–319
 - ProjectContactViewModel class, 153
 - ProjectInformationViewModel class, 101–102
 - ProposalRequest class, 245–248
 - RequestForInformation class, 209–213. See also Submittal class, properties
 - RequestForInformationViewmodel class, 230
 - Submittal class. See Submittal class, properties
 - SubmittalViewModel class, 190–191
 - TransmittalViewModel<T> class, 226–227
 - UnitOfWork class, new, 335
 - User class, 363
- Proposal Request Aggregate, 234–237**
- Proposal Requests, 233–263**
 - designing, 234–235, 235–236, 236–237, 237–238, 239–241
 - problem, 233–234
 - solution, 242–245, 245–248, 248–253, 253–257, 257–258, 258–260, 260–261, 261–262, 263
- ProposalRequest class, 242–245**
- ProposalRequestViewModel class, 258–260**

Provider Framework. See **Client Membership System Provider**
ProviderFactory class, 373–374

Q

QuestionAnswerSpecification property, RequestForInformation, 213

R

Recipient property, RoutingItem, 177
ReferenceDataRepositoryFactory class, 351–352

Reliability requirement, 4, 6–7

RemainderLocation property, Submittal, 178

RemoveProposalRequestTest method, 241

RemoveRfiTest method, 206–207

RemoveSubmittalTest method, 164

RemoveTest method, 117

Repositories

designing, 58–59, 112–114, 160–161, 203, 237–238, 268–271, 299
 Domain-Driven Design concept, 17
 implementing, 88–90, 124–130, 130–131, 131–134, 213–219, 253–257, 283–285, 307–309. See **Project Repository**;
Submittal Transmittals, **Repository**
 using in domain layer, 17–18

Repository Factory

configuration section, 24
 configuration section handling, 24–28
 defined, 23
RepositoryFactory class, 28–30

Repository Framework, 22–41

in infrastructure layer, 18
 interfaces, 22–23
Repository Factory, 23–30
RepositoryBase<T> class, 33–35
SqlCeRepositoryBase<T> class, 35–41
 Unit of Work, 30–33

RepositoryBase<T> class, 33–35, 38, 78

RepositoryFactory class, 28–30

RepositoryMappingCollection data type, 25–27

RepositoryMappingConstants class, 25

RepositoryMappingElement class, 27–28

RepositoryMappings element, 24–25

RepositoryMappingsConfiguration configuration section, 25

RepositorySettings class, 25, 27

Request for Information. See **RFI (Request for Information)**

RequestForInformation class

defining Aggregate boundaries, 202–203
 defining RFI Aggregate, 201–202
 designing RFI Repository, 203
 private fields and constructors, 207–209
 refactoring RFI Repository, 215
 RFI domain model, 200–201
 writing unit tests, 204–207

RequestForInformationDate Specification class, 212

RequestForInformationNumber Specification class, 211

RequestForInformationQuestion AnswerSpecification class, 213

RequestForInformationRepository class, 203, 213–214

RequestForInformationService class, 224

RequestForInformationViewModel class, 224, 228–231

ResetPassword method, 366–367, 382–383

RFI (Request for Information), 199–232

designing, 200–201, 201–202, 202, 203, 204–207
 private fields and constructors, 207–209
 problem, 199
 properties, 209–213. See *also* **Submittal class**, **properties**
 Repository implementation, 213–214, 214, 219–223
RequestForInformation class, 213–219
RequestForInformationService class, 223–224

RFI (Request for Information) (continued)

RequestForInformationViewModel class, 228–231
TransmittalViewModel<T> class, 224–228
View, 231–232

RFI Aggregate, 201–203, 213–219

Rich Client Application requirement, 5, 9–11

routable Transmittals, 219

RoutableTransmittal class, 235

RoutableTransmittal User Control, 263

RoutingItems class

RequestForInformation class, 201, 219
RoutingItems property, 175–176
SubmittalTransmittal class, 158

RoutingItems property

RoutingItems class, 177
Submittal class, 175–177
SubmittalViewModel class, 191–192

S

SaveCommandHandler method

ChangeOrderViewModel class, 291–292
ProjectContactViewModel class, 154
ProposalRequestViewModel class, 260
RequestForInformationViewmodel class, 230–231
TransmittalViewModel<T> class, 227

SaveContact method,

IProjectRepository, 113–114, 118–119, 132

SaveCurrentEntity method

ConstructionChangeDirectiveView Model class, 323–324
TransmittalViewModel class, 322–323

SaveProject method

CompanyService class, 135
ProjectService class, 91

SaveProjectContact method,

ProjectService, 136–137

Scalability requirement, 5–7

SecurityHelper class, 362–363

Segment property, Project, 73–75

SelectCommand property, ViewModel, 51

SelectProjectView class, 47–49, 51, 102–103

SelectProjectViewModel class, 49–52

Separated Interface pattern

defined, 17
ProviderFactory class, 374
RepositoryFactory class, 23, 24

Serialize method, 345

Serializer class, 345

server

supporting requirement, 6
synchronizing data with. See
synchronization with server

ServerTransaction class, 338–339

Service class implementations

ChangeOrderService class, 288–289
ClientMembershipService class, 387
CompanyService class, 134–135
ConstructionChangeDirective Service class, 313–314
ContactService class, 135
EmployeeService class, 91–92
ProjectService class, 90–91, 136–137
ProposalRequestService class, 257–258
RequestForInformationService class, 223–224
SubmittalService class, 187–188

Services, Domain-Driven Design concept, 16

SetCurrentEntity method,

TransmittalViewModel, 323

SetLastSynchronization method,

SqlCeClientTransaction Repository, 347–348

SetLastSynchronizationTest method, 332

SetLastSynchronized method, Synchronizer, 350

Smart Client anti-pattern, 2

smart client applications, 9–11

Smart Design, defined, 1

SmartCA application. See Construction Administration Database

Specification class, 200

Specification Section

AddSubmittalTest method, 162–163
 every Submittal associated with, 164
 RFI vs. Submittal Transmittal, 201
 Submittal Transmittals, 158

SpecSection property, Submittal, 170**SQL CE (SQL Server Compact Edition) 3.5, 6–7, 11****SQL Server, 6****SQL Server Express, 7****SqlCeClientMembershipProvider class, 384–386****SqlCeClientTransactionRepository class, 341–348**

constructor, 342
 defined, 341
 FindPending method, 343–347
 GetLastSynchronization method, 347
 PersistNewTransaction method, 342–343
 SetLastSynchronization method, 347–348

SqlCeReferenceDataRepository class, 352–354**SqlCeRepositoryBase<T> class**

refactoring FindAll/FindBy methods, 78–79
 Repository Framework and, 35–41
 RequestForInformation class, 222–223
 RFI Repository, 203, 215–216

SqlCeRoutableTransmittalRepository <T> class, 223**SqlCeTransmittalRepository<T> class, 215, 219****StackPanel elements, SubmittalView class, 193–194, 195****static methods, application layer design, 14****Status class, 200–201****Status property, Submittal, 175, 177–178****Submittal Aggregate, 158–161****Submittal class**

private fields and constructors, 164–166
 refactoring RFI Repository, 215
 as root of Submittal Aggregate, 158

Submittal class, properties, 166–178

CopyToList property, 171–172
 DeferredApproval property, 174
 DeliveryMethod property, 170–171
 overview of, 166–169
 RemainderLocation property, 178
 RoutingItems property, 175–177
 SpecSection property, 170
 Status property, 175, 177–178
 TotalItemsReceived property, 174
 TotalItemsSent property, 174
 TrackingItems property, 173–174

Submittal Transmittals, 157–197

designing, 158, 159, 159–160, 160–161, 161–164
 problem, 157
 Repository, 178–179, 178–187, 179, 179–180, 180–181, 181–182, 182–183, 183–187
 service implementation, 187–188
 Submittal class private fields and constructors, 164–166
 Submittal class properties. See Submittal class, properties
 SubmittalView class, 192–197
 SubmittalViewModel class, 188–192

SubmittalService class, 187–188**SubmittalStatus class, 177–178****SubmittalView class, 192–197**

CopyToList section, 195–197
 overview of, 192–193
 using StackPanel element, 193–194
 using Xceed DatePicker control, 194

SubmittalViewModel class, 188–192**synchronization with server, 327–356**

design, 328–330, 330, 331–332
 problem, 327
 solution, 349–355, 355–356. See Unit of Work implementation

SynchronizationServerProxy class, 356**Synchronize method, Synchronizer class, 355–356****Synchronizer class, 349–355**

constructor, 349
 GetLastSynchronized method, 349–350

Synchronizer class (continued)

IReferenceDataRepository, 351–354
ProcessReferenceData method,
350–351
ProcessServerTransactions method,
354–355
ReferenceDataRepositoryFactory
class, 351–352
SetLastSynchronized method, 350
Synchronize method, 355–356

System.String class, 69

T

TCandidate Generic parameter, 280
Template method pattern, 83–86, 89
TEntity parameter, 29
Test method attribute, 63
TestContext private field, 62
TestingAllowanceAmount property,
Project class, 75
TimeChanged property, ChangeOrder, 278
TimeChangeDirection property,
ChangeOrderViewModel, 290
ToAddress method, MutableAddress, 100
ToCompany method, 346
ToCompanyContract method, 346
ToEntity method, 347
TotalItemsReceived property,
Submittal, 174
TotalItemsSent property, Submittal, 174
TrackingItems class, 173–174
TrackingItems property, Submittal,
173–174
Transaction class
ClientTransaction class, 338
ClientTransactionRepository
class, 341
ClientTransactionRepository
Factory class, 340
ClientTransactionService class,
348–349
Data Contracts, 339
overview of, 335–337

ServerTransaction class, 338–339
SqlCeClientTransactionRepository
class, 341–348

TransactionScope class, 33

TransformToChangeOrder method,
ConstructionChangeDirective,
305–306

Transmittal class

ConstructionChangeDirective
class i, 297
designing Proposal Request Aggregate,
234–235
refactoring RFI Repository, 214–217

Transmittal User Control, 261–262

TransmittalDate property,

Transmittal, 244

TransmittalViewModel class, 321–323

TransmittalViewModel<T> class,
225–228

TRepository parameter, 29–30

Type property, Transaction, 335–337

U

UI (user interface)

declarative programming for, 10
fulfilling Maintainability requirement, 7–9
legacy application, 2

Unit of Work implementation

ChangeOrder class, 285–288
Client Membership System, 359
CompanyRepository class, 127–130
ConstructionChangeDirective class,
310–313
ContactRepository class, 131
ProjectRepository class, 87–88
ProposalRequest class, 254–257
Repository Framework, 30–33
RequestForInformation class,
219–223
SubmittalRepository class, 183–187
synchronizing with server, 328–330,
333–334, 335, 335–339, 340, 341,
341–348, 348–349

unit tests

- Change Orders, 271
- Client Membership System, 388–389
- Companies and Contacts, 114–117, 114–119, 118, 118–119
- Construction Change Directive, 300
- Projects and Employees, 60–65
- Proposal Requests, 239–241
- Request for Information, 204–207
- Submittal Transmittals, 161–164
- synchronizing with server and, 331–332

UnitOfWork class

- synchronizing with server, 335
- Unit of Work implementation, 31–33
- unit tests, 62

Update requirement, 5, 11

UpdateProposalRequestTest method, 240–241

UpdateRfiTest method, 205–206

UpdateSubmittalTest method, 163

UpdateTest method,

ICompanyRepository, 116–117

UpdateUser method, IClientMembership Provider, 383–384

User class, 360–367

- ChangePassword method, 363–364
- ChangePasswordQuestionAndAnswer method, 365–366
- constructors, 361–363
- properties, 363
- ResetPassword method, 366–367
- signature and private fields, 360–361

user interface. See UI (user interface)

UtilityAllowanceAmount property, Project, 75

V

Validate method

- ChangeOrder class, 280–283
- ConstructionChangeDirective class, 304–305
- ProposalRequest class, 248–253

ValidateCurrentObject method, EditableViewModel<T>, 319–320

ValidateInitialization method

- ChangeOrder class, 273
- ConstructionChangeDirective class, 302
- ProposalRequest class, 245
- User class, 362–363

ValidateInitialState method, NumberedProjectChildValidator, 273–274

ValidateUser method, 364

ValidateUserWithPasswordAnswer method, IClientMembership Provider, 377, 380

ValidateWithUserPassword method, IClientMembershipProvider, 380

Value Objects

- Address property of Project class as, 68
- Domain-Driven Design concept, 15
- .NET Value types vs., 68

View

- ChangeOrder class, 292–293
- ConstructionChangeDirective class, 324–325
- ProposalRequest class, 260–261
- RequestForInformation class, 231–232
- SubmittalTransmittal class, 192–197

viewModel classes

- CompanyViewModel class, 137–140, 137–143, 140–141, 141–143, 143
- Construction Change Directive, 314–321, 321–323
- defining, 47
- Model-View-ViewModel pattern, 45–46, 45–53, 46, 47–53
- overview of, 92–94
- ProjectContactViewModel class, 148–151, 148–154, 152, 153, 154
- ProjectInformationViewModel class, 94–98, 94–102, 98–101, 101–102, 102–106
- ProposalRequestViewModel class, 258–260

ViewModel classes (continued)

ViewModel classes (continued)

RequestForInformationViewmodel class, 224, 228–231
SelectProjectViewModel class, 49–52
SubmittalViewModel class, 188–192
TransmittalViewModel<T> class, 225–228

Visual Studio

designing, 13–14
implementing, 19

Visual Studio Team System (VSTS), unit test, 60

VSTS (Visual Studio Team System), unit test, 60

W

Web Access requirement, 5, 11
Web applications, benefits of, 10

Windows applications, benefits of, 10
WPF (Windows Presentation Foundation), 10–11, 47–53

X

XAML (Extensible Application Markup Language), 10, 144–147

Xceed DataGrid control, CompanyView class, 145–146

Xceed DatePicker control, SubmittalView class, 194

Y

YAGNI (You Ain't Gonna Need It) principle, 70