

Index

Symbols and Numerics

- * (asterisk) as wildcard character, 270
- ? (question mark) as wildcard character, 270
- 32-bit machines
 - Active Directory and domain preparation using, 30
 - downloading Exchange Server tools for, 30, 269
 - not supported by Exchange Server, 28
 - using Exchange Server tools on, 30–31
- 64-bit machines
 - processor choices, 28
 - required for Exchange Server, 28, 34
- 642 event message, 161
- 4662 event message, 161
- **A** •
- accepted domain settings, 61
- ACE (Access Control Entry), 80
- Active Directory
 - dynamic distribution group requirements, 254
 - Edge Transport server access to, 10
 - making security changes for, 203–204
 - modifying the view of distribution groups, 156–157
 - renaming domains not supported, 34
 - requirements for Exchange Server, 32–34
 - Routing Log Viewer information about, 242
 - security built-in for, 202
- Active Directory Users and Computers console
 - Group Scope setting, 156
 - Group Type setting, 157
 - user and group security settings, 160–161
 - user auditing setup, 162–164

- ActiveSync. *See* Exchange ActiveSync
- AD LDS (Active Directory Lightweight Directory Services), 56
- ADAM (Active Directory Application Mode)
 - AD LDS replacing on Windows Server 2008, 56
 - Edge Transport server use of, 10, 55
- Add-DistributionGroupMember cmdlet, 289
- Add-MailboxPermission cmdlet, 283
- address list folders, 59
- address spaces, 115, 243
- Administrator account, avoiding
 - deleting, 87
- Administrator privileges
 - for cmdlets, 278
 - for command line, 292
 - permissions for, 278
 - security risks for, 153
 - for Windows PowerShell, 264, 267–269
- ADSI Edit console
 - creating attributes using, 204–208
 - setting attribute security with, 202–204
- alternative mailboxes
 - equipment mailbox creation, 140–141
 - linked mailbox creation, 141–143
 - room mailbox creation, 138–140
- antispam and antivirus features, 10–14. *See also* spam prevention; virus prevention
- Anti-spam Stamp, 13, 174–176
- Antivirus Extensibility feature, 169
- antivirus stamp, 13, 169
- application accessibility settings, 60
- Application log size, setting, 86–87
- Archive hosted service, 24, 57
- asterisk (*) as wildcard character, 270
- attachment filtering, 13, 169, 177–178
- attack surface of server, 84
- AttributeName control property, 202
- attributes of templates
 - creating, 204–208
 - finding the OID (Object Identifier) for, 205

attributes of templates (*continued*)

LDAP display name for, 206

mAPIID value for, 207–208

oMSyntax value for, 206

overview, 202

security settings, 202–204

syntax value for, 207

auditing users, 161–164

authentication for OWA access, 105–106

auto attendant settings, 63

Autodiscover service, troubleshooting,
215–216

Availability service, troubleshooting,
215–216

• B •

backup. *See also* replication

choosing an application for, 250–251

data store backup creation, 248–251

elements not requiring, 249

elements requiring, 248–249

Extensible Storage Engine (ESE) type, 250

fast and fewer backups, 15, 249–250

further information, 249, 251

recovery storage group creation, 223

replication versus, 237–238

storage locations for data, 248–249

Volume Shadow copy Service (VSS) type,
250

of Windows configuration, 248

for Windows Server 2008, 251

Baseline test, 82–84

basic authentication, avoiding, 106

behaviors with templates, 199–200

Best Practices Analyzer. *See* Exchange Best
Practices Analyzer (ExBPA)

blocking messages with unsafe
attachments, 178

blogs, 336–337, 340–341

bold type in this book, 2

business continuity features, 15

• C •

CAL (Client Access License) editions,
21–23

Calendar Attendant, 289–290

calendars

Calendar Attendant for, 289–290

iCalendar standard, 137

retrieval settings for IMAP4 and POP3,
136–137

CCR (Cluster Continuous Replication),
15, 20, 241

CD command, 297

Certificate Export Wizard, 101

Certificate Import Wizard, 102–103

certificates (SSL). *See also* digital
certificates; SSL (Secure Sockets
Layer)

automatic installation of, 14, 96

binding for Default Web Site, 98–99

exporting from server store to file,
101–102

Friendly Name for, 98

installing on client machine, 102–103

self-signed, creating with IIS Manager
console, 97–99

self-signed, creating with Windows
PowerShell, 99–100

thumbprints for, 100

check box control, 197

checksum test, 302

Clean-MailboxDatabase cmdlet, 281

Client Access License (CAL) editions,
21–23

Client Access role. *See also* OWA (Outlook
Web Access)

application accessibility settings, 60

client connection configuration, 104–110

connectivity methods, 65–66

device characteristics settings, 60

exporting certificate from server store to
file, 101–102

installing certificate on client machine,
102–103

organization level, 60

overview, 52–54

protocol configuration for, 54

server level, 65–66

SSL certificate creation with IIS Manager
console, 97–99

SSL certificate creation with Windows
PowerShell, 99–100

SSL security level setting, 103–104

- client connection configuration
 - Exchange ActiveSync mailbox policy creation, 107–108
 - Hub Transport role settings, 66–67
 - OWA configuration, 104–106
 - POP3 and IMAP4 for, 109–110
 - reconfiguring users to rely on mailbox policy, 108–109
 - Cluster Continuous Replication (CCR), 15, 20, 241
 - clustered mailbox servers, 285–286
 - cmdlets. *See also* Exchange Management Shell; Windows PowerShell; specific cmdlets
 - for adding custom resources, 273–275
 - administrator privileges required for, 278
 - for Calendar Attendant, 290
 - for clustered mailbox servers, 286
 - defined, 266
 - distribution group-related, 287–289
 - help for, 270–271
 - locating, 269–270
 - mailbox-related, 272–273, 277–278, 280–286
 - for multimapbox search, 277–278
 - for restarting services, 276
 - scripting with, 278
 - for setting mailbox configuration, 272–273
 - user-related, 278–280
 - in Windows PowerShell 2.0, 310–311
 - command line
 - arguments for filtering data, 277
 - Command History, 293
 - configuring, 292–296
 - Display Options discontinued for, 294
 - Edit Options, 294
 - ESEUtil command, 296–303
 - ExBPACmd command, 304–305
 - Exchange Management Shell versus, 291
 - font for, 294
 - history of, 291
 - ISInteg command, 303–304
 - opening administrator command line, 292
 - text colors for, 296
 - window layout for, 294–295
 - window options, 292–294
 - Windows PowerShell versus, 264
 - comments
 - for custom folders, 128
 - for transport rules, 180
 - Community Technology Preview (CTP)
 - version of Windows PowerShell, 311
 - compliance features, 14–15
 - confidential messaging features, 14
 - configuration management tools, 69–70
 - configuring Exchange Server. *See* initial configuration
 - ConfirmationRequired control
 - property, 202
 - Connection Filtering, 11
 - connectivity problems, troubleshooting, 217
 - Connectivity Test, 80–81
 - Connect-Mailbox cmdlet, 281
 - Contacts templates, 195. *See also* templates
 - Content Filtering feature, 12, 166
 - Continuity hosted service, 24, 57
 - controls for forms and templates
 - adding to templates, 198–199
 - Addition behavior for, 200
 - alignment marks, 198
 - attributes determined by, 202
 - available controls, 197–198
 - defined, 197
 - Deletion behavior for, 200
 - Exchange Server API for working with, 199
 - Modification behavior for, 200
 - properties, 200–202
 - copying database to another location, 302–303
 - counters, performance, 259
 - CTP (Community Technology Preview)
 - version of Windows PowerShell, 311
 - custom managed folders. *See* managed folders
- D •
- DACL (Discretionary Access Control List), 80, 157
 - Data Encryption Standard (DES), 170
 - data store backup, 248–251

- Database Recovery Management tool, 221–223
- Database Troubleshooter, 224–225
- databases
 - checksum test, 302
 - cmdlets for working with, 281, 284–285
 - copying to another location, 302–303
 - Database Recovery Management tool for, 221–223
 - Database Troubleshooter for, 224–225
 - defined, 52
 - defragmenting, 297–298
 - disk space requirements for, 31
 - displaying contents, 301–302
 - event logs, viewing, 223
 - Exchange Server editions and storage limits, 20
 - Exchange Server editions and support for, 20
 - integrity check for, 301, 303–304
 - portability improvements, 15
 - public folder, backup required for, 248
 - public folder, creating, 92–94
 - recovering, 300–301
 - recovery storage group creation, 223
 - repairing, 223, 298–299
 - replication, backing up, 249
 - restoring, 300
 - storage groups, 20, 52
 - troubleshooting, 221–225
 - verifying, 223
- DDR (Double Data Rate) RAM, 29
- decryption, 170
- deep integration for antivirus scanning, 14, 169
- Default connection settings, 66–67
- default managed folders. *See* managed folders
- Default Public Folders folder
 - creating new folders, 146
 - mail-enabling a folder, 148
 - removing unneeded folders, 148
 - viewing folder properties, 147
- Default Web Site
 - certificate binding for, 98–99
 - SSL security level setting, 103–104
- defragmenting the database, 297–298
 - deleting or removing
 - Administrator account, avoiding, 87
 - messages with unsafe attachments, 178
 - NNTP support before installing Exchange Server, 32
 - problem messages, 236
 - public folders, 148
 - SMTP support before installing Exchange Server, 32
 - stripping unsafe attachments from messages, 178
 - template controls, 200
- Delivery Status Notification (DSN) settings, 62
- DES (Data Encryption Standard), 170
- Details Template Editor
 - adding a control to a template, 198–199
 - controls available, 197–198
 - Details Templates Editor versus, 195
 - editing a template, 195–197
 - Exchange Server API versus, 199
 - panes, 196
- Details Templates Editor
 - creating a console for, 194
 - Details Template Editor versus, 195
 - overview, 194–195
 - template types in, 195
 - uses for, 193
- device characteristics settings, 60
- device security, SP1 improvements for, 18
- dial plans, 63
- digest authentication, avoiding, 106
- digital certificates. *See also* certificates (SSL)
 - backup required for, 248
 - for devices without an account, 184
 - importing and exporting, 189–191
 - Network Device Enrollment for, 184
 - obtaining, 183
 - from remote location, 184
 - S/MIME support, 184
 - storage location for, 190
 - uniqueness of certificates and messages, 189–190
 - uses for, 183
 - using, 188–189
 - verifying the presence of, 184–187

- viewing with MMC, 184–187
 - viewing with Windows PowerShell, 187
 - Direct Push
 - further information, 106
 - timeout value for, 107
 - Disable-DistributionGroup cmdlet, 287
 - Disable-Mailbox cmdlet, 281
 - Disable-MailUser cmdlet, 279
 - disaster recovery tools, 70
 - Disconnected Mailbox folder, viewing, 69
 - Discretionary Access Control List (DACL), 80, 157
 - disjoint namespaces, 33–34
 - displaying database contents, 301–302
 - Distribution Group folder, 69
 - distribution groups
 - cmdlets related to, 287–289
 - configuring, 286–289
 - creating, 148–149
 - defined, 153
 - dynamic, 253–256
 - limiting number of, 148
 - modifying Active Directory view of, 156–157
 - scope setting for, 156
 - security groups versus, 153
 - setting properties for, 149–150
 - types of use for, 157
 - uses for, 68–69, 148
 - DNS (Domain Name System) configuration, 33–34
 - Double Data Rate (DDR) RAM, 29
 - DSN (Delivery Status Notification) settings, 62
 - DVD drive, 29
 - dynamic distribution groups
 - Active Directory requirements for, 254
 - cmdlets for working with, 287–289
 - creating, 254–256
 - as performance option, 253
 - queries for, 254
- **E** ●
- edge protocol rules, 13, 169
 - edge subscriptions, 62
 - Edge Transport role
 - Consolidated Management for, 13
 - described, 10
 - Hub Transport role versus, 55
 - overview, 55–56
 - subscriptions between Hub Transport role and, 55
 - Edge Transport server
 - consolidated management for, 13
 - coverage in this book, 3
 - hosted services alternative to, 110
 - Hub Transport server configuration as, 110
 - receive connector configuration, 113, 116–117
 - Routing Log Viewer information about, 242
 - send connector configuration, 113, 114–116
 - virus prevention features, 168–169
 - EdgeSync service, 55
 - edit text box control, 197
 - e-mail. *See also* mail flow; mailboxes
 - address policies, 62
 - antispam requirements, 165–167
 - antivirus and malware requirements, 167–169
 - connecting to Exchange Server using Outlook, 118–119
 - dual-provider approach, 117
 - finding message events, 231–233
 - mail-enabling a folder, 148
 - meaning in Exchange Server 2007, 52
 - message delivery options, 153–154
 - message delivery restrictions, 155–156
 - message size restrictions, 154–155
 - out-of-office messages, 125
 - receive connector configuration, 116–117
 - send connector configuration, 114–116
 - e-mail folders
 - CAL edition differences for managing, 21
 - list of, 52
 - Enable-DistributionGroup cmdlet, 287
 - Enable-ExchangeCertificate command, 100
 - Enable-Mailbox cmdlet, 281

- Enable-MailUser cmdlet, 279
- encryption. *See also* SSL (Secure Sockets Layer)
 - Data Encryption Standard (DES), 170
 - defined, 170
 - e-mail, 170, 172
 - hard drive, 170
 - hosted, 24, 58
 - Intra-Org Encryption feature, 14, 171
 - opportunistic TLS, 14, 171
 - S/MIME, 172
 - Triple DES, 170
 - Voice Over IP (VOIP), 171
- Encryption hosted service, 24, 58
- Enterprise edition
 - Client Access License (CAL) options, 21–23
 - features compared to Standard edition, 20–21
 - SP1 requirement for features, 20, 21
- environment for Exchange Server installation
 - Active Directory setup, 32–34
 - disk space requirements, 31–32
 - installing Internet Information Services role, 38–41
 - installing .NET Framework 2.0, 36–37
 - installing Windows PowerShell, 37–38
 - minimum hardware requirements, 28–30
 - mixed Exchange Server version environments, 34
 - operating systems supported, 34–35
 - removing NNTP support, 32
 - removing SMTP support, 32
 - starting Remote Registry service, 32
 - testing your configuration, 41–44
 - verifying your configuration, 32–36
- E.164 for dial plan connection, 63
- equipment mailboxes, 140–141
- Err utility, 320–321
- error codes
 - Exchange Server, utility for looking up, 320–321
 - Outlook, 215
- error reporting options during installation, 45–46
- ESE (Extensible Storage Engine) backup, 250
- ESEnTUtil (Extensible Storage Engine Technology Utility), 298
- ESEUtil (Extensible Storage Engine Utility)
 - changing directory before executing, 297
 - checksum test, 302
 - copying database to another location, 302–303
 - database integrity check, 301
 - database name for, 297
 - defragmenting the database, 297–298
 - displaying database contents, 301–302
 - ESEnTUtil versus, 298
 - further information, 298–303
 - mode configuration for, 297
 - overview, 296–297
 - recovering the database, 300–301
 - repairing the database, 298–299
 - restoring the database, 300
- event logs, viewing database-related, 223
- ExBPACmd command, 304–305
- Exchange ActiveSync
 - CAL edition differences for, 21
 - Client Access role settings, 60, 65–66
 - configuring client access for, 272
 - default mailbox policy with SP1, 108
 - Direct Push, 106–107
 - Exchange Server support for, 53
 - mailbox policy creation, 107–108
 - mailbox policy for linked mailboxes, 142
 - policy selection when adding mailboxes, 90
 - reconfiguring users to rely on mailbox policy, 108–109
 - SP1 required for advanced policies, 21
- Exchange Best Practices Analyzer (ExBPA)
 - Baseline test, 82–84
 - command line use of, 304–305
 - Connectivity Test, 80–81
 - Health Check, 75–79, 94, 96, 252–253
 - opening, 74
 - Performance Baseline scan, 75, 252–253
 - Permission Check, 79–80
 - Readiness Check, 40–41, 75
 - timing for running tests, 75

- Exchange Management Console. *See also* specific configuration types
applying managed folder policy to user mailbox, 133–134
configuration areas in, 49
distribution group creation, 149
Exchange Management Shell versus, 278
help topics in, 51
hosted services overview, 57–58
managed custom folder creation, 126–127
managed default folder creation, 128–129
managed folder configuration, 129–131
managed folder mailbox policy settings, 132–133
opening, 50, 72
Organization Configuration overview, 58–63
Recipient Configuration overview, 68–69
repeated items in, 50
roles overview, 51–57
Server Configuration overview, 63–68
SP1 improvements for, 20
Toolbox folder, 69–70
- Exchange Management Shell. *See also* cmdlets
adding custom resources with, 273–275
antispam agent installation and configuration with, 275–276
for clustered mailbox servers, 285–286
cmdlets, defined, 266
command line arguments for filtering data, 277
command line versus, 291
for distribution group configuring, 286–289
earlier command prompt programs, 263
Exchange Management Console versus, 278
executing cmdlets, 272–275
for mail folder interaction, 280–286
multimailbox search with, 277–278
SCL threshold setting, 85–86
for SCR management, 242
setting mailbox configuration with, 272–273
SP1 improvements for, 20
for user interaction, 278–280
Windows PowerShell versus, 266
- Exchange Processes Are Failing tool, 218–220
- Exchange Server 2007. *See also* initial configuration; installing Exchange Server
Client Access License (CAL) editions, 21–23
features, 10–15
hosted version, 9, 23–25
mixed version environments, 34
Service Pack 1 (SP1), 1, 16–20
Standard versus Enterprise edition, 20–21
trial version, 9
- Exchange Server API, 199
- Exchange Server TechNet forum, 332–333
- Exchange Troubleshooting Assistant (ExTRA). *See* Microsoft Exchange Troubleshooting Assistant
- Export-ExchangeCertificate command, 100
- Export-Mailbox cmdlet, 277–278, 282–283
- Extensible Storage Engine (ESE) backup, 250
- Extensible Storage Engine Technology Utility (ESEnTUtl), 298
- Extensible Storage Engine Utility. *See* ESEUtil
- **F** ●
- filtering e-mail
attachments, 13, 169, 177–178
by connections, 11
by content, 12, 166
by filename or file extension, 177
hosted, 14, 21, 24–25, 57
by MIME type, 177
by recipients, 11
by senders, 11
- Filtering hosted service. *See* Hosted Filtering
- Firefox, OWA Light access using, 53–54
- Forefront Security for Exchange Server
CAL edition differences for, 21
for compressed file scanning, 177
described, 85
downloading, 313

Forefront Security for Exchange Server

(continued)

further information, 313

using, 312–314

forms, 193. *See also* templates

forms-based authentication for OWA

access, 105–106

4662 event message, 161

Forwarding Address field, security risks

with, 153

FQDN (Fully Qualified Domain Name)

creating certificate with, using IIS

Manager console, 97–99

creating certificate with, using Windows

PowerShell, 99–100

for OWA access, 53

warning for certificates not using, 96

full access permission for mailboxes,

158, 160

• G •

Gerber, Barry (Mastering Microsoft

Exchange Server 2007), 199

Get-CASMailbox cmdlet, 285

Get-ChildItem command, 187, 268

Get-ClusteredMailboxServer cmdlet,
286

Get-DistributionGroup cmdlet, 287

Get-DistributionGroupMember
cmdlet, 287Get-DynamicDistributionGroup
cmdlet, 287Get-ExchangeCertificate command,
100

Get-Mailbox cmdlet, 277–278, 280

Get-MailboxCalendarSettings
cmdlet, 290

Get-MailboxDatabase cmdlet, 284

Get-MailboxFolderStatistics
cmdlet, 282

Get-MailboxPermission cmdlet, 283

Get-MailboxServer cmdlet, 271, 284

Get-MailboxStatistics cmdlet, 282

Get-MailUser cmdlet, 279

Get-ManagedFolderMailboxPolicy
cmdlet, 285

Get-User cmdlet, 279

GFI MailSecurity antivirus utility, 321–322

Gold Certified Partner requirements, 343

Google, 337–338

group box control, 198

Groups templates, 195. *See also* templates

• H •

hard drive

analyzing the log drive space, 223

encrypting, 170

file format required for Exchange
Server, 30

partitions for specific tasks, 30

space requirements for Exchange Server,
29, 31–32hardware requirements for Exchange
Server, 28–30hardware security, SP1 improvements
for, 18

Health Check

dealing with issues, 77–79

deciding when to act on warnings, 79

described, 75

Do Not Show Me This Item Again...
options, 79

error for mailbox without an OAB, 94

labels for scans, 76

Performance Baseline option, 75, 252–253

selecting the test to perform, 76

steps for running a scan, 76–77

time required for, 75–76

viewing a scan report, 77–78

warning for certificate not using FQDN, 96

help

for cmdlets, 270–271

in Exchange Management Console, 51

in Windows PowerShell, 264, 269–271

Hosted Filtering

alternatives to, 24

CAL edition differences for, 21

described, 14, 24, 57

- further information, 57
- trial for, 25
- hosted services
 - Archive, 24, 57
 - benefits of, 23
 - buying, 25
 - Continuity, 24, 57
 - defined, 57
 - elements of, 24–25
 - Encryption, 24, 58
 - Filtering, 14, 21, 24–25, 57
 - receive connector configuration, 113, 116–117
 - send connector configuration, 113–116
 - Software as a Service (SaaS) model for, 58
- hosted version of SP1, 16
- Hub Transport role
 - accepted domain settings, 61
 - edge subscription settings, 62
 - Edge Transport role versus, 55
 - e-mail address policies, 62
 - global settings, 62
 - journaling settings, 62
 - organization level, 61–62
 - overview, 54–55
 - relay domain settings, 61
 - remote domain settings, 61
 - send connector settings, 62
 - server level, 66–67
 - subscriptions between Edge Transport role and, 55
 - transport rules, 62, 179–183
- Hub Transport server
 - adding antispam features, 176
 - defining e-mail domains, 111–113
 - Edge Transport server configuration, 110
 - EdgeSync service on, 55
 - Internet Mail Flow configuration, 110, 113–116
 - receive connector configuration, 113, 116–117
 - Routing Log Viewer information about, 242
 - send connector configuration, 113–116
- 1 •
- iCalendar standard, 137
- icons in margins of this book, 5
- IIS. *See* Internet Information Services
- IIS Manager console. *See* Internet Information Services (IIS) Manager console
- IMAP4 (Internet Message Access Protocol version)
 - calendar retrieval settings, 136–137
 - Client Access role settings, 65–66
 - configuring client access for, 272
 - Exchange Server support for, 54
 - further information, 109
 - logon method for, 109
 - POP3 versus, 109
 - starting the service, 110
- IMF (Intelligent Message Filter), 12
- Import-ExchangeCertificate command, 100
- Import-Mailbox cmdlet, 283
- Information Rights Management (IRM), 171
- Information Store Integrity Checker (ISInteg), 303–304
- initial configuration
 - Application log size setting, 86–87
 - basic mailbox configuration, 87–96
 - Best Practices Analyzer tests, 74–84
 - client access, 96–110
 - client connection to Exchange Server, 117–119
 - entering the product key, 72–74
 - Hub Transport server setup, 110–117
 - malware protection, 84–86
 - mandatory configuration tasks, 72–87
- Install-AntiSpamAgents.PS1 script, 275
- installing. *See also* installing Exchange Server
 - antispam agents, 275–276
 - certificate on client machine, 102–103
 - Internet Information Services role, 38–41
 - Microsoft Management Console, 45
 - .NET Framework 2.0, 36–37
 - Windows PowerShell, 37–38

- installing Exchange Server
 - Active Directory requirements, 32–34
 - determining disk space, 31–32
 - IIS installation, 38–41
 - minimum hardware requirements, 28–30
 - .NET Framework 2.0 installation, 36–37
 - operating systems supported, 34–35
 - overview, 27
 - planning for, 27
 - removing NNTP support, 32
 - removing SMTP support, 32
 - starting Remote Registry service, 32
 - steps for, 44–47
 - testing your configuration, 41–44
 - time required for, 27
 - verifying your configuration, 32–36
 - Windows PowerShell installation, 37–38
- integrity check for databases, 301, 303–304
- Intelligent Message Filter (IMF), 12
- Internet Explorer, OWA access using, 53
- Internet Information Services (IIS)
 - installing the role, 38–40
 - troubleshooting, 216
 - verifying the installation, 40–41
- Internet Information Services (IIS) Manager
 - console
 - certificate information in, 101
 - creating a self-signed SSL certificate with, 97–99
 - exporting certificate from server store to file, 101–102
 - installing certificate on client machine, 102–103
 - SSL security level setting, 103–104
 - Windows PowerShell versus, 97, 99
 - Internet Mail Flow configuration, 110. *See also* mail flow
 - Internet Message Access Protocol version 4. *See* IMAP4
- Internet resources
 - Active Directory and domain preparation, 30
 - Active Directory domain info, 34
 - Active Directory non-English domain controller hotfix, 33
 - antispam and antivirus partners, 168
 - Archive hosted service info, 57
 - Autodiscover service troubleshooting, 216
 - automatic spam update configuration, 218
 - Availability service info, 215
 - backup applications, 251
 - backup elements listing, 249
 - blogs, 336–337, 340–341
 - command line arguments for filtering data, 277
 - Continuity hosted service info, 57
 - DACL info, 157
 - DDR RAM info, 29
 - DES encryption breaking, 170
 - Direct Push, 106
 - disjoint namespace configuration, 34
 - distribution group scope setting, 156
 - Encryption hosted service info, 58
 - Err utility download, 320
 - ESEUtil modes, 298–302
 - Exchange Server API info, 199
 - Exchange Server features, 15
 - Filtering hosted service info, 57
 - Forefront Security download, 313
 - Forefront Security info, 313
 - 4662 event message, 161
 - general-question Web sites, 332
 - GFI MailSecurity, 321, 322
 - Gold Certified Partner requirements, 343
 - Google, 337–338
 - Hosted Filtering alternatives, 24
 - Hosted Filtering trial, 25
 - iCalendar standard, 137
 - IIS troubleshooting, 216
 - IMAP4 info, 109
 - IRM info, 171
 - memory requirements calculation, 29
 - Microsoft Developer Network (MSDN), 333–335
 - Microsoft Exchange Hosted Services purchase, 25
 - Microsoft Knowledge Base, 334–336
 - migration techniques, 342
 - MIME types, 177
 - monitoring large Exchange Server setups, 251
 - .NET Framework 2.0 download, 36
 - Network Device Enrollment info, 184
 - new client features, 135
 - OID for attributes, 205
 - oMSyntax value types, 206

- Outlook error codes, 215
 - out-of-office message obsolescence, 125
 - OWA troubleshooting, 216
 - performance counters, 259
 - Postini filtering service, 24
 - ProduKey utility download, 316
 - Quota Message Service, 195
 - recovering messages from Spam
 - Quarantine mailbox, 176
 - role implementation checklist, 51
 - SaaS info, 58
 - SAN and NAS configurations compared, 239
 - SCL info, 167
 - scripting with Windows PowerShell, 278
 - secure network share configuration, 216
 - Sender ID info, 165
 - Sender Policy Framework (SPF), 165–166
 - SID listing, 318
 - single-label DNS name issues, 34
 - SIP URI info, 63
 - S/MIME compared to PGP/MIME, 16
 - S/MIME info, 172
 - SP1 evaluation copy, 22
 - SP1 hosted trial version, 16
 - syntax values for attributes, 207
 - SysInternals tools, 319–320
 - TechNet Web sites, 332–333
 - third-party add-ins, 342–343
 - third-party newsletters and blogs, 339–341
 - third-party Web sites, 338–339
 - 32-bit tools for Exchange Server, 30, 269
 - TinyURL Web site, 152
 - Triple DES, 170
 - Unified Messaging role, 57
 - User Info utility, 317–318
 - VeriSign Web site, 183
 - VOIP encryption, 171
 - WebDAV info, 64
 - whitepapers, 341
 - Windows PowerShell 2.0 CTP version, 311
 - Windows PowerShell and Linux interface comparison, 265
 - Windows PowerShell certificate-specific commands, 100
 - Windows Server 2008 backup requirements, 251
 - Windows Server 2008 disk space requirements, 32
 - Windows Server 2008 terminology changes, 56
 - Windows Server 2008 tutorial, 259
 - XML Notepad download, 314
 - X-MS-Exchange-Organization header, 175
 - Intra-Org Encryption feature, 14, 171
 - IP gateway settings, 63
 - IRM (Information Rights Management), 171
 - ISInteg (Information Store Integrity Checker), 303–304
 - italics in this book, 2
 - Itanium processor, 28
- *J* •
- journaling
 - archive integration, 15
 - CAL edition differences for, 22
 - defined, 62
 - flexible, described, 15
 - Hub Transport role settings, 62
 - mailbox security using, 158
 - managed folder settings for, 129, 131
- *K* •
- Knowledge Base (Microsoft), 334–336
- *L* •
- label control, 198
 - languages
 - in Details Templates Editor, 195
 - disk space requirements for UM language packs, 31
 - selecting when installing Exchange Server, 44
 - LCR (Local Continuous Replication)
 - described, 15, 238
 - enabling, 239–240
 - Exchange Server editions and support for, 20
 - SAN or NAS configuration, 238–239
 - LDAP (Lightweight Directory Access Protocol), 206

- linked mailboxes, 141–143
- list box control, 198
- Local Group Policy Editor, 162–164
- logging
 - analyzing the log drive space, 223
 - Application log, 86–87
 - comparing two log files, 244–245
 - opening log files, 243–244
 - Outlook feature for, 214–215
 - Routing Log Viewer, 242–245
 - verifying transaction log files, 223
 - viewing database-related event logs, 223
- login authentication, 105–106

• M •

- Mail Contacts folder, 69
- mail flow
 - defined, 113
 - distribution group settings, 150
 - distribution groups versus security groups, 153
 - Internet mail flow configuration, 110
 - kinds of, 113
 - mailbox settings for, 144
 - Queue Viewer tool for, 234–237
 - receive connector configuration, 113, 116–117
 - send connector configuration, 113, 114–116
 - tools, 70
 - troubleshooting, 228–231
 - viewing folder properties, 147
- Mail Flow Troubleshooter, 228–231
- Mailbox Agents templates, 195. *See also* templates
- mailbox policies
 - cmdlets for working with, 285
 - defined, 63
 - for Exchange ActiveSync, 107–109
 - for managed folders, 60, 90, 132–135, 142
 - reconfiguring users to rely on, 108–109
 - Unified Messaging role settings, 63
- Mailbox role
 - address list folders, 59
 - Managed Custom Folders, 60
 - Managed Default Folders, 59
 - managed folder mailbox policies, 60
 - Offline Address Book (OAB), 60
 - organization level, 59–60
 - overview, 52
 - recipient level, 68
 - server level, 64–65
 - WebDAV settings, 64–65
- mailbox security
 - full access permission, 158, 160
 - inherent privacy of mailboxes, 157
 - journaling, 158
 - mailbox property settings, 145
 - send as permission, 158–159
 - on users and groups, 160–161
- mailboxes
 - account and security settings, 145
 - aliases for, 89
 - applying managed folder policies to, 133–134
 - associating OABs with, 94–96
 - backup required for, 248
 - basic configuration, 87–96
 - business-critical features, 124
 - cmdlets related to, 272–273, 277–278, 280–286
 - disk space requirements for, 31–32
 - distribution groups for, 148–150
 - equipment mailbox creation, 140–141
 - Exchange ActiveSync policy for, 107–109
 - linked mailbox creation, 141–143
 - Mail Flow Settings, 144
 - Mailbox Features options, 144
 - Mailbox Settings, 144
 - message folder configuration, 136–145
 - messaging records management, 125–135
 - multimailbox search, 15, 178–179, 277–278
 - notification when specific size is exceeded, 195
 - OAB setup with Outlook 2003 and earlier, 92–94
 - OAB setup with Outlook 2007, 90–92
 - out-of-office messages, 125
 - properties, setting, 143–145
 - Public Folder Management Console use for, 145–148
 - recipient-level settings, 68

- room mailbox creation, 138–140
- security settings, 157–161
- setting configuration for, 272–273
- specialized tasks, 124
- troubleshooting, 213–216
- user information for, 144
- user mailbox creation, 87–90
- user needs and requirements, 123–125, 135–136
- maintenance
 - data store backup creation, 248–251
 - performance monitoring, 251–259
 - performance testing, 257–259
 - performance troubleshooting, 259–262
 - reasons for performing, 247
- managed code, 264
- Managed Folder Assistant, 134–135
- managed folder mailbox policies
 - applying to a user mailbox, 133–134
 - described, 60
 - enabling Managed Folder Assistant, 134–135
 - for linked mailboxes, 142
 - selecting when adding mailboxes, 90
 - setting, 132–133
- managed folders. *See also* messaging records management
 - cmdlets for working with, 285
 - comments for custom folders, 128
 - configuring, 129–131
 - creating custom folders, 126–127
 - creating default folders, 127–129
 - custom, described, 60
 - default, described, 59
 - feature described, 125
 - journal message settings, 129, 131
 - length of retention for messages, 129–130
 - mailbox policies for, 60, 90, 132–135, 142
 - RSS Items setting, 129
- mAPIID value for attributes, 207–208
- Mastering Microsoft Exchange Server 2007 (Gerber and McBee), 199
- MaxLength control property, 201
- McBee, Jim (Mastering Microsoft Exchange Server 2007), 199
- memory requirements
 - Exchange Server, 29
 - Windows Server 2008, 32
- message delivery
 - options and security risks, 153–154
 - restrictions, 155–156
- message folder configuration
 - alternative mailboxes, 138–143
 - calendar retrieval settings for IMAP4 and POP3, 136–137
 - mailbox properties, 143–145
- Message Tracking tool, 231–233
- messaging records management
 - applying managed folder policy to user mailbox, 133–134
 - described, 14, 125
 - enabling Managed Folder Assistant, 134–135
 - managed custom folder creation, 126–127
 - managed default folder creation, 127–129
 - managed folder configuration, 129–131
 - managed folder mailbox policy settings, 132–133
 - managed folders feature described, 125
 - Outlook versions support, 126
 - user needs and requirements, 123
- Microsoft Developer Network (MSDN), 333–335
- Microsoft Exchange ActiveSync. *See* Exchange ActiveSync
- Microsoft Exchange Hosted Services. *See* hosted services
- Microsoft Exchange Troubleshooting Assistant
 - Database Recovery Management tool, 221–223
 - Database Troubleshooter, 224–225
 - Exchange Processes Are Failing tool, 219–220
 - location of, 219
 - Mail Flow Troubleshooter, 228–231
 - Performance Troubleshooter, 259–262
 - for problems of local origin, 211
- Microsoft Knowledge Base, 334–336
- migration techniques, 342
- MIME (Multipurpose Internet Mail Extension) types, filtering by, 177
- MMC (Microsoft Management Console)
 - creating a Details Templates Editor console, 194
 - installing, 45

MMC (Microsoft Management Console)

(continued)

saving the console, 186

viewing digital certificates with, 184–187

MOM (Microsoft Operations Manager), 13

monitor resolution for Exchange Server, 30

monitoring, defined, 251

monitoring performance

defined, 251

dynamic distribution groups for, 253–256

frequency for, 253

in large Exchange Server setups, 251

Performance Baseline scan for,

75, 252–253

performance counters for, 259

Performance Monitor for, 257–259

monofont type in this book, 2

mouse, needed for Exchange Server, 30

Move-ClusteredMailboxServer

cmdlet, 286

Move-Mailbox cmdlet, 282

MSDN (Microsoft Developer Network),

333–335

MSEExchange.org site, 332

Mueller, John (author)

e-mail address, 5, 331

TinyURL feedback requested by, 152

Windows Server 2008 All-in-One Desk

Reference For Dummies, 259

Multiline control property, 201

multimailbox search

described, 15, 178–179

performing, 277–278

Multipurpose Internet Mail Extension

(MIME) types, filtering by, 177

multivalued drop-down box control, 198

multivalued list box control, 198

• N •

namespaces, disjoint, 33–34

NAS (Network Area Storage), 238–239

Nero backup application, 251

.NET Framework 2.0, 36–37, 264

Network Device Enrollment feature, 184

Network News Transfer Protocol

(NNTP), 32

New Distribution Group wizard, 149

New Mailbox wizard

for equipment mailboxes, 141

for linked mailboxes, 141–143

for room mailboxes, 138–140

for user mailboxes, 88–90

New SMTP Send Connector wizard,

114–116

New Transport Rule wizard, 179–182

New-DistributionGroup cmdlet, 287

New-DynamicDistributionGroup

cmdlet, 288

New-ExchangeCertificate command,

100

New-Mailbox cmdlet, 281

New-MailboxDatabase cmdlet, 284–285

New-MailUser cmdlet, 279

New-ManagedFolderMailboxPolicy

cmdlet, 285

NNTP (Network News Transfer

Protocol), 32

NTFS, required for Exchange Server, 30

• O •

OAB (Offline Address Book)

associating URLs with, 92

associating with a mailbox, 94–96

backup required for, 248

Client Access role settings, 65–66

custom forms use of, 193

described, 60

distribution options, 91, 94

Mailbox role settings, 60

setup with Outlook 2003 and earlier,

92–94

setup with Outlook 2007, 90–92

OCS (Office Communication Server), 19

OID (Object Identifier) for attributes, 205

oMSyntax value for attributes, 206

operating systems

64-bit, required for Exchange Server 2007,

28, 34

supported for Exchange Server 2007,

34–35

supported for Exchange Server

management tools, 35

32-bit, using Exchange Server tools on,

30–31

- opportunistic TLS encryption, 14, 171
 - Organization Configuration in Exchange Management Console
 - Client Access role settings, 60
 - Hub Transport role settings, 61–62
 - list of administrators in, 58
 - Mailbox role settings, 59–60
 - managed custom folder creation, 126–127
 - managed default folder creation, 127–129
 - managed folder configuration, 129–131
 - managed folder mailbox policy settings, 132–133
 - OAB setup for Outlook 2003 or earlier, 94
 - OAB setup for Outlook 2007, 90–92
 - send connector configuration, 114–116
 - servers affected by, 58
 - subfolders in, 58
 - transport rule creation, 179–182
 - Unified Messaging role settings, 62–63
 - Outlook 2003 or earlier
 - connecting to Exchange Server using, 118–119
 - messaging records management support, 126
 - OAB configuration, 94
 - public folder database creation, 92–94
 - Outlook 2007. *See also* OWA (Outlook Web Access)
 - Anti-spam Stamp with, 13, 174–176
 - attachment filtering with, 13, 169, 177–178
 - connecting to Exchange Server using, 118–119
 - e-mail folders, 52
 - as main e-mail client program, 52
 - multimailbox search with, 15, 178–179
 - OAB configuration for local network, 90–91
 - OAB configuration for remote network, 91–92
 - Safe Sender List Aggregation with, 11, 174, 177
 - SP1 features for, 18
 - transport rules with, 17, 62, 179–183
 - Outlook error codes, 215
 - Outlook Express, 52
 - Outlook logging feature, 214–215
 - Outlook Voice Access, 19
 - Outlook Web Access Light, 19, 53–54
 - out-of-office messages, 125
 - OWA (Outlook Web Access)
 - authentication, forms-based versus Windows, 105–106
 - CAL edition differences for, 22
 - calendar retrieval using, 137
 - Client Access role settings, 65–66
 - configuring client access for, 272
 - configuring for Exchange Server setup, 104–106
 - Exchange Server support for, 53
 - forcing S/MIME use, 172
 - Light version, 19, 53–54
 - self-service support options, 18
 - SSL security level setting, 104
 - troubleshooting, 216
 - URL for accessing, 53, 105
- *p* ●
- paging file size, 29
 - PCL (Phishing Confidence Level), 175
 - performance
 - connectivity problems, 217
 - counters for, 259
 - defined, 251
 - dynamic distribution groups for, 253–256
 - features in Exchange Server 2007, 10–15
 - frequency for checking, 253
 - mailbox issues, 213–216
 - Message Tracking tool impact on, 232
 - monitoring, 251–259
 - Performance Baseline scan, 75, 252–253
 - Performance Monitor tool, 257–259
 - Performance Troubleshooter, 259–262
 - of Remote Desktop, 328–329
 - testing, 212–218, 257–259
 - tools overview, 70
 - troubleshooting, 259–262
 - user setup issues, 212–213
 - Performance Baseline scan, 75, 252–253
 - Performance Monitor, 257–259
 - Performance Troubleshooter, 259–262
 - Permission Check, 79–80
 - permissions. *See also* Administrator privileges
 - full access, 158, 160
 - send as, 158–159
 - for working with cmdlets, 278

- personal store
 - defined, 183
 - digital certificates for devices without an account, 184
 - importing and exporting digital certificates, 189–191
 - obtaining digital certificates, 183
 - using digital certificates, 188–189
 - verifying digital certificate presence, 184–187
 - PGP/MIME (Pretty Good Privacy/Multipurpose Internet Mail Extensions), 16
 - Phishing Confidence Level (PCL), 175
 - POP3 (Post Office Protocol version 3)
 - calendar retrieval settings, 136–137
 - Client Access role settings, 65–66
 - configuring client access for, 272
 - Exchange Server support for, 54
 - IMAP4 versus, 109
 - logon method for, 109
 - starting the service, 110
 - Postini filtering service, 24
 - postmark verification, 12
 - PowerShell. *See* Windows PowerShell
 - processor requirements for Exchange Server, 28
 - product key
 - entering for Exchange Server, 64, 72–74
 - reminder for, 72
 - tracking on network with ProduKey utility, 316–317
 - ProduKey utility, 316–317
 - protocols supported, 54. *See also* specific protocols
 - PS1 file extension, 278
 - public folder databases
 - backup required for, 248
 - creating for Outlook 2003 or earlier, 92–94
 - Public Folder Management Console
 - creating new folders, 146
 - described, 145–146
 - mail-enabling a folder, 148
 - modifying existing folders, 147–148
 - modifying public system folders, care in, 145
 - removing unneeded folders, 148
 - SP1 improvements for, 20
 - viewing folder properties, 147
 - Public Folders templates, 195. *See also* templates
- *Q* •
- QoS (Quality of Service) issues for send connector, 115
 - question mark (?) as wildcard character, 270
 - queue, defined, 234
 - Queue Viewer tool
 - changing servers, 235
 - described, 234
 - Message Count column, 235
 - Messages tab, 235–237
 - Queues tab, 234–235
 - removing problem messages, 236
 - viewing message information, 237
 - viewing messages in a specific queue, 235
 - Quota Message Service, 195
- *R* •
- RAM. *See* memory requirements
 - Readiness Check, 40–41, 75
 - ReadOnly control property, 201
 - receive connectors
 - configuring, 114–116
 - defined, 113
 - mail flow type with, 113
 - types of, 116
 - Recipient Configuration in Exchange Management Console
 - adding a user mailbox, 88–90
 - applying managed folder policy to user mailbox, 133–134
 - Disconnected Mailbox folder in, 69
 - distribution group creation, 148–149
 - Distribution Group folder in, 68–69
 - full access permission setting, 158, 160
 - linked mailbox creation, 141–143
 - Mail Contacts folder in, 69
 - Mailbox folder in, 68
 - overview, 68

- room mailbox creation, 138–141
 - send as permission setting, 158–159
 - recovering the database, 300–301
 - recovery storage group creation, 223
 - registry, backup required for, 248
 - relay domain settings, 61
 - reliability. *See also* performance; security
 - features in Exchange Server 2007, 10–15
 - SP1 improvements for, 17–18
 - Remember icon, 5
 - Remote Desktop Connection application
 - accessing local resources with, 327–328
 - creating a connection, 323–325
 - display settings, 326–327
 - enabling, 323
 - overview, 322
 - performance optimization for, 328–329
 - running a configuration program with, 328–329
 - remote domain settings, 61
 - Remote Procedure Call (RPC), 14, 171
 - Remote Registry service, 32
 - Remove-DistributionGroup cmdlet, 288
 - Remove-DistributionGroupMember cmdlet, 289
 - Remove-DynamicDistributionGroup cmdlet, 289
 - Remove-ExchangeCertificate command, 100
 - Remove-Mailbox cmdlet, 281
 - Remove-MailboxDatabase cmdlet, 285
 - Remove-MailboxPermission cmdlet, 283
 - Remove-MailUser cmdlet, 279
 - Remove-ManagedFolderMailboxPolicy cmdlet, 285
 - removing. *See* deleting or removing
 - repairing the database, 223, 298–299
 - replication. *See also* specific kinds
 - backing up replication databases, 249
 - backup versus, 237–238
 - CCR (Cluster Continuous Replication), 15, 20, 241
 - defined, 237
 - determining need for, 238
 - digital certificate uniqueness after, 189
 - Exchange Server editions and support for, 20
 - LCR (Local Continuous Replication), 15, 20, 238–240
 - maintenance reduced by, 247
 - SCR (Standby Continuous Replication), 17–18, 20, 241–242
 - types supported, 238
 - viewing folder properties, 147
 - resolution, screen, 30
 - resources, Internet. *See* Internet resources
 - resources, physical
 - accessing with Remote Desktop, 327–328
 - custom, adding with Set-ResourceConfig cmdlet, 273–275
 - room mailbox information about, 139–140
 - Restart-Service cmdlet, 276
 - Restore-Mailbox cmdlet, 283
 - restoring the database, 300
 - roles. *See also* specific roles
 - checklist for implementing, 51
 - Client Access, 52–54
 - defined, 51
 - Edge Transport, 55–56
 - Hub Transport, 54–55
 - Mailbox, 52
 - Unified Messaging, 56–57
 - room mailboxes, 138–140
 - Routing Log Viewer
 - comparing two log files, 244–245
 - described, 242
 - opening log files, 243–244
 - tabs, 242–243
 - RPC (Remote Procedure Call), 14, 171
- S ●
- SaaS (Software as a Service) model, 58
 - Safe Sender List Aggregation feature, 11, 174, 177
 - SAN (Storage Area Network), 238–239
 - scalability
 - Archive Integration feature, 15
 - Cluster Continuous Replication (CCR) feature, 15
 - database portability feature, 15
 - Exchange Server edition choices for, 21
 - Local Continuous Replication (LCR) feature, 15
 - multimailbox search feature, 15, 178–179, 277–278

- scalability (*continued*)
 - new features supporting, 10, 12, 15
 - Service Resilience feature, 12
- schema for resources
 - creating, 273
 - defined, 273
 - modifying, 274–275
- SCL (Spam Confidence Level)
 - further information, 167
 - threshold setting for, 85–86, 167
 - X-MS-Exchange-Organization-SCL header, 175
- SCOM performance monitor, 253
- SCR (Standby Continuous Replication)
 - advantages of, 241–242
 - described, 17–18, 241
 - Exchange Management Shell used for, 242
 - Exchange Server editions and support for, 20
 - SP1 required for, 17, 20, 238
- screen resolution requirements, 30
- scripts and scripting
 - antispam agent scripts, 275
 - with Windows PowerShell, 278
 - with Windows PowerShell Scriptomatic, 311–312
- Search Dialogs templates, 195. *See also* templates
- secure network share configuration, 216
- Secure Sockets Layer. *See* SSL
- Secure/Multipurpose Internet Mail Extensions (S/MIME), 16–17, 172, 184
- security. *See also* mailbox security; SSL (Secure Sockets Layer); user security
 - Active Directory, 202–204
 - Administrator privilege risks, 153
 - antispam requirements, 165–167
 - antivirus and malware requirements, 167–169
 - auditing users, 161–164
 - continuous consideration needed for, 159
 - encryption, 170–172
 - features in Exchange Server 2007, 10–15
 - hardware, 18
 - importance of, 151
 - mailbox property settings, 145
 - mailbox security settings, 157–161
 - MaxLength control property for, 201
 - Permission Check for, 79–80
 - SP1 improvements for, 18
 - for template attributes, 202–204
 - user security settings, 152–157
 - UseSystemPasswordChar control
 - property for, 201
 - of Windows PowerShell, 263–264, 267–268
 - security groups, 153
 - Security Identifier (SID), 80, 317–318
 - SELF user, 160–161
 - send as permission for mailboxes, 158–159
 - send connectors
 - configuring, 114–116
 - cost of an address space for, 115
 - defined, 62, 113
 - Hub Transport role settings, 62
 - mail flow type with, 113
 - Routing Log Viewer information about, 243
 - Send on Behalf feature, 153
 - Sender ID feature, 11, 165–166
 - Sender Policy Framework (SPF), 165–166
 - Server Configuration in Exchange Management Console
 - associating an OAB with a mailbox, 95–96
 - Client Access role settings, 65–66
 - client connection configuration, 104–110
 - creating filters for server properties, 64
 - enabling Managed Folder Assistant, 134–135
 - Hub Transport role settings, 66–67
 - Mailbox role settings, 64–65
 - overview, 63–64
 - OWA configuration, 104–106
 - product key installation, 64, 72–74
 - receive connector configuration, 116–117
 - Unified Messaging role settings, 67–68
 - Service Pack 1. *See* SP1
 - Service Resilience feature, 12
 - Session Initiation Protocol Uniform Resource Identifier (SIP URI), 63
 - Set-CASMailbox cmdlet, 126, 272–273, 285
 - Set-DistributionGroup cmdlet, 288
 - Set-DynamicDistributionGroup cmdlet, 289
 - Set-Mailbox cmdlet, 283
 - Set-MailboxCalendarSettings cmdlet, 290
 - Set-MailboxDatabase cmdlet, 285

- Set-MailboxServer cmdlet, 284
- Set-MailUser cmdlet, 279–280
- Set-ManagedFolderMailboxPolicy cmdlet, 285
- Set-ResourceConfig cmdlet, 273–275
- Set-User cmdlet, 279
- SID (Security Identifier), 80, 317–318
- single copy clusters, 20
- single-label DNS name issues, 34
- SIP URI (Session Initiation Protocol Uniform Resource Identifier), 63
- 64-bit machines
 - processor choices, 28
 - required for Exchange Server, 28, 34
- 642 event message, 161
- SmartScreen content filtering, 12
- S/MIME (Secure/Multipurpose Internet Mail Extensions), 16–17, 172, 184
- SMTP (Simple Mail Transport Protocol)
 - defining internal servers, 62
 - Edge Transport role for relay services and hosted services, 55
 - Edge Transport server support for, 10
 - Hub Transport role with, 55
 - relay domain settings for, 61
 - removing support before installing Exchange Server, 32
 - send connector configuration, 114–116
- Software as a Service (SaaS) model, 58
- Spam Confidence Level. *See* SCL
- spam prevention
 - antispam features, 10–14
 - antispam requirements, 165–167
 - Anti-spam Stamp, 13, 174–176
 - Content Filtering for, 166
 - GFI MailSecurity for, 321–322
 - installing and configuring antispam agents, 275–276
 - PCL level for, 175
 - Recipient Limits setting, 154
 - Safe Sender List Aggregation feature, 11, 174, 177
 - SCL threshold setting for, 85–86, 167
 - Sender ID feature for, 165–166
 - Spam Assessment feature, 12
 - spam assessment overview, 167
 - third-party solutions, 168
 - Two-Tiered Spam Quarantine feature, 13, 176
 - updating spam support, 218
 - white listing, 11
- speed. *See* performance
- SPF (Sender Policy Framework), 165–166
- SP1 (Service Pack 1)
 - administration tool updates, 20
 - coverage in this book, 1
 - database disk space requirements with, 31
 - default Exchange ActiveSync mailbox policy with, 108
 - described, 16
 - device security and management with, 18
 - evaluation copy for testing, 22
 - hosted trial version for testing, 16
 - new transport rules with, 17
 - required for Advanced Exchange ActiveSync Policies, 21
 - required for SCR, 20, 238
 - required for Windows Server 2008, 16, 19
 - SCR support with, 17–18
 - “Setup cannot detect an SMTP or Send connector...” message, 114
 - S/MIME support with, 16–17
 - streamlined setup with, 19
 - voice features, 19
 - Web Services API with, 19
 - Web-based messaging additions, 18–19
- SSL (Secure Sockets Layer)
 - automatic installation of certificates, 14, 96, 172
 - certificate creation with IIS Manager console, 97–99
 - certificate creation with Windows PowerShell, 99–100
 - as default for client access traffic, 14
 - exporting certificate from server store to file, 101–102
 - installing certificate on client machine, 102–103
 - security level setting, 103–104
- Standard edition
 - Client Access License (CAL) options, 21–23
 - features compared to Enterprise edition, 20–21
 - SP1 requirement for features, 20–21

Standby Continuous Replication. *See* SCR
 Start-ClusteredMailboxServer
 cmdlet, 286
 Stop-ClusteredMailboxServer
 cmdlet, 286
 Storage Area Network (SAN), 238–239
 storage groups, 20, 52. *See also* databases
 stripping unsafe attachments from
 messages, 178
 syntax value for attributes, 207
 SysInternals tools, 318–320
 system requirements for Exchange Server.
 See environment for Exchange Server
 installation

• T •

TabIndex control property, 201
 TechNet Web sites, 332–333
 Technical Stuff icon, 3, 5
 telephone connection for dial plan, 63
 templates
 adding controls to, 198–199
 attribute security for, 202–204
 attributes of, 202
 behaviors with, 199–200
 control properties with, 200–202
 controls available for, 197–198
 creating attributes, 204–208
 defined, 193
 in Details Templates Editor, 195
 editing, 195–197
 Exchange Server API for modifying, 199
 forms as instances of, 193
 testing
 checksum test, 302
 configuration for installing Exchange
 Server, 41–44
 performance, 212–218
 SP1, evaluation copy for, 22
 SP1, hosted trial version for, 16
 test user for, 212–213
 Text control property, 201
 third-party add-ins, 342–343
 third-party newsletters and blogs, 339–341
 third-party Web sites, 338–339

32-bit machines
 Active Directory and domain preparation
 using, 30
 downloading Exchange Server tools for,
 30, 269
 not supported by Exchange Server, 28
 using Exchange Server tools on, 30–31
 timeout value for Direct Push, 107
 TinyURL Web site, 152
 Tip icon, 5
 TLS (Transport Layer Security), 14, 171
 transaction log files, verifying, 223
 transport rules
 changing priority for, 182–183
 comments for, 180
 creating a new rule, 179–182
 defined, 62
 exceptions for, 182
 Hub Transport role settings, 62
 linking actions with, 181
 SP1 improvements for, 17
 uses for, 179
 trial version
 of Exchange Server, 9
 of SP1, evaluation copy, 22
 of SP1, hosted, 16
 troubleshooting your configuration
 Autodiscover service, 215–216
 Availability service, 215–216
 connectivity problems, 217
 Database Recovery Management tool for,
 221–223
 Database Troubleshooter for, 224–225
 Exchange Processes Are Failing tool for,
 218–220
 IIS issues, 216
 Mail Flow Troubleshooter for, 228–231
 mailbox issues, 213–216
 Microsoft Exchange Troubleshooting
 Assistant for, 211, 219, 221–225
 monitoring needed for, 211
 need for, 211
 Outlook logging for, 214–215
 overview, 211–212
 OWA access, 216
 performance testing, 212–218, 257–259
 Performance Troubleshooter for, 259–262
 test user for, 212–213

thinking outside the configuration issue box, 217–218
updating Exchange Server, 218
updating spam support, 218
user setup issues, 212–213
Two-Tiered Spam Quarantine feature, 13, 176

• U •

UM (Unified Messaging)
CAL edition differences for, 22
disk space requirements for language packs, 31
Unified Messaging role
auto attendant settings, 63
configuring connections, 67–68
dial plan settings, 63
further information, 57
IP gateway settings, 63
organization level, 62–63
overview, 56–57
server level, 67–68
Uninstall-AntiSpamAgents.PS1 script, 275
updating
Exchange Server automatically, 218
Exchange Server during installation, 47
spam support, 218
URLs. *See also* Internet resources
associating with OAB for remote network, 92
for calendar retrieval, 137
for OWA access, 53, 105
shortening with TinyURL Web site, 152
User Info utility, 317–318
user security
Administrator privilege risks, 153
Exchange Server and Windows combined for, 152–153
message delivery options, 153–154
message delivery restrictions, 155–156
message size restrictions, 154–155
modifying Active Directory view of distribution groups, 156–157
Recipient Limits setting, 154
as weakest link, 164
username, converting SID to, 317–318

users
adding mailboxes for, 87–90
Administrator, 87
auditing, 161–164
cmdlets related to, 278–280
creating a new user, 87–90
Exchange Management Shell interaction with, 278–280
mailbox needs and requirements, 124–125, 135–136
Mailbox role support for, 52
new client features, 135–136
reconfiguring to rely on Exchange ActiveSync mailbox policy, 108–109
security settings, 152–157
SELF, 160–161
test user for troubleshooting, 212–213
as weakest security link, 164
Users templates, 195. *See also* templates
UseSystemPasswordChar control property, 201

• V •

VeriSign Web site, 183
virus prevention
Antivirus Extensibility feature, 169
antivirus features, 10–14
antivirus stamp, 13, 169
attachment filtering, 13, 169, 177–178
deep integration for antivirus scanning, 14, 169
edge protocol rules, 13, 169
Edge Transport server features, 168–169
GFI MailSecurity for, 321–322
overview, 167–168
third-party solutions, 168
user's cooperation needed for, 168
Vista, 16, 35
voice mail alerts, 19
VOIP (Voice Over IP) encryption, 171
volume licensing
per-device versus per-user licensing, 22–23
requirements for features, 21–22
VSS (Volume Shadow copy Service)
backup, 250

• W •

Warning! icon, 5
 Web resources. *See* Internet resources
 Web Services API, 19
 Web-based messaging, 18–19
 WebDAV (Web-based Distributed
 Authoring and Versioning), 64–65
 white listing, 11
 whitepapers, 341
 wildcard characters for Windows
 PowerShell, 270
 Windows authentication for OWA access,
 106
 Windows Management Instrumentation
 (WMI) interface, 311
 Windows PowerShell. *See also* cmdlets
 administrator privileges required for, 264
 administrator-level session for, 267–269
 certificate-specific commands, 100
 cmdlets, 266, 269–271
 command line versus, 264
 Community Technology Preview (CTP)
 version, 311
 creating a self-signed SSL certificate with,
 99–100
 earlier command prompt programs, 263
 Exchange Management Shell versus, 266
 help for, 100, 264, 269–271
 IIS Manager console versus, 97, 99
 installing, 37–38
 Linux interface compared to, 265
 locating cmdlets, 269–270
 managed code with, 264
 .NET Framework 2.0 required for, 37
 reasons for using, 265
 scripting with, 278
 security, 263–264, 267–268

32-bit version, 269
 upgrading to version 2.0, 310–311
 using, 268–269
 viewing digital certificates with, 187
 wildcard characters, 270
 Windows PowerShell Scriptomatic, 311–312
 Windows registry, backup required for, 248
 Windows Server 2000 issues, 34
 Windows Server 2003 versions
 supported, 35
 Windows Server 2008
 backup requirements, 251
 disk space requirements for, 32
 installing IIS on, 38–41
 installing Windows PowerShell on, 37–38
 SP1 required for, 16, 19
 terminology changes, 56
 tutorial on new features, 259
 versions supported for Exchange Server
 2007, 35
*Windows Server 2008 All-in-One Desk
 Reference For Dummies* (Mueller), 259
 Windows Vista, 16, 35
 Windows XP versions supported, 35
 WMI (Windows Management
 Instrumentation) interface, 311

• X •

XML Notepad, 314–316
 X-MS-Exchange-Organization-Antispam-
 Report header, 176
 X-MS-Exchange-Organization-PCL header,
 175
 X-MS-Exchange-Organization-SCL header,
 175
 XP versions supported, 35