

SUBJECT INDEX

- Ab initio* nonadiabatic electron wavepacket dynamics, 95–97
path branching, non-Born-Oppenheimer quantum chemistry, 100
- ADF dynamics:
electronic wavepacket/nuclear wavepacket dynamics, 113–114
nuclear wavepacket, nonclassical path, 111
- Adiabatic basis set, velocity distribution and wavelength approximation, 124–127
- Adiabatic electronic state (AES), non-Born-Oppenheimer theory, quantum chemistry, 108
- Adiabatic wavefunctions:
path branching, force matrix applications, 107
path branching classical mechanics, 103
- Amphiphilic molecules:
liquid bilayer simulation, 162–163
orientation distribution, 204–210
solubility and membrane constraints, 188–197
structural properties, 157–158
- Angle-angle correlation, liquid bilayer simulation, 197–204
- Atomistic simulations, liquid bilayers, 162–163
surface normal correlation, 197–204
- Attosecond electron dynamics, 97
- Barker-Henderson (BH) division, pair interaction potential, 50–51
- Basis functions:
path branching classical mechanics, eigenforces, 104–105
Rosenfeld's fundamental measure theory, 38–39
- BBGKY hierarchy, dynamical density functional theory, 64–68
- Brownian dynamics, 69–70
- Bessel function, fundamental measure theory, density calculations, 47
- Bilayer isotherm:
liquid bilayers:
lateral tension fluctuations, 213–214
radius of gyration, 210–211
liquid bilayer simulation:
lateral tension, 165–171
membrane constraints, 193–197
structure factor, 174–183
- Bilayer structures. *See also* Liquid bilayers
basic properties, 157–158
- Black-box derivation, liquid bilayer simulation, 164–171
- Body-centered cubic (BCC) lattices:
hard-sphere freezing models, 28–30
mean-field theories, 55–61
- Boltzmann distribution, liquid bilayer simulation, surface normal correlation, 198–204
- Boltzmann equation, dynamical density functional theory, 67–68
- Boltzmann's constant, density functional theory, statistical mechanics, 5–6
- Bond-order flux, semiclassical Ehrenfest theory, numerical analysis of molecular systems:
diborane, 143
methyl alcohol, 143–145
- Born-Oppenheimer approximation. *See also* Non-Born-Oppenheimer theory
eigenvalue problem in, 152–153
errors in, 95
kinematic electron coupling, 94

- Brownian dynamics, dynamical density functional theory, 68–70
- Bubble nucleation, dynamical density functional theory, 73–78
- Buckling transitions, liquid bilayer simulation, 215–217
- Bulk liquid state models, density functional theory, 31–33
- Canham-Helfrich Hamiltonian, liquid bilayer simulation, 163
- small-gradient theory, 185–188
- structure factor, 173–183
- Capillary approximation, dynamical density functional theory, 73–78
- Capillary-wave theory:
- lipid bilayer simulation, 159–163
- small-gradient theory and, 183–188
- structure factor, 171–183
- liquid bilayer simulation, membrane constraints, 188–197
- Carnahan-Starling approximation, hard-sphere freezing, 28–30
- Cavity models:
- density functional theory, small cavity model, 10–11
- fundamental measure theory, 41–44
- Chain rule, density functional theory and, free energy excess, 12–14
- Chapman-Enskog equation, dynamical density functional theory, 63–64, 67–68
- Chemical potential, dynamical density functional theory, energy surface and nucleation, 75–78
- Classical Nucleation Theory (CNT), dynamical density functional theory, 74–78
- Cluster chemistry, dynamical density functional theory, 75–78
- Coarse grained density, dynamical density functional theory, 71–72
- Collinear collision, lithium hydroxide, 144–147
- Collision, laser field intensity:
- lithium hydroxide:
- collinear collision, 144–147
- planar collision, 147–150
- semiclassical Ehrenfest theory, numerical analysis of molecular systems, 143–150
- Commutation relation, electronic wavepackets, velocity distribution and wavelength approximation, 125–127
- Compressibility equation, mean-field theories, 56–61
- Computational techniques, semiclassical Ehrenfest theory, numerical analysis of molecular systems, 128–131
- Configuration state function (CSF), semiclassical Ehrenfest theory, numerical analysis of molecular systems, methane bond length/order response, 131–133
- Constant pressure ensemble, liquid bilayer simulation, structure factor, 183
- Continuous surface model, liquid bilayer simulation, 163
- Conversion table for field parameters, semiclassical Ehrenfest theory, molecular systems analysis, 130–131
- Cosine averages, lipid bilayer simulation, orientation distribution, 205–210
- Coulombic interaction potential:
- electronic nonadiabatic theory, laser fields, 115
- nuclear wavepacket theory, 97–98
- Crossing regions of energy surfaces, Born-Oppenheimer approximation errors concerning, 95
- Crumpling transition, liquid bilayer simulation, 215–217
- Curvature divergence, liquid bilayer simulation, structure factor, 177–183
- Delta function, dynamical density functional theory, 70–72
- Density calculations:
- dynamical density functional theory, 68
- fundamental measure theory, 46–47
- Density functional theory (DFT):
- current issues and future research, 78–79
- dynamical DFT, 62–72
- applications, 72
- Brownian dynamics, 68–70
- interpretation, 70–72
- kinetic theory and, 64–68

- energy surface methods, nucleation and, 72–78
- evolution of, 2–4
- free energy functional, 49–51
- functional equation integration, 9
- fundamental theorems, 6–9
- hard rods, FMT calculations, 33–34
 - statistical mechanics, 79–83
- ideal gas contribution to free energy, 10
- liquid state models, 19–33
 - bulk liquid state properties, 31–33
 - hard sphere freezing, 27–30
 - liquid-solid interface, 30
 - nonlocal theories, 24–27
 - perturbation theory models, uniform liquid state, 21–24
 - square gradient model, 19–21
- mean-field theories, 53–61
- pair distribution function and, 52–53
- parameterized profiles and gradient expansions, 15–19
- small cavity model, 10–11
- statistical mechanics, 4–6
- summary of theorems, 78
- tail contribution, perturbative theories, 51–52
- Density profile, density functional theory, parameterized profiles and gradient expansions, 15–19
- Diborane, semiclassical Ehrenfest analysis, 129–130
 - geometry of, 137–138
- Diffusion coefficient, dynamical density functional theory, 63–64
- Dimensional analysis, fundamental measure theory:
 - Rosenfeld’s fundamental measure theory, 37–39
 - Tarazona functional and, 40–44
- Dirac delta function, liquid bilayer simulation, membrane constraints, 189–197
- Direct correlation functions (DCFs):
 - density functional theory:
 - free energy excess, 12–14
 - hard sphere freezing, 28–30
 - hierarchy of, 14–15
 - parameterized profiles and gradient expansions, 18–19
 - liquid state models:
 - bulk liquid state models, 31–33
 - modified weighted density approximation, 23–24
 - simple position-dependent effective liquid, 24–26
 - squared gradient liquid state model, 20–21
 - Tarazona’s weighted density theory, 27
 - weighted density approximation, 26–27
 - mean-field theories and, 55–61
 - pair distribution function, 53
- Dissipative particle dynamics (DPD), liquid bilayer simulation, 161–163
- Dissipative stress, dynamical density functional theory, 67–68
- Dissociation, laser field intensity, semiclassical Ehrenfest theory, numerical analysis of molecular systems, 143–150
- Dynamical critical phenomena, dynamical density functional theory, 63–64
- Dynamical density functional theory (DDFT), 62–72
 - applications, 72
 - Brownian dynamics, 68–70
 - interpretation, 70–72
 - kinetic theory and, 64–68
- Eigenforces, path branching classical mechanics, 104–105
- Eigenvalues, molecular system analysis, 152–153
- Elasticity equation, lipid bilayer simulation:
 - orientation distribution, 204–210
 - small-gradient theory, 187–188
- Electromagnetic field, electronic nonadiabatic theory, total Hamiltonian, 115
- Electron flux, semiclassical Ehrenfest theory, numerical analysis of molecular systems:
 - diborane, 142–143
 - laser induction, 139–143
 - methyl alcohol, ground and first excited states, 139–142
- Electronic ket-bra vectors, path branching classical mechanics, 102–103
- Electronic nonadiabatic theory:
 - intense laser field, 114–128
 - electron-nuclei coupled dynamics, 117–121
 - Hellmann-Feynman approximation, matrix element, 127–128
 - mean-field approximation, 121–122

- Electronic nonadiabatic theory: (*Continued*)
 mixed quantum classical representation, 116
 nonadiabatic force-laser field coupling, 122–123
 optical field Hamiltonian, 115
 velocity and length form, 123–127
 mean-field theory/semiclassical Ehrenfest theory, 98–99
 nuclear wavepacket theory, 97–98
 path branching, 99–108
 classical mechanics force matrix, 101–108
 coupling-free region, 106–107
 eigenforces, 104–105
 equations of motion, 101–103
 phase-space averaging, non-Born-Oppenheimer paths, 105–106
 phase-space averaging and natural branching, 107–108
 semiclassical Ehrenfest theory reduction, 103–104
- Electronic state charge, electron-nuclei coupled dynamics, 123
- Electronic-state mixing, path branching, force matrix applications, 108
- Electron-nuclei coupled dynamics, electronic nonadiabatic theory, laser fields, 117–121
- Electron transfer dynamics, nonadiabatic coupling, *ab initio* wavepacket calculations, 95
- Electron wavepacket dynamics:
 electronic nonadiabatic theory, laser fields:
 electron-nuclei coupled dynamics, 117–121
 mean-field approximation, 122
 electronic wavepacket/nuclear wavepacket dynamics, 113–114
 laser technology and, 95–97
 nonadiabatic transition, 95
 nonadiabatic force-Lorentz force coupling, 123
 semiclassical Ehrenfest theory, 98–99
 velocity distribution and wavelength approximation, 123–127
- Energy barriers, dynamical density functional theory, 72–78
- Energy surface methods, dynamical density functional theory, 72–78
- Ensemble averaging, dynamical density functional theory, 71–72
- Enskog equation, dynamical density functional theory, 63–64, 67–68
- Equations of motion:
 nuclear wavepacket:
 ADF/NVG integration, 113
 non-Born-Oppenheimer theory, quantum chemistry, 109, 113
 path branching classical mechanics, 101–103
- Equilibrium distribution, density functional theory, 6–7
- Equipartition theorem, lipid bilayer simulation, small-gradient theory, 185–188
- Euler-Lagrange equation:
 density functional theory, 8–9
 bulk liquid state, 32–33
 correlation functions, 14–15
 free energy excess, 12–14
 hard sphere freezing, 27–30
 ideal gas free energy, 10
 integration of, 9
 parameterized profiles and gradient expansions, 15–19
 small cavity model, 10–11
 squared gradient model, 20–21
 dynamical density functional theory, 62–64
 kinetic theory approach, 65–68
 nucleation, 75–78
 fundamental measure theory:
 hard rods, 34
 Rosenfeld's theory, 36–39
 Wall theorem, van der Waals model proof, 85–88
- Excess functional:
 density functional theory, free energy expression, 11–14
 non-hard sphere models, 79
- “Extended” bilayers:
 liquid bilayer simulation:
 buckling transition, 215–217
 lateral tension, 166–171, 213–214
 membrane constraints, 191–197
 radius of gyration, 210–211
 structure factor, 174–183
 true area calculations, 211–212
 surface normal correlation, 199–204
 “Extended” dynamical density functional theory, 63–64
 projection operator techniques, 68
- External field/density distribution mapping, 3

- Face-centered cubic (FCC) lattices:
 - fundamental measure theory, Tarazona and Rosenfeld functions, 44
 - hard-sphere freezing models, 28–30
 - mean-field theories, 55–61
- Feynmann kernel, nuclear wavepacket,
 - nonclassical path:
 - normalized variable Gaussians, 110–111
 - quantum diffusion, 112–113
- Finite-size corrections, liquid bilayer simulation,
 - membrane constraints, 192–197
- Fixed nuclei approximation, semiclassical
 - Ehrenfest theory, numerical analysis of molecular systems, laser field intensity, 133–135
- Flat membrane model, liquid bilayer simulation,
 - membrane constraints, 196–197
- “Floppy” region, liquid bilayer simulation:
 - buckling transition, 215–217
 - lateral tension, 166–171, 213–214
 - membrane constraints, 191–197
 - radius of gyration, 210–211
 - small-gradient theory, 187–188
 - structure factor, 175–183
 - surface normal correlation, 201–204
- Fluctuating force, dynamical density functional theory, 70–72
- Fluid mechanics:
 - density functional theory and, 2–4
 - nuclear wavepacket equation of motion, 109
- Fokker-Planck equation, dynamical density functional theory, Brownian dynamics, 69–70
- Force matrix:
 - electronic nonadiabatic transition, electronic state change, 123
 - path branching classical mechanics, 101–108
 - coupling-free region, 106–107
 - eigenforces, 104–105
 - equations of motion, 101–103
 - phase-space averaging, non-Born-Oppenheimer paths, 105–106
 - phase-space averaging and natural branching, 107–108
 - semiclassical Ehrenfest theory reduction, 103–104
- Fourier space:
 - density functional theory, parameterized profiles and gradient expansions, 16–19
 - liquid bilayer simulation:
 - small-gradient theory, 184–188
 - structure factor, 171–183
 - true area calculations, 212
- Fourier transform, weighted density
 - approximation, liquid state models, 26–27
- Free energy:
 - density functional theory:
 - free energy functional, 49–51
 - hard sphere freezing, 27–30
 - parameterized profiles and gradient expansions, 15–19
 - density functional theory and, 2–4
 - excess expression, 11–14
 - ideal gas contribution, 10
 - interaction potential, 8
 - dynamical density functional theory, 70–72
 - energy surface and nucleation, 74–78
 - fundamental measure theory, 39–40
- Freezing, density functional theory, early models, 21
- Fundamental Measure Theory (FMT):
 - density functional theory and, 3
 - hard sphere freezing, 33–48, 79
 - density calculations, 46–47
 - dimensional reduction and Tarazona functional, 40–44
 - future research issues, 47–48
 - hard rod motivation, 33–34
 - higher dimension generalization, 34–35
 - refinement, 39–40
 - Rosenfeld’s theory, 35–39
 - White-Bear functional, 44–46
 - mean-field theories and, 56–61
 - non-hard sphere applications, 49
 - two-body term, 83–85
 - Wall theorem, van der Waals model proof, 86–88
- Gaussian approximation:
 - density functional theory:
 - hard sphere freezing, 28–30
 - parameterized profiles and gradient expansions, 16–19
 - fundamental measure theory, 39–40
 - density calculations, 46–47
 - molecular system analysis, semiclassical Ehrenfest theory, computational techniques, 128–129

- Gaussian approximation: (*Continued*)
 nuclear wavepacket, nonclassical path:
 height exponent rescaling, 111
 normalized variable, 110–111
- Gaussian density parameterization, mean-field theories, 55–61
- Gaussian distribution, liquid bilayer simulation, lateral tension fluctuations, 213–214
- Gaussian integrals:
 lipid bilayer simulation:
 small-gradient theory, 185–188
 structure factor, 172–183
 liquid bilayer simulation, membrane constraints, 190–197
- Generalized effective liquid theory:
 fundamental measure theory, Tarazona and Rosenfeld functions, 44
 hard-sphere freezing, 28–30
 uniform liquid state models, 23
- Geometrical change, nonadiabatic coupling, semiclassical Ehrenfest theory, numerical analysis of molecular systems, 135–138
- Gibbs-Duhem equation, dynamical density functional theory, 67–68
- Ginzburg-Landau theory. *See also* Time-dependent Ginzburg-Landau theory
 density functional theory and, 3
- Glass transition, “extended” dynamical density functional theory, 63–64
- Globular protein models, mean-field theories, 55–61
- Goldstone mode, lipid bilayer simulation, structure factor, 172–183
- Gradient expansion:
 density functional theory, 15–19
 dynamical density functional theory, 73–78
- Grand-canonical free energy, density functional theory, hard sphere freezing, 27–30
- Grand Canonical Monte Carlo simulations, mean-field theories, 58–61
- Grand partition function:
 hard rods, density functional theory for, 79–83
 hard rods, FMT calculations, 33–34
- Granular systems, dynamical density functional theory, 63–64
- Gravitational field, lipid bilayer simulation, structure factor, 173–183
- Hamiltonian equations, density functional theory, statistical mechanics, 4–6
- Hamilton-Jacobi equation, nuclear wavepacket, non-Born-Oppenheimer theory, quantum chemistry, 109
- Hard-core systems:
 density functional theory, 3–4
 fundamental measure theory and, 48
- Hard rods:
 density functional theory for, 79–83
 fundamental measure theory and, 33–34
 multidimensional calculations, 34–35
- Hard sphere freezing:
 density functional theory:
 early models, 21
 liquid state models, 27–30
 fundamental measure theory, 33–48
 density calculations, 46–47
 dimensional reduction and Tarazona functional, 40–44
 future research issues, 47–48
 hard rod motivation, 33–34
 higher dimension generalization, 34–35
 refinement, 39–40
 Rosenfeld’s theory, 35–39
 White-Bear functional, 44–46
- “Hat model” protrusions, liquid bilayer simulation:
 structure factor, 182–183
 surface normal correlation, 204
- Haymet-Oxtoby parameterization. *See also* Ramakrishnan-Youssouff/Haymet-Oxtoby theory
 density functional theory, 18–19
 uniform liquid state models, 21–22
- Head-and-tail model, liquid bilayers, simulation development, 160–163
- Height-height correlation function, liquid bilayer simulation, membrane constraints, 192–197
- Helfrich-Servuss equation, liquid bilayer simulation, lateral tension, 170–171
- Hellmann-Feynman force:
 mean-field approximation, nuclear dynamics, 122
 nonadiabatic transition:
 matrix elements, 127–128
 semiclassical Ehrenfest theory, 99
- Helmholtz free energy:
 dynamical density functional theory, 73–78

- liquid state models, density functional theory, 20–21
- Hilbert space, path branching classical mechanics, 102–103
- Hohenberg-Kohn theorem, density functional theory, 6
- Hydrophilic groups, amphiphilic molecules, 157–158
- Hydrophobic effect, liquid bilayer simulation, 162–163
- Hydrophobic groups, amphiphilic molecules, 157–158
- Hypernetted chain approximation, density functional theory, bulk liquid state, 31–33
- Ideal gas free energy, density functional theory and, 10
- Inhomogeneous system, pair-distribution function, 52–53
- Integrodifferential equation, weighted density approximation, liquid state models, 26–27
- Interaction potential, density functional theory, 8–9
- Intermolecular forces, liquid bilayer simulation, 162–163
- Ionization processes, electron wavepacket dynamics, 97
- Isothermal systems, dynamical density functional theory, 67–68
- Kernel effect, fundamental measure theory, two-body contributions, 83–85
- Kinetic energy, density functional theory, statistical mechanics, 4–6
- Kinetic theory, dynamical density functional theory and, 64–68
- Kirkwood-Buff derivation, liquid bilayer simulation, lateral tension, 165–171
- Lagrangian fluid mechanics, nuclear wavepacket equation of motion, 109
- Landau theory polynomial, liquid bilayer simulation, lateral tension, 165–171
- Langevin equation, dynamical density functional theory, 68
 - fluctuating force, 70–72
- Langrangian multipliers, dynamical density functional theory, energy surface and nucleation, 75–78
- Laser field intensity:
 - electronic nonadiabatic theory, 114–128
 - electron-nuclei coupled dynamics, 117–121
 - Hellmann-Feynman approximation, matrix element, 127–128
 - mean-field approximation, 121–122
 - mixed quantum classical representation, 116
 - nonadiabatic force-laser field coupling, 122–123
 - optical field Hamiltonian, 115
 - velocity and length form, 123–127
 - semiclassical Ehrenfest theory, numerical analysis of molecular systems:
 - bond length/order response, 131–133
 - dissociation and collision, 143–150
 - electron flux induction, 139–143
 - fixed nuclei approximation, 133–135
 - lithium hydroxide linear collision, 144–147
 - nonadiabatic interaction, 133
 - vector potential and, 128–129
- Laser technology, electron wavepacket dynamics, 95–97
- Lateral tension, liquid bilayer simulation, 164–171
 - fluctuations, 212–214
 - membrane constraints, 191–197
- Lattice vectors, fundamental measure theory, 39–40
- Lennard-Jones units:
 - lipid structure, 158
 - liquid bilayer simulation, 159–163, 216–217
 - liquid-solid interface, 30
 - mean-field theories, 55–61
 - pair distribution function, 53
 - pair interaction potential, 50–51
- Lindemann parameter:
 - fundamental measure theory, 48
 - hard-sphere freezing models, 28–30
- Liouville equation, dynamical density functional theory, 64–68
 - fluctuating force, 70–72
- Lipids, structural properties, 158
- Liquid ansatz, liquid state models, modified weighted density approximation, 23–24

- Liquid bilayers:
 buckling transition, 215–216
 gyration radius, 210–211
 lateral tension fluctuations, 211–214
 Lennard-Jones units, 216–217
 orientation distribution, 204–210
 simulations:
 development of, 158–163
 lateral tension, 164–171
 structure factor, 171–183
 small-gradient theory, 183–197
 intrinsic area membrane constraint,
 188–197
 standard capillary-wave applications,
 183–188
 surface normal correlation, 197–204
 true area, 211
- Liquid density, self-consistent effective liquid theory, 22
- Liquid droplet nucleation, dynamical density functional theory, 75–78
- Liquid-solid interface:
 density functional theory:
 applications, 30
 parameterized profiles and gradient expansions, 17–19
 fundamental measure theory, Tarazona and Rosenfeld functions, 43–44
- Liquid state models:
 current trends in, 79
 density functional theory, 19–33
 bulk liquid state properties, 31–33
 hard sphere freezing, 27–30
 liquid-solid interface, 30
 nonlocal theories, 24–27
 perturbation theory models, uniform liquid state, 21–24
 square gradient model, 19–21
- Liquid-state theory, density functional theory and, 3
- Liquid-vapor interface:
 density functional theory, squared gradient liquid state model, 20–21
 liquid state models, simple position-dependent effective liquid, 24–26
 mean-field theories, 53–61
 pair-distribution function, 53
- Liquid-wall interface, pair-distribution function, 53
- Lithium hydroxide, semiclassical Ehrenfest analysis, 129–130
 collision, 144–150
- Local density approximation:
 density functional theory, 7–8
 squared gradient liquid state model, 20–21
 dynamical density functional theory, 73–78
 fundamental measure theory, 39–40
- Log-log plots, liquid bilayer simulation, structure factor, 179–183
- Lorentz-like force:
 electronic nonadiabatic transition:
 electron-nuclei coupled dynamics, 120–121
 Hellmann-Feynman force, 127–128
 nonadiabatic, nuclear dynamics, 122
 nonadiabatic force coupling, 123
 path branching classical mechanics, 103
 correction terms, 103–104
- $M + 1$ density functions, dynamical density functional theory, 76–78
- Mansoori-Carnahan-Rasaiah-Stell theory, pair interaction potential, 50–51
- Mansoori-Carnahan-Starling-Leland (MCSL) expression, fundamental measure theory, white-bear functional, 45–46
- Maslov index, nuclear wavepacket, nonclassical path, velocity gradient, 110
- Mass density, density functional theory, statistical mechanics, 5–6
- Maxwell equations, electronic nonadiabatic transition, electron-nuclei coupled dynamics, 119–121
- Maxwellian velocity distribution, dynamical density functional theory, 65–68
- Mayer function:
 fundamental measure theory, and hard spheres, 35
 short-ranged potential, 49
- Mean-field theories. *See also* Semiclassical Ehrenfest theory (SET)
 electronic nonadiabatic transition:
 electron wavepacket dynamics, 122
 Hellmann-Feynman force, 127–128
 nuclear dynamics, 121
 short-ranged repulsion and long ranged attraction, 53–61
- Wall theorem, van der Waals model proof, 86–88

- Mean spherical approximation, short-ranged attraction, 53–54
- Membrane intrinsic area constraint, liquid bilayer simulation, 188–197
- Mermin theorem, density functional theory and, 3, 6
- Mesoscopic simulation, lipid bilayer simulation, 159–163
structure factor, 172–183
- Methane, semiclassical Ehrenfest analysis, 129–130
bond length/order response to laser frequency, 131–133
laser field intensity, fixed nuclei approximation, 135
- Methyl alcohol, semiclassical Ehrenfest analysis, 129–130
bond-distance dynamics, 137
electron flux induction, ground and first excited states, 139–142
photodissociation, 143–144
- Micelle formation, liquid bilayer simulation, 162–163
- Microscopic density, dynamical density functional theory, 70–72
- Mixed quantum classic mechanics, electronic nonadiabatic theory, laser fields, 116
- Modified weighted density approximation (MWDA). *See also* Weighted density approximation
bulk liquid state models, 31–33
hard-sphere freezing, 28–30
uniform liquid state models, 23–24
- Molecular dynamics (MD), liquid bilayer simulation, 161–163
- Molecular systems, semiclassical Ehrenfest theory, numerical analysis, 128–152
bond length and order, methane to laser frequency, 131–133
computational techniques, 128–131
electronic state calculations, 130–131
field parameters and conversion, 130
vector potential and field intensity, 128–129
laser field intensity:
diborane:
electron flux, 142–143
geometrical change, 137–138
dissociation and collision in, 143–150
electron flux, 139–143
fixed nuclei approximation, 133–135
lithium hydroxide:
collinear collision, 144–147
planar collisions, 147–150
methyl alcohol:
bond distance, 137
electron flux, 139–142
photodissociation, 143–144
nonadiabatic interaction, 133
nonadiabatic coupling, geometrical change, 135–138
diborane, 137–138
methyl alcohol bond-distance, 137
sodium chloride nonadiabatic transition, 150–152
- Monte Carlo simulation, liquid bilayers, 161–163
- Mesoscopic density, dynamical density functional theory, fluctuating force, 70–72
- Multiple metastable solid states, fundamental measure theory, 48
- Navier-Stokes equation, dynamical density functional theory, 67–68
- Nearest-neighbor peak, liquid bilayer simulation, surface normal correlation, 203–204
- Newtonian dynamics, dynamical density functional theory, 64–68
- Nonadiabatic transition:
future research issues, 152–154
intense laser field, 114–128
electron-nuclei coupled dynamics, 117–121
Hellmann-Feynman approximation, matrix element, 127–128
mean-field approximation, 121–122
mixed quantum classical representation, 116
nonadiabatic force-laser field coupling, 122–123
optical field Hamiltonian, 115
velocity and length form, 123–127
mean-field theory/semiclassical Ehrenfest theory, 98–99
nuclear wavepacket theory, 97–98
on-the-fly model, 94
path branching, 99–100
classical mechanics force matrix, 101–108
coupling-free region, 106–107
eigenforces, 104–105

- Nonadiabatic transition: (*Continued*)
 equations of motion, 101–103
 phase-space averaging, non-Born-Oppenheimer paths, 105–106
 phase-space averaging and natural branching, 107–108
 semiclassical Ehrenfest theory reduction, 103–104
 semiclassical Ehrenfest theory, numerical analysis of molecular systems:
 geometrical change, 135–138
 laser field intensity, 133
 in sodium chloride, 150–152
- Non-Born-Oppenheimer theory:
 electronic wavepacket/nuclear wavepacket combination, 113–114
 future research issues, 152–154
 mean-field theory and, 95
 nonadiabatic transition, 94
 on-the-fly model, 153–155
 path branching, 100
 force matrix, phase-space averaging, 105–106
 quantum chemistry, 108–113
 nuclear wavepackets, nonclassical path, 108–113
 equation of motion, 109, 113
 Gaussian height exponential rescaling, 111
 normalized variable Gaussians, 110–111
 velocity gradient term, 110
 WKB velocity-gradient term, 112–113
 semiclassical Ehrenfest theory, numerical analysis of molecular systems, laser induction, electron flux, 139–143
- Non-equilibrium dynamics, dynamical density functional theory, 62–64
 current applications, 79
- Nonlocal liquid state models, 24–27
 simple position-dependent effective liquid, 24–26
 Tarazona's weighted density theory, 27
 weighted density approximation, 26–27
- Nonpolar solvents, liquid bilayer simulation, 163
- Nonuniform systems, density functional theory, free energy excess expression, 14
- Normalized variable Gaussian (NVG):
 electronic wavepacket/nuclear wavepacket dynamics, ADF-NVG paths, 113–114
 nuclear wavepacket, nonclassical path, 110–111
 integrated equations of motion, 113
- Nuclear phase space, path branching classical mechanics, 102–103
- Nuclear wavepackets:
 electronic nonadiabatic transition, 97–98
 electron-nuclei coupled dynamics, 118–121
 laser fields, total Hamiltonian, 115
 Lorentz-like force, 122
 mean-field approximation, 121
 electronic wavepacket/nuclear wavepacket dynamics, 113–114
 non-Born-Oppenheimer theory, quantum chemistry, nonclassical paths, 108–113
 equation of motion, 109, 113
 path branching, force matrix applications, 106–107
 phase-space averaging and natural branching (PSANB), 108
- Nucleation, dynamical density functional theory, 72–78
- Nuclei, electronic nonadiabatic theory, laser fields, electron-nuclei coupled dynamics, 117–121
- Nudged Elastic Band (NEB) model, dynamical density functional theory, 77–78
- One-body density, dynamical density functional theory, Brownian dynamics, 69–70
- One-dimensional hard rods, density functional theory and, 3
- On-the-fly model:
 nonadiabatic transition, 94
 non-Born-Oppenheimer theory, 153–155
- Optical field Hamiltonian, electronic nonadiabatic theory, intense laser field, 115
- Orientation distribution, liquid bilayer simulation, 204–210
- Ornstein-Zernicke equation:
 bulk liquid state, 33
 density functional theory, correlation functions, 12–14

- Orthonormal property, nonadiabatic transition, nuclear wavepacket theory, 98
- Pair-distribution function (PDF):
 basic principles, 2
 density functional theory, 6
 correlation functions, 12–14
 direct correlation function and, 13–14
 liquid-state perturbation, 52–53
 pair interaction potential, 50–51
- Pair interaction potential, density functional theory and, 50–51
- Parameterized profiles, density functional theory, 15–19
- Partition function:
 density functional theory, 7–8
 liquid bilayer simulation, membrane constraints, 190–197
- Path branching, nonadiabatic transition, 99–100
 classical mechanics force matrix, 101–108
 coupling-free region, 106–107
 eigenforces, 104–105
 equations of motion, 101–103
 phase-space averaging, non-Born-Oppenheimer paths, 105–106
 phase-space averaging and natural branching, 107–108
 semiclassical Ehrenfest theory reduction, 103–104
- Percus-Yevick direct compressibility equation of state:
 density functional theory, 28–30
 fundamental measure theory:
 Tarazona and Rosenfeld functions, 44
 white-bear functional, 45–46
 mean-field theories, 56–61
 Rosenfeld's fundamental measure theory, 38–39
- Perturbation theory:
 density functional theory, uniform liquid state models, 21–24
 tail contribution, 51–52
- “Phantom solvent,” liquid bilayer simulation, 162–163
- Phase-space averaging, path branching classical mechanics, force matrix, non-Born-Oppenheimer paths, 105–106
- Phase-space averaging and natural branching (PSANB):
 electronic wavepacket/nuclear wavepacket combination, 113–114
 nuclear wavepackets, 108
- Photodissociation, methyl alcohol, 143–144
- Planar bilayers:
 simulation techniques, 160–163
 structural properties, 158
- Planar collision, lithium hydroxide, 147–150
- Planar liquid-vapor interface, liquid bilayer simulation, structure factor, 175–183
- Planck's constant:
 density functional theory, statistical mechanics, 5–6
 path branching, 100
- Position-dependent reference density:
 liquid state models, simple position-dependent effective liquid, 24–26
 tail contribution, 52
- Predicted density distribution, Grand Canonical Monte Carlo simulations, mean-field theories, 58–61
- Pressure gradient, dynamical density functional theory, 68
- Quadratures, density functional theory, squared gradient model, 21
- Quantum chemistry:
 dynamical density functional theory, 76–78
 non-Born-Oppenheimer theory, 108–113
 nuclear wavepackets, nonclassical path, 108–113
 equation of motion, 109, 113
 Gaussian height exponential rescaling, 111
 normalized variable Gaussians, 110–111
 velocity gradient term, 110
 WKB velocity-gradient term, 112–113
- Quantum-classical representation, electronic nonadiabatic theory, laser fields, 116
- Quantum diffusion, nuclear wavepacket, nonclassical path:
 Feynmann kernel, 112–113
 normalized variable Gaussians, 110–111
- Quantum electronics, nonadiabatic transition, 94
- Quantum entanglement, path branching, nonadiabatic transition, 99–100

- Quantum smoothing, nuclear wavepacket,
nonclassical path, integrated
equations of motion, 113
- Quasi-zero dimensional systems, fundamental
measure theory, 40–44
- Radius of gyration, liquid bilayers:
simulation development, 160–163
surface properties, 210–211
- Ramakrishnan-Yousseff/Haymet-Oxtoby
theory. *See also* Haymet-Oxtoby
parameterization
uniform liquid state models, 21–22
- Random Phase Approximation, free energy
functional, 49
- Reciprocal lattice vectors, density functional
theory, parameterized profiles and
gradient expansions, 16–19
- Repulsive potentials, liquid bilayer simulation,
162–163
structure factor, 182–183
- Reverse bilayers, liquid bilayer simulation, 163
- Reverse micells, liquid bilayer simulation, 163
- Rogers-Young theory:
bulk liquid state
hard-sphere freezing, 28–30
- Rosenfeld's fundamental measure theory:
hard sphere freezing, 35–39
mean-field theories, 56–61
Tarazona functional and, 40–44
- RSLT theory:
hard sphere models, 40
multiple metastable solid states, 48
- RSLT2 theory, hard sphere models, 40
- Scaled Particle Theory (SPT), 3
fundamental measure theory, white-bear
functional, 45–46
hard sphere freezing, Rosenfeld's fundamental
measure theory and, 35–39
- Scaling techniques, liquid bilayer simulation,
structure factor, 183
- Schrödinger equation:
electronic nonadiabatic theory, laser fields,
115
electronic wavepackets, velocity distribution
and wavelength approximation,
124–127
electron wavepacket dynamics, 97
nonadiabatic transition:
nuclear wavepacket theory, 98
semiclassical Ehrenfest theory, 98–99
- Second order perturbation, density functional
theory, parameterized profiles and
gradient expansions, 17–19
- Self-consistent effective liquid theory:
hard-sphere freezing, 28–30
uniform liquid state models, 22
- Semiclassical Ehrenfest theory (SET):
electron-nuclei coupled dynamics, 117–121
Lorentz-like force, nuclear dynamics, 122
electron wavepacket dynamics, 122
molecular system numerical analysis,
128–152
bond length and order, methane to laser
frequency, 131–133
computational techniques, 128–131
electronic state calculations, 130–131
field parameters and conversion table,
130
vector potential and field intensity,
128–129
laser field intensity:
diborane electron flux, 142–143
dissociation and collision in, 143–150
electron flux, 139–143
fixed nuclei approximation, 133–135
lithium hydroxide collinear collision,
144–147
lithium hydroxide planar collisions,
147–150
methyl alcohol electron flux, 139–142
methyl alcohol photodissociation,
143–144
nonadiabatic interaction, 133
nonadiabatic coupling, geometrical change,
135–138
diborane, 137–138
methyl alcohol bond-distance, 137
sodium chloride nonadiabatic transition,
150–152
nonadiabatic transition:
electron wavepacket dynamics, 98–99
nuclear wavepacket theory, 97–98
path branching classical mechanics, 101–103
correction terms, 103–104
- Simple cubic (SC) lattices, hard-sphere freezing
models, 28–30
- Simple position-dependent effective liquid,
nonlocal liquid state models, 24–26

- Simulation techniques, liquid bilayers,
development of, 158–163
- Size dependence, liquid bilayer simulation:
lateral tension, 167–171
small-gradient theory, 187–188
- Slit pore models, mean-field theories, 61
- Small cavity model, density functional theory,
10–11
- Small-gradient theory, liquid bilayer simulation,
183–197
- Sodium chloride, nonadiabatic transition in,
150–152
- Solvent-free models, liquid bilayer simulation,
162–163
- Spatial structures, lipid bilayers and vesicles,
158
- Spinodal decomposition, dynamical density
functional theory, 72
- Squared-gradient model, density functional
theory, 3, 19–21
- Square-gradient approximation:
liquid bilayer models, surface normal
correlation, 199–204
liquid state models, 20–21
- Statistical mechanics:
density functional theory, 4–6
dynamical density functional theory, 62–64
fundamental measure theory, 39–40
hard rods, density functional theory for, 79–83
physical quantities in, 2
- Sticky hard spheres, density functional theory
for, 82–83
- Stochastic equations, dynamical density
functional theory, Brownian
dynamics, 69–70
- Strict equality, liquid bilayer simulation,
membrane constraints, 194–197
- String method, dynamical density functional
theory, 78
- Structural mapping, self-consistent effective
liquid theory, 22
- Structure factor, liquid bilayer simulation, 161,
171–183
surface normal correlation, 202–204
- Surface hopping model, path branching, 100
- Surface normal correlation, liquid bilayer
simulation, 197–204
- Surface tension models:
liquid bilayers, development of, 160–163
mean-field theories, 56–61
- Tail contribution:
mean-field theories, 53–61
pair-distribution function, 52–53
perturbative theories, 51–52
- Tail models:
lipid bilayer simulation, orientation
distribution, 204–210
liquid bilayers, simulation development,
160–163
- Tarazona functional, fundamental measure
theory, 40–44
- Tarazona’s weighted density theory, liquid state
models, 27
- Taylor expansion, density functional theory:
free energy excess and, 13–14
parameterized profiles and gradient
expansions, 17–19
- Temperature effects, liquid bilayer simulation,
lateral tension, 167–171
- “Tensionless state,” liquid bilayer simulation:
lateral tension, 165–171
structure factor, 181–183
- Tensor density measure, fundamental measure
theory:
calculation, 46–47
Tarazona and Rosenfeld functions, 42–44
- ten Wolde-Frenkel potential model, mean-field
theories, 55–61
- Theoretician’s models, liquid bilayer simulation,
163
- Thermodynamic mapping, self-consistent
effective liquid theory, 22
- Thermodynamic perturbation theory:
pair distribution function, 53
pair interaction potential, 49–51
- Thermodynamics, liquid bilayer simulation, 163
- Time-dependent Ginzburg-Landau theory,
dynamical density functional theory
and, 62–64
- Time-dependent N -body distribution, dynamical
density functional theory, 64–68
- Time-dependent variational principle:
electron-nuclei coupled dynamics, 117–121
path branching classical mechanics, 101–103
- Toy model:
dynamical density functional theory, 75–78
liquid bilayer simulation, membrane
constraints, 196–197
- Transport law, dynamical density functional
theory, 63–64

- Trotter decomposition, nuclear wavepacket
equation of motion, 109
- “True” area:
lipid bilayer simulation:
 methods, 211–212
 small-gradient theory, 184–188
liquid bilayer simulation, 161
 membrane constraints, 189–197
- Tunnel-hole formation, liquid bilayer
simulation, lateral tension, 170–171
- Two-body contributions, fundamental measure
theory, 83–85
Tarazona and Rosenfeld functions, 42–44
- “Two-tension” issue, liquid bilayer simulation:
 membrane constraints, 189–197
 structure factor, 181–183
- Uniform liquid state:
 density functional theory, perturbation theory
 models, 21–24
 mean-field theories, 56–61
 tail contribution, perturbation theories, 51–52
- Unitary transformation, electronic wavepackets,
 velocity distribution and
 wavelength approximation,
 124–127
- Unit vector, liquid bilayer simulation, surface
 normal correlation, 197–204
- van der Waals models, 49–50
 density functional theory and, 2–4
 mean-field theories, 55–61
 Wall theorem, proof, 85–88
- van Hove dynamic correlation function,
 dynamical density functional
 theory, 72
- Vapor-fluid interface, mean-field theories, 58–61
- Vector potential:
 nonadiabatic transition:
 electron-nuclei coupled dynamics, 117
 Hellmann-Feynman approximation, 127
 laser field and, 97
 Lorentz force and, 123
 optical field Hamiltonian, 115
 velocity and length form, 124–125
 semiclassical Ehrenfest theory, numerical
 analysis of molecular systems,
 128–129
- Velocity distribution:
 configurational averaging, 2
 nonadiabatic transition, 123–127
- Velocity gradient, nuclear wavepacket,
 nonclassical path, 110
- WKB term, 112
- Vesicles, lipids, 158
- Wall Theorem:
 fundamental measure theory, white-bear
 functional, 45–46
 proof, van der Waals models, 85–88
- Wavelength approximation, nonadiabatic
 transition, velocity distribution and,
 123–127
- Weeks-Chandler-Anderson (WCA) theory:
 mean-field theories, 54–61
 pair interaction potential, 50–51
- Weighted density approximation (WDA).
 See also Modified weighted density
 approximation (MWDA)
 hard-sphere freezing, 28–30
 liquid state models, 26–27
 bulk liquid state, 31–33
- White-bear functional, fundamental measure
 theory, 44–46
- Wigner-Seitz cells, density functional theory,
 parameterized profiles and gradient
 expansions, 18–19
- WKB velocity gradient, nuclear wavepacket,
 nonclassical path, 112
- Yvon-Born-Green hierarchy, dynamical density
 functional theory, 65–68