

Index

- Abiotic
 - corrosion, 37
 - environments, 98
 - tests, 114, 116
- Acanthite, 31, 39–40
- Accelerated low water corrosion (ALWC), 164–169
- Accelerating corrosion, 175
- Accidents, liquid pipelines, 195–197
- Accumulation, 8–10, 45, 103–104, 193
- Acetate, 57, 252
- Acetic acid, 18, 41, 233
- Acetogenic bacteria, biofilm formation, 17–18
- Acetone, 71
- Acid(s), 6, 25, 41, 217, 219, 227–228
- Acidification, 25
- Acidithiobacillus* spp., 23
- Acidity, significance of, 175
- Acid-producing bacteria (APB), 57, 66
- Ac impedance spectroscopy, 113
- Acinetobacter*, 232
- Acoustic emission (AE), 223, 226
- Acroline, 241
- Acrylics, 219
- Adenosine-5'-phosphosulfate (APS) reductase, 58–59
- Adenosine triphosphate (ATP), 58, 71
- Adhesion, 7, 9, 12, 138–139, 141, 244
- Adhesives, 219
- Admiralty brass, 174
- Adsorption, 9, 12, 14, 25, 49
- Aeration, 82, 129–130, 140, 148
- Aerobic
 - bacteria, *see* Bacteria, aerobic
 - conditions, 23–25, 256–257
 - respiration, 5, 28
- Afipia*, 61
- Aggressive corrosion, 49, 175, 256
- Agrobacterium tumefaciens*, 245
- Air
 - bumping, 149
 - in concrete, 229
 - injection, 229
- Airborne contaminants, 188
- Aircraft, *see* Jet fuels
 - fungal growth, 155–157
 - microbial contamination, 195, 200–202
- Alcaligenes*, 232
- Alcohols, 5–6, 192
- Aldehydes, 192
- Algae, 2, 17, 28, 160
- Aliphatic
 - acids, 192
 - amines, 49
- Alkaline phosphatase, 63
- Alkalines, 227
- Alkyl-aryl phosphates, 203
- Alkyl phosphates, 203
- All-epoxy-polyimide coatings, 121
- Alloying elements, impact of
 - aluminum/aluminum alloys, 139–140
 - antimicrobial metals, 141–143
 - cathodically protected, 169–173
 - copper alloys, 128–133
 - corrosion-resistant, generally, 173
 - low alloy steel, 128–129
 - nickel alloys, 128–133
 - overview, 127–128, 143
 - passive, 173
 - stainless steels, 128, 133–139
 - titanium/titanium alloys, 140
- Alteromonas atlantica*, 60

- Aluminum
 alloys, 14–15, 23–25, 41, 139–140, 189, 200
 boron carbide alloys, 189
 brass, 130, 174
 bronze, 130, 174
 cables, 154
 characteristics of, 86, 132, 139–141, 143, 158–159
 -lithium-copper alloys, 140
 nuclear waste storage, 188–189
 oxide, 139
 Ambient temperature, 205
 American Petroleum Institute, 148
 American Society for Testing and Materials (ASTM), 78, 102, 256
 Ammonia, 41, 130, 161, 196, 206
 Ammonium, 205, 227
 Anaerobic, generally
 aqueous systems, 128
 bacteria, 3, 47
 conditions, 23–24
 environment, 253
 microniches, 28
 microorganisms, 28
 respiration, 5
 Analog-to-digital converter, 80
 Anhydrous ammonia, 196
 Anilite, 37
 Anion
 ratios, alteration of, 49–50
 types of, 252
 Annealing, 138
 Anodic, generally
 currents, 82
 mechanisms, 25
 sites, 134
 Anodization, 139
 Antibiotic(s)
 characteristics of, 6, 238
 resistance, 245
 Antibodies, 58, 63, 255
 Antifouling treatments, 107
 Antimicrobials, 18, 141–143
 Aquatic environments/systems, biofilm
 formation, 7, 15
 Aqueous phase, metal concentration cells, 26
 Aquifer storage, 195
 Arabian Gulf region, sewer pipe systems, 227
 Archaea, 48
 Aromatic amines, 191, 203
Arthrobacter spp., 61
Ascomycetes, 233
 Aspect ratio, 70
Aspergillus spp.
 characteristics of 154
niger, 159, 228
versicolor, 220, 226
 Asphalt, 217, 232
 ASTM D 610, 124
 Atacamite, 34
 Atmospheric biodeterioration, 154
 Atmospheric pressure, biofilm formation, 18
 Atomic force microscopy (AFM), 63, 70, 95
 Atomic hydrogen, 29, 48
 ATP hydrogenase, 58
 Attachment, 7, 9, 11–12, 38, 175
Aureobasidium, 155
 Austenitic stainless steels, 148
 Australia, estimated corrosion damages, 1
 Austria, hydroelectric power plants, 206
 Autoradiogram/autoradiography, 82, 84
 Autotrophic bacteria, 5–6
 Azoles, 148
 Baar's medium, 246
Bacillus spp.
brevis, 245–246
 characteristics of, 43, 54
circulans, 245
licheniformis, 248
migulanus, 245
subtilis, 245, 248
 Backfill, nuclear waste storage, 189
 Bactenecin, 246
 Bacteria, *see specific types of bacterium*
 acid-producing, 50, 140, 194
 aerobic, 57, 227
 anaerobic, 221, 227
 biomineralization, 42
 characteristics of, 2–3, 23–24
 facultative, 221
 in fuel, 192
 growth rate, 79
 heterotrophic, 161, 183, 189
 hydrogen-producing, 223–224
 iron-reducing, 253
 iron-related, 178

- large signal polarization, 95
- metal-reducing, 50
- monitoring system, 113
- motile, 8
- in paper mills, 206
- reproduction of, 6
- sulfate-reducing, 182
- sulfur/iron-oxidizing, 233
- in water distribution system, 178
- Bandwidth, monitoring approaches, 119–120
- Barium sulfonates, 203
- Barr's medium, 252
- Base metals, 12–13, 138, 142, 151
- Basidiomycetes*, 233
- Bending strength, 228
- Bentonite, 189, 191–192
- Beta irradiation, 6
- Bicarbonate-sulfate ratio, 181
- Binary fission, 3
- Bioaugmentation, 256
- Biochemical assays, 58–59
- Biocides
 - active ingredients, 241
 - alloying elements, 137
 - applications, 47, 58, 95, 104–106, 194, 203, 229, 237–238, 241–242, 257
 - hydrotest procedures and, 148
 - monitoring approaches, 111–114
 - nonoxidizing, 240
 - oxidizing, 45, 239
- Biodegradation, 39, 192, 217, 226
- Biodeterioration assessment, 114
- Bioelectric effect, 242
- Biofilm(s)
 - accumulation, 8–10, 103–104
 - changes due to, 86
 - conditioning films, influence of, 9–10
 - corrosion-control measures, 242–250
 - culture media, 252–253
 - electrolyte, influence of, 14–16
 - formation of, *see* Biofilm formation
 - metal interface, 41
 - mixed species, 81–82
 - monitoring devices, 103–105
 - natural marine microbial, 86–88
 - overview of, 6–9
 - polymeric materials and, 217
 - polysaccharide-containing, 61
 - reactions within, *see* Biofilm reactions
 - recovery rate, 107
 - stochastic nature of, 251, 257
 - substratum, influence of, 10–14
 - surface interface, 18
 - types of, 16
- Biofilm formation
 - characteristics of, generally, 6
 - corrosion potential, 80
 - dealloying and, 49
 - flow and, 149
 - galvanic current measurement, 112
 - genetic environment, 169–170, 173
 - monitored with concentric ring electrodes, 96–97
 - nuclear power storage tanks, 205
 - nuclear waste storage and, 188, 192
 - open circuit potential, 80
 - thick, 92
 - water distribution systems, 181, 184
- Biofilm reactions
 - acid production, 41
 - ammonia production, 41
 - dealloying, 49
 - hydrogen production, 48
 - metal deposition, 42–47
 - metal reduction, 47–48
 - methane production, 48
 - overview of, 26
 - photosynthesis, 28
 - respiration, 28
 - sulfide production, 28–41
- Biofouling, 83, 85–87, 168
- BIOGEORGE® Probe, 105
- Biological diagnosis, 74
- Biologically active environments, 1–6
- Bioluminescence, 60
- Biomedical applications, 217–219
- Biomineralization, 37, 42, 44–45
- Biopolymeric material, 183
- Bioreactors, 256
- Biosynthetic materials, 227
- Biotic
 - environments, 98
 - tests, 114, 116
- Birnessite, 43
- Bismaleimide, 226
- Bitumen, 153–154, 192
- Black water, 178, 206
- Blastobacter natatorius*, 61

- Bleaching process, 206
 Blistering, 28, 217, 221, 229
 Bluestain fungi, 233
 Blue water, 179, 184
 Bode plots, 92–93, 247
 Borate, 189
 Botallackite, 34
 Brass, 10, 130, 174
 Brazing, 129
 Break-point frequency, 123
 Bricks, 159
 Brine, 2
 Bronze, 49
 Brownian motion, 8
 Browns Ferry Nuclear Plant, 106–107
 Building materials
 colonization and biodeterioration of, 159–160
 concrete, 229–231
 Bulk fluid phase, biofilm formation, 12
 Bulk fuel, 200
 Bulk media, 18–19, 45
 Bulk water, 238
Burkholderia cepacia, 61, 245
 Butane, 197
 Bypass circuits, 149
- Calcareous deposits, 92, 120, 169–170
 Calcium
 carbonate, 181
 characteristics of, 14, 143, 153, 228
 sulfate, 206
Caldosporium (Hormoconis) resiniae, 200
 Canada, nuclear power plant and waste storage, 191, 205
 Capacitance, 83–86
 Carbamates, 241
 Carbon
 biofilm formation, 15–17
 characteristics of, 2, 59–60, 132, 135, 140–141, 222–223
 dioxide, 2, 5, 17, 28, 59, 68, 129, 148, 161, 192, 196, 227
 organic, 167
 steel, *see* Carbon steel
 Carbonates, 70, 252
 Carbon-nitrogen ratio, 15–16
- Carbon steel
 alloys, 66
 ASTM A366 weight loss, 256
 characteristics of, 12, 14–15, 47, 49, 82, 86, 92, 94, 112, 151, 170, 242
 coated, 173, 221
 in concrete structures, 229, 231
 containers, nuclear waste storage, 188–190
 corrosion-control measures, 242–243, 249, 251, 254, 256
 coupons, 113
 embrittlement of, 164
 genetic environment, 171, 173
 hydrotest procedures, 148
 monitoring approaches, 114, 116–119
 nuclear power storage tanks, 204
 pipelines, 195
 in ship holds, 155
 water distribution systems, 178, 184, 186
 Carboxylic acids, 203
 Carolina Power and Light, Robinson Station, 135
 Case histories
 environments with hydrocarbons, 192–203
 generic environments, 150–177
 nuclear waste storage, 186–192
 paper mill industry, 206–207
 power generation, 203–206
 water-distribution and storage systems, 177–186
 Catalysis, organometallic, 25
 Cathodic, generally
 currents, 82
 mechanisms, 25–26
 protection, 120, 151
 Cationic surfactants, 240
 Caulk, 222
Caulobacter subvibroides, 61
 Causative organisms, identification of, 56–66
 Caustic soda, 206
 Cell(s)
 activity, 59–60
 death, 22
 division, 3
 enumeration, 57
 lysis, *see* Lysis

- Cell-surface hydrophobicity, 7
- Cellulose
acetate, 218
characteristics of, 232
nitrate, 218
- Centric diatom, 2
- Cerargyrite, 40
- Cerium, 128–129, 153
- Chaetomium* spp., 226
- Chalcocite, 37–38, 72
- Chalcopyrite films, 37
- Chemical composition, 7
- Chemical diagnosis, 74
- Chemical testing techniques
characteristics of, 70–71
elemental composition, 71–72
isotope fractionation, 73
mineralogical fingerprints, 72–73
- Chiocacilli*, 192
- Chloride(s)
characteristics of, 49–50, 133–135, 143,
167, 175, 178, 217, 229
concentration, 117, 130, 140
ions, 25, 33
water distribution system, 178, 183–184,
186
- Chlorination, 106–107, 109, 113,
238
- Chlorine
corrosion-control measures, 239
dioxide, 239
genetic environment, 176
- Chromates, 148
- Chromium, 5, 46, 129, 132, 134–135,
138–139, 141, 143, 153, 173
- Chromium(III) oxide, 49
- Chromium-nickel alloys, 1
- Citric acid, 41
- Cladosporium* spp.
characteristics of, 24, 155
resinae, 50
- Clarification, 148
- Clays, 192, 206
- Cleaning, of oil production lines, 194
- Clonothrix*, 45
- Clostridium*
acetylbutylicum, 223
aceticum, 41
- Coagulation, 148
- Coal
mines, 33
seam gas field, 193
- Coating(s)
applications, 92
capacitance, 123
fungal growth, 155–157
genetic environment, 173
monitoring approaches, 120–121, 123–124
oil production lines, 194
pipeline, 151–153
polymer/polymeric, 120, 217, 219–222
warship fuel tanks, 203
- Cobalt, 132
- Cold-water systems, 182, 205
- Colnaceret, 195
- Colonization, influential factors, 7–8, 12, 22,
105, 130, 137, 175, 206
- Commercial corrosion rate monitors, 89
- Commercially pure copper, 35
- Competition, 251
- Concentration cells, 25–26
- Causative organisms, mechanisms of
anion ratios, alteration of, 49–50
biofilm reactions within, 26–48
ennoblement, 22, 24–26
inactivation of corrosion inhibitors, 49
- Concentric ring electrodes, 96–97
- Concrete, 23, 89–90, 92, 117, 159, 192, 217,
223, 227–233
- Condensers, 205, 223
- Conditioning films, 9–10
- Conductivity, electrical, 38, 113, 129, 177
- Confocal laser scanning microscopy
(CLSM), 47, 63
- Constant-phase element (CPE), 123
- Convective transport, 8–9
- Cooling water systems, 178, 186
- Copper
alloys, generally, 23, 35, 129–133, 188,
191, 204, 246
cables, 154
characteristics of, 14–15, 31, 132, 135,
139, 143, 153, 179
concentration cells, 26–27
crystalline, 181–182
galvanic corrosion of, 86–87
-nickel alloys, 30–31, 38, 64, 72, 130, 133
-nickel surfaces, 10, 73

- oxide films, 185
- pitting corrosion, 61
- Sn alloys, 31
- spheres, 192
- steel container, nuclear waste storage, 190–191
- sulfide, 34–38
- titanium ions, 66
- tubing, 179, 184
- water distribution systems, 178
- zinc alloys, 49
- zinc brass, 10
- zinc pipe, 106
- Copper (I) oxide, 181–183
- Copper (II) oxide, 182–183
- Copper (II) sulfate, 182
- Corrosion, generally
 - coupon analyses, 104
 - cracking, 28, 130
 - inhibitors, inactivation of, 49. *See also* Biocides
 - potential, *see* Open circuit potential (E_{corr})
 - rate, 124, 130, 164, 192, 219, 246
- Coupon(s)
 - holders, 103–104
 - stainless-steel, 138–139
- Covellite, 37–38
- Covered surface, 169
- Cracking, hydrogen-induced, 28
- Craters, in pitting, 67
- Crenothrix*, 45, 178
- Crevice corrosion, 7, 49, 80, 91, 133, 147, 173, 204
- Crude fuels, 192
- Crude hydrocarbon fuels, metal exposure to, 1
- Crude oil, 113, 192, 195–197
- Crystal River-3 (CR-3) nuclear power plant, 204
- Crystalline structures, 127
- Culture(s)
 - alloying elements, 133
 - electrochemical, 137
 - media, *see* Culture media
 - oil production lines, 194
 - preparations, 56–58
- Culture media
 - corrosion-control measures, 257
 - large signal polarization, 95
 - sulfur isotopes, 73
- Cumulative corrosion loss, 90
- Cuprite, 34, 129
- Cuprous
 - oxide, 129
 - sulfide, 129–130
- Current density, 44–45, 80, 89, 94–95, 111, 169–170
- Current perturbation, 78
- Cyanobacteria, 160–161
- Dead leg circuits, 149, 205
- Deaeration, 148
- Dealloying, 49, 131, 175
- Degradation, 17–18, 49, 57
- Dehydrogenase, 28
- Delaware Bay River, 178
- Denatured proteins, 186
- Denaturing gradient gel electrophoresis (DGGE), 60
- Denitrification, 5, 58, 178, 205, 256
- Deoxygenated conditions, 257
- Depolarization, 28–30, 129
- Depolymerization, 238
- Deposit accumulation, 193
- Desiccant-resistant microorganisms, 154. *See also* Fungi
- Desiccation, 6, 191
- Design practices
 - flow, 148–149
 - hydrotest procedures, 147–148
- Desulfivibrio*, 136
- Desulfomonas*, 23
- Desulfotomaculum*, 23, 136
- Desulfovibrio* spp.
 - characteristics of, 23, 30
 - desulfuricans*, 11, 136, 254
 - vulgaris*, 97
- Detachment, 7, 9, 11, 238
- Deuteromycetes*, 233
- Diagnostic techniques
 - biochemical assays, 58–59
 - cell activity, 59–60
 - cultures, 56–58
 - genetic techniques, 60–61
 - microscopy, 61–66
- Diamine acetates, 241–242
- Diatomite formation, 2, 194
- Diesel, pipeline accidents, 196–197

- Diethylene glycol monomethyl ether (DiEGME), 201
- Differential
 - aeration, 25, 28, 47
 - amplifier, 83
 - energy distribution, 138
 - flow cell method, 109, 111
 - fluid shear, 59–60
 - pressure, 104
- Diffused oxygen, 205
- Diffusion coefficient, 123
- Diffusion-controlled system, 92
- Diffusive transport, 8
- Digenite, 37–38
- Diols, alkane, 221
- Disinfectants, 6
- Dissolution, 238
- Dissolved oxygen (DO), 18, 82, 178, 244
- Dissolved solids, 177
- Distillate hydrocarbon fuels, metal exposure to, 1
- Distilled/demineralized water, 1, 5, 15
- Distribution chart, electrochemical noise analysis, 117
- Distribution pipelines, 151
- Disulfides, 129
- Dithiophosphates, 203
- Djurleite, 37–38, 72
- DNA gene sequences, 58, 60
- Draining, 149
- Drinking water, distribution systems, 151, 177. *See also* Potable water
- Drying, microbial growth and, 6
- Dual-cell technique, 86–88
- Dwarf cells, 6
- Electrical resistance, 113, 124
- Electric cables, 151, 153–154
- Electric generating facilities, 130, 174
- Electrochemical current noise (ECN), 109, 113
- Electrochemical impedance spectroscopy (EIS)
 - case histories, 161, 169, 171
 - characteristics of, 78, 84–85, 89, 92–94
 - corrosion inhibition strategies, 243, 247, 253
 - fiber-reinforced polymeric composites, 226
 - monitoring approaches, 120–124
 - polymeric coatings, 219–220
- Electrochemical monitoring, 108–109, 114
- Electrochemical noise analysis (ENA), 78, 81, 116–120
- Electrochemical potential noise (EPN), 109
- Electrochemical techniques
 - concentric ring electrodes, 96–97
 - large signal polarization, 94–96
 - localized corrosion and, 98
 - no external signal required, 78–88
 - overview of, 78, 97–98
 - requiring a small external signal, 89–94
- Electrochemistry, genetic environments, 169
- Electrode-solution interface, 83
- Electrolysis, 242
- Electrolytes, 14–16, 91
- Electrolytic flow cell, 109
- Electron acceptors
 - alterations for corrosion control, 253–257
 - anaerobic respiration, 5
 - biofilm formation, 14
 - characteristics of, generally, 22
 - metal reduction and, 47
 - microbial growth and, 2–3
 - types of respiration and, 5
- Electron microscopy, 63–66, 192
- Electron transfer, 92
- El-Morgan oil field, 193
- Elongated microcolonies, 8
- Emulsion, 195
- Energy-conserving processes, 5
- Energy-dispersive x-ray microanalysis (EDS), 71, 176
- Energy-generating processes, 5
- Engineering materials, 217, 232–233
- England, water distribution systems, 183. *See also* United Kingdom
- Enhanced recovery, in oil production, 193
- Ennoblement, 22, 24–25, 80, 85, 139, 173–174, 246
- Enthalpy, 140
- Enumeration technique, 171
- Environmental scanning electron microscopy (ESEM), 36, 45, 47, 64, 70, 155, 157
- Environmental transmission electron microscopy (ETEM), 64
- Enzymes, 15, 173, 191, 217, 219

- Epicoccum*, 155
- Epifluorescence cell-surface antibody (ECSA), 63
- Epifluorescence microscopy, 61, 63, 170
- Epoxy/epoxies
characteristics of, 226
coatings, 92, 122, 203, 219, 221
fiber-reinforced polymeric composites, 223
resins, 219
- Equilibrium, 2
- Erosion corrosion, 9, 179
- Erosive conditions, 133
- Escherichia coli*, 245
- Esters, organic, 227
- Estuaries/estuary water, 22, 24, 71, 80, 133, 166, 171, 174–175, 178, 203
- Ethane, pipeline accidents, 196
- Ethylene, 196
- Ethylene glycol, 189
- Europe, water distribution systems, 184. *See also specific European countries*
- European Coal and Steel Communities, 165
- Exopolymers, 8
- Extracellular polymer, 60
- Extracellular polymeric substances (EPS)
biofilm formation, 8, 16, 238
metal concentration cells, 26
water distribution systems, 183–184
- Extracellular polysaccharides, 191
- Facultative bacteria, 3, 5, 47, 57
- Fatty acids, biofilm formation, 7, 17
- Fauna, 148
- Fermentation, 48
- Ferric/ferrous chloride, 134, 143, 229
- Ferric iron, 14
- Ferric oxyhydroxides, 47
- Ferrihydrite, 47–48
- Ferrosferric oxyhydroxide, 34
- Ferrous ions, 32, 34, 45
- Ferrous sulfide, 30, 57
- Fiber-reinforced polymeric composites (FRPCs), 217, 222–227
- Fiber/resin interface, 223–224
- Fiberglass lining, 194
- Filamentous bacteria, 4
- Filler metal, 138
- Filtration, in-line and side-stream, 149
- Fingerprints, mineralogical, 72–73
- Fireproofing mixture, concrete, 229–230
- Fire-protection systems, 186–187
- Flagella, 7
- Flange torquing, 147
- Flat coupons, 116
- Flavimonas*, 232
- Flavobacterium* spp.
breve, 12, 15
characteristics of, 232
- Flocculation, 148
- Flow rates, 135, 148–149, 175
- Flow velocity, oil production line, 193–194
- Fluid-friction resistance, 102–103
- Fluorescent antibody (FA), 255
- Fluorescent in situ hybridization (FISH), 60–61
- Fluorinated polyimide composites, 226
- Food-and-beverage processing industry, 186
- Foodstuffs, metal exposure to, 1
- Formaldehyde, 219
- Formic acid, 232
- Fort St. Vrain Generating Station, 232
- Fossil-fired power plants, 203–204
- Fouling, 104, 109, 169
- Fourier-transform infrared spectroscopy (FTIR), 26, 232
- Fractionation, isotope, 73
- Free-energy reaction, 140, 143
- Freezing, impact of, 6
- Frequency
dependence, genetic environments, 169
monitoring approaches, 120
- Freshwater, 1–2, 22, 24, 43–44, 80, 86, 174, 177–178, 186, 194, 246
- Fuel(s), *see specific types of fuels*
additives, 200
and hazardous materials pipelines, 150–151
cladding, 189
storage tanks, 41
-water interface, 139, 200
- Fumarate, 28
- Fumaric acid, 41
- Fungi, 6, 42, 50, 95, 154–155, 160–161, 192, 200–201, 219–220, 226
Fungi imperfecti, 233
Fusarium spp., 231
- Fusion zone, 127

- Galena, 31, 41
Gallionella, 23, 45, 64, 137, 178
Galvanic current, 96–97, 106, 108, 111–113, 124
Galvanized steel, water distribution systems, 184
Galvanostatic transient method, 83
Gamma irradiation, 6
Gamma-radiation fields, 191
Gas/gasoline, *see* Natural gas analyses, 194
pipelines, 64, 196–197
storage fields, 195
Gathering pipelines, 151
Geerite, 37
Gelatinous films, water distribution systems, 183
General corrosion, 179
Genetic diagnostic techniques, 60–61
Genetic environments
atmospheric, 154–162
marine, 162–177
subterranean, 150–154, 227
Geochemical cycling, 42
Geological formation, 189
Geologic repositories, 191
Germany
estimated corrosion damages, 1
nuclear power plants, 232
water distribution systems, 182–184
Gibbs free energy, 31
Glass, 14, 162, 222–223, 225
Glass beads, 192
Gluconic acid, 228
Glucose-mineral medium supplemented
with peptone (GMP), 253
Glutaraldehyde, 238, 241–242
Glutaric acid, 41
Goethite, 47–48, 72
Gold, 173
Grain
boundaries, 12
size effects, 128
Green rust, 166
Greigite, 33–34, 72
Gross national product (GNP), 1
Groundwaters, 38, 40, 42, 133, 148
Growth culture, 60
Growth kinetics, 9
Growth media, 57, 61
Gulf of Suez, oil production, 193
Habitats, 177
Half-saturation coefficient, 9
Halogen, 112
Hard water, 179, 181
Harmonic distortion analysis (HAD)
techniques, 114–115
Heat-affected zone (HAZ), 127–128, 138–139, 175
Heat exchangers, 107, 111–112, 129, 134, 136, 204, 223
Heat-transfer
rate, 107
resistance, 102–104
Hematite, 47–48, 72, 192
Hemispherical pits, 182
Heterogeneous biofilm structures, 15
Heterotrophic bacteria, 5–6, 10, 17, 57, 82, 183, 189
Heterotrophic microbial growth, 14
High-alloyed stainless steels, 139
High-performance stainless steel, 136
High-pressure water sprays, 149
Homogeneity, 138
Hormoconis sp.
characteristics of, 231
resinae, 50, 193, 195
Hormodendrum, 155
HRWR, in concrete, 229
Human plasma, metal exposure to, 1
Hungary, nuclear waste storage, 189
Hydrated oxide, 10
Hydraulic
flow regime, 7
fluid, 155, 158, 189
fracturing, 194
Hydrocarbons
characteristics of, 113, 192–193
distribution lines, 194–195
nuclear waste storage, 192
oil production, 193–194
ships, 201–203
storage, 195
transmission lines, 194–195
use, 195–201
Hydrodynamics, 7–9, 16
Hydroelectric plants, 80

Hydrogen

- biofilm formation and, 17–18
- characteristics of, 137, 140, 172
- disulfide, 129
- embrittlement, 164
- peroxide, 189, 229, 239
- probes, 113
- production, 48
- sulfide, *see* Hydrogen sulfide

Hydrogen sulfide

- acid production, 41
- characteristics of, 148, 165, 227, 229
- hydrogen production, 48
- induced cracking, 28
- production of, generally, 28
- reduction, 30
- silver sulfides and, 39

Hydrolysis, 134–135

Hydrostatic testing, 147

Hydrotest procedures, 147–148

Hydroxide, 10, 252

Hypobromous acid, 239

Hypochlorite, 238

Immunoassay analysis, 186

Immunofluorescence, 61

Impedance, 92, 243. *See also specific types of impedance*

Impermeability, 6

Inclusions, 7, 128

India, nuclear power plant, 205

Industrial effluents, 33

Industrial waters, 109, 186

Infection, bacterial, 242

Inhibitive anions, 49

Injection systems, 257

Ink bottle-shaped bulbous pit, 67, 69

Inorganic acids, 129, 160, 174

Inorganic compounds, 6

Institute of Nuclear Power Operation
Significant Event Report, 203Intermediate stage unite (ISU) design,
111International Atomic Energy Agency
(IAEA), 188

Ion

- chromatography, 186
- exchange, 49, 148, 177, 229

Iron

- alloys, 31
- anaerobic respiration and, 5
- carbonates, 72, 151
- characteristics of, 23–24, 131–133, 135, 137, 139–140, 143, 148, 160, 239
- copper/copper alloys and, 175–176
- depositing bacteria, 130
- nickel-chromium alloys, nuclear power storage tanks, 205
- oxides, 42, 47, 72–73
- oxidizing bacteria, 22
- oxydioxide sulfate complex, 166
- pipes, 89
- reducing bacteria, 86
- sulfides, 28, 30, 32–34, 46, 72, 151, 165

Isobutane, 197

Isobutyric acid, 41

Isothiazolin, 241

Isotope fractionation, 73

Isovaleric acid, 41

Itaconic acid, 141

Japan

- estimated corrosion damages, 1
- sewer pipe system, 227
- water distribution systems, 184

Jet fuels

- microbial contamination, 200–201
- pipeline accidents, 196–197

Joints, types of, 147

Jute, 153–154

Kathon, 242

Kerosene fungus, 193

Ketoglutaric acid, 41

Kinetics, 9, 25, 33, 37, 127

Krebs cycle, 41

Laboratory corrosion tests, 114

Lactate-based media, 57

Lactic acid, 66

Lactococcus lactis, 223

Lake water, 135, 148, 184

Lanthanum, 14

Latex coating, 122

Leaching, 129, 228

Lead, 31, 192

Lead-tin alloys, 41

- Least-squares analysis, 119
- Lepidocrocite, 47, 72
- Leptothrix* spp.
characteristics of, 43, 45, 178
discophora, 69–70
- Lichens, 160
- Light microscopy, 61
- Lignin, 232–233
- Limestone, 160–161
- Linear polarization, 91, 114
- Linear polarization resistance (LPR), 109, 113–115
- Lipids, 5, 7
- Liquid media, 56–58
- Liquid phase, biofilm formation, 14, 17
- Localization (LI), 81
- Localized corrosion, 25, 49–50, 92, 95, 98, 109, 111, 116, 124, 139, 158, 161–162, 178, 186, 252
- Localized melting, 128
- Lost Hills Oilfield, 193–194
- Low alloy steel, 128–129
- Lowest astronomical tide (LAT) corrosion, 164
- Low-flow conditions, 147
- Lysis, 15, 22, 238
- Mackinawite, 32–34, 72
- McNeil-Odom model, 130
- Macrofouling, 129
- Magnesium
characteristics of, 139, 141–143, 153, 160
salts, 227
- Magnetite, 47, 72, 165, 192
- Maleic acid, 41, 228
- Manganese
characteristics of, 5, 24, 129, 132–133, 135, 139, 143, 207, 239
-depositing bacteria, 130
oxide, 42–45, 80
-oxidizing bacteria, 22, 71
- Manganous ions, 45
- Marble, 159–160
- Marine diesel engines, 201–202
- Marine environment, 17, 139, 162–177
- Marine medium, monitoring approaches, 117
- Marine waters, 22, 25, 43, 175, 178
- Mean corrosion rates (MCR), 120
- Media
artificial, 105
chloride-containing, 50
nutrient effects on electrochemical measurements, 252
sterile, 95
- Melaminformaldehyde, 218
- Melting, 128
- Mercaptans, 129
- Metabolites, diffusion of, 25
- Metakaolin, 230
- Metal(s), *see specific types of metals*
-biofilm interface, 28
deposition, 42–47, 133–134
/electrolyte systems, 94
hydrogen embrittlement of, 48
hydroxide, 134
ions, 30
-oxide films, 48
-oxidizing organisms, 50, 133
passive, 22, 117
-reducing bacteria, 5, 47–48
sulfides, 41
- Metallography, 109
- Metallurgical/metallurgy
applications, 47, 140, 151
diagnosis, 74
fingerprint, 67
- Methane production, 48
- Methanobacterium bryantii*, 48
- Methanogenic bacteria, 5
- Methanogens, 48
- Methanosarcina barkeri*, 48
- Methanospirillum hungatei*, 48
- Methylbacterium mesophilicum*, 61
- Methylene-bis-thiocyanate, 241
- Microaerophilic bacteria, 3
- Microalgae, 2
- Microbacterium* spp.
barkeri, 61
keratonolyticum, 61
- Microbial community analysis, 184, 186
- Microbiology, 113, 124
- Microcolonies, 81–82
- Microelectrode design, significance of, 81
- Microflora, 57, 148
- Microfouling films, 10

- Microorganisms
 - common, found in conjunction with
 - microbiologically influenced corrosion, 23–24
 - types of, 2
- Microscopy, overview of, 61–66. *See also specific types of microscopy*
- Microsensors, 81–82
- Microtopography, 11
- Migration, 6
- Millerite, 31
- Mineralization, 193
- Mineralogy, 31
- Mineral salts, 160
- Missouri water supply system, 178–179
- Molds, 233
- Molecular hydrogen, 29, 48
- Molybdates, 148
- Molybdenum, 44, 47, 129, 132, 134–135, 137–139, 143, 153, 204
- Monitoring approaches
 - coupon holders, 103–104
 - electrochemical impedance spectroscopy, 120–124
 - electrochemical noise analysis (ENA), 116–120
 - in-line, 102
 - multitechnique approaches, 107–116
 - on-line, 102
 - overview, 102, 124
 - real-time, 102
 - side-stream, 102
 - zero resistance ammeter (ZRA), 104–107
- Monod kinetics, 9
- Monolayers, biofilm formation, 12
- Mortar, 159–160
- Most probable number (MPN), 255
- Multielectrode array sensor system (MASS), 114–116
- Multitechnique approaches, 107–116
- Mycelia sterila*, 228
- Mycelium, fungal, 2, 4

- NACE International, 102
- Natural gas
 - pipeline accidents, 196–197
 - transmission pipelines, 59–60
- Natural seawater, 24, 36, 30
- Natural waters, 5, 42–43, 105, 130

- Natural-gas systems, transmission and distribution lines, 194–195
- Near-surface environments, 38, 40, 72, 74
- Netherlands, hydroelectric power plants, 206
- New Zealand, water distribution systems, 184
- Nickel
 - alloys, 23–25, 129–133
 - characteristics of, 129, 135, 141, 143, 153, 173
 - chromium alloys, 133
 - chromium-molybdenum alloys, 133
 - copper alloys, 133, 136
- Niobium, 132
- Nitrate(s), 2, 28, 41, 50, 148, 161, 191, 200, 206, 252, 254, 256
- Nitrate-reducing bacteria (NRB), 254–255
- Nitric acid, 161
- Nitrite(s), 2, 42, 49, 254
- Nitrogen
 - characteristics of, 2, 5, 15, 140, 148, 201, 246, 254, 256
 - hydroxide, 148
 - oxides, 160
- Noise
 - impedance plot, 119
 - levels, 81
 - resistance, 117
- Nonbiodegradable materials, nuclear waste storage, 192
- Nonchloride ions, 252
- Nonculturable state, 6
- Nonlinear regression analysis, 84
- Nonmellatics
 - biomedical applications, 217–219
 - concrete, 217, 227–232
 - engineering materials, 217, 232–233
 - fiber-reinforced polymeric composites, 217, 222–227
 - polymeric coatings, 217, 219–222
 - polymeric materials, 217–218
- North Sea
 - oil exploration, 162–163
 - oil storage, 195
 - oil production, 193, 255
- NOVA Corporation, 151
- Nuclear power plant, power generation, 104–106, 133, 203–204. *See also* Nuclear waste storage

- Nuclear waste containment, 133
- Nuclear waste storage
 concrete, 227
 interim wet storage, 186, 188–189
 long-term dry storage, 189–192
- Nutrients
 biofilm formation, 14–18
 corrosion mechanisms, influence on, 252–253
 electrochemical measurements and, 252
- Nylon coatings, 221
- Nyquist plots, 247
- Obligate aerobes/anaerobics, 3, 5
- OCI, 230
- Office of Pipeline Safety, 195
- Ohmic resistance, uncompensated, 90
- Oil, *see specific types of oil*
 additives, 203
 fields, 15
 production, 193–194
 storage, 195
 -water interfaces, 192
 -water suspension, 113
- Oligonucleotides, 61
- Oligotrophic waters, 15
- Olivine, 160, 192
- On-line corrosion monitoring system, 113, 115, 117
- Open-boundary finite length diffusion (OFLD) element, 123
- Open circuit potential (E_{corr}), 24, 79–81
- Order of magnitude, 116, 120, 160
- Organic, generally
 acids, 2, 5, 41, 59, 66, 129, 140, 160, 174, 191
 additives, 217
 coatings, 7
 compounds, 192
- Ostwald's rule, 37
- Oxidation, 39, 41, 128
- Oxide films, 7, 50
- Oxyanions, 49
- Oxygen
 concentration, significance of, 3, 5, 17–18, 23, 28, 133, 140–141, 148, 177, 200, 257
 copper sulfides and, 38
 diffusion, 25–26, 28
 microbial respiration, 2
 redox potential, 78–79
 reduction, ennoblement and, 25
 sulfides, 34, 38
- Oxyhydroxides, 47
- Ozonation, 229
- Ozone, 239
- Paenibacillus polymyxa*, 248
- Palladium, 140, 173
- Paper mill industry, 206–207
- Paratacamite, 34
- Partitioning, 49
- Passivity, 95, 173
- Peat bogs, 33
- Peeling, 221
- Penicillium* spp., 154–155, 159, 231
- Pennate diatom, 2
- Pepper-pot pitting, 181–182
- Percolation, 40
- Permeability, significance of, 190, 219, 226
- Persister cells, 18
- Pestotolia*, 155
- Petroleum
 hydrocarbons, 232
 pipeline accidents, 197
 transmission lines, 194
- Petrolite Bioprobe™, 104
- pH, significance of, 18, 23–24, 28, 32, 39, 41, 46, 49, 72, 78–79, 90, 113, 142, 148, 161, 170, 177, 179, 184–185, 200, 229, 232
- Phase angle, 92, 94, 169, 247
- Phase boundaries, 128
- Phenolformaldehyde, 218
- Phenols, 5, 203
- Phoma*, 155
- Phosphate(s), 50, 148, 200, 206, 252
- Phospholipid fatty acids (PLFA), 58–59
- Phosphorus, 2, 15, 71, 135, 141, 201
- Photosynthesis, 2, 28, 41
- Pickering Nuclear Generating Plant, 205
- Pickling, 138
- Piezoelectric control, atomic force microscopy, 63
- Pigging, of pipelines, 149, 194
- Pile geometries, 166
- Pili, 7
- Pilot cooling water test (PCT), 109, 112

- Pinhole leaks, in oil production lines, 193–194
- Pinpoint holes, in coatings, 221
- Pipes/pipelines
- carbon steel, 178, 184, 195
 - coatings, 152–153
 - copper, 179, 181
 - corrosion sites, 72–73
 - fiber-reinforced polymeric composites (FRPCs), 223
 - galvanic loop, 107
 - galvanized steel, 184
 - Lead-Copper rule (EPA), 184
 - natural gas transmission, 194–195
 - oil production, 193–194
 - safety hazardous liquid pipeline accident summaries, 196–199
 - Pipe system, paper mills, 206–207
 - stainless steel, 106
 - threading, 147
 - types of analyses, 184, 186
- Pit, *see* Pitting corrosion
- morphology, 66–70
 - nucleation, 44
 - potential, 50
 - propagation, 47, 82
 - scans, 78, 94–95
- Pitting corrosion
- on aircraft, 200, 202
 - alloying elements, 128, 131, 133, 136–139
 - characteristics of, 22, 24, 65, 91, 96, 155, 165, 178
 - copper tubing, 179–182
 - diagrammatic representation, 182
 - genetic environment, 173, 175
 - inhibition strategies, 248, 250, 252
 - monitoring approaches, 111–112, 114
 - nuclear waste storage, 189
 - open circuit potential, 80
 - on ships, 203
 - water distribution systems, 179–183, 186
- Planktonic bacteria, 65, 104, 109
- Plant construction, 147
- Plasmids, 6
- Plaster, 159
- Plastic piping, 228–229
- Platinum, 12, 15, 79, 173
- Poland, nuclear waste storage, 189
- Polarization
- biofilm formation, 7
 - cathodic, 41, 170
 - corrosion-control measures, 248
 - electrochemical, 66
 - genetic environment, 173
 - large signal, 94–96
 - resistance technique, 78, 89–92, 98, 102, 109, 124, 138
- Pollution, 95, 174–175, 223
- Polyacrylonitrile, 218
- Polyactide, 226
- Polyalkenyl succinimides, 203
- Polyamides, 218–219
- Polycaprolactone, 227
- Polycarbonates, 218–219
- Polyester(s)
- characteristics of, 219–221
 - polyurethanes, 219
 - resins, 218
- Polyethylene/polyethylene terephthalate, 218
- Polyglycolide, 226
- Polyhydroxyalk kanvates, 227
- Polyhydroxybutyric acid, 226
- Polyimides, 219
- Poly-L-motale, 227
- Polymerase chain reaction (PCR), 60
- Polymer-coated steel, monitoring approaches, 119–120, 121, 123
- Polymeric coatings, 217, 219–222
- Polymeric enzymes, 173
- Polymeric materials, 217–218
- Polymers, 5, 7, 17, 26, 219
- Polymethyl methacrylate, 218
- Polyolefins, 151, 219
- Polyorganosiloxanes, 203
- Polyoses, 232–233
- Polypropylene, 218
- Polysaccharides, 26, 183, 232
- Polystyrene, 218–219
- Polysulfides, 219
- Polytetrafluoroethylene (PTFE), 96, 218
- Polythioether coatings, 222
- Polytrifluorochlorethylene, 218
- Polyurethane(s)
- characteristics of, 220–221
 - coatings, 155, 221
 - paint, 155–156

- Polyvinyl
 - acetate, 218
 - alcohol, 218
 - butyral, 218
 - chloride, 218, 231
 - resins, 219
- Polyvinylidene chloride, 218
- Pond water, 39, 244
- Population diversity, 18
- Portland cement, 228, 232
- Potable water, 177–178, 184
- Potassium chromate, 49
- Potential field map, 84
- Potentiostatic/potentiodynamic polarization, 94–95
- Pottery surfaces, 34
- Power spectral density (PSD), 117, 119
- Precipitates, 128
- Prevention strategies
 - biocides, 237–238, 241–242
 - biofilms, 242–251
 - electron acceptor alterations, 253–257
 - natural competition, 251
 - nutrient influences, 252–253
 - research contradictions, 251
- Process chemicals, metal exposure to, 1
- Propagation rate, 252
- Propane, pipeline accidents, 196–197
- Propylene, 197
- Protective claddings, 223
- Protective coatings, 123, 168
- Proteolytic enzymes, 15
- Pseudomonas* spp.
 - aeruginosa*, 11, 13, 24
 - atlantica*, 60
 - characteristics of, generally, 24, 48, 66, 141–142, 232, 242–244, 251
 - fluorescens*, 5, 12–14, 223, 245
 - fragi*, 245–246
 - mendocina*, 245
 - mephitica*, 61
 - putida*, 11, 244–245
 - stutzeri*, 61
- Pulp, in paper-making process, 206
- Pumps, 223
- Pure copper, 38, 71
- Pyrite, 32–33
- Pyroxene, 161
- Pyrrhothite, 34, 72
- Pyruvic acid, 41
- Qualitative analysis, 70
- Quaternary ammonium compounds (QAC), 241–242
- Radioactive repository, 189–191
- Radioactive wastes, *see* Nuclear waste storage
- Radionucleotides, 189
- Radio-respirometric methods, 60, 172
- Rajasthan Atomic Power Station, 205–206
- Ralstonia* spp.
 - eutrophus*, 61
 - pickettii*, 61
- Randles circuit, 123
- Rapid corrosion, 91
- Rapid culture technique, 57
- Reaction kinetics, 127
- Reaction rate, biofilm formation, 9
- Real-time monitoring approaches, 113–114, 124
- Reannealing, 138
- Rebar, 229, 231
- Redox potential, 78–79, 177
- Red waters, 178
- Refined fuels, 192
- Refined liquid petroleum mixture, 197
- Refinery plant, 111
- Regression analysis, 13
- Regression coefficients, 119
- Relative humidity, 2, 160–161
- RENAProbe™, 103
- Repassivation, 44, 117, 207
- Repository environment, 133, 189–191
- Research studies, prevention strategies, 251
- Reservoirs, hydrotest procedures, 148
- Residual stresses, 128, 147
- Resistance-capacitance (RC) model, 84
- Respiration, types of, 2–5, 28, 41, 254
- Rhizobium meliloti*, 245
- Ribosomal RNA (rRNA) gene sequences, 60–61
- Ring header, nuclear power storage tanks, 205
- Rivers, 80, 148
- RMS Titanic, 162
- Robbins device, 103
- Robinson Nuclear Power Plant, 205

- Rock, types of, 161, 192–193, 195
- Rod-shaped bacteria, 4
- Root-mean-square value, 81
- Rosasite, 49
- Rubber
 paint, 155
 synthetic, 219–220
- Salem Nuclear Power Plant, 205
- Salinity, 57, 177
- Salt concentration, 41, 117, 139, 177
- Sand, in concrete, 229
- Sand-jetting, 149
- Sandstone, 159–160
- San Juan basin, 193
- Saturated calomel electrode (SCE), 12, 25, 80–81, 139
- Saudi Arabia, water distribution system, 182, 184
- Scale/inhibitor residuals, 104
- Scanning electron microscopy (SEM), 63–64, 70–71, 141, 162, 169, 200
- Scanning vibrating electrode techniques (SVET), 82–83
- Scotland, water distribution systems, 182–184
- Sealants, silicone, 222
- Seawater, 10–11, 25, 28, 40, 66, 80–81, 91, 95, 97, 108, 114, 117, 120, 122, 129–131, 133, 136–137, 148, 165, 167, 169, 173–175, 177–180, 203–204, 223, 246, 256–257
- Sediment(s)
 anaerobic artificial, 172–173
 water distribution system, 178
- Sedimentation, nuclear power storage tanks, 205
- Selective culture media, 56
- Selectivity, 81, 129, 175
- Sensitization, alloying elements, 138
- Sequoyah Nuclear Power Plant, 205
- Serratia mearcescens*, 242–243, 251
- Sessile bacteria, 65
- Sewage/sewer
 environment, 89–90
 metal exposure to, 1
 pipes, 227–229
 treatment, 229
 untreated, 15
- Shear stress, 8–9, 60
- Sheet pilings, 165–166, 168–169
- Shewanella oneidensis*, 47–48
- Ship(s)
 fiber-reinforced polymeric composites (FRPCs), 223
 holds, 155
 microbial contamination, 195–196, 201–203
- Side-stream
 device, 104
 heat exchanger, 107
 sampling device, 114
- Siderite, 72
- Siderocapsa*, 23, 45
- Siderophores, 25, 246, 248
- Silane, 223
- Silica, 11, 230
- Silicon, 132–133, 135, 139, 141, 143, 176
- Silicone, 9, 128–129, 218–220
- Silver
 -alloyed stainless steel, 141
 characteristics of, 143
 -coated stainless steel, 141
 sulfide, 38–40
- Slime-producing organisms, 26, 50, 130
- Slope, monitoring approaches, 119
- Sloughing, 11, 178, 251
- Sludge, 189, 227
- Slump, in concrete, 229
- Smectite clay, 192
- Smythite, 34
- Sodium
 characteristics of, 14
 hypochlorite, 136
 montmorillite, 192
 nitrate, 229
 sulfate, 206
- Softening process, 148
- Soft water, 136, 179, 184
- Soils, 1, 40, 147, 219, 228
- Soldering, 129
- Solid media, 56, 148–149, 177
- Solute distribution, 128
- South America, concrete dam, 229
- Spalling, 11, 38
- Spatial relationships, monitoring approaches, 56, 120, 178, 221
- Spatial resolution, 81
- Spectral noise, 81, 119

- Spectroscopy, wavelength-dispersive, 71.
See also Ac impedance spectroscopy;
 Electrochemical impedance
 spectroscopy; Fourier-transform
 infrared spectroscopy (FTIR)
- Sphaerotilus* spp.
 characteristics of, 22, 45, 178
natans, 24
- Sphalerite, 41
- Spherical bacteria, 4
- Sphingomonas paucimobilis*, 61
- Spionkopite, 37, 72
- Spirillum-shaped bacteria, 5
- Spore formation, 2–4, 6
- Stability diagrams
 copper, 35
 iron, 33
 silver-water-chloride-sulfur system, 38,
 40
 thermodynamic, 72
- Stable signals, 81
- Stagnant conditions, 147, 178, 183, 186
- Stainless steels, 9–12, 14–15, 23–26, 44, 49,
 67–68, 74, 79–81, 83, 85–87, 92–93,
 120, 128, 133–139, 151, 188, 204–207
- Stainless-steel storage tank, 178
- Starvation, microbial growth and, 6, 8, 14
- State Research Center for Microbiology,
 Moscow, 252–253
- Stearn-Geary theory, 91, 114
- Steel, 23–24, 96. *See also* Carbon steel;
 Stainless steels
- Stemphylium*, 155
- Sterility, 251
- Stoichiometric applications, 129–130
- Stone, in concrete, 229
- Streptomyces lividans*, 245–246
- Stress corrosion cracking, 41, 175, 206
- Striations, pitting, 67–68
- Substratum microstructure, 138
- Substratum-biofilm interface
 characteristics of, 8–9
 influence of, 10–14
- Subterranean environment, case histories
 electric cables, 151, 153–154
 external pipeline surfaces, 150–151
- Succinic acid, 41
- Sugars, 5
- Sulfate(s), 2, 49, 117, 148, 206, 227, 252
- Sulfate-reducing bacteria (SRB)
 alloying elements, impact of, 130, 133,
 140, 143
 characteristics of, 5, 22, 28, 30–32,
 34–35, 50
 corrosion inhibition strategies, 242
 diagnostic techniques, 57–61, 63, 66,
 72–73
 electron acceptors and, 253–254, 256
 fiber-reinforced polymeric composites,
 223, 225
 genetic environment, 170–173, 175, 177
 growth, 92
 hydrocarbon production and, 193–194
 iron pipes, 89
 -mediated corrosion, 162, 164
 monitoring approaches, 114, 116–117
 nuclear waste storage, 192
 polarization, large signal, 95
 polymeric coatings and, 219,
 221–222
 power generation, 205
 subterranean environments, 151
 water distribution systems, 181
- Sulfide(s), 60, 72, 128–130, 175, 186, 217.
See also Sulfide production
- Sulfide production
 characterized, 28–32
 copper, 34–38
 iron, 32–34
 silver, 38–40
- Sulfite, 28
- Sulfur
 characteristics of, 2, 73, 128–129, 132,
 135, 141, 175–176
 cycle, in sewer pipes, 227–228
- Sulfur-oxidizing bacteria (SOB), 41, 50, 89,
 137–138, 140
- Sulfuric acid, 41, 168, 229–230
- Surface, generally
 analytical techniques, 98, 120
 biofilms, 244
 contamination, 147
 defects, biofilm formation, 12–13
 oxidation, 128
 roughness, biofilm formation, 7, 12
 texture, 128
 topography, biofilm formation and, 11
- Surfactants, 139

- Suspension/suspended media, 14, 148–149, 177
- Susquehanna nuclear power plant, 106
- Swarming and seeding, 17
- Sweden
 - nuclear waste storage, 192
 - underground fuel storage tank, 195
 - water distribution systems, 182–184
- Sweep rate, 91
- Synthetic polymers, 218
- Tafel extrapolation, 94
- Tafel slope, 85, 90, 117
- Temperature, significance of, 2, 6, 16, 18, 23, 38–39, 49, 107, 177, 183, 186, 191, 204–205
- Tendons, in concrete structures, 231–232
- Terra-cotta, 159
- Thailand, hydroelectric power plants, 206
- Thermal conductivity, 129
- Thermodynamic(s)
 - biofilm formation and, 19
 - ennoblement and, 25
 - genetic environment, 172–173
 - silver sulfides, 38–40
 - stability diagram, 31
- Thermoplastics, 227
- Thin biofilms, 15
- Thiobacilli* spp.
 - characteristics of, 41, 168, 229
 - ferrooxidans*, 136, 140, 223
 - intermedius*, 70
 - thiooxidans*, 41, 174
- Thiosulfates, 28, 41
- Three Mile Island (TMI) Nuclear Power Station
 - corrosion inhibition strategies, 248, 250
 - nuclear waste storage, 189
- Tidal waters, 164
- Titanium/titanium alloys, 1, 12, 15, 79, 92, 120, 132, 137, 139–140, 153, 169, 173, 177, 191
- Total impedance, 116
- Total organic carbon (TOC), 14
- Transfer rate, biofilm formation, 9
- Transmission electron microscopy (TEM), 36–37, 63–64
- Transmission pipelines, 151
- Transpassivity, 95
- Transport, biofilm formation, 8–9, 16
- Trichoderma*, 154–155
- Tumuli, 160
- Tungsten, 132
- Turbidity/turbulence/turbulent conditions, 38, 57, 133, 148, 238
- Type 1/Type 2/Type 1-½ pitting, 181–183
- Ultrapure waters, biofilm formation, 16–17
- Ultraviolet irradiation, 6, 240
- Uncovered surface, 169
- Underdeposit corrosion, 129–130, 133–134, 178
- Underground fuel storage tanks, 139, 195–196
- Uniform corrosion, 117, 179, 181
- United Kingdom
 - estimated corrosion damages, 1
 - water industry, 151
- United States
 - Department of Defense, 200
 - electric power stations, 42–43
 - Environmental Protection Agency, Lead-Copper rule, 184
 - estimated corrosion damages, 1
 - hydroelectric power plants, 206
 - nuclear power plants in, 189, 205, 232, 248, 250
 - Nuclear Regulatory Commission (NRC) Information Notice, 203
 - nuclear waste storage, 188
 - sewer pipe systems, 227
 - water distribution systems, 184
- U-piles, 165–166
- Ureaformaldehyde, 218
- Urethane coating, 122
- Vaatanen nine salt solution (VNSS), 244
- Vanadium, 132
- Velocity, flow, 149
- Vernadite, 43
- Vibrio* spp.
 - alginolyticus*, 170
 - characteristics of, 97
- Vinyl ester composites, 223–224
- Volcanic activity, 33
- Voltage, atomic force microscopy (AFM), 63
- Voltammetry, small-amplitude cyclic, 92
- Voltmeter, high-impedance, 80–81

- Warburg impedance, 123
- Warm water, 183
- Warship fuel tanks, 203
- Wastewater collection and treatment systems, 227
- Water, *see specific types of bodies of water*
 - brackish, 148, 165, 174, 177–178
 - chemistry analysis, 113
 - chlorinated, 148
 - in concrete, 229
 - deionized, 177
 - demineralized, 148, 186
 - distilled, 177
 - distribution system, 64, 178–179, 206–207
 - emulsified, 192
 - estuarine, 148
 - formation, 195
 - high-purity, 186
 - hydrocarbon oxidation, 192
 - hydrotest, 147–148
 - injection, 195
 - low-chloride, 74
 - natural oilfield-produced, 92, 94
 - in paper-making process, 206–207
 - pipelines, 151
 - pollutants, 38
 - quality, 114, 148, 178
 - saline, 165
 - stagnant, 148–149
 - standing, 183
- Waterflooding, 193–194
- Weight loss, monitoring approaches, 73, 114, 117, 119–120
- Weld/welding, 12–13, 127, 130, 140, 147
- Well water, 178, 184
- Wet clays, 151
- Wet storage facilities, characteristics of, 188
- White water, 206
- Wire rope, carbon steel, 159
- Wood, 217, 232–233
- X-ray crystallography, 72
- X-ray diffraction analysis, 43, 244
- Xylene, 71, 197
- Yeast
 - colonies, 9, 42, 218–220
 - extract, 252
- Yucca Mountain bacterial community, 61–62
- Yucca Mount (YM) nuclear waste repository, 191
- Yugoslavia, nuclear waste storage, 189
- Zebra mussel, 169
- Zero-resistance ammeter (ZRA), 81, 86–87, 104–107, 109, 111, 124
- Zinc
 - characteristics of, 23, 31, 49, 86, 131, 139, 143, 148
 - coupons, 120
 - primed steel, 92–93
 - sulfide, 41
- Z-piles, 165–166
- Zygomycetes, 233

