

Index

COPYRIGHTED MATERIAL

Index

A

abstract classes

MembershipProvider, 48–49
 ProviderBase, 48

action lists

creating, 130–131
 defined, 129
 GetSortedActionItems method,
 131–132
 properties, 132–133

ad hoc SQL statements, 300–302

Add Database Reference dialog box, 33

AddAt method, 170

adding selected GridView control rows

AddAt method, 170
 client-side script, 168
 CreateColumn method, 170–171
 CreateDataSourceControl method,
 171–173
 CreateRow method, 169–170
 DetailsView control, 170–173
 how it works, 168
 Parent property, 169
 PreRender event, 169
 RowCreated event, 169
 RowDataBound event, 169

Rows property, 169

SelectedRow property, 169

SqlDataSource control, 171–173

ViewState, 169

add_row.aspx file, 173

AJAX (Asynchronous JavaScript and XML)

Atlas project, 97, 313
 community projects, 98
 JavaScript, 74
 popularity of, 313
 Rich Internet Applications (RIAs), 98
 third-party controls, 98
 XmlHTTP, 74

AJAX.NET Professional, 98

AllowPaging property (GridView control), 150

alternative storage for ViewState, 231–233

appSettings section (web.config file), 44

App_Themes folder, 42

arrows (GridView control), 173–176

ASP.NET 1.1 applications

Conversion Wizard, 260–263
 converting to ASP.NET 2.0, 43, 255
 demo application

ASP.NET 1.1 applications (continued)

- Header control, 256
- Login.aspx page, 258–260
- Menu control, 256–257
- TypeViewer class, 257–258

ASP.NET 2.0 features

- Client Callback
 - browser support, 79
 - custom controls, 83–87
 - defined, 74–75
 - DHTML, 87
 - how it works, 76
 - web forms, 75, 77–83
- Conversion Wizard, 260–263
- Master Pages
 - code, 12–13
 - content pages, 13–14
 - ContentPlaceHolder control, 11
 - creating, 10–12
 - defined, 10
 - hacks, 10
- URL rewriting
 - DasBlog URL rewriting module, 354–357
 - defined, 14–15, 354–355
 - GridView control, 19–20
 - hack, 15, 24
 - ObjectDataSource control, 20–23
 - regular expressions, 24
 - urlMappings element, 15–19
- wizards
 - code, 7–8
 - creating, 2–6
 - events, 8–10
 - navigation sequence, 9–10
- ASP.NET cache BuildCacheItem method, 253
- cache viewer, 249–251
- GetCache method, 251–252
- handlers, 249–251
- IsPublic property, 253
- ProcessDefaultView method, 252–253
- ProcessViewItem method, 251

ASP.NET pages, differences from content pages, 328

ASP.NET projects. See projects

ASP.NET version of Wizard (Multi-Page Form) hack (Peterson), 1

- aspnet_regsql.exe utility, 51
- .aspx file extension, 328

assemblies

- Master Pages, 339–342
- qualified name (QN), 354
- references, 36–37

Asynchronous JavaScript and XML (AJAX)

- Atlas project, 97, 313
- community projects, 98
- JavaScript, 74
- Rich Internet Applications (RIAs), 98
- third-party controls, 98
- XmlHTTP, 74

Atlas framework

- AutoCompleteExtender control, 94–96
- DataService class, 92–93
- JavaScript, 87–88
- registering classes, 88–89
- registering namespaces, 88
- ScriptManager control, 88
- TimerControl, 97
- UpdatePanel control, 96
- Web services, 89–92
- XML Script, 93–94

Atlas project (Microsoft), 87, 97, 313

attacks on security

- canonicalization attacks, 299, 305–307
- Denial-of-Service attacks, 307
- SQL injection attacks, 299–302
- worms, 350

attributes

- CodeFileBaseClass, 337
- DebuggerBrowsable, 109–111
- DebuggerDisplay, 113–118
- DebuggerTypeProxy, 112
- DefaultValue, 198
- Description, 188
- DisplayName, 188

Editor, 198
 MasterPageFile, 328–329
 MergableProperty, 198
 PersistenceMode, 198
 runat="server", 331
 VirtualPath, 332–333

audiences for controls, 133

AutoCompleteExtender control, 94–96

Automation Object Model, 135–136

Aziz, Atif, developer of ELMAH—Error Logging Modules and Handlers utility, 370

B

Bachtal, Eric W., developer of sparklines

HttpHandler, 367

backing up old websites, 263–265

bandwidth leeching, 361

base pages, 38–39

BaseUIPage class, 38–39

batch queries, 165–168

Beautiful Evidence (Tufte), 366

BeginRequest event, 350

best practices, 25

bin references, 35

binding data

Data Source Configuration Wizard, 187–192

DataSource controls

custom, 186

designers, 193–195

extending, 195

generating application-specific

DataSource controls, 195

getting values from another data source, 210–214

handling default values during insert, 196–199

inheriting, 186

ObjectDataSource control, 20, 186–187, 196–199

parameters, 192–193, 203–214

SQLDataSource control, 196–199, 204–206

XMLDataSource control, 200–202

BitKraft, 98

Blanchard, Tom, “CodeSnip: Simulating the ASP.NET 2.0 Wizard Control with ASP.NET 1.x.”, 1

blocking IP addresses, 350–354

blogs

hack resources, 323

PHPBB/WGET worm, 350

boilerplate HttpHandler, 358–360

BottomPagerRow property (GridView control), 151, 154–155

BoundField field type, 214

browsers

viewing Master Pages, 326

XmlHTTP support, 75

build server, 276–277

building. See creating

BuildCacheItem method, 253

BuildServer configuration (Web Deployment Project), 276–277

built-in providers. See providers

built-in type editors, 136

ButtonField field type, 214

C

C# snippets, 288

Cache class, 238–240

cache viewer, 249–251

caching

ASP.NET cache, 249–253

RSS control, 122, 133–134

static caching

cache change notifications, 246–248

Cache class, 238–240

defined, 237–238

modifying the cache, 244–246

caching (continued)

- reading the cache, 242–244
- refreshing the cache, 248–249
- solutions, 240–242

CallBackManager **method**, 75

canonicalization attacks, 299, 305–307

Cassini Web server, 294–295

c_gridview1.aspx **file**, 178

Change Password control, 309–310

changing passwords, 309–310

CheckBoxField **field type**, 214

checking provider configuration, 52

class libraries

- circular references, 30–31
- creating, 30–31
- dependencies, 30–31
- layers, 31
- namespaces, 32

classes

- BaseUIPage, 38–39
- Cache, 238–240
- ClientSideScriptManager, 76
- ControlPersister, 198
- DataService class, 92–93
- HttpBrowserCapabilities, 75
- ImageVisualizer, 104–108
- MembershipProvider, 48–49
- Page, 226
- ProviderBase, 48
- registering in Atlas framework, 88–89
- RssControl, 120–121
- RssSiteInfo, 125–126
- SqlMembershipProvider, 48–49, 51
- type proxies, 111–113
- TypeEditor, 140–141
- TypeViewer, 257–258
- UserControl, 326

Client Callbacks

- browser support, 79
- custom controls, 83–87
- defined, 74–75

DHTML, 87

how it works, 76

web forms, 75, 77–83

ClientCallback **method**, 80, 83

ClientCallErrorCallback **method**,
82

ClientErrorCallback **method**, 80, 83

ClientScript **property**, 76

client-side scripts

AJAX (Asynchronous JavaScript and XML),
74

GridView control, 176–178

ClientSideScriptManager **class**, 76

code

- commenting, 317
- conventions, 318
- Master Pages, 12–13, 40–41, 326–327
- reusable code, 316
- self-documenting, 317
- sharing, 25–26
- type converters, 126–127
- utility code, 26
- Wizard control, 7–8

code files in Master Pages, 328

code separation files, 270

code snippets

- C#, 288
- Code Snippets Manager, 290–292
- creating, 288
- custom, 288
- defined, 287
- deleting, 292
- finding, 292
- functions, 292–293
- importing, 291
- overwriting, 291
- parameters, 288
- pre-made, 288
- removing, 292
- renaming, 291
- support for in Visual Studio 2005, 287

- templates, 288–290, 296–297
- VB.NET, 288
- ViewState property snippet, 289–290
- XML, 288
- Code Snippets Manager, 290–292**
- Code Snippets Manager dialog box, 290**
- CodeFileBaseClass attribute, 337
- “CodeSnip: Simulating the ASP.NET 2.0 Wizard Control with ASP.NET 1.x.” article (Blanchard), 1**
- CommandField field type, 214
- commenting code, 317**
- CommerceStartKit.Org, 63–64**
- community projects for AJAX, 98**
- compilation options (Web Deployment Project), 277**
- component hacks, 321–322**
- composite custom controls**
 - defined, 120
 - implementing, 120–121
- compositing images, 364–366**
- compressing ViewState, 228–231**
- configuration section (custom providers), 65–66**
- configuring providers**
 - built-in, 51–52
 - custom, 65–67
- connectionStrings section (web.config file), 44–45
- consistent look and feel across website, 325–326**
- content areas on Master Pages, 39–40**
- content management with the RSS control, 120**
- content pages**
 - creating, 41–42, 329–330
 - differences from ASP.NET pages, 328
 - errors, 341–342
 - Master Pages, 13–14, 328–329
 - naming, 330
 - Page_PreInit event handler, 347
 - properties
 - Header, 331
 - Master, 331, 333
 - MasterPageFile, 337–338
- Content server control, 328–329**
- ContentPlaceHolder control, 11, 327**
- control designers, 130, 193–195**
- ControlParameter parameter, 203
- ControlPersister class, 198
- controls**
 - AJAX third-party controls, 98
 - audiences, 133
 - AutoCompleteExtender control, 94–96
 - Change Password control, 309–310
 - composite custom controls
 - defined, 120
 - implementing, 120–121
 - Content server control, 328–329
 - ContentPlaceHolder control, 11, 327
 - custom controls with Client Callback, 83–87
 - DataSource controls
 - custom, 186
 - designers, 193–195
 - extending, 195
 - generating application-specific DataSource controls, 195
 - getting values from another data source, 210–214
 - handling default values during insert, 196–199
 - inheriting, 186
 - ObjectDataSource control, 20, 186–187, 196–199
 - parameters, 192–193, 203–214
 - SQLDataSource control, 196–199, 204–206
 - XMLDataSource control, 200–202
 - debugging, 142–143
 - DetailsView control
 - dynamically creating, 170–173
 - fields, 214–216
 - DropDownList control, 151–154

controls (continued)

- File Upload Web Server control, 307
- finding in Master Pages, 331–332
- GridView control
 - adding selected rows, 168–171
 - AllowPaging property, 150
 - batch queries, 165–168
 - BottomPagerRow property, 151, 154–155
 - client-side scripts, 176–178
 - Count property, 164
 - DataBound event, 154–155
 - deleting selected rows, 156–161
 - dynamic row expansion, 145–150
 - features, 145
 - fields, 214–216
 - IPostBackEventHandler interface, 179–182
 - onClick event, 177
 - onMouseOut event, 177
 - onMouseOver event, 177
 - PageCount property, 155–156
 - PageIndex property, 154–156
 - pager row, 150–151
 - PagerSettings property, 150
 - PagerTemplate, 150–156
 - PageSize property, 150
 - paging feature, 150
 - PreRender property, 169
 - RowCreated event, 173, 176
 - RowDataBound event, 169
 - SelectedRow property, 169
 - SortDirection property, 174
 - TopPagerRow property, 151
 - up and down arrows, 173–176
 - updating rows, 161–164
 - URL rewriting, 19–20
 - ViewState, 169
- hacks
 - distributing, 119
 - implementing, 321–322
 - packaging, 119
- Header control, 256
- HtmlOutput server control, 341–342
- Login controls, 53, 309–310
- Menu control, 256–257
- reference changes in migration process, 266
- RegularExpressionValidator control, 217, 309–310
- rendered custom controls, 120
- RequiredFieldValidator control, 215–218
- RSS control
 - content management, 120
 - data caching, 122, 133–134
 - defined, 119
 - Document property, 121
 - DocumentSource property, 121
 - LoadRssFeed method, 134
 - locating resources during design time and runtime, 134–135
 - pulling content, 121
 - RssControl class, 120–121
 - RssSiteInfo class, 125–126
 - SiteInfo property, 125
 - XPathNavigator property, 121
 - XSLT file, 122–124
 - XSLT property, 122–123
- ScriptManager control, 88
- testing, 142–143
- TextBox control, 221–222
- TimerControl, 97
- ToolStrip control, 139
- UpdatePanel control, 96
- user controls
 - defined, 120
 - embedding, 325
 - referencing, 325
- validator controls, 215–218
- WebBrowser control, 139
- Wizard control
 - code, 7–8
 - creating, 2–6

- events, 8–10
- navigation sequence, 9–10
- ControlState, 224**
- conventions for coding, 318**
- Conversion Wizard, 43, 260–263**
- ConvertFrom **method, 127–128**
- converting ASP.NET 1.1 applications to ASP.NET 2.0**
- backing up old websites, 263–265
- control reference changes, 266
- Conversion Wizard, 43, 260–263
- file changes, 265–266
- step-by-step directions, 262–263
- troubleshooting problems, 266–267
- ConvertTo **method, 128–129**
- CookieParameter **parameter, 203**
- Copy Web Site Wizard, 269–271**
- copying websites, 269–271**
- "could not find string resource" **error, 341–342**
- Count **property (GridView control), 164**
- Create User Wizard, 309–310**
- CreateColumn **method, 170–171**
- CreateDataSourceControl **method, 171–173**
- CreateResourceBasedLiteralControl **method, 341**
- CreateRow **method, 169–170**
- creating**
- action lists, 130–131
- class libraries, 30–31
- content pages, 41–42, 329–330
- custom type editors, 136–142
- Master Pages
- code, 12–13, 40–41, 326–327
- teamwork effort, 40
- Visual Studio 2005, 10–12, 326–327
- projects, 27–29
- providers, 54–58
- skins, 43
- snippets, 288
- solutions, 27–28
- type converters, 124–125
- visualizers, 102–107
- Wizard control, 2–6
- wizards, 2–6
- CSS versus skins, 43**
- custom action lists**
- creating, 130–131
- defined, 129
- GetSortedActionItems **method, 131–132**
- properties, 132–133
- custom controls**
- Client Callback, 83–87
- custom DataSource controls, 186
- custom designers, 130**
- custom parameters**
- getting values from another data source, 210–214
- for obtaining dates, 206–208
- reflection, 208–210
- Custom Project template, 297–298**
- custom providers**
- CommerceStartKit.Org, 63–64
- configuration section, 65–66
- configuring, 65–67
- creating, 63–70
- developer community, 63–64
- custom snippets, 288**
- custom template frameworks, 325**
- custom type converters**
- ConvertFrom **method, 127–128**
- ConvertTo **method, 128–129**
- creating, 124–125
- defined, 124
- skeleton code, 126–127
- custom type editors**
- creating, 136–142
- InitializeComponent **method, 139**
- RssViewerTypeEditor, 136–142
- user interface, 136–140
- Windows Forms, 137–140

D

DasBlog URL rewriting module, 354–357

data binding

- Data Source Configuration Wizard, 187–192
- DataSource controls
 - custom, 186
 - designers, 193–195
 - extending, 195
 - generating application-specific DataSource controls, 195
 - getting values from another data source, 210–214
 - handling default values during insert, 196–199
 - inheriting, 186
 - ObjectDataSource control, 20, 186–187, 196–199
 - parameters, 192–193, 203–214
 - SQLDataSource control, 196–199, 204–206
 - XMLDataSource control, 200–202

data caching with RSS control, 122, 133–134

Data Source Configuration Wizard, 187–192

database projects, 32–34

database references, 33–34

DataBound event (GridView control), 154–155

DataService class, 92–93

DataSource controls

- custom, 186
- designers, 193–195
- extending, 195
- generating application-specific DataSource controls, 195
- getting values from another data source, 210–212, 214
- handling default values during insert, 196–199

- inheriting, 186
 - ObjectDataSource control customizing, 186–187
 - handling default values during insert, 196–199
 - URL rewriting, 20
- parameters
 - custom, 207–214
 - types, 192–193, 203–206
- SQLDataSource control
 - handling default values during insert, 196–199
 - QueryStringParameter parameter, 204–206
 - XMLDataSource control, 200–202

dates, obtaining, 206–208

Debug configuration (Web Deployment Project), 275

DebuggerBrowsable attribute, 109–111

DebuggerDisplay attribute, 113–118

DebuggerTypeProxy attribute, 112

debugging

- controls, 142–143
- MSBuild debug, 283
- object member visibility, 109–111
- System.Diagnostics namespace, 109
- type proxies, 111–113
- visualizers, 101–109

decoding ViewState, 225

DefaultValue attribute, 198

delete_rows.aspx file, 160

deleting

- GridView control's selected rows, 156–161
- snippets, 292

demo ASP.NET 1.1 application

- Header control, 256
- Login.aspx page, 258–260
- Menu control, 256–257
- TypeViewer class, 257–258

Denial-of-Service attacks, 307

dependencies in class libraries, 30–31

deploying

visualizers, 108–109

websites

Publish Web Site Wizard, 271–272

Web Setup Project, 272–281

deployment options (Web Deployment Project), 278–279Description **attribute**, 188Description **property** (ProviderBase class), 48**Design View option (Visual Studio 2005), 294****designers, 130, 193–195****DetailsView control**

dynamically creating, 170–173

fields, 214–216

developer community, 63–64**developing best practices, 25****d_expandrow.aspx file, 150****DHTML (Dynamic Hypertext Markup Language), 87, 313****directives**

Master, 326

MasterType, 332–333

MasterType directive, 41

Page, 328

DisplayName **attribute**, 188**distributing hacks, 119****_DoCallback method, 85**Document **property**, 121**documentation for hacks, 322**DocumentSource **property**, 121**_DoPostBack method, 179****DropDownList control, 151–154****Dynamic Hypertext Markup Language (DHTML), 87, 313****dynamic impersonation, 307–309****dynamic Master Pages, 345–348****dynamic row expansion (GridView control), 145–150****E****Edit Field Wizard, 215**Editor **attribute**, 198EditValue **method**, 141**elements**

ExcludeFromBuild, 280–281

identity, 308

urlMappings, 15–19

ELMAH—Error Logging Modules and Handlers utility, 370**embedding user controls, 325****Engine for Web Applications, 98****errors**

content pages, 341–342

"could not find string resource" error, 341–342

Master Pages, 41, 326, 341–342

"This type of page is not served" error, 326

event handlers

Inserting, 196

Page_PreInit, 346–347

events

BeginRequest, 350

GridView control

DataBound, 154–155

onClick, 177

onMouseOut, 177

onMouseOver, 177

RowCreated, 169, 173, 176

RowDataBound, 169

Inserting, 196

Master Pages, 41

PreInit, 346

PreRender, 75, 169

Wizard control, 8–10

ExcludeFromBuild **element**, 280–281**excluding files, 29****export settings (Visual Studio 2005), 295**

exporting templates, 45

extendGridView.aspx file, 182

extending built-in providers, 51

extending DataSource controls, 195

extension points, 281–282

extensions

.aspx, 328

.master, 326

F

fat clients, 73

features of hacks, 314–316

fields

BoundField, 214

ButtonField, 214

CheckBoxField, 214

CommandField, 214

DetailsView control, 214–216

Edit Field Wizard, 215

GridView control, 214–216

HyperLinkField, 214

ImageField, 214

RequiredField property, 216–217

RequiredFieldValidator control, 215–218

TemplateField, 214

file changes in migration process, 265–266

file project, 28

File Upload Web Server control, 307

file uploads, 307

filename extensions

.aspx, 328

.master, 326

filename input, 305–307

FileName property, 307

files

add_row.aspx file, 173

c_gridview1.aspx file, 178

code separation files, 270

delete_rows.aspx file, 160

d_expandrow.aspx file, 150

excluding, 29

extendGridView.aspx file, 182

global.asax file, 29

malicious files, 305–306

mixing language files, 31

overwriting, 305–306

solution file, 26–27

sort.aspx file, 176

update_rows.aspx file, 164

web.config file

appSettings section, 44

connectionStrings section, 44–45

System.Web.HttpForbidden

Handler handler, 326

FindControl method, 154–155, 331–332

finding

controls in Master Pages, 331–332

snippets, 292

Flesk ViewStateOptimizer, 231

folders

App_Themes folder, 42

excluding files, 29

namespaces, 31–32

FormParameter parameter type, 203

forms

Client Callbacks, 78–83

custom type editors, 137–140

WebForm_DoCallback method, 82

frameworks

AJAX, 98

Atlas

AutoCompleteExtender control, 94–96

DataService class, 92–93

JavaScript, 87–88

registering classes, 88–89

registering namespaces, 88

ScriptManager control, 88

TimerControl, 97

UpdatePanel control, 96

Web services, 89–92
 XML Script, 93–94
 custom template frameworks, 325

Fritz Onion

URL redirecting engine, 354–355
 ViewState Decoder, 225

FTP project, 28**functions**

AddAt, 170
 BuildCacheItem, 253
 CallbackManager, 75
 ClientCallback, 80, 83
 ClientCallErrorCallback, 82
 ClientErrorCallback, 80, 83
 ConvertFrom, 127–128
 ConvertTo, 128–129
 CreateColumn, 170–171
 CreateDataSourceControl, 171–173
 CreateResourceBasedLiteral
 Control(), 341
 CreateRow, 169–170
 _DoCallback, 85
 _DoPostBack, 179
 EditValue, 141
 FindControl, 154–155, 331–332
 GetCache, 251–252
 GetCallbackEventReference,
 79–81, 84
 GetCallbackResult, 79
 GetDesignTimeHtml, 193–194
 GetEditStyle, 141
 GetPostBackEventReference, 179
 GetSortedActionItems, 131–132
 GetView, 200
 GetViewNames, 200
 Impersonate, 309
 Initialize, 48
 InitializeComponent, 139
 LoadPageStateFromPersistence,
 226
 LoadRssFeed, 134

MapPath, 306–307
 Master Pages, 41
 OnDbClick, 182
 parameterizing an IN expression,
 302–305
 ProcessDefaultView, 252–253
 ProcessRequest, 360
 ProcessViewItem, 251
 RaiseCallbackEvent, 76–77, 79, 83
 RaisePostBackEvent, 179–180, 182
 RefreshCaches, 240
 RegisterClientScriptBlock, 81–82
 RenderAttributes, 84
 SavePageStateToPersistence
 Medium, 226
 Show, 104
 snippets, 292–293
 TestShowVisualizer, 104, 107–108
 Type.registerNamespace, 88
 Validate, 82–83
 ValidateNumber, 82
 ValidateUser, 53
 WebForm_DoCallback, 82

G**GAC references, 36–37****generating**

application-specific DataSource controls,
 195
 sparklines, 366–370

generics, 318–321

GetCache **method, 251–252**

GetCallbackEventReference **method,
 79–81, 84**

GetCallbackResult **method, 79**

GetDesignTimeHtml **method, 193–194**

GetEditStyle **method, 141**

GetPostBackEventReference **method,
 179**

GetSortedActionItems **method,
 131–132**

getting values from another data source, 210–214

GridView **method**, 200

GridViewNames **method**, 200

global theme directory, 42

global.asax **file**, 29

Google, 74

Gregorio, Joe, Python implementation of sparklines, 367

grid visualizer, 102

GridView control

batch queries, 165–168

client-side scripts, 176–178

events

DataBound, 154–155

onClick, 177

onMouseOut, 177

onMouseOver, 177

RowCreated, 173, 176

RowDataBound, 169

features, 145

fields, 214–216

IPostBackEventHandler interface, 179–182

PagerTemplate, 150–156

paging feature, 150

properties

AllowPaging, 150

BottomPagerRow, 151, 154–155

Count, 164

PageCount, 155–156

PageIndex, 154–156

PagerSettings, 150

PageSize, 150

PreRender, 169

SelectedRow, 169

SortDirection, 174

TopPagerRow, 151

rows

adding selected rows, 168–173

deleting selected rows, 156–161

dynamic row expansion, 145–150

pager row, 150–151

updating, 161–164

up and down arrows, 173–176

URL rewriting, 19–20

ViewState, 169

Guthrie, Scott, head of the ASP.NET team, 30

H

Haack, Phil, developer of boilerplate

HttpHandler, 358

hacks

ASP.NET version of Wizard (Multi-Page Form), 1

commenting code, 317

components, 321–322

controls, 119, 321–322

distributing, 119

documentation, 322

features, 314–316

hosting websites, 323

how they drive technology, 313

Input Filter Protection

comments, 317

parameterized types, 320

routines, 318–320

self-documenting code, 317

mark of a successful hack, 1

Master Pages, 10

packaging, 119

Project File Path Discovery Hack, 135–136

publishing, 317

reusable code, 316

RSS control

content management, 120

data caching, 122, 133–134

defined, 119

Document property, 121

- DocumentSource property, 121
 - LoadRssFeed method, 134
 - locating resources during design time
 - and runtime, 134–135
 - pulling content, 121
 - RssControl class, 120–121
 - RssSiteInfo class, 125–126
 - SiteInfo property, 125
 - XPathNavigator property, 121
 - XSLT file, 122–124
 - XSLT property, 122–123
 - security, 314
 - testing, 322–323
 - URL rewriting, 15
 - “URL Rewriting in ASP.NET,” 15, 24
 - wizards, 1–2
 - handlers**
 - ASP.NET cache, 249–251
 - boilerplate `HttpHandler`, 358–360
 - combining with modules, 370
 - defined, 358
 - ELMAH—Error Logging Modules and Handlers utility, 370
 - image compositing `HttpHandler`, 364–366
 - image-specific `HttpHandler`, 361–364
 - sparklines, 366–370
 - `System.Web.HttpForbiddenHandler`, 326
 - Hayden, David, creator of the** `InventoryProvider` **custom provider**, 64
 - Header control**, 256
 - header in Master Pages, modifying**, 330–331
 - `Header` **property (content page)**, 331
 - hosting websites for hacks**, 323
 - HTML code. See code**
 - HTML visualizer**, 101
 - HtmlOutput server control**, 341–342
 - HTTP project**, 28
 - HTTP Referrer**, 361
 - `HttpBrowserCapabilities` **class**, 75
 - `HttpHandlers`
 - ASP.NET cache, 249–251
 - boilerplate `HttpHandler`, 358–360
 - combining with `HttpModules`, 370
 - defined, 358
 - ELMAH—Error Logging Modules and Handlers utility, 370
 - image compositing `HttpHandler`, 364–366
 - image-specific `HttpHandler`, 361–364
 - sparklines, 366–370
 - `System.Web.HttpForbiddenHandler`, 326
 - `HttpModules`
 - combining with `HttpHandlers`, 370
 - DasBlog URL rewriting module, 354–357
 - defined, 349
 - ELMAH—Error Logging Modules and Handlers utility, 370
 - IP Blacklisting `HttpModule`, 350–354
 - `HyperLinkField` **field type**, 214
- I**
- `ICallbackEventHandler` **interface**, 76, 79–80, 84
 - `IDataSource` **interface**, 200
 - identity **element**, 308
 - `IHttpHandler` **interface**, 358
 - image paths in Master Pages**, 327–328
 - `ImageField` **field type**, 214
 - images**
 - bandwidth leeching, 361
 - image compositing `HttpHandler`, 364–366
 - image-specific `HttpHandler`, 361–364
 - `System.Drawing` namespace, 370
 - `ImageVisualizer` **class**, 104–108
 - `Impersonate` **method**, 309
 - impersonation**, 307–309

implementing

- composite custom controls, 120–121
- hacks as a component or control, 321–322

import settings (Visual Studio 2005), 295

importing snippets, 291

IN expressions, parameterizing, 302–305

inheriting DataSource controls, 186

Initialize method (ProviderBase class), 48

InitializeComponent method, 139

Input Filter Protection hack

- comments, 317
- generic routines, 318–321
- parameterized types, 320
- self-documenting code, 317

Inserting event, 196

Inserting event handler, 196

installing Web Deployment Project, 273–274

interfaces

- ICallbackEventHandler, 76, 79–80, 84
- IDataSource, 200
- IHttpHandler, 358
- IPostBackEventHandler interface (GridView control), 179–182

Internet Explorer (Microsoft), 313

InventoryProvider custom provider, 64

IP addresses, blocking, 350–354

IP Blacklisting HttpModule, 350–354

IPostBackEventHandler interface (GridView control), 179–182

IsPublic property, 253

J

JavaScript

- AJAX (Asynchronous JavaScript and XML), 74, 313
- Atlas framework, 87–88

JScript, 313

K

keeping objects in memory. See caching

L

layers in class libraries, 31

lazy loading, 241

leeching, 361

libraries. See class libraries

lifecycle of pages, 222–223

limited object serialization (LOS)

formatter, 223

LoadPageStateFromPersistence method, 226

LoadRssFeed method, 134

locating resources during design time and runtime, 134–135

log in process, 53

Login controls, 53, 309–310

Login.aspx page (demo ASP.NET 1.1 application), 258–260

LOS (limited object serialization) formatter, 223

LosFormatter serializer, 223–225

M

malicious files, 305–306

MapPath method, 306–307

mapping URLs, 15–19

mark of a successful hack, 1

Master directive, 326

.master extension (Master Pages), 326

Master Pages

- code, 12–13
- code example, 326–327
- code files, 328
- content areas, 39–40
- content pages, 13–14, 328–329
- ContentPlaceHolder control, 11, 327
- creating
 - code, 12–13, 40–41, 326–327

teamwork effort, 40
 Visual Studio 2005, 10–12, 326–327
 defined, 10, 39, 326
 dynamic, 345–348
 errors, 41, 326, 341–342
 events, 41
 finding controls, 331–332
 hacks, 10
 image paths, 327–328
 .master extension, 326
 methods, 41
 modifying the header, 330–331
 nesting, 333–337
 paths, 327–328
 properties
 MasterPageFile, 337–338
 PnlLogin, 331–333
 RuntimeMasterPageFile, 336–337
 publishing
 as an assembly, 339–342
 with Web Deployment Project, 342–345
 references, 328–329
 sharing, 326, 338–339
 System.Web.HttpForbidden
 Handler handler, 326
 "This type of page is not
 served" error, 326
 UserControl class, 326
 viewing in browsers, 326
Master property (content pages), 331, 333
MasterPageFile attribute, 328–329
MasterPageFile property, 337–338
MasterType directive, 41, 332–333
McClure, Wallace, et al., Professional ADO.NET 2, 247
Membership provider type, 49, 54–57
MembershipProvider class, 48–49
memory. See caching
Menu control, 256–257
MergableProperty attribute, 198

methods

AddAt, 170
 BuildCacheItem, 253
 CallbackManager, 75
 ClientCallback, 80, 83
 ClientCallErrorCallback, 82
 ClientErrorCallback, 80, 83
 ConvertFrom, 127–128
 ConvertTo, 128–129
 CreateColumn, 170–171
 CreateDataSourceControl, 171–173
 CreateResourceBasedLiteral
 Control(), 341
 CreateRow, 169–170
 _DoCallback, 85
 _DoPostBack, 179
 EditValue, 141
 FindControl, 154–155, 331–332
 GetCache, 251–252
 GetCallbackEventReference,
 79–81, 84
 GetCallbackResult, 79
 GetDesignTimeHtml, 193–194
 GetEditStyle, 141
 GetPostBackEventReference, 179
 GetSortedActionItems, 131–132
 GetView, 200
 GetViewNames, 200
 Impersonate, 309
 Initialize, 48
 InitializeComponent, 139
 LoadPageStateFromPersistence,
 226
 LoadRssFeed, 134
 MapPath, 306–307
 Master Pages, 41
 OnDbClick, 182
 parameterizing an IN expression,
 302–305
 ProcessDefaultView, 252–253
 ProcessRequest, 360
 ProcessViewItem, 251

methods (continued)

RaiseCallbackEvent, 76–77, 79, 83
RaisePostBackEvent, 179–180, 182
RefreshCaches, 240
RegisterClientScriptBlock, 81–82
RenderAttributes, 84
SavePageStateToPersistence
 Medium, 226
Show, 104
snippets, 292–293
TestShowVisualizer, 104, 107–108
Type.registerNamespace, 88
Validate, 82–83
ValidateNumber, 82
ValidateUser, 53
WebForm_DoCallback, 82

Microsoft

ASP.NET Developer Center—Provider
 Toolkit, 71
Atlas project, 87, 97, 313
Internet Explorer, 313

migration

backing up old websites, 263–265
control reference changes, 266
Conversion Wizard, 43, 260–263
file changes, 265–266
step-by-step directions, 262–263
troubleshooting problems, 266–267

Mitchell, Scott

ELMAH—Error Logging Modules and
 Handlers utility, 370
URL Rewriting in ASP.NET hack, 15

mixing language files, 31

modifying

cache, 244–246
Master Pages header, 330–331
references, 36

modules

combining with handlers, 370
DasBlog URL rewriting module, 354–357
defined, 349

ELMAH—Error Logging Modules and
 Handlers utility, 370
IP Blacklisting HttpModule, 350–354
**moving ViewState to the bottom of the
page, 233–236**
MSBuild debug, 283
MSN HotMail, 74
Multi-Line textbox visualizer, 101

N

Name **property (ProviderBase class), 48**

namespaces

class libraries, 32
projects, 31–32
registering in Atlas framework, 88
selecting, 31–32
System.Diagnostics, 109
System.Drawing, 370
websites, 32

naming

content pages, 330
skins, 43

**navigation sequence in Wizard control,
9–10**

nesting Master Pages, 333–337

.NET community, 322–323

new project model, 29–30

New Project Wizard, 27

notifications of cache changes, 246–248

O

object member visibility, 109–111

ObjectDataSource control

customizing, 186–187
handling default values during insert,
 196–199
URL rewriting, 20

obtaining dates, 206–208

onClick event (GridView control), 177

OnDbClick **method, 182**
 onMouseOut **event (GridView control), 177**
 onMouseOver **event (GridView control), 177**
organizing projects, 26
output assemblies options (Web Deployment Project), 277–278
overwriting
 files, 305–306
 snippets, 291

P

packaging hacks, 119

Page **class**

 LoadPageStateFromPersistence
 method, 226

 SavePageStateToPersistence
 Medium method, 226

Page **directive, 328**

page lifecycle, 222–223

PageCount **property (GridView control), 155–156**

PageIndex **property (GridView control), 154–156**

Page_PreInit **event handler, 346–347**

pager row (GridView control), 150–151

PagerSettings **property (GridView control), 150**

PagerTemplate

 DropDownList control, 151–154

 GridView control, 150–156

pages

 ASP.NET pages, differences from content pages, 328

 content pages

 creating, 41–42, 329–330

 differences from ASP.NET pages, 328

 errors, 341–342

 Header property, 331

 Master Pages, 13–14, 328–329

 Master property, 331, 333

 MasterPageFile property, 337–338

 naming, 330

 Page_PreInit event handler, 347

 Master Pages

 code, 12–13

 code example, 326–327

 code files, 328

 content areas, 39–40

 content pages, 13–14, 328–329

 ContentPlaceHolder control, 11, 327

 creating, 10–12, 40–41, 326–327

 defined, 10, 39, 326

 dynamic, 345–348

 errors, 41, 326, 341–342

 events, 41

 finding controls, 331–332

 hacks, 10

 image paths, 327–328

 .master extension, 326

 MasterPageFile property, 337–338

 methods, 41

 modifying the header, 330–331

 nesting, 333–337

 paths, 327–328

 PnlLogin property, 331–333

 publishing, 339–345

 references, 328–329

 RuntimeMasterPageFile property, 336–337

 sharing, 326, 338–339

 System.Web.HttpForbidden
 Handler handler, 326

 "This type of page is not served" error, 326

 UserControl class, 326

 viewing in browsers, 326

 PageSize **property (GridView control), 150**

paging feature (GridView control), 150

Parameter Collection Editor, 192, 198

Parameter **parameter, 203**

parameterized types, 320–321

parameterizing an IN expression, 302–305

parameters

DataSource controls

 custom, 206–214

 types, 192–193, 203–206

snippets, 288

Parent **property, 169**

passwords

 changing, 309–310

 strong passwords, 309–310

 validating strong passwords, 309–310

paths in Master Pages, 327–328

PersistenceMode **attribute, 198**

Peterson, John, ASP.NET version of Wizard (Multi-Page Form), 1

PHPBB/WGET worm, 350

PnlLogin **property, 331–333**

PostedFile **property, 307**

PreInit **event, 346**

pre-made snippets, 288

PreRender **event, 75, 169**

PreRender **property (GridView control), 169**

ProcessDefaultView **method, 252–253**

ProcessRequest **method, 360**

ProcessViewItem **method, 251**

production server, 284

Professional ADO.NET 2 (McClure, et al.), 247

Profile **provider type, 50**

ProfileParameter **parameter, 203**

Project File Path Discovery Hack, 135–136

project to project references, 35

projects

 class libraries, 30–31

 creating, 27–29

 database projects, 32–34

 excluding files, 29

 file project, 28

 FTP project, 28

 global.asax file, 29

 HTTP project, 28

 mixing language files, 31

 namespaces, 31–32

 new project model, 29–30

 New Project Wizard, 27

 organizing, 26

 Property Pages, 36

 sharing code, 25–26

 solution file, 26–27

 source control, 37

 Source Safe, 28

 SQL Server projects, 34–35

 templates, 297–298

 utility code, 26

 Web Deployment Project

 adding to a solution, 274

 BuildServer configuration, 276–277

 compilation options, 277

 Debug configuration, 275

 default options, 274–275

 defined, 35

 deployment options, 278–279

 excluding web.config file, 280–281

 extension points, 281–282

 installing, 273–274

 Master Pages, 342–345

 MSBuild debug, 283

 output assemblies options, 277–278

 Release configuration, 275

 sharing App_Code with other projects, 278–279

 signing options, 278

 Solution Explorer, 274

 zip archive, 282–283

 Web Setup projects, 35

 web.config file, 29, 44–45

properties

action lists, 132–133
 AllowPaging, 150
 BottomPagerRow, 151, 154–155
 ClientScript, 76
 Count, 164
 Description (ProviderBase class), 48
 Document, 121
 DocumentSource, 121
 FileName, 307
 Header, 331
 IsPublic, 253
 Master, 331, 333
 MasterPageFile, 337–338
 Name (ProviderBase class), 48
 PageCount, 155–156
 PageIndex, 154–156
 PagerSettings, 150
 PageSize, 150
 Parent, 169
 PnlLogin, 331–333
 PostedFile, 307
 PreRender, 169
 RequiredField, 216–217
 Rows, 169
 RuntimeMasterPageFile, 336–337
 SelectedRow, 169
 Server, 307
 SiteInfo, 125
 SortDirection, 174
 SupportsCallback, 75, 79
 TopPagerRow, 151
 XPathNavigator, 121
 XSLT, 122–123

Property Pages, 36

Protected Configuration **provider type, 50**

Prototype, 98**provider model, 47–48****provider types**

Membership, 49, 54–57
 Profile, 50
 Protected Configuration, 50

Role, 49, 58–61
 role provider proxy, 61–63
 Session State, 50
 Site Map, 49
 Web Event, 50
 Web Part Personalization, 50
 ProviderBase **class, 48**

providers

checking provider configuration, 52
 configuring, 51–52
 custom, 63–70
 examples, 53–54
 extending built-in providers, 51
 Microsoft ASP.NET Developer Center—
 Provider Toolkit, 71

Publish Web Site Wizard, 271–272**publishing**

hacks, 317
 Master Pages
 as an assembly, 339–342
 with Web Deployment Project, 342–345
 websites, 271–272

pulling content with RSS control, 121**Python implementation of sparklines, 367****Q****qualified name (QN), 354**

QueryStringParameter **parameter, 203–206**

R

RaiseCallbackEvent **method, 76–77, 79, 83**

RaisePostBackEvent **method, 179–180, 182**

reading the cache, 242–244**redirecting URLs**

defined, 354–355
 Fritz Onion's URL redirecting engine,
 354–355
 temporary redirects, 355

references

- assemblies, 36–37
- bin references, 35
- database references, 33–34
- GAC references, 36–37
- Master Pages, 328–329
- modifying, 36
- project to project references, 35
- user controls, 325
- viewing, 36
- Web references, 36

References tree node (Solution Explorer), 36

reflection, 208–210

Reflector tool, 341

`RefreshCaches` **method, 240**

refreshing the cache, 248–249

`RegisterClientScriptBlock` **method, 81–82**

registering

- classes in Atlas framework, 88–89
- namespaces in Atlas framework, 88

regular expressions

- DasBlog URL rewriting module, 356–357
- `RegularExpressionValidator` control, 309–310
- URL rewriting, 24

RegularExpressionValidator control, 217

Release configuration (Web Deployment Project), 275

remote scripting, 74–75

removing

- GridView control's selected rows, 156–161
- snippets, 292

renaming snippets, 291

`RenderAttributes` **method, 84**

rendered custom controls, 120

`RequiredField` **property, 216–217**

RequiredFieldValidator control, 215–218

resources, locating during design time and runtime, 134–135

reusable code, 316

rewriting URLs

- DasBlog URL rewriting module, 354–357
- defined, 14–15, 354–355
- GridView control, 19–20
- hack, 15, 24
- ObjectDataSource control, 20–23
- regular expressions, 24
- `urlMappings` element, 15–19

Rich Internet Applications (RIAs), 98

Rico, 98

role provider proxy, 61–63

`Role` **provider type, 49, 58–61**

routines

- generics, 318–321
- Input Filter Protection hack, 318–320

`RowCreated` **event (GridView control), 169, 173, 176**

`RowDataBound` **event (GridView control), 169**

rows (GridView control)

- adding selected rows, 168–173
- deleting selected rows, 156–161
- dynamic row expansion, 145–150
- pager row, 150–151
- updating, 161–164

`Rows` **property, 169**

RSS control

- content management, 120
- data caching, 122, 133–134
- defined, 119
- Document property, 121
- DocumentSource property, 121
- `LoadRssFeed` method, 134
- locating resources during design time and runtime, 134–135
- pulling content, 121
- `RssControl` class, 120–121
- `RssSiteInfo` class, 125–126
- `SiteInfo` property, 125
- `XPathNavigator` property, 121
- XSLT file, 122–124

XSLT property, 122–123
 RssControl **class**, 120
 RssSiteInfo **class**, 125–126
 RssViewerTypeEditor **custom type editor**, 136–142
 runat="server" **attribute**, 331
 RuntimeMasterPageFile **property**, 336–337

S

SavePageStateToPersistence
 Medium **method**, 226
Script.aculo.us, 98
ScriptManager control, 88
scripts, 32–34
security
 attacks
 canonicalization attacks, 299, 305–307
 Denial-of-Service attacks, 307
 SQL injection attacks, 299–302
 worms, 350
 File Upload Web Server control, 307
 hacks, 314
 impersonation of users, 307–309
 Login controls, 309–310
 viruses, 305–306
 visualizers, 102
 SelectedRow **property (GridView control)**, 169
selecting namespaces, 31–32
self-documenting code, 317
serializers, 223–225
 Server **property**, 307
 Session State **provider type**, 50
 SessionParameter **parameter**, 203
setting object member visibility, 109–111
sharing
 App_Code from Web Deployment Project
 with other projects, 278–279
 code, 25–26
 Master Pages, 326, 338–339
 Show **method**, 104

signing options (Web Deployment Project), 278
 Site Map **provider type**, 49
 SiteInfo **property**, 125
skeleton code for type converters, 126–127

skins
 creating, 43
 versus CSS, 43
 defined, 42
 naming, 43

smart clients
 AJAX (Asynchronous JavaScript and XML), 74, 313
 Atlas project (Microsoft), 87, 97, 313
 Client Callbacks
 browser support, 79
 custom controls, 83–87
 defined, 74–75
 DHTML, 87
 how it works, 76
 web forms, 75, 77–83
 defined, 73–74
 remote scripting, 74–75

Snippet File template, 288–290, 296–297

snippets
 C#, 288
 Code Snippets Manager, 290–292
 creating, 288
 custom, 288
 defined, 287
 deleting, 292
 finding, 292
 functions, 292–293
 importing, 291
 overwriting, 291
 parameters, 288
 pre-made, 288
 removing, 292
 renaming, 291
 support for in Visual Studio 2005, 287
 templates, 288–290, 296–297
 VB.NET, 288

snippets (continued)

ViewState property snippet, 289–290
XML, 288

Solution Explorer

References tree node, 36
Web Deployment Project, 274–275

solution file, 26–27

solutions

class libraries, 30–31
creating, 27–28
database projects, 32
Source Safe, 28
static caching, 240–242

sort.aspx file, 176

SortDirection property (GridView control), 174

source control, 37

source control providers

Team System, 37
Visual Source Safe, 37

Source Safe, 28

Source View option (Visual Studio 2005), 294

sparklines, 366–370

splitting ViewState, 226–228

SQL injection attacks, 299–302

SQL Query Analyzer, 302

SQL Server projects, 34–35

SQL statements

ad hoc, 300–302
using, 366

SQLDataSource control

handling default values during insert, 196–199
QueryStringParameter parameter, 204–206

SqlMembershipProvider class, 48–49, 51

static caching

cache change notifications, 246–248
Cache class, 238–240
defined, 237–238

modifying the cache, 244–246
reading the cache, 242–244
refreshing the cache, 248–249
solutions, 240–242

stored procedures, 32–33

storing ViewState, 231–233

strong passwords, 309–310

SupportsCallback property, 75, 79

System.Diagnostics namespace, 109

System.Drawing namespace, 370

System.Web.HttpForbidden
Handler handler, 326

T

Team System, 37

TemplateField field type, 214

templates

Custom Project template, 297–298
custom template frameworks, 325
exporting, 45

Master Pages

code, 12–13
content pages, 13–14
ContentPlaceHolder control, 11
creating, 10–12
defined, 10
hacks, 10

PagerTemplate

DropDownList control, 151–154
GridView control, 150–156

projects, 298

Snippet File, 288–290, 296–297

TypeConverter template, 126–127

Visual Studio 2005, 288–290, 296–298

temporary redirects, 355

testing

controls, 142–143
hacks, 322–323
visualizers, 107–108

TestShowVisualizer method, 104, 107–108

TextBox control, 221–222**themes**

- App_Themes folder, 42
- benefits of using, 43
- defined, 42
- global theme directory, 42

third-party controls for AJAX, 98

"This type of page is not served" **error, 326**

Tibco General Interface, 98**TimerControl, 97****ToolStrip control, 139**

TopPagerRow **property (GridView control), 151**

troubleshooting migration problems, 266–267**Tufte, Edward, Beautiful Evidence, 366****type converters**

- ConvertFrom method, 127–128
- ConvertTo method, 128–129
- creating, 124–125
- defined, 124
- skeleton code, 126–127

type editors

- built-in type editors, 136
- custom type editors, 136–142

type proxies, 111–113

TypeConverter **template, 126–127**

TypeEditor **class, 140–141**

Type.registerNamespace **method, 88**

TypeViewer **class, 257–258**

U**up and down arrows (GridView control), 173–176****UpdatePanel control, 96**

update_rows.aspx **file, 164**

updating GridView control rows, **161–164**

uploading files, **307**

URL redirecting

- defined, 354–355

- Fritz Onion's URL redirecting engine, 354–355

- temporary redirects, 355

URL rewriting

- DasBlog URL rewriting module, 354–357

- defined, 14–15, 354–355

- GridView control, 19–20

- hack, 15, 24

- ObjectDataSource control, 20–23

- regular expressions, 24

- urlMappings element, 15–19

URL Rewriting in ASP.NET hack (Mitchell), 15, 24

- urlMappings **element, 15–19**

user controls

- defined, 120
- embedding, 325
- references, 325

UserControl **class, 326**

users

- Create User Wizard, 309–310

- impersonation, 307–309

- Login controls, 309–310

- passwords, 309–310

- using **statement, 366**

utilities

- aspnet_regsql.exe, 51

- ELMAH—Error Logging Modules and Handlers, 370

- utility code, 26**

V

- Validate **method, 82–83**

- ValidateNumber **method, 82**

- ValidateUser **method (Login control), 53**

- validating strong passwords, 309–310**

- validator controls, 215–218**

- values, getting from another data source, 210–214**

- VB.NET snippets, 288**

viewing

- ASP.NET cache, 249–253
- Master Pages in browsers, 326
- references, 36

ViewState

- alternative storage, 231–233
- compressing, 228–231
- ControlState, 224
- decoding, 225
- defined, 221
- Flesk ViewStateOptimizer, 231
- Fritz Onion's ViewState Decoder, 225
- GridView control, 169
- LosFormatter serializer, 223–225
- moving to the bottom of the page, 233–236
- page lifecycle, 222–223
- splitting, 226–228
- storing, 231–233
- TextBox control, 221–222
- zipping, 230–231

ViewState property snippet, 289–290

Virtual Earth, 74

VirtualPath attribute, 332–333

viruses, 305–306

visibility of object members, 109–111

Visual Source Safe, 37

Visual Studio 2005

- Automation Object Model, 135–136
- Cassini Web server, 294–295
- code snippet support, 287–293
- Code Snippets Manager, 290–292
- Copy Web Site Wizard, 269–271
- Data Source Configuration Wizard, 187–192
- Design View option, 294
- export settings, 295
- import settings, 295
- Master Pages, 10–12, 326–327
- Publish Web Site Wizard, 271–272
- Source View option, 294
- templates, 288–290, 296–298

- visualizers, 101–109
- Windows Installer, 272

visualizers

- creating, 102–107
- defined, 101
- deploying, 108–109
- grid visualizer, 102
- HTML visualizer, 101
- ImageVisualizer class, 104–108
- Multi-Line textbox visualizer, 101
- testing, 107–108
- XML visualizer, 101

W

web browsers

- viewing Master Pages, 326
- XmlHTTP support, 75

Web Deployment Project

- adding to a solution, 274
- BuildServer configuration, 276–277
- compilation options, 277
- Debug configuration, 275
- default options, 274–275
- defined, 35
- deployment options, 278–279
- excluding web.config file, 280–281
- extension points, 281–282
- installing, 273–274
- Master Pages, 342–345
- MSBuild debug, 283
- output assemblies options, 277–278
- Release configuration, 275
- sharing App_Code with other projects, 278
- signing options, 278
- Solution Explorer, 274
- zip archive, 282–283

Web Event provider type, 50

Web folders

- App_Themes folder, 42
- excluding files, 29
- namespaces, 31–32

web forms

Client Callbacks, 75, 77–83

WebForm_DoCallback method, 82

Web Part Personalization **provider type, 50**

Web projects. See projects

Web references, 36

Web servers, 294–295

Web services in Atlas framework, 89–92

Web Setup projects, 35

WebBrowser control, 139

web.config file

appSettings section, 44

connectionStrings section, 44–45

System.Web.HttpForbidden
Handler handler, 326

WebForm_DoCallback **method, 82**

weblogs, 323

webpages

ASP.NET pages, differences from content
pages, 328

content pages

creating, 41–42, 329–330

differences from ASP.NET pages, 328

errors, 341–342

Header property, 331

Master Pages, 13–14, 328–329

Master property, 331, 333

MasterPageFile property, 337–338

naming, 330

Page_PreInit event handler, 347

Master Pages

code, 12–13

code example, 326–327

code files, 328

content areas, 39–40

content pages, 13–14, 328–329

ContentPlaceHolder control, 11, 327

creating, 10–12, 40–41, 326–327

defined, 10, 39, 326

dynamic, 345–348

errors, 41, 326, 341–342

events, 41

finding controls, 331–332

hacks, 10

image paths, 327–328

.master extension, 326

MasterPageFile property, 337–338

methods, 41

modifying the header, 330–331

nesting, 333–337

paths, 327–328

PnlLogin property, 331–333

publishing, 339–345

references, 328–329

RuntimeMasterPageFile property,
336–337

sharing, 326, 338–339

System.Web.HttpForbidden
Handler handler, 326

"This type of page is not
served" error, 326

UserControl class, 326

viewing in browsers, 326

websites

backing up old websites, 263–265

consistent look and feel across website,
325–326

Copy Web Site Wizard, 269–271

copying, 269–271

deployingPublish Web Site Wizard,
271–272

Web Setup Project, 272–281

hosting websites for hacks, 323

Microsoft ASP.NET Developer Center—
Provider Toolkit, 71

namespaces, 32

publishing, 271–272

Windows Installer, 272

Web.UI 3.0, 98

Windows Installer, 272

Wizard control

code, 7–8

creating, 2–6

events, 8–10

navigation sequence, 9–10

wizards

- ASP.NET 2.0 wizards
 - code, 7–8
 - creating, 2–6
 - events, 8–10
 - navigation sequence, 9–10
- ASP.NET version of Wizard (Multi-Page Form), 1
- “CodeSnip: Simulating the ASP.NET 2.0 Wizard Control with ASP.NET 1.x.” article, 1
- Conversion Wizard, 43, 260–261, 263
- Copy Web Site Wizard, 269–271
- Create User Wizard, 309–310
- Data Source Configuration Wizard, 187–192
- defined, 1
- Edit Field Wizard, 215
- hacks, 1–2
- New Project Wizard, 27
- pioneers, 1–2
- Publish Web Site Wizard, 271–272
- Wizard Navigator, 2

worms, 350

writing generic routines, 318–321

written documentation, 322

X

XML Script, 93–94

XML snippets, 288

XML visualizer, 101

XMLDataSource control, 200–202

XmIHTTP

AJAX (Asynchronous JavaScript and XML), 74, 313

browser support, 75

Client Callbacks, 75

XPathNavigator **property, 121**

XSLT file (RSS control), 122–124

XSLT **property, 122–123**

Z

zip archive, 282–283

zipping ViewState, 230–231

