

Index

Note to reader: **Bolded** page locators refer to main discussions of a topic. *Italicized* page locators refer to illustrations.

-
- A**
- AASHTO 2001, 145
 - Abbreviations tab, Drawing Setting dialog, 11
 - ActiveX controls, 31
 - Add Automatically fly-out menu, 171, 171
 - Add Breaklines dialog
 - building surfaces from field linework and points, 101
 - creating composite surfaces, 206, 206–207, 209
 - Add Contour Data dialog, 99, 99
 - Add Labels dialog
 - lines and curves, 45–47, 45–47
 - parcel segments, 87–88, 87–88
 - pipe crossings in section views, 182–183, 182–183
 - pipe networks in profile view, 217–218, 218
 - segment labeling, 131–132, 131–132
 - station-offset labels, 133–135, 134–135
 - Add Point group dialog, 101
 - Additional Broken Reference dialog, 239, 239
 - Adjacent Elevations by Reference tool, 200–201
 - alert bubble, data reference change, 237, 237
 - Alignment Grid View, Panorama palette, 127, 127
 - Alignment Labels dialog, 128–131, 129
 - Alignment Layout Parameters palette, 126–127, 126–127
 - Alignment Layout Tools toolbar
 - creating alignments by layout, 121–124, 121–124
 - overview of, 18–19, 18–19
 - parameter editing of alignments, 126–127, 126–127
 - alignments, 117–136
 - building feature lines from, 193
 - building road corridor from, 167
 - creating, 118
 - creating by converting polylines to, 118–121, 118–121
 - creating by layout, 121–124, 121–124
 - creating from network parts, 216–217, 216–217
 - creating points along, 74–76, 75–76
 - creating points at profile geometry points, 73–74, 73–74
 - creating shortcut references, 234, 234
 - finding information with Inquiry tool, 28–29, 29
 - grip editing of, 125, 125
 - labeling, segment labels, 131–133, 131–133
 - labeling, station-offset labels, 133–135, 134–135
 - labeling, stationing, 128–131, 129–131
 - layout profiles vs., 143
 - overview of, 28
 - parameter editing of, 126–127
 - point report for station offset data, 31–32, 31–33
 - sampling section data along, 176–179
 - uses of, 117
 - Alignments branch, Prospector, 6–8, 6–8
 - _All Points group, 67, 70
 - Analysis tab, Surface Properties dialog, 111, 111
 - Analysis tab, Surface Style dialog, 12–13, 12–13
 - Annotation Scale menu, 17–18, 18
 - area tables, parcel, 88–89, 89
 - assemblies and corridors, 163–173
 - building finished ground surface, 170–171, 171
 - building road corridor, 166–168, 166–168
 - customizing lane width, 165, 165
 - dynamic reaction of corridor model, 171–173, 172
 - importing assembly, 164, 164
 - overview of, 163
 - viewing corridor sections, 169, 169–170
 - Assembly Properties dialog
 - analyzing construction materials in sections, 189
 - customizing lane width, 165, 165
 - viewing dynamic reaction of corridor model, 172
 - Assign Elevations dialog
 - for composite surfaces, 208
 - creating feature lines, 193–194, 194
 - At Geometry Points command, 74
 - AutoCAD
 - adding more internal parcel segments, 93, 93
 - Civil 3D based on, 2
 - AutoCAD Properties dialog
 - curve label menu, 46–47, 47
 - turning off contour label line, 108, 108
 - Autodesk Content Browser, 37, 37
 - Automatic radio button, 180, 180
 - Average End Area method, 185
-
- B**
- Back of Curb (BOC), 56–57, 57
 - bands
 - overview of, 139
 - profile view, 155–160, 156–160
 - section view, 184–185, 184–185
 - Bands tab, Profile View Properties dialog, 158–160, 158–160
 - BasicSideSlopeCutDitch assembly, 167, 167, 169, 169
 - Bearing Distance transparent command, 42–43, 42–43
 - blocks, built-in Tool Palette, 33–36, 33–36
 - BOC (Back of Curb), 56–57, 57

boundaries
 adding to ground surface from
 corridor, **170–171**, *171*
 converting to parcels, **80–81**,
80–81
 creating evenly sized subdivision
 lots, **85**, *85*
 creating internal segments of,
81–82, *82*
 surface, **102–104**, *103–104*
 Break command, feature lines, *196*,
196–197
 breaklines, **101**, **104**, *104*
 Browse for Folder dialog, **58**, *58*

CAD files, building surfaces from,
98–100, *99–100*
 catalogs, creating palettes with,
36–38, *37–38*
 Change Labels field. section views,
181, *181*
 chevrons button, Create Points
 dialog, **72**, *72*
 Civil 3D, environment
 interface, **2–3**, *3*
 navigating in 3D, **19–20**, *20*
 overview of, *1*
 Panorama palette set, *18–19*,
18–19
 Toolspace. *see* Toolspace palette set
 COGO (coordinate geometry) points,
55–57, *55–57*
 comma delimited format. *see* PNEZD
 (comma delimited) format
 composite surfaces, *205–210*, **205–210**
 Composite Volumes palette, *113–114*,
113–115
 Compute Materials dialog, *187*, **187**
 Concentric Structure, Network
 Layout Tools dialog, *212*, **212**
 construction materials, analyzing,
187–189, **187–189**
 Construction tab, Assembly
 Properties dialog
 analyzing construction materials,
189, *189*
 customizing lane width, *165*, **165**
 contours, labeling surface, **106–108**,
106–108
 Contours tab, Surface Style dialog,
11–12, *12*
 Control (CONTROL), description
 keys for, **56–57**, *57*

Conversion tools, Alignment Layout
 Tools toolbar, **122**
 coordinate geometry (COGO) points,
55–57, *55–57*
 coordinate systems, **96–98**, *97–98*
 Copy to Clipboard, Inquiry tool, **26**
 Copy Value to Clipboard, Inquiry
 tool, **26**, *26*
 Corridor Modeling Catalogs,
 Autodesk Content Browser, **37**, *37*
 Corridor Properties dialog,
170–171, *171*
 corridors
 analyzing construction materials,
187–189, *187–189*
 creating palettes for designing, *36*
 sampling with sample lines,
177–179, **177–179**
 Create Alignment - From Pipe
 Network dialog, **216–217**, *217*
 Create Alignment - From Polyline
 dialog, **118–121**, *119–121*
 Create Alignment Reference dialog,
234–235, **234–236**
 Create Curves tools, **41–42**, *41–42*
 Create Data Shortcuts dialog,
232–233, *233*
 Create Feature Lines tool, **192–193**, *193*
 Create Figure From Object
 command, *63*
 Create from Alignment tool,
193–195, *195*
 Create From Objects tool, *193*, **193**
 Create Grading Group dialog, **202**, *202*
 Create Grading Tool, **202–203**
 Create Material Volume Table dialog,
187–188, *188*
 Create Multiple Section Views - Data
 Bands dialog, *185*, **185–186**
 Create Multiple Section Views - General
 dialog, **184–185**, *185*
 Create Multiple Section Views - Section
 Display Options dialog, *185*
 Create Parcel by Layout, **84–86**
 Create Parcels - From Objects dialog,
80, **80**, *82*, **82**
 Create Parcels - Layout dialog, *83–84*,
83–85
 Create Pipe Network dialog, **212**, *212*
 Create Points dialog
 at alignment and profile geometry
 points, *74*, *74*
 along alignment, *75*
 at parcel corners, *72*, *72*
 Create Profile dialog, *143*, *145*

Create Profile from Surface dialog
 creating alignment from network
 parts, **217**
 creating surface profiles, **138**, *138*
 Create Profile View dialog, **217**
 Create Profile View wizard, **139**, **139**
 Create Profiles from Surface dialog,
140–141, *140–141*
 Create Quick Profiles dialog, *142–143*,
142–143
 Create Reports dialog, *32*, **32**
 Create Sample Line Group dialog,
177, **177–178**
 Create Sample Lines- By Station
 Range dialog, **178**, *178*
 Create Section View
 - General dialog, **180–182**,
181–182
 - Offset Range and Elevation
 dialog, **180**, *180*
 - Section Display Options dialog,
180–181, *181*
 Create Simple Corridor dialog, *166*,
166–167
 Create Surface dialog
 building surfaces from CAD
 files, *99*
 building surfaces from Google
 Earth, *97*
 creating grading group surface,
204, **204**
 performing earthwork analysis,
114–115
 working with composite surfaces,
205, *205*
 Create Surface Reference dialog, **235**
 cul-de-sacs
 adding station-offset labels on,
134, **134**
 creating lots at end of, **82–84**,
83–84
 Curve and Spiral Settings, Alignment
 Layout Tools toolbar, **122**
 curves. *see* lines and curves

D
 data shortcuts
 creating, **232–233**, *232–233*
 creating references, *234–235*,
234–236
 fixing broken, **239–240**, *239–240*
 managing changes in source data,
238, **238–239**
 overview of, **228–229**

- publishing files, **229–233**,
229–233
 - updating source and reference,
236–237, 238
 - Data Shortcuts Editor (DSE),
239–240, **239–240**
 - daylight subassembly, **167–168**, 168
 - deeds
 - creating property curves, **41–42**,
41–42
 - creating property lines with best
fit, **43–44**, 43–44
 - creating property lines with line
creation tools, **40**, **40**
 - creating property lines with
transparent commands, **42–43**,
42–43
 - drawing with lines and curves,
40, **40**
 - labeling property lines and
curves, **45–47**, 45–47
 - making segment table, **47–49**,
47–49
 - Definition branch, Prospector, 114
 - definition parameters, **104–105**, 105
 - Definition tab, Surface Properties
dialog
 - labeling contours, **105**, **105**
 - working with composite surfaces,
210, **210**
 - Delaunay triangulation model, 96
 - Delete key, labels, 129
 - Delete Segment tool, Alignment
Layout Tools toolbar, **122**
 - Delete Sub-entity button, Parcel
Layout Tools dialog, **92**, **92**
 - Description field, Create Alignment -
From Polyline dialog, 119
 - description keys, **55–57**, **55–57**
 - Design Criteria tab, Create Alignment -
From Polyline dialog, **120**
 - Display tab, Surface Style dialog,
13, **13**
 - Divide Alignment command, **75**
 - dragging
 - rotating points by, **70**, **70**
 - surface labels, **108**, **108**
 - Draw Tangents with Curves, Profile
Layout Tools toolbar, **144**, **146**
 - Drawing Settings dialog
 - building surfaces from Google
Earth, **97**, **97**
 - overview of, **9–11**, **10**
 - Drawing Templates branch,
Prospector, **9**
 - DSE (Data Shortcuts Editor),
239–240, **239–240**
 - dynamic blocks, **34**, **34**
-
- E**
- earthwork analysis, **113–115**, **113–115**
 - Eccentric Structure, Network Layout
Tools dialog, **214**, **214**
 - Edit Report Settings dialog, **31**, **31**
 - Edit tools, Alignment Layout Tools
toolbar, **122**
 - editing. *see also* grip editing
 - pipe networks, **222–226**, **223–226**
 - profiles, **147–150**, **148–150**
 - radius on curve, **126–127**,
126–127
 - EE Streets label set, stationing
alignments, **131**, **131**
 - EG surface reference, **235**, **235–236**
 - elevation
 - analysis, **110–113**, **111–113**
 - Analysis tab, Surface Style dialog,
12–13, **12–13**
 - changing point, **70–71**, **70–71**
 - Display tab, Surface Style dialog, **13**
 - feature line, **192–194**, **194**,
198–200, **198–201**
 - Elevation and Grade Between Points,
Inquiry tool, **27–28**, **28**
 - Elevation Editor, **64**, **64**
 - Elevations tab, Profile View
Properties dialog, **156**
 - Ellipsis button, Label Style Composer
dialog, **15**
 - equipment properties, **53**, **53**
 - Erase command, **90**, **92**, **92**
 - exclamation point (!), **75**, **75**
 - Export Points dialog, **77–78**
 - Export to XML Report dialog, **30–31**
 - exporting, stakeout points, **77–78**
 - external references (Xrefs), **228**
 - Extract Objects from Surface
dialog, **103**
-
- F**
- Feature Line toolbar
 - buttons and commands, **192–193**
 - defined, **192**, **192**
 - editing survey figures, **63**
 - feature lines
 - creating, **192–195**, **193–195**
 - modifying horizontal data,
195–198, **196–198**
 - modifying vertical data, **198–200**,
198–201
 - overview of, **192**, **192**
 - Field Book filename dialog, 59
 - field books
 - importing. *see* importing,
survey data
 - importing additional data for, **62**
 - field linework, building surfaces
from, **101–102**, **102**
 - figure prefix database, **54–55**, **54–55**
 - figures, survey
 - creating and editing, **63–64**,
63–64
 - inspecting, **60–61**, **61**
 - Fillet command, feature lines, **197**, **197**
 - fixed entities
 - creating alignments by layout,
123, **123**
 - defining, **118**
 - Flip Label command, **46**, **46**
 - float entities
 - creating alignments by layout,
123–124, **123–124**
 - defined, **118**
 - floodplain, in elevation analysis,
110–113, **111–113**
 - folders
 - creating new working, **230**, **230**
 - setting up prototype structure,
229, **229–230**
 - free entities, **118**
 - Free Form Create tool, **83–84**, **83–84**
 - Free Vertical Parabola curve, profiles,
150, **150**
-
- G**
- General step, Create Profile View
wizard, **139**
 - General tab, Create Alignment - From
Polyline dialog, **120**
 - Geometry Points dialog, **129**
 - Google Earth, **96–98**, **97–98**
 - grading, **191–210**
 - composite surfaces, **205–210**,
205–210
 - creating basic group, **201–203**,
202–203
 - creating feature lines, **192–195**,
193–195
 - creating group surface, **203–205**,
204–205
 - modifying feature lines, **195–201**,
196–200

Grading Creation Tools toolbar, **202–203**

Grading Group Properties dialog, **203–205, 204–205**

grading groups

- creating, **201–203, 202–203**
- creating surface, **203–205, 204–205**
- overview of, **201**

Grading menu, commands in, **192**

grip editing

- alignments, **125, 125**
- converted polylines, **121, 121**
- feature lines, **194, 194**
- parcels, **90–91, 91**
- pipe networks, **222–224, 223–224**
- profiles, **147–148, 148**

groups. *see* grading groups; point groups

Information tab, Surface Properties dialog, **111, 111**

Inquiry tool

- alignment, **28–29, 29**
- inversing points, **24–26, 25–26**
- overview of, **24**
- surfaces, **26–28, 27–28**

interface, **2–3, 3**

Internet Explorer (IE), reports in, **31**

inversing points, Inquiry tool, **24–26, 25–26**

isometric view, road corridor in, **166, 166**

Item View Orientation toggle, Prospector, **5, 5**

Join command, feature lines, **197**

hierarchy, point group, **69–70, 69–70**

horizontal edits, feature lines, **195–198, 196–198**

IE (Internet Explorer), reports in, **31**

Imperial palette set, **36–38, 164, 164**

Imperial Parking tools palette, **33, 33**

Imperial tool palette, **33, 33**

Import Field Book dialog, **59–60, 59–60, 62**

Import Points dialog, **66–67, 66–67**

importing

- points from text file, **66–67, 66–67**
- standard assemblies, **164, 164**
- surfaces from Google Earth, **96–98, 97–98**

importing, survey data, **57–61**

- creating local survey database, **58, 58**
- creating new network, **59, 59**
- establishing working folder, **58, 58**
- examining points and figures, **60–61, 61**
- field book, **59–60, 59–60**
- refining, **62, 62**

Information tab, Alignment Labels dialog, **130, 130**

Information tab, Profile View Properties dialog, **156, 156**

Label Style Composer dialog

- overview of, **15–16, 15–16**
- working with views, **17–18, 17–18**

labels, **106–110**

- alignment, segment, **131–133, 131–133**
- alignment, station-offset, **133–135, 134–135**
- alignment, stationing, **128–131, 129–131**
- applying styles to, **15–18, 15–18**
- lines and curves, **45–47, 45–47**
- parcel segment, **87–88, 87–88**
- pipe crossings in section views, **182–183, 182–183**
- pipe networks in profile view, **217–219, 218**
- profile, **151–155, 151–155**
- sample line, **178–179, 179**
- surface, contour, **106–108, 106–108**
- surface, critical points, **108, 108–109**
- surface, slopes, **109–110, 109–110**

lane width, customizing, **165, 165**

Layer Selection dialog, description keys, **57**

layout, drawing alignments by, **121–124, 121–124**

layout profiles

- creating, **143–147, 143–147**
- editing, **147–150, 148–150**

Layout tab, Label Style Composer dialog, **15**

legends table, adding, **112–113, 113**

Line by Bearing command, **40, 41**

Line By Best Fit tool, property lines, **43–44, 43–44**

lines and curves, **39–49**

- converting into feature lines, **193**
- creating property curves, **41–42, 41–42**
- creating property lines, **40, 40**
- creating property lines with best fit, **43–44, 43–44**
- creating property lines with transparent commands, **42–43, 42–43**
- drawing deeds with, **40, 40**
- labeling property lines and curves, **45–47, 45–47**
- making segment table, **47–49, 47–49**

list view, Prospector, **7–8, 7–8**

local survey database, **58, 58**

Major Station labels, **128–129**

markers, sanitary sewer layout, **213, 213–214**

Mastering AutoCAD 2009 (Omura), **2**

Mastering AutoCAD Civil 3D 2009 (Sybex), **228**

Materials List, construction materials, **187, 187**

Measure Alignment Points command, **74–75**

Minor Stations labels, **128**

Move Blocks to Surface dialog, **35, 35–36**

multiview blocks, **35**

MV Block palette set, **35–36, 35–36**

Name field, Create Alignment - From Polyline dialog, **119**

Name Template dialog, road corridor, **166–167, 167**

navigation, 3D, **19–20, 20**

.NET-based text reports, **31–32, 31–33**

Network Layout Tools dialog

- adjusting sump depth, **225–226, 226**
- creating sanitary sewer, **212–214, 212–214**

network, survey
 creating, **59**, **59**
 examining points and figures,
60–61, **61**
 New Data Shortcut Folder dialog,
230, **230**
 New Figure Prefix Database dialog,
54–55, *54–55*
 New Local Survey Database dialog,
58, **58**
 New Network dialog, **59**, **62**

O

object styles, **11–14**, *12–14*
 offset feature lines, **196**, *196*
 one-point slope label, **109**, *109*
 online resources
 approval list for video cards, **20**
 downloading data for this book, **6**
 Google Earth, **97**
 Vault, **228**
 Open Source Drawing command, **237**

P

palette sets
 building own, **37**
 defined, **2**
 Tool Palettes organized into, **33**
 palettes, defined, **2**
 Panorama palette
 Alignment Grid View, *127*, **127**
 building surfaces from field
 linework and points,
101–102, *102*
 creating figure prefix database,
54–55, *55*
 editing point elevation in, **71**, *71*
 overview of, *18–19*, **18–19**
 profile entities in, **149**, *149*
 refining line of best fit in, **44**, **44**
 parameter editing, of alignments,
126–127
 Parcel Layout Tools dialog
 creating evenly sized subdivision
 lots, **84–86**, *85–86*
 creating lot at end of cul-de-sac, **82**
 Delete Sub-entity button, **92**, *92*
 editing options in, **93**, *93*
 Parcel Properties dialog, **81**, *81*
 parcels, **79–94**
 adding more internal segments,
93–94, **93–94**
 analyzing with area table, **88–89**, *89*

converting boundaries to, **80–81**,
80–81
 creating evenly sized subdivision
 lots, **84–86**, *85–86*
 creating internal boundary
 segments, **81–82**, *82*
 creating legal description report,
30–31, *30–31*
 creating lot at end of cul-de-sac,
82–84, *83–84*
 creating points at corners, **71–73**,
72–73
 labeling segments, *87–88*, **87–88**
 Parcel Layout Tools dialog, **93**, **93**
 removing segments, **91–92**, *92*
 renumbering, **86–87**, *87*
 using grip edits, **90–91**, *91*
 working in Prospector with,
89–90, *90*
 Parcels branch, Prospector, **7**, *7–8*
 pasted values, into other documents,
26, *26*
 PI tools, Alignment Layout Tools
 toolbar, **122**
 Pick from Drawing button, Export to
 XML Report dialog, **30–31**
 Pick On-Screen button, Inquiry
 tool, **26**
 Pick Section Style Set dialog, **181**, *185*
 Pick Subassembly dialog, corridor
 sections, **170**
 Pipe Network Vistas Panorama
 window, **225–226**, *226*
 pipe networks, **211–226**
 adjusting sump depth, **225–226**, *226*
 creating alignment from storm
 drainage parts, **216–217**,
216–217
 creating dynamic pipe table,
221–222, **221–222**
 creating sanitary sewer, **212–215**,
212–215
 drawing sanitary sewer in profile
 view, **215–216**, *216*
 editing using grips, **222–224**,
223–224
 labeling in profile view, **217–219**, *218*
 labeling in section view, **182–183**,
182–183
 sampling with sample lines,
177–179, **177–179**
 showing pipe crossings in profile
 view, *219–221*, **219–221**
 swapping parts, **224–225**, *225*
 Pipe Rules, **215**

Pipe Table Creation dialog, **221–222**,
221–222
 pipe table, dynamic, *221–222*,
221–222
 placeholders
 local survey database, **59**, *59*
 new survey network, **58**, *58*
 PNEZD (comma delimited) format,
66, *66*, **78**
 Point Group Properties dialog
 assigning point style, **68**, **68**
 creating point groups, **67**
 organizing stakeout points with
 point groups, **76–78**, *77*
 point groups
 creating, **67–70**, *67–70*
 organizing stakeout points with,
76–78, *77*
 signifying when out of date, *75*, **75**
 Point Groups dialog
 creating point group, **70**, *70*
 creating point table, **77**, *77*
 creating points along alignment,
76, *76*
 Point Inverse query type, **25**, **25**
 Point Label Style dialog, **56–57**
 point reports, alignment station
 offset data, *31–32*, **31–33**
 Point Style dialog, description keys, **56**
 Point Table Creation dialog, **77**, *77*
 points, **75–78**
 building surfaces from field
 linework and, **101–102**, *102*
 changing elevation of, *70–71*,
70–71
 creating along alignment, **74–76**,
75–76
 creating at alignment and profile
 geometry points, *73–74*, **73–74**
 creating at parcel corners, **71–73**,
72–73
 creating point groups, *67–70*,
67–70
 editing survey figures using, **63**, **63**
 importing additional survey,
62, **62**
 importing from text file, *66–67*,
66–67
 inspecting survey, *60–61*, **61**
 inverting, **24–26**, *25–26*
 labeling critical surface, **108**,
108–109
 organizing stakeout points with
 point groups, **76–78**, *77*
 Points Creation tool, *72–74*, *72–74*

Points entry, Prospector, **67**, **67**
 points of vertical intersection.
 see PVI (points of vertical intersection)
 polylines
 building surfaces from CAD files
 using, **98–100**, *99–100*
 converting alignments from,
 118–121, *119–121*
 converting boundary to parcel
 using, **80–81**, *80–81*
 converting into feature lines,
 193–195, *194–195*
 creating sample lines from, **176**, **176**
 internal boundary segments
 using, **81–82**, **82**
 surface boundaries using,
 103–104, *103–104*
 preview toggle, Prospector, **4**, **4**
 Profile Display Options step, Create
 Profile View wizard, **139**
 profile geometry points, **73–74**, **73–74**
 Profile Label Set dialog, **154**
 Profile Labels dialog, **152–155**,
 152–155
 Profile Layout Tools toolbar
 creating layout profiles, **144**,
 144–146
 editing layouts, **149–150**, **149–150**
 editing profiles, **150**
 Profile Properties dialog, styles, **151**, **151**
 profile view
 adding pipe crossings to, **219–221**,
 219–221
 creating alignment from network
 parts in, **217**, **217**
 creating layout profiles using, **146**
 creating surface profiles in,
 139–141, *139–141*
 defined, **138**
 drawing sanitary sewer in,
 215–216, **216**
 superimposing, **160–161**, *161*
 working with, **155–160**, *156–160*
 Profile View Height step, Create
 Profile View wizard, **139**
 Profile View Properties dialog
 adding pipe crossings in profile
 view, **219–221**, *219–221*
 working with bands, **158–160**,
 158–160
 working with profile views,
 156–157, **156–157**
 profiles, **137–162**
 building road corridor, **167**

editing, **147–150**, *148–150*
 layout, **143–145**, **143–147**, **147**
 styles and labels, **151–155**, *151–155*
 superimposing, **160–161**, *161*
 surface, **138–142**, **138–143**
 views and bands, **155–160**,
 156–160
 projects, **227–242**
 creating shortcut references,
 234–235, **234–236**
 data shortcuts, **228–229**
 Data Shortcuts Editor, **240–241**,
 240–241
 fixing broken shortcuts, **239–240**,
 239–240
 managing changes in source data,
 238, **238–239**
 publishing data shortcut files,
 229–233, **229–233**
 updating source and reference,
 236–237, **237**
 property curves
 creating, **41–42**, *41–42*
 labeling, **45–47**, **45–47**
 property lines
 creating with best fit, **43–44**,
 43–44
 creating with line creation tools,
 40, **40**
 creating with transparent
 commands, **42–43**, *42–43*
 labeling, **45–47**, **45–47**
 Proposed Ground command,
 earthwork analysis, **113**, **115**
 Prospector, **4–9**
 data shortcuts listed in, **233**, **234**
 Item View Orientation toggle, **5**, **5**
 Pipe Networks tree, **214**, **214**
 Points entry in, **67**, **67**
 preview toggle, **4**, **4**
 working with parcels in, **89–90**
 working with views, **6–9**, *6–9*
 publishing, data shortcut files,
 229–233, *229–233*
 PVI (points of vertical intersection)
 adding or removing, **149–150**, *150*
 creating layout profiles, **143–145**,
 143–145

Q

Quantity Takeoff Criteria,
 construction materials, **187**, **187**
 Quick Profile, surface profiles,
 142–143, *142–143*

R

Raise/Lower Surface command,
 earthwork analysis, **114**
 Range Details area, Surface
 Properties dialog, **112**
 Rebuild Automatic command, **171**
 Reference Alignment dialog, **219**
 references
 creating shortcut, **234–235**,
 234–236
 updating source and, **236–237**, *237*
 Renumber/Rename Parcels dialog, **87**
 renumbering parcels, **86–87**, **87**
 Repair Broken Shortcut command, **241**
 reports, generating, **29–33**
 overview of, **29–30**
 parcel legal description, **30–31**,
 30–31
 point report for alignment station
 offset data, **31–32**, **31–33**
 Reverse Label command, **46**, **46**
 Reverse or Compound Curve
 command, **41–42**
 right-of-way, **85**, **85**
 road corridors, building, **166–168**, *166–168*

S

sample lines
 analyzing construction materials,
 187–189, *187–189*
 sampling section data along,
 176–179, **176–179**
 Sample Lines Tools dialog, **178**
 sanitary sewers
 creating, **212–215**, **212–215**
 drawing in profile view,
 215–216, **216**
 scale, of labels to drawing, **17–18**, *18*
 section view bands, **184–185**, *184–185*
 section views, labeling pipe crossings,
 182–183, *182–183*
 sections, **175–190**
 analyzing construction materials
 by, **187–189**, *187–189*
 creating multiple section views,
 184–186, **184–186**
 creating section view, **179–182**,
 179–182
 labeling pipe crossings in section
 view, **182–183**, **182–183**
 sampling data along alignments,
 176–179, *176–179*
 sampling section data along,
 176–179

- segment labels, **131–133**, *131–133*
 - segment tables, **47–49**, *47–49*
 - Segment tools, Alignment Layout Tools toolbar, **122**
 - Select a Profile dialog
 - building road corridor, **167**
 - creating points along alignment, **75**
 - creating points at profile geometry points, **74**, **74**
 - Select a Sample Line Group dialog, **187**, **187–189**
 - Select a Surface dialog, **35**
 - Select Alignment dialog, **167**, **177**
 - Select Color dialog, **112**, *112*
 - Select Comparison Surface dialog, **114**
 - Select Destination File dialog, **78**
 - Select on Screen button, Inquiry tool, **27**
 - Select Similar tool, **206**, **206–207**
 - Select Source File dialog, **66**
 - Select Style Set dialog, **154**, *181*, **181**
 - Select Surface dialog, **75–76**, **76**, **206**
 - Select Surface to Paste dialog, **208**, **208–209**
 - Set Elevation by Reference tool, **199**
 - Set Grade/Slope between Points tool, **200**
 - Set Working Folder command, **58**, **58**
 - Settings palette
 - drawing settings, **9–11**, **10**
 - label styles, **15–18**, *15–18*
 - object styles, **11–14**, *12–14*
 - shortcuts. *see* data shortcuts
 - Show Less/More toggle, Alignment Layout Parameters palette, **126**, **126–127**
 - Site collection, in Prospector, **89–90**, **90**
 - Slide Angle Create tool, **85**, **85**
 - slopes, labeling surface, **109–110**, *109–110*
 - source
 - managing changes in data, **238**, **238–239**
 - tracking down shortcut, **236–237**, **237**
 - Source File Name, **241**, **241**
 - stakeout points, **71–78**
 - at alignment and profile geometry points, **73–74**, **73–74**
 - along alignments, **74–76**, *75–76*
 - exporting, **77–78**
 - organizing with point groups, **76–78**, **77**
 - at parcel corners, **71–73**, *72–73*
 - Starting Station field, Create Alignment - From Polyline dialog, **119**
 - Station-Elevation transparent command, **147–148**, *148*
 - station offset data
 - generating point report, **31–32**, **31–33**
 - labels for critical plan points, **133–135**, *134–135*
 - Station Range step, Create Profile View wizard, **139**
 - stationing alignments, **128–131**, *129–131*
 - Stations tab, Profile View Properties dialog, **156**
 - storm drainage network
 - creating alignment from parts, **216–217**, *216–217*
 - editing using grips, **222–224**, *223–224*
 - Structure Properties dialog, **218–219**, **225**
 - Structure Rules, **215**
 - Style Column, Prospector, **8–9**, **9**
 - styles
 - assigning point, **68–70**, **68–70**
 - label, **15–18**, **15–18**
 - object, **11–14**, *12–14*
 - profile, **151–155**, *151–155*
 - subassemblies
 - creating palettes with catalogs, **37–38**, *37–38*
 - defined, **164**
 - subdivisions
 - creating evenly sized lots, **84–86**, *85–86*
 - internal boundary segments for, **81–82**, **82**
 - sump depth, pipe networks, **225–226**, **226**
 - Superimposed Profile Options dialog, **161**
 - superimposing profiles, **160–161**, *161*
 - Surface Elevation and Grade at Point, Inquiry tool, **27**, **27**
 - surface profiles, **138–142**, **138–143**
 - Surface Properties dialog
 - applying styles, **14**, **14**
 - composite surfaces, **209–210**, *210*
 - earthwork analysis, **115**, **115**
 - elevation analysis, **110–111**
 - labeling contours, **105**
 - Surface Spot Elevation Label Style dialog, **16–18**, *16–18*
 - Surface Style dialog, **11–14**, *12–14*
 - surfaces, **95–116**
 - boundary, **102–104**, *103–104*
 - building from CAD files, **98–100**, *99–100*
 - building from corridor, **170–171**, *171*
 - building from field linework and points, **101–102**, *102*
 - building from Google Earth, **96–98**, *97–98*
 - composite, **205–210**, *205–210*
 - creating grading group for, **203–205**, *204–205*
 - in earthwork analysis, **113–115**, *113–115*
 - in elevation analysis, **110–113**, *111–113*
 - Inquiry tool options, **26–28**, *27–28*
 - labeling contours, **106–108**, **106–108**
 - labeling critical points, **108**, **108–109**
 - labeling slopes, **109–110**, **109–110**
 - modifying definition parameters, **104–105**, *105*
 - overview of, **96**
 - survey, **51–64**
 - creating and editing figures, **63–64**
 - creating description keys, **55–57**, *55–57*
 - creating figure prefix database, **54–55**, *54–55*
 - establishing, **52**, **52**
 - importing additional data, **62**, **62**
 - importing data, **57–61**, *58–61*
 - setting equipment properties, **53**, **53**
 - Survey User Settings dialog, **52**, **52**
 - swapping parts, pipe networks, **224–225**, **225**
-
- tables
- analyzing parcels with area, **88–89**, *89*
 - dynamic pipe, **221–222**, **221–222**
 - segment, **47–49**, **47–49**
- Target Mapping dialog, road corridor, **167–168**, *168*

Text Component Editor dialog, 11, 15–16, 15–16

text file, importing points from, 66–67, 66–67

The Description Key Set dialog, 56–57, 57

Through Road Main assembly, 164, 164, 167

TIN triangle, 109

TIN Volume Surface, earthwork analysis, 114–115, 115

Tool Palettes, 33–38

- built-in blocks, 33–36, 33–36
- creating with catalogs, 36–38, 37–38
- overview of, 33

Toolbox palette, 30–31

tools, general, 23–38

- interrogating model with Inquiry tool, 24–29
- reporting on model, 29–33
- tool palettes and catalogs, 33–38

Toolspace palette set, 3–18

- Drawing Settings, 9–11, 10
- Label styles, 15–18, 15–18
- Object styles, 11–14, 12–14
- overview of, 3
- Prospector, 4–9, 4–9

tooltips, point information, 67, 67

Transparent Commands toolbar

- creating layout profiles, 145–147, 146–147
- creating property lines, 42–43, 42–43

Trees group, 68, 68

triangles, building surfaces from, 96

two-point slope label, 109–110, 110

U

Undo command, 90

Units and Zone tab, Drawing Settings dialog, 10–11, 97, 97

Update Figures command, survey, 63

User Specified Height, Profile View Properties dialog, 156–157, 157

V

Vault, 228

Vertical Curve Settings dialog, layout profiles, 144

vertical edits, feature lines, 195, 198–200, 198–201

video cards, upgrading, 20

View Direction, Display tab of Surface Style dialog, 13

View/Edit Corridor Section Tools dialog, 169, 169–170

ViewCube, 4, 19–20, 20

viewports

- analyzing construction materials, 189, 189
- editing pipe network using grips, 222–224, 223–224
- labeling pipe crossings, 183, 183
- splitting screen into two, 171–172, 172

Viewports dialog, 11

views

- corridor section, 169, 169–170
- creating section, 179–182, 179–182
- label styles, 16–18, 16–18
- labeling pipe crossings in section, 182–183, 182–183
- multiple section, 184–186, 184–186
- upgrading video card for displaying, 20

W

Weed Vertices dialog, 195, 195

Weeding edit, 154–155, 155

wildcards, 56, 56

WordPad, pasted values in, 26, 26

working folders

- creating new, 230–231, 230–231
- establishing, 58, 58
- setting up prototype structure, 229, 229–230

workspaces, 2

X

Xrefs (external references), 228

XSL-based reports, generating, 31, 31

Z

zoom, in Prospector, 8