

Index

Symbols and Numerics

- < (angle symbol)
 - for polar coordinates, 68
 - for polar override angle, 72
- ' (apostrophe or single prime)
 - for feet, 116
 - preceding transparent commands, 50
 - for VBA comments, 1141
- * (asterisk)
 - for entering WCS coordinates, 64
 - for menu macros, 1046
 - for multiplication function (AutoLISP), 1083
 - relational operator for selection filters, 248
 - starting linetype definitions, 1015–1016
- ATTEDIT command, 234, 575–576
- \ (backslash)
 - in AutoLISP, 1076
 - for menu macros, 1046
- ^ (caret) for creating exponents or superscripts, 334
- " (double prime) for inches, 116
- ... (ellipsis) after menu commands, 36
- = (equals sign)
 - in AutoLISP functions, 1085
 - for mathematical expressions in dialog boxes, 37
 - in query operators, 637
 - in relational operators for selection filters, 248
- ! (exclamation point)
 - next to block parameters, 549, 552
 - relational operator for selection filters (=), 248
- > (greater than sign)
 - in AutoLISP functions, 1085
 - in query operators, 637
 - in relational operators for selection filters, 248
- (hyphen or minus sign)
 - for command-line form of commands, 987–989
 - for subtraction function (AutoLISP), 1083
- INSERT command, 562–563
- < (less than sign)
 - in AutoLISP functions, 1085
 - in query operators, 637
 - in relational operators for selection filters, 248
- () (parentheses)
 - enclosing commands (AutoLISP), 1091
 - matching (Visual LISP), 1042
 - in queries, 639
- + (plus sign)
 - for addition function (AutoLISP), 1083
 - for menu macros, 1046
- # (pound symbol) for absolute coordinates, 64, 65
- +PUBLISH command, 967
- PUBLISH command, 967
- ? (question mark) in dialog box top-right corner, 38
- :(semicolon)
 - for comments in customizable files, 989
 - for comments in Visual LISP, 1111
 - for menu macros, 1046
- ' (single prime or apostrophe)
 - for feet, 116
 - preceding transparent commands, 51
 - for VBA comments, 1141
- / (slash)
 - division function (AutoLISP), 1083
 - not equal function (AutoLISP) (/=), 1085
 - specifying path (AutoLISP), 1076
- _ (underscore) before commands, 45, 1079
- 2D commands
 - displaying on Dashboard, 40
 - 3D coordinates and, 652
 - using editing commands in 3D, 654, 799
- 2D environment, switching from 3D to, 16, 21
- 2D profiles of 3D objects
 - SOLDRAW command for, 717–718
 - SOLPROF command for, 718–719
- 2D representations of 3D drawings, 719–721
- 3D coordinates. *See also* UCS (User Coordinate System); viewing 3D drawings
 - absolute, 652
 - creating helixes or spirals, 660–661
 - creating 3D polylines, 659–660
 - cylindrical, 653
 - grips with, 658
 - object snaps (OSNAPS) with, 657, 658–659
 - point filters with, 657, 658–659
 - relative, 652
 - selecting objects and, 654
 - spherical, 653–654
 - 2D commands and, 652
 - 2D counterparts for, 651
 - 2D editing commands with 3D wireframes, 654
 - UCS and, 667–674
 - using, 655–656
- 3D editing. *See* editing in 3D
- 3D environment, 765
- 3D Kitchen Plus demo (on the CD), 1207
- 3D Modeling workspace (AutoCAD)
 - opening drawings based on default template and, 29
 - Options dialog box settings for, 1186–1187
 - overview, 650–651
 - switching to 2D environment from, 16, 21
 - in 3D environment, 765
- 3D orbit (AutoCAD). *See also* Walk mode (AutoCAD)
 - adjusting camera distance, 702
 - archball use in, 699–700

Continued

3D orbit (AutoCAD) (*continued*)
 compass in, 700
 Constrained Orbit mode, 699
 continuous orbit, 701
 controlling view properties, 703
 creating parallel and perspective views, 703
 Free Orbit mode, 699–700
 grid in, 700
 panning in, 702
 performance and, 698
 preset views, 703
 refining the view, 701–703
 resetting the view after, 701
 rotating in, 699–700
 shortcut menu, 697
 starting, 698
 steps for working in, 703–704
 as transparent command, 698
 UCS icon in, 700
 visual aids in, 700
 zooming in, 702

3D shapes. *See* polygon meshes; solids

3D surfaces. *See* surfaces (AutoCAD)

3D template (AutoCAD), 650–651

3DALIGN command (AutoCAD), 209, 210–212, 810–812

3DARRAY command, 804–807

3DCONFIG command, 838, 840

3DDWF command, 969

3DFACE command, 724–730

3DFLY command, 704, 707. *See also* Walk mode (AutoCAD)

3DMESH command, 735–737. *See also* polygon meshes

3DMOVE command, 801, 802–803

3DPOLY command, 660

3DROTATE command, 808–809, 810

3ds spiral program (on the CD), 1207

3DWALK command, 704, 705. *See also* Walk mode (AutoCAD)

A

ABS function (AutoLISP), 1084

absolute Cartesian coordinates. *See also* Cartesian coordinates
 defined, 64
 dynamic versus static display for, 74–75
 entering, 65–66
 overriding Dynamic Input settings to use, 64
 relative coordinates versus, 69
 running object snaps and, 88
 3D coordinates, 652

absolute cylindrical coordinates, 653

absolute spherical coordinates, 654

acad.cui customization file, 984, 994, 1040

acad.dcl Dialog Control Language file, 985

acad.fmp font mapping file, 356, 985

acad.lin and acadliso.lin linetype definition files, 985, 1020

acad.lsp and acad.doc.lsp AutoLISP files, 985, 1048

acadlt.cui customization file, 984, 994, 1040

acadlt.dcl Dialog Control Language file, 985

acadlt.fmp font mapping file, 985

acadlt.lin and acadltiso.lin linetype definition files, 985, 1020

acadlt.pat and acadltiso.pat hatch pattern files, 458, 985, 1021

acadlt.pgp program parameters file, 984, 989–992

acadlt.psf PostScript support file, 985

acadlt.slb slide library file, 985

acadlt2007.cfg configuration file, 984

acadlt.unt unit definition file, 985

acad.mln multiline library file, 985

acad.mnl customizable file, 984, 1040

acad.mnr and acadlt.mnr customizable files, 1040

acad.pat and acadiso.pat hatch pattern files, 458, 985, 1021

acad.pgp program parameters file, 984, 989–992

acad.psf PostScript support file, 985

acad.rx ARX list file, 985

acad.slb slide library file, 985

acad3d.dwt template, 765

acad2007.cfg configuration file, 984

acad.unt unit definition file, 985

Access (Microsoft), configuring, 617

AccuRender program (on the CD), 1208

actions for double-click behavior, 1069

actions for dynamic blocks
 action prompt options, 551
 adding, 550–552
 lookup actions, 554–555
 table summarizing, 548

ActiveX
 Autodesk DWF Viewer as component, 974
 AutoLISP routine mimicking, 1117–1121
 creating objects with, 1124–1125
 defined, 1117
 get and put functions, 1117
 inserting AutoCAD in PowerPoint as component, 950
 retrieving and modifying object information with, 1121–1124
 Visual LISP with, 1121–1185

Add Plot Style Table Wizard, 509–510

Add Procedure dialog box (VBA), 1140

Adjust Bitmap dialog box, 854–855

Adobe Reader (on the CD), 1206, 1208

Advanced Render Settings palette, 859–862

Aerial View window, 147–148

AIA (American Institute of Architects), 884

Alias Editor (Express Tools), 990

aliases for commands, 42

ALIGN command (AutoCAD), 209–210, 799, 810

aligned dimensions, 372–374

aligning objects
 in 3D, 810–812
 in 2D, 209–212

- ALIGNSPACE command (Express Tools), 502
- Alt key shortcuts. *See* keyboard shortcuts
- Altris eB drawing-management program, 917
- American Institute of Architects (AIA), 884
- AND logical operator for selection filters, 249
- And query operator, 639
- angle symbol (<)
 - for polar coordinates, 68
 - for polar override angle, 72
- angles
 - calculating, 310
 - dimensioning, 380–384
 - for ellipses, 130
 - for elliptical arcs, 131
 - for hatches, 459, 461
 - for linear dimensions, 371
 - oblique angle of text, 330
 - of rotation for arcs, 127
 - of rotation, when rotating objects, 183
 - setting angle measure and direction, 99–100
 - setting angle type, 99, 100
 - for snap rotation, 161
 - for text rotation, 323, 340
- angular dimensions, 380–384, 423
- Animation Settings dialog box, 708
- animations. *See* movie files
- annotation, 319
- apostrophe or single prime (')
 - for feet, 116
 - preceding transparent commands, 50
 - for VBA comments, 1141
- APPLOAD command, 1076
- ARC command, 126, 129–130
- architectural units, 97, 98
- archiving, 912, 916. *See also* backing up
- arcs
 - clockwise versus counterclockwise, 127
 - closing to create a circle, 126
 - converting regions to, 454
 - converting to polylines, 445–446
 - defined, 126
 - dimensioning, 378–380
 - drawing, 127–130
 - elliptical, 130, 131–133
 - fillet arc, 230
 - major versus minor, 127
 - marking centers, 387
 - options, 126–127
 - parts of, 127
 - PLINE command for, 442–443
 - in 3D, 550
- Arcsum program (on the CD), 1208
- ARCTEXT command (Express Tools), 359
- area
 - calculating, 302–304
 - setting limits for drawing, 100–102
- AREA command, 302–304
- arithmetic functions (AutoLISP), 1083
- Army Corps of Engineers (COE) site, 126, 176
- Ar1 program (on the CD), 1208
- ARRAY command
 - inserting blocks in rectangular arrays and, 537
 - with multilines (AutoCAD), 477
 - for polar (circular) arrays, 203–205, 206
 - for rectangular arrays, 201–203, 205–206
 - in 3D, 799
 - using, 205–206
- Array dialog box, 202–203, 204–206
- arraying objects
 - ARRAY command for, 201–206
 - object base points for, 205
 - polar (circular) arrays in 3D, 806–807
 - polar (circular) arrays in 2D, 203–205, 206
 - rectangular arrays in 3D, 804–805
 - rectangular arrays in 2D, 201–203, 205–206
 - 3DARRAY command for, 804–807
- arrowheads for dimensions
 - creating custom, 411
 - defined, 365
 - dimension styles for, 409–411, 412–413
 - Fit options, 416–419
- ASCII function (AutoLISP), 1084
- ASSOC function (AutoLISP), 1105
- associativity
 - of dimensions, 365, 394–396, 400, 1184
 - of hatches, 457
- asterisk (*)
 - for entering WCS coordinates, 64
 - for menu macros, 1046
 - for multiplication function (AutoLISP), 1083
 - relational operator for selection filters, 248
 - starting linetype definitions, 1015–1016
- ATOF function (AutoLISP), 1084
- ATOI function (AutoLISP), 1084
- attached labels, 632, 634
- attaching
 - DWF underlay, 935–937
 - materials to objects, 849–850, 857–858
 - plot-style table to layout, 512–513
 - raster images, 939, 940
 - xrefs, 590–591, 593–594, 872
- ATTDEF command, 566
- ATTDIA system variable, 571
- ATTDISP command, 575
- ATTEDIT command, 234, 575–576
- attenuation of point lights, 840
- ATTTEXT command, 583
- ATTREDEF command, 576
- ATTREQ system variable, 571
- Attribute Definition dialog box, 566–569
- Attribute Extraction Wizard (AutoCAD), 579–585
- attributes
 - controlling visibility, 575
 - creating attribute definitions, 566–571
 - creating blocks for, 569
 - defined, 523, 566
 - editing, 572–579

- attributes (*continued*)
 - extracting database from, 579–582, 584–586
 - inserting as files, 569
 - inserting blocks with, 571–572
 - layers and, 569
 - limitations of, 566
 - locking position of, 568–569
 - making global changes in, 575–576
 - modes, 567
 - order of prompts, 569
 - redefining, 576–577
 - system variables and insertion of, 571
 - uses for, 566
- Attstrip program (on the CD), 1208
- AUDIT command, 924
- AUGs (Autodesk User Groups), 1199
- authorizing AutoCAD and AutoCAD LT, 1170–1171
- AutoCAD. *See also* AutoCAD and AutoCAD LT; Express Tools (AutoCAD); *specific AutoCAD-only features*
 - AutoCAD LT compared to, 14
 - clipping xrefs, 600–601
 - configuration files, 1191–1192
 - editing attribute properties, 572–574, 577–579
 - editing xrefs in place, 594–598
 - Express Tools toolbar, 38
 - extracting attribute data, 579–582, 584–585
 - fields, 351–355
 - groups in, 252–254
 - hatch pattern definition files, 458
 - managing drawings from earlier releases, 926
 - starting, 15
 - system requirements, 1165–1166
 - trial version on the CD, 15, 1208
 - visual styles, 690–697
- AutoCAD 2007 and AutoCAD LT 2007 Bible* CD-ROM. *See* CD-ROM with this book
- AutoCAD and AutoCAD LT. *See also* AutoCAD; AutoCAD LT; installing AutoCAD and AutoCAD LT
 - advantages of, 13–14
 - authorizing, 1170–1171
 - CAD defined, 13
 - command-line switches, 1189–1191
 - comparing the two versions, 14
 - converting customizable files from previous releases, 1042
 - disciplines using, 13–14
 - exiting, 25–26
 - importing layout settings from earlier releases, 497
 - interface overview, 16–20
 - introduction of, 13
 - multiple configurations, 1192
 - resources, 1197–1202
 - running script file when loading, 1008–1010
 - starting, 15
 - switching between workspaces, 1172
 - system requirements, 1165–1166
 - technical support, 1199
 - as vector programs, 139
- AutoCAD Bible folder, 4, 20, 25
- AutoCAD LT. *See also* AutoCAD and AutoCAD LT
 - AutoCAD compared to, 14
 - camera and, 681
 - editing attribute properties, 575, 577–579
 - editing xrefs, 595
 - extracting attribute data, 586
 - fields in, 351
 - groups in, 254–255
 - hatch pattern definition files, 458
 - managing drawings from earlier releases, 926
 - SHADE command, 694–695
 - SHADEMODE command, 694
 - shading options, 694–695
 - starting, 15
 - system requirements, 1165–1166
 - trial version, obtaining, 15
- AutoCAD 2007 Properties dialog box, 1008–1009
- Autodesk Design Review, 978
- Autodesk DWF Viewer, 973–979
- Autodesk User Groups (AUGs), 1199
- AutoEDMS program, 917
- auto-hiding palettes, 39
- AutoLISP (AutoCAD). *See also* functions (AutoLISP); Visual LISP
 - accessing commands, 1090–1091
 - Br program, 227
 - characteristics of routines, 1078
 - circle3 routine, 1078–1079
 - command line use, 1085–1086
 - comments, 1080, 1111
 - conditional structures, 1099–1100, 1102–1103
 - creating selection sets, 1106–1108
 - creating variables, 1089–1090
 - dotted pairs, 1098
 - files automatically loaded with, 1091–1092
 - finishing touches for routines, 1110–1114
 - getting information about drawing objects, 1103–1105
 - getting user input, 1108–1110
 - global and local variables, 1115–1117
 - lists, 1097–1099
 - loading file when starting Visual LISP, 1074–1075
 - loading files into AutoCAD, 1075–1077
 - loop structures, 1100–1103
 - matching properties, 1112–1113
 - meaning of LISP, 1073
 - modifying drawing objects, 1106
 - numbers and text with, 1083–1086
 - object group codes, 1104
 - overview, 1073
 - Pend program, 227
 - routine mimicking ActiveX, 1117–1121
 - routines on the CD, 1206–1207
 - saving routines in files, 1086–1088
 - syntax for expressions, 1082–1083

- TEXT command for, 319
- using functions and commands, 1094–1095
- using lists for coordinates, 1097–1098
- using routines in AutoCAD, 1077
- VBA versus, 1134
- working with system variables, 1095–1097

AutoSnap feature, 82, 1185

AVI format, 709

B

back view, 678

Background dialog box, 686

Background Mask dialog box, 336, 337

backgrounds

- adding to named views, 685–686
- Block Editor, 545
- colors for, 257, 261
- editing for named views, 686
- rendering (AutoCAD), 858–859

backing up

- creating backup with each save, 1177
- customizable files, 986–987, 1039
- drives for backups, 916
- to floppy, `savea.lsp` program for, 25, 916

backslash (\)

- in AutoLISP, 1076
- for menu macros, 1046

backup drawings, using, 925

backward text, 330

BACTIONTOOL command, 552

base point of blocks, 524–525

baseline dimensions, 374–375, 376–377

Batch Standards Checker, 888–889

BATTMAN command, 572

BEDIT command, 547. *See also* Block Editor

beveling (chamfering) corners, 227–229, 817–819.

- See also* rounding corners

BHATCH command, 458

bitmap images. *See* raster images

BLIPMODE system variable, 136, 299

Block Attribute Manager, 572–574

Block Authoring Palettes window. *See also* Block Editor

- Actions tab, 550–552, 554
- Parameter Sets tab, 555
- Parameters tab, 548–549, 552–554

BLOCK command, 525, 562

Block Definition dialog box, 525–526, 539

Block Editor. *See also* dynamic blocks

- adding actions to blocks, 550–552
- adding parameters to blocks, 548–550
- background color for, 545
- lookup parameters and actions, 554–555
- opening, 547
- visibility parameters, 552–554

BLOCKREPLACE command (Express Tools), 544

blocks. *See also* attributes; dynamic blocks; groups

- base point, 524–525
- changing properties, 532
- creating, 525–528

- creating for attributes, 569
- defined, 523
- deleting objects for, 526–527
- deleting (purging), 527
- dimensions as, 365
- editing, 542–545
- exploding, 523, 540–542
- grips and, 242
- hatches as, 457
- inserting blocks with attributes, 571–572
- inserting, component object properties and, 538
- inserting from DesignCenter, 528, 533, 536, 540, 871
- inserting in rectangular array, 537
- inserting with INSERT command, 531–532, 534–536
- insertion point, 524
- layers and, 537–540
- overview, 523
- paper space objects and, 533
- parts libraries and, 523
- presetting scale and rotation while inserting, 534
- programs on the CD for, 545
- redefining, 527
- saving as files, 528–530
- selecting all instances from drop-down list, 537
- shape files versus, 1027
- substituting, 543–544
- updating, 543–544
- xref advantages over, 589

BLOCKTOXREF command (Express Tools), 607

blogs, 1202

BMPOUT command, 932

boilerplate text in templates, 29

Boolean operations for solids, 786

Boolean operators for queries, 638–639

bottom view, 678

BOUNDARY command

- complex hatches and, 458
- for creating polylines or regions, 302–303, 454, 455–457

Boundary Creation dialog box, 455–457

boundary representation solids, 793

box polygon meshes, 737–738, 745

box solids, 766, 768

Br AutoLISP program (on the CD), 227, 1208

BREAK command, 224, 225–226, 227, 478, 799

break points (Visual LISP), 1126–1129

BREAKLINE command (Express Tools), 227

BREP command, 793

Browse the Web – Open dialog box, 958

bulleted text, 336

bump maps for materials, 854

Button Editor, 997–998

C

CAD Standards Settings dialog box, 890

CAD Standards tools

- associating standards file with drawings, 886
- checking a drawing against standards, 886–887, 889

Continued

- CAD Standards tools (*continued*)
 - creating a standards file, 885
 - managing, 893
 - overview, 885
 - specifying CAD standards settings, 890–891
 - translating layers, 891–892
- CADDR list-extraction function (AutoLISP), 1098
- CADR list-extraction function (AutoLISP), 1098
- CAL command, 308
- calculating. *See also* QuickCalc calculator
 - area, 302–304
 - distances, 300, 310–311
 - perimeter, 302–304
- callout blocks for sheet sets, 905–906, 912
- camera
 - adjusting distance in 3D orbit, 702
 - AutoCAD LT and, 681
 - creating, 681–682
 - DVIEW options, 714, 715
 - editing, 682–683
 - lens length and field of view equivalents, 682
 - motion path for saving movie files, 709–710, 712–713
 - using, 680
- CAMERA command (AutoCAD), 681–682
- Camera Preview window, 682–683
- canceling commands, 46–47
- CAR list-extraction function (AutoLISP), 1098
- caret (^) for creating exponents or superscripts, 334
- Cartesian coordinates. *See also* polar coordinates; 3D coordinates; UCS (User Coordinate System)
 - absolute versus relative, 69
 - AutoLISP lists for, 1097–1098
 - in calculator expressions, 311
 - convention for specifying, 18
 - default for subsequent points, 62
 - defined, 60
 - display modes, 73–75
 - entering absolute coordinates, 64–66
 - entering in Dynamic Input tooltip, 61
 - entering relative coordinates, 66–67
 - finding, 300–301
 - locating points, 88–94
 - measurement notation, 60
 - object snap tracking, 88–92
 - object snaps (OSNAPS), 80–85
 - ordinate dimensions, 383–386
 - orthogonal (ortho) mode, 70, 72–73
 - overriding settings, 64, 85–88
 - overview, 59–60
 - picking on the screen, 75–85
 - point filters, 92–93
 - snap settings, 75–79
 - temporary tracking feature, 92
 - tooggling settings, 85–86
 - UCS icon and, 18, 59, 163
 - units and, 60
- CDR list-extraction function (AutoLISP), 1098
- CD-ROM with this book
 - Adobe Reader on, 1206
 - applications included, 1207–1210
 - AutoCAD 2007 trial version on, 15, 1208
 - AutoLISP routines on, 1206–1207
 - block insertion and rotation program on, 574
 - block-listing programs on, 545
 - Br program on (AutoLISP), 227
 - changing the read-only attribute for files, 1204–1205
 - Drawings folder, 1204
 - eBook version of this book on, 1210
 - geometrical curves routine on, 450
 - Links folder, 1205
 - Pend program on (AutoLISP), 227
 - Quickkey replacement for acad.pgp on, 990
 - Results folder, 1205
 - savea.lsp floppy backup program on, 25, 916
 - setup or install files on, 1207
 - Software folder, 1205–1207
 - Stmplot stamping utility, 518
 - system requirements, 1203–1204
 - template for Quick Start on, 3, 11
 - text conversion program on, 320
 - text-entry programs on, 320
 - troubleshooting, 1210–1211
 - using with Windows, 1204
 - VBA programs on, 1207
- CELTSCALE system variable, 288, 296
- CHAMFER command, 224, 227–229, 478, 799
- chamfering corners, 227–229, 817–819. *See also* rounding corners
- CHANGE command, 188–189, 221, 236
- Change Dictionaries dialog box, 361–362
- Check Spelling dialog box, 360–361
- Check Standards dialog box, 886–887
- checking solids, 830
- CHECKSTANDARDS command, 886
- CHR function (AutoLISP), 1084
- CIRCLE command, 43–44, 123–126
- circles. *See also* ellipses
 - CHANGE command for radius, 188, 189
 - closing arcs to create, 127
 - dimensioning, 378–380
 - donuts, 133–134, 136–137
 - drawing with CIRCLE command, 123–126
 - marking centers, 387
 - uses for, 123
 - ways of drawing, 123–124
- circle3 AutoLISP routine, 1078–1079
- circular arrays. *See* polar arrays
- circular references, 600
- Clean Screen button, 18
- cleaning solids, 830
- Clipboard (Windows)
 - Copy with Base Point feature, 181–183
 - copying objects between drawings, 179, 181–183
 - copying text from file, 341

- embedding objects using, 945, 946
 - moving objects between drawings, 181
 - moving objects within drawings, 177
 - using, 562–565
- clipping
 - DVIEW clipping planes, 715
 - DWF underlay, 936
 - raster images, 940
 - xrefs (AutoCAD), 600–601
- closing or exiting
 - all toolbars and palettes, 18, 38
 - AutoCAD and AutoCAD LT, 25–26
 - drawings, 25–26
 - files in Visual LISP, 1080
 - In-Place Text Editor, 339
 - toolbars individually, 38
 - Visual LISP, 1080
- COE (Army Corps of Engineers) site, 126, 176
- Color Control drop-down list, 281
- colors
 - assigning to layers, 261–264
 - background, 257, 261
 - for Block Editor background, 545
 - changing current color, 282
 - changing for layer, 277–278
 - changing for object, 281–282
 - color books, 263–264
 - color-dependent plot styles, 507–508, 509, 510
 - coloring solid edges, 828
 - coloring solid faces, 825–826
 - defaults, 257, 261
 - defining, 262
 - for dimension lines, 407–408
 - for extension lines, 408
 - for lights, 840–841
 - for materials, 852–853
 - steps for changing, 284–286
 - uses for, 257
 - in Visual Basic Editor (VBA), 1143
 - in Visual LISP Editor, 1087
- Columbus drawing-management program, 917
- combining solids, 787
- COMMAND functions, 1091
- COMMAND functions (AutoLISP), 1092
- command line. *See also* commands
 - AutoLISP on, 1085–1086
 - Dynamic Input tooltip and, 41, 42
 - editing keys, 42–43
 - entering system variables on, 107
 - forms of commands for, 987–989
 - overview, 19, 41
 - scrolling through previous commands, 19, 43
 - showing or hiding, 41, 64
 - switches for AutoCAD and AutoCAD LT, 1189–1191
 - typing AutoLISP expressions on, 1073, 1075
- command menus, creating, 1060
- COMMANDLINE command, 41, 64
- command-line switches, 1189–1191
- COMMANDLINEHIDE command, 41, 64
- commands. *See also* AutoLISP (AutoCAD); command line; Express Tools (AutoCAD); *specific commands*
 - aliases for, 42
 - canceling, 46–47
 - command-line form, for customization tasks, 987–989
 - controlling dialog box opening for, 989, 1006
 - creating custom menu commands, 1054
 - creating keyboard shortcuts to, 990–992
 - for editing in 3D, 799
 - executing, 41
 - help for, 53–54
 - measurement commands, 305–308
 - names for, 42
 - order of object selection and, 196–197
 - redoing, 49–50
 - repeating, 46, 47
 - responding to prompts, 43–45
 - reusing recent input, 46
 - selecting objects after executing, 189–193
 - selecting objects before executing, 174, 193, 196–197
 - in Tool Palettes window, 39
 - transparent, 50–51
 - 2D commands and 3D coordinates, 652
 - 2D editing commands in 3D, 654, 799
 - undoing, 47–48, 49–50
 - using options with, 44–45
 - using with multilines (AutoCAD), 477–478
 - using within other commands, 50–51
 - viewing options at Dynamic Input tooltip, 44
 - viewports and, 158
- comments
 - in customizable files, 989
 - in VBA, 1141
 - in Visual LISP, 1080, 1111
- committing database changes, 624
- Communication Center feature, 894
- Compare Dimension Styles dialog box, 431–432
- compass, 687–689, 700
- COMPILE command, 1027
- complex linetypes, 1015, 1017–1021. *See also* linetypes
- complex objects. *See also specific kinds*
 - boundaries, 455–457
 - digitizing drawings, 482–484
 - dlines (AutoCAD LT), 479–480
 - gradient fills for (AutoCAD), 467–468
 - hatch patterns for, 469–470
 - hatches for, 457–467
 - multilines (AutoCAD), 471–479
 - polylines, 441–448
 - regions, 453–455
 - SKETCH command for creating, 480–482
 - solid fills for, 470–471
 - solids, 786–793
 - splines, 448–452

- complex solids
 - combining solids to create, 787
 - INTERFERE command for, 788–789
 - intersecting solids to create, 788
 - pressing or pulling a region for, 791–792, 793
 - steps for creating, 790–791
 - subtracting solids to create, 787–788
- cone polygon meshes, 741, 746
- cone solids, 769–770, 774
- configuration files, 1191–1192
- Configure Standards dialog box, 886
- constants (VBA), 1147, 1159
- construction commands
 - breaking objects, 224, 225–226, 227
 - creating chamfered corners, 227–229
 - creating rounded corners, 229–232
 - joining objects, 224–225, 226
- construction lines, 6, 7, 118–119, 120
- Construction Standards Institute (CSI), 884
- context-sensitive menus. *See* shortcut menus
- continued dimensions, 374, 375–377
- Convert dialog box, 948
- CONVERTCTB command, 508
- converting
 - arcs and lines to polylines, 445–446
 - closed shapes to regions, 454
 - color-dependent plot styles to named plot styles, 508
 - customizable files from previous releases, 1042
 - lights from earlier versions, 845
 - objects to surfaces, 662, 724, 761
 - pasted objects, 948
 - polyline figures having thickness to solids or surfaces, 662
 - polylines to splines, 448
 - regions to lines and arcs, 454
 - solids into boundary representation, 793
 - 3D objects, 820
 - units with calculator, 313
- CONVERTOLDLIGHTS command, 845
- CONVERTPSTYLES command, 508
- CONVTOSOLID command, 662, 820
- CONVTOSURFACE command, 662, 723, 761
- coordinates. *See* Cartesian coordinates; polar coordinates; 3D coordinates; UCS (User Coordinate System)
- COPY command
 - copying objects between drawings, 181
 - copying objects within drawings, 178–181
 - with multilines (AutoCAD), 478
 - other commands compared to, 562
 - overview, 178–179
 - rotating objects and, 184–186
 - in 3D, 799
 - in Windows versus AutoCAD and AutoCAD LT, 181
- COPYCLIP command, 181, 562
- copying objects. *See also* importing
 - ARRAY command for, 201–206
 - from the CD-ROM with this book, 1204
 - Clipboard for, 181–182, 341, 562–565
 - COPY command for, 178–181
 - COPYM command for, 204
 - dimension style comparison, 432
 - dimension styles from other drawings, 432
 - dragging and dropping, 179, 181, 182
 - between drawings, 181–183
 - within drawings, 178–181, 199–209
 - embedding objects by, 945
 - materials, 852
 - MIRROR command for, 199, 200–201
 - multiple copies along straight path, 203
 - OFFSET command for, 207–209
 - rotating objects and, 183, 184–186
 - scaling objects and, 186
 - solid edges, 828
 - solid faces, 825
 - text from file, 341
 - tools, 878
 - transferring customization between files, 1043
- COPYM command (Express Tools), 204
- COPYTOLAYER command (Express Tools), 273
- corners
 - chamfering, 227–229, 817–819
 - rounding, 229–232, 815–817
- Corps of Engineers (COE) site, 126, 176
- crashes. *See* troubleshooting
- Create New Data Source dialog box, 615–616
- Create New Dimension Style dialog box, 405–406
- Create New Material dialog box, 852, 856
- Create New Multiline Style dialog box, 472
- Create Sheet Set Wizard, 898–899
- Create Transmittal dialog box, 955–956
- crosshairs, 18, 75, 162
- CSI (Construction Standards Institute), 884
- Ctrl key shortcuts. *See* keyboard shortcuts
- CUILOAD command, 1041
- curves. *See* arcs
- custom.cui file, 994, 1040
- customizable files
 - backing up, 986–987, 1039
 - command-line form of commands for, 987–989
 - converting files from previous releases, 1042
 - documenting with comments, 989
 - editing, 986
 - importing existing files into new installation, 987
 - for keyboard shortcuts, 984, 989–992
 - loading and unloading, 1040–1043
 - location for originals, 986, 1040
 - for menus, 1039–1043
 - overview, 983
 - Quickkey replacement for acad.pgp, 990
 - reloading, 992

- table summarizing, 984–985
- for toolbars, partial, 994, 1002
- transferring customization between, 1043
- Customize dialog box, 1002–1003
- Customize User Interface dialog box
 - adding commands to tool palettes, 878
 - creating custom toolbars, 994–996
 - for custom drop-down menu, 1044–1045, 1051–1053
 - overview, 993
 - for partial customization files, 1042–1043
- customizing. *See also* menu customization; Options dialog box
 - arrowheads, 411
 - AutoSnap feature, 82, 1185
 - customizable files, 983–989
 - Dashboard display, 41
 - default template, 29
 - double-click behavior, 1068–1069
 - DWF settings, 964–965
 - fonts, creating, 1036–1037
 - grips, 242
 - hatch patterns, creating, 1021–1025
 - keyboard shortcuts, 989–992
 - linetypes, creating complex, 1017–1021
 - linetypes, creating simple, 1015–1017
 - object snap tracking, 90
 - polar tracking, 71–72
 - right-clicking, 36
 - scale list, 104–105, 1184
 - selection process for objects, 195–198
 - shape files, creating, 1027, 1028–1035
 - spelling dictionary, 361–363
 - status bar, 1173
 - tool palettes, 1002–1003
 - toolbars, 992–1002
 - UCS, 163–165
- CUT command (Windows), 181
- CUTCLIP command, 181, 562
- cutting and pasting. *See also* Paste Special
 - moving objects between drawings, 181, 182
 - moving objects within drawings, 177
- cycling through objects when selecting, 193
- Cyco AutoManager Workflow EDM program, 917
- cylinder solids, 771, 774
- cylindrical coordinates, 653

D

- Dashboard (AutoCAD). *See also specific commands*
 - customizing display of, 41
 - default rendering using, 836–837
 - displaying 2D commands on, 40, 654
 - Light control panel, 841, 842, 844
 - overview, 40–41, 654
 - Render control panel, 836, 838
 - saving a walk as a movie file, 708–709, 711–712
 - for 3D environment, 765
 - Visual Style control panel, 690–691

- dashed lines for selected objects, 174
- data for attributes, extracting, 579–582, 584–586
- Data Link Properties dialog box, 616–617
- data source configuration, 614–617
- Data View window
 - docking, 622
 - editing data in, 624–625
 - opening, 620
 - options for data display, 621
 - restoring original view, 636
 - viewing data tables in, 620–624
- databases. *See* external databases (AutoCAD)
- DBLCLKEDIT command, 235
- DDEDIT command, 234, 325–326, 327, 401–403, 576
- DDVPOINT command, 677, 680–681, 685
- debugging (VBA), 1160–1161
- debugging (Visual LISP)
 - Break on Error option, 1125
 - defined, 1125
 - finding the last break, 1125–1126
 - global variables and, 1116
 - using the Error Trace window, 1126
 - using the Watch window, 1129–1131
 - working with break points, 1126–1129
- decimal units, 97
- dee function (QuickCalc), 313
- DEFUN functions (AutoLISP), 1091, 1092
- DELAY command, 1012
- deleting or erasing
 - buttons from toolbars, 993–994
 - deselecting objects, 192
 - dimension style overrides, 431
 - groups, 253
 - layer states, 271
 - layers, 278
 - lights, 845
 - MIRROR command source objects, 200
 - objects for blocks, 526–527
 - objects from drawings, 174–176
 - objects from groups, 253, 254
 - OVERKILL command for (Express Tools), 227
 - passwords, 919
 - purging blocks, 527
 - purging layers and linetypes, 278–279
 - restoring erased objects, 50, 176
 - scales from scale list, 105
 - selection filters from list, 250
 - solid faces, 823
 - text styles, 331
 - tiled viewports, 157–158
 - tool palettes, 879, 1003
 - tools from palettes, 879
 - views, 152
- DELOBJ system variable, 454, 776, 778, 780
- delta-x and delta-y in hatch patterns, 1022, 1023–1024
- demand loading for xrefs, 601, 602
- demo versions of programs, 1210

- dependent symbols, xrefs and, 599–600
- deselecting objects, 192
- Design Review (Autodesk), 978
- Design Web Format files. *See* DWF files
- DesignCenter
 - accessing named drawing components, 871–872
 - attaching xrefs from, 872
 - capabilities of, 867–868
 - controlling display of, 872–873
 - DC Online tab, 872
 - dragging and dropping hatch patterns from, 466–467
 - Favorites folder with, 870–871
 - finding named components and drawings, 869–870
 - Folders tab, 868
 - importing dimension styles, 432
 - importing layers and linetypes, 290–291
 - importing text styles, 332
 - inserting blocks from, 528, 533, 536, 540, 871
 - inserting drawings from, 533, 871
 - inserting layers and styles from, 872
 - inserting raster images from, 871–872
 - moving xrefs between drawings, 608
 - navigating with, 868–871
 - opening DesignCenter, 31, 290, 868
 - opening drawings from, 31–32, 871
 - steps for using, 874
 - Tree View Toggle, 869
- detaching raster images, 939
- dialog box Connect Manager, 619–620
- dialog boxes
 - controlling opening for commands, 989, 1006, 1052
 - creating with VBA, 1151–1157
 - double-clicking objects to open, 234–235
 - help in, 38
 - for opening or saving files, shortcuts in, 32
 - user forms (VBA), 1151–1157
 - using, 37–38
- diameter dimensions, 379–380, 382–383
- DIESEL programming language, 1052
- diffuse maps for materials, 853–854
- digital photographs. *See* raster images
- Digital Signature Verifier, 921
- digital signatures, 919–921
- digitizing drawings, 441, 482–484
- digitizing tablets
 - customizing buttons, 1048–1050
 - customizing menus, 1064
 - reconfiguring, 482
 - TABLET command, 482–484
 - using, 51–53
- DIMALIGNED command, 373
- DIMANGULAR command, 381, 383
- DIMASSOC system variable, 367, 394
- DIMCENTER command, 411
- DIMDISASSOCIATE command, 396
- DIMEDIT command, 396–398
- Dimension Input Settings dialog box, 63
- Dimension Style Manager, 405–406, 429–431
- dimension styles
 - alternate units, 423–424
 - for arrowheads, 409–411, 412–413
 - choosing a new current style, 428
 - comparing, 431–432
 - creating a new dimension style, 405–406
 - creating geometric tolerances, 435–438
 - creating variants, 429
 - defined, 365
 - defining a new dimension style, 406–428
 - for dimension lines, 407–408, 412–413
 - for extension lines, 408–409
 - Fit options, 416–421
 - formatting tolerances, 425–428
 - importing, 432
 - inserting from DesignCenter, 872
 - modifying dimensions to use new style, 429
 - modifying styles, 430, 432–435
 - overriding, 430–431
 - overview, 405–406
 - primary units, 421–423, 424–425
 - scale factor for features, 420
 - Standard preset, 405
 - for symbols, 411–412
 - system variables, 434
 - text alignment, 415–416
 - text appearance, 413–414, 416
 - text placement, 414–415, 416–420
 - updating dimensions, 431
- dimension tooltip, enabling or disabling, 63
- dimension variables, 989
- dimensions. *See also* dimension styles
 - aligned dimensions, 372–374
 - angular dimensions, 380–384, 423
 - for arcs and circles, 378–380
 - arrowheads, 365, 409–411, 412–413
 - as associative, 365
 - associativity, editing, 394–396
 - baseline dimensions, 374–375, 376–377
 - as blocks, 365
 - continued dimensions, 374, 375–377
 - diameter dimensions, 379–380, 382–383
 - DIMEDIT for editing, 396–398
 - dimension lines, 365, 407–408, 412–413
 - DIMTEDIT for editing, 397–398
 - editing dimensions, 394–403
 - editing objects and dimensions together, 401–403
 - elements of, 365–366
 - extension lines, 364–365, 408–409
 - flipping arrows, 398
 - grips for editing, 400, 401–403
 - hatches compared to, 457
 - leaders, 386–391
 - linear dimensions, 367–372, 422–423
 - modifying to use a new style, 429
 - ordinate dimensions, 383–386
 - paper space, dimensioning in, 503
 - preparing to dimension, 365–366

- Properties palette for editing, 399
- Quick Dimension for, 391–394, 399–400
- radial dimensions, 379, 382–383
- text for, 365, 398, 413–421
- timing for dimensioning drawings, 365
- updating, 431
- DIMEX command (Express Tools), 432
- DIMIM command (Express Tools), 432
- DIMLINEAR command, 369, 371
- DIMORDINATE command, 386
- DIMOVERRIDE command, 434
- DIMREASSOCIATE command, 395–396
- DIMREGEN command, 396
- DIMSTYLE command, 434, 989
- DIMTEDIT command, 397–398
- direct distance entry, 70
- Direction Control dialog box, 99–100
- directories. *See* folders
- disabling. *See* turning on and off
- dish polygon meshes, 743, 746
- displaying or viewing. *See also* opening or running; showing or hiding; viewing 3D drawings; views
 - Aerial View, 147–148
 - configuring the display, 1174–1176
 - coordinates (display modes), 73–75
 - database tables, 620–624
 - DesignCenter, controlling display of, 872–873
 - DWF drawings, 973–976
 - exported WMF files, controlling display of, 933–934
 - Express Tools toolbar (AutoCAD), 38
 - grid for SNAP command, 75, 77
 - isometric drawings, 168–171
 - linked database objects and rows, 627–628
 - Modify toolbar, 173
 - named views, 152
 - opening drawing with view displayed, 154
 - panning, 140–141
 - plot style effects, 513
 - raster images, controlling display of, 940–942
 - redrawing the display, 139
 - regenerating the display, 139–140
 - screen menu, 35
 - separate buttons for drawings in taskbar, 31
 - slide shows, 1011, 1012
 - snap rotation, 161–162
 - solids, controlling display of, 767
 - speeding display of large xrefs, 601–603
 - Startup dialog box, 27
 - thumbnails in Select File dialog box, 31
 - tiled viewports, 155–161
 - toolbars, 38
 - UCS icon, controlling display of, 165–166
 - visual styles (AutoCAD), 690–691
 - xref information, 592
 - xrefs, controlling display of, 599–605
 - zooming, 142–147
- DIST command, 300, 301
- distances
 - calculating, 300, 310–311
 - direct distance entry, 70, 72–73
- distant light, 842
- DIVIDE command, 135, 305–306, 307
- dividing objects into equal sections, 305–306, 307
- dlines (AutoCAD LT), 114, 441, 479–480. *See also* multilines (AutoCAD)
- Dobylyer program (on the CD), 1208
- docking
 - Data View window, 622
 - palettes, 39
 - preventing toolbars from docking, 38
 - Properties palette, 243
 - toolbars, 38
- documenting customizable files, 989
- dome polygon meshes, 742–743
- DONUT command, 133–134
- donuts
 - drawing, 133–134, 136–137
 - 3D (torus), 744, 771–772
- dotted pairs (AutoLISP), 1098
- double prime (") for inches, 116
- double-clicking
 - customizing behavior for, 1068–1069
 - to edit blocks, 542
 - to edit objects, 234–235
- DOUGHNUT command, 133
- draft plot, 487
- Drafting Settings dialog box
 - Dynamic Input tab, 61–64
 - Enable Pointer Input check box, 62–63
 - Object Snap tab, 84–85
 - Polar Tracking tab, 71–72
 - Snap and Grid tab, 75–76, 77, 168
- dragging and dropping
 - content to create tools by example, 876
 - copying objects between drawings, 181
 - copying objects within drawings, 179
 - between drawings, 562–565
 - embedding objects by, 945
 - files, 562–565
 - hatch patterns from DesignCenter, 466–467
 - hatches to tool palettes, 459, 466–467
 - i-drop objects from the Web, 959
 - moving objects, 177
 - overview, 562–563
 - text, 341
 - toolbar buttons to tool palettes, 877
- drawing area, 17–18
- drawing information, obtaining. *See* obtaining information from drawings
- drawing interchange file (DXF) format
 - exporting to, 930–931
 - importing files, 935
- Drawing Recovery Manager, 925–926
- Drawing Units dialog box, 98
- Drawing1.dwg (name for new drawings), 15, 16

- DRAWORDER command, 942
 - DTEXT command
 - codes for special characters and formatting, 323–324
 - creating single-line text, 319–320, 324–325
 - rotation angle for text, 323, 326
 - TEXT command versus, 319
 - DVIEW command (AutoCAD)
 - creating perspective views, 713–714
 - options, 714–716
 - DWF Composer. *See* Autodesk Design Review
 - DWF (Design Web Format) files
 - adjusting an underlay, 936
 - advantages of, 963
 - attaching an underlay, 935–937
 - Autodesk Design Review for, 978
 - clipping an underlay, 936
 - creating from other applications, 968
 - creating 3D files, 969–970
 - creating 2D files, 963–964, 966–969
 - customizing DWF settings, 964–965
 - Markup Set Manager for, 978
 - object snaps (OSNAPS) for, 937
 - overview, 963
 - PC3 plot configuration file for, 964–965
 - plotting and printing, 976–977
 - posting directly on Web sites, 973
 - Publish to Web Wizard for, 970–973
 - using an underlay frame, 936
 - viewing DWF drawings, 973–976, 978–979
 - DWF Viewer (Autodesk), 973–979
 - DWFOSNAP system variable, 937
 - DWF6 ePlot Properties dialog box, 964–965
 - DWGCHECK system variable, 924
 - DWGPREFIX system variable, 299
 - DWGStrip program (on the CD), 1208
 - DXF (drawing interchange file) format
 - exporting to, 930–931
 - importing files, 935
 - dynamic blocks
 - action prompt options, 551
 - adding actions, 550–552
 - adding parameters, 548–550
 - defined, 545
 - defining, 547–555
 - earlier program versions and, 545
 - inserting, 555–556
 - library configurations, 546
 - lookup parameters and actions, 554–555
 - modifying, 556
 - options for parameters, 548–549
 - overview, 545–546
 - parameter sets, 555
 - parameters and actions (table), 548
 - parameters, defined, 545
 - saving, 555
 - steps for creating and inserting, 556–561
 - visibility parameters, 552–554
 - workflow for, 546–547
 - Dynamic Input tooltip
 - cylindrical coordinates and, 653
 - drawing lines using, 21–22
 - entering commands and, 41–42
 - entering coordinates with, 61
 - overriding settings, 64
 - overview, 19, 41–42
 - specifying settings, 61–64
 - turning on and off, 41, 61
 - viewing command options using, 44
 - dynamic UCS (AutoCAD), 670–671
- ## E
- EATTEDIT command, 234, 574
 - eBook version of this book (on the CD), 1210
 - EDGE command, 726
 - edge surfaces, 759–761
 - edge visual style settings (AutoCAD), 693–694
 - EDGESURF command, 759–761
 - Edit Attributes dialog box, 234, 573–574, 575
 - Edit Scale List dialog box, 1184
 - Edit Text dialog box, 234
 - editing. *See also* editing drawings; editing in 3D
 - attributes, 572–579
 - background of named view, 686
 - blocks, 542–545
 - cameras, 682–683
 - command line, keys for, 42–43
 - customizable files, 986
 - database data, 624–625
 - dimensions, 394–403
 - dynamic blocks, 556
 - erasing objects, 174–176
 - fields (AutoCAD), 354
 - gradients (AutoCAD), 469
 - hatches, 469–470
 - hyperlinks, 961
 - label templates, 634
 - lights, 845
 - link templates, 626
 - links to database records, 629
 - multilines (AutoCAD), 477–479
 - paragraph text, 340
 - plot-style tables, 510–512
 - plotter configuration, 1193–1195
 - polylines, 445–448
 - shape files, 1036
 - single-line text, 325–328
 - spelling dictionary, 362
 - tables, 347–349
 - tolerance feature-control frames, 437
 - toolbar buttons, 997–998
 - view boundaries, 153
 - Web pages, 973
 - xrefs in AutoCAD LT, 595
 - xrefs in place (AutoCAD), 594–598

- editing drawings. *See also* editing in 3D; selecting objects
 - aligning objects, 209–212
 - ARRAY command for copying objects, 201–206
 - breaking objects, 224, 225–226, 227
 - chamfering corners, 227–229
 - CHANGE command for, 188–189
 - copying objects between drawings, 181–183
 - copying objects within drawings, 178–181, 199–209
 - defined, 173
 - double-clicking objects to edit, 234–235
 - extending objects, 216–218
 - gradients (AutoCAD), 469
 - grips for, 235–242
 - groups of objects, 252–255
 - hatches, 469–470
 - hiding objects with wipeout, 233–234
 - joining objects, 224–225, 226–227
 - layer states and, 258
 - lengthening and shortening objects, 219–221
 - mirroring objects, 199, 200–201, 239–240
 - moving objects between drawings, 181, 182
 - moving objects within drawings, 176–178, 209–212, 237–238
 - multilines (AutoCAD), 477–479
 - offsetting objects, 207–209
 - polylines, 445–448
 - Properties palette for, 242–245
 - resizing objects, 186–187, 212–223
 - revision cloud to mark edits, 232–233
 - rotating objects, 183–186, 238, 241
 - rounding corners, 229–232
 - scaling objects, 186–187, 238–239, 241
 - selection filters for, 245–251
 - stretching objects, 221–223, 236–237, 240, 241
 - trimming objects, 212, 213–216
- editing in 3D. *See also* SOLIDEDIT command
 - aligning objects, 810–812
 - arraying objects, 804–807
 - bodies of solids (solids as a whole), 828–831
 - chamfering solids, 817–819
 - commands for, 799
 - converting 3D objects, 820
 - edges, 828
 - exploding 3D objects, 819–820
 - extending objects, 812–815
 - faces of solids, 821–827
 - filleting solids, 815–817
 - grip-editing solids, 800
 - mirroring objects, 803–804
 - moving objects, 801–803
 - rotating, 807–810
 - subselecting solids, 800–801
 - trimming objects, 812
 - undoing edits by deleting faces, 823
- editing solids. *See* editing in 3D; SOLIDEDIT command
- EDITTIME command (Express Tools), 298
- ELEV command, 662
- elevation, adding to objects, 666–667
- elevation views, 678
- ELLIPSE command, 131, 168
- ellipses. *See also* circles
 - defined, 130
 - drawing, 131–133
 - Isometric mode and, 168
 - options, 130–131
- ellipsis (...) after menu commands, 36
- elliptical arcs, 130, 131–133
- embedding objects, 944–946, 951–952
- enabling. *See* turning on and off
- engineering units, 97, 98
- Enhanced Attribute Editor, 234, 574
- Enter key
 - cycling through grip commands with, 236
 - repeating commands with, 46
- ENTGET function (AutoLISP), 1113, 1118
- ENTMOD function (AutoLISP), 1106
- equals sign (=)
 - in AutoLISP functions, 1085
 - for mathematical expressions in dialog boxes, 37
 - in query operators, 637
 - in relational operators for selection filters, 248
- ERASE command, 527, 799
- erasing. *See* deleting or erasing
- Error Trace window (Visual LISP), 1126
- error trapping (VBA), 1160–1161
- errors and crashes. *See* troubleshooting
- eTransmitting
 - drawings, 955–956
 - sheet sets (AutoCAD), 912–913
 - specifying transmittal settings, 956–958
- evaluation versions of programs, 1210
- Excel (Microsoft)
 - importing spreadsheets by way of Word, 946
 - pasting, linking, and embedding spreadsheets, 951–953
 - spreadsheet connection, 618
- exclamation point (!)
 - next to block parameters, 549, 552
 - relational operator for selection filters (!=), 248
- EXE file attachments, 957
- exiting. *See* closing or exiting
- EXPLAN command (Express Tools), 689
- EXPLODE command, 478, 540, 799, 819–820
- exploding
 - blocks, 523
 - 3D objects, 819–820
- exploding blocks, 540–542
- Explorer (Windows), opening drawings from, 31
- exponents, creating, 334
- Export Data dialog box, 932, 933
- Export Links dialog box, 630
- Export Report dialog box, 922–923

- exporting
 - drawings to other graphics formats, 932
 - to DXF format, 930–931
 - file formats for, 930
 - layer states, 270, 271
 - link information, 629–630
 - to PDF format, 931–932
 - queries, 644
 - tables to comma-delimited format, 349–350
 - tool palettes, 879
 - tool palettes or groups, 1003
 - WMF files, 933
 - to WMF format, 932–933
 - EXPRESS command (Express Tools), 38
 - Express Tools (AutoCAD). *See also specific commands*
 - Alias Editor, 990
 - for blocks, 544
 - for creating break symbols, 227
 - for creating hatch patterns, 461
 - for deleting objects on top of other objects, 227
 - displaying the toolbar, 38
 - for enhanced copy options, 204
 - for filtered selection sets, 247
 - for flattening 3D drawings, 721, 820
 - for importing and exporting dimension styles, 432
 - layer commands, 272–273
 - for layouts, 502
 - for moving backup files, 925
 - for plan view, 689
 - for saving all open drawings, 25
 - for text, 358–359
 - tracking active editing time, 298
 - for trimming objects, 215
 - for updating drawing properties, 918
 - xref-related commands, 607
 - EXTEND command
 - LENGTHEN command versus, 219
 - with multilines (AutoCAD), 478
 - overview, 212, 216–218
 - in 3D, 799, 812–815
 - external databases (AutoCAD)
 - catalogs, 612
 - checking if drivers installed, 615
 - connecting to a drawing, 618–620
 - creating labels, 632–635
 - creating links, 627, 630–632
 - creating selection sets with Link Select, 642–644
 - data source configuration, 614–617
 - data source defined, 614
 - database defined, 612
 - database objects, 612
 - editing data, 624–625
 - environment, 612
 - Excel spreadsheets, 618
 - external database access overview, 611–613
 - fields defined, 612
 - finding records, 622
 - linking data to drawing objects, 625–632
 - Microsoft Access configuration, 617
 - opening and viewing tables, 620–624
 - organizing the database structure, 613–614
 - preparing for database connectivity, 613–617
 - querying with Query Editor, 635–644
 - records defined, 612
 - relational database defined, 612
 - saving changes to, 624
 - schemas, 612
 - sorting records, 621, 622
 - SQL defined, 612
 - working with query files, 644
 - External Reference dialog box, 590–591
 - External Reference Notification, 607
 - external references. *See* xrefs
 - External References palette, 591–593, 606–607, 939–940
 - EXTERNALREFERENCES command, 937
 - EXTRIM command (Express Tools), 215
 - EXTRUDE command, 755, 775–778
 - extruded solids, 775–778
 - extruded surfaces
 - EXTRUDE command for, 755
 - overview, 752
 - SWEEP command for, 755–756
 - sweeping objects along a path, 755–756
 - TABSURF command for, 752–755
 - extruding solid faces, 821–822, 829
- ## F
- face visual style settings (AutoCAD), 692–693
 - FACETRES system variable, 767
 - falloff of spotlights, 841
 - FASTSELECT command (Express Tools), 247
 - Favorites folder, 870–871
 - FIELD command, 352
 - Field dialog box, 352–353
 - fields (AutoCAD)
 - in AutoCAD LT, 351
 - creating, 352–353
 - editing and updating, 354
 - overview, 351
 - user preferences, 1183
 - using, 354–355
 - file extensions
 - for AutoLISP, 1076
 - for backup drawings, 925
 - for color books, 263
 - for color-dependent plot-style tables, 507
 - for custom dictionary, 362
 - for exported queries, 644
 - for extracting attributes, 581
 - for font files, 329
 - for hatch pattern files, 458, 1021
 - for linetype files, 264, 1015
 - for manually-created templates, 583
 - for multiline style files, 474
 - for named plot-style tables, 507
 - for plotter configuration files, 193

- for raster formats, 937
- for script files, 1005
- for shape files, 329, 1018, 1027
- for sheet set files, 899
- for slide libraries, 1013
- for slides, 1011
- for standards files, 885
- for templates, 581
- for temporary files, 923
- for temporary files, setting, 1177
- for xref log, 608
- FILEDIA system variable, 989, 1006, 1052
- files. *See also* customizable files; DWF (Design Web Format) files; script files
 - for AutoLISP routines, 1086–1088
 - changing read-only attribute for, 1204–1205
 - closing in Visual LISP, 1080
 - configuration files, 1191–1192
 - dragging and dropping, 562–565
 - font files, 1036–1037
 - initialization files (AutoLISP), 1091–1092
 - inserting, 530–534
 - inserting attributes as, 569
 - Options dialog box settings for, 1173–1174
 - PC3 plot configuration file, 964–965
 - plot configuration files, 508, 509, 921–923, 964–965, 985
 - repairing corrupted drawing files, 924
 - saving blocks as, 528–530
 - shape files, 1027–1036
 - standards file, 885–886
 - for storing hatch patterns, 458
 - temporary files, 923, 1177
 - for VBA routines, 1142–1143
 - working with query files, 644
 - xref log file, 608–609
 - Zip files for sheet sets, 912
- FILL command, 133–134, 470
- FILLET command
 - multilines and (AutoCAD), 478
 - for rounding corners, 224, 229–232
 - selecting objects before executing, 196
 - for solids, 815–817
 - in 3D, 799
- fills
 - for donuts, 133–134
 - gradient fills (AutoCAD), 467–468
 - hatches, 457–467, 469–470
 - solid fills, 470–471
- FILTER command
 - adding a second filter, 249
 - creating a single filter, 247–248
 - editing filters, 250
 - operators, 248, 249
 - overview, 247
 - Quick Select versus, 245, 247, 251
 - saving and naming filters, 250
 - using filters, 250–251
- filtering. *See also* point filters; selection filters
 - layer list, 276–277
 - linetype list, 283
- Find and Replace dialog box, 359–360
- FIND command, 359
- finding. *See also* Query Editor
 - coordinates, 300–301
 - customizable file originals, 986, 1040
 - database records, 622
 - drawings, 917–918
 - named components and drawings, 869–870
 - templates, 106
 - text in drawings, 359–360
- Finkelstein, Ellen (author), 1162
- FLATSHOT command, 719–720
- FLATTEN command (Express Tools), 721, 820
- Flatten program (on the CD), 1208
- flattening 3D drawings, 719–721
- flipping dimension arrows, 398
- floating viewports
 - creating, 497–502
 - maximizing and minimizing, 499–500
 - for paper space, 488, 497–502
 - scale for layouts, 500
 - setting hidden and shaded views, 501–502
 - setting layer visibility, 501
 - setting size, placement, and display, 500–501
 - SOLVIEW command for 3D drawings, 716–717
 - tiled viewports versus, 159–160
 - turning views into, 148
- floppy drive backup program (on the CD), 25, 916
- Fly mode (AutoCAD), 704, 707–708. *See also* Walk mode (AutoCAD)
- flyouts for tools, 38, 40, 998
- foggy landscapes, 858
- folders
 - AutoCAD Bible, 4, 20, 25
 - on the CD-ROM with this book, 1204–1207
 - creating folders and subfolders, 20
 - Favorites, 870–871
 - Plot Styles, 508
 - viewing thumbnails in Select File dialog box, 31
- Font Mapping File, 356, 985
- font styles, 329
- fonts
 - big fonts, 1036
 - creating, 1036–1037
 - keeping track of outside files, 921–923
 - text styles, 329
 - TrueType support, 1036
 - Unicode, 1036
 - using AutoCAD and AutoCAD LT fonts, 356
- Format Options dialog box, 1111, 1112
- Format Painter (matching properties), 291–293
- formulas for table cells, 347
- fractional units, 97
- fractions, creating stacked, 337–338
- freestanding labels, 632, 634–635

freeware, 1210
 FROM clause in queries, 642
 From feature, 93–94
 front view, 678
 frozen layer state, 258, 269, 270, 356
 frailer hatch pattern, 1022–1025
 functions (AutoLISP)
 arithmetic functions, 1083
 attribute-manipulation functions, 1105
 COMMAND functions, 1092
 creating functions with arguments, 1094
 DEFUN functions, 1091, 1092
 ENTGET, 1113, 1118
 ENTMOD, 1106
 list-extraction functions, 1098
 for matching properties, 1112–1113
 parentheses enclosing, 1091
 PROGN, 1102–1103
 redline routine using, 1092–1093
 selection set functions, 1106
 S:STARTUP functions, 1091, 1093–1094
 string functions, 1084–1085
 types of, 1091
 user-input functions, 1109
 WHILE, 1100–1103
 functions (VBA), 1147, 1160

G

Geographic Location dialog box, 842–843
 GEOGRAPHICLOCATION command, 842
 GeomCurves.lsp routine (on the CD), 450, 1208
 Geometric Tolerance dialog box, 435–437
 geometric tolerances for dimensions, 425–428, 435–438
 geometrical curves routine (on the CD), 450
 GETDIST user-input function (AutoLISP), 1109
 GetEntity user-input method (VBA), 1149
 GETINT user-input function (AutoLISP), 1109
 GetInteger user-input method (VBA), 1149
 GetPoint user-input method (VBA), 1149
 GETREAL user-input function (AutoLISP), 1109
 GetReal user-input method (VBA), 1149
 GETSEL command (Express Tools), 247
 GETSTRING user-input function (AutoLISP), 1109
 GetString user-input method (VBA), 1149
 global variables (AutoLISP), 1115, 1116–1117
 GNU software, 1210
 gradient fills (AutoCAD), 467–468
 graphics window, 17–18
 greater than sign (>)
 in AutoLISP functions, 1085
 in query operators, 637
 in relational operators for selection filters, 248
 GRID command, 75
 grid display
 setting up a drawing with, 108
 settings for, 75, 77

 in 3D orbit, 700
 turning on and off, 75, 77–78
 using, 78–79
 grips
 customizing, 242
 cycling through possible commands, 236
 defined, 235
 of dynamic block parameters, 550
 editing blocks using, 543
 editing dimensions using, 400, 401–403
 editing lights using, 845
 editing objects using, 240–241
 editing solids using, 800
 editing tables using, 349
 extruding solid faces using, 821
 mirroring objects with, 239–240
 move grip tool, 801–802
 moving objects with, 237–238
 overview, 235–236
 rotating objects with, 238, 241
 scaling objects with, 238–239, 241
 stretching multiple lines with, 237, 241
 stretching one line with, 236–237, 240
 in 3D, 658
 GROUP BY clause in queries, 642
 Group Manager window (AutoCAD LT), 254–255
 grouping (logical) operators, 249, 643
 groups. *See also* blocks
 in AutoCAD, 252–254
 in AutoCAD LT, 254–255
 organizing tool palettes into, 1003
 uses for, 252
 using, 255

H

halo gap, 665
 handles, 629
 Hatch and Gradient dialog box
 advanced options, 466
 Angle and scale section, 459–461
 Boundaries section, 462–464
 boundary styles, 464
 Gradient tab (AutoCAD), 467–468
 Hatch Origin section, 461–462
 Hatch tab, 458–466
 Islands section, 464–465
 overview, 37
 Type and Pattern section, 458–459
 Hatch Pattern palette, 459
 HATCHEDIT command, 234, 718
 hatches
 associativity of, 457
 as blocks, 457
 boundary styles, 464
 creating hatch patterns, 1021–1025
 defined, 457
 delta-x and delta-y in patterns, 1022, 1023–1024

- determining boundary for, 462–464
 - dimensions compared to, 457
 - dragging and dropping from DesignCenter, 466–467
 - dragging to tool palettes, 459, 466–467
 - editing patterns, 469
 - files for storing definitions, 458
 - Hatch and Gradient dialog box for, 458–466
 - hatching an area, 458–462
 - islands, 464–465
 - linetypes versus hatch patterns, 1021
 - overview, 457–458
 - setting angle and scale for, 459–461
 - setting origin for, 461–462
 - SOLDRAW command for, 717–718
 - specifying type and pattern, 458–459
 - steps for creating and editing, 469–470
 - on Tools palette, 459
 - user-defined patterns for, 460–461
 - helixes, creating, 660–661
 - help. *See also* Internet resources
 - additional options, 57
 - for commands, 53–54
 - Developer Help system, 1136, 1138
 - in dialog boxes, 38
 - Help system, 54–56, 57–58
 - Info palette, 56, 57
 - Quickstart links, 54
 - for system variables, 107
 - in VBA, 1138–1139
 - in Visual LISP, 1081–1082
 - Help system
 - opening, 54
 - screens, 56
 - tabs, 55
 - using, 57–58
 - Hidden Line Settings dialog box, 663–665
 - hidden views, 501
 - HIDE command, 662, 663, 665, 946
 - HIDEPRECISION system variable, 665
 - HIDETEXT system variable, 665
 - hiding. *See* showing or hiding
 - HLSETTINGS command, 663
 - hotspot of spotlights, 841
 - HSL color model, 262, 840
 - hyperlinks, 959–962, 1184
 - hyphen or minus sign (-)
 - for command-line form of commands, 987–989
 - for subtraction function (AutoLISP), 1083
- I**
- ID command, 301
 - i-drop, 959
 - Idt program (on the CD), 320, 1208
 - IF statement (AutoLISP), 1099–1100, 1102–1103
 - file function (QuickCalc), 314
 - Image Adjust dialog box, 941
 - IMAGE command, Undo history deleted by, 592
 - Image dialog box, 938
 - IMAGEADJUST command, 941, 942
 - IMAGECLIP command, 940, 942
 - IMAGEFRAME command, 941–942
 - IMAGEQUALITY command, 941
 - image-tile menus, customizing, 1062–1063
 - implied windowing, 193, 197–198
 - importing. *See also* copying objects; inserting
 - customizable files into new installation, 987
 - DXF files, 935
 - layer states, 270, 271
 - layers, 290–291
 - layout settings from earlier releases, 497
 - linetypes, 290–291
 - plot configuration files, 508
 - queries, 644
 - symbols from xrefs, 599–600
 - text, 335, 341
 - text styles, 332
 - tool palettes or groups, 1003
 - WMF files, 934–935
 - IMPRINT command, 829
 - imprinting solids, 828–829
 - In query operator, 638
 - increment angle, 71
 - Indents and Tabs dialog box, 335–336
 - Info palette, 56, 57
 - information about drawings. *See* obtaining information from drawings
 - initialization files (AutoLISP), 1091–1092
 - In-Place Text Editor
 - bounding box, 333
 - changing text style for object, 332
 - closing, 339
 - creating exponents or superscripts, 334
 - creating paragraph text, 333, 341–343
 - creating stacked fractions, 337–338
 - editing fields, 354
 - importing text, 335, 341
 - inserting fields, 352
 - line spacing, 339
 - Options toolbar, 334–335
 - shortcut menu commands, 335–337
 - specifying width and rotation, 339–340
 - toolbar buttons for formatting, 333–335
 - updating fields, 354
 - INSERT command, 531–532, 533, 534–536
 - INSERT command, 562–563
 - Insert dialog box, 531–532
 - Insert Hyperlink dialog box, 960–961
 - Insert Object dialog box, 944–945
 - Insert Sheet List Table dialog box, 913–914
 - Insert Table dialog box, 343–344
 - inserting. *See also* importing
 - AutoCAD as ActiveX component in PowerPoint, 950
 - blocks, and rotating with *Insrot*, 574
 - blocks, component object properties and, 538
 - blocks from DesignCenter, 528, 533, 536, 540, 871

Continued

inserting (*continued*)

- blocks in rectangular array, 537
 - blocks with attributes, 571–572
 - blocks with INSERT command, 531–532, 534–536
 - data from other applications, methods for, 944
 - DC Online content, 872
 - default units for, 1183
 - drawings from DesignCenter, 533, 871
 - DXF files, 935
 - dynamic blocks, 555–556
 - embedding objects, 944–946, 951–952
 - existing title block, 106
 - fields, 352–353
 - linking data, 949, 951, 953
 - paper space objects, 533
 - Paste Special for, 946–949, 952–953
 - procedures (VBA), 1140
 - raster images, 938
 - raster images from DesignCenter, 871–872
 - shape files, 1028
 - tables, 343–344
 - title block in layout, 497
 - tolerance feature-control frames, 437
- insertion point
- for blocks, 524
 - specifying in attributes, 568–569
 - for text, 320
- INSERTOBJ command, 944, 945, 949
- Inshot program (on the CD), 574, 1208
- installing
- Adobe Reader (on the CD), 1206
 - AutoLISP routines from the CD, 1206–1207
 - color books, 263–264
- installing AutoCAD and AutoCAD LT. *See also* Options dialog box
- authorizing, 1170–1171
 - changing an installation, 1169–1170
 - configuring AutoCAD and AutoCAD LT, 1173–1189
 - creating and modifying a workspace, 1171–1172
 - customizing status bar, 1173
 - preparing to install, 1165–1166
 - starting installation, 1166–1169
 - switching between workspaces, 1172
 - system requirements, 1165–1166
- IntelliMouse (Microsoft), 140, 142
- intensity of lights, 839
- interface. *See also* customizing; *specific components*
- command line, 19
 - crosshairs, 18, 75, 162
 - dialog boxes, 37–38
 - displaying screen menu, 35
 - drawing area, 17–18
 - illustrated, 16
 - maximizing free space for drawing, 18
 - menus, 18, 19, 35–36
 - overview, 16–20
 - pickbox, 18, 174, 198

- shortcut menus, 36
 - status bar, 19–20
 - switching from 3D to 2D environment (AutoCAD), 16, 21
 - toolbars, 18–19, 38–39
 - UCS icon, 18
 - using, 20–23
- INTERFERE command, 788–789
- International Standards Organization (ISO), 286–287, 416, 461
- Internet integration
- creating object hyperlinks, 959–961, 962
 - eTransmitting drawings, 955–956
 - eTransmitting sheet sets (AutoCAD), 912–913
 - opening drawings from the Web, 958–959
 - publishing drawings, 963–979
 - specifying transmittal settings, 956–958
- Internet resources
- Additional Resources option (Help menu), 57
 - Army Corps of Engineers site, 126, 176
 - AutoCAD LT 2007 trial version, 15
 - AutoCAD sites, 1201
 - Autodesk Design Review, 978
 - Autodesk DWF Viewer, 973
 - blogs, 1202
 - buzzsaw (Autodesk business-to-business portal), 24
 - CAD-related sites, 1200–1201
 - digital signature trial from VeriSign, 920
 - Digital Signature Verifier, 921
 - drawing management programs, 917
 - Nemirovsky's site, 320
 - ODBC Driver Pack, 615
 - Support for Subscribers option (Help menu), 57
- INTERSECT command, 454, 788
- Intersect logical operator for selection sets, 643
- intersecting solids, 788
- Is not null query operator, 638
- Is null query operator, 638
- islands in hatches, 464–465
- ISO (International Standards Organization), 286–287, 416, 461
- ISOLINES system variable, 767, 770
- isometric drawings, 168–171
- isometric views, 679
- ISOPLANE command, 168
- ISUNITS system variable, 591
- It program (on the CD), 320, 1209
- ITOA function (AutoLISP), 1084

J

- jitter settings for visual styles, 693–694
- JOIN command, 224–225, 226
- JPGOUT command, 932
- justifying text
 - justification options, 321–322
 - single-line text, 320–322, 327, 328
- JUSTIFYTEXT command, 327

K

keyboard shortcuts

- allowable key combinations, 1066
- to commands, creating, 990–992, 1065–1068
- customizable files for, 984, 989–992
 - Quickkey replacement for acad.pgp file, 990
- reloading customizable files for, 992
- temporary override keys, 1066–1067
- to Windows programs, creating, 989–990

Keypad program (on the CD), 1209

keywords (VBA), 1147

L

label blocks for sheet sets, 905–906

Label Template dialog box, 633

labels, creating attached and freestanding, 632–635

landscape orientation, 102

launching. *See* opening or running

LAYCUR command (Express Tools), 273

LAYDEL command (Express Tools), 273

Layer Control drop-down list, 267–268

layer indexes for xrefs, 601, 602, 603

Layer Properties Manager dialog box, 259–260, 267, 276–278

Layer States Manager dialog box, 270–272

Layer Translator, 891–892

Layerhtml program (on the CD), 1209

LAYERP command (Express Tools), 273

layers

- assigning colors, 261–264
- assigning linetype, 264–265
- assigning lineweight, 265–266
- attributes and, 569
- blocks and, 537–540
- changing color, linetype, and lineweight, 277–278
- changing for object, 274
- changing state of, 152, 268–270
- creating new layers, 259–267
- deleting, 278
- deleting layer states, 271
- Express Tools layer commands (AutoCAD), 272–273
- filtering list of, 276–277
- freezing text layers, 356
- importing and exporting layer states, 270, 271
- importing from other drawings, 290–291
- inserting from DesignCenter, 872
- Layer Control drop-down list, 267–268
- layer state icons, 269–270
- making an object's layer current, 274
- mapping, 892
- naming, 260–261
- preparing for layout, 497
- purging layers and linetypes, 278–279
- renaming, 278
- saving and restoring layer states, 270–271
- setting current layer, 267
- setting plot-style property for, 513

setting visibility in viewports, 501

sorting columns in list, 276

states, 258

steps for modifying, 279–280

steps for working with, 274–275

switching the current layer, 268

translating, 891–892

uses for, 257–258

xrefs and, 599

Layers toolbar, 267–268, 296

LAYFRZ command (Express Tools), 273

LAYISO command (Express Tools), 273

LAYLCK command (Express Tools), 273

LAYMCH command (Express Tools), 273

LAYMCUR command (Express Tools), 273

LAYMRG command (Express Tools), 273

LAYOFF command (Express Tools), 273

LAYON command (Express Tools), 273

layout in paper space. *See* paper space layout

Layout Wizard, 489–493

LAYOUTMERGE command (Express Tools), 502

LAYTHW command (Express Tools), 273

LAYULK command (Express Tools), 273

LAYVPI command (Express Tools), 273

LAYWALK command (Express Tools), 273

LEADER command, 320, 386

Leader Settings dialog box, 386–389

leaders

creating, 386, 389–391

defined, 386

Leader Settings dialog box, 386–389

QLEADER command, 320, 386–391

left view, 678

LENGTHEN command, 212, 219–221, 478, 799

lengthening objects. *See also* resizing drawing objects

EXTEND command for, 216–218

LENGTHEN command for, 219–221

STRETCH command for, 221–223

less than sign (<)

in AutoLISP functions, 1085

in query operators, 637

in relational operators for selection filters, 248

LIGHT command, 838

LIGHTLIST command, 844

lightning hatch pattern, 1025

lights

converting from earlier versions, 845

default lighting, 838

deleting, 845

distant light, 842

managing, 844–845

overview, 838

point lights, 838–841, 846

spotlights, 841, 846–847

steps for creating, 845–848

sun simulation, 842–844, 847–848

visual styles for, 695

- Lights in Model palette, 844–845
- lightweight polylines. *See* polylines
- Like query operator, 637
- limits for drawings, 29, 100–102
- LINE command, 22, 113–114
- line spacing for text, 320, 339
- linear dimensions
 - Angle option, 371
 - Horizontal/vertical option, 371
 - MText option, 369–371
 - primary units, 422–423
 - Rotated option, 371–372
 - Select Object option, 367
 - specifying the dimensioned object, 367–368
 - steps for drawing, 368–369
 - Text option, 371
 - uses for, 367
- lines. *See also* arcs; polylines; shapes
 - CHANGE command for endpoints, 188
 - construction lines, 6, 7, 118–119
 - converting regions to, 454
 - converting to polylines, 445–446
 - dashed, for selected objects, 174
 - for dimensions, 365, 407–409, 412–413
 - dlines (AutoCAD LT), 479–480
 - four ways of drawing, 21–23
 - hiding with HIDE command, 662
 - LINE command for, 22, 113–114
 - multilines (AutoCAD), 471–479
 - rays, 120–121
- Linesum program (on the CD), 1209
- LINETYPE command, 1016
- Linetype Control drop-down list, 282, 283
- Linetype Manager, 283, 288
- linetypes
 - assigning to layers, 264–265
 - changing current linetype, 283
 - changing for layer, 277–278
 - changing for object, 282–283
 - changing spacing by changing global scale, 287–288
 - changing spacing by changing linetype, 287–288
 - changing spacing by changing object scale, 288–289
 - creating complex linetypes, 1017–1021
 - creating on the fly, 1016
 - creating simple linetypes, 1015–1017
 - for dimension lines, 408
 - for extension lines, 409
 - factors affecting pattern scale, 286
 - filtering list of, 283
 - hatch patterns versus, 1021
 - for hidden lines, 664
 - importing from other drawings, 290–291
 - ISO linetype pattern definitions, 286–287
 - loading, 264–265, 283
 - polylines and, 443
 - purging, 278–279
 - simple versus complex, 1015
 - steps for changing linetypes, 284–286
 - steps for changing scales, 289–290
 - uses for, 257
- Lineweight Control drop-down list, 283–284
- Lineweight dialog box, 265
- Lineweight Settings dialog box, 266
- lineweights
 - assigning to layers, 265–266
 - changing current lineweight, 284
 - changing for layer, 277–278
 - changing for object, 283–284
 - changing more than one at a time, 278
 - defined, 257
 - for dimension lines, 408
 - features of, 265–266
 - formatting, 266
 - steps for changing, 284–286
 - user preferences, 1184
 - uses for, 257
- Link Manager, 629
- Link Select dialog box, 643–644
- link templates, 625–627
- linking data, 949, 951, 953
- Links dialog box, 951
- links to database records
 - creating, 627, 630–632
 - editing, 629
 - exporting link information, 629–630
 - link templates for, 625–627
 - viewing linked objects and rows, 627–628
- LIST command, 299–300, 301
- listing
 - block-listing programs on the CD, 545
 - drawing status, 295–296
 - objects in drawings, 299–300
 - referenced files, 922–923
 - sheet sets (AutoCAD), 913–914
 - solid properties, 832
 - system variables, 296–297, 299
- LOAD command, 1027
- Load Multiline Styles dialog box, 474
- Load or Reload Linetypes dialog box, 264, 265
- loading
 - AutoLISP file when starting Visual LISP, 1074–1075
 - AutoLISP files into AutoCAD, 1075–1077
 - customizable files, 1040–1043
 - demand loading for xrefs, 601, 602, 1177
 - multiline styles, 474
 - reloading customizable files, 992
 - reloading raster images, 939
 - running script file when loading AutoCAD, 1008–1010
 - shape files, 1027
 - VBA programs from the CD, 1207
 - VBA routines, 1143
- Load/Unload Applications dialog box, 1076
- Load/Unload Customizations dialog box, 1041–1042

- local variables (AutoLISP), 1115–1117
 - locating points
 - clearing acquired points, 90
 - From feature for, 93–94
 - object snap tracking for, 88–92
 - point filters for, 92–93
 - locked layer state, 258, 269, 270
 - locking position of toolbars or palettes, 19
 - LOFT command, 758, 781–783
 - lofted solids, 781–783
 - lofting objects, 758–759
 - log files
 - for text window contents, 1177
 - for xrefs, 608–609
 - logical operators, 249, 643
 - LOGINNAME system variable, 296
 - LTSCALE system variable, 288, 296, 297, 299
- M**
- M size of polygon meshes, 735–737, 744–745, 750
 - macros
 - creating with script files, 1005–1010
 - for mouse button 2, 1048
 - special characters for menu macros, 1046
 - writing for custom menus, 1046–1047
 - major angles, dimensioning, 381
 - major arcs, 127. *See also* arcs
 - mapping
 - layers, 892
 - materials, 855
 - Markup Set Manager, 978
 - MASSPROP command, 304, 832
 - matching properties, 291–293, 1112–1113
 - MATCHPROP command, 1112
 - Material Attachment Options dialog box, 857–858
 - materials
 - adding to solid faces, 826
 - in Advanced Render Settings palette, 860–861
 - attaching, 849–850, 857–858
 - backgrounds for, 858–859
 - copying, 852
 - creating, 852–856
 - defined, 849
 - managing and modifying, 850–851
 - mapping, 855
 - overview, 849
 - templates, 852
 - visual styles for, 695
 - Materials palette, 850–854
 - mathematical functions (QuickCalc), 312–313
 - MAXSORT system variable, 276
 - MDAC (Microsoft Data Access Components), 615
 - MEASURE command, 135, 306–307, 308
 - MEASUREINT system variable, 28
 - measurement commands
 - DIVIDE, 135, 305–306, 307
 - MEASURE, 135, 306–307, 308
 - measurement notation, 60
 - me function (QuickCalc), 314
 - menu customization
 - abbreviations for menu sections, 1048
 - command menus, 1060
 - converting files from previous releases, 1042
 - creating custom commands, 1054
 - creating sub-menus, 1053
 - customizable file for, 1039–1043
 - drop-down menus, 1044–1045, 1051–1062
 - image-tile menus, 1062–1063
 - keyboard shortcuts, 1065–1068
 - menu swapping, 1047–1048
 - for mouse and tablet buttons, 1048–1050
 - object menus, 1058–1060, 1061–1062
 - Screen menu, 1065
 - shortcut menus, 1057–1062
 - tablet menus, 1064
 - toggles on drop-down menus, 1052
 - transferring customization between files, 1043
 - types of customizable content, 1043
 - writing menu macros, 1046–1047
 - menus. *See also* menu customization; shortcut menus
 - overview, 18, 19
 - screen menu, 35, 1065
 - status bar menu, 20
 - TEXT command for, 319
 - using, 36
 - meshes. *See* polygon meshes; surfaces (AutoCAD)
 - methods (VBA), 1136, 1149
 - Mhatch program (on the CD), 1209
 - Microsoft Access, configuring, 617
 - Microsoft Data Access Components (MDAC), 615
 - Microsoft Excel
 - importing spreadsheets by way of Word, 946
 - pasting, linking, and embedding spreadsheets, 951–953
 - spreadsheet connection, 618
 - Microsoft IntelliMouse, 140, 142
 - Microsoft PowerPoint, inserting AutoCAD as ActiveX component in, 950
 - Microsoft Windows. *See* Windows (Microsoft)
 - Microsoft Word
 - importing Excel spreadsheets via, 946
 - using dictionary from, 362–363
 - mining your design, 867
 - minor angles, dimensioning, 381
 - minor arcs, 127. *See also* arcs
 - MINSERT command, 537
 - minus sign or hyphen (-)
 - for command-line form of commands, 987–989
 - for subtraction function (AutoLISP), 1083
 - MIRROR command
 - with multilines (AutoCAD), 477
 - overview, 199, 200–201
 - Quick Start example, 7
 - in 3D, 799

- mirroring objects
 - grips for, 239–240
 - MIRROR command for, 7, 199, 200–201, 477, 799
 - text and, 357
 - in 3D, 803–804
 - MIRROR3D command, 803–804
 - MIRRTEXT system variable, 357
 - MLEDIT command, 234, 478–479
 - MLINE command, 476–477
 - Mmt program (on the CD), 1209
 - model space. *See also* Walk mode (AutoCAD)
 - paper space versus, 18
 - plotting from, 488
 - switching from paper space, 488, 489, 499–500
 - Modify Dimension Style dialog box, 430
 - Modify toolbar, displaying, 173
 - Modify Transmittal Setup dialog box, 956–958
 - Motion Path Animation dialog box, 709–710
 - mouse. *See also* dragging and dropping
 - cursors in 3D orbit, 699–700
 - customizing buttons, 1048–1050
 - customizing double-click behavior, 1068–1069
 - customizing for Object Snap menu, 80
 - double-clicking to edit blocks, 542
 - double-clicking to edit objects, 234–235
 - Microsoft IntelliMouse, 140, 142
 - panning with wheel, 140
 - picking an object, 174, 175
 - puck versus, 51
 - rollover highlighting, 174, 196
 - shortcuts in dialog boxes that open or save files, 32
 - user preferences for double-clicking and right-clicking, 1182–1183
 - zooming with wheel, 142
 - MOV format, 709
 - MOVE command, 176–178, 477, 562, 799
 - move grip tool, 801–802
 - MOVEBAK command (Express Tools), 925
 - movie files
 - formats for, 708–709
 - saving walk as, 708–709, 711–712
 - steps for creating, 711–713
 - using motion path for, 709–710, 712–713
 - moving objects
 - ALIGN command for (AutoCAD), 209–210
 - backup files, 925
 - Clipboard for, 177, 181, 182, 562–565
 - cutting and pasting, 177, 181, 182
 - dragging and dropping, 177
 - between drawings, 181, 182
 - within drawings, 176–178, 209–212, 237–238
 - grips for, 237–238
 - MOVE command for, 176–178
 - move grip tool for, 801–802
 - solid faces, 822
 - 3DALIGN command for (AutoCAD), 209, 210–212
 - 3DMOVE command for, 801, 802–803
 - toolbars, 38
 - tools and tool palettes, 879
 - xrefs between drawings, 608
 - MPE-arch library (on the CD), 545, 1209
 - Mpe.dwg program (on the CD), 545
 - MREDO command, 49
 - MSLIDE command, 1011–1012
 - MTEDIT command, 234
 - MTEXT command, 332, 333, 353. *See also* In-Place Text Editor
 - mtextmap.ini font mapping file, 985
 - MTJIGSTRING system variable, 333
 - Multiline Style dialog box, 471–472
 - multiline text. *See* paragraph text
 - multilines (AutoCAD). *See also* dlines (AutoCAD LT)
 - creating a multiline style, 471–476
 - defined, 114, 441, 471
 - drawing, 476–477
 - editing, 477–479
 - elements of, 473–474
 - multiline text versus, 333
 - overview, 471
 - using commands with, 477–478
 - Multilines Edit Tools dialog box, 234, 478–479
 - MULTIPLE command, 46
 - multiple configurations, 1192
 - MVSETUP command (AutoCAD), 109
- ## N
- N size of polygon meshes, 735–737, 744–745, 750
 - named views
 - adding background to, 685–686
 - displaying, 152
 - managing drawings with, 153–155
 - managing views, 152–153
 - partially opening a drawing with, 154
 - saving, 148–152
 - sheet sets with, 155
 - names. *See also* renaming
 - aliases for commands, 42
 - of colors, 261
 - for commands, 42
 - for custom UCS, 164
 - for drawings based on templates, 27
 - for groups, 252, 254
 - for layers, 260–261
 - for lights, 839
 - named plot styles, 507, 508, 509–510
 - named views, 148–155, 685–686
 - numbering system for drawings, 25
 - saving drawing under new name, 33–34
 - for selection filters, 250
 - for templates, 30
 - for tiled viewport configurations, 158, 160
 - native format, 629
 - NCOPY command (Express Tools), 544
 - NE isometric view, 679
 - nee function (QuickCalc), 314
 - Nemirovsky, Leonid (programmer), 320

- New Dimension Style dialog box
 - Alternate Units tab, 407, 423
 - Fit tab, 407, 416–421
 - Lines tab, 406, 407–409
 - Primary Units tab, 407, 421–423, 424–425
 - Symbols and Arrows tab, 406, 409–413
 - tabs overview, 406–407
 - Text tab, 406, 413–416
 - Tolerances tab, 407, 425–428
 - New Label Template dialog box, 632–633
 - New Link Template dialog box, 626–627
 - New Multiline Style dialog box, 472–474
 - New Query dialog box, 636
 - New Table Style dialog box, 344–346
 - New Text Style dialog box, 329
 - New View dialog box, 151–152
 - New Visibility State dialog box, 552–553
 - nonuniform rational B-splines (NURBS), 448. *See also*
 - splines
 - North program (on the CD), 545, 1209
 - NOT logical operator for selection filters, 249
 - not plottable layer state, 258, 269, 270
 - Notepad, opening within AutoCAD, 1006
 - notifications
 - AutoSnap feature, 82
 - Communication Center feature, 894
 - External Reference Notification, 607
 - for standards violations, 890
 - numbered lists, 336
 - NURBS (nonuniform rational B-splines), 448. *See also*
 - splines
 - NW isometric view, 679
- O**
- Object Browser (VBA), 1134–1136
 - object cycling for selecting objects, 193
 - Object Grouping dialog box (AutoCAD), 252–254
 - object menus, creating, 1058–1060, 1061–1062
 - object properties, 257
 - Object Selection Filters dialog box, 247–250. *See also*
 - selection filters
 - object snap tracking
 - customizing, 90
 - locating points with, 90–92
 - starting, 89
 - steps for using, 89–90
 - uses for, 88
 - object snaps (OSNAPS)
 - AutoSnap feature, 82
 - block base point definition and, 526
 - in calculator expressions, 311–312
 - defined, 80
 - to DWF objects, 937
 - elevation and, 666
 - Options dialog box settings for, 1185
 - for ordinate dimensions, 384
 - overview, 80–82
 - prompt for, 80
 - running object snaps, setting, 84–85
 - running object snaps with, 86–88
 - snapping to points, 136
 - starting, 80
 - in 3D, 657, 658–659
 - tracking, 88–92, 384
 - types, abbreviations, and uses (table), 80–81
 - using, 82–84
 - ObjectARX applications, 1177
 - oblique angle of text, 330
 - obtaining information from drawings
 - calculating area and perimeter, 302–304
 - calculating distances, 300
 - finding coordinates, 300–301
 - listing drawing status, 295–296
 - listing objects, 299–300
 - listing system variables, 296–297
 - Properties palette information for objects, 304–305
 - steps for drawing-level information, 299
 - steps for object-level information, 301–302
 - tracking drawing time, 297–298
 - ODBC Data Source Administrator dialog box, 615–616
 - ODBC data sources, configuring, 614–617
 - ODBC Driver Pack, 615
 - off layer state, 258, 268, 269
 - OFFSET command, 207–209, 799
 - OFFSETGAPTYPE system variable, 207
 - offsetting
 - hatch patterns, 1022, 1023–1024
 - objects in drawings, 207–209
 - shapes or text in complex linetypes, 1019
 - solid faces, 822–823
 - OLE objects, embedding, 944–946, 951–952
 - on layer state, 258, 268, 269
 - OOPS command, 50, 176, 526–527, 530
 - opacity maps for materials, 854
 - OpenGL driver, 840
 - opening or running. *See also* displaying or viewing;
 - showing or hiding; turning on and off
 - AutoCAD and AutoCAD LT, 15
 - calculator, 308
 - command-line switches for, 1189–1191
 - Developer Help system, 1136, 1138
 - double-clicking to edit objects, 234–235
 - drawing partially, 154
 - drawings from DesignCenter, 31–32, 871
 - drawings from earlier releases, 926
 - drawings from the Web, 958–959
 - drawings with view displayed, 154
 - existing drawings, 30–32
 - Help system, 54
 - new blank drawing, 15–16
 - new drawing based on template, 27–29
 - new drawing with minimum presets, 30
 - Options dialog box settings for, 1177
 - running script file when loading AutoCAD, 1008–1010

Continued

- opening or running (*continued*)
 - script files, 1007, 1008–1010
 - using shortcuts in dialog boxes, 32
 - VBA environment, 1134
 - VBA routines, 1143
 - Visual LISP, 1074
 - xrefs, 591
 - operators
 - Boolean, for queries, 638–639
 - for queries, 637–638
 - for selection filters, 248, 249
 - for selection sets from queries, 643
 - VBA, 1148
 - Options dialog box
 - customizing grips, 242
 - customizing selection process, 195–198
 - Display tab, 1174–1176
 - Drafting tab, 301, 1185–1186
 - field settings, 353, 354
 - Files tab, 1173–1174
 - Open and Save tab, 602, 1176–1177
 - overview, 1173
 - Plot and Publish tab, 507, 1178–1179
 - Profiles tab, 1187–1189
 - Selection tab, 195–198, 242, 1187, 1188
 - setting plot-style mode, 507
 - System tab, 1179–1182
 - 3D Modeling tab, 1186–1187
 - User Preferences tab, 353, 354, 1182–1185
 - Options toolbar (In-Place Text Editor), 334–335
 - OR logical operator for selection filters, 249
 - Or query operator, 639
 - ordinate dimensions, 383–386
 - organizing drawings. *See also* sheet sets (AutoCAD)
 - archiving drawings, 916
 - drawing management programs, 917
 - finding drawings, 917–918
 - keeping track of referenced files, 921–923
 - specifying drawing properties, 918
 - orientation
 - for plotting and printing, 102
 - for text, 330
 - orthogonal lines
 - changing endpoints, 188
 - defined, 67, 70
 - editing dimensions with grips and, 400
 - MIRROR command and, 200
 - ordinate dimensions and, 384
 - ortho mode for, 70
 - Quick Start example, 7
 - relative Cartesian coordinates for, 67
 - STRETCH command and, 222
 - turning ortho mode on and off, 70
 - OSNAPS. *See* object snaps
 - ovals. *See* ellipses
 - overhang settings for visual styles, 693–694
 - OVERKILL command (Express Tools), 227
 - overlying xrefs, 590
 - overriding
 - dimension styles, 430–431
 - Dynamic Input settings for coordinates, 64
 - polar coordinate settings, 85–88
- ## P
- Page Setup dialog box, 495–497, 515–516
 - Page Setup Manager, 495
 - palettes. *See* Dashboard (AutoCAD); tool palettes
 - PAN command, 140
 - panning
 - with Aerial View, 147–148
 - defined, 140
 - in DVIEW, 715
 - mouse wheel for, 140
 - PAN command for, 140
 - real-time panning, 140, 141
 - scroll bars for, 140–141
 - switching between zooming and, 144, 146
 - in 3D orbit, 702
 - paper for printing, 103, 105–106
 - paper space layout. *See also* sheet sets (AutoCAD)
 - adding text, 502–503
 - attaching plot-style table, 512–513
 - creating a new layout, 494–506
 - defined, 101
 - dimensioning, 503
 - entering paper space, 489
 - Express Tools for (AutoCAD), 502
 - floating viewports for, 488, 497–502
 - importing settings from earlier releases, 497
 - inserting paper space objects, 533
 - inserting title block, 497
 - Layout Wizard for, 489–493
 - managing layouts, 494
 - model space versus paper space, 18
 - Page Setup dialog box, 495–497
 - Page Setup Manager, 495
 - preparing layers, 497
 - saving layout template, 503–504
 - scales and, 102
 - setting hidden and shaded views, 501–502
 - setting layer visibility in viewport, 501
 - setting viewport size, placement, and display, 500–501
 - shortcut menu commands, 494
 - steps for, 504–506
 - switching to model space, 488, 489, 499–500
 - for 3D drawings, 716–721
 - viewport scale for, 500
 - paragraph (multiline) text. *See also* In-Place Text Editor
 - Background Mask dialog box, 336, 337
 - bullets and numbered lists, 336
 - creating, 333, 341–343
 - editing, 340
 - Indents and Tabs dialog box, 335–336
 - In-Place Text Editor for, 333–340
 - labels as, 632

- line spacing, 320, 339
- multilines versus multiline text, 333
- width of, 330
- parallel views
 - displaying projections, 697
 - for flattening 3D drawings, 719
 - in 3D orbit, 703
- parameters for dynamic blocks
 - action prompt options, 551
 - adding, 548–550
 - defined, 545
 - exclamation point next to, 549, 552
 - lookup parameters, 554–555
 - parameter sets, 555
 - table summarizing, 548
 - visibility parameters, 552–554
- parentheses [O]
 - enclosing commands (AutoLISP), 1091
 - matching (Visual LISP), 1042
 - in queries, 639
- Partial Open dialog box, 154
- parts libraries, blocks and, 523
- password protection, 919
- PASTE command (Windows), 181
- Paste Special
 - into another application, 948–949
 - converting pasted objects, 948
 - data types available, 947
 - for embedding objects, 945, 951
 - for linking data, 949, 951, 953
 - pasting data into drawings, 946–948
- Paste Special dialog box, 946–947
- PASTEBLOCK command, 562
- PASTECLIP command, 181, 562
- PASTESPEC command, 946–949, 951–953
- PAUSE function (AutoLISP), 1106
- PCP/PC2 plot configuration files, 508, 509
- PC3 plot configuration file, 964–965, 985
- PDF format, exporting to, 931–932
- PEDIT command, 445–448, 736–737, 1002
- pedit macro, 1000, 1002
- Pend AutoLISP program (on the CD), 227, 1209
- performance
 - speeding display of large xrefs, 601–603
 - in 3D orbit mode, 698
 - Walk mode and (AutoCAD), 707
- perimeter, calculating, 302–304
- PERSPECTIVE system variable, 697
- perspective views
 - creating with DVIEW, 713–716
 - displaying projections, 697
 - plan view versus, 649–650
 - standard isometric views, 679
 - in 3D orbit, 703
- PICKADD system variable, 244
- pickbox
 - defined, 18
 - Noun/Verb Selection off and, 198
 - picking an object, 174, 175
 - setting size of, 198
- PLAN command, 679, 689
- plan view
 - bottom view, 678
 - EXPLAN command for, 689
 - perspective view versus, 649–650
 - PLAN command for, 679, 689
 - point of reference and, 675–676
 - returning to, 690
 - returning when changing UCS, 690
 - top view, 677, 679
- plane surfaces, creating, 734–735
- PLANESURF command, 734–735
- PLINE command, 441–445
- PLINEGEN system variable, 443
- Plot and Publish Details report, 519
- plot configuration files
 - keeping track of, 921–923
 - PC3 file for custom settings, 964–965, 985
 - for plot-style tables, 508, 509
- Plot dialog box, 515–516, 518–519
- plot stamp, creating, 518
- Plot Style Table Editor, 508, 510–512
- plot styles
 - Add Plot Style Table Wizard, 509–510
 - attaching plot-style table to layout, 512–513
 - color-dependent, 507–508, 509, 510
 - creating a plot-style table, 509–510
 - defined, 506
 - editing a plot-style table, 510–512
 - named, 507, 508, 509–510
 - overview, 506–507
 - setting default plot-style table, 507
 - setting plot-style mode, 507
 - setting plot-style property for layer or object, 513
 - steps for creating and applying, 513–515
 - steps for using, 506–507
 - viewing effects of, 513
- Plot Styles folder, 508
- PLOTSTAMP command, 518
- plottable layer state, 258, 269, 270
- Plotter Configuration Editor, 1193–1195
- Plotter Manager, 1193
- plotter or printer
 - choosing, 516
 - configuring, 517–518, 1193–1195
- plotting and printing
 - choosing a plotter/printer, 516
 - configuring your plotter, 517–518
 - creating a plot stamp, 518
 - creating the plot, 518–519
 - draft plot, 487
 - DWF files, 976–977
 - large number of drawings for multiple layouts, 519
 - layer states and plottability, 258, 269
 - layout in paper space, 488–506

Continued

- plotting and printing (*continued*)
 - merging overlapping objects, 516
 - from model space, 488
 - orientation for, 102
 - Page Setup dialog box, 495–497
 - Plot and Publish Details report, 519
 - plot styles for, 506–515
 - preparing a drawing for, 487–488
 - previewing your plot, 518
 - Quick Start example, 10–11
 - scale for, 102–106
 - sheet sets (AutoCAD), 912
 - specifying plot settings, 516
 - standard paper sheet sizes, 103
 - starting plotting, 515–516
- plus sign (+)
 - for addition function (AutoLISP), 1083
 - for menu macros, 1046
- PNGOUT command, 932
- POINT command, 136–137
- point filters
 - in 3D, 657, 658–659
 - in 2D, 92–93
- point lights, 838–841, 846
- Point Style dialog box, 135, 136
- Pointer Input Settings dialog box, 62–63
- POINTLIGHT command, 843–844
- points
 - BLIPMODE system variable and, 136
 - breaking lines at, 224, 225–226, 227
 - creating, 136–137
 - DIVIDE and MEASURE commands and, 135
 - DVIEW options, 715
 - finding coordinates for, 300–301
 - locating, 88–94
 - setting style for, 135–136
 - uses for, 135
- polar arrays
 - in 3D, 806–807
 - in 2D, 203–205, 206
- polar coordinates. *See also* Cartesian coordinates
 - as default for subsequent points, 62
 - defined, 68
 - direct distance entry, 70, 72–73
 - display modes, 74–75
 - From feature, 93–94
 - locating points, 88–94
 - object snap tracking, 88–92
 - object snaps (OSNAPS), 80–85
 - orthogonal (ortho) mode, 70, 72–73
 - overriding settings, 85–88
 - overview, 68–69
 - picking on the screen, 75–85
 - polar tracking, 70–73
 - relative, dynamic display for, 74
 - relative, running object snaps and, 88
 - relative, using, 68–69
 - snap settings, 75–79
 - temporary tracking feature, 92
 - toggle settings, 85–86
- polar override angle, 72
- polar tooltips, 70
- polar tracking
 - customizing, 71–72
 - increment angle, 71
 - overview, 70–71
 - polar override angle, 72
 - setting angles, 71–72
 - turning on and off, 71
 - using, 72–73
- PolarSnap, 76–77, 177
- Polydis program (on the CD), 1209
- polyface meshes, drawing, 730–734
- POLYGON command, 116, 207, 441
- polygon meshes
 - box, 737–738, 745
 - cone, 741, 746
 - dish, 743, 746
 - dome, 742–743
 - PEDIT options for, 736–737
 - pyramid, 739–741, 746–747
 - sphere, 742, 746
 - standard 3D shapes, 737–747
 - steps for drawing, 745–747
 - 3D Mesh, 744–745
 - 3DMESH command for, 735–737
 - torus, 744
 - wedge, 738–739, 746
- polyline-like solids (polysolids), 784–786
- polylines
 - BOUNDARY command for creating, 302–303, 455–457
 - converting arcs and lines to, 445–446
 - converting to splines, 448
 - creating in 3D, 659–660
 - defined, 115, 116, 207, 441
 - donuts as, 133
 - drawing with PLINE command, 441–445
 - editing with PEDIT command, 445–448
 - editing with Properties palette, 447
 - linetypes and, 443
 - OFFSET command and, 207
 - polygons as, 116, 207
 - rectangles as, 115, 207
 - regions versus, 453
 - steps for drawing, 443–445
 - using command options for, 45
- POLYSOLID command, 441, 784–786
- polysolids (polyline-like solids), 784–786
- Position Locator window, 705–706
- pound symbol (#) for absolute coordinates, 64, 65
- PowerPoint (Microsoft), inserting AutoCAD as ActiveX component in, 950
- PRESSPULL command, 791–792, 793, 829

- previewing
 - plots, 518
 - Quick Start example, 10–11
 - selections, options for, 196
 - tiled viewports, 156–157
 - PRINC function (AutoLISP), 1113
 - Print dialog box, 976–977
 - printers and printing. *See* plotter or printer; plotting and printing
 - PROGN function (AutoLISP), 1102–1103
 - projections, displaying, 697
 - PROMPT function (AutoLISP), 1113
 - prompts for attributes, order of, 567
 - prompts for commands
 - Drafting Settings for, 64
 - LINE command, 113
 - object snaps (OSNAPS), 80
 - responding to, 43–45
 - Select objects: options, 189–193
 - transparent commands, 51
 - Properties dialog box (for drawings), 918
 - properties, matching, 291–293, 1112–1113
 - Properties palette
 - auto-hide feature, 243
 - block properties, changing, 532
 - changing values in, 244
 - color of objects, changing, 281–282
 - dimensions, editing, 399
 - docking, 243
 - double-clicking objects to open, 234
 - light color, changing, 841
 - lights, editing, 845
 - linetype of objects, changing, 282–283
 - linetype scale of objects, changing, 289
 - lineweight of objects, changing, 283–284
 - object information from, 304–305
 - objects selected and information in, 244
 - opening, 242
 - PICKADD Sysvar button, 244
 - polylines, editing, 447
 - properties of objects, changing, 314–315
 - Quick Select button, 245
 - QuickCalc calculator in, 314–315
 - resizing the window, 243
 - Select Objects button, 244–245
 - splines, editing, 452
 - text, changing, 326, 327–328
 - undo function, 243
 - using, 243–245
 - Properties toolbar
 - Color Control drop-down list, 281
 - Linetype Control drop-down list, 282, 283
 - Lineweight Control drop-down list, 283–284
 - status information on, 296
 - Property Lookup Table dialog box, 554–555
 - Property Settings dialog box, 292
 - PROPULATE command (Express Tools), 918
 - prototypes, saving drawings as, 32
 - PUBLISH command, 963–964, 966, 969
 - +PUBLISH command, 967
 - PUBLISH command, 967
 - Publish dialog box, 924–925, 966–968
 - Publish Options dialog box, 968
 - Publish to Web Wizard, 970–973
 - publishing
 - drawings on the Web, 963–979
 - editing Web pages, 973
 - Publish to Web Wizard for, 970–973
 - sheet sets (AutoCAD), 912
 - PUBLISHTOWEB command, 964
 - puck, using, 51–53
 - PURGE command, 527
 - Purge dialog box, 278–279
 - purging. *See also* deleting or erasing
 - blocks, 527
 - layers and linetypes, 278–279
 - PYRAMID command, 773
 - pyramid polygon meshes, 739–741, 746–747
 - pyramid solids, 772–773
- ## Q
- QC command, 308
 - QDIM command. *See* Quick Dimension (AutoCAD)
 - QLATTACH command, 389
 - QLEDETACHSET command, 389
 - QLEADER command, 320, 386–391
 - QNEW command, 27–28
 - QSELECT command, 537
 - QTEXT command, 355–356
 - Query Editor
 - creating selection sets, 642–644
 - importing and exporting queries, 644
 - opening, 636
 - Query Builder tab, 638–640
 - query operators, 637–638
 - Quick Query tab, 636–638
 - Range Query tab, 638
 - SQL Query tab, 640–641
 - steps for creating queries, 642
 - storing queries, 644
 - uses for, 635–636
 - question mark (?) in dialog box top-right corner, 38
 - Quick Dimension (AutoCAD)
 - creating dimensions, 391–394
 - editing dimensions, 399–400
 - Quick Select dialog box, 245–247
 - Quick Start (window drawing example), 3–12
 - QuickCalc calculator
 - buttons for often-used tasks, 310
 - calculating numbers, 309–310
 - converting units, 313
 - coordinates in expressions, 311
 - entering numbers from numerical pad, 308
 - feet and inches in, 310, 311
 - History area, 308

Continued

- QuickCalc calculator (*continued*)
 - mathematical functions, 312–313
 - object snaps in expressions, 311–312
 - overview, 308–309
 - in Properties palette, 314–315
 - scientific calculator, 312–313
 - starting, 308
 - steps for using, 315–316
 - variables in expressions, 313–314
 - window versus palette, 308
- QUICKCALC command, 308, 315–316
- Quickkey replacement for acad.pgp (on the CD), 990, 1209
- Quickstart links, 54
- Quicktext, 355–356
- quitting. *See* closing or exiting
- R**
- rad function (QuickCalc), 313
- radial dimensions, 379, 382–383
- raster images
 - clipping, 940
 - controlling display of, 940–942
 - formats supported, 937
 - inserting, 938
 - inserting from DesignCenter, 871–872
 - managing, 939–940
 - steps for working with, 942–943
 - uses for, 937
- rays, drawing, 120–121
- read-only files, changing attribute for, 1204–1205
- read-only system variables, 296
- real-time panning, 140, 141
- real-time zooming, 142, 146
- Recent program (on the CD), 1209
- RECOVER command, 924
- RECTANG command, 115, 117, 441
- rectangles, drawing, 115, 117–118
- rectangular arrays
 - inserting blocks in, 537
 - in 3D, 804–805
 - in 2D, 201–203, 205–206
- REDO command, 49
- redoing commands, 49–50, 1185
- REDRAW command, 135, 139
- redrawing, 135, 139
- REFEDIT command, 234
- Refedit toolbar, 596
- Reference Edit dialog box, 234, 595–596
- Reference Manager, 922
- referencing other drawings. *See* xrefs (external references)
- REGEN command, 139, 140, 355, 662
- REGENALL command, 140
- regenerating
 - defined, 139
 - layer states and, 258
- Quicktext and, 355
- redrawing versus, 139–140
- REGION command, 454–455, 458, 775
- regions
 - BOUNDARY command for creating, 302–303, 454, 455–457
 - combining, subtracting, and intersecting, 454
 - defined, 453
 - extracting edges with XEDGES, 454, 763
 - polylines versus, 453
 - pressing or pulling, 791–792, 793
 - REGION command for creating, 454–455
- REINIT command, 992
- relational operators for selection filters, 248
- relative Cartesian coordinates. *See also* Cartesian coordinates
 - absolute coordinates versus, 69
 - defined, 67
 - entering, 66–67
 - for orthogonal lines, 67
 - overriding Dynamic Input settings to use, 64
 - running object snaps and, 88
 - 3D coordinates, 652
- relative cylindrical coordinates, 653
- relative polar coordinates. *See* polar coordinates
- relative spherical coordinates, 654
- Release 14 configuration files, 508, 509
- removing. *See* deleting or erasing
- renaming. *See also* names
 - dimension styles, 406
 - drawings in dialog boxes, 32
 - groups, 253
 - layers, 278
 - named objects to maintain standards, 895
 - text styles, 330
 - tool palettes, 880, 1003
 - views, 152
- Render Environment dialog box, 858
- RENDERCROP command, 836–837
- rendering (AutoCAD)
 - backgrounds, 858–859
 - basic steps for, 836
 - default render, 836–837
 - final render, 859–863
 - foggy landscapes, 858
 - lights, 838–848
 - listing render statistics, 863
 - materials, 849–859
 - overview, 835–837
 - saving rendered images, 863
- RENDERPRESETS command, 859
- repeating commands, 46, 47
- resizing drawing objects. *See also* scaling objects
 - EXTEND command for, 216–218
 - LENGTHEN command for, 219–221
 - SCALE command for, 186–187
 - scaling with grips, 238–239, 241

- STRETCH command for, 221–223
 - TRIM command for, 212, 213–216
 - resizing interface objects
 - Layer Properties Manager dialog box, 260
 - maximizing and minimizing viewports, 499–500
 - pickbox, 198
 - Properties palette, 243
 - resources for AutoCAD and AutoCAD LT. *See also*
 - Internet resources
 - Autodesk User Groups (AUGs), 1199
 - blogs, 1202
 - learning and education, 1197–1198
 - Links folder for (on the CD), 1205
 - technical support, 1199
 - Web sites, 1200–1202
 - restoring
 - erased objects, 50, 176
 - layer states, 271
 - saved UCS, 164–165
 - viewport configurations, 159, 160
 - RESUME command, 1012
 - revision cloud, creating, 232–233
 - REVOLVE command, 751–752, 780–781
 - revolved solids, 780–781
 - revolved surfaces
 - determining angle of rotation, 748–749
 - path curve for, 747–748
 - REVOLVE command for, 751–752
 - REVSURF command for, 747–751
 - setting number of segments, 749–750
 - steps for drawing, 750–751
 - REVSURF command, 747–751
 - RGB color model, 262, 840
 - right arrow after menu commands, 36
 - right view, 678
 - right-clicking, customizing, 36. *See also* shortcut menus
 - rollover highlighting, 174, 196
 - ROTATE command, 183–186, 478, 799, 807
 - ROTATE3D command, 807–808, 809
 - rotating. *See also* 3D orbit (AutoCAD)
 - blocks, and inserting with `Inset`, 574
 - drawings with custom UCS, 163
 - drawings with snap rotation, 161–162
 - grips for, 238, 241
 - linear dimensions, 371–372
 - objects around base point, 183–186
 - presetting rotation while inserting blocks, 534
 - shapes or text in complex linetypes, 1019
 - solid faces, 823
 - text, 323, 326, 340
 - 3D objects, 807–810
 - twisting in `DVIEW`, 715
 - viewpoints with `VPOINT` command, 677
 - rounding corners, 196, 229–232, 815–817. *See also* chamfering corners
 - RPREF command, 837, 859
 - RSCRIPT command, 1012
 - RTEXT command (Express Tools), 358
 - Rtltscl program (on the CD), 1209
 - `rtos` function (AutoLISP), 1085
 - ruled surfaces, 756–758
 - RULESURF command, 756–758
 - running. *See* opening or running
 - running object snaps
 - setting, 84–85
 - using with `OSNAP` mode, 86–88
- ## S
- `sample.cus` custom dictionary file, 984
 - Save Drawing As dialog box, 23–24, 33–34, 602
 - Save Multiline Style dialog box, 474
 - SAVEALL command (AutoCAD), 25
 - `savea.lsp` floppy backup program (on the CD), 25, 916, 1209
 - Saveas Options dialog box, 602–603
 - saving
 - all open drawings, 25
 - AutoLISP routines in files, 1086–1088
 - blocks as files, 528–530
 - creating backup with each save, 1177
 - custom UCS, 164–165
 - database changes (committing), 624
 - drawing for first time, 23–25
 - drawing under new name, 33–34
 - drawings in earlier formats, 926
 - dynamic blocks, 555
 - to floppy with `savea.lsp`, 25, 916
 - frequency for, 23
 - layer states, 270–271
 - layout template, 503–504
 - multiline styles, 474
 - Options dialog box settings for, 1176–1177
 - prototypes, 32
 - rendered images, 863
 - selection filters, 250
 - storing queries, 644
 - templates, 108–109
 - using shortcuts in dialog boxes, 32
 - VBA routines in files, 1142–1143
 - viewport configurations, 158–159
 - views, 148–152
 - walk as a movie file, 708–709, 711–712
 - SCALE command, 186–187, 478, 799
 - scale list, customizing, 104–105, 1184
 - scales for drawings
 - customizing the scale list, 104–105, 1184
 - determining scale and sheet size, 105–106
 - factor, 103–104
 - formats for, 103–104
 - overview, 102–103
 - paper sheet sizes and, 103
 - scale factor for dimension features, 420
 - viewport scale for layout, 500

- scales for linetypes
 - factors affecting, 286
 - global scale, 287–288
 - linetypes and pattern spacing, 286–287
 - object scale, 288–289
 - steps for changing, 289–290
- SCALETEXT command, 326–327, 328
- scaling objects. *See also* resizing drawing objects
 - adjusting scale of inserted content, 879
 - creating copy of original, 186
 - grips for, 238–239, 241
 - hatches, 460
 - presetting scale while inserting blocks, 534
 - reference length for, 186–187
 - SCALE command for, 186–187
 - shapes or text in complex linetypes, 1019
 - text, 326–327, 328
- scanned images. *See* raster images
- schedules. *See* tables
- scientific calculator, 312–313. *See also* QuickCalc calculator
- scientific units, 97
- .scr script files, 985
- screen menu, 35, 1065
- script files
 - characteristics, 1005
 - creating macros with, 1005–1010
 - creating script files, 1005–1007, 1010
 - creating slide shows with, 1011, 1012–1013
 - executing on multiple drawings, 1007
 - running, 1008–1010
 - TEXT command for, 319
- scroll bars, panning with, 140–141
- SDI (single-document interface) system variable, 1009
- SE isometric view, 679
- Search window, 869–870
- SECTION command, 794–795
- sectioning solids, 794–796
- SECTIONPLANE command, 795–796
- security
 - digital signatures, 919–921
 - password protection, 919
- Select Color dialog box, 261–264
- SELECT command, 193
- Select External Reference File dialog box, 590
- Select File dialog box, 30–31, 32
- Select Linetype dialog box, 264
- SELECT statement in queries, 642
- Select Template dialog box, 27, 28
- selecting objects
 - Add option, 192
 - all block instances from drop-down list, 537
 - ALL option, 190
 - Associative Hatch option, 198
 - AUto option, 192
 - BOX option, 190
 - after choosing a command, 189–193
 - before choosing a command, 174, 193, 196–197
 - Class option, 193
 - commands and order of selection, 196–197
 - CPolygon (Crossing Polygon) option, 192
 - Crossing option, 189–190, 191
 - customizing the process, 195–198
 - cycling through objects, 193
 - dashed lines for selected objects, 174
 - deselecting, 192
 - for dimensioning, 367
 - exercise on, 193–195
 - Fence option, 190–192
 - Group option, 192
 - implied windowing, 193, 197–198
 - Last option, 189
 - Multiple option, 192
 - Noun/Verb Selection option, 196–197, 198
 - object grouping and, 198
 - Options dialog box settings for, 1187, 1188
 - pickbox for, 174, 175, 198
 - pickbox size for, 198
 - Press and Drag option, 197
 - previewing, options for, 196
 - Previous option, 192
 - Remove option, 192
 - rollover highlighting for, 174, 196
 - selection rectangle for, 196
 - Shift to Add to Selection option, 197
 - Single option, 193
 - subselecting solids, 800–801
 - 3D coordinates and, 654
 - Undo option, 192
 - Window option, 189, 190
 - WPolygon (Window Polygon) option, 192
 - xrefs to edit, 595–596
- selection filters
 - FASTSELECT command, 247
 - FILTER command, 247–251
 - GETSEL command, 247
 - Quick Select, 245–247, 251
 - uses for, 245
 - using, 250–251
- selection sets
 - creating with AutoLISP, 1106–1108
 - creating with Link Select, 642–644
- semicolon (;)
 - for comments in customizable files, 989
 - for comments in Visual LISP, 1111
 - for menu macros, 1046
- separating solids, 830
- setting up a drawing
 - angle measure and direction, 99–100
 - angle types, 99, 100
 - common setup options, 107–108
 - customizing with MVSETUP (AutoCAD), 109
 - limits, 100–102
 - scales, 102–106
 - setting drawing aids and creating a template, 108–109

- system variables, 107
 - title block, 106
 - unit types, 97–98, 100
 - wizards for, 109
- SETVAR command, 196, 297, 299
- Sfld program (on the CD), 1209
- SHADE command (AutoCAD LT), 694–695
- shaded views, 502
- SHADEEDGE system variable, 695
- SHADEMODE command (AutoCAD LT), 690, 694
- shading drawings. *See* visual styles (AutoCAD)
- shading options in AutoCAD LT, 694–695
- shadows
 - point light options for, 839
 - steps for creating, 845–848
 - sun simulation for, 842–844
- SHAPE command, 1028
- shape files
 - blocks versus, 1027
 - creating, 1027, 1028–1035
 - editing, 1036
 - length and direction codes, 1029–1030
 - parts of a shape definition, 1028–1029
 - script alef example, 1033–1034
 - squared-off alef example, 1032–1033
 - supplemental shape codes, 1030–1032
 - uppercase P example, 1034–1035
 - using, 1027–1028
- shapes. *See also* polygon meshes; solids
 - basic solids, 766–775
 - calculating area and perimeter, 302–304
 - chamfering corners, 227–229
 - circles, 123–126
 - complex linetypes using, 1017–1021
 - donuts, 133–134, 136–137
 - ellipses, 130–133
 - polygons, 116–118
 - rectangles, 115, 117–118
 - rounding corners, 229–232
 - standard 3D polygon meshes, 737–747
- shareware, 1210
- Sheet Set Manager, 896–897
- Sheet Set Properties dialog box, 900–902
- sheet sets (AutoCAD)
 - adding and managing, 906–907
 - archiving, 912
 - configuring label and callout blocks, 905–906
 - configuring title-block text, 903–905
 - creating list of, 913–914
 - creating sheet sets, 897–902, 907–911
 - creating subsets, 902
 - creating viewports from named views, 911
 - eTransmitting, 912–913
 - inserting callout blocks, 912
 - overview, 895–896
 - plotting and publishing, 912
 - setting properties for, 900–902
 - setting up references, 902–907, 909–910
 - using, 911–915
 - views with, 155
- shelling solids, 830
- Shift key shortcuts. *See* keyboard shortcuts
- shortcut keys. *See* keyboard shortcuts
- Shortcut Keys dialog box, 1065–1066
- shortcut menus
 - customizing, 1057–1062
 - In-Place Text Editor, 335–337
 - object menus, creating, 1058–1060, 1061–1062
 - in paper space, 494
 - 3D orbit, 697
 - user preferences, 1182
 - using, 36
- shortening objects
 - BREAK command for, 224, 225–226, 227
 - LENGTHEN command for, 219–221
 - TRIM command for, 212, 213–216
- showing or hiding. *See also* displaying or viewing
 - auto-hiding palettes, 39
 - command line, 41, 64
 - hiding lines, 662
 - Properties palette auto-hide feature, 243
 - SOLDRAW command for hidden lines, 717–718
 - Text Window, 19
 - title bar, toolbars, palettes, and status bar, 18
 - wipeout for hiding objects, 233–234
- .shp shape files, 985
- simple linetypes, 1015–1017. *See also* linetypes
- single prime or apostrophe (')
 - for feet, 116
 - preceding transparent commands, 51
 - for VBA comments, 1141
- single-document interface (SDI) system variable, 1009
- SKETCH command, 480–482
- slash (/)
 - division function (AutoLISP), 1083
 - not equal function (AutoLISP) (/=), 1085
 - specifying path (AutoLISP), 1076
- SLICE command, 762, 796–799
- slicing solids, 762, 796–799
- slide libraries, 1013–1014
- slide shows
 - creating slides, 1011–1012
 - script files for, 1011, 1012–1013
 - viewing slides, 1011, 1012
- SLIDELIB utility, 1014
- SNAP command, 75
- snap to grid feature
 - displaying grid for, 75, 77–78
 - Isometric mode, 168–171
 - limitations of, 75
 - PolarSnap for, 76–77
 - setting up a drawing with, 108
 - settings for, 75–76, 77
 - snap rotation, 161–162
 - turning on and off, 76
 - using, 78–79

- SNAPANG system variable, 161
- SNAPBASE system variable, 161
- SOLDRAW command, 717–718
- SOLID command, 470–471
- solid history, 792, 793
- SOLIDCHECK system variable, 822
- SOLIDEDIT command
 - adding material to a face, 826
 - checking solids, 830
 - cleaning solids, 830
 - coloring solid edges, 828
 - coloring solid faces, 825–826
 - copying solid edges, 828
 - copying solid faces, 825
 - deleting solid faces, 823
 - editing bodies (solids as a whole), 828–831
 - extruding solid faces, 821–822
 - imprinting solids, 828–829
 - moving solid faces, 822
 - offsetting solid faces, 822–823
 - overview, 821
 - rotating solid faces, 823
 - separating solids, 830
 - shelling solids, 830
 - steps for editing bodies, 831
 - steps for editing faces, 826–827
 - steps for editing solid bodies, 831
 - steps for editing solid faces, 826–827
 - tapering solid faces, 824–825
- solidly filled areas, creating, 470–471
- solids. *See also* editing in 3D; SOLIDEDIT command
 - basic shapes, 766–775
 - box, 766, 768
 - combining, 787
 - complex solids, 786–793
 - cone, 769–770, 774
 - controlling display of, 767
 - converting into boundary representation, 793
 - converting polyline figures to, 662
 - converting to wireframes, 654
 - cylinder, 771, 774
 - extruded solids, 775–778
 - Hidden Line Settings dialog box and, 663–665
 - INTERFERE command for, 788–789
 - intersecting, 788
 - listing properties, 832
 - lofted solids, 781–783
 - polyline-like (polysolids), 784–786
 - pressing or pulling a region, 791–792, 793
 - pyramid, 772–773
 - revolved solids, 780–781
 - sectioning, 794–796
 - slicing, 762, 796–799
 - solid history for, 792, 793
 - sphere, 770, 774
 - steps for drawing, 773–775
 - subselecting, 800–801
 - subtracting, 787–788
 - swept solids, 778–779
 - thickening surfaces into, 761
 - torus, 771–772
 - uses for, 765
 - wedge, 768–769
- SOLPROF command, 718–719
- SOLVIEW command, 716–717
- Sort dialog box, 621, 622
- sorting
 - database records, 621, 622
 - layer columns, 276
- Spacebar
 - cycling through grip commands with, 236
 - repeating commands with, 46
- spatial indexes for xrefs, 601–603
- special characters. *See also specific characters*
 - codes for, 323–324
 - for menu macros, 1046
- speed. *See* performance
- SPELL command, 360
- spelling checker, 360–363
- sphere polygon meshes, 742, 746
- sphere solids, 770, 774
- spherical coordinates, 653–654
- spirals, creating, 660–661
- SPLFRAME system variable, 726
- SPLINE command, 448–450
- SPLINEDIT command, 450–452
- splines
 - converting polylines to, 448
 - creating with SPLINE command, 448–450
 - defined, 441
 - editing with Properties palette, 452
 - editing with SPLINEDIT command, 450–452
 - as NURBS, 448
- spotlights, 841, 846–847
- Sqrt square root function (AutoLISP), 1083
- SSGET selection-set function (AutoLISP), 1106
- SSLENGTH selection-set function (AutoLISP), 1106
- SSNAME selection-set function (AutoLISP), 1106
- S:STARTUP functions (AutoLISP), 1091, 1093–1094
- stacked fractions, creating, 337–338
- Standards Audit Report, 889
- STANDARDS command, 886
- standards for drawings
 - associating standards file with drawings, 886
 - CAD Standards tools, 885–887, 889–891, 892
 - checking a drawing against standards, 886–887, 889
 - checking multiple drawings, 888–889
 - Communication Center feature, 894
 - creating a standards file, 885
 - notifications for violations, 890
 - outside conventions for, 884
 - overview, 884
 - renaming named objects, 895
 - specifying CAD standards settings, 890–891
 - translating layers, 891–892
- Standards Violation Alert message, 890

- starting. *See* opening or running
- Startup dialog box, 27
- status bar
 - customizing, 1173
 - DYN button, 45, 61, 62, 65, 66
 - GRID button, 77
 - ORTHO button, 7, 70, 72, 188
 - OSNAP button, 84, 87
 - OTRACK button, 88, 89, 90
 - overview, 19–20
 - POLAR button, 71, 72
 - showing or hiding, 18
 - SNAP button, 75, 76
 - xrefs notification message on, 607
- STATUS command (AutoCAD), 295–296, 299
- StmpPlot stamping utility (on the CD), 518, 1209
- storing. *See also* saving
 - hatch patterns, files for, 458
 - queries, 644
- STRCAT string function (AutoLISP), 1084
- STRETCH command, 212, 221–223, 401–403, 478, 799
- stretching objects with grips, 236–237, 240, 241
- strings (AutoLISP)
 - assigning to variables, 1089–1090
 - defined, 1083
 - functions, 1084–1085
 - working with, 1083–1086
- STRLEN string function (AutoLISP), 1084
- Subset Properties dialog box, 906–907
- subsets of sheet sets (AutoCAD), 902
- SUBST function (AutoLISP), 1105
- substituting blocks, 543–544
- SUBSTR string function (AutoLISP), 1084
- Subtract A-B logical operator for selection sets, 643
- Subtract B-A logical operator for selection sets, 643
- SUBTRACT command, 454, 787–788
- subtracting solids, 787–788
- Sun Properties palette, 843–844
- sun simulation, 842–844, 847–848
- SUNPROPERTIES command, 843
- SUPERHATCH command (Express Tools), 461
- superscripts, creating, 334
- supplemental angles, dimensioning, 381
- surfaces (AutoCAD). *See also* editing in 3D
 - converting objects to, 662, 724, 761
 - drawing between 2D objects, 76–78
 - edge surfaces, 759–761
 - extracting edges from, 763
 - extruded or tabulated surfaces, 752–756
 - Hidden Line Settings dialog box and, 663–665
 - HIDE command and, 662
 - lofting objects, 758–759
 - overview, 723–724
 - PEDIT options for 3D polygon meshes, 736–737
 - PFACE command for, 730–734
 - plane surfaces, 734–735
 - PLANESURF command for, 734–735
 - polyface meshes, 730–734
 - polygon meshes, 735–737
 - REVOLVE command for, 751–752
 - revolved surfaces, 747–752
 - ruled surfaces, 756–758
 - slicing solids with, 762, 796–799
 - standard 3D shapes, 737–747
 - thickening into solids, 761
 - thickness for 2D objects, 661–663
 - 3DFACE command for, 724–730
 - 3DMESH command for, 735–737
 - wireframes versus, 723
- SURFTAB1 system variable, 749, 753, 756, 760
- SURFTAB2 system variable, 749, 760
- SW isometric view, 679
- SWEEP command, 755–756, 778–779
- swept solids, 778–779
- switches, command-line, 1189–1191
- symbols
 - in dimension styles, 411–412
 - geometric tolerance, 436–437
 - xrefs and dependent symbols, 599–600
- system requirements
 - for AutoCAD and AutoCAD LT, 1165–1166
 - for the CD-ROM with this book, 1203–1204
- system variables. *See also specific variables*
 - for associativity of dimensions, 394
 - attribute insertion and, 571
 - AutoLISP for working with, 1095–1097
 - AutoLISP variables versus, 1096
 - for background with visual styles, 686
 - controlling current view, 697
 - controlling dialog box opening, 989, 1006, 1052
 - controlling display of solids, 767
 - controlling display of spline-fit polylines, 726
 - controlling display of WMF files, 933
 - controlling opening of drawings with errors, 924
 - controlling shading, 695
 - controlling 3D display of polylines at intersections, 663
 - controlling zooming with the wheel, 142
 - for converting closed shapes to regions, 454
 - for dimension styles, 434
 - for dimensioning drawings from earlier versions, 367
 - for edge surfaces, 760
 - entering on command line, 107
 - help information for, 107
 - for hidden text and objects, 665
 - for linetype scale, 288, 296
 - for linetypes on polylines, 443
 - listing, 296–297, 299
 - for matching UCS to orthographic viewpoint, 677
 - for mirroring text, 357
 - for number of lines in surfaces, 753, 756
 - for object snaps to DWF objects, 937
 - for offsetting objects, 207
 - for overriding dimension styles, 434

Continued

system variables (*continued*)
 overview, 107
 read-only, for information only, 296
 for retaining or deleting original objects, 776, 778, 780
 for returning to plan view when changing UCS, 690
 for revolved surfaces, 749
 for sample text, 333
 for selecting more than one object, 244
 setting, 297
 single-document interface (SDI), 1009
 for smooth transition when zooming, 143
 for snap rotation, 161
 sorting by layer name and, 276
 for 3D-face edge visibility, 726
 for time zone, 843
 toggles on drop-down menus and, 1052
 for uniform scale value, 591
 for units used by templates, 28
 for validating solids, 822
 for visual styles display (AutoCAD), 691
 for xref activity logging, 608
 for xref notification (AutoCAD), 607
 for xref type, 590

T

TABLE command, 343
 Table Style dialog box, 344
 tables. *See also* external databases (AutoCAD)
 border properties, 346
 cell margins, 346
 cell properties, 345
 changing table properties, 348–349
 changing text in, 347–348
 entering data into, 346–347
 exporting to comma-delimited format, 349–350
 formulas for cells, 347
 grips for editing, 349
 inserting, 343–344
 inserting styles from DesignCenter, 872
 specifying style for, 344–346
 steps for creating, 350–351
 TABLET command, 482–484
 tablets. *See* digitizing tablets
 TABSURF command, 752–755, 775
 tabulated surfaces, 752–754. *See also* extruded surfaces
 tapering solid faces, 824–825
 taskbar (Windows), separate buttons for drawings on, 31
 Tbls program (on the CD), 1209
 TCASE command (Express Tools), 359
 TCIRCLE command (Express Tools), 359
 TCOUNT command (Express Tools), 359
 technical support, 1199, 1211
 templates
 boilerplate text in, 29
 creating, 30, 108–109
 creating with Attribute Extraction Wizard, 582–583
 customizing the default, 29
 defined, 27
 finding location of, 106
 label templates, 632–634
 link templates, 625–627
 for materials, 852
 naming, 30
 opening drawing based on default, 27–29
 saving layout template, 503–504
 selecting for new drawing, 27, 28
 setting default for QNEW command, 27–28
 in Startup dialog box, 27
 for 3D environment, 765
 title block in, 29, 106, 491
 units saved in, 97
 temporary files, 923, 1177
 temporary tracking feature, 92
 tessellation lines, 662
 tetrahedron (pyramid) polygon meshes, 739–741, 746–747
 text. *See also* fonts; strings (AutoLISP); text styles;
 title block
 Background Mask dialog box, 336, 337
 bullets and numbered lists, 336
 changing in tables, 347–348
 codes for special characters and formatting, 323–324
 complex linetypes using, 1017–1021
 creating multiple lines as separate objects, 320
 creating paragraph (multiline) text, 333–340, 341–343
 creating single-line text with DTEXT, 319–320, 324–325
 DDEDIT command for, 234, 325–326, 327, 401–403
 for dimensions, 365, 398, 413–421
 editing dimension text, 398
 editing paragraph text, 340
 editing single-line text, 325–328
 Express Tools (AutoCAD), 358–359
 fields (AutoCAD), 351–355
 finding in drawings, 359–360
 freezing layers, 356
 height setting, 322–323
 importing, 335, 341
 Indents and Tabs dialog box, 335–336
 insertion point, 320
 justifying single-line text, 320–322, 327, 328
 JUSTIFYTEXT command for, 327, 328
 line spacing, 320, 339
 managing, 355–359
 mirroring objects and, 357
 moving to front of drawing, 337
 on paper space layout, 502–503
 programs on the CD, 320
 Properties palette for changing, 326, 327–328
 Quicktext, 355–356
 rotating, 323, 340

- scaling, 326–327, 328
- spelling checker, 360–361
- tables, 343–351
- TEXT command for, 319
- TEXT layer for, 328
- width of, 330, 339–340
- TEXT command, 319, 320
- TEXT layer, 328
- Text Style dialog box, 328–330
- text styles
 - changing for object, 332
 - creating, 328–330, 331
 - deleting, 331
 - effects (orientation, width factor, oblique angle), 330
 - fonts, font styles, and text height, 329
 - importing, 332
 - inserting from DesignCenter, 872
 - making a style current, 332
 - modifying, 331–333
 - overview, 328
 - renaming, 330
- Text Window, 19
- TEXTFIT command (Express Tools), 358
- TEXTMASK command (Express Tools), 358
- TEXTTOFRONT command, 337, 399
- TEXTUNMASK command (Express Tools), 359
- textures
 - for materials, 853–855
 - visual styles for, 695
- thawed layer state, 258, 269, 270
- THICKEN command, 761
- thickness
 - creating 2D surfaces with, 661–662
 - Hidden Line Settings dialog box and, 663–665
 - HIDE command and, 662
 - steps for working with, 666–667
 - thickening surfaces into solids, 761
 - top and bottom surfaces and, 663
- 3D coordinates. *See also* UCS (User Coordinate System); viewing 3D drawings
 - absolute, 652
 - creating helixes or spirals, 660–661
 - creating 3D polylines, 659–660
 - cylindrical, 653
 - grips with, 658
 - object snaps (OSNAPS) with, 657, 658–659
 - point filters with, 657, 658–659
 - relative, 652
 - selecting objects and, 654
 - spherical, 653–654
 - 2D commands and, 652
 - 2D counterparts for, 651
 - 2D editing commands with 3D wireframes, 654
 - UCS and, 667–674
 - using, 655–656
- 3D editing. *See* editing in 3D
- 3D environment, 765
- 3D Kitchen Plus demo (on the CD), 1207
- 3D Modeling workspace (AutoCAD)
 - opening drawings based on default template and, 29
 - Options dialog box settings for, 1186–1187
 - overview, 650–651
 - switching to 2D environment from, 16, 21
 - in 3D environment, 765
- 3D orbit (AutoCAD). *See also* Walk mode (AutoCAD)
 - adjusting camera distance, 702
 - archball use in, 699–700
 - compass in, 700
 - Constrained Orbit mode, 699
 - continuous orbit, 701
 - controlling view properties, 703
 - creating parallel and perspective views, 703
 - Free Orbit mode, 699–700
 - grid in, 700
 - panning in, 702
 - performance and, 698
 - preset views, 703
 - refining the view, 701–703
 - resetting the view after, 701
 - rotating in, 699–700
 - shortcut menu, 697
 - starting, 698
 - steps for working in, 703–704
 - as transparent command, 698
 - UCS icon in, 700
 - visual aids in, 700
 - zooming in, 702
- 3D shapes. *See* polygon meshes; solids
- 3D surfaces. *See* surfaces (AutoCAD)
- 3D template (AutoCAD), 650–651
- 3DALIGN command (AutoCAD), 209, 210–212, 810–812
- 3DARRAY command, 804–807
- 3DCONFIG command, 838, 840
- 3DDWF command, 969
- 3DFACE command, 724–730
- 3DFLY command, 704, 707. *See also* Walk mode (AutoCAD)
- 3DMESH command, 735–737. *See also* polygon meshes
- 3DMOVE command, 801, 802–803
- 3DPOLY command, 660
- 3DROTATE command, 808–809, 810
- 3dspiral program (on the CD), 1207
- 3DWALK command, 704, 705. *See also* Walk mode (AutoCAD)
- thumbnails, viewing in Select File dialog box, 31
- TIFOUT command, 932
- tiled viewports
 - characteristics, 155
 - creating configurations, 156–157, 160
 - creating viewport views, 158
 - drawing from viewport to viewport, 158
 - floating viewports versus, 159–160
 - joining, 157–158
 - naming configurations, 158, 160
 - removing, 157–158

Continued

- restoring configurations, 159, 160
 - saving configurations, 158–159
 - single viewport configuration, 155, 158
 - for 3D drawings, 704
 - uses for, 155
- TIME command, 297–298
- time, tracking for drawings, 297–298, 299
- TIMEZONE system variable, 843
- title bar, showing or hiding, 18
- title block
 - defined, 106
 - inserting an existing title block, 106
 - inserting in layout, 497
 - Quick Start example, 8–10
 - for sheet sets, 903–905
 - in templates, 29, 106, 491
- toggleing. *See* turning on and off
- TOLERANCE command, 435
- tolerance feature-control frames, 435–438
- tolerances for dimensions, 425–428, 435–438
- tool palettes. *See also* Tool Palettes window; *specific palettes and tools*
 - adding command tools, 876–878
 - adding content tools, 876
 - closing all, 18, 38
 - creating, 875–876, 881–884, 1003
 - customizing, 1002–1003
 - deleting palettes, 879, 1003
 - deleting tools from, 879
 - dragging hatches to, 459, 466–467
 - dragging objects from drawing to, 877
 - exporting, 879
 - flyouts for tools on, 40, 877
 - importing and exporting, 1003
 - locking position of, 19
 - options, 880–881
 - organizing, 881
 - organizing into groups, 1003
 - renaming, 880, 1003
 - reordering in Tool Palettes window, 879, 1003
 - setting tool properties, 878–881
 - showing or hiding, 18
 - updating tools, 880
 - using, 39–40, 881–884
- Tool Palettes window. *See also* tool palettes
 - attaching materials from, 849–850
 - copying tools, 878
 - creating a new tool palette, 875–876
 - drawing lines using, 22
 - options, 880–881
 - overview, 874–875
 - reordering tool palettes, 879, 1003
- Tool Properties dialog box, 878–881
- toolbars. *See also specific toolbars and tools*
 - adding buttons, 994–996
 - closing all, 18, 38
 - closing individually, 38
 - creating button icons, 997–998
 - creating new toolbars, 994–998
 - customizing, 992–1002
 - defining your own buttons, 996–997
 - docking and undocking, 38
 - dragging buttons to tool palettes, 877
 - flyouts for tools on, 38
 - In-Place Text Editor, 333–335
 - locking position of, 19
 - moving, 38
 - overview, 18–19, 38–39
 - partial customizable file for, 994, 1002
 - removing buttons from, 993–994
 - showing or hiding, 18
 - undoing changes, 1002
- Toolbox toolbar (VBA), 1152
- tools. *See also* tool palettes; Tool Palettes window; *specific tools*
 - copying, 878
 - creating by example, 876
 - defined, 39
 - deleting from palettes, 879
 - flyouts for, 38, 40
 - moving in or between palettes, 879
 - setting properties for, 878–881
 - updating, 880
- Tooltip Appearance dialog box, 64
- top view, 677, 679
- TORIENT command (Express Tools), 359
- torus polygon meshes, 744
- torus solids, 771–772
- tracking
 - AutoTrack settings, 1186
 - drawing time, 297–298, 299
 - object snap tracking, 88–92
 - polar tracking, 70–73
 - temporary tracking feature, 92
- translating layers, 891–892
- TRANSPARENCY command, 941, 942
- transparent commands
 - overview, 50–51
 - PAN, 140
 - 3D orbit, 698
 - ZOOM, 50–51
- trial versions of programs
 - about, 1210
 - AutoCAD LT, obtaining, 15
 - AutoCAD (on the CD), 15, 1208
- TRIM command
 - LENGTHEN command versus, 219
 - with multilines (AutoCAD), 478
 - overview, 212, 213–216
 - selecting objects before executing, 196
 - in 3D, 799, 812
- tripod, 687–688
- troubleshooting
 - CD-ROM with this book, 1210–1211
 - complex drawings, INTERFERE command for, 789
 - debugging and trapping errors (VBA), 1160–1161
 - debugging (Visual LISP), 1125–1131

- managing drawings from earlier releases, 926
 - Quick Start example, 11
 - recovering from crashes, 925–926
 - repairing corrupted drawing files, 924
 - taking care of temporary files, 923
 - using backup drawings, 925
 - TrueType fonts, 356, 1036
 - turning on and off
 - attribute visibility, 575
 - AutoTrack tooltip, 72
 - coordinate settings, toggling, 85–86
 - demand loading for xrefs, 1177
 - DesignCenter tree view, 869
 - dimension tooltip, 63
 - double-clicking to edit objects, 235
 - Dynamic Input tooltip, 41, 61
 - FILL, 133–134
 - grid display, 75, 77–78
 - grips, 242
 - ortho mode, 70
 - point lights, 839
 - polar tracking, 71
 - polar tracking vector, 72
 - Quicktext, 355
 - real-time panning, 140
 - snap to grid feature, 76
 - UCS icon display, 165
 - 2D commands
 - displaying on Dashboard, 40
 - 3D coordinates and, 652
 - using editing commands in 3D, 654, 799
 - 2D environment, switching from 3D to, 16, 21
 - 2D profiles of 3D objects
 - SOLDRAW command for, 717–718
 - SOLPROF command for, 718–719
 - 2D representations of 3D drawings, 719–721
 - TXTEXP command (Express Tools), 359
 - Txtexpnt program (on the CD), 1210
 - Txtstack program (on the CD), 1210
 - TXT2MTXT command (Express Tools), 359
 - txt2mtxt program (on the CD), 320, 1209
- ## U
- U direction, 855
 - UCS dialog box, 164–165
 - UCS icon
 - Cartesian coordinates and, 59
 - controlling display of, 165–166
 - default display, 163
 - overview, 18
 - in 3D, 668
 - in 3D orbit, 700
 - 2D versus 3D version, 59
 - viewpoints and, 668
 - UCS (User Coordinate System). *See also* Cartesian coordinates; polar coordinates; 3D coordinates; viewing 3D drawings
 - changing dynamically (AutoCAD), 670–671
 - changing to match orthographic views, 677
 - controlling the UCS icon, 165–166
 - creating UCSs, 163, 164, 671–674
 - Face option, 669
 - Object option, 669
 - options, 163–164
 - Origin option, 670
 - overriding to use World Coordinate System, 64
 - restoring a saved UCS, 164–165
 - returning to plan view when changing, 690
 - rotating drawings with custom UCS, 163
 - saving a custom UCS, 164–165
 - snap rotation, 161–162
 - 3D coordinates and, 667–674
 - 3Point option, 670
 - using a custom UCS, 166–168
 - View option, 670
 - X option, 670
 - Y option, 670
 - Z Axis Vector option, 670
 - Z option, 670
 - UCSFOLLOW system variable, 690
 - UCSICON system variable, 1052
 - UCSORTHO system variable, 677, 684, 685
 - underscore (_) before commands, 45, 1079
 - UNDO command, 48, 49, 527
 - undocking toolbars, 38
 - undoing
 - commands, 47–48, 49–50
 - COPY command option for, 179
 - dlines (AutoCAD LT), 480
 - EXTEND command, 217
 - grip edits, 236, 238, 239, 240
 - history deleted due to bugs, 592
 - multiline text edits, 334
 - OFFSET command, 208
 - PEDIT command, 445
 - PLINE command, 442, 443
 - Properties palette function for, 243
 - selections, 192
 - solid edits by deleting faces, 823
 - SPLINEDIT command, 451
 - toolbar changes, 1002
 - TRIM command, 214
 - user preferences for, 1185
 - ZOOM and PAN commands, 144
 - Unicode fonts, 1036
 - UNION command, 454, 787, 799
 - Union logical operator for selection sets, 643
 - units
 - alternate, for dimensions, 423–424
 - angle measure and direction, 99–100
 - angle types, 99
 - in calculator expressions, 310, 311
 - converting with calculator, 313
 - coordinates and, 60, 98
 - default for inserted objects, 1183
 - MEASUREINT system variable for, 28
 - measurement notation and, 60

- units (*continued*)
 - primary, for dimensions, 421–423, 424–425
 - setting for a drawing, 98, 100
 - setting for default template, 29
 - types of, 97–98
 - Windows Desktop units setting, 422
 - unloading
 - customizable files, 1040–1043
 - partial customizable file for toolbars, 1002
 - raster images, 939
 - unlocked layer state, 258, 269, 270
 - updating
 - blocks, 543–544
 - Communication Center feature for, 894
 - dimensions, 431
 - drawing properties, 918
 - fields, 354
 - tools, 880
 - upside down text, 330
 - User Coordinate System. *See* UCS
 - user forms (VBA)
 - adding button labels, 1156
 - adding command buttons, 1154, 1156
 - adding other controls, 1156
 - changing properties, 1152–1153
 - coding command buttons, 1154–1155, 1156–1157
 - defined, 1151
 - ease of creating, 1151
 - Toolbox toolbar for, 1152
 - user input
 - for AutoLISP, 1108–1110
 - for VBA, 1148–1150, 1155
 - user interface. *See* interface
 - user preferences
 - for double-clicking and right-clicking, 1182–1183
 - for fields, 1183
 - for insertion scale, 1183
 - for lineweights, 1184
 - for shortcut menus, 1182
 - user profiles, 1187–1189
- V**
- V direction, 855
 - variables. *See also* system variables
 - AutoLISP, 1089–1090, 1096, 1115–1117
 - dimension, 989
 - QuickCalc, 313–314
 - system variables versus, 1096
 - VBA, 1145–1147
 - VBA (Visual Basic for Applications)
 - accessing other applications, 1158–1159
 - adding a module, 1134
 - advanced programming, 1161
 - advantages of, 1134
 - AutoLISP versus, 1134
 - circle-drawing routine, 1155
 - comments, 1141
 - components of VBA code, 1139–1140
 - constants, 1147, 1159
 - creating dialog boxes (user forms), 1151–1157
 - creating, saving, and running a program, 1144–1145
 - creating statements, 1147–1148
 - debugging and trapping errors, 1160–1161
 - functions, 1147, 1160
 - getting user input, 1148–1150, 1155
 - help, 1138–1139
 - hierarchy model, 1136–1137
 - inserting procedures, 1140
 - keywords, 1147
 - loading routines, 1143
 - methods, 1136
 - modifying objects, 1158–1160
 - modules, defined, 1134
 - objects and collections of objects, 1136
 - opening the environment, 1134
 - operators, 1148
 - overview, 1133–1139
 - programs on the CD, 1207
 - properties of objects, 1136
 - running routines, 1143
 - saving routines in files, 1142–1143
 - syntax for routines, 1141–1142
 - Toolbox toolbar, 1152
 - user-input methods, 1149
 - using the Visual Basic Editor, 1143–1144
 - variables, 1145–1147
 - viewing objects, 1135
 - VBAIDE command, 1134
 - VCLIP command, 500
 - vector programs, 139
 - vee function (QuickCalc), 314
 - vee1 function (QuickCalc), 314
 - VeriSign, trial digital signature from, 920
 - vertical text, 330
 - VIEW command, 686, 858
 - View Manager, 148–152
 - viewing. *See* displaying or viewing
 - viewing 3D drawings. *See also* 3D coordinates
 - changing UCS to match orthographic views, 677
 - DDVPOINT command for, 680–681
 - defining perspective views, 713–716
 - displaying parallel and perspective projections, 697
 - EXPLAN command for, 689
 - flattening drawings, 719–721
 - Fly mode for, 704, 707–708
 - layout in paper space, 716–721
 - PLAN command for, 689
 - plan view versus perspective view, 649–650
 - point of reference and, 675–676
 - returning to plan view when changing UCS, 690
 - setting viewpoints, 677–679
 - standard viewpoints for, 676–679, 684–685
 - 3D orbit for (AutoCAD), 697–704
 - tiled viewports for, 704
 - tripod and compass for, 687–689
 - 2D techniques for, 675

- visual styles for, 690–697
 - VPOINT command for, 677–679, 687–689
 - Walk mode for (AutoCAD), 704–713
 - Viewpoint Presets dialog box, 680–681
 - viewports. *See* floating viewports; tiled viewports
 - Viewports dialog box, 156–157, 159
 - VIEWRES system variable, 767
 - views. *See also* named views; viewing 3D drawings
 - changing layer states for, 152
 - changing UCS to match orthographic views, 677
 - creating for tiled viewports, 158
 - defined, 148
 - defining several at once, 152
 - deleting, 152
 - displaying, 152
 - editing boundaries, 153
 - elevation views, 678
 - hidden and shaded, 501–502
 - isometric views, 679
 - for large drawings, 152
 - managing drawings with, 153–155
 - named views, 148–155, 685–686
 - opening drawing with view displayed, 154
 - opening drawings with, 153–154
 - for partially opening a drawing, 154
 - plan views, 677–678, 679
 - preset, in 3D orbit, 703
 - projections, parallel and perspective, 697
 - renaming, 152
 - resetting after 3D orbit, 701
 - saving, 148–152
 - setting with VPOINT command, 677–679
 - sheet sets with, 155
 - standard viewpoints, 676–679, 684–685
 - turning into floating viewports, 148
 - working with, 153
 - visibility
 - of attributes, toggling, 575
 - layer states and, 258, 268
 - parameters for dynamic blocks, 552–554
 - of 3D face edges, 725–726
 - Visibility States dialog box, 552–553
 - Visual Basic Editor (VBA), 1143–1144
 - Visual Basic for Applications. *See* VBA
 - Visual LISP. *See also* AutoLISP (AutoCAD)
 - ActiveX with, 1121–1125
 - closing a file, 1080
 - comments, 1080, 1111
 - debugging code, 1125–1131
 - exiting, 1080
 - features of, 1074
 - help, 1081–1082
 - opening and loading an AutoLISP file, 1074–1075
 - saving routines in files, 1086–1088
 - starting, 1074
 - tools, 1079–1080
 - using the interface, 1079–1081
 - Visual LISP Editor, 1087–1088
 - visual styles (AutoCAD)
 - creating custom styles, 691–694
 - Dashboard control panel for, 690–691
 - displaying, 690–691
 - materials, textures, and lights with, 695
 - shading replaced by, 694
 - steps for using, 696–697
 - system variables for display of, 691
 - Visual Styles Manager, 691–694
 - VLISP. *See* Visual LISP
 - VPOINT command, 677–679, 687–689
 - VPSCALE command (Express Tools), 502
 - VPSYNC command (Express Tools), 502
 - VSBACKGROUND system variable, 686
 - VSEDGES system variable, 767
 - VSFACOLORMODE system variable, 691
 - VSFACEOPACITY system variable, 691
 - VSINTERSECTIONEDGES system variable, 691
 - VSLIDE command, 1011, 1012
 - VSOBSCUREDEDGES system variable, 691
 - VTENABLE system variable, 143
- ## W
- Walk and Fly Navigation Mappings window, 705
 - Walk and Fly Settings dialog box, 707
 - Walk mode (AutoCAD)
 - Fly mode, 704, 707–708
 - navigating in, 705–707
 - overview, 704–705
 - performance and, 707
 - Position Locator window, 705–706
 - saving a walk as a movie file, 708–709, 711–712
 - settings for, 707
 - using motion path to save a movie file, 709–710, 712–713
 - Watch window (Visual LISP), 1129–1131
 - Wb.exe programs (on the CD), 545, 1210
 - WBLOCK command, 544, 562
 - WBLOCKM command, 545
 - Wblockm program (on the CD), 1210
 - WCS (World Coordinate System)
 - overriding Dynamic Input settings to use, 64
 - overview, 163
 - plan view in, 675–676
 - Web integration. *See* Internet integration
 - Web sites. *See* Internet resources
 - wedge polygon meshes, 738–739, 746
 - wedge solids, 768–769
 - WHERE clause in queries, 642
 - WHILE function (AutoLISP), 1100–1103
 - width factor of text, 330
 - width of text, 330, 339–340
 - Wiley Product Technical Support, 1211
 - window drawing example (Quick Start), 3–12
 - Windows Metafile Format (WMF)
 - controlling display of exported files, 933–934
 - exporting to, 933
 - importing files, 934–935

Windows (Microsoft). *See also* Clipboard (Windows)
 creating keyboard shortcuts to programs, 989–990
 Desktop units setting, 422
 drag-and-drop feature, 562–565
 opening drawings from Explorer, 31
 separate buttons for drawings in taskbar, 31

WinRAR program (on the CD), 1210

WIPEOUT command, 233–234

wireframe display
 controlling for hidden lines and objects, 663–665
 elevation, 666–667
 HIDE command and, 663, 665
 returning using HIDE command, 662
 thickness, 661–662, 663, 666–667
 wireframes versus, 665

wireframes. *See also* 3D coordinates
 converting solids to, 654
 helixes or spirals, 660–661
 limitations of, 661
 piano bench example, 655–656
 selecting objects and, 654
 surfaces versus, 723
 2D editing commands with, 654
 wireframe display versus, 665

WMF (Windows Metafile Format)
 controlling display of exported files, 933–934
 exporting to, 933
 importing files, 934–935

WMFBKGND system variable, 933

WMFFOREGND system variable, 933

WMV format, 709

wopengl9.hdi file, 840

Word (Microsoft)
 importing Excel spreadsheets via, 946
 using dictionary from, 362–363

workspaces, 1171–1173

World Coordinate System. *See* WCS

Write Block dialog box, 528–530

X

X offset for complex linetypes, 1019

X, Y coordinates. *See* Cartesian coordinates

XBIND command, 599–600

XCLIP command (AutoCAD), 600–601

XEDGES command (AutoCAD), 454, 654, 762, 820

XLIN command, 119. *See also* construction lines

xlines. *See* construction lines

XLIST command (Express Tools), 544, 607

XOPEN command, 591

XOR logical operator for selection filters, 249

X-origin for hatch patterns, 1022

XPLODE command, 541–542

XREF command, Undo history deleted by, 592

Xref Manager. *See* External References palette

XREFCTL system variable, 608

XREFNOTIFY system variable (AutoCAD), 607

xrefs (external references)
 advantages over blocks, 589
 attaching, 590–591, 593–594, 872
 changing path for, 922
 circular references, 600
 clipping (AutoCAD), 600–601
 controlling display of, 599–605
 defined, 589
 demand loading, 601, 602, 1177
 dependent symbols and, 599–600
 External References palette for, 591–593
 importing symbols from, 599–600
 in-place editing (AutoCAD), 594–598
 keeping track of, 921–923
 layer indexes for, 601, 602, 603
 layers and, 599
 log file, 608–609
 managing, 606–610
 moving between drawings, 608
 notification, 607
 opening, 591
 overlaying, 590
 selecting to edit, 595–596
 spatial indexes for, 601–603
 speeding display of large xrefs, 601–603

XREFTYPE system variable, 590

Y

Y offset for complex linetypes, 1019

Y-origin for hatch patterns, 1022

Z

Zip files for sheet sets, 912

ZOOM command
 All option, 143, 145, 147
 Center option, 143, 145
 Dynamic option, 143, 144, 146
 Extents option, 143, 145
 mouse wheel and, 142
 options, 142–143
 overview, 142
 Previous option, 143, 145
 real-time zoom, 142, 146
 Scale option, 143, 146
 switching between panning and zooming, 144, 146
 transparent use of, 50–51
 using, 145–147
 viewport scale and, 500

ZOOMFACTOR system variable, 142

zooming
 with Aerial View, 147–148
 in DVIEW, 715
 in 3D orbit, 702
 with ZOOM command, 50–51, 142–147