

Subject Index

- Absorption
 - infrared, 366-369
 - water, 153, 155, 275, 278, 391, 479, 492, 581
- Acoustic insulation (Noise reduction), 17, 491, 505, 516, 584
- Adhesive (Adhesion), 17, 62, 278, 342, 348, 350, 503, 588
 - polyurethane, 588
- Aging (Weathering), 342, 496
 - photooxidative, 255
 - physical, 267
 - thermal, 156-158, 255, 482
 - thermooxidative, 92, 255
- Amorphous fraction (phase, component), 170, 171, 193
- Analysis
 - dynamic-mechanical thermal (DMTA), 82, 122, 128-133, 151, 155, 264, 270, 272, 287-289, 293, 312, 313, 335, 389, 481
 - elemental, 13, 49, 286
 - life cycle, 590
 - structural, 14
 - thermo-mechanical, 12, 14
 - torsional vibration, 289
- Antioxidant, 255
- Aspect ratio, 301, 302, 317, 473, 474

- Bacterial polymer (elastomer), 62, 79
- Biocompatibility, 62, 102, 103, 244, 506, 509
- Biodegradability, 62-64, 101, 244, 374, 577
- Blend (System), 12, 16, 439, 440, 458, 558, 561
 - binary (two-phase), 199, 205, 328, 340
 - high performance, 575
 - multiphase, 79, 176
 - of reactive polymers, 568
 - ternary, 340
- Blending (Mixing), 9, 574
 - interphase, 264
 - mechanical, 332
 - melt, 89, 100, 332, 441, 483, 568, 570, 592
 - microphase, 292
 - reactive, 100, 570, 574, 592
- Bond, Link (Bonding, Linking)
 - allophanate, 463, 546
 - amide, 245, 248, 285
 - biuret, 362
 - chemical, 134, 167
 - ester, 245, 249, 285
 - hydrogen, 55, 123, 132, 136, 148, 150, 243, 247, 284, 311, 314, 328, 330, 334, 367, 371, 390, 478
 - imide, 249
 - ionic, 336, 338
 - physical, 167, 327
 - unsaturated, 82
 - urea, 245, 285
 - urethane, 245, 285
- Branching, 79, 83, 253, 365, 403
- Breathability, 244, 273, 279, 496, 503

- Calculation of composition, 286
- Calorimetry, 370
 - differential scanning (DSC), 13, 14, 40, 46, 51, 52, 81, 82, 91, 92, 96, 100, 122, 123, 125-128, 130-133, 147, 155, 171, 232, 264, 288, 291, 296, 299, 304, 310, 313, 331, 332, 337, 344, 389, 395, 417, 528, 531, 540, 552, 556, 557, 560

- Catalyst (Catalysis), 48, 154, 156, 340
 ammonium phosphate, 580
 4-dimethylaminopyridine, 44
 enzymatic, 5, 18, 65
 heterogeneous, 344
 homogeneous, 344
 metal (salt, compound), 92, 144,
 145, 254, 589
 metathesis, 8, 13
 organometallic, 47, 80, 82, 84, 96
 organotin compounds, 92, 357
 orthophosphoric acid, 581
 1-phenyl-3-methyl-2-phospholene 1-
 oxide, 246
 potassium acetate, 588
 potassium carbonate, 581
 potassium hydroxide, 588
 ruthenium based, 8
 tertiary amines, 357
 tetraalkoxide, 82, 96, 285
 tetrabutoxytitanium, 34, 40, 96,
 144, 154, 253, 285
 tetrabutoxyzirconium, 34
p-toluenesulfonic acid, 249
 transition metal derivatives, 48
 transition metal β -diketonates, 357,
 364
- Chain extender (extension), 89, 355,
 357, 364, 372, 382, 389-392,
 396, 501, 526, 528, 533, 589
 mesogenic, 547
- Chain (microfibril) slippage, 185, 198,
 315
- Chain terminator, 250, 253, 266
- Chelation, 18, 55
- Chromatography, 10, 37, 48
 gas, 13
 high performance liquid (HPLC),
 343, 344
 size exclusion (SEC), 10, 11, 40,
 46-48, 65, 168, 454
 multiple detection, 11
 two-dimensional liquid, 10
- Coefficient
 damping, 279
 of intermolecular interaction, 134
 of thermal expansion, 171, 278, 521,
 541
 reflection, 228
- Compatibilization (Compatibilizer,
 Compatibility), 10, 16, 100,
 139, 256, 342, 391, 439, 461,
 568, 570, 581
 apparent, 346
 bio-, 102
 blood, 102
 forced, 346
 practical, 440
 reactive, 574
- Composite, 404, 407
 nano-, polymeric, 17, 424, 473, 474
 macro-, 474
 polymer-polymer, 447
 microfibrillar reinforced, 447
 shape memory, 560, 562
- Conductivity
 direct current (DC), 230
 electric, 17
- Conformation
 all-*trans*, 451
 change of, 186, 194
gauche-trans-gauche, 451
- Constant
 Boltzmann, 408, 413, 526
 dielectric, 229, 234
- Conversion, 84, 119, 120
- Cooperative crystallization (Cocrystal-
 lization), 439, 443, 448, 458
 complete, 449, 459
 partial, 448, 449, 459
- Creep, 452, 462
 resistance to, 10, 102, 103, 490, 497
- “Criss-cross” cycloaddition, 37
- Crosslinking (Crosslinks), 9, 200, 246,
 587
 allophanate, 535-537, 539
 by trifunctional polyols, 544
 by urethane groups, 546
 chemical, 4, 197, 328, 338
 coordination, 364
 non-chemical, “virtual”, 5, 280, 284
 physical, 77, 141, 142, 151, 243, 280,
 284, 290, 313, 328, 334, 403,
 437, 533, 556
 water-assisted, 463

- Crown ether, 355, 360, 368, 373, 374, 376, 396, 400
- Cryoscopy, 12
- Crystal thickening, 175-177
- Crystallization (Crystallinity)
- cold, 92, 289
 - degree of, 169, 172, 328, 330
 - volume, 174
 - heat of, 291, 552
 - isotropic, 449
 - relative, 291
 - secondary, 267
 - strain-induced, 198, 266, 300, 304-306, 316, 317
- Cyclodimerization, 340
- Cyclotrimerization, 340, 343, 344, 346
- Deformation, 12
- bending, 177
 - forced, 178, 179
 - frozen, in the glassy state, 522
 - macro-, 177, 178, 180, 193
 - micro-, 177, 179, 180, 182, 192, 193
 - of spherulites, 300
 - plastic, 177, 185, 268, 274
 - residual, 178, 179, 182, 266
 - reversibility of, 168, 169, 180, 192
 - tensile, 177, 178, 290
 - uniaxial, 285, 294, 303, 310, 314
- Degradation (Decomposition, Destruction), 48, 251
- bio-, 374
 - by UV irradiation, 357, 365
 - chemical, 65, 276, 575, 576
 - selective, 65
 - controlled, 13
 - deep, polyester, 573
 - homolytic, of hydroperoxide, 365
 - hydrolytic, 101
 - oxidative, 102, 142, 156, 157
 - photo-, 254, 365
 - solvolytic, 570
 - thermal, 15, 84, 88, 102, 156, 254, 284, 365
 - thermooxidative, 365, 483
- Density, 273, 278, 397
- electron, 204, 207
 - nucleation, 297
 - packing, 338
 - specific, 17
- Dephasing, 176
- Dichroism
- FTIR, 55
 - infrared, 11, 317
 - inversion of, 369
- Diffraction
- X-ray (XRD), 11, 13, 50, 63, 478, 480, 483, 545
- Diffusion, 346, 391
- of end groups, 256
 - of oxygen, 364
- Dissolution, selective, 578
- Distribution
- of amorphous phase, 174
 - of chord length, 207
 - of end-groups, 48
 - of external stress, 192
 - of long period, 200, 201, 217, 220
 - of molecular weight (mass), 10, 160, 169, 248, 283, 289
 - of orientation, 191
 - of segment length, 142
 - size, 187, 202, 267, 269, 338
 - statistical, 370
 - of blocks, 43, 50
 - of monomers, 251
- Dynamic vulcanization, 6, 9, 12, 14, 15, 16, 79, 99
- Ebullioscopy, 362
- Effect
- antimicrobial, 376
 - barrier, 17
 - catalytic, 144, 145, 344, 346, 576
 - densification, 453
 - endothermal, 126
 - epitaxial, 448
 - hardening, 455
 - “macro”-, 373, 374
 - of chain flexibility, 178
 - of constituent segment length, 299
 - of crystal melting, 234
 - of deformation, 314
 - of dilution, 531

- of macromolecular structure, 366
- of phase mixing, 335
- of polycondensation water, 35
- of sonication, 479, 483
- of stretching, 266
- piezoelectric, 348
- plasticizing, 130, 477
- self-compatibilization, 441
- shape memory, 105, 118, 139, 168
 - thermally induced, 521
- sheer-thinning, 256
- solvent, 148, 154, 313
- synergistic, 375
- Weisenberg, 256
- End (terminal) groups, 20, 37, 48, 55, 65, 121, 245, 250, 254, 361, 362, 373, 392, 572
 - amino, 45, 144, 249, 549
 - butanoate, 251
 - carbinol, 53
 - carbonyl, 143, 146
 - carboxyl, 46, 89, 252
 - carboxylate, 251
 - hydroxybutylate, 251
 - hydroxyl, 43, 89, 251
 - reactive, 47
 - secondary alcohol, 255
 - terpyridine ligands, 55
 - titration of, 11, 48
- Energy
 - combustion, 582, 583
 - consumption of, 591
 - dissipation of, 227
 - elastic, 134, 135, 522, 525, 555
 - Gibbs' free, 117, 475
 - free, of crystal surface, 457
 - free, of mixing, 117, 335
 - recovery of, 567, 578, 582, 584
 - by incineration, 582, 590, 592
 - strain, 525
 - surface, 477
 - thermal, 578
 - gain of, 525
 - loss of, 525
- Entanglement
 - chain, 522
 - density of, 315
 - physical, 555, 557
- Enthalpy
 - of activation, 251
 - of crystallization, 127, 155
 - of fusion (melting), 127, 148, 149, 155
 - of mixing, 117
- Entropy
 - elasticity of, 524, 525, 547
 - force of, 526
 - gain, 475
 - loss, 475
 - of activation, 251
 - of fusion, 148, 149
 - of mixing, 117
- Environmental protection (Ecological considerations), 20, 101, 358, 375, 482, 504, 575, 577, 591
- Environmentally friendly material, 7, 102
- Equation
 - Arrhenius, 385, 407, 408, 413, 417
 - Bragg, 330
 - Couchman-Karasz, 345, 346
 - Fox, 345, 346, 391, 410, 540
 - Fox-Flory, 229
 - Fuoss-Kirkwood, 237
 - Gordon-Taylor, 134, 540
 - Halpin-Tsai, 442
 - Havriliak-Negami, 233, 234, 236, 385, 394, 398, 401
 - Mark-Houwink-Sakurada, 315
 - Mattews, 329
 - Rosovitsky and Lipatov, 339
 - Scherrer, 329
 - viscoelastic constitutive, 523
 - Vogel-Fulcher-Tamman, 234, 236, 385, 398, 399, 408, 413, 416, 418
- Exfoliation, 425, 477, 478, 481, 483, 485
- Fiber, 142, 160, 577, 580
 - antistatic, 280
 - glass, 474, 515
 - optical, 17
 - textile, 5, 17, 80
- Fibril, 174
- Fibrillization, 447

- Filler, 17, 278, 338, 340, 442, 474, 580, 585
 calcium carbonate, 577
 carbon fiber, 346, 347
 conducting carbon black, 560
 γ -Fe₂O₃, 339-341
 fibrous, 582
 layered silicate, 425
 nano-, content, 425, 473, 485
Flamability, 357, 480, 588, 591
Flame-retardant, 342, 358, 490, 506, 590
 halogenated, 591
Flexibility, 278-280
 low temperature, 490, 506, 509, 511, 515, 517
Freon, 583
Foam
 flexible, 583, 586-589
 post-consumer, 583
 rigid, 583, 587, 589
Fourier transformation, 384
 2D, 188, 209, 210
 3D, 204
Function
 chord distribution (CDF), 187-191, 202, 209, 217, 220
 multidimensional, 187, 194, 201, 208, 221
 correlation, 205, 206
 Vonk's multidimensional, 187, 202
 interface distribution (IDF), 187, 202, 207, 208
 interference, 210
 scattering, 205
 two-dimensional, 203
Grafting, 6, 8-10, 19, 105, 339, 340
 "from", 9
 "onto", 9
 reactive, 342
Hardener, resin, 575, 576
Hardness, 80, 439, 491, 510, 512
 micro-, 451, 455, 457, 458
 Shore A, 15, 16, 83, 135, 151, 158, 161, 482, 517, 518
 Shore D, 15, 16, 83, 135, 137, 161, 267, 275, 277, 286, 482, 497, 506
Hybridization, 344, 560, 562
Hydrophilicity, 244, 273, 275, 278, 310, 359, 363, 364
Hydrophobicity, 272, 275, 584
Hysteresis, 17, 104, 105, 171, 274, 275, 316, 318, 533, 541, 555, 557, 560
 mechanical, 134-136, 291, 308-310, 318
Immiscibility, 271, 450, 539, 581
 thermodynamic, 141, 328, 333, 440
Incompatibility, 14, 252, 284, 333, 343
 thermodynamic, 14, 336, 366, 382
Index
 dispersity, 8, 18
 melt, 169, 252, 278
 refractive, 297
Intelligent ("smart") material, 106, 168, 521, 560
Intercalation (Intercalant), 475, 485
 latex, 480
 melt, 479
 solution, 479, 480
Intermingling, 475, 477
Isotropization, 447
Kinetics, 35, 40, 346
 first order, 251
 of crystallization, 232
 of polycondensation, 47, 88, 254
 of polyesterification, 251
 of polymerization, 251
 second order, 40, 251
Law
 Bragg's, 178
 first, of thermodynamics, 526
 Porod's, 208
Liquid crystalline polymer (chain, block), 7, 13, 19, 50-52, 55, 79, 442, 548
Loss
 abrasion, 517, 518

- dielectric, 131, 132, 228, 230, 233, 342, 386, 406
- weight, 358, 364, 365
- Macrocycle, 48, 60, 92
 - metal containing, 7, 18, 58
- Mass spectrometry, 47, 48, 65
- Mechanical loss factor ($\tan\delta$), 129, 132, 151, 160, 229, 287, 339-341, 443, 481, 538, 539, 556, 558
- Mechanism
 - deformation, 177
 - dissipative, 523
 - of living polycondensation, 18
 - relaxation, 337
- Mellin convolution, 211
- Method
 - depolymerization, of amide polymers, 581
 - dielectric conductivity, 382
 - diisocyanate, 246
 - hot runner, 14
 - identification, 578, 579
 - ionic conductivity, 382, 387, 391
 - Kjeldahl, 362
 - matrix-assisted laser desorption ionization (MALDI), 65
 - with time of flight detection (MALDI-TOF), 59, 344
 - of Hoy, 123
 - of hysteresis measurement, 102
 - of solvolytic degradation, 570
 - physical, of recycling, 590
 - physicochemical, of recycling, 590
 - radiation, 581
 - reactive injection molding (RIM), 504, 505, 585, 586
 - reinforced (R-RIM), 588
 - rebonding, 586
 - saturation/depressurization, 17
 - thermally stimulated conductivity (TSC), 269, 332
 - thermally stimulated depolarization current (TSDC), 332, 337, 344, 383, 386, 391, 395-403
 - two-stage, of waste polyurethane degradation, 590
 - zol-gel, 478, 485, 562
- Microscopy, 173
 - atomic force (AFM), 13, 66, 264, 267, 268, 293, 300, 301
 - tapping mode, 294, 295, 297, 302
 - polarized light (optical), 51, 264, 267, 268, 530
 - scanning electron (SEM), 12, 101
 - transmission electron (TEM), 13, 66, 264, 267, 268, 293, 298, 299, 478, 481
- Miscibility, 92, 170, 250, 332, 336, 437, 539, 556, 560
 - thermodynamic, 335
- Model, 37
 - free energy, 55
 - kinetic, of polyesterification, 87
 - morphological, 290, 308
 - of affine deformation, 182-184, 193
 - of 1D disorder, 203
 - of Maxwell, 543
 - of nanostructure, 213
 - of structural changes, 185
 - of structure and chain conformation, 184
 - of TPE structure, 173, 184, 185
 - of Zhurkov, 186
 - of zigzag lamellae, 192
 - three-phase, 171
 - two-component, 213
- Modification
 - chemical, 5, 8, 78, 342
 - surface, 346
- Modulus, 442
 - electric, 385, 407
 - flexural, 273, 491, 516
 - glassy state, 522, 523, 525, 533, 543
 - loss, 129
 - rubbery state, 522, 523, 525, 533, 539, 543, 547, 556
 - storage, 129, 152, 155, 159, 274, 276, 284, 287, 312, 313, 438, 481
 - dynamic, 532, 545
 - tensile, 51, 558
 - tensile, 274, 275, 442, 523, 547, 582
 - Young's (elasticity), 227, 267, 275, 291, 300, 309, 310, 314, 316, 334, 337, 449, 479

- Molecular mobility, 382, 386, 391, 405, 409
- Morphology, 66, 264, 390, 404
- bulk, 297, 298
 - di(two-)phase, 118, 524
 - microphase, 118, 337, 522
 - microphase-separated, 80, 284, 289, 310, 314, 328, 344, 409-411, 426, 429, 437
 - multiphase, 117
 - nanophase, 118
 - phase, 133
 - schematic representation of, 524, 529
 - spherulitic, 477
 - zigzag, 192
- Nanoparticles, 473
- aggregation of, 477
 - carbon nanotubes, 473, 485
 - layered silicates, 473-475
 - zeolites, 473
- Network
- conductive, 280
 - dual, 477
 - hybrid, 350
 - hydrogen bonding, 272
 - infinite, 167
 - interpenetrating, 13, 199, 382
 - “knots” of, 438, 477
 - nanoparticle-induced, 477
 - percolation, 462
 - double (electrical and structural), 462
 - physical, 267, 328, 335, 438
 - physically crosslinked, 44
 - “second”, 477
 - thermoreversible
 - three-dimensional, 168, 539, 541
- Nucleation, row, 306
- Organophilization, 476
- Osmometry, 48
- Parameter
- Flory-Huggins, 232, 284
 - Kohlrausch-Williams-Watts, 397, 408
 - molecular, 526
 - of lamellar nanostructure, 219
 - solubility, 117, 122, 123, 172, 253, 284, 345
 - stability, 149, 232
 - strength, 83
 - thermodynamic, 149, 335
- Permittivity, dielectric, 228, 384, 393, 405, 412, 421, 425
- Phase
- amorphous, interfibrillar, 173
 - amorphous, intrafibrillar, 173
 - co-continuous, 264
 - frozen, 522, 525, 555, 560
 - interpenetration of, 327
 - mixed-, 528, 535, 537
 - reversible, 522, 525, 558, 560
- Phase inversion, 359, 360
- Phase separation (segregation), 39, 40, 79, 80, 133, 156, 172, 197, 200, 246-248, 253, 270, 272, 274, 279, 443, 532, 549, 570
- macroscopic, 12, 284
- Phase transition, 450
- stress-induced, 450, 451
- Plasticization, internal, 271
- Polymer alloy, 280, 515, 516
- shape memory, 526, 527
- Polymerization
- anionic-to-radical, 65
 - atom-transfer (ATRP), 7
 - degree of, 122, 127-129, 169, 229, 251, 283, 284, 293
 - in situ*, 477, 484, 519
 - in solution, 245, 478
 - interfacial, 247
 - ionic, 34
 - living anionic, 4, 6-8, 33, 283
 - living cationic, 6-8
 - low temperature, 146
 - methasynthesis-to-radical, 65
 - radical, 5, 34, 79, 328
 - controlled (CRP), 7, 9
 - radical-to-cationic, 65
 - ring-opening, 6, 34, 55, 60, 79, 92, 158
 - anionic, 6, 248

- step-growth, 283
- thermal, 245, 249
- Polymorphic transition, 454, 455
 - strain-induced, 454, 456-459
 - stress-induced, 452, 455
- Polymorphism, 310, 311, 391, 453
- Properties, 157, 491, 492, 498, 499, 500, 502, 508, 513, 514, 517, 518, 527
 - antimicrobial, 376
 - antistatic, 244, 275, 280, 285, 502, 506
 - colloid-chemical, 359
 - dynamic, 274, 278, 280
 - elastic, 118, 134, 192, 263, 274, 278, 518
 - fatigue, 102
 - gas-barrier/permeation, 17, 376, 473, 479, 491
 - impact, 280
 - mechanical, 83, 100, 105, 120, 155, 161, 244, 249, 275, 331, 356, 361, 362, 365, 482, 507, 535
 - non-allergenic, 376
 - physical, 83, 244, 275, 278, 491
 - physico-chemical, 263
 - rheological, 100, 277, 517
 - shape recovery, 525
 - shape retention, 525
 - static dissipative, 275
 - tear, 463
 - tensile, 41, 463
 - thermal, 10, 159, 517, 529, 535, 551, 557, 561
 - thermo-mechanical, 286, 542, 546
 - viscoelastic, 339, 341
- Randomization, 441
- Reaction
 - allophanate, 544
 - model, of urethane formation, 366
 - of Ritter, 363
 - side, 15, 43, 45, 46, 82, 87, 153, 156, 245, 254
- Recycling, 490, 496, 504
 - chemical, 567, 570, 578, 583, 588, 590
 - physical (mechanical), 570, 578, 583, 590
 - physicochemical, 570, 590
- Reinforcement, 474
 - carbon black, 473
 - nano-, 474, 476, 482, 485
- Relation
 - Fourier, 205
 - Tabor's, 452
- Relaxation, 130, 132, 185
 - α -, 131-133, 270, 337, 386, 392, 393, 400, 406, 411
 - β -, 131-133, 229, 231, 234, 237, 270, 393, 411
 - γ -, 230, 231, 234, 237, 270, 337, 393, 406, 411
 - Maxwell-Wagner-Sillars (MWS), 337, 392, 411
 - of microfibrils, 194
 - primary, 227, 228, 385
 - secondary, 227, 270, 332, 385, 392
 - spin-lattice, time of, 66
 - stress, 10, 306, 307, 316
 - non-linear, 307
- Renewable resource, 102, 105
- Resistance
 - abrasion, 274, 461, 462, 476, 490, 497, 511
 - chemical, 9, 275, 280, 462, 490
 - flexural fatigue, 490, 495, 497, 511
 - frost, 357, 462
 - impact, 490
 - scratch, 476
 - solvent, 152, 273
 - swelling, 10
 - thermooxidative, 479
 - to hydrolysis, 245, 357, 462, 515, 517
 - to oils, 9, 153, 495, 497
 - to thermal degradation, 162, 245, 249, 479
- Scattering
 - dynamic light, 12, 386
 - intensity of, 171, 186
 - multi-angle laser light, 11
 - neutron, 386

- small-angle light (SALS), 264, 267, 269, 293, 296-298, 300
 - four-leaf clover pattern, 297
 - H_v pattern, 297, 298, 301, 308
- small-angle neutron (SANS), 12, 13
- small-angle X-ray (SAXS), 12, 13, 66, 170, 172, 173, 175-178, 198, 200, 203, 264, 329, 332, 337, 344, 369, 371, 389, 391, 411, 444
 - “butterfly” pattern, 202, 217
 - four-point pattern, 178, 181-183, 192, 202, 214
 - six-point pattern, 214
 - three-dimensional (3D)
 - two dimensional (2D), 168, 178, 180-183, 186, 210, 300, 301
 - two-point pattern, 178, 180-183
- static light, 12
- wide-angle X-ray (WAXS), 12, 13, 122, 124, 175, 264, 293, 294, 300, 311, 329, 330, 332, 391, 426, 446
- Segment (Block, Domain)
 - amorphous (soft), 141, 167, 168, 172, 173, 189, 197, 227, 328, 370, 381, 516, 522
 - crystalline (hard), 141, 167, 168, 173, 189, 193, 197, 227, 328, 370, 381, 516, 522
- Separation (Segregation), 532, 553
 - microphase, 5, 12, 117, 270, 271, 335, 381
 - degree of, 133, 318, 338, 340, 346, 382, 389-391, 399-403
 - schematic representation of, 138
- Sequential reordering
 - melting-induced, 441
 - miscibility-induced, 441
 - crystallization-induced, 441
- Shape memory polymer (SMP), 118, 136, 521
- Shear, 14, 15, 482
- Shelf life, 359, 360, 492
- Simulation, 66, 103
- Solubility, 50, 55, 117
 - mutual, of blocks, 118
- Space
 - physical (real), 188, 198, 201, 204-206, 209
 - reciprocal, 198, 201, 204, 206, 209
- Spectroscopy
 - atomic, 579
 - laser-induced emission (LIESA), 579
 - dielectric (DS), 228, 237, 383, 389, 579
 - dielectric relaxation (DRS), 339, 344, 383, 386, 391, 393, 394, 400-427
 - impedance, 387
 - infrared (IR), 48, 271, 367, 368, 371, 389
 - Fourier transform (FTIR), 11, 337, 344, 391
 - Fourier transform photoacoustic (FTIR PAS), 409, 417
 - middle (MIR), 579
 - multiple attenuated total reflection (ATR), 344, 367, 368, 372, 376
 - near (NIR), 578, 579
 - laser-interferometric creep rate, 346
 - molecular, 579
 - nuclear magnetic resonance (NMR), 11, 132, 271, 386
 - ^{13}C , 46, 66, 79, 169
 - cross polarized magic-angle ^{13}C , 11
 - ^{19}F , 12
 - ^1H , 13, 39-41, 47-49, 56, 66, 79, 82, 169, 286
 - impulse, 11
 - ^{29}Si , 66
 - solid-state, 264, 270
 - solid-state ^{13}C , 50
 - solid state ^{13}C with cross polarization and magic angle spinning (^{13}C CP-MAS), 11, 272, 273
 - solid-state ^1H -Wideline Separation (WISE), 271, 272
- Raman, 386
 - Fourier transform (FTR), 579
- ultraviolet (UV), 372

- Spherulite, 529, 531
size, 269, 296, 297
superstructure, 267, 293, 296, 298,
300, 309
- Stability
degradation, thermal, 48, 98, 102,
105, 156
dimensional, 342
low temperature, 356
mechanical, 375
temperature (thermal), 314, 318,
364
to hydrolysis, 515
to radiolysis, 366
to UV irradiation, 365
- Steric hindrance, 362
- Stiffness, 478
- Strain
hardening, 211, 315, 534
permanent, 522
recoverable, 523, 534
residual, 534, 553, 557, 562
unload, 522, 534
- Strength, 168
adhesive (shear), 349, 350
dielectric, 236, 237, 385, 387
mechanical, 160, 161
tear, 151, 484
tensile, 137, 161, 273, 334, 360, 442,
477, 478, 582
- Stress
hardening, 266
relaxation, 154
- Structure
allophanate, 340, 363
biuret, 362, 363
blocky, 90
branched, 363
chemical, 142, 404
comb-like, 63, 362
crystal, 150
diphase, 100, 122, 141
nano-, 118, 131, 137, 188, 193, 199
evolution of, 187, 189, 191, 197,
202, 210, 211, 216
lamellar, 218
microfibrillar, 217
topology of, 202
phase, 170
skin-core, 461
supermolecular, 137
supramolecular, 56, 368, 376
double helical, 57
- Supercoolong, 552
degree of, 531
- Surfactant, 341, 358, 475
- Telechelics, 38, 47, 50, 94, 98, 145, 146,
248, 383, 419-423
- Temperature
brittleness, 147, 492
equilibrium, of melting, 148, 149,
154, 560
heat distortion, 473
loading, 522, 524, 542, 543
recovery, 543
service, 105, 156, 264, 284, 437, 463,
490, 497, 501, 567
softening, 147, 370, 492
"switching", 528
unloading, 522, 524
Vogel, 398
- Thermo-shrinkability, 266
- Tie molecule (contact, point), 167,
173, 174, 184, 192, 443, 525,
526
interfibrillar, 185, 192
intrafibrillar, pullout of, 185
taut, 214
- Titration
potentiometric, non-aqueous, 362
- Torque, 88, 89, 252, 280
- Toughness, 280, 291, 315, 464, 490
- Transesterification, 40, 53, 84, 89, 119,
142-144, 156, 251, 311, 442
- Transition
morphological, 192
order-disorder, 12
order-order, 12
- Transparency (Clarity), 267, 356, 487,
491, 506, 508, 517, 526
- Value-added chemical (material), 18,
465, 568, 572

- Viscometry, 11
- Viscosity, 83, 88, 89, 137, 154, 250, 403, 588, 590
 - complex, 539
 - inherent, 154, 246, 315
 - intrinsic, 122, 255-257, 311, 361, 555, 558
 - melt, 88, 252, 535, 539
- Vulcanizate
 - thermoplastic (TPV), 9
 - low-density foamed, 15
- Waste
 - polyamide (carpet), 577, 578, 580
 - polyester, 571, 575, 576
 - polyurethane, 583, 588, 590
 - post-consumer, 586
 - water, 580
- Weld
 - extruded, 101
 - wire, 101
- X-ray source, 170
 - free electron laser (XFEL), 198
 - synchrotron, 12, 198
 - radiation of, 170, 175