

Index

• A •

- A (Aperture Priority) mode, 96, 98
- accessorizing dSLRs
 - close-up equipment, 84
 - filters, 74–76
 - flash
 - overview, 80
 - triggering, 81–82
 - types of, 81
 - memory cards
 - capacity, 70
 - write speed, 68–69
 - overview, 67
 - second camera, 83
 - sensor cleaning kit, 83
 - storing images
 - backup media, 71–72
 - durable archives, 72–73
 - overview, 70–71
 - tripod
 - overview, 76–77
 - selecting, 79–80
 - using, 77–78
- ACR (Adobe Camera Raw), 124, 152
- Acronis Truemage Home, 71
- action photography
 - aperture, 267–268
 - catching peak action, 166–167
 - flash, 167–168
 - Manual mode, 101
 - overview, 163–165
 - panning, 165–166
- adapter ring, 56, 284
- Add Noise filter, 271
- Adobe Bridge, 200
- Adobe Camera Raw (ACR), 124, 152
- Adobe Digital Negative Converter, 138
- Adobe Photoshop CS4, 198–201
- Adobe Photoshop Elements 7.0, 201–203
- Adorama, 298
- advanced amateur dSLRs, 59–60
- AF-A (Automatic autofocus) mode, 103, 159
- AF-C (Continuous autofocus) mode, 103, 159
- AF-S (Single autofocus) mode, 103, 159
- Aldus company, 140
- Alien Skin Snap Art plug-in, 225
- ambient (continuous) lighting, 168, 301–302
- amp glow (amp noise) phenomenon, 123
- anti-aliased edges, 229, 235, 302
- anti-aliasing filter, 38–39
- anticipating action, 158
- anti-vibration technology, 129
- aperture (f-stop)
 - depth-of-field, effect on, 15–16, 47
 - neutral density filters, 74
 - overview, 42–44
 - tips for, 267–268
- Aperture Priority (A or Av) mode, 96, 98
- architectural photography
 - framing, 190
 - lenses for, 110
 - lighting, 188–190
 - overview, 185
 - perspective, 186–187
- artifact removal
 - Clone Stamp tool, 220–221
 - noise reduction, 13–14, 40–41, 123–125, 219
 - overview, 218
 - spots, 219–220
 - touch-up tools, 222
- Auto Color tool, 216
- Auto mode, 88, 96, 160
- Auto tools, 212
- Auto-Enhance check box, 233
- autofocus, 65, 102–103, 159
- Automatic autofocus (AF-A) mode, 103, 159
- Av (Aperture Priority) mode, 96, 98
- available (existing) lighting, 301–302
- axial (longitudinal) chromatic aberration, 304

• B •

B&H Photo, 298
 background
 adding new, 240–243
 composition, 178
 backing up images, 69, 70–73, 207
 backup media, 71–72
 balancing lighting, 100
 bald heads, 181
 barndoors, 263
 barrel distortion, 187, 225
 basic dSLRs, 57–59
 battery
 extra, 26
 flash, 162, 169
 life of, 17, 160
 time-lapse photography, 132, 280
 Bayer filter array, 40
 Bible Pro application, 152
 Black and White Clipping control, 214
 Blending Mode options, 246
 blooming, 37, 88
 blower bulb, 83–84
 blown highlights, 211, 310
 blur effect, 223–224
 Blur filter, 235
 Blu-Ray, 72
 blurring, 208, 282
 bokeh, 115–116
 Box blur, 224
 bracketing, 94, 302–303
 Bridge application, 200
 brightness
 color correction, 217
 curves, 215–216
 defined, 309
 dynamic range, 89
 flash, 168
 JPEG compression, 141
 LCD, 45
 spot metering, 93
 tolerance, 310
 Brightness slider, 212, 217
 broad lighting, 262
 buffer, 47, 69, 161

build quality, 63
 burning, 305
 burst (continuous shot) mode
 buffer, 47
 compression, 265
 overview, 162–163
 professional dSLRs, 61
 shot-to-shot time, 17–18
 buying used equipment, 298–299
 BytePhoto, 296

• C •

CA (chromatic aberration), 118, 187, 225, 304
 camera shake
 image stabilization, 39, 113, 129–131
 myths, 126
 overview, 125
 solutions for, 129
 testing for, 126–128
 camera-ready art, 251
 canned air, 50
 Canon digital cameras
 early, 8, 57, 160
 lenses, 56
 megapixels, 32
 sensor size, 12
 Canon Digital Photo Professional, 150–151
 Canon Digital Rebel, 8, 57, 160
 Canon EOS Utility, 150–151
 capacity, memory card, 68–70, 264–265
 Capture One PRO application, 152
 cards, memory
 buying online, 299
 capacity, 70, 264–265
 file formats, 144, 146
 high-resolution images, 35
 overview, 36
 slots for on printers, 257–258
 write speed, 48, 68–69, 161
 catadioptric telephoto lens, 115
 CCD (charge coupled device) sensor, 38, 64
 CD (compact disc), 71–73
 Center weighting scheme, 93

- CF (CompactFlash) memory cards, 48–49, 59, 68, 296
- charge coupled device (CCD) sensor, 38, 64
- choosing dSLRs. *See* selecting dSLRs
- chromatic aberration (CA), 118, 187, 225, 304
- chrominance, 141
- circular polarizers, 74
- cleaning sensors, 23–24, 49–50, 83, 134
- clipping, 214
- Clone Stamp tool, 220–221
- close-up (macro) photography
 - equipment for, 84
 - manual focus, 101
 - motion, 165
 - power, 162
 - prime lenses, 111
 - telephoto lenses, 118
- CMOS (complementary metal-oxide semiconductor) sensor, 38, 40, 64
- CMYK (cyan, magenta, yellow, black) color model, 140, 198
- Cokin filters, 76
- Color Balance dialog box, 217
- Color Balance sliders, 216–217
- color correction, 65, 208, 216–218
- Color Correction slider, 213
- color filters, 38–39, 190
- compact disc (CD), 71–73
- CompactFlash (CF) memory cards, 48–49, 59, 68, 296
- complementary metal-oxide semiconductor (CMOS) sensor, 38, 40, 64
- compositing images
 - creatively, 247–248
 - defined, 208
 - overview, 243–245, 272
 - pitfalls of, 245–247
 - tips for, 271–273
- composition
 - architectural photography
 - framing, 190
 - lighting, 188–190
 - overview, 185
 - perspective, 186–187
 - backgrounds, 178
 - balancing, 192
 - to de-emphasize problem areas, 181
 - group photography, 182–183
 - landscape photography, 190–191
 - for message and intent, 177–178
 - overview, 175–176
 - portrait photography, 180–182
 - publicity and public relations
 - photography, 183–185
 - Rule of Thirds
 - origins of, 179–180
 - using, 180
 - tips for, 268–269
 - travel photography, 192–193
 - viewfinder, 10–12
 - for Web photos, 265
- compressed air blowers, 50
- compression, 118, 263, 306–307. *See also* formats
- computer-driven time-lapse photography, 132
- confusion, autofocus, 101
- contiguous pixels, 232
- continuous (ambient) lighting, 168, 301–302
- Continuous autofocus (AF-C) mode, 103, 159
- continuous shot (burst) mode
 - buffer, 47
 - compression, 265
 - overview, 162–163
 - professional dSLRs, 61
 - shot-to-shot time, 17–18
- contrast
 - curves, 215–216
 - levels, 214–215
 - overview, 211–212
 - setting in camera, 287
 - Shadow/Highlight controls, 212–214
- contrast detection, 46
- Contrast slider, 212
- converting selections, 230
- cookies, 263
- copying selections, 229
- Corel Paint Shop Pro PhotoX2, 204
- Corel Painter 11, 201, 204
- Corel PhotoImpact X3, 204

- Corel Photo-Paint X4, 203–204
 - crop factor
 - overview, 50–52
 - portrait photography, 270
 - professional dSLRs, 61
 - wide-angle lenses, 22–23, 114
 - Crop tool, 211, 238
 - cropping images, 32, 208–211
 - curved lines, 190
 - Curves tool, 208, 212, 215–216, 218
 - cutting selections, 229
 - cyan, magenta, yellow, black (CMYK) color model, 140, 198
- D ●
- Data Robotics, Inc., 72
 - DCT (Discrete Cosine Transformation), 142
 - deep focus, 116
 - defects, facial, 181
 - defocus control, 113
 - delays. *See* lag
 - demosaicing, 40
 - depth-of-field (DOF)
 - controlling, 15–16, 47, 268
 - focus, 268
 - Live View mode, 12
 - telephoto lenses, 119
 - depth-of-field preview button, 12, 176
 - Despeckle filter, 219, 308
 - Detail Smart Brush tool, 202
 - diagonal motion, 165
 - diamond group shot, 183
 - digital asset management, 146
 - Digital Negative Converter, 138
 - digital negative (DNG) format, 138
 - Digital Photo Professional, 150–151
 - Digital Photography Review* (DPReview), 63, 292–294
 - Digital Rebel camera, 8, 57, 160
 - digital SLRs (dSLRs)
 - accessorizing
 - close-up equipment, 84
 - filters, 74–76
 - flash, 80–82
 - memory cards, 68–70
 - overview, 67
 - second camera, 83
 - sensor cleaning kit, 83
 - storing images, 70–73
 - tripod, 76–80
 - components of
 - exposure, 42–44
 - lenses, 47
 - overview, 35–37
 - sensors, 37–41
 - storing images, 47–49
 - viewfinder versus LCD, 44–46
 - improvements in
 - cleaning, 23–24
 - in-camera editing, 27
 - Live View mode previews, 24–26
 - super-wide lenses, 22–23
 - video, 26–27
 - weight, 26
 - improving photography with
 - composition, 10–12
 - depth-of-field, 15–16
 - functionality, 19
 - lens flexibility, 19–20
 - noise reduction, 13–14
 - overview, 9–10
 - sensor, 12–13
 - speed, 17–18
 - versatility, 20–21
 - overview, 7–9
 - pixels
 - number needed, 32–33
 - overview, 29–31
 - print sizes and printers, 33–35
 - resolution, 31–32
 - superfluous, 35
 - quirks of
 - cleaning sensors, 49–50
 - crop factor, 50–52
 - selecting
 - categories of, 57–62
 - key features of, 62–66
 - overview, 53–55
 - upgrade potential, 55–56
 - dirt removal, 23–24, 49–50, 83, 134
 - Discrete Cosine Transformation (DCT), 142
 - displaying prints, 250

- distance
 - depth-of-field, 15
 - flash, 169
 - motion, 165
 - distortion filters, 225
 - DNG (digital negative) format, 138
 - dodging, 305
 - DOF (depth-of-field)
 - controlling, 15–16, 47, 268
 - focus, 268
 - Live View mode, 12
 - telephoto lenses, 119
 - downsampling, 34
 - DPreView (*Digital Photography Review*), 63, 292–294
 - drivers, printer, 258
 - Drobo, 72
 - dSLR-like cameras, 61–62
 - dSLRs (digital SLRs)
 - accessorizing
 - close-up equipment, 84
 - filters, 74–76
 - flash, 80–82
 - memory cards, 68–70
 - overview, 67
 - second camera, 83
 - sensor cleaning kit, 83
 - storing images, 70–73
 - tripod, 76–80
 - components of
 - exposure, 42–44
 - lenses, 47
 - overview, 35–37
 - sensors, 37–41
 - storing images, 47–49
 - viewfinder versus LCD, 44–46
 - improvements in
 - cleaning, 23–24
 - in-camera editing, 27
 - Live View mode previews, 24–26
 - super-wide lenses, 22–23
 - video, 26–27
 - weight, 26
 - improving photography with
 - composition, 10–12
 - depth-of-field, 15–16
 - functionality, 19
 - lens flexibility, 19–20
 - noise reduction, 13–14
 - overview, 9–10
 - sensor, 12–13
 - speed, 17–18
 - versatility, 20–21
 - overview, 7–9
 - pixels
 - number needed, 32–33
 - overview, 29–31
 - print sizes and printers, 33–35
 - resolution, 31–32
 - superfluous, 35
 - quirks of
 - cleaning sensors, 49–50
 - crop factor, 50–52
 - selecting
 - categories of, 57–62
 - key features of, 62–66
 - overview, 53–55
 - upgrade potential, 55–56
 - dual-layer DVDs, 72
 - duplex printing, 252, 257
 - Dust & Scratches filter, 219
 - dust removal. *See* cleaning sensors
 - DVDs, 71–73
 - DxO Labs, 304
 - dynamic focus area, 103
 - dynamic range, 64, 89, 211
- E ●
- eBay, 297–299
 - Edgerton, Harold, 167
 - editing images. *See also* image editors
 - artifact removal
 - Clone Stamp tool, 220–221
 - noise reduction, 219
 - overview, 218
 - spots, 219–220
 - touch-up tools, 222
 - backgrounds, adding new, 240–243
 - blur effect, 223–224
 - color correction, 216–218
 - compositing
 - creatively, 247–248
 - overview, 243–245
 - pitfalls of, 245–247

- editing images (*continued*)
 - contrast
 - curves, 215–216
 - levels, 214–215
 - overview, 211–212
 - Shadow/Highlight controls, 212–214
 - cropping, 208–211
 - filters, 224–226
 - moving objects, 238–240
 - overview, 197, 227–228
 - removing objects, 237–238
 - selections
 - effects, applying to, 235–236
 - making changes with, 229–230
 - overview, 228–229
 - painting, 233–235
 - selecting pixels, 232–233
 - selecting shapes, 230–232
 - sharpness, 222–223
 - tips for, 271–273
 - workflow, 206–207
 - electronic flash unit
 - compatibility, 56
 - freezing action, 167, 283
 - mixed lighting, 189
 - tips for, 263
 - triggering, 81–82, 172–173
 - electronic viewfinder (EVF), 10, 44, 61–62
 - encrypting white balance, 138
 - Enhance menu, 203
 - enlarger, 305
 - enlarging images, 32
 - enthusiast dSLRs, 59
 - entry-level dSLRs, 57–58
 - EOS Utility, 150–151
 - Epson printers, 255
 - eraser brush, 238, 244
 - Eraser tool, 240, 244
 - EV (exposure value) adjustments, 95
 - Evaluative/matrix metering scheme, 93
 - EVF (electronic viewfinder), 10, 44, 61–62
 - existing (available) lighting, 301–302
 - exposure
 - aperture, 42–44
 - flash, 171–172
 - histograms, 89–92
 - metering system
 - function of, 92
 - overview, 64
 - selecting scheme, 93–94
 - versatility, 94–95
 - modes
 - Aperture Priority, 98
 - Manual Exposure, 98–100
 - overview, 95–96
 - Program, 96–97
 - Shutter Priority, 98
 - noise, 271
 - overview, 88–89
 - shutter speeds, 42–44
 - exposure metering system
 - function of, 92
 - overview, 64
 - selecting scheme, 93–94
 - versatility, 94–95
 - exposure value (EV) adjustments, 95
 - exposure-lock control, 94
 - extension tube, 84
 - external flash
 - distance, 169
 - minimizing delays, 162
 - sports photography, 119
 - triggering, 81–82, 172–173
 - external hard drive, 71–72
 - Eyeball icon, 239, 243
 - eye-points, extended, 24–25
- **F** ●
- feathered edges, 229, 231, 235
 - Feedback Rating, eBay, 299
 - file formats
 - DNG, 138
 - JPEG
 - compression, 141, 263, 307
 - memory card capacity, 264–265
 - overview, 141–142
 - selecting, 144–146
 - JPEG+RAW, 146–147
 - overview, 137–139
 - PixelPaint, 139
 - proprietary, 139

- RAW
 - archiving, 149
 - compression, 307
 - converting, 206–207
 - fireworks, 286
 - image-editing applications, 149–154
 - memory card capacity, 264
 - overview, 143
 - salvaging images from, 148–149
 - selecting, 147
- TIFF
 - compression, 307
 - overview, 140–141
 - selecting, 144
- fill flash, 81, 305–306
- fill light, 262
- filling selections, 229
- filters
 - anti-aliasing, 38–39
 - color, 38–39, 190
 - distortion, 225
 - hot mirror, 133, 276
 - image editor, 224–226
 - infrared, 25–26, 39, 74, 133
 - making own, 284–285
 - neutral density, 74–75, 190
 - overview, 74–76
 - polarizing, 74, 76
 - sizes of, 56
- fireworks, photographing, 285–286
- first-shot delays, 160
- fish-eye zoom lens, 108, 185
- Fixed Aspect Ratio option, 231
- fixed focal length (prime) lens
 - defined, 20, 47
 - low light, 106
 - overview, 109
- Fixed Size option, 231
- flare, lens, 119
- flash
 - action photography, 167–168, 283
 - delays, 158, 162
 - distance, 168–169
 - exposure, 171–172
 - external, 81–82, 119, 162, 169, 172–173
 - fill, 81, 305–306
 - mixed lighting, 189
 - older, 56
 - overview, 80
 - sports photography, 119
 - synchronizing, 170–171
 - techniques, 263
 - telephoto lenses, 119
 - triggering, 81–82
 - types of, 81
 - wide-angle lenses, 118
- flash memory, 47–49. *See also* memory cards
- Flatten option, 238, 240, 242, 245
- flip-up mirror, 36
- fluid head, 80
- focal length
 - defined, 47
 - depth-of-field, 15
 - ranges, 63
 - shutter speed, 126
- focal plane shutter, 170
- focus
 - autofocus, 65, 102–103, 159
 - defocus control, 113
 - locking out ranges, 103
 - manual, 65, 101–102
 - overview, 100
 - tips for, 268
- focus assist lamp, 102
- focus sensors, 103
- focus zones, 159
- focusing systems, 65
- foreground, wide-angle lenses, 116–117
- formats
 - DNG, 138
 - JPEG
 - compression, 141, 263, 307
 - memory card capacity, 264–265
 - overview, 141–142
 - selecting, 144–146
 - JPEG+RAW, 146–147
 - overview, 137–139
 - PixelPaint, 139
 - proprietary, 139

formats (*continued*)

RAW

- archiving, 149
- compression, 307
- converting, 206–207
- fireworks, 286
- image-editing applications, 149–154
- memory card capacity, 264
- overview, 143
- salvaging images from, 148–149
- selecting, 147

TIFF

- compression, 307
- overview, 140–141
- selecting, 144

for-position-only art, 251

forums, 291–292, 294

Foveon sensor, 38, 40

framing, architectural photography, 190

freezing action. *See* action photography

front curtain sync, 170

f-stop (aperture)

- depth-of-field, effect on, 15–16, 47
- neutral density filters, 74
- overview, 42–44
- tips for, 267–268

full-frame cameras, 52

• G •

Galbraith, Rob, 69, 296–297

glass, photographing through, 101

glossary, online, 293

gobos, 263

Golden Rectangle, 180

Gorillapod, 78

gradient color filters, 190

gradient neutral density filters, 190

graininess, 220, 287

GraphicConverter application, 152

group photography, 182–183

• H •

Hand-Held Mode, 46

harsh lighting, 188

HDMI port, 66

HDR (high dynamic range) photography,
78, 89

HDTV images, 26–27

Healing Brush, 222

high dynamic range (HDR) photography,
78, 89

high-contrast images, 211

high-contrast lighting, 156

high-speed sync flash, 171

histograms, 24, 89–92, 214

horizon, 191

hot mirror filter, 133, 276

hot shoe, 82

Hoya R72 filter, 276

HSB (hue, saturation, and brightness), 309

HSL (hue, saturation, and lightness/
luminance), 309

hue, 217, 286–287, 309

Hue/Saturation control, 217

hyperfocal distance, 306

• I •

icons, used in book, 4

image editors

Adobe Photoshop CS4, 198–201

Adobe Photoshop Elements 7.0, 201–203

alternative, 203–204

Digital Photo Professional, 150–151

EOS Utility, 150–151

free, 204–205

freedom from, 20–21

Nikon Capture NX 2, 150

overview, 149, 271–273

third-party, 152–154

tips for, 288

workflow, 207

image processors, 63–64

image stabilization, 39, 113, 129–131. *See*

also camera shake

images. *See also* formats

artifact removal

Clone Stamp tool, 220–221

noise reduction, 219

overview, 218

spots, 219–220

touch-up tools, 222

- backgrounds, adding new, 240–243
- backing up, 69, 70–73, 207
- blur effect, 223–224
- color correction, 216–218
- compositing
 - creatively, 247–248
 - defined, 208
 - overview, 243–245, 272
 - pitfalls of, 245–247
 - tips for, 271–273
- contrast
 - curves, 215–216
 - levels, 214–215
 - overview, 211–212
 - Shadow/Highlight controls, 212–214
- cropping, 32, 208–211
- filters, 224–226
- moving objects, 238–240
- overview, 197, 227–228
- printing
 - do-it-yourself approach, 252
 - kiosks, 253–254
 - online, 252–253
 - overview, 249
 - print sizes, 33–35
 - reasons for, 250–251
- removing objects, 237–238
- resizing
 - enlarging, 32
 - for Web, 27
- selections
 - effects, applying to, 235–236
 - making changes with, 229–230
 - overview, 228–229
 - painting, 233–235
 - selecting shapes, 230–232
 - selecting pixels, 232–233
- sharpness, 222–223
- storing
 - backup media, 71–72
 - cropping, 32
 - durable archives, 72–73
 - high-resolution images, 35
 - overview, 47–49, 70–71
- in-camera editing, 27. *See also* editing images
- indoor sport photography, 110
- infrared (IR) filters, 25–26, 39, 74, 133
- infrared (IR) photography, 25–26, 132–134, 275–277
- ink, printer, 256–257
- input tray, 257
- internal storage, 132
- International Organization for Standardization (ISO)
 - defined, 13
 - infrared photography, 134
 - noise, 13–14, 40–41, 63, 271
- Internet
 - online resources
 - BytePhoto, 296
 - DPreview, 292–294
 - eBay, 297–299
 - Galbraith, Rob, 296–297
 - Luminous Landscape, 295–296
 - Miranda, Fred, 297
 - overview, 289
 - PBase, 290–292
 - Photoshop, 290
 - Popular Photography & Imaging* magazine, 294–295
 - printing services, 252–253
 - Shutterbug, 294
- Web sites
 - Acronis, 71
 - Adobe, 152, 201, 203
 - Adorama, 298
 - author's, 289, 298
 - B&H Photo, 298
 - Bibble Pro, 152
 - BytePhoto, 296
 - Capture One PRO, 152
 - Cokin filters, 76
 - DPreview, 63, 292
 - Drobo, 72
 - DxO Labs, 304
 - eBay, 297
 - Galbraith, Rob, 69, 296
 - GraphicConverter, 152
 - IrfanView, 152
 - Joby, 78
 - KEH, 298
 - Luminous Landscape, 295
 - Miranda, Fred, 296–297
 - Neat Image, 124
 - Noise Ninja, 124, 271

Internet (*continued*)

- PBase, 290
- Photoshop.com, 205, 290
- Popular Photography & Imaging* magazine, 294
- Rockwell, Ken, 296
- Shutterbug, 294
- SmugMug, 292, 296
- interpolation (resampling), 34, 40
- Intersect button, 235
- inverse-square law, 168
- Invert option, 242
- iPods, backing up to, 71
- IR (infrared) filters, 25–26, 39, 74, 133
- IR (infrared) photography, 25–26, 132–134, 275–277
- IrfanView application, 152
- ISO (International Organization for Standardization)
 - defined, 13
 - infrared photography, 134
 - noise, 13–14, 40–41, 63, 271
- ISO Auto option, 98
- isolation, lens, 118

J

- Joby Gorillapod, 78
- joystick and ball head, 80
- JPEG (Joint Photographic Experts Group) format
 - compression, 141, 263, 307
 - memory card capacity, 264–265
 - overview, 138–139, 141–142
 - selecting, 144–146
- JPEG+RAW option, 146–147

K

- kaleidoscope effect, 288
- Keep It Simple, Silly (KISS), 184
- KEH.com, 298
- kiosks, image printing, 253–254
- KISS (Keep It Simple, Silly), 184
- Kodak DCS 460, 57
- Kurosawa, Akira, 116, 176

L

- lag
 - first-shot delays, 160
 - flash delays, 162
 - point-and-shoot cameras versus DSLRs, 156–157
 - shot-to-shot delays, 17–18, 161
 - shutter
 - minimizing, 158–160
 - overview, 8, 18
 - process, 21
 - professional cameras, 61
 - sources of, 158
 - wake-up time, 17
 - landscape photography, 111, 190–191, 206
 - Lasso tool, 210, 230–231, 237, 243
 - lateral chromatic aberration, 304
 - LCD (liquid crystal display)
 - dSLR-like cameras, 61–62
 - Live View, 24–26
 - non-SLRs, 175
 - overview, 8
 - versus viewfinder, 44–46
 - viewing, 10–11
 - LED (light emitting diode), 98
 - Lens blur, 224
 - Lens Correction filter, 187, 225, 304
 - Lens Flare plug-in, 245
 - lens-cleaning liquids, 50
 - lenses
 - changing, 23
 - components, 47
 - concepts
 - bokeh, 115–116
 - overview, 113–114
 - sensors, 114–115
 - creative use
 - telephoto lenses, 118–119
 - wide-angle lenses, 116–118
 - diagram, 36
 - flexibility, 19–20
 - low light, 106–107
 - macro, 109, 113, 270
 - microlenses, 38–39
 - older, 55

- overview, 63, 105
 - prime
 - defined, 20, 47
 - low light, 106
 - overview, 109
 - sharpness, 107
 - shutter speed, 107
 - special-purpose, 113
 - super-wide, 22–23
 - switching, 8
 - telephoto
 - creative use, 118–119, 270–271
 - crop factor, 50–51
 - overview, 8–9, 108
 - tips for, 269–271
 - wide-angle
 - architectural photography, 185
 - creative use of, 116–118, 270
 - crop factor, 51
 - overview, 108
 - zoom, 20, 47, 109–113
 - Levels dialog box, 212, 214–215
 - light emitting diode (LED), 98
 - light path, 36
 - lighting
 - ambient, 168, 301–302
 - architectural photography, 188–190
 - available, 301–302
 - balancing, 100
 - diffusing to diminish defects, 181
 - flash
 - action photography, 167–168, 283
 - delays, 158, 162
 - distance, 168–169
 - exposure, 171–172
 - external, 81–82, 119, 162, 169, 172–173
 - fill, 81, 305–306
 - mixed lighting, 189
 - older, 56
 - overview, 80
 - sports photography, 119
 - synchronizing, 170–171
 - techniques, 263
 - telephoto lenses, 119
 - triggering, 81–82
 - types of, 81
 - wide-angle lenses, 118
 - low
 - fast lenses, 122
 - lenses, 106–107
 - short shutter speeds, 122–123
 - tents, 277–278
 - tips for, 261–263
 - linear polarizers, 74
 - liquid crystal display (LCD)
 - dSLR-like cameras, 61–62
 - Live View, 24–26
 - non-SLRs, 175
 - overview, 8
 - versus viewfinder, 44–46
 - viewing, 10–11
 - Live Photos service, 205
 - Live View mode
 - depth-of-field, 12
 - histograms, 90
 - LCD preview
 - eye-points, extended, 24–25
 - histograms, 24
 - infrared imagery, 25–26
 - versus viewfinder, 45–46
 - longitudinal (axial) chromatic
 - aberration, 304
 - lossless compression, 140, 146, 306–307
 - lossy compression, 142, 306–307
 - low light
 - fast lenses, 122
 - lenses, 106–107
 - short shutter speeds, 122–123
 - low-contrast images, 212
 - low-contrast lighting, 156
 - luminance, 141
 - Luminous Landscape, 295–296
- M •
- macro (close-up) photography
 - equipment for, 84
 - manual focus, 101
 - motion, 165
 - power, 162
 - prime lenses, 111
 - telephoto lenses, 118
 - macro lenses, 109, 113, 270
 - Magic Wand tool, 230, 232, 242

- Magnetic Lasso tool, 231–232
 - magnification. *See* focal length
 - magnification factor. *See* crop factor
 - manual, reading, 273
 - manual dust removal, 134
 - Manual Exposure mode, 98–100
 - manual focus, 65, 101–102
 - marching ants (selection border), 228
 - Marquee tool, 230–231
 - Mask palette, 200
 - masking
 - selections, 229
 - unsharp, 311
 - Matrix metering scheme, 93
 - megapixels (MP), 31–32. *See also* pixels
 - memory card readers, 266
 - memory cards
 - buying online, 299
 - capacity, 70, 264–265
 - file formats, 144, 146
 - high-resolution images, 35
 - overview, 36
 - slots for on printers, 257–258
 - write speed, 48, 68–69, 161
 - mergers, 192
 - metering system, exposure
 - function of, 92
 - overview, 64
 - selecting scheme, 93–94
 - versatility, 94–95
 - microlens, 38–39
 - mid-range zoom lens, 112
 - Midtone Contrast slider, 214
 - Miranda, Fred, 297
 - mirror telephoto lens, 115
 - mixed lighting, 188
 - moiré, 308
 - monolight, 81
 - monopods, 78–79
 - motion. *See also* action photography
 - close-up photography, 165
 - diagonal, 165
 - distance, 165
 - parallel, 164
 - toward camera, 164
 - Motion blur, 224
 - moving objects, 238–240
 - MP (megapixels), 31–32. *See also* pixels
 - Multipoint metering scheme, 93
- N •
- nature photography, 118
 - ND (neutral density) filters, 74–75, 190
 - nearest subject zone, 103
 - Neat Image, 124
 - neutral density (ND) filters, 74–75, 190
 - night photography
 - fast lenses, 122
 - fireworks, 285–286
 - short shutter speeds, 122–123
 - Nikon cameras
 - early, 8
 - lenses, 55–56
 - megapixels, 32
 - Nikon Capture NX 2, 150
 - Nikon D70, 8
 - noise
 - Canon versus Nikon, 64
 - defined, 1
 - fireworks, photographing, 286
 - reduction of, 13–14, 40–41, 123–125, 219
 - using for effect, 271
 - Noise Ninja, 124, 154, 271
 - non-anti-aliased edges, 229
 - non-compatible flash, 100
 - noncontiguous pixels, 232
- O •
- ohnoseconds, 21
 - online resources
 - BytePhoto, 296
 - DPReview, 292–294
 - eBay, 297–299
 - Galbraith, Rob, 296–297
 - Luminous Landscape, 295–296
 - Miranda, Fred, 297
 - overview, 289
 - PBase, 290–292
 - Photoshop, 290

- Popular Photography & Imaging* magazine, 294–295
- printing services, 252–253
- Shutterbug, 294
- Web sites
- Acronis, 71
 - Adobe, 152, 201, 203
 - Adorama, 298
 - author's, 289, 298
 - B&H Photo, 298
 - Bibble Pro, 152
 - BytePhoto, 296
 - Capture One PRO, 152
 - Cokin filters, 76
 - DPReview, 63, 292
 - Drobo, 72
 - DxO Labs, 304
 - eBay, 297
 - Galbraith, Rob, 69, 296
 - GraphicConverter, 152
 - IrfanView, 152
 - Joby, 78
 - KEH, 298
 - Luminous Landscape, 295
 - Miranda, Fred, 296–297
 - Neat Image, 124
 - Noise Ninja, 124, 271
 - PBase, 290
 - Photoshop.com, 205, 290
 - Popular Photography & Imaging* magazine, 294
 - Rockwell, Ken, 296
 - Shutterbug, 294
 - SmugMug, 292, 296
- optical image stabilization, 113
- Option bar, 220–221, 231–232, 235
- ordering prints, 253
- outdoor sport photography, 110
- output tray, 257
- overexposure, 90
- p ●
- P (Program) mode, 96–97
- Paint Shop Pro PhotoX2, 204
- Painter 11, 201, 204
- painting selections, 229
- panning, 165–166
- pan/tilt head, 80
- parallel motion, 164
- Patch tool, 222
- PayPal, 299
- PBase, 290–292
- PC (Prontor-Compur) connection, 82
- Pentax cameras, 55
- personal storage device (PSD), 71, 206
- perspective, architectural photography, 186–187
- perspective control lens, 110, 113, 186–187
- phase detection, 46
- Photo Clam, 80
- photography
- action
 - aperture, 267–268
 - catching peak action, 166–167
 - flash, 167–168
 - Manual mode, 101
 - overview, 163–165
 - panning, 165–166
 - architectural
 - framing, 190
 - lenses for, 110
 - lighting, 188–190
 - overview, 185
 - perspective, 186–187
 - close-up
 - equipment for, 84
 - manual focus, 101
 - motion, 165
 - power, 162
 - prime lenses, 111
 - telephoto lenses, 118
 - infrared, 25–26, 132–134, 275–277
 - landscape, 111, 190–191, 206
 - nature, 118
 - night
 - fast lenses, 122
 - fireworks, 285–286
 - short shutter speeds, 122–123
 - portrait, 110–111, 180–182
 - public relations, 183–185
 - sports, 118, 206

- photography (*continued*)
 - time-lapse
 - computer-driven, 132
 - features required for, 55
 - overview, 131–132, 280–281
 - travel, 192–193
 - PhotoImpact X3, 204
 - Photomerge Scene Cleaner, 203
 - photons, 12–13, 37, 42
 - Photo-Paint Image Adjustment Lab, 203
 - Photo-Paint X4, 203–204
 - photos. *See* images
 - Photoshop CS4, 198–201
 - Photoshop Elements 7.0, 201–203
 - Photoshop.com, 205, 290
 - photosites, 37, 40, 88, 114
 - Picasa, 204–205
 - PictBridge-compatibility, 257–258
 - pictures. *See* images
 - pincushion distortion, 187, 225
 - pinhole cameras, 278–279
 - pixel density, 114–115
 - PixelPaint format, 139
 - pixels
 - number needed, 32–33
 - overview, 29–31
 - print sizes and printers, 33–35
 - resolution, 31–32
 - selecting, 232–233
 - superfluous, 35
 - plug compatible, sensors, 114
 - point-and-shoot cameras, 156–157
 - polarizing filters, 74, 76
 - Polygonal Lasso tool, 231
 - Popular Photography & Imaging* magazine, 294–295
 - portrait photography, 110–111, 180–182
 - post-processing. *See also* editing images
 - JPEG format, 145
 - TIFF format, 144
 - PR (public relations) photography, 183–185
 - prime (fixed focal length) lens
 - defined, 20, 47
 - low light, 106
 - overview, 109
 - printers
 - matching number of pixels to, 33–35
 - quality of, 252, 255
 - resolution, 33
 - selecting, 255–258
 - printing images
 - do-it-yourself approach, 252
 - kiosks, 253–254
 - online, 252–253
 - overview, 249
 - print sizes, 33–35
 - reasons for, 250–251
 - product reviews, 63, 292–293, 295–297, 304
 - professional DSLRs, 60–61
 - Program (P) mode, 96–97
 - Prontor-Compur (PC) connection, 82
 - proprietary formats, 139
 - PSD (personal storage device), 71, 206
 - public relations (PR) photography, 183–185
 - publicity photography, 183–185



- Quick Fix mode, 203
- Quick Mask mode, 233–235, 237, 245
- Quick Selection tool, 230, 233
- quick-release plate, 80



- Radial blur, 224
- Radius slider, 213
- RAID (Redundant Array of Inexpensive Disks), 72
- RAM (random access memory), 199
- RAW format
 - archiving, 149
 - compression, 307
 - converting, 206–207
 - fireworks, photographing, 286
 - image-editing applications
 - Digital Photo Professional, 150–151
 - EOS Utility, 150–151
 - Nikon Capture NX 2, 150
 - overview, 149
 - third-party applications, 152–154
 - memory card capacity, 264
 - overview, 143
 - salvaging images from, 148–149
 - selecting, 147
- rear curtain sync, 170

- Rebel camera, 8, 57, 160
 - rectilinear (straight line) images, 108
 - red, green, blue (RGB) color model, 140, 308–309
 - Reduce Noise filter, 124
 - Redundant Array of Inexpensive Disks (RAID), 72
 - Refine Edge dialog box, 236
 - reflection, eyeglass, 182
 - reflex viewing, 105
 - removing objects, 237–238
 - repeating flashes, 263
 - resampling (interpolation), 34, 40
 - resizing images
 - enlarging, 32
 - for Web, 27
 - resolution
 - calculating, 33–34
 - changing environments, 264
 - limited memory card space, 264–265
 - overview, 31–32, 263–264
 - printer, 33, 256
 - storing speed, 265–266
 - Web pictures, 265
 - restoring prints, 250
 - retouching images, 271–273. *See also*
 - editing images
 - artifact removal
 - Clone Stamp tool, 220–221
 - noise reduction, 219
 - overview, 218
 - spots, 219–220
 - touch-up tools, 222
 - backgrounds, adding new, 240–243
 - moving objects, 238–240
 - removing objects, 237–238
 - selections
 - effects, applying to, 235–236
 - making changes with, 229–230
 - overview, 228–229
 - painting, 233–235
 - selecting shapes, 230–232
 - selecting pixels, 232–233
 - reviews, product, 63, 292–293, 295–297, 304
 - RGB (red, green, blue) color model, 140, 308–309
 - Rockwell, Ken, 296
 - Rule of Thirds
 - origins of, 179–180
 - using, 180
- S ●
- S (Shutter Priority) mode, 96, 98, 282
 - saturation, 217, 286–287, 308–309
 - saving selections, 230
 - Scene Cleaner, 203
 - Scene modes, 96–97
 - second cameras, 26, 83
 - Secure Digital High Capacity (SDHC)
 - memory cards, 48–49, 70
 - Secure Digital (SD) memory cards, 48–49, 58–59, 68, 296
 - Select menu, 236
 - selecting dSLRs
 - categories of
 - advanced amateur/semi-pro, 59–60
 - basic, 57–59
 - dSLR-like cameras, 61–62
 - enthusiast, 59
 - professional, 60–61
 - key features of
 - exposure systems, 64
 - focusing systems, 65
 - image processors, 63–64
 - lenses, 63
 - overview, 62–63
 - sensors, 63–64
 - special features, 66
 - overview, 53–55
 - upgrade potential, 55–56
 - selection border (marching ants), 228
 - selections
 - effects, applying to, 235–236
 - making changes with, 229–230
 - overview, 228–229
 - painting, 233–235
 - selecting pixels, 232–233
 - selecting shapes, 230–232
 - selective focus, 100
 - selling
 - old equipment, 298
 - prints, 250
 - semi-pro dSLRs, 59–60

- sensors
 - cleaning, 23–24, 49–50, 83, 134
 - components of, 38–40
 - diagram of, 36
 - lenses, 114–115
 - noise, 40–41
 - overview, 12–13, 37–38, 63–64
 - sensitivity, 40–41
 - types of, 38
- sensor-shaking device, 39, 49
- sequences, 162–163. *See also* burst mode
- Series *x* adapter ring, 284
- Shadow/Highlight controls, 212–214
- shadows, exposing for, 88. *See also* contrast
- Shape blur, 224
- sharing prints, 250
- Sharpen Edges filter, 222
- Sharpen filter, 222, 228
- Sharpen More filter, 222
- sharpness, 107, 208, 222–223, 267
- short tele to telephoto zoom lens, 112
- shot-to-shot delay, 17–18, 161
- shutter, diagram of, 36
- shutter lag
 - minimizing, 158–160
 - overview, 8, 18
 - point-and-shoot cameras versus dSLRs, 156
 - process, 21
 - professional cameras, 61
- Shutter Priority (S or Tv) mode, 96, 98, 282
- shutter speed
 - exposure, 95
 - fast, 283
 - lenses, 107, 117, 119
 - neutral density filters, 74
 - overview, 42–44
 - slow, 282
 - tips for, 266–267
- Shutterbug, 294
- Sigma lenses, 106
- Similar option, 242
- Single autofocus (AF-S) mode, 103, 159
- single lens reflex, defined, 7, 105
- slave unit, 81, 172
- slow-sync flash, 171
- SLR-like cameras, 61–62
- Smart Brush tool, 202
- Smart Sharpen filter, 222
- smudgy portrait filter, 285
- SmugMug, 292
- Snap Art plug-in, 225
- Sony Memory Stick Pro Duo cards, 48, 68, 254
- special effects
 - filters for, 76
 - Manual Exposure mode, 99
 - overview, 27
- special-purpose lenses, 113
- speedlight, 80
- split-field color filter, 284–285
- sports photography, 118, 206
- Sports Scene mode, 97
- Spot Healing Brush, 222
- Spot metering scheme, 93
- spot removal, 208
- star filter, 284–285
- stopping action. *See* action photography
- storing images. *See also* formats
 - backup media, 71–72
 - durable archives, 72–73
 - high-resolution images, 35
 - overview, 47–49, 70–71
- straight line (rectilinear) images, 108
- straight lines, 190
- streaky photos, 128
- strobes, 167, 283
- subject arrangement, 178
- sunset/sunrise, 191
- Superfine option, 139
- super-wide lenses, 22–23
- surge protector, 71
- synchronizing flash, 170–171

• T •

- Tagged Image File Format (TIFF)
 - compression, 307
 - overview, 138–139, 140–141
 - selecting, 144
- tags, 140
- teasers, 251

telephoto lens
 creative use of, 118–119, 270–271
 crop factor, 50–51
 overview, 8–9, 108

telephoto zoom lens, 112

tent, 277–278

threshold, 37, 310

through-the-lens (TTL) metering, 171

TIFF (Tagged Image File Format)
 compression, 307
 overview, 138–139, 140–141
 selecting, 144

tilting, 165

time-lapse photography
 computer-driven, 132
 features required for, 55
 overview, 131–132, 280–281

Tokina fish-eye zoom lens, 108

tolerance, 310–311

Tolerance setting, 232

tonal adjustments, 208

tonal width, 213

Transform Selection option, 236

transforming selections, 230

travel photography, 192–193

triangular group shot, 183

tripod
 fireworks, photographing, 285
 infrared photography, 134
 landscape photography, 190
 Live View mode, 46
 overview, 76–77
 selecting, 79–80
 time-lapse photography, 280
 using, 77–78

Tripod Mode, 46

Truelmage Home, 71

TTL (through-the-lens) metering, 171

tutorials, 295–296

Tv (Shutter Priority) mode, 96, 98, 282

twin-lens reflex, 105



ultraviolet (UV) light, 113, 119

underexposure, 91

Understanding series of tutorials, 295

uneven lighting, 188

Uninterruptible Power Source (UPS), 71

Unsharp Mask filter, 222

unsharp masking, 311

upgrade potential, 55–56

UPS (Uninterruptible Power Source), 71

upsampling, 34

USB port, 66, 266, 280

Use All Layers box, 232

UV (ultraviolet) light, 113, 119



Variations dialog box, 218

Vibrance adjustment, 200

video, 26–27

viewfinder
 composition with, 10–12
 defined, 175
 diagram of, 36
 dSLR-like cameras, 61–62
 versus LCD, 44–46
 overview, 8
 quality of, 10–11

vignetting, 74, 118, 284

visual noise. *See* noise



wake-up time, 17

Web display, 145

Web sites
 Acronis, 71
 Adobe, 152, 201, 203
 Adorama, 298
 author's, 289, 298
 B&H Photo, 298
 Bible Pro, 152
 BytePhoto, 296
 Capture One PRO, 152
 Cokin filters, 76
 DPReview, 63, 292
 Drobo, 72
 DxO Labs, 304
 eBay, 297
 Galbraith, Rob, 69, 296
 GraphicConverter, 152

Web sites (*continued*)

IrfanView, 152
Joby, 78
KEH, 298
Luminous Landscape, 295
Miranda, Fred, 296–297
Neat Image, 124
Noise Ninja, 124, 271
PBase, 290
Photoshop.com, 205, 290
Popular Photography & Imaging
magazine, 294
Rockwell, Ken, 296
Shutterbug, 294
SmugMug, 292, 296
weight, camera, 26
Wein Safe-Sync, 173
white balance, 264, 276
wide-angle zoom lens, 111

wide-angle lens

architectural photography, 185
creative use of, 116–118, 270
crop factor, 51
overview, 108
Windows Live Photos, 205
wireless flash, 81–82, 172
workflow, 206–207
Wratten filters, 276
write speed, memory card, 48, 68–69, 161



xD cards, 48, 68, 254



zip files, 291
zoom lens, 20, 47, 109–113