
Index

- Aberrations, 87–97
 - chromatic, 94
 - correction of, 111
 - disturbance of axial symmetry, 96
 - electron diffraction, 97
 - geometrical, 87
 - anisotropic, 93
 - astigmatism, 92
 - coma, 91
 - distortion, 93
 - field curvature, 93
 - spherical, 90
 - space-charge fields, 96
- Accelerators:
 - colliders, 517
 - FODO lattices in, 111, 228
 - types of, 111, 522
- Action integral, 7
- Adiabatic design of MIG, 473
- Adiabatic guns, 472
- Adiabatic invariant, 33–36, 473
- Admittance of electron gap, 247–252
- Admittance of ensemble of classical oscillators, 427–430
- Amplitron, 411–418
 - amplification and efficiency, 414
 - bandwidth, 415
 - Buneman–Hartree line, 416
 - electron emission, 419
 - phase characteristics, 417
 - slow-wave structures, 413
- Anode aperture, 71
- Anomalous Doppler effect, 425
- Applegate diagram, 268
- Approximations
 - adiabatic, 32
 - hydrodynamic, 116
 - kinematic, 267
 - linear, 250, 258, 463, 523
 - nonrelativistic, 19–28, 42, 98, 128, 472
 - paraxial, 53, 211
 - quasistatic, 18
 - single-flow, 116
- Averaged equations of gyrotron, 451–454
 - in Hamiltonian form, 454
 - in polar coordinates, 456
- Backward wave
 - amplifier (BWT), 342
 - nonlinear effects in BWO, 348
 - oscillations, 339, 509
 - oscillator (BWO), 345
 - oscillator of M-type (MBWO), 377–382
 - relativistic BWO, 357
- Bandwidth
 - amplitron, 415
 - gyroklystron, 506
 - gyro-TWT, *see* Gyro-TWT
 - klystron, 287
 - TWTM, 377
- Barkhausen-Kurtz oscillator, 435
- Beams:
 - brightness, 13
 - Brillouin, 186–189, 193–198
 - congruent, 127

- Beams: (*Continued*)
 emittance, 12, 110
 equilibrium, 182–184, 191, 205, 220
 helical electron, 24, 43, 468–475
 hollow, 189, 211
 homocentric, 48, 131
 isorotational, 186
 isovelocity, 184
 laminar, 116, 124, 136, 480
 nonvortex, 127
 regular intersection, 479
 space-charge, 113, 115, 131, 181, 479
 stiffness, 223
 thin annular, 199
 unrippled beams, 182
- Bessel function, 272, 294, 539
- Boltzman–Maxwell distribution, 123
- Bremsstrahlung magnetic, 425
- Brillouin stream, 389–391
- Brillouin rays, 500
- de Broglie's wave, 97
- Bunching:
 crossed fields, 365
 current, 268
 electron gap, 252
 gyrokystron, 503
 inertial and forced, 369, 443
 klystron, 269, 283
 linear and quadratic bunching
 of oscillators, 433
 retarded field, 290
 spatial and phase, 434–445
- Buneman–Hartree threshold voltage, 391, 401
- Busch theorem, 41, 126
- BWO, *see* Backward wave
- Carcinotrons of M-type, 377–383
- Cathode lens (immersion objective), 63, 72–75
- Cathode plasma, 173, 179
- Cathode thermionic, 75
- Cauchy problem, 150–152, 162–167
- Cavities:
 buncher, 264–266
 catcher, 273
 penultimate, 284–287
 toroidal, 265
- Centrifugal electrostatic focusing, 171, 205–210
- Ceramic sintering, 515
- Cerenkov radiation, 300
- Cerenkov synchronism, 424
- CFA, 410–419
- Charge conservation law, 248, 269, 292, 455
- Child–Langmuir formula, 130
- Classical electron oscillators, 427
- Clinotron, 351
- Coaxial gyrotrons, 463, 479
- Coaxial resonators, 496, 514
- Colliders, *see* Accelerators
- Complex resonators, 496
- Conductance of electron gap, 251, 267
- Continuity theorem, 11, 368
- Controlled fusion experiments, 514
- Convective instabilities of helical
 electron beams, 481
- Converter quasioptical, 499
- Coupled cavity TWTO, 340
- Coupling coefficient, 266
- Crossed field amplifiers (CFA), 410–419
- Crossed field oscillators, *see* Backward wave
- Crossover, 73
- Current:
 capacitive, 243, 250
 convection, 242, 268–272, 306–308
 displacement, 242
 induced, 244–246
 total, 242
- Cusp magnetic, 44, 472
- Cutoff relation, 387
- Cyclotron:
 frequency (gyrofrequency), 25
 resonance, 441, 508
- Cyclotron autoresonance masers
 (CARM), 517–521
- Debunching by space charge,
 281–283, 296
- Differential equations of trajectories, 51–54
- Diffraction power output, 499
- Diffraction losses, 501
- Diodes:
 cylindrical, 148
 explosive emission, 173–179
 foiled anode, 173
 foiled free annular, 174
 high-frequency with nonzero
 space charge, 257–260
 magnetically insulated, 174–179
 oscillator, 260
 planar, 118, 129, 144, 529
 relativistic planar, 145
 spherical, 149
 supreme relativistic, 146
 volt–ampere characteristics, 146
- Dispersion equation:
 BWO, 344
 FEL, 525

- gyro-TWT, 510
- MBWO, 377
- MTWT, 371
- space charge waves, 280
- TWTO, 310, 313, 318
- Doppler anomalous effect, 425
- Doppler frequency up conversion, 426
- Doppler normal synchronism, 424
- Drift:
 - equations, 37, 39
 - gradient, 39
 - guiding center, 39
 - transversal, 29, 39
- Dryden's flow, 140
- Efficiency:
 - amplitron, 415–417
 - BWO, 348, 359
 - diode oscillator, 260
 - gyroklystron, 506
 - gyrotron, 443, 462, 517
 - klystron multibeam, 287
 - klystron multi-cavity, 286
 - klystron two-cavity, 275, 277
 - magnetron, 394
 - magnetron, relativistic, 402
 - magnicon, 439
 - MBWO, 381
 - MILO, 408
 - MTWT, 375
 - reflex klystron, 293, 296
 - ubitron, 437
- Electron gap, 242, 245, 251
- Emission:
 - crossed field amplifiers (CFA), 419
 - explosive electron, 171
 - secondary, 331, 410, 419
 - self-amplified spontaneous (SASE), 526
- Emittance, 12, 110
- Energy:
 - balance for free and forced stationary oscillations, 447, 541
 - conservation law, 18
 - integral of averaged equations, 455
 - spread, 476
 - transfer in MTWT and TWTO, 368
- Euler–Lagrange equation, 50
- Euler's motion equation, 123
- Explosive emission diodes, 173–179
- Floquet theorem, 302
- Focal length:
 - cathode lens, 73
 - quadrupole lens, 105–108
 - short magnetic lens, 78
 - strong magnetic lens, 83
 - thin aperture lens, 70
 - thin unipotential and immersion lenses, 68
- Foci, sagittal and meridional, 92
- Focusing:
 - centrifugal electrostatic, 205–208, 211
 - electrostatic periodical, 226
 - magnetic periodical, 228–234
 - multifocusing effect, 79, 83
 - slalom, 227
 - strong, 80
- Free electron laser (FEL)
 - applications, 527
 - linear theory, 523
 - parameters, 526
- Frequency:
 - bands, 237
 - electron cyclotron (gyrofrequency), 25
 - multiplier klystron, 277
 - plasma, 6, 280
 - plasma reduction, 281
- Frequency oscillation zones of
 - reflex klystron, 295
- Frequency tuning:
 - BWO, 348
 - clinotron, 352
 - gyrotron, 495, 515
 - magnetron, 396–399
 - MBWO, 381, 383
 - reflex klystron, 295
- Gain (amplification):
 - amplitron, 414
 - BWA 348
 - gyroklystron, 506
 - gyro-TWT, *see* Gyro-TWT
 - klystron, 285, 288
 - MTWT, 372
 - TWTO, 336, 361
- Gaussian beams, 362, 403, 499
- Gaussian distribution of the
 - gyrotron hf field, 462
- Gauss plane, 89
- Girocon, 438
- Global instability, 483–485
- Grazing intersection, 509
- Guiding center, 25, 31, 37–41, 367, 440, 451, 457, 472
- Guns:
 - cathode, 73
 - centrifugal electrostatic, 171

- Guns: (*Continued*)
 Chernov's, 210
 Chow–Pantell, 471
 cusp-injected, 44, 472
 explosive–emission, 172–179
 Harris–Waters, 209
 high-convergence, 170
 Lomax–Kirstein synthesis method, 153
 magnetron injection gyrotron
 adiabatic, 470, 472–476
 magnetron injection Kino–Taylor, 169, 530
 Meltzer, 156–158
 with wedge-shaped and conic beams, 167
- Gyroklystron:
 bandwidth, 506
 construction, 503
 equations, 503–505
 multicavity, 503, 506
- Gyrotron:
 applications
 electroncyclotron current
 drive (ECCD), 513
 electron–cyclotron resonance heating
 (ECRH), 513
 generation of multiply charged ions
 and soft X-rays, 515
 gyroklystron RF drivers for TeV linear
 colliders, 517
 microwave procession of
 materials, 515
 millimeter radar systems, 516
 coaxial, 463, 479
 depressed collector, 502
 hard self-excitation regime, 467,
 494, 497
 large orbit, 442
 multibeams, 498
 nonsynchronous parameter, 434
 output power system, 499
 quasioptical, 495
 relativistic, 517
 resonators, 444
 starting regime, 465
 subrelativistic, 458
 subrelativistic equations, 459–465
 TE, TM modes, 445
 theory, 449–457
 thin beam approximation, 455
- Gyro-TWT:
 bandwidth, 511
 gain, 511
 reflective instability, 512
 resonance conditions, 508
- Hamiltonian equations, 9
 Harker's method, 162–166
 Harmonics:
 gyrofrequency, 439, 452, 467
 spatial, 303–306, 382
 Harris flow, 206
 Helix dispersion, *see* Slow-wave
 structures
 Helix TWTO, 338
 Helmholtz and Lagrange formulas, 61
 Hull's parabola, 387
 Hybrid magnets, 544
- Image rotation, 84
 Image space, 62, 65, 83
 Image stigmatic and geometric
 similarity, 47
 Immersion lens, 63, 67
 Impedance of diode, 258
 Incremental propagation constant, 312,
 317, 345, 372
- Instabilities:
 diocotron, 170, 482
 global, 483–485
 negative-mass (electrostatic cyclotron), 481
 reflective of Gyro-TWT, 512
 TE instabilities, 484
- Intermodulation distortion, 337
 Invariants, Lagrange and Poincare, 124,
 127, 131
 Ions compensation, 487
 ITER, 514
- Kicker, 472, 521
- Klystrons:
 Applegate diagram, 268
 applications, 263, 284, 288, 296
 frequency multiplier, 276
 invention, 263
 multicavity and multibeam, 284–288
 reflex, 289–296
 relativistic, 289
 two-cavity, 264, 273–277
- Lagrange invariant, 125
 Lagrangian equations, 8
 Langmuir maximum brightness, 14
 Laplace equation, 102, 144, 150–153, 163
- Lenses:
 aperture, 63, 69–71
 cardinal elements, 65, 82, 105
 cathode (immersion objective), 63, 72–75
 electrostatic, 61–76

- immersion 63, 67
- magnetic:
 - classification, 76, 79
 - Glazer's, 80–85
 - long, 86
 - short, 77–80
- magnification, 59, 84
- quadrupole:
 - applications, 109
 - cardinal elements, 105
 - equation of paraxial trajectories, 103
 - quadrupole doublets and triplets, 108
 - second order focusing, 109
 - transfer matrix, 104
- second-order focusing of axially symmetric lenses, 98
- transfer matrix, 99
- unipotential, 63, 67
- Limiting current, 204, 487–492
- LINAC, 527
- Linearization:
 - gyro-TWT equations, 509
 - induced current, 250
 - subrelativistic gyrotron equations, 463
- Liouville theorem, 10
- Llewellyn–Peterson equations, 260

- Magnetic bottle, 40
- Magnetic fields spatial periodic, 225, 228
- Magnetic lenses, *see* Lenses, magnetic
- Magnetic systems of gyrotrons:
 - hybrid magnets, 544
 - permanent magnets, 516, 545
 - pulsed magnets, 545
 - resistive solenoids, 543
 - superconductive magnets, 543
- Magnetrons:
 - applications, 395
 - Brillouin stream, 389–391
 - Buneman–Hartree threshold voltage, 391, 401
 - efficiency, 394
 - Hull's parabola, 387, 401
 - mechanically tunable, 397
 - performance, 395
 - phase locking, 405
 - π -mode, 384–386, 393
 - planar, 136–140
 - relativistic, 400–405
 - resonator, 383
 - voltage tunable, 397
- Maxwell equations, 6
- Meltzer's flow and gun, 134–136, 156–158
- Membrane equation and function, 446, 538

- Microscopes:
 - emission, 73
 - lenses, 85
 - resolution, 75, 97
 - scanning, 75
 - transmission, 94
- Millimeter TWTO, BWO, and
orotrons, 350
- MILO (magnetically insulated line oscillator),
406–410
- Modes:
 - gyrotron interaction:
 - selection, 494–499
 - suppression, 493
 - π -mode, 384–386, 393
 - ρ -mode, 129, 257–259, 479, 529
 - T-mode, 129, 257–259, 479, 529
 - voltage-, power-, and bandwidth
amplifier klystron modes, 276,
285–288
- Modulation:
 - energy, 503, 521
 - velocity, 265–267
- Momentum generalized, 8, 41,
46, 55
- Motion of electrons in static fields:
 - axially symmetric and plane
symmetric, 41–46
 - electric, 21–23
 - magnetic, 23–31
 - weakly inhomogeneous, 31–41
- M-type injected beam back wave
oscillator (MBWO),
377–382
- M-type injected beam traveling
wave tube (MTWT):
 - bunching, 368
 - construction, 381
 - efficiency, 375
 - gain, 369, 372
 - nonlinear effects, 375
 - planar, 364, 381

- Negative conductance:
 - diode, 258
 - electron gap, 252
- Negative mass instability, 481
- Noise:
 - figure, 334
 - magnetron, 396
 - partition, 335
 - shot, 335
 - velocity, 335

- Orotrons, 352–354
- Oscillators, classical electron:
 - admittance of assemble, 427–430
 - harmonic, 20, 138, 430
 - isochronous, 442
 - nonisochronous, 432–436, 486
 - phase bunching, 433
 - relativistic, 20
 - spatial bunching, 435
 - spontaneous radiation, 423
 - stimulated radiation, 427–432
- O-type devices, 297, 368
- Paraxial ray equations, 211–215
- Peniotron, 437
- Periodic focusing, 225–234
- Permanent magnetic system, 516, 545
- Perveance, 114, 130, 214
- Phase:
 - locking, 405
 - selection, 434–437
- Phased antenna array, 360, 376, 418, 481
- Pierce:
 - formula of TWT and Gyro-TWT amplification, 316, 511
 - gun, 152, 168
 - parameter, 311
 - synthesis gun method, 143
- Pinch effect, 118
- Pitch-factor, 468, 476, 483
- Poincaré invariant, 124
- Poisson's equation, 113
- Ponderomotive force, 524
- Potential depression, 114, 201, 204, 487, 496
- Pulsed magnet, 545
- Pump magnet, 458, 472
- Quadrupole lenses, *see* Lenses, quadrupole
- Quality factor (Q-factor):
 - diffracton, 447
 - loaded, 255, 297, 399, 448
- Quasioptical gyrotron, *see* Gyrotron
- Quasistatic approximation, 18
- Radar, 333, 360, 396, 516
- Radiation:
 - Bremsstrahlung, 425
 - Cerenkov, 300
 - parasitic electromagnetic, 486
 - spontaneous, 423–426
 - stimulated, 427–433
 - stray, 501
 - synchrotron, 526
 - transition, 300
- Reduction factor plasma, 281
- Reflected electrons, 335, 484
- Reflective waves, 312, 335, 337, 348, 358, 512
- Reflex klystron, 289–296
- Relativistic:
 - beams in an infinite magnetic field, 199–205
 - current, 213
 - gyrotron, 517
 - klystron, 289
 - magnetron, 400–405
 - paraxial ray equations, 211–215
 - perveance, 114, 130, 214
 - planar diode, 145–147
 - solid Brillouin beams, 193–199
 - TWTO and BWO, 354–362
 - unrippled beams, 191–193
- Resistive magnet, 543
- Resonator (cavity):
 - Bragg, 520
 - buncher cavity, 264
 - catcher cavity, 264
 - coaxial, 496, 514
 - gyromonotron open, 444
 - hole-and-slot magnetron, 385
 - rising sun, 385
 - strapped, 385
 - toroidal, 265
- Saturation effects:
 - gyro-TWT, 511
 - MTWT and MBWO, 375
 - TWTO, 285, 318, 326
- Secondary emission, 331, 410, 419
- Selection modes, 494–499
- Shockley-Ramo theorem, 243–245
- Slalom focusing, 227
- Slow-wave structures (SWS):
 - cloverleaf, 340
 - comb, 301, 350, 533–535
 - coupled cavity, 340
 - dispersion diagram, 395
 - helix, 290, 338
 - interdigital, 301, 350, 533–535
 - staggered slot, 340
 - surface waves, 304, 350, 366
- Solenoids, *see* Magnetic system of gyrotrons
- Space charge:
 - beams, 113, 115, 131, 181, 479
 - current limitation, 114, 130
 - effects in MTWT, 373
 - fields, 178, 479
 - parameters, 229, 312, 318, 349, 374
 - self consistent equations, 116
 - waves in velocity modulated beams, 277

- Spectrum:
 energy in atoms, 422
 energy of electron oscillators, 422, 431, 433
 modes in waveguides and resonators, 384, 493, 496
- Spent beam, 114, 201, 204, 487, 496
- Spot size of electron beam, 75
- Spread:
 energy spread in HEB, 476, 481
 velocity in helix electron beam (HEB), 476–481
- Stagger-tuned model, 503
- Starting current:
 BWO, 345–347
 gyrotron, *see* Gyrotron
 MBWO, 377
 monotron, 254
 orotron, 353
 reflex klystron, 295
- Startup scenario, 497
- Step-tunable gyrotron, 515
- Stiffness of beams, 223, 234
- Strong focusing, 80
- Suppression of modes, 493
- Susceptibility of gyroklystron, 504
- Synchronous mode, 311, 315, 498
- Synchronous radius (in magnetron), 394
- Synchronous spatial harmonic, 358, 361, 365
- Tapered gyro-TWT, 512
- Tapered MLO, 408–410
- Tapering velocity, 327–329
- Temperature equivalent noise, 335
- Thermal (Johnson) noise, 334
- Thermonuclear fusion, 514
- Thermonuclear reactor, 514
- Tokamak, 514
- Total current method, 256
- Transfer matrix, 99
- Transit:
 angle, 249, 266, 270, 294, 480, 532
 time, 235, 241, 249, 250–252, 299
- Transition radiation, 300
- Transversal adiabatic invariant, 33–36, 473
- Trap, magnetic, 484
- Trapping electrons (TE), 484
- Traveling wave tube O-type (TWTO):
 applications, 332
 attenuators and severs, 336
 bandwidth, 301, 338
 bunching, 299, 306–308
 depressed collectors, 329–332
 dispersion equation, 310, 313, 318
 efficiency, 327–329, 333
 gain, 316
 helical and coupled cavity tubes, 338–341
 intermodulation distortion, 337
 linear theory of nonrelativistic TWTO, 306–318
 noise, *see* Noise
 nonlinear equations and effects in nonrelativistic TWTO, 318–329
 parameters, 312
 relativistic, 354–362
 self-excitation, 335–337
 slow-wave structures, 300–306
 space charge, 316
- Tuning:
 frequency BWO, 348
 frequency magnetron, *see* Magnetron
 frequency reflex klystron, 295
- Twistron, 289, 340
- Ubitron, 437, 521
- Ultron, 411
- Velocity spread, 476–481
- Vlasov–Maxwell’s equations, 122
- Velocity modulation, 265–267
- Voltage depression, 114, 201, 204, 487, 496
- Waveguides:
 circular, 445
 comparison, 445, 538
 corrugated, 358, 362
 irregular, 442, 446, 496
 periodic, 301
 rectangular, 437
 tapered, 400
- Weakly inhomogeneous fields, 31–41
- Windows:
 atmospheric, 516
 Brewster’s, 502
 ceramic, 501
 CVD-diamond, 502
 output, 358, 501
- Work function, 173, 478
- Wronskian, 99, 428

