

Index

- A-12 227
A320 22, 30, 34, 36–39, 44, 101, 103, 129,
163–165, 237, 442
A330 3, 34–36, 38–39, 389, 442, 460–462
A340 3, 3990, 95, 101, 103, 105, 117, 120–121,
124–127, 177, 196, 442, 461–462
A380 31–32, 44, 95, 101, 123, 175–179, 188,
195–196, 228–232, 233–234, 373, 385–386, 388,
391, 442, 448, 456, 460, 464–467
A400M 70, 128, 234, 467
A-5 442
AC Motor 91, 211, 212, 251, 252
Acceleration 51, 55–58, 63, 65, 78, 79, 97, 154,
171, 291, 312, 328, 336, 338, 342, 487, 495
Accumulator 137, 141, 142, 146, 149, 150, 153,
157–161, 164, 167
Acidic atmosphere 490
Acoustic noise 251, 488, 489, 491, 496
Active control technology 349
Active magnetic bearings 373
Actuator Control Electronics 31, 35, 45, 46
Adaptive pressure control 172, 173
Adour 65, 336
Advanced turbo-prop (ATP) 250, 272
Aerospatiale 319
AFDX/ARINC664 448, 449
Agusta Westland 326
AH-64 Longbow Apache 277, 350, 353–6, 378
AIR 320 144
AIR 7304 494
Air cooled fuel cooler 267
Air cycle machine 272, 274, 283, 386–388
Air cycle refrigeration 269, 271, 278
Air data & inertial reference 240
Air data 17, 45, 53, 60, 61, 63–65, 239, 240, 248,
252, 254–258, 328, 365, 366, 399, 400, 470
Air data computer 61, 240, 246, 470
Air data module 45, 256
Air distribution system 246, 279–281, 465
Air driven pump 166, 235, 239, 251, 252,
383, 386
Air flow control 58, 62
Air flow modulation 57
Aircraft Information Management System 45
Airspeed 7, 9, 16, 17, 27, 61, 88, 113, 167, 255,
256, 266, 315, 345, 363, 364
Altitude 4, 51, 55, 56, 58, 60–62, 77, 90, 91, 99,
111, 118, 186, 227, 253, 255, 260–266, 269, 278,
284–291, 293, 294, 308, 310, 312, 313–315, 336,
345, 364, 374, 388, 391, 472, 478–480, 483–484,
490, 495, 496
Analytical methods 423
Angle of attack 257–258, 364, 365
Anti-mist 278, 293
Anti-skid 137, 139, 161, 169, 171–173, 175, 463
Apache 277, 319, 350–356, 378
ARINC 429 33, 102, 104, 177, 178, 256, 442, 444,
447, 449, 450, 457, 471
ARINC 600 119, 202, 470, 473–475,
ARINC 629 33, 45, 219, 220, 256, 442, 447,
449, 453
Arrestor gear 316
ASCB 463–464
ATA 227, 243, 408
ATEX 307, 486
Attention getter 298
Auto-stabilisation 2, 324, 326–328, 330, 331, 333,
343, 345
Auto-transformer 202, 209
Autoland 2, 201, 209, 210
Automatic braking 173
Autopilot Flight Director Computer 45, 48
AV-8B 18, 401
Avionics architecture 464–465, 467–468
Avionics cooling 279

- AVRO Vulcan 27–29, 181
 AVTAG 89
 AVTUR 89
- B-2 88, 116, 258, 374, 394, 397–401
 BAe146 13–14, 20, 21, 22, 168
 BAE Systems 3, 6, 8, 10, 68, 89, 91, 92, 99, 106,
 112, 115, 155–157, 161–163, 306, 310, 311, 315
 Batteries 181, 203, 230, 234
 Battery charger 202–203, 209, 210, 234
 BCF 304
 Belfast 2
 Bell 10–11, 51, 112, 215, 298, 324, 349, 357–360,
 366–368
 Belvedere 319
 BIT 118, 220, 246, 353
 Blue system 164, 166
 Boeing 737 129, 183, 274
 Boeing 747 13, 15, 132
 Boeing 757 274, 447, 450, 467, 237
 Boeing 767 165, 202, 208, 209, 214, 238, 274,
 382, 384, 385
 Boeing 777 3, 22, 34–35, 44, 105, 117, 119, 176,
 183, 216–218, 229, 424, 446, 447, 455, 462, 467
 Boeing 787 31, 133, 184, 195, 228, 234–237, 373,
 382, 384, 387, 389, 442, 448, 456, 467–468
 Boom and receptacle 115
 Bootstrap system 272, 274, 275
 Brake control system 171, 173, 177, 466
 Brake parachute 178
 Brake system control unit 175
 Bristol 319, 372, 442
 Britannia 442
 BS3G100 482, 485, 487–489, 491, 495–496
 Build Phase 428, 432
- Cabin distribution 283
 Cabin domain 464–465
 Cabin noise 284
 Cabin pressurisation 85, 235, 248, 267, 271, 278,
 284–286, 289, 308, 381, 383
 Cabin temperature control 85, 239, 271, 460, 463
 CAN bus 392
 Canberra 65
 Care free handling 4
 Cavitation 87, 91
 CCA 411, 414
 CDR 435–436
 Centre of gravity 15, 80, 117
 Cessna Citation 463
 CFC 276, 305
 Challenger 149, 150
 Chlorofluorocarbons (CFC) 276, 305
 Circuit breaker 189, 196, 204–206, 208, 220,
 232, 353
 Claverham/FHL 143, 152
 Coanda effect 347, 348
- Cold fuel 99, 119, 133–135
 Collective 323–336, 343, 345, 363, 364, 368, 375
 Collector tank 90, 106–108
 Common cause analysis 411, 412, 414
 Component reliability 419, 423
 Concept Phase 428–430
 Concorde 22, 34, 36, 58, 65, 66, 68, 71, 72, 112,
 145, 260, 305
 Conditioned bays 280
 Constant speed drive 183, 190, 191, 193, 197
 Contactor 183, 184, 190, 199–201, 203–204,
 208–209, 222, 252, 340, 353, 356, 422
 Contamination by fluids 482, 483, 495
 Control and Display Unit 45
 Control and Stability Augmentation System 2
 Coolanol® 276, 277
 Corona 234, 382
 Crew escape 310–314
 CT7-6 336
 Cyclic 22, 322, 324–329, 331, 334, 363–364, 368
 Cycloconverter 192, 195, 196, 218, 221–226,
 238, 394
- Dassault Falcon 463
 Data word format 451, 455
 DC Motor 32, 33, 77, 201, 211, 212, 403
 DDP 496
 de Havilland Comet 181
 Deck locking 321, 342, 343
 Definition Phase 428, 430, 431
 Defuelling 92, 109, 110
 Densitometer 103, 118, 119, 120, 126, 127
 Dependency diagram 410, 420–421
 Design considerations 262, 479–480, 482–493
 Design failure rate target 72
 Design guidelines 408–409
 Design Phase 428, 431, 436
 Digital data buses 116, 219, 220, 407, 442,
 446–448, 460, 464, 472
 Digital engine control unit (DECU) 336, 365
 Dispatch criteria 425
 Dispatch reliability 424, 427, 429
 Dissimilar redundancy 73
 DO-178 408–411, 437
 DO-254 409, 411, 408
 Dornier728 463
 Dragonfly 319, 320, 343
 DTD585 144–145
 Dunlop Maxaret 171–172
 Dutch roll 2, 7, 11, 22
- EAP 5, 6, 22–27, 37, 49, 68, 105–109, 113, 114,
 378–379, 460–461
 EH101 71, 320, 326, 327, 345
 EJ 200 69
 Ejection seat 291, 297, 308, 310, 312–314,
 317, 490
 Elecma 65

- Electrical backup hydraulic actuator 43
Electrical load management system 118, 119, 216, 218
Electrical loads 189, 205, 210–213, 232, 236, 353, 382–384, 468
Electrical system displays 237–238
Electrical system evolution 182
Electro-hydraulic actuator 21, 30, 33
Electro-hydrostatic actuator 28, 30, 31, 32, 34, 42, 43, 388
Embraer ERJ 463
Emergency power 153, 167, 192, 214–217, 229, 305–306, 341, 402, 460
EMH 492
Energy domain 464–466
Engine bleed 82, 106, 234, 239, 242–246, 248, 267–273, 279, 280, 286, 288, 290, 386, 387, 388, 390, 465
Engine driven pump 83, 157, 159, 164, 236, 251, 381, 384
Engine HP pump 108
Engine indications 78–82
Engine off-takes 81–83
Engine speed 56–57, 61, 69, 78, 79, 83, 84, 147, 167, 183, 185, 188, 193, 194, 216, 269, 307, 315, 365
Engine starting 73–77, 162, 241, 350, 374, 460
Engine temperature 61, 66, 79
Environmental conditions 154, 477–496
Environmental factors 479–491
Environmental testing 156, 493–496
EPIC 463–464
ETOPS 86, 214, 215, 438–440
EUROCAE 411
Eurofighter Typhoon 5, 7, 69, 104, 109, 196, 270, 312, 378, 460
Eurojet 69
Exhaust gas temperature (EGT) 59, 84
Expendable heat sink 277–278
Explosion suppression 128, 307, 362
Explosive atmosphere 110, 486–487, 495
Explosive decompression 286, 480
External and taxi aid camera 177
External fuel tanks 106, 112–113, 491
Exxon 145, 276

F-4 182
F-15 112, 113, 375–378
F-16 128, 401–404, 448
F-18 183, 195, 196, 221, 226
F-22A 88, 116, 374
F-35 32, 34, 98, 101, 109, 183, 196, 199, 201, 227, 313, 371, 385, 388, 394, 401, 402, 448, 460, 469
F-50 101–103
F-100 101–103
F-117 128, 178, 195, 221, 374, 378, 393–397
FAA 129, 307, 316, 408, 438–440
FADEC 53, 78, 82–84, 217, 365, 366, 371, 373, 375, 378, 425–427, 462, 467
Failure classification 413
Fault tree analysis 410, 413, 418–419
FCOC 58
Feel 2, 4, 10–11, 13, 17–18, 45–46, 166, 260, 284, 291, 325, 327, 330
FHA 220, 410–414
Fibre optic bus 469–470
Filter 57, 79, 81, 108, 132, 134, 140–142, 151–152, 165, 220–222, 224–225, 284, 290, 298, 337, 373, 472, 473, 483, 486
Fire detection 53, 171, 249, 301–303
Firewire 303, 304, 459
Flight Augmentation Computer 36–39
Flight control axes 3
Flight Control Data Concentrator 38, 40, 462
Flight Control Primary Computer 35, 38, 40, 462
Flight Control Secondary Computer 35, 38, 40, 462
Flight Management Guidance and Envelope Computer 38
Float level sensor 94
Fluid conditioning 151
Fluid flow rate 146
Fluid pressure 145
Fluid temperature 140, 145, 147, 152, 252
Fly by wire 2, 3, 18, 22, 25, 30, 31, 34, 36, 39, 40, 349, 371, 375, 377, 378, 395, 397
FMEA 356, 410, 422, 423
Fragmentation system 311
Frequency wild 183, 190, 192, 213, 221, 229
Fuel booster pump 91, 212
Fuel control unit 57, 62, 73
Fuel Cooled Oil Cooler 57, 58, 81
Fuel cooling 53, 267
Fuel dip 58
Fuel dump 92, 114, 417, 418
Fuel flow 51, 56–63, 73, 91–92, 134, 267, 336, 374, 378, 391, 426
Fuel flow control 56, 62
Fuel gauging probe 96, 100
Fuel jettison 90, 113, 114, 116, 117, 124, 220, 416–418
Fuel management & quantity gauging system 117–119
Fuel management function 118, 416–418
Fuel management unit 57
Fuel on board 96, 98, 127, 135
Fuel pressurisation 91, 106
Fuel quantity function 417–418
Fuel quantity measurement 94–103, 126, 416
Fuel temperature indication 135
Fuel transfer 89–92, 105, 107–109, 116–118, 121–124, 127, 360, 417–418
Fuel transfer pump 90–91
Fuel vent 93, 94

- Functional hazard analysis 411–412, 418
 Functional mapping 416
 Fungus 485
- g tolerance 291–292
 Gas generator 53–54, 56, 239, 240, 312, 336, 378, 381
 Gas horsepower 54, 366
 Gazelle 319
 General Electric 54, 236, 241, 336, 350, 383, 394, 402
 Generator control breaker 192, 199
 Global Express 101, 117–118, 195
 Goodrich 175, 258, 391
 Green system 41, 43, 157–160, 164–166
 Ground power 83, 190, 199, 214, 229, 230, 234, 239, 241
 Gulfstream GIV 463
 Gulfstream V 149, 150
- H 515 144
 Harrier 18, 22, 91, 245, 357, 371, 401, 447, 448
 Hawk 10, 15–18, 20, 22, 161–162, 307, 442
 Hawker Horizon 463, 464
 Health monitoring 53, 155, 335, 341–342
 Heating 90, 128, 190, 203, 210, 213, 236, 239–240, 248, 254, 260–261, 266, 270, 295, 301, 304, 384, 460, 482, 484
 Hercules 114
 High lift control 5, 10, 13
 Hispano Suiza 391
 HJ4AP 145
 HJ5MP 145
 Honeywell Aerospace 290
 Hoverfly 319
 Humidity control 278–279
 HUMS 341–342
 Hydraulic fluid 20, 140, 142, 144, 151, 158, 164, 165, 171, 251, 252, 483, 486
 Hydraulic piping 146, 154
 Hydraulic pump 28, 31, 82, 141, 147, 148, 149, 153, 157, 158, 161, 162, 165, 211, 243, 251, 305–306, 337, 390
 Hydraulic system loads 139
 Hydraulic system test 154
 Hydro-Aire 175
 Hypoxia 287–289
- Ice protection 239, 242, 248, 294–295
 Icing 65, 74, 99, 293–295
 Icing/Freezing rain 491, 496
 IEEE 1394 448, 449, 459, 460, 468, 469
 IFPC 371, 375–377
 IMA 177, 178, 230–232, 234, 457–459, 466, 467, 473–474
 Immersion 262, 284, 487
 In flight entertainment 232, 459
- In-flight refueling 88, 90, 91, 93, 105, 114–116, 139, 142, 288, 395–396, 398, 435
 In-service data 424
 Integrated actuator package 27–29, 34
 Integrated drive generator 192, 193, 208
 Integrated flight and propulsion control 371, 375, 377
 Interface control document 52
 International Standard Atmosphere (ISA) 263–266
 Inverters 201, 208
- JAA 129, 408
 Jaguar 22, 25, 65, 90–91, 306, 442
 JET A 99, 134–135, 145, 153, 156, 314
 JET B 99, 134
 JP-4 99, 134
 JP-5 99, 134
 JP-7 99
 JP-8 134
- Kidde-Graviner 304
 Kinetic heating 260, 266, 270
- Latecoere 177
 Leak measurement valve 164
 Leland Electrosystems 221, 223, 225, 226
 Level sensors 88, 94–95, 107–108, 118–119, 307
 Lighting 202, 210, 212–213, 232, 241, 380
 Lightning 32, 65, 112, 126, 128, 199, 227, 307, 394, 401, 460, 469, 472, 473, 479, 492–493
 Linear actuator 19, 21, 26–28, 33–34, 391
 Liquid cooling 237, 277
 Lockheed-Martin 196
 Low observable 374
 LOX 308, 309, 460
 LRU architecture 471
 Lynx 319
- Magnetic level indicators 111, 121
 Main engine control unit (MECU) 66–68
 Markov analysis 410, 425, 427
 Martin Baker Engineering 311
 MCU 202, 466, 470–471
 MD-90 195–196
 MDC 310
 Memory devices 443, 446–447
 Messier-Bugatti 177
 Messier-Dowty 177
 MIL-H-5606 144–145
 MIL-H-83282 145
 MIL-STD-1553 68, 256, 365, 379, 399, 422, 444, 447, 449, 451–455, 460–461, 470
 MIL-STD-704D 188
 MIL-STD-810 480–491, 494–496
 Minimum equipment list 133
 Molecular sieve oxygen concentrator 279, 288–289
 Moog 402

- More electric aircraft 31, 32, 133, 183, 184, 198, 218, 227, 228, 238, 372–373, 381–382, 389–390
- More electric engine 32, 184, 228, 372, 373, 382, 389–391
- MSOC 288–289
- Multiple source - multiple sink 447
- Nimrod 104, 114, 181, 378, 442, 461
- Nitrogen enriched air 129–132, 362
- Nose gear 160, 167, 168, 176, 177
- NOTAR 322, 346–349
- Nozzle position 61
- Nuclear, Biological, Chemical 493
- OBIGGS 106, 128, 130, 131, 133, 289, 307, 362
- Olympus593 65
- OMI Agusta 345
- Operate Phase 428, 433, 434
- Overheat detection 235, 249, 384, 463, 465
- Overspeed trip 57
- Overvoltage protection 189, 190
- Parallel operation 188–192, 202
- Parker Aerospace 117–119, 126, 132, 402, 403
- Partial pressure suit 289
- Particle detection 342
- Pave Pillar 474
- PDR 435, 436
- Permanent magnet generator 186, 187, 193, 215, 216, 222
- Permittivity 96, 100, 104
- Phosphate ester fluid 145
- Piccolo tube 248
- Pitch control 5, 7, 9–11, 16, 23, 324, 398, 399
- Pitot probe 253–254, 256
- Pitot static system 17, 239, 252–257
- Plenum chamber 281
- Polar operations 133–135
- Power control unit 11, 46, 47, 199, 209
- Power distribution 184, 199, 201, 203–204, 218–220, 228, 231–233, 235–237, 383, 388, 468
- Power generation 41, 53, 140, 152, 157, 159, 183–201, 208, 214–217, 220, 221, 229, 305, 382, 391, 402, 419
- Power optimised aircraft 32, 389
- Power switching 183, 195, 199, 203–204, 208, 216, 232, 353, 356, 460, 461
- Power transfer unit 157–160, 164, 166
- Pratt & Whitney 54, 241, 401
- Pressure drop 146–147, 149
- Pressure ratio 51, 56, 62, 79, 235, 381, 383
- Pressure reducing valve 106, 269–270
- Pressure suit 289, 291
- Pressurisation schedule 285
- Primary Flight Control Computer 45
- Priority valve 164
- Probe and dogue 115
- Product lifecycle 428
- Prognostics 405
- Protection functions 188, 189, 191
- PSSA 410–414, 420
- Puma 319
- Punkah louver 283
- Pyroshock 490, 496
- Q feel 11, 17, 18
- RAH-66 Comanche 227
- Rain dispersal 239, 259, 292
- Rain, humidity, moisture 484
- Ram air cooling 266–267, 269, 272, 274
- Ram air turbine 91, 140, 153, 161–162, 164, 215, 229, 230, 253, 305, 307, 386, 419
- Ram powered reverse bootstrap 274–275
- Range speed governor 63
- Raytheon BAe 1000 167
- Raytheon Control-By-Light™ 469
- RB199 66, 68, 162
- Red system 96, 137, 166, 429
- Refrigeration system 271, 275, 278
- Refuelling 88–95, 100, 104–105, 109–111, 114–116, 119–120, 139–140, 142, 284, 288, 307, 362, 388, 395–398, 435
- Refurbish or Retire 428
- Regional Jet 156, 242, 450
- Relay 108, 177, 189, 204–205, 211, 220, 341, 351, 418, 461
- Remote data concentrator 177, 468
- Remote terminal 399–400, 451–453
- Requirements capture 415–417
- Reservoir 41, 81, 140–142, 146, 149–152, 156–160, 164–165, 239, 243, 251, 252, 277–278, 317, 403–404
- Reverse current 189–190, 208
- Reverse thrust 53, 67, 83–84, 169, 246, 373, 378, 390, 391
- RF Radiation 479, 491–492
- RHAG 316
- Roll control 5, 7, 9, 11, 398, 399
- Rolls-Royce 57, 65, 68, 84, 86, 235, 241, 336, 337, 381, 383, 402
- Rotor head actuator 325
- Rotor torque effects
- RTCA 408, 411, 483, 485–489, 491, 494, 495, 496
- RTCA/DO-160 494
- RTM 322 336–337
- RTZ 450
- SAE 408, 409, 411, 418
- Safety processes 411–413
- Salt fog 472, 485–486, 495
- Salt mist 485
- Sand and dust 486, 495
- SDR 435–436
- Sea King 319

- Secondary flight control 5, 7, 44, 138–139
 Shock 58, 478, 479, 482, 489–490, 495–496
 Shunt wound DC generator 185
 Sideslip 5, 257–258
 Single source - multiple sink 447
 Single source - single sink 447
 Skydrol 145
 Smiths Industries 2, 120, 218, 221, 225, 301, 345, 353
 SMTD 371, 375–378
 Solar heating 261
 Solar radiation 261, 262, 284, 479, 481, 483, 484, 495
 Solid state power controller 204–205, 232
 Solutia 145
 Spitfire 2, 298, 299
 Spring feel 10–11, 17, 18, 325, 327
 SR-71 99, 394
 SRR 435–436
 SSA 410, 411, 414, 420
 SSR 435, 436
 Starter/generator 198, 235, 380, 383, 392, 402
 Static probe 253–255
 Stealth 116, 195, 256, 258, 371, 374, 378, 393–401
 Steering 139, 160, 167, 169, 171, 176–179, 339, 377, 466
 STOL 371, 375
 Swash plate 149, 363, 366
 Switched reluctance 197–198, 390–392, 402
 Sycamore 319
 System safety analysis 20, 410–414
 System test 155, 317, 495
 Systems development processes 411

 Tail rotor 71, 322–328, 333–339, 346–350
 Tailplane horizontal stabiliser 43
 Tank geometry 100, 104
 Tank shapes 97
 Target acquisition and designator system 350–351
 Temperature 55–67, 75–85, 88, 89, 91, 95–101, 119, 126–135, 140, 144–147, 152, 158, 169, 171, 202–204, 213, 239–252, 259–283, 293–295, 301–304, 315, 338, 342, 362, 378, 386, 394, 417, 423, 460, 463, 465, 472, 473, 478–484, 490, 491, 495, 496
 Test considerations 480, 482–491
 Test Phase 428, 432–433
 Testing and Validation 493–496
 Throttle position 60, 64, 67, 83, 315
 Thrust reverser 83, 239, 243, 248, 251, 376, 469
 Tilt rotor 357–367
 Topology 117, 449, 453, 454, 457, 459, 468–469
 Tornado 2, 3, 17, 22–24, 30, 58, 64, 66, 68, 89, 91, 92, 161–163, 251, 305–307, 312–314, 447, 448
 Total temperature 61
 TR-1 22
 Transfer valve 92, 93, 104, 417–418

 Transformer rectifier unit 201–202, 306
 Trent 7, 59, 70, 80, 84–86, 235, 381, 383, 390–392
 Trident 2
 Trim 15–17, 27, 33, 35–38, 41, 90, 109, 116, 117, 120–122, 125–129, 139, 191, 211, 247, 325, 327–334, 345, 372, 380, 387, 398
 Tristar 114, 372
 TRU 184, 202, 209–210, 229–234, 341
 TSR2 144
 Turbine gas temperature (TGT) 59, 64
 Turbomeca 65, 336, 337
 Type 173 319

 U-2 195, 221
 Ultrasonic probe 105
 Undervoltage protection 190
 Utilities domain 464–466

 V-22 357–368
 V diagram 413, 437–438
 Vapour cycle system 275–276
 Variable displacement 27–28, 148–149
 Variable frequency
 Variable speed constant frequency 192, 193, 195, 197, 218, 220, 224
 Variable vanes 56
 VC-10 28–29
 Vehicle management system 372, 377, 379, 469
 Vent system 90, 111
 Vertical speed 255, 345
 Vibration 67, 72, 79, 154, 341, 463, 472, 473, 478, 479, 488, 490, 491, 496
 Vibro-acoustic 491, 496
 Vickers Valiant 181, 372
 Victor 27, 181, 182
 Voltage regulation 188, 190, 419
 Voltage regulator 185, 186, 189, 190, 208, 222–224

 Warning system 64, 250, 298–300, 303
 Weight-on-wheels 172, 251
 Wessex 319
 Westland 319, 320, 326, 338, 339, 340, 342, 346
 Whirlwind 319
 Winch 53, 321, 339, 342–343
 Wing anti-ice 239, 243, 248–249
 World temperatures 265

 X-32 196, 227, 374
 XV-3 357–358

 YAK-36 357
 Yaw control 5, 7, 11, 322, 333, 346, 366, 398, 399
 Yellow system 41, 157–160, 164, 165
 YF-23A 88, 116, 374

 Zener diode level sensor 95
 Zeolite 290

