

Index

- 3G systems, 87
- Aggregation
 - Geographical data, 66
 - Hierarchical, 69, 73
 - Landmark-based, 99, 101
 - Probabilistic, 93
 - Travel times, 99
 - Using sketches, 94
- Applications
 - Advertisements, 88
 - Blind spot warning, 13
 - Control loss warning, 13
 - Curve speed warning, 275
 - Do not pass warning, 13
 - Electronic payments, 10
 - Emergency electronic brake lights, 12, 275, 281
 - Entertainment, 88
 - Forward collision warning, 13, 149, 275
 - Green light optimal speed advisory, 150
 - Hazardous location notification, 149
 - Heartbeat, 11
 - In-vehicle signage, 10
 - Internet access, 87, 150
 - Intersection movement assist, 13
 - Intersection violation warning, 281
 - Lane change warning, 13, 275
 - Lane merging assistance, 150
 - Left turn assist, 275
 - Payment services, 88
 - Pre-crash sensing, 149, 275
 - Probe data collection, 10
 - Stop sign assist, 275
 - Traffic information systems, 88, 92
 - Traffic signal indication, 11
 - Traffic signal violation, 275
 - Traveller information, 11
 - Vehicular safety, 274
 - Communication requirements, 23, 274
 - Principle benefits, 22
 - Software architecture, 26
- ARIB, 9
- ASTM, 7, 158, 205, 229, 372
- Attacker, 309
- Attacks, 312
 - Breach of privacy, 312
 - Denial of service (DoS), 312
 - Eavesdropping, 312
 - Extraction of secret keys, 313
 - Masquerading and Sybil attacks, 313, 336
 - Message manipulation, 312
 - Replay and tunnel attacks, 312
- Authentication, 314, 329
 - Digital signature, 329
 - Identification, 332
 - Message authentication code (MAC), 330
 - TESLA, 331
- Beaconing, 54, 59, 237, 274, 277
- Behavioral model, 135
 - Agenda-based, 138
 - Artificial intelligence, 135
 - Multi-agent, 135
 - Non-normative motion patterns, 137
 - Social network, 135
- Blind averaging, 63
- Broadcasting, 54
- CALM, 9, 376
- Capacity constraints, 49, 82
- Capturing effect, 234, 244
- Car2Car Communication Consortium, 37, 149, 301

- CDMA, 224
- Certificate, 318, **318**
 - Distribution, 320
 - Issuance, 320
 - Renewal, 323
 - Revocation, 321
- Certificate authority (CA), 317
- Channel
 - Bandwidth, 184
 - Channel access time, 221
 - Channel busy time, 264
 - Congestion, 255
 - Control channel, 230
 - Equalization, 158, 184, 206
 - Estimation, 183, 206
 - Linear channel, 159
 - Measurement, 184
 - Sounding, 157, 184
 - Spacing, 159
 - Tap, 171, 172
 - Time-varying channel, 158
- Classic bicycle model, 31
- Clear channel assessment, 227
- Client server systems, 89
- Clustering, 58, 67, 68
 - Hierarchical, 71
- Coherence
 - Coherence bandwidth, 175
 - Coherence time, 170, **181**
- Communication density, 249
- Confidentiality, 314
- Connectivity constraints, 49, 83
- Controller-area network (CAN), 51
- CSMA/CA, 227, 387
- Cumulative noise, 234
- Cyclic prefix, 164

- D-FPAV, 259
- Data elements, 276, 279
 - Dictionary, 279
- DCF, 227
- Dedicated short-range communications,
 - see* DSRC
- Delay
 - Delay spread, 163
 - Maximum excess delay, 175
 - Mean excess delay, 175
 - RMS delay spread, 175
- Delay tolerant network, 58
- Design framework, 147
 - External influence, 147, **149**
 - Motion constraints, 147, **147**
 - Time, 147, **149**
 - Traffic generator, 147, **148**
- Differential GPS (DGPS), 24
- Dissemination-based system, 50
- Doppler
 - Doppler shift, 170
 - Doppler spread, 157, 170, 171, **179**
- DSRC, 7, 367, **369**, 375
 - Data link layer, 383
 - MAC, 383
 - Physical layer, 376
 - PLCP, 381
 - PMD, 377

- EDCA, 229, 385, **389**
- Embedded models, 141
 - MoVes, 141
 - NCTUns, 142
 - VCOM, 142
- EMDV, 263
- ETSI, 375
- Exponential backoff, 227

- Fading
 - Fast fading, 182
 - Flat fading, 176, 183
 - Frequency-selective fading, 159, 175, 176, 183
 - Slow fading, 182
 - Time-selective fading, 159
- Fatalities, vehicle related, 22
- Federated mobility models, 143
 - CARISMA, 144
 - Federated simulations development kit (FDK), 143
 - MSIE, 143
 - TraCI, 143
 - TraNS, 143
 - VGrid, 143
 - VSimRTI, 144
- Flajolet Martin sketches, 94
- Flooding, 54
- Flow model, 115
 - Cellular automaton (CA), 120
 - Nagel-Schreckenberg, 120
 - Impact on vehicular mobility, 129
 - Intersection management, 128
 - Lane changing, 124

- Gap Acceptance, 125
- Macroscopic, 127
- Mesoscopic, 127
- Microscopic, 125
- MOBIL, 126
- Macroscopic, 116, **121**
 - Conservation of vehicle, 121
 - Lighthill–Whitham–Richard (LWR), 121
- Mesoscopic, 116, **123**
 - Gas-kinetic, 123
 - Phase-space-density (PSD), 123
 - Queue, 123
- Microscopic, 115, **116**
 - Car following model, 116
 - Collision avoidance, 117
 - Gazis–Hermann–Rothery (GHR), 118
 - General Motor (GM), 118
 - Gipps, 117
 - Intelligent driver model (IDM), 118
 - Krauss, 119
 - Pipe, 117
 - Psycho-physical, 119
 - Safety distance, 117
 - Stimulus-response, 117
 - Wiedemann, 119
- Fourier transform
 - Discrete Fourier transform (DFT), 160
 - Fast Fourier transform (FFT), 159
 - Inverse fast Fourier transform (IFFT), 162
- Futurama exhibit, 4
- Geocast, 54
- Global navigation satellite system (GNSS), 23
- GPS/IMU integration, 24
- Group key agreement, 328
- Guard interval, 163
- Headway
 - Distance, 117
 - Time, 117
- Hidden terminal, 206, 220, 222, 238, 243
- Identification, 314
 - IEEE 1609, 14, 142, 158, 229, 231, 301, 305, 323, 325, 337, 356, 369, 386, 392–395, 399, 409
 - IEEE 1609.2 authentication, 409
 - IEEE 1609.2 encryption, 412
 - WSMP, 393, **400**
 - IEEE 802.11p, 7, 14, 142, 158–160, 203, 225, 228, 232, 237, 368, 373, 376, 380, 383, 387
- IFS, 227
 - Distributed IFS (DIFS), 227
 - Short IFS (SIFS), 227
- Information dissemination, 49, 85
 - Epidemic, 55
 - Gossiping, 55
 - Rumor spreading, 55
- Information kiosks, 60
- Information sharing, 58
- Information transport, 54
- Integrity, 314
- Intelligent transportation systems, 4, 375
- Inter-carrier-interference (ICI), 204
- Intersymbol-interference (ISI), 163, 175
- Isolated mobility models, 141
- Kalman prediction, 35
- Key assignment, 344
- Maximum beaconing load (MBL), 261
- Measurements
 - Aggregation, 63
 - Summarization, 63
- Medium access, 220, 221
- Message composition, 284
- Message construction, 280
- Message dispatcher, 273, 278, 294
- Message handler, *see* Message dispatcher
- Message set, 276
- Misbehavior detection system (MDS), 336
- Navigation system, 52
- Network connectivity, 59
- Network simulator, 139
 - GTNetS, 140
 - NS-2/NS-3, 140
 - EDCA, 140
 - IEEE 802.11p, 140
 - OMNeT++, 140
 - OPNET, 140
 - Qualnet, 140
 - SWANS, 140

- SWANS++, 140
- Non-repudiation, 314
- OFDM, 228, 377
 - Differential OFDM, 207
 - Orthogonal frequency division multiplex, 159
 - Subcarrier, 159
- PCF, 227
- Peer-to-peer systems, 90
- PKI, 319
- Power
 - Power delay profile (PDP), 175
 - Power spectral density (PSD), 173
- Prediction of parameters, 53
- Predictive coding, 287, 290, 291
 - Linear, 288
- Privacy, 303, 337
- Projects
 - ASV, 7, 9, 38
 - CACS, 5
 - CarTalk, 7
 - CICAS, 10, 276, 280
 - Coopers, 9
 - CVIS, 9
 - DSSS, 9
 - ERGS, 5
 - FleetNet, 7
 - IntelliDrive, 10, 12
 - IVBSS, 10
 - NOW, 9, 301
 - PRE-DRIVE-C2X, 9
 - PREVENT, 9
 - PROMETHEUS, 6
 - PROMOTE CHAUFFEUR, 7
 - Safe Trip-21, 12
 - SAFESPOT, 9
 - SeVeCom, 9, 301
 - VII, 10, 301
 - VSC, 7, 12, 38, 257, 274, 301
 - WILLWARN, 9
- Proof of concept, 10
- Public-key cryptography, 315
 - Diffie–Hellman, 315, 327
 - Elliptic curve cryptography (ECC), 316
- Radio propagation
 - Multipath
 - Deterministic multipath models, 166
 - Statistical multipath models, 171
 - Nakagami-m, 236
 - Path loss, 173
 - Rayleigh, 172
 - Shadowing, 174
 - Two-ray ground, 235
- Random mobility model
 - BonnMotion, 115
 - Freeway, 114
 - Manhattan, 114
 - Random walk, 113
 - Random waypoint, 113
 - Reference point group mobility model, 113
- Rate control, 265
- Real time kinematik (RTK), 24
- Relevance function, 62
- Reliability, 304
- Request/reply protocols, 56
- Risk, 302
- Road-segment averaging, 65
- SAE J2735, 14, 276, 279, 280, 285, 291, 369, 425
- SDMA, 223
- Sensors, 51
 - Computer vision, 26
 - Noise of, 26
 - Ranging sensors, 26
 - Sensor fusion, 51
- Simulation, 108
 - Application-centric, 145, 146
 - Computational costs, 241
 - Congestion control, 262
 - High level architecture, 144
 - IEEE 802.11p, 232, 236, 237, 248
 - Network-centric, 145
 - Traffic, 122
- Single-hop broadcast, *see* Beaconing
- SINR, 234
- Spectrum allocation, 207, 231, 368, 370, 375, 395
- Store and forward protocols, 59
- Symmetric-key cryptography, 314
- TDMA, 222
- TIGER, 115
- Timestamp-based averaging, 64

- Timestamp-based comparison, 64
- Traffic information system, 52
- Traffic model, 131
 - Dynamic traffic assignment (DTA), 131
 - Impact on vehicular mobility, 134
 - Macroscopic, 131, 133
 - Microscopic, 133
 - Path, 131, 133
 - Agent-centric, 133
 - Dijkstra, 133
 - Flow-centric, 133
 - Time influence, 134
 - Trip, 131, 132
 - OD matrix, 132
 - Point-of-Interest (PoI), 132
 - Stochastic turn, 132
- Traffic Simulator
 - AIMSUN, 134
 - Carisma, 133
 - CORSIM, 134, 143
 - MATSim, 133, 136
 - SUMO, 119, 134, 143
 - TRANSIMS, 120
 - VanetMobiSim, 119, 133
 - VISSIM, 120, 134, 142, 143
- Traffic theory
 - Benchmark test, 129
 - Flow-density, 129
- Transmit power control, 258
- Travel times, 73
- Unicycle model, 30, 32
- UTRA-TDD, 225
- Vehicular mobility
 - Networking shape, 134
- Vehicular path history, 29
- Vehicular path prediction
 - Model choice, 34
 - Non-parametric path prediction, 30
 - Parametric path prediction, 31
 - Stochastic path prediction, 35
- Vehicular Traces
 - Cabspot, 138
 - CRAWDAD, 138
 - Dieselnet, 138
 - GATech Vehicular Traces, 138
 - MIT Reality Mining, 138
 - MMTS, 139
 - USC Mobilib, 138
- WAVE, 7, 377