

BIBLIOGRAPHY

- Albers, Anni. *On Weaving*. New York: Dover Publications, 2003.
- Allen, Edward. *How Buildings Work*. 3rd Ed. New York: Oxford University Press, 1995.
- Allen, Phyllis Sloan, Miriam F. Stimpson, and Lynn M. Jones. *Beginnings of Interior Environment*. 9th Ed. Upper Saddle River, N.J.: Pearson Prentice Hall, 2004.
- Arnheim, Rudolph. *Art and Visual Perception: A Psychology of the Creative Eye*. Berkeley: University of California Press, 1983.
- Bevlin, Marjorie Elliott. *Design Through Discovery: The Elements and Principles*. 2nd Ed. New York: International Thomson Publishing, 1997.
- Binggeli, Corky. *Building Systems for Interior Designers*. New York: John Wiley and Sons, 2003.
- Birren, Faber. *Light, Color, and Environment*. 2nd Ed. West Chester, P.: Schiffer Publishing, Ltd., 1988.
- Birren, Faber. *Principles of Color: A Review of Past Traditions and Modern Theories of Color Harmony*. Rev. Ed. Atglen, P.: Schiffer Publishing, Ltd., 1987.
- Ching, Francis D.K. *Architectural Graphics*. 4th Ed. Hoboken, N.J.: John Wiley and Sons, 2003.
- Ching, Francis D.K. *Building Construction Illustrated*. 3rd Ed. New York: John Wiley and Sons, 2001.
- Doyle, Michael E. *Color Drawing*. 2nd Ed. New York: John Wiley and Sons, 1999.
- Faulkner, Ray, and Sarah Faulkner. *Inside Today's Home*. 6th Ed. Fort Worth, Tex.: International Thomson Publishing, 1994.
- Gordon, Gary. *Interior Lighting for Designers*. 4th Ed. Hoboken, N.J.: John Wiley and Sons, 2003.
- Hall, Edward T. *The Hidden Dimension*. Reissued Ed. New York: Anchor, 1990.
- Illuminating Engineering Society of North America. *IES Lighting Handbook*. Edited by Mark S. Rea. 9th Ed. New York: Illuminating Engineering Society of North America, 2000.
- Itten, Johannes. *The Elements of Color*. New York: Van Nostrand Reinhold Co., 1970.
- Karlen, Mark. *Space Planning Basics*. 2nd Ed. Hoboken, N.J.: John Wiley and Sons, 2003.
- Kilmer, Rosemary, and W. Otie Kilmer. *Designing Interiors*. 1st Ed. New York: International Thomson Publishing, 1994.
- McGowan, Maryrose, and Kelsey Kruse. *Interior Graphic Standards*. Hoboken, N.J.: John Wiley and Sons, 2003.
- Panero, Julius, and Martin Zelnick. *Human Dimension and Interior Space*. New York: Watson-Guptill Publications, 1989.
- Pile, John F. *Interior Design*. 3rd Ed. Upper Saddle River, N.J.: Prentice Hall Press, 2003.
- Pile, John F. *Perspective for Interior Designers*. Reprint Ed. New York: Whitney Library of Design, 1989.
- Piotrowski, Christine M., and Elizabeth A. Rogers. *Designing Commercial Interiors*. New York: John Wiley and Sons, 1999.
- Ramsey, C., and H. Sleeper. *Architectural Graphic Standards*, 10th Ed. New York: John Wiley and Sons, 2000.
- Rasmussen, Steen Eiler. *Experiencing Architecture*. 2nd Ed. Cambridge, Mass.: MIT Press, Massachusetts Institute of Technology, 1964.
- Tilley, Alvin R., and Dreyfuss Associates. *Measure of Man and Woman: Human Factors in Design*. Revised Ed. New York: John Wiley and Sons, 2002.
- Whiton, Sherrill and Stanley Abercrombie. *Interior Design & Decoration*. 5th Ed. Upper Saddle River, N.J.: Prentice Hall, 2002.

Other important sources of information for the interior designer include current periodicals such as *Architecture*, *Architectural Record*, *Case Da Abitare*, *Contract*, *Domus*, *Interior Design*, *Interiors*, and *Interiors and Sources*.

For information on current materials and product offerings, always consult manufacturers' catalogs or sales representatives.

INDEX

A

Aalto, Alvar, 312
Absorption Coefficient, sound, 272
accent lighting, 261
accessibility. *See also* Americans with Disabilities Act (ADA) of 1990; standards and codes
bathing, human functional dimensions, 54
fitting to space, 62–63
standards and codes, 232
accessories, 332–334
decorative, 333
incidental, 332
plants, 334
utilitarian, 332
accordion folding doors, 189
acoustical ceiling tiles, 165, 299
acoustics, 267–272
ceilings, 171
construction materials/assembly, 270–271
environmental systems, 214
generally, 267
interior space shaping, 17
noise reduction, 268–269
sound, 268
sound absorption, 272
transmission loss (TL), 270
activity requirements, programming, 57
aesthetics, plan arrangements, 65
air conditioning, environmental systems, 218. *See also* HVAC (heating, ventilation, and air conditioning)
air movement, ceilings, 171. *See also* ventilation
air quality, environmental systems, 217
alarms, fire suppression systems, 229
alterations, interior space, 32–34
alternatives, interior design process, 42
ambient lighting, 259, 260
Americans with Disabilities Act (ADA) of 1990. *See also* accessibility; standards and codes;
wheelchairs
accessibility, 232
elevators, 209
stair railings, 202
analysis, interior design process, 40
antique furniture, 305, 325
architecture, interior space, 3, 6–7
area rugs, 287. *See also* carpeting and rugs
armchairs, 312
armoire, 324–325
articulation, of walls, 159
artwork, decorative accessories, 333
asymmetrical balance, 133–134
auditorium seating, 315
automatic sprinklers, 229, 231
awnings, window treatments, 328

awning windows, 175
axonometric projections
isometrics, 75
paraline drawings, 74

B

baffles, lighting fixtures, 253
balance, 129–134
asymmetrical, 133–134
elements in, 129
radial, 132
symmetrical, 131
visual, 130
banquette seating, 315
bathing, human functional dimensions, 54
bathtub, 223
bay windows, 175
beams, structural systems, linear elements, 10–11
bedroom furniture, 324–325
beds, 322–323
Bengali rug, 287
bidet, 223
bidirectional daylighting, 243
bi-fold doors, 189
Birren, Peter, 117
black, color; simultaneous contrast, 113
blinds, window treatments, 329
boardroom tables, 319
body dimensions, human factors, 47–48
Bokhara rug, 287
booth seating, 315
Breuer, Marcel, 312
brightness
light, 236
light measurement, 262
brightness balance, lighting design, 266
building elements, 145–212. *See also* ceilings; doors;
stairs; walls; windows
ceilings, 162–171
doors, 186–195
elevators, 208–209
escalators, 209
fireplaces, 210–211
floors, 148–149
overview, 146–147
ramps, 206–207
stairs, 196–205
walls, 150–161
windows, 172–185
woodburning stoves, 212
building envelope, structural system, 9
building section drawing, graphic representation, 72
built-in furniture, 307
built-in storage, 300–302
by-pass sliding doors, 188

C

cabinets, finish materials, 300–302
 carpeting and rugs, 282–287
 construction, 285
 fibers, 284
 rugs, 287
 sound absorption, 272
 textures, 286
 carriages, stair construction, 200
 casement windows, 174
 casework, built-in storage, 300–302
 ceilings, 162–171. *See also* building elements
 acoustics, 171
 finish materials, 297–299
 form, 168–169
 generally, 162–163
 height, dimensional elements, 26–27
 height and scale, 166–167
 interior space delimitation, 6–7
 lighting, 170
 suspended, 164–165
 wall articulation, 159
 ceramic mosaic tile flooring materials, 279
 ceramic tile wall materials, 294
 chairs. *See also* seating
 dimensional requirements, 311
 office, 314
 residential seating, 312
 chandeliers, sparkle, 261
 chests, 325
 Chinese Bengali rug, 287
 chromatic distribution, 118
 circle, shape, 94
 circular stair plan, 199
 clerestory windows, 185
 climate, live loads, 8
 coatings and paints, wall finish materials, 296
 codes. *See* standards and codes
 Coefficient of Utilization (CU), illumination
 measurement, 263
 coffee tables, 318
 coir carpeting fibers, 284
 collections, decorative accessories, 333
 color, 105–119
 chromatic distribution, 118
 dimensions of, 107
 light, 105–106, 111, 241
 pigments, 110
 schemes of, 116–117
 simultaneous contrast, 112–113
 space, 114–115
 systems of, 108–109
 tonal distribution, 119
 walls, 159, 161
 color rendering index (CRI), light sources, 246

color temperature scale, 241
 column, structural systems, linear elements, 10–11
 column-and-beam construction, nonbearing walls, 155
 comfort, furniture, 306
 commercial seating, 311, 314–315. *See also* office
 furniture; seating
 commercial tables, 319
 Commission Internationale l'Eclairage (CIE), color
 system, 109
 communication systems, fire suppression, 229
 computer programs
 illumination measurement, 264
 3D modeling programs, 77
 concept development, interior design process, 41
 concrete flooring materials, 280
 concrete slab construction
 floor construction, 149
 wood flooring materials, 278
 concrete stair construction, 201
 concrete wall construction, 153
 conference tables, 319
 construction materials/assembly. *See also* structural
 systems
 acoustics, 270–271
 carpeting and rugs, 285
 doors, 190–191
 floors, 149, 278
 stairs, 200–201
 walls, 151–155
 generally, 151–153
 load-bearing, 154
 nonbearing walls, 155
 windows, 176–177
 contemporary furniture, 305
 continuation, interior space delimitation, 7
 contrast
 daylighting, 243
 interior space delimitation, 7
 light, 237
 simultaneous, color, 112–113
 texture, 100
 cork
 flooring materials, 281
 wall coverings, 295
 cornice lighting, 256
 cotton carpeting fibers, 284
 couch, residential seating, 313
 counterpoint, interior space delimitation, 7
 coved ceiling, 169
 cove lighting, 256
 credenza, office storage units, 327
 cupboards, 325
 curtains, window treatments, 330
 curved line, form, 88
 curvilinear space, dimensional elements, 24–25

D

daylighting, 242–245. *See also* lighting
 ceilings, 170
 color, 111
 examples, 244–245
 fitting to space, 63
 interior space shaping, 16–17
 principles of, 243
 sunlight, 242
 windows, 182
 dead loads, structural systems, 8
 decibel (dB), sound measurement, 268
 decision making, interior design process, 42
 decorative accessories, 333
 degree, proportion, 121
 design principles
 balance, 129–134
 elements of, 120
 emphasis, 142–143
 harmony, 135–136
 proportion, 121–124
 rhythm, 138–141
 scale, 125–128
 unity and variety, 137
 desk chairs, 311, 314
 desks, dimensional requirements, 317
 diagonal line, form, 88
 diffused light transmission, 234
 diffusers, lighting fixtures, 255
 diffusion, light, 240
 dimensional elements
 curvilinear, 24–25
 height, 26–27
 rectangles, 22–23
 squares, 20–21, 23
 dimensional requirements. *See also* human factors
 beds, 323
 casework and built-in storage, 301
 chairs, 311
 electrical system, 227
 fireplaces, 210
 human scale, 127
 programming, 58–59
 stairs, 197
 tables, 317
 dining, human functional dimensions, 51
 dining tables, 317, 318
 directional lighting, 240
 discharge lamp, electric light source, 246, 248–250
 domed ceiling, 169
 doors, 186–195
 construction, 190–191
 design types, 187
 exterior/interior interface, 5
 frames, 192–193

- generally, 186–187
 - operation, 188–189
 - space planning, 194–195
 - doorways
 - fitting to space, 62–63
 - interior space transitions, 29
 - double bowl sink, 223
 - double-hung windows, 174
 - downlights, 254–255
 - drainage, environmental systems, 214–215, 224
 - draperies, window treatments, 330
 - drawers, finish materials, 300–302
 - drawing systems, graphic representation, 69. *See also* graphic representation
 - dressing tables, 325
 - drywall materials, 293
 - dyes, carpeting fibers, 284
 - dynamic loads, structural systems, 8
- E**
- Eames, Charles, 305, 309
 - earthquake, dynamic loads, 8
 - easy chair, dimensional requirements, 311
 - echoes, defined, 267
 - economy, interior design criteria, 45
 - eggcrates, lighting fixtures, 253
 - egress, standards and codes, 231
 - electrical systems, environmental systems, 214–215, 225–228
 - electric light sources, 246–251. *See also* lighting
 - color rendering index (CRI), 246
 - fiber optic, 251
 - fluorescent lamp, 248
 - generally, 246
 - high-intensity discharge lamps, 249–250
 - incandescent lamps, 247
 - light-emitting diode lamps (LEDs), 251
 - elevations, interior, graphic representation, 73
 - elevators, 208–209
 - emphasis, 142–143
 - achievement of, 142
 - degrees of, 143
 - energy conservation
 - ambient lighting, 260
 - codes for, 232, 266
 - lighting design, 266
 - entries, fitting to space, 62–63
 - Environmental Protection Agency (EPA), 212
 - environmental systems, 213–232
 - air quality, 217
 - electrical circuits, 226–227
 - electrical outlets, 228
 - electrical systems, 225
 - fire suppression, 229
 - generally, 214–215
 - HVAC, 218–220
 - plumbing, 221–224
 - plumbing fixtures, 222–223
 - sanitary drainage, 224
 - standards and codes, 230–232
 - thermal comfort, 216
 - water supply, 221
 - Equivalent Sphere Illumination (ESI) footcandle, 262
 - escalators, 209
 - escritorios, 325
 - Euclid, 122
 - evaluation, interior design process, 42
 - executive chairs, 311, 314. *See also* office furniture
 - exits, standards and codes, 231
 - exterior space
 - delimiting of, 4–5
 - interior space interface, 5
 - exterior window treatments, 328
 - external outlook. *See* views
 - eye
 - lighting and, 235–241
 - perception, 82–84
- F**
- fabric wall coverings, 295
 - fiber optic light sources, 251
 - Fibonacci series, proportion system, 122
 - figure-ground relationship
 - interior space, 18–19
 - perception, 83–84
 - files, office storage units, 327. *See also* office furniture
 - filtering views, windows, 181
 - finish materials, 273–302. *See also* flooring finish materials; wall finish materials
 - acoustics, 271, 272
 - casework and built-in storage, 300–302
 - ceilings, 297–299
 - floor construction, 149
 - flooring, 274–287
 - selection criteria, 274
 - walls, 288–296
 - fire exits, elevators/escalators, 209
 - fireplaces, 210–211
 - fire safety, standards and codes, 231
 - fire suppression systems, 229
 - fit, human factors, 46
 - fitting to space, interior design, 62–63
 - fixed windows, 174
 - fixtures. *See* lighting fixtures; plumbing fixtures
 - Flatoy, Torstein, 305
 - flexible wall coverings, 295
 - flooring finish materials, 274–287. *See also* carpeting and rugs
 - carpeting and rugs, 282–287
 - resilient, 281
 - selection criteria, 275–276
 - terrazzo, 280
 - tile and stone, 279
 - wood, 277–278
- floor plans, graphic representation, 71
- floors, 148–149
 - construction of, 149
 - interior space delimitation, 6–7
 - loads, 148
- flowers, accessories, 334
- fluorescent lamp
 - color, 241
 - electric light source, 246, 248
- flush doors, 187, 191
- flutter, ceiling acoustics, 171
- focal lighting, 259, 261
- foil wall coverings, 295
- folding chairs, 314
- folding doors, 189
- footcandle, light measurement, 262
- forced-air heating, 218
- form
 - ceilings, 168–169
 - elements of, 85
 - figure-ground relationship, interior space, 18–19
 - interior design criteria, 45
 - interior space delimitation, 6–7
 - line, 87–88
 - linear elements, 89
 - linear forms, 90
 - planar form, 92
 - plane, 91
 - point, 86
 - shape, 93–96
 - volume, 103–104
 - walls, 157
- foundation, structural system, 8
- frames
 - doors, 192–193
 - windows, 178–179
- freeform ceiling, 169
- freehand sketching, graphic representation, 80
- freestanding partitions, 156
- French doors, 187
- function
 - interior design criteria, 45
 - interior space shaping, 17
 - plan arrangement criteria, 64
- functional dimensions, 50–55. *See also* dimensional requirements; human factors
 - bathing, 54
 - dining, 51
 - heights, 55
 - kitchen activities, 52
 - seating, 50

functional dimensions (continued)

- sleeping, 55
- work stations, 53
- furnishings and furniture, 303–334. *See also office furniture*
 - accessories, 332–334
 - arrangement, 307
 - bedroom, 324–325
 - beds, 322–323
 - generally, 304–305
 - human factors, 306
 - interior space shaping, 16–17
 - materials, 308–309
 - programming requirements, 57, 58
 - seating, 310–315
 - commercial, 311, 314–315
 - generally, 310
 - residential, 312–313
 - upholstery, 311
 - storage units, 326–327
 - systems furniture, 321
 - tables, 316–319
 - dimensions, 317
 - generally, 316
 - styles and uses, 318–319
 - window treatments, 328–331
 - generally, 328
 - hard, 329
 - soft, 330–331
 - workstations, 320
- furring, wall finish materials, 288
- fusion-bonded carpet construction, 285

G

- gabled ceiling, 168
- Gardella, Ignazio, 318
- glare
 - daylighting, 243
 - light, 238–239
 - lighting fixtures, 255
- glass doors, 187
- glitter
 - lighting fixtures, 252
 - reflected glare, 239
- golden section, proportion system, 122–123
- graphic representation, 68–80
 - drawing systems, 69
 - freehand sketching, 80
 - interior elevations, 73
 - isometrics, 75
 - multiview drawings, 70
 - parallel drawings, 74
 - perspective drawing, 77–79
 - one-point perspective, 78
 - two-point perspective, 79

- plan obliques, 76
- plans, 71
 - section drawing, 72
- grid layout, linear structural system, 11
- grills, window treatments, 329
- Griziotti, Laura, 318
- grouting, tile and stone flooring materials, 279
- gypsum board materials
 - ceilings, 297
 - walls, 293

H

- half-turn stair plan, 198
- halogen lamps, 247
- handmade punched carpet construction, 285
- handrails
 - ramps, 207
 - stairs, 202–203
- hard window treatments, 329
- harmony
 - creation of, 136
 - defined, 135
- health and safety codes, 231. *See also standards and codes*
- heat gain/loss, windows, 184
- heating, ventilation, and air conditioning (HVAC), environmental systems, 214–215, 218–220. *See also ventilation*
- heat transfer; thermal comfort, 216
- height
 - ceilings, 166–167
 - human functional dimensions, 55
- highboys, 325
- high-intensity discharge lamps, 249–250
- high-pressure sodium discharge lamps, 249, 250
- hollow metal door, 190
- hollow metal door frame, 192
- hopper windows, 175
- horizontal slab, planar structural systems, 12–13
- hose systems, fire suppression, 229
- hotel tables and desks, 319
- hot-water heating, 219
- hue. *See also color*
 - color, 107
 - lighting, 111
 - mixing of, 110
- human factors, 46–55. *See also dimensional requirements*
 - body dimensions, 47–48
 - fit, 46
 - functional dimensions, 50–55
 - bathing, 54
 - dining, 51
 - heights, 55
 - kitchen activities, 52
 - seating, 50
 - sleeping, 55
 - workstations, 53
- furniture, 306
- personal space requirements, 49
- scale, 125, 127
- senses, 46
- HVAC (heating, ventilation, and air conditioning), environmental systems, 214–215, 218–220. *See also ventilation*

I

- illuminance, light measurement, 262
- illumination
 - measurement of, 263–264
 - reflectance and, brightness, 236
- image, interior design criteria, 45
- implementation, interior design process, 43
- incandescent lamps, electric light sources, 247
- incidental accessories, 332
- Indian Numdah rug, 287
- indirect glare, light, 239
- indirect lighting, lighting fixtures, 257
- indoor air quality, environmental systems, 217
- integration, of requirements and spaces, 59–61
- interior building elements. *See building elements*
- interior design, 35–80
 - criteria in, 45
 - defined, 36
 - design and construction team, 38
 - elements of, interior space shaping, 16–17
 - fitting to space, 62–63
 - graphic representation, 68–80
 - drawing systems, 69
 - freehand sketching, 80
 - interior elevations, 73
 - isometrics, 75
 - multiview drawings, 70
 - parallel drawings, 74
 - perspective drawing, 77–79
 - plan obliques, 76
 - plans, 71
 - section drawing, 72
 - human factors, 46–55
 - body dimensions, 47–48
 - fit, 46
 - functional dimensions, 50–55
 - personal space requirements, 49
 - senses, 46
 - interior space modifications, 34
 - plan arrangements, 64–67
 - aesthetics, 65
 - functional criteria, 64
 - loose fit, 67
 - tight fit, 66

- process of, 39–43
 analysis, 40
 evaluation, 42
 implementation, 43
 problem statement, 39
 synthesis, 41
- programming, 56–61
 activity requirements, 57
 dimensional requirements, 58–59
 furnishing requirements, 57, 58
 integration, 59–61
 space analysis, 58
 user requirements, 56
- purpose of, 36–37
 value judgments, 44
- interior elevations, graphic representation, 73
- interior environmental systems. *See* environmental systems
- interior space, 1–34. *See also* space
 architectural space, 3
 delimiting of, 6–7
 dimensional elements, 20–27
 curvilinear, 24–25
 height, 26–27
 rectangles, 22–23
 squares, 20–21, 23
 doors and doorways, 194–195
 exterior space interface, 5
 figure-ground relationship, 18–19
 fireplaces, 211
 modification, 32–34
 shaping of, 16–17
 site elements, 4
 space, defined, 2
 stairs, 204–205
 structural systems, 8–15
 building envelope, 9
 composite systems, 15
 linear elements, 10–11
 loads, 8
 mechanical systems, 9
 planar elements, 12–13
 volumetric, 14
 transitions, 28–31
 doorways, 29
 stairways, 31
 windows, 30
 windows, 185
- interior window treatments, 328
- internal focus, fitting to space, 62–63
- International Energy Conservation Code (IECC), 232
- International Metric System, 125
- intimate space, personal space requirements, 49
- isometrics, graphic representation, 75
- J**
- Jacobsen, Arne, 305, 312, 314, 318
- jealousie windows, 175
- jute carpeting fibers, 284
- K**
- kitchen activities, human functional dimensions, 52
- kitchen sink, 223
- Knoll International, 306
- L**
- ladders, dimensional requirements, 197
- lamps, portable, 258. *See also* electric light sources
- landings
 ramps, 207
 stairs, 198–199
- lavatory, 223
- LCS-Krueger chair, 312
- leather tile flooring materials, 281
- Le Corbusier, 305, 309
- Lella e Massimo, 318
- lens, lighting fixtures, 253
- light. *See also* daylighting; electric light sources;
 lighting; lighting fixtures
 brightness, 236
 color, 105–106, 111, 241
 color rendering index (CRI) of sources, 246
 contrast, 237
 diffusion, 240
 glare, 238–239
 illumination measurement, 263–264
 interior space delimitation, 6–7
 lighting and, 234
 measurement of, 262
 texture, 99
- light-emitting diode lamps (LEDs), 251
- lighting, 234–266. *See also* daylighting; electric light sources; lighting fixtures
 ceilings, 170
 color, 111
 color rendering index (CRI), 246
 daylighting, 242–245
 design considerations, 265–266
 electric sources, 246–251
 environmental systems, 214–215
 fixtures, 252–258
 flooring finish materials, 276
 health and safety codes, 231
 illumination measurement, 263–264
 interior space shaping, 16–17
 light and, 234
 programming integration, 61
 types of, 259–261
 vision and, 235–241
 windows, 182
- lighting fixtures, 252–258. *See also* daylighting;
 electric light sources; lighting
 generally, 252
 pendant-mounted, 257
 portable lamps, 258
 recessed, 254
 semirecessed, 255
 surface-mounted, 256
 track-mounted, 257
 types of, 253
- Light Loss Factor (LLF), illumination measurement, 263
- line, form, 85, 87–88
- Linea-Klöber-Brayton International, 314
- linear elements
 composite systems, 15
 form, 89
 structural systems, 10–11
- linear forms, 90
- linoleum flooring materials, 281
- Lipparini, Mauro, 313
- live loads, structural systems, 8
- load(s)
 electrical circuits, 227
 floors, 148
 structural systems, 8
- load-bearing wall(s), 150–151
 construction of, 154
 planar structural systems, 12–13
- loose fit, plan arrangements, 67
- lounge chairs, 312
- lowered doors, 187
- louvers, lighting fixtures, 253
- loveseat
 commercial seating, 315
 residential seating, 313
- Luchi, Michelle de, 318
- luminance, defined, 262
- luminance ratio, lighting design, 266
- luminous flux, light measurement, 262
- luminous intensity, light measurement, 262
- Luminous-Intensity Distribution Curve (LIDC), 263
- M**
- Mackintosh, Charles Rennie, 305
- Magistretti, Vico, 309
- magnitude, proportion, 121
- Makulik, Bernd, 309
- Mantiglia, R. Carta, 318
- masonry wall construction, 153
- Massoni, Luigi, 324
- mathematical systems, proportion, 122–123
- Matta, Sebastian, 309
- meaning, interior design criteria, 45
- measurement, scale, 125

- mechanical systems
 - structural systems, 9
 - suspended ceilings, 165
 - Mellini, Alessandro, 313
 - mercury-vapor discharge lamps, 249
 - metal(s)
 - ceiling materials, 298
 - furniture materials, 309
 - window frames, 179
 - metal halide discharge lamps, 249, 250
 - Mies van der Rohe, Ludwig, 305, 309, 318
 - modern furniture, 305
 - modification, interior space, 32–34
 - modular bedroom furniture, 324
 - modular ceiling materials, 298
 - modular furniture arrangements, 307
 - modular seating, 315
 - moldings, wall articulation, 159
 - Molinari, Pier Luigi, 313
 - movement, fitting to space, 62–63
 - multiview drawings, 70
 - Munsell color system, 108–109
- N**
- National Electrical Code, 227
 - Navajo rug, 287
 - needle-punched carpet construction, 285
 - night tables and nightstands, 325
 - noise control. *See also* acoustics
 - acoustics, 268–269
 - environmental systems, 214
 - Noise Reduction Coefficient (NRC), sound absorption, 272
 - nonbearing walls, 155
 - nondiffused light transmission, 234
 - nonload-bearing walls, 150–151
 - nylon carpeting fibers, 284
- O**
- oblique projections, 74
 - occasional tables, 318
 - off-center pyramid ceiling, 168
 - office furniture. *See also* furnishings and furniture
 - chairs, 311, 314
 - desks and work surfaces, 317
 - storage units, 327
 - systems furniture, 321
 - tables, 319
 - workstations, 320
 - olefin carpeting fibers, 284
 - one-point perspective drawing, 78
 - opaque materials, light, 234
 - openings, within or between walls, 158
 - open stair railings, 202
 - organizational standards, model codes, 230
 - outlook, interior space delimitation, 6–7
 - overhead doors, 189
- P**
- paints and coatings, wall finish materials, 296
 - panel doors, 187
 - Pantone color system, 109
 - parabolic reflectors, lighting fixtures, 253
 - paraline drawings, 74
 - particleboard furniture materials, 308
 - passive solar heating, windows, 184
 - pattern, texture, 101
 - paver flooring materials, 279
 - pendant-mounted lighting fixtures, 257
 - perception, 82–84. *See also* light; lighting; vision
 - personal space requirements, human factors, 49
 - perspective drawing, 77–79
 - one-point perspective, 78
 - two-point perspective, 79
 - pigments, color, 110
 - plan(s), graphic representation, 71
 - planar elements
 - composite systems, 15
 - structural systems, 12–13
 - planar form, 92
 - plan arrangements, 64–67
 - aesthetics, 65
 - functional criteria, 64
 - loose fit, 67
 - tight fit, 66
 - plane, form, 85, 91
 - plan obliques, graphic representation, 76
 - plants, accessories, 334
 - plaster, wall materials, 292
 - plasterboard materials
 - ceilings, 297
 - walls, 293
 - plastic furniture materials, 309
 - plumbing
 - environmental systems, 214–215, 221–224
 - wall construction, 152
 - plumbing fixtures, 222–223
 - plywood
 - furniture materials, 308
 - wall materials, 291
 - pocket sliding doors, 188
 - point, form, 85, 86
 - polyester carpeting fibers, 284
 - porch, exterior/interior interface, 5
 - portable lamps, 258. *See also* electric light sources
 - primary hues, 107
 - privacy, sound absorption, 272
 - programming, 56–61
 - activity requirements, 57
 - dimensional requirements, 58–59
 - furnishing requirements, 57, 58
 - integration, 59–61
 - space analysis, 58
 - user requirements, 56
 - proportion, 121–124
 - defined, 121
 - mathematical systems, 122–123
 - proportional relationships, 124
 - scale, 125
 - public zone, personal space requirements, 49
 - Puppa, Daniela, 318
 - purpose. *See* function
 - pyramid ceiling, 168
- Q**
- quantity, proportion, 121
 - quarry tile flooring materials, 279
 - quarter-turn stair plan, 198
 - quartz lamps, 247
- R**
- radial balance, 132
 - radiant heating, 219
 - railings
 - ramps, 207
 - stairs, 202–203
 - ramps, 206–207
 - ratio, proportion system, 122–123
 - recessed lighting fixtures, 254–255
 - rectangles, dimensional elements, 22–23
 - reevaluation, interior design process, 43
 - reflectance, illumination and, brightness, 236
 - reflected glare, light, 239
 - reflection, light, 234
 - reflectors, lighting fixtures, 253
 - remodeling, interior space, 32–34
 - repetition, rhythm, 138–139
 - residential seating, 312–313. *See also* seating
 - resilient flooring materials, 281
 - restaurant chairs, 314
 - restaurant tables, 319
 - reveal, wall articulation, 159
 - reverberation
 - defined, 267
 - sound absorption, 272
 - rhythm, 138–141
 - repetition, 138–139
 - spatial, 141
 - visual, 140
 - ridged baffles, lighting fixtures, 253
 - risers, stairs, 196, 200, 201
 - roller shade, window treatments, 331
 - Roman shade, window treatments, 331
 - rubber flooring materials, 281
 - rugs, 287. *See also* carpeting and rugs

S

- Saarinen, Eero, 314
- safety and health codes, 231. *See also standards and codes*
- sanitary drainage, environmental systems, 214–215, 224
- sash doors, 187
- saturation, color, 107
- scale
- ceilings, 166–167
 - human, 127
 - interior space delimitation, 6–7
 - measurement, 125
 - relationships among, 128
 - texture, 98
 - visual, 126
- seagrass carpeting fibers, 284
- seating
- commercial, 311, 314–315
 - generally, 310
 - human functional dimensions, 50
 - residential, 312–313
 - upholstery, 311
- secondary hues, 107
- secretaries, 325
- sectional seating, 315
- section drawing, graphic representation, 72
- semirecessed lighting fixtures, 255
- shades, window treatments, 331
- shadows, lighting design, 266
- Shaker ladderback chair, 312
- shape, form, 93–96
- shelving, finish materials, 300–302
- ship's ladders, dimensional requirements, 197
- showers, 223
- shutters, window treatments, 328, 329
- side chairs, 312, 314
- simultaneous contrast, color, 112–113
- single-slope ceiling, 168
- sinks, 223
- sisal carpeting fibers, 284
- site elements, exterior space, 4
- skylights
- daylighting, 182, 243, 245
 - space planning, 185
 - window construction, 175
- slabs, planar structural systems, 12–13
- sleeping, human functional dimensions, 55
- sliding doors, 188
- sliding windows, 174
- slope, ramps, 206
- social zone, personal space requirements, 49
- sodium discharge lamps, 249, 250
- sofas
- commercial seating, 315
 - residential seating, 313
- soft window treatments, 330–331
- solar heat gain
- thermal comfort, 216
 - windows, 184
- solid core door construction, 191
- solids, volume, 103–104
- solid stair railings, 202
- sound. *See also acoustics*
- acoustics, 268
 - defined, 267
- sound absorption, acoustics, 272
- space. *See also interior space*
- color, 114–115
 - defined, 2
 - exterior space, 4–5
 - form, 104
 - texture, 102
 - wall forms, 157
- space analysis, programming, 58
- sparkle
- ambient lighting, 259
 - chandeliers, 261
 - lighting fixtures, 252
 - reflected glare, 239
- spatial rhythm, 141
- special folding doors, 189
- specular reflection, light, 234
- speech privacy, sound absorption, 272
- spiral stair plan, 199
- sprinkler systems, fire suppression, 229, 231
- square(s)
- dimensional elements, 20–21, 23
 - shape, 96
- square bathtub, 223
- stacking chairs, 314
- stains, wall finish materials, 296
- stairs and stairways, 196–205
- construction, 200–201
 - dimensions, 197
 - generally, 196
 - interior space transitions, 31
 - plan types, 198–199
 - railings, 202–203
 - space planning, 204–205
- standards and codes. *See also accessibility;*
- Americans with Disabilities Act (ADA) of 1990
 - accessibility, 232
 - building codes, 230
 - electrical circuits, 227
 - elevators/escalators, 209
 - energy conservation, 232
 - exits, 231
 - fire safety, 231
 - health and safety, 231
 - model codes, 230
 - stair railings, 202
 - stairs, 196, 199
 - windows, 175
- standpipes, fire suppression systems, 229
- steel stair construction, 201
- stone flooring materials, 279
- stools, 314
- storage
- bedroom furniture, 324–325
 - casework and, finish materials, 300–302
 - office furniture, 327
 - wall systems, 326
- straight line, form, 88
- straight-run stair plan, 198
- stringers, stair construction, 200, 201
- structural systems, 8–15. *See also construction*
- materials/assembly
 - building envelope, 9
 - composite systems, 15
 - interior space modifications, 32–34
 - linear elements, 10–11
 - loads, 8
 - mechanical systems, 9
 - planar elements, 12–13
 - volumetric, 14
- stud-framed wall construction, 152
- style, interior design criteria, 45
- subfloor/joist construction, wood flooring materials, 278
- sunlight, daylighting, 242. *See also daylighting*
- superstructure, structural system, 8
- surface-mounted lighting fixtures, 256
- surface sliding doors, 188
- suspended ceilings, 164–165, 299
- swinging doors, 188
- symbols, electrical systems, 228
- symmetrical balance, 131
- synthesis, interior design process, 41
- synthetic carpeting fibers, 284
- systems furniture, office furniture, 321

T

- tables, 316–319
- dimensions, 317
 - generally, 316
 - styles and uses, 318–319
- tactile texture, 97
- Tapinassi, Roberto, 313
- task lighting
- ambient lighting, 259, 260
 - focal lighting, 261
 - glare, 239
- terrazzo flooring materials, 280

- texture, 97–102
 - carpeting and rugs, 286
 - contrast, 100
 - defined, 97
 - flooring finish materials, 276
 - light, 99, 237
 - pattern, 101
 - scale, 98
 - space, 102
 - walls, 159, 160, 161
 - thermal comfort, environmental systems, 216
 - 3D computer modeling programs, 77
 - tight fit, plan arrangements, 66
 - tile
 - flooring materials, 279
 - wall materials, 294
 - tonal distribution, color, 119
 - track-mounted lighting fixtures, 257
 - transitional spaces
 - exterior/interior interface, 5
 - interior space, 28–31
 - doorways, 29
 - stairways, 31
 - windows, 30
 - transmission loss (TL), acoustics, 270
 - treads, stairs, 196, 200, 201
 - trellis, window treatments, 328
 - triangle, shape, 95
 - trim
 - door frames, 192–193
 - wall articulation, 159
 - window construction, 177
 - tufted carpet construction, 285
 - tungsten-halogen lamps, 247
 - two-point perspective drawing, 79
- U**
- U.S. Customary System, 125
 - unity, variety and, 137
 - upholstery, seating, 311
 - uplights, lighting fixtures, 257
 - urinal, 223
 - user requirements, programming, 56
 - utilitarian accessories, 332
 - utility, interior design criteria, 45
 - utility sink, 223
- V**
- valance lighting, 256
 - value, color, 107
 - value judgments, interior design, 44
 - variety, unity and, 137
 - vaulted ceiling, 169
 - ventilation. *See also* heating, ventilation, and air conditioning (HVAC), environmental systems; windows
 - ceilings, 171
 - environmental systems, 217
 - health and safety codes, 231
 - programming integration, 61
 - walls, 150
 - windows, 174–175, 183, 184
 - views
 - doors and doorways, 195
 - fitting to space, 62–63
 - windows, 180–181
 - vinyl flooring materials, 281
 - vision
 - lighting and, 235–241
 - perception, 82–84
 - visual balance, 130
 - visual rhythm, 140
 - visual scale, 126
 - visual texture, 97
 - Vogtherr, Burkhardt, 313
 - voids, volume, 104
 - volume, form, 85, 103–104
 - volumetric structural systems, 14, 15
- W**
- wainscots, wall articulation, 159
 - wall finish materials, 288–296
 - flexible wall coverings, 295
 - generally, 288–289
 - gypsum board, 293
 - paints and coatings, 296
 - plaster, 292
 - tile, 294
 - wood, 290–291
 - wall-mounted lighting fixtures, 256
 - wallpaper, 295
 - walls, 150–161. *See also* building elements
 - articulation of, 159
 - color, 161
 - construction of, 152–153
 - exterior/interior interface, 5
 - forms, 157
 - freestanding partitions, 156
 - generally, 150–151
 - interior space delimitation, 6–7
 - load-bearing, 154
 - nonbearing, 155
 - openings within or between, 158
 - planar structural systems, 12–13
 - texture, 160
 - windows, 172–173
 - wall systems, storage, 326
 - Ward Bennett Designs/Brickell Associates, 313
 - Wassily chair (Marcel Breuer), 312
 - water closet, 223
 - water supply
 - environmental systems, 214–215, 221
 - fire suppression systems, 229
 - Wegner, Hans, 305
 - wheelchairs. *See also* accessibility; Americans with Disabilities Act (ADA) of 1990; standards and codes
 - body dimensions, 48
 - elevators, 209
 - functional activities, 52
 - ramps, 206
 - white, color, simultaneous contrast, 113
 - Wilkahn Seating-Vecta Contract, 314
 - winders, stair plan, 199
 - windows, 172–185. *See also* building elements
 - construction, 176–177
 - daylighting, 182, 243–245
 - exterior/interior interface, 5
 - fitting to space, 63
 - frames, 178–179
 - generally, 172–173
 - interior space transitions, 30
 - operational categories, 174–175
 - solar heat gain, 184
 - space planning, 185
 - ventilation, 183
 - view framing, 180–181
 - window treatments, 328–331
 - generally, 328
 - hard, 329
 - soft, 330–331
 - winds, dynamic loads, 8
 - woodburning stoves, 212
 - wood ceiling materials, 297
 - wood door construction, 191
 - wood door frames, 192–193
 - wood flooring materials, 277–278
 - wood furniture materials, 308
 - wood stair construction, 200
 - wood wall materials, 290–291
 - wood window frame, 178
 - wool carpeting fibers, 284
 - work areas, lighting, 239
 - workstations
 - dimensional requirements, 317
 - furniture, 320
 - human functional dimensions, 53
 - woven carpet construction, 285
- Z**
- Ziehmer, Kurt, 318