

INDEX

- abrasive peeling, 160
- acetic acid, 187
- acidic electrolyzed water (AcEW), 179–180
- acidified sodium chlorite, 182–183
- adjacent land use, 77
- Administrative Detention and Prior Notice, 25
- advertising, 282
- aerobic bacteria, 82
- aerobic plate counts (APC), 224
- Aeromonas*, 52–53, 226
- Aeromonas hydrophila*, 166, 171–173, 191, 230–231
- Aeromonas sobria*, 166
- aerosol formation, 233
- Agreement on the Application of Sanitary and Phytosanitary (SAPS) Measures, 31
- agricultural chemicals, 127
- Agricultural Research Service, 14
- agricultural water, 108
- agronomic practices, 4, 40, 57
- air conditioning systems, 233, 237
- air quality effects, 232–233
- airborne microflora, 232
- airborne pathogens, 232–233
- airflow patterns, 232
- allergic responses, 267
- American with Disabilities Act (ADA), 122
- animal feces, 82–83
- animal movement, 77
- animal waste, 77
- animals
 - in product contamination, 6
 - pathogens from, 6
- anthracnose, 193
- antimicrobial compounds, plant-derived, 191–192
- antimicrobial film technology, 197
- apple juice, 61–62
- apples, 263
 - decontaminating, 15
- Ascaris*, 167
- Assured Produce Scheme, 89–90
- ATP bioluminescence, 15–16
- auditing, 20–22, 29, 123, 255, 258, 281–282, 291
 - companies specializing in, 123
 - concerns, 21–22
 - effectiveness, 22
 - harmonization, 22
 - third-party, 258, 281–282, 285, 291
 - see also* verification procedures
- automated grading, 160
- automated warehouse management systems, 16–17
- Bacillus cereus*, 3, 55, 59, 74, 169, 226, 233
- Bacillus stearothermophilus*, 27
- backtracking capabilities, 257, 282–283
- bacteria, 4
 - consumer protection, 272
 - water contamination, 99
 - waterborne, 100–101
- bacterial enteritis, 167
- bagged salads, 11
- bagging practice, 12
- Baja California, 295
- barcodes, 17–18

- barrier technology, 195
 basil, 55, 102
 biocontrol, 191
 biofilms, 9
 biological hazards, classification, 3
 biosolids, 56–57, 80–82
 Class A, 81
 Class B, 81–82
 harvest restrictions, 82
 storage, 79
 biotechnology
 applications, 268
 European consumers' attitudes, 267–268
 modification, 263, 266–267
 Bioterrorism Act of 2002, 25
 blackberries, 102, 184
 boots, 140
 botulism, 55, 165, 171
 branding, 28, 263
 British Retail Consortium (BRC), Global
 Food Standard, 21, 91, 222, 234
 brush-washing, 159
 bull's eye approach, 251
 Business Anti-Smuggling Coalition
 (BASC), 234–235
 buying expectations, 250

 cabbage, 51
 California Strawberry Commission quality
 assurance program (QAP), 123
Campylobacter, 5, 40, 52, 57, 74, 79, 100,
 226
Campylobacter coli, 52
Campylobacter enteritidis, 167
Campylobacter jejuni, 3, 38, 52, 167, 187
 campylobacteriosis, outbreak of, 52
 campylobacters, thermotolerant, 52
 cancer prevention, 262
 canning industry, 27
 cantaloupe melons *see* melons
 carbon dioxide, 194
 carrots, 57, 185
 Center for Disease Control and Prevention
 (CDC), 4, 12, 19, 283, 289
 Emerging Infections Program (EIP), 40
 Center for Food Safety and Applied
 Nutrition (CFSAN) Case Processing
 Contact, 25
 certification protocols, 20–21

 cesium-137, 190
 cetylpyridinium chlorine (CPC), 181–182
 chemical treatments, 175–176
 chemicals to reduce bacteria, 257
 chicken manure, 82
 chilling rate, 196
 chloramines, 177–182
 chlorine
 effect of pH on percent of available, 178
 reaction with organic residues, 182
 treatments, 177–182
 chlorine dioxide, 15, 182–183
 cholera, 101
 chopping boards, 12, 14
 cleaning
 chemicals, 9, 127
 equipment, 9
Clostridium botulinum, 3, 27, 55, 59, 74,
 165, 169, 173, 196–197
 incidence, 165
 psychrotrophic strains, 170–171
 temperature abuse conditions, 170
 toxin production, 170
 type A and B spores, 165, 170–171
 type B, E and F spores, 170
Clostridium perfringens, 3, 55, 59, 194, 226
 clothing, 139–140
 cobalt-60, 190
 Code of Federal Regulations (CFR), 122, 158
 Codex Alimentarius Commission (Codex),
 18, 29, 31, 89, 106
 cold chain handling and maintenance, 223
 coldrooms, 233–234
 coleslaw, 51
 coliform bacteria, 124
 composting, 6, 41
 consumers
 contamination, 12
 education, 13, 256, 271–272
 food safety message for, 255–257
 handling practices, 13–14, 261–277
 studies of, 268–271
 health-related behavior, 271
 information, 23
 membership benefits, 256
 outreach, 13
 perception of produce safety, 263–267
 consumption trends, 4, 27–29,
 41, 262–263

- containers, 8–9, 11
 cleaning, 236–237
 refrigerated shipping, 222
 sanitization, 84
- contamination, 6
 animals in, 6
 harvesting, 7–8
 major sources, 56
 potential, 2
 prevention, 2
 processing, 167–172
 soil, 5, 59, 75–76
 storage, 167–172
 water, 75, 93, 98, 105–106, 108, 124–126
see also cross-contamination
- control measures, implementation, 74
- convenience foods, 29, 265–266
- cooling facility workers, personal hygiene, 234
- cooling methods, 87, 161–162
- cost–benefit aspects of food-safety practices, 105, 280–283
- critical control points (CCPs), 26, 74, 107–108, 157
- cross-contamination, 269–270, 272
- cryptosporidiosis, 55
Cryptosporidium, 40, 102, 116, 119, 228
Cryptosporidium parvum, 3, 48, 54, 74, 77, 86, 124
- customers *see* consumers
- cutting boards, 273
- cutting equipment, 161
- Cyclospora*, 4, 45, 102, 116, 229
Cyclospora cayatanensis, 3, 38, 40, 48, 54–55, 74, 77, 86, 104, 124
Cyclospora oocysts, 55
- cyclosporiasis, 42, 54, 58–60
- databases, basic requirements, 19
- decay and defects, 160
- detention without physical examination (DWPE), 24
- detergents, 134
- developing countries, 223
- dewatering methods, 162
- diarrhea, 100, 102
- dicing, 160
- disinfectants, 177
- disinfection technologies, 119
- display counters, 12
- disposable drinking cups, 126
- distribution, 10–11, 16–18, 96
- documentation, 254
- domestic animals, 234–235
- dose–response assessment, 103, 105
- dust mask, 142
- economics of food safety and produce, 279–300
- education
 consumers, 13, 256, 271–272
 food safety, 13
 public programs, 23–24
- Emerging Infections Program (EIP) sites, 19
- employees
 certification, 13
 health and hygiene, 2
 hygiene. *see* personal hygiene
 practices, 83–84
 seasonal training program, 127–128
 training, 13
- enhanced treated sludge, 81
- Entamoeba histolytica*, 167
- enteric viruses, water contamination, 99
- Enterobacteriaceae*, 169, 185, 190
- environmental benefits and risks, 266
- environmental factors, 103
- environmental issues, 74
- environmental protection, 81
- Environmental Protection Agency (EPA), 15, 24, 90, 121
- environmental sources of pathogens, 58–59
- epidemiology of foodborne disease, 37–72
 factors involved, 38–42
 investigations, 3, 103
 surveillance programs, 4
 trends, 38
- equipment
 cleaning, 9
 contact contamination, 168
 sanitization, 84, 88
- Erwinia*, 176
Erwinia carotovora, 87
- Escherichia coli*, 3–6, 15, 24–25, 27, 38, 40–42, 45, 47, 49–50, 57, 74, 77–79, 85–86, 104, 116, 265
- apple juice, 61–62
- enterohemorrhagic, 100, 165

- Escherichia coli* (Continued)
- enterotoxigenic, 100
 - fruit juices, 50
 - green peppers, 183
 - melons, 247
 - ocean cargo and warehousing, 227
 - sanitization, 189, 193
 - sprouts, 49
 - temperature abuse, 172
 - water supply, 124–125
- ethanol, 193
- EurepGAP, 89–90, 92, 222, 234
- European Commission on Health and Consumer Protection Directorate, 30
- European Food Safety Authority (EFSA), 30
- European Union, 20, 22, 30, 81
- evaporator cooling coils, 233
- exposure assessment, 103, 105
- facility cleanliness, 87–88
- facility design, 236–237
- facility layout, 88
- fecal contamination, 58, 124
- fecal material, contact of, 116
- fecal–oral route, 38, 50, 54, 102
- fertilizers, 59, 78–83
- storage, 79
- field operations, 75
- field sanitation, 83
- Fight BAC food safety guidelines, 269–270
- final rules for Food Facility Registration, 25
- first-in first-out principle (FIFO), 235
- fish emulsions, 82
- fish products, 12
- Food & Veterinary Office (FVO), 30
- Food and Agriculture Organization, 18, 89
- Food and Drug Administration (FDA), 15, 19, 24, 90, 158, 246, 280–283, 288, 290, 292, 295
- Food Code, 129, 142
- food chain
- farm-to-table, 246–248
 - food-safety management, 235–236
- food choice *see* product selection
- food contact surfaces, 12
- Food Guide Pyramid, 41
- Food Hygiene Regulations, 173
- Food Marketing Institute (FMI), 90, 262–263
- food quality
- use of term, 223
 - vs. food safety, 223–224
- food safety
- cost–benefit aspects, 280–283
 - disputes, 29
 - education, 13
 - future developments, 257
 - guidelines, 11, 20, 158, 175, 177
 - hazards, 74, 155–219
 - ocean transport and warehousing, 222 - issues, 164, 263
 - legislation, 30
 - practices, 23–24
 - programs, 16
 - roles in, 248
 - standards, 89
 - systems, 88–91, 156–158
 - use of term, 223–4
 - vs. food quality, 223–224
 - see also* regulatory issues; standards
- Food Safety Act 1990, 21
- Food Safety and Inspection Service (FSIS), 24
- food service, establishment, 29
- food service operations, 12–13, 29
- foodborne illness
- associated with infected workers, 117, 120
 - by produce group, 45
 - common reasons for, 247
 - economic impact, 291–293
 - etiologic agents, 45
 - impact across growers, 293–295
 - incidence, 272
 - lessons learned, 59–62
 - outbreaks of, 2–3, 47–48, 74, 95, 116, 163–164, 265, 283
 - pathogens associated with, 225–230
 - populations at risk, 272
 - populations most affected, 223
 - prevalence, 223
 - prevention, 74
 - relative rates, 39
 - response to, 295–298
 - risk increase, 262
 - source identification, 257
 - symptoms, 96
 - see also* epidemiology of foodborne disease

- FoodNet, 19, 40, 62
 footwear, 140
 fresh meat, 195
 fresh-cut products
 flow diagram, 159
 hazard potential, 11–12
 negative consequences of wounding, 156
 physiology of, 156
 potential microbial risk, 163–172
 strategies to reduce or eliminate hazards, 172–198
 use of term, 156
 see also specific processes and products
 fresh-produce-related outbreaks, 2
 fruit juices, 26, 29, 50
 functional entities, 17
 fungi, 229
 fungicides, 58–59
 FY 1999 Imported Produce Survey, 25

 gamma irradiation, 195
 GAPs, 2, 7, 11–12, 16, 20–21, 28, 31, 56, 60, 75, 79, 89–93, 98, 108, 118, 145, 157, 222, 234, 249, 281–298
 garlic, 55
 gastroenteritis, 100–101, 130, 165, 234
 General Food Law, 30
 Generally Recognized As Safe (GRAS), 177–178, 185, 188
 genetic engineering, 266–268
 genetic fingerprinting, 257
 genetically modified food, 267–268
 genetically modified organisms (GMOs), 20, 30
Giardia, 102, 104, 119
Giardia lamblia, 3, 54–55, 77, 86, 124, 167
 giardiasis, 55, 102
 Global Food Safety Initiative (GFSI), 22, 92
 Global Location Number (GLN), 17–18
 globalization, 224
 challenges, 108
 food trade, 89
 trends, 27–29
Glomerella cingulata, 15
 gloves, 142–144
 GMPs, 16, 20–21, 56, 60, 85, 89, 93, 126, 145, 157–158, 161, 222, 234, 281–295
 goggles, 142
 Good Agricultural Practices *see* GAPs
 Good Handling/Hygienic Practices (GHPs), 11, 23, 31, 118, 133
 Good Manufacturing Practices *see* GMPs
 government agencies, 256–257
 government regulations *see* regulatory issues
 grades and grading, 159–160
 grapes, 263
 green onions, 54, 101, 164, 283–287
 and hepatitis A, 279–300
 annual shipments, 284
 export industry, 284–285
 free-on-board prices, 291
 monthly shipments, 285
 shipments of, 292, 297
 greenhouse production, 7
 grinding equipment, 161
 ground water, 119
 guano, 82
 Guatemalan Berry Commission (GBC), 60
Guide to Minimize Microbial Food Safety Hazards for Fresh Fruits and Vegetables, 24, 56, 158, 175
 guidelines
 safe practices, 2, 19, 272
 supermarket shopping, 272
 Guillain–Barré syndrome, 100, 167

 HACCP, 2, 11–12, 16, 20, 25–26, 28–29, 50, 61–62, 74–75, 89–91, 106–108, 123, 144–145, 156–157, 165, 181, 222, 234, 237, 249
 hairnets, 141–142
 halogen-based treatments, 186
 hand drying process, 137–138
 hand hygiene, 118, 132–134, 144
 hand peeling, 160
 hand rinsing, water temperature
 for, 135–136
 hand washing, 13–14, 83–84, 86, 96, 127–128, 131
 consumers, 270, 273
 facilities, 58, 132
 recommended procedure, 133
 techniques, 7
 timing, 132–134
 handling contamination, 54, 167–168
 handling practices, 14–16, 23
 hard hats, 141
 Hartman Group, 264

- harvesting, 83–84
 - contamination, 7–8
 - equipment used for, 8
 - worker hygiene, 58
 - see also* postharvesting; preharvesting
- hazard analysis, 157
- Hazard Analysis and Critical Control Points *see* HACCP
- hazard identification, 5, 103, 105, 107
 - microbiol, 265
 - see also* food safety
- hazard potential, 11–12
- headgear, 141–142
- Health Canada, 4
- heat pasteurization, 15
- heat stress, 193
- heavy metals, contamination, 82
- hemolytic uremic syndrome, 165
- hemorrhagic colitis, 49, 165
- hepatitis A, 3, 42, 48, 53–54, 58, 60–61, 74, 77, 85–86, 101, 104, 116, 124, 167, 173, 229, 235–236, 265, 279–300
- high-pressure processing, 195
- high-quality produce, 262
- Histoplasma capsulatum*, 82
- HIV, 40
- home storage, 269–270, 273
- hot water washes, 193
- human enteric viruses, 53–54
- human pathogens, 7, 14–15
- hurdle technology, 164–165, 173, 195, 251
- hydrocooling systems, 87
- hydrogen peroxide, 189–190
- hygiene principles and practices, 58, 86, 96
 - see also* personal hygiene
- hypochlorite, 177–182
- hypochlorous acid (HOCl), 177–178
- ice for transport packaging, 58
- immediate previous source (IPS), 19
- immediate subsequent recipient (ISR), 19
- Imperfect Information and Prices for Safer Food, 281–282
- imported products, 42
- indicators in food safety research, 26–27
- infection, 120, 129–130
 - physical symptoms, 130
- infectious diseases, 116–117, 129
- information
 - imperfect, 281–282
 - programs, 256–257
 - web sites, 274
- insect control, 88, 234–235
- insecticides, 58–59
- inspection systems, 123, 158, 251
- integrated practices, 88, 223
- International Food Safety Council, 13, 23
- International Food Standard (IFS), 91
- International Fresh-Cut Produce Association (IFPA), 11, 156
- International Office of Epizootics (OIE), 31
- international oversight, 29–31
- International Plant Protection Convention (IPPC), 31
- International Standards Organization (ISO), 90–91
- iodine-containing solutions, 186
- irradiation techniques, 190–193, 263
- irrigation methods, 57–58, 77–78, 98, 101–102, 224
- ISO 9000, 21
- ISO 9001:2000, 91
- jewelry, 140–141
- kitchen preparation, 273
- kitchen sanitation, 269–270
- kitchen sink contamination, 14
- knives, 160–161
- labeling, 254, 266
- lactic acid, 187
- Lactobacillus casei*, 191
- land history, 76–77
- land use, 5, 76–77
- leftovers
 - refrigeration, 274
 - storage, 271
- legal entities, 17
- lettuce, 50, 53, 58, 101–102, 164, 171–173, 180, 193, 263
- Listeria*, 79, 234–235
- Listeria innocua*, 27
- Listeria monocytogenes*, 3, 27, 40, 51–52, 57, 59, 74, 180–184, 186–189, 191, 195, 225, 227, 230, 233, 235–236
 - control of problems, 164–165

- potential risk, 163–165, 168
- refrigerated temperatures, 173
- studies, 171
- zero tolerance policy, 164
- listeriosis, 51, 57, 163–165
- local government agencies, 23
- locally grown produce, 263
- management role
 - in food-safety program, 124
 - in personal hygiene, 124, 127, 131
- mangoes, 10, 42, 193
- manure, 6–7, 41, 56–57, 75–76, 79–80, 108, 224
- maritime containers, 233
- market facilities, 163
- market forces, 223
- market transformation, 41
- marketing strategies, 4, 40
- meat products, 12, 51, 174, 269–270
- mechanical treatment, 175–176
- media attention, 4, 40, 267
- Mediterranean fruit fly, 10
- melons, 4, 15, 29, 42, 46, 164, 168, 265, 270–271, 274
- mesophilic organisms, 14, 172
- metal contamination, 81
- Microban, 197
- microbial contamination, major source, 75
- microbial hazards
 - on the farm, 2
 - relevant to personal hygiene, 116–119
- microbial reservoirs, 232
- microbial resistance, 176
- microbiol hazards, 265
- microbiol risk, 73–94
- Microbiological Data Program (MDP), 25
- Microsphere System, 197
- minimal infective dose (MID), 230
- minimal processing of produce items, 2, 8, 41
- misting systems, 246
- mitigation measures, 2, 14–27, 185
- modified atmosphere packaging (MAP), 169–171, 194–196, 198
- moisture effects, 231
- moisture loss, 160
- monitoring, 24, 29
 - programs, 2, 23
 - systems, 19
- water supply, 125
- worker health, 129
- multiple-hurdle technologies, 164–165
- municipal biosolid wastes, 75–76
- municipal water, 7
- nail hygiene, 138–139
- National Advisory Committee on Microbiological Criteria for Foods, 231
- National Food Safety Education Month, 23
- National Restaurant Association Educational Foundation (NRAEF), 23
- Nature's Choice, 222
- negative externalities, 283
- new workers training program, 127–128
- nitrate content, 158
- non-spore-forming bacteria, 3
- nonbacterial gastroenteritis, 54
- noroviruses (Norwalk), 3–4, 53–54, 74, 77, 85–86, 101, 124, 167, 229
- nutrient losses, 156
- Occupational Safety and Health Act, 7–8, 122
- ocean cargo and warehousing, 221–243
 - food-safety risks, 233–234
 - foodborne pathogens associated with, 226–229
 - impact of basic facility sanitation and personal hygiene practices, 239
 - microbial aspects, 224–231
 - microbial contamination points, 232
 - potential risk factors, 232–235
- onions, *see* green onions
- organic acids, 188
- organic food market trends, 264
- organic produce, 6, 41
- outbreaks associated with fruit and vegetables *see* foodborne illness
- oxidation–reduction potential (ORP), 179
- ozone, 183–185, 237
- packaging, 162–163, 169–170
 - contamination, 167–172
 - controlled and modified atmospheres, 194–198
 - intelligent, 197
 - interactive, 197
 - materials, 84–85

- packaging (*Continued*)
 requirements, 269
 storage, 88
- packhouses, 8–9, 51, 58
 employees, 10
 risks, 2
 sanitizer, 10
- packing, in-field, 84–85
- papayas, 193
- paper towels, 138
- parasites, 4
- parasitic protozoa, 3, 54–55
- parsley, 50, 58
- pathogen contamination *see* contamination
- pathogens, 3–5, 74, 225
 animals, 6
 associated with fresh produce, 42–55
 commonly occurring, 163–167
 control, 157
 detection rate in representative produce
 items, 43–44
 environmental sources, 58–59
 occurrence, 96
 soil-borne, 225
 survivability and/or multiplication, 99
 survival of, 230
 test sales, 20
 transmission routes, 121
 waterborne, 99–102
see also specific cases
- peeling, 160
- peppers, 183
- peracetic acid, 188
- peroxyacetic acid, 188–189
- personal adornments, 140–141
- personal hygiene, 2, 7, 76, 83–84, 86,
 115–153, 235–236, 254
 and health, 85–86
 cooling facility workers, 234
 establishing an effective program, 124–144
 exclusion of infected workers, 129–130
 factors involved in contamination, 118
 important practices, 131
 key factor, 116
 management role, 124, 127, 131
 microbial hazards relevant to, 116–119
 practices, 131–132
 refresher training, 128
 risk assessment, 131
 role of laws, regulations, and guidelines,
 121–123
 training, 126–129
 use of term, 118
- personal protection equipment, 145
- pest control, 9, 11, 88, 234–235, 264–265
- pesticide residues, 20, 158, 263–264, 290
- pH values, 178, 187–188, 195
- physical entities, 17
- physical treatments, 175–176
- point-of-sale signage and information, 256
- population demographics, 4, 40
- postfarm gate standards, 91
- postharvesting
 contamination, 158
 handling, 8–10, 85–88, 235
 potential control points, 76
 processing, 51
 spoilage organisms, 174
 treatments, 225
- poultry contamination, 269–270
- prefarm gate standards, 89–91
- pre-harvesting, potential control points, 76
- price issues of safer food, 281–282
- private companies, food safety practice, 28
- processing operations, 254
 contamination, 167–172
- produce contamination, factors contributing
 to, 56–59
- Produce Safety Action Plan, 25
- produce selection, 262–263, 269
- product recalls, 231, 257
- product specifications, 250
- production, 76–83, 158–163
 hazards, 5–7
 practices, 29
- protozoa, 167
 waterborne, 99, 102
- public health authorities, 129, 143
- pulsed-field gel electrophoresis (PFGE), 19,
 49, 51
- PulseNet, 19, 40, 62
- quality assurance, 20, 250–251
- quality control, 20
- quality criteria, 158
see also food quality
- quality problems and certification, 123
- quaternary ammonium-based sanitizers, 186

- radio-frequency identification (RFID)
 - systems, 18, 257
- radishes, 57
- raspberries, 28, 42, 54, 58–60, 62, 101–102, 290
- raw material receiving and storage, 158
- raw meat or fish, 12
- reactive arthritis, 100
- ready-to-eat products, 12, 54, 253–254, 258, 274
- Recording and Reporting Rule of the Bioterrorism Act 2002, 19
- recordkeeping procedures, 157, 281
- REDOX, 179
- refresher training, personal hygiene, 128
- refrigeration
 - home, 247
 - leftovers, 274
 - maritime containers, 222
 - storage, 269–270, 273
 - temperatures, 10–11, 173
- regulatory authorities, 121–122
- regulatory guidelines for high-risk products, 249
- regulatory issues, 28, 31–32, 88, 223, 256–257
 - wastewater discharge, 177
- regulatory jurisdiction, 177
- Reiter's syndrome, 100
- rejected material, 88
- repacking at warehouses and distribution centres, 238
- research, 14–16, 26–27
- restaurants, 12–13, 54
- retail operations, 12–13, 16–18, 245–59
 - auditing, 21–22
 - buying specification, 252
 - consolidation and globalization, 22
 - display temperatures, 253–254
 - educating the public, 23–24
 - empowerment of staff 252–253
 - food-safety responsibility, 248
 - future developments, 257–258
 - historical perspective, 246–247
 - identifying control points, 249
 - identifying food-safety risks, 248–249
 - inspection methodologies, 252–253
 - intervention placing, 251, 257–258
 - merchandizing schematics, 254
 - processing operations, 253
 - product specification, 252
 - public health role, 255–256
 - risk assessment, 250–251
 - standards, 250, 252–255
 - store risks, 251
 - third-party verification, 258
 - use of media and Internet, 256
- rinsing, 158, 176, 187
 - water temperature, 161
- risk analysis, 105–107
- risk assessment, 12, 26, 77, 103–106
 - applications, 103–105
 - farm-to-fork approach, 107
 - microbiol, 73–94
 - personal hygiene, 131
 - water contamination, 105–106
- risk–benefit scenario, 105
- risk characterization, 103, 105
- risk communication, 105
- risk factors, 158
 - identifying, 99, 248–249
- risk management, 105
- risk profile, 30
- risk reduction, 74
- rodent control, 83–85, 87–88, 234–235
- rotavirus, 3
- run-off pollutants, 97
- run-off surface or groundwaters, 57, 79
- safe handling guidelines, 272
 - see also* food safety
- Safe Quality Food, 1000 Code, 22, 89–90
- Safe Quality Food, 2000 Code, 91
- Safe Sludge Matrix agreement, 80–81
- SAGARPA, 295
- salads, 50, 54, 169–170, 173
- Salmonella*, 3–6, 24–25, 40–49, 57, 74, 77, 79, 86, 100, 104, 116, 124, 168, 227, 230, 265
- Salmonella chester*, 188
- Salmonella enterica*, 10, 42, 57
- Salmonella enteritidis*, 166, 180, 233
- Salmonella hadar*, 174
- Salmonella javiana*, 189
- Salmonella montevideo*, 166, 181
- Salmonella poona*, 168
- Salmonella saint-aul*, 166
- Salmonella senftenberg*, 166

- Salmonella stanley*, 15
Salmonella typhimurium, 85, 166, 174,
 181–182, 184, 187, 191, 231
 salmonellosis
 outbreaks of, 46, 100, 161
 associated with sprouts, 49
 sanitary devices, selection and placement,
 144
 Sanitary Equipment Buying Guide and
 Development Checklist, 12
 sanitary facilities, 8
 sanitary practices, 124
 sanitary status and water availability, 119
 sanitization, 15
 kitchen, 273
 practices, 9, 76, 236–237
 programs, 156–158
 training, 126–129
 treatments, 168–169
 sanitizers, 135, 174–177
 acidic-based, 186
 alkaline-based, 188
 quaternary ammonium-based, 186
 Scientific Committee on Food, 30
 seasonal employee training program,
 127–128
 seed sprouts, 49
 SENASICA, 295–297
 serve safe program, 13
 sewage sludge, 80–82
 shaker screen sizers, 161
 shelf-life, 163
 shellfish, 54
Shigella, 3, 24–25, 40, 50–51, 74, 77,
 85–86, 100, 116, 124, 189, 228,
 234–235
Shigella boydii, 166
Shigella dysenteriae, 166
Shigella flexneri, 48, 166
Shigella sonnei, 48, 50, 58, 104, 166, 169,
 171, 187, 234
 shigellosis outbreaks, 50, 166
 shoes, 140
 shopping carts, 12
 shredding, 168
 size reduction/cutting, 160–161
 slicing, 168
 smart cards, 256
 soaps, 134–135
 sodium hypochlorite (NaOCl) solution, 180
 soft rot bacteria, 87
 soil amendments, 6
 soil-borne pathogens, 225
 soil contamination, 5, 59, 75–76
 sorting, 158–161
 spillages, 8
 spinach, 164
 spore-forming organisms, 3, 55
 sprouts, 46, 49–50
 Standard Sanitary Operating Procedures
 (SSOPs), 60, 118, 143, 145,
 157, 254
 standards, 28, 123, 223–224, 250, 281, 296
 see also ISO
Staphylococcus aureus, 3, 85–86, 116, 184,
 191, 228, 230–231, 233–234
 Starlink corn, 267
 storage, 10–11, 13–14, 158, 163, 169–170
 areas, 88
 contamination, 167–172
 leftovers, 271
 refrigeration temperatures, 173
 temperature effects, 170
 see also ocean cargo and warehousing
 strawberries, 42, 58, 60–62, 101, 263, 265
Streptococcus pyrogenes, 86
 stress response, 27
 supermarkets
 produce selection, 262
 shopping guidelines, 272
 supplier performance and buying equation,
 251
 supply chain, 74
 integration, 16
 surface run-off waters, 57, 79
 surface water, 119
 surrogates in food safety research, 26–27
 surveillance programs, 31, 40
 SwissGAP, 89
 temperature abuse, 13–14, 173
 temperature control, 172–174, 254
 temperature danger zone, 12
 temperature effect on foodborne pathogens,
 230–231
 Tesco Nature's Choice standard, 21
 Third World countries, 89
 third-party audits, 258, 281–282, 285, 291

- thrombocytopenic purpura, 165
- time temperature indicators, 174
- toilet facilities, 7–8, 83–84, 86, 118, 122, 127, 131, 144
- tomatoes, 52, 101, 161, 164, 181
- toxic compounds, 127
- Toxoplasma gondii*, 77, 86
- traceability, 18–20, 31
- traceback capabilities, 257, 282–283
- trade disputes, 28
- trade networks, 29
- training, 126–129
 - employees, 13
 - impact of, 237–238
 - new workers, 127–128
 - personal hygiene, 128
 - programs, 255
 - record keeping, 128–129
 - seasonal employees, 127–128
- transportation, 8, 11, 163, 174
- traveller's diarrhea, 59
- triclosan, 197
- trihalomethanes (THM), 183
- trimming, 160
- trisodium phosphate (TSP), 188
- truck use, monitoring, 174
- Tween 80 surface-active agent, 180

- UCC/EAN-128, 17
- ultrasound for microbial decontamination, 193
- ultraviolet irradiation, 192–193
- Uniform Code Council (UCC), 17
- upper respiratory infection, 130
- U.S. Food Safety Initiative, 24
- U.S. government intervention, 24–26
- US-GAP, 89
- UV irradiation, 27

- Vance Research Services, 262
- vapor treatments, 189
- verification procedures, 88–92, 157, 255, 258
 - see also auditing
- Vibrio*, 3, 40, 116
- Vibrio cholerae*, 77, 86, 101, 104
- viral gastroenteritis, 54
- viruses, 3–4, 167
 - waterborne, 101–102

- Walmart Global Procurement Group
 - Audits, 21–22
- warehousing see ocean cargo and warehousing
- washing, 158–162, 168–169, 174–177
 - challenge of, 175
 - consumers' practice, 270–271, 274
 - effectiveness of, 176
 - efficiency of system, 177
- washwater, 103, 108
 - quality, 177
- wastewater, 78
 - discharge regulations, 177
- water
 - accumulation, 88
 - hazard characterization, 105–106
 - role assessment, 95–114
 - samples, 78
 - temperature for hand rinsing, 135–136
- water flumes, 9–10
- water fountains, 126
- water knives, 162
- water-related disease outbreaks, 104
- water sources, 97–98, 119
- water supply, 5, 124–126
 - applications, 96–97
 - availability and sanitary status, 119
 - basic system requirements, 124–125
 - contact routes, 97
 - contamination, 75, 93, 98, 105–106, 108, 124–126
 - critical control points, 107–108
 - drinking water handling, 125–126
 - HACCP issues, 107–108
 - impact on produce quality and public health, 102–103
 - maintenance, 126
 - monitoring, 125
 - quality, 2, 57–58, 77–78, 86–87, 93
 - recirculation, 177
 - requirements, 3, 7, 10, 12
 - storage, 78, 125–126
 - testing, 126
 - transportation, 125
 - washing parameters, 161
- water treatment processes and plant, 98, 119, 125
- waterborne bacteria, 100–101

- waterborne disease, 125
- waterborne pathogens, 99–102
- waterborne protozoa, 102
- waterborne viruses, 101–102
- watercress, 101
- waxing, 265
- weighing, 162–163
- worker health
 - assurance, 129
 - maintenance of, 85–86, 130–131, 144
- worker hygiene *see* personal hygiene
- working apparel, 139–145
 - see also* specific items
- World Health Organization (WHO), 29–30, 41, 89
- wounds, 8
- X-ray technology, 18
- Yersinia enterocolitica*, 230–231
- Yersinia enterocolitica*, 40, 53, 101, 104, 166, 172–173, 180, 184, 187, 228