

Index

- Absolutely stable 187
Active control 10–11
Actuator 10, 119
Adaptive control 166
Apparent yield point 108
ARX model 10
Asymmetric response 8
Asymptotic trajectories 25
- Backstepping 167
Bandwidth 119
Bang-bang controller 11
Barbalat's lemma 30, 170, 188
Base-isolation devices 25, 31
Bayesian parameter estimation 10
BIBO stability 14, 15, 16, 17, 18, 23, 24, 34, 35
Bijection 43, 44, 119, 122
Bijective relationship 41
Bingham model 150
Black-box 13
Bouc model 7, 9
Bouc–Wen model 2, 5–12
Bouc–Wen model literature 8, 144
Bounded input–bounded output 14, 34
Boundedness 4, 5, 23, 34, 166, 169, 170, 172
- Carrier liquid 150
Causal 184
Change in stiffness 150
Chaotic behaviour 37
Chaotic responses 11
Class 23, 24, 28, 31, 32, 34, 35, 38, 39, 40, 50, 64, 110, 115, 116, 119, 120, 121, 164, 167
Class I 20, 28, 32, 33, 35, 50, 53, 59, 110
Class II 22, 28, 34
Classification 17, 34, 42
Clipped optimal controller 11
Closed-loop signals 4, 5, 166, 168, 170
Coil 142, 156
Composition rule 81, 90
Concave 44, 109
Control 2–5, 7, 8, 10, 11, 13, 23, 24, 34, 37, 63, 150, 151, 157, 165, 167–7
Control input 165
Control objective 4, 5, 166, 167
Converge uniformly 47, 65
Convergence 2, 5, 59, 73, 76, 89
Convex 44, 53, 109

- Coulomb friction 149, 150
 Curvature 109
 Cycle 1, 4, 31, 35, 38, 41, 47, 48, 49, 50, 59, 60, 63, 64, 66, 67, 71, 79, 97, 98, 104, 105, 107, 109, 110, 115, 116, 119, 121, 122, 124, 139, 145, 146, 154, 164
 Dahl model 151, 152, 154, 158, 161, 162, 163, 164
 Damper 142–64
 Degradation 7, 8
 Derivative 4, 15, 16, 19, 20, 28, 30, 38, 79, 81, 85, 96, 97, 98, 105, 109, 115, 119, 128, 138, 154, 161, 166, 172, 173, 181
 Design input values 117
 Design parameter 118, 122, 130, 135, 138, 140, 168, 175
 Determination of the parameter ρ 134
 Determination of the parameter κ_w 123, 132
 Determination of the parameter κ_x 123
 Determination of the parameter n 123, 129
 Determination of the parameter σ 135
 Differential evolution algorithm 9
 Dini's theorem 59
 Dissipation 3, 11, 14, 15, 32, 35, 183
 Disturbances 4, 25, 114, 120
 Domain 9, 52, 181, 186
 Drift 8
 Dry friction 149, 151, 152, 161
 Ductility 109
 The Duhem model 2
 Earthquake Engineering Laboratory 157
 Electromagnet 2, 156
 Elimination process 48
 Endochronic theory 35
 Energy dissipation 3, 14, 32, 35, 183
 Equilibrium point 51, 181, 186
 Estimate 113, 126, 130, 135, 139, 141
 Estimated parameter 113, 114, 122, 126
 Estimation property 113, 114
 Evolutionary excitation 11
 Existence and unicity of zero 123, 126, 140
 Existence and uniqueness of solutions 179
 Exponential stability 181
 Exponentially decaying reference signals 167
 Exponentially stable 26, 34, 166, 169, 170, 181, 187
 Extended Kalman filter 10
 Feedback connection 29, 173, 186
 Feedforward input signals 167
 First harmonic approximation 10
 Foam 156
 Force 2, 5, 6, 7, 9, 10, 14, 24, 35, 142, 143, 145, 147, 150, 154, 155, 156, 158, 159, 165, 183
 Force/displacement plot 163
 Force/velocity plot 163
 The four regions 96–107
 Free motion 24–32
 Frequency content 119, 147
 Frequency domain 9
 Frictional device 151
 Fuzzy control 10
 Genetic-type algorithms 9
 Global boundedness 166
 Global existence and uniqueness of solutions 180
 Globally Lipschitz 180
 Ground acceleration 7, 25
 Growth of function $\bar{w}(\bar{x})$ 96
 H_∞ controller 10
 Hardening 109, 110
 Harmonic balance principle 38
 High-frequency components 119
 Hysteresis 1–4, 6–8, 10, 11, 63–110
 Hysteresis loop 2–4, 7, 15, 64–110
 Identification problem 2
 Identified parameter 4, 41, 122, 123
 Initial tangent stiffness 7
 Input displacement 2, 4, 48, 142, 146, 147, 159, 163
 Input disturbances 119, 124
 Input–output stable 3
 Input-to-state stable 167
 Instrumental functions 42–6

- Inverse function 43, 44, 45, 48, 122
- Iron particles 150
- The Ishlinskii hysteresis operator 2

- Jacobian matrix 72

- Kalman filtering technique 9
- Kalman–Yakovovich–Popov 185

- Least error minimization algorithm 9
- Least-squares algorithm 9, 10
- Lebesgue’s monotone convergence theorem 73, 76, 89
- Limit cycle 4, 31, 35, 38, 41, 47, 48, 49, 50, 59, 60, 61, 63, 64, 66, 67, 68, 71, 79, 97, 98, 104, 105, 107, 109, 115, 116, 119, 139, 145, 154, 164
- Linear actuator 119
- Linear contribution 97
- Linear interpolation 46, 140
- The linear region R_l 4, 97–105, 107, 109, 146
- Loading 1, 3, 4, 37, 48, 49, 66, 67, 69, 116, 122, 139, 145, 147, 154
- Local existence and uniqueness of solutions 180
- Locally Lipschitz 18, 26, 33, 179, 180, 181, 184, 186
- Locally uniformly stable 181
- Lord Corporation 156
- Lowpass filter 121
- Lyapunov controller 11
- Lyapunov function 19, 181

- Magnetic field 150, 156
- Magnetorheological (MR) damper 4, 142
- Main slope 97, 98, 105, 146, 161
- Main slope of linear region 105, 146
- Maximal value of hysteretic output 69–7
- Meaningful 61
- Measurement disturbances 119, 124
- Memoryless 29, 173, 185, 186
- Monotonic 58, 59
- Multivariate case 8
- Multivariate model 12

- Neural networks 10
- Noise 113, 119, 139
- Noisy environment 120

- Nonautonomous locally Lipschitz system 18
- Nonlinear contribution 97
- Nonparametric identification method 10
- Nonrecursive 9, 113
- Normalized Bouc–Wen model 39–42, 150
- Normalized form 41, 42, 61, 119, 148
- Normalized model 41
- Numerical instability 151
- Nyquist plot 187

- One-degree-of-freedom 24
- Overparametrization 144, 145, 147

- Parametric identification 10, 15, 113
- Passivity 3, 15, 32, 35, 182, 183
- Phenomenological 1
- PID 5, 8, 166, 167, 168, 170, 175, 177
- PID design parameters 175
- Piecewise continuous 179, 180, 181, 186
- Pinching 8, 12
- The Plastic Region 4, 99, 105–7, 106, 146, 147, 687
- Poincaré maps 38
- Poisson stable 167
- Positive definite 181
- Positive realness 184
- Positive semi-definite 181, 184
- Post-yield 7, 11
- PR 184
- Pre-yield 7
- The Preisach model 2
- Proportional-integral-derivative 4
- Pulse-width modulator 157

- Quasi-static response 1

- Random input signal 147
- Random noise 119
- Rate-independent 2
- Rate-independent property 6, 49
- Rational function 184
- Recursive 9, 113
- Recursive least-squares algorithm 9
- Reference signal 25, 166, 167, 173
- Region of ultimate boundedness 166
- Regions 4, 20, 68, 96–105, 107, 111

- Regulation 166, 167, 176
- Relative degree 167, 184
- Relative error 114, 123, 124, 126, 161
- Reliability analysis 11
- Restoring force 2, 7, 9, 14, 24, 25, 35, 147, 165
- Restriction 45
- Rheological behaviour 150
- Robustness 4, 113, 119, 122, 123, 137
- Robustness margin 122, 123
- Robustness to noise 113
- Routh argument 169, 174

- Samples 139, 140
- Sampling period 139
- Sector 29, 173, 185, 186, 187
- Semi-active control 10, 11
- Semi-global 166, 167
- Semi-physical 1, 3
- Shape of hysteresis loop 7, 63, 64, 69, 98, 100, 110, 145
- Sharp transition 145, 147
- Shear mode MR damper 142, 147, 148, 150, 151, 152, 154, 158
- Simulation 2, 3, 4, 31, 35, 55, 59–60, 64, 77, 93, 110, 114, 137, 141, 143, 151, 156, 164, 175
- Single-input single-output (SISO) system 1
- Sliding mode control 166
- Slowly time-varying 120
- Smart materials 10
- Softening 109, 110
- Solution 6, 17, 18, 19, 21, 24, 26, 31, 35, 37, 38, 39, 40, 43, 54, 55, 97, 167, 169, 179, 180, 186
- SPR 184
- Standard Bouc–Wen model 143, 144, 145, 149, 150, 152, 157
- Standard parameters 63, 66
- State vector 179
- Static gain 119
- Steady state 119, 139, 145, 154, 155, 158
- Steady state output force 155
- Stieltjes integral 6
- Storage function 33, 184
- Strict positive realness 184
- Strictly positive real 173, 175, 184, 185, 187
- Structural isolation 24
- Symmetry property of hysteresis loop 67

- Thermodynamical admissibility 3, 35
- Time-varying nonlinearity 186
- Tolerance 122, 123
- Total variation 6
- Transition points 98
- The transition regions R_t and R_s 107
- Triangular input signal 138
- Tuning 2, 15

- Uncertain dynamics 166
- Uncertainties in parameters 166
- Uncertainty 161, 162, 163
- Uniformly stable 181
- Univariate 11
- Unloading 1, 3, 4, 37, 48, 49, 66, 67, 69, 145, 147, 154
- Unnormalized model 70
- Updating 113

- Variation of the hysteretic output 85–96
- Viscous + Coulomb friction model 150
- Viscous + Dahl model 152, 154, 156, 162, 163
- Viscous + dry friction model 151–6
- Viscous friction 142, 147, 183
- Voltage dependent 142, 149, 151, 152
- Voltage-dependent characteristics 151

- Washington University Structural Control and earthquake engineering laboratory 157
- Wave T-periodic 39
- Width of the hysteresis loop 68, 79

- Yield displacement 109

- Zero dynamics 166, 167
- Zero of the function 123, 126, 140, 155
- μ -small 120, 122, 123