

Index

A

- account lockout feature, 347**
- accounts, mail. *See* Database Mail**
- act as part of the operating system policy, 336***
- Action object, 535–536**
- actions (XEvent object), 535–536, 538**
- activation, 260–265**
 - defined, 260
- active nodes, passive nodes v., 812**
- active/active clusters, 814–815**
- active/passive clusters, 814–815**
- ActiveX Script, 139, 154**
- Activity Monitor, 114–118, 501**
- actual execution plan, 576–579**
 - graphical, 579
 - SET STATISTICS PROFILE ON/OFF, 577–579
 - SET STATISTICS XML ON/OFF, 576
- adapter cards. *See* disk adapters (A-DBN), 167**
- Address Window Extensions (AWE), 432, 433, 476, 480, 481, 482**
- administration**
 - CLR integration, 308–327
 - Integration Services service, 179–187
 - multiserver, 166–174
 - master servers, 171–174
 - target servers, 171–174
 - packages, 187–202
 - Service Broker, 288–308
- Administrators group**
 - Computer Management console and, 334
 - security and, 333–334
- (A-ERR), 168**
- affinity I/O mask feature, 492–493**
- affinity mask, 489–491**
 - hyperthreading and, 489
 - SQL Server processor, 490
 - SQL Server work scheduling and, 491
- AFTER triggers, 458**
- Agent. *See* SQL Server Agent**
- agent jobs, 656**
 - Distribution, 656
 - Log Reader, 656
 - Merge, 656
 - Snapshot, 656
- aggregate binding, 564–565**
- aggregations**
 - defined, 227
 - designing, 228–232
 - role of, 228
- alerts, 147–152**
 - creating, 148
 - defined, 147
 - names for, 148
 - responses to, 151–152
 - SQL Server event, 148–150
 - SQL Server performance condition, 150–151
- algebrizer, 564, 566**
 - aggregate binding and, 564–565
 - grouping binding and, 565
 - name resolution and, 564
 - type derivation and, 564
- allocation unit size, NTFS, 451**
- allow log on locally policy, 336***
- allow log on through Terminal Services policy, 337***
- ALTER ASSEMBLY statement, 320**
- ALTER INDEX, 626**
- ALTER TABLE command, 471**
- ALTER TRACE rights, 354**
- (A-MSG), 168**

Analysis Services (SSAS)

Analysis Services (SSAS), 3, 4, 207–236

aggregations, designing, 228–232
 BIDS and, 175
 Command, 139, 154
 components, 209
 databases, 214–223
 events, SQL Profiler and, 223–224
 Flight Recorder and, 226–227
 installing, 51–52
 partition configuration, 227–228
 performance counters, 223–224
 performance monitoring/tuning, 223–227
 permissions, 234–235
Professional Microsoft SQL Server Analysis Services 2008 with MDX (Harinath et al), 207
 Query, 139, 154
 query processor, 209
 roles
 database, 233–234
 server, 233
 security, 233–235
 server, 210–214
 storage, 227–232
 storage modes, 227
 tour of, 207–209
 traces, 224–225
 UDM in, 208–209
 uninstalling, 58
 upgrading, 80–81
 XML/A, 209
 XMLA listener, 209

AppDomains. See application domains
application domains (AppDomains), 308, 309–310

Application event log, 548

application optimization

 defining a workload, 455–456
 Pareto Principle, 455
 system harmony and, 456

applications, memory-friendly, 482

approximate numeric data types, 13

architecture

 log shipping, 782–783
 machine, 427–429

 NUMA system, 427–429

 SMP system, 427

 Service Broker, 238–246

 SQL Trace, 517, 518

 Web-based (schematic diagram), 416

 WSSRA, 416, 421

archiving data, 775–776

 for Database Mail, 166
 partitioned tables, 775–776

articles, 653, 656

(A-SEV), 168

assemblies (CLR)

 ALTER ASSEMBLY statement, 320
 creating, 312–315
 defined, 315
 deploying, 315–316
 DROP ASSEMBLY statement, 320–321
 queries on, 321
 registering, 317–320
 security, 316–317

Assembly Load, 325

assert_fired, 535

(A-SVR), 167

asymmetric keys, logins with, 352

asynchronous methods, 457

asynchronous statistics update, 606

attackers

 brute-force, 347
 curious, 332
 malicious, 332
 NetBIOS (example), 331
 opportunistic, 332

Audit (SQL Server), 329, 377–381

Audit object, 332, 377

 creating, 377–378
 defined, 377

Audit Specifications

 Database, 380–381
 Server, 378–380

auditing. See also policy-based management

 enhancements, 332
 security and, 332

authentication

 SQL Server, 345–346
 Windows, 343–347

- authority, least privileged, 330**
 - autogrow fragmentation, 452**
 - automatic deployment of packages, 195–198**
 - automatic failover, 701–703. *See also***
 - database mirroring
 - automatic page repair, 718**
 - Automatic Updates, patch management and, 333**
 - automating SQL Server. *See* Maintenance Plans; SQL Server Agent**
 - autoparam**
 - forced, 559
 - simple, 559
 - auto-tuning, 455, 495. *See also* performance tuning**
 - availability, integrity, confidentiality (CIA triad), 330–331. *See also* high availability**
 - average page density fragmentation, 593–594**
 - AWE (Address Window Extensions), 432, 433, 476, 480, 481, 482**
- B**
- backup and recovery, 731–778. *See also***
 - backups; recovery**
 - disaster recovery planning, 776–778
 - failures, 731–733
 - application, 732
 - hardware, 732
 - local disasters, 733
 - software, 732–733
 - too much privilege, 733
 - user errors, 732
 - plans
 - analyze business requirements, 734–735
 - categorize databases by recovery criteria, 736
 - communication of, 738
 - documenting, 736–738
 - failed backup notification policy, 738
 - maintaining, 738–739
 - making, 733–738
 - rehearsal policy for, 738–739
 - revisions, 739
 - validating/implementing/testing, 738
 - validation policy for, 739
 - backup commands, T-SQL, 762–763**
 - Backup folder, 339**
 - backup server**
 - hot, 810–811
 - warm, 810
 - backups, 739–743**
 - after SQL Server 2008 install, 56
 - bulk transaction-log, 741
 - compression, 742–743
 - copy database files to backup device, 742
 - copy-only, 740–741
 - data mirroring and, 755
 - differential, 740
 - failover cluster and, 755
 - file differential, 740
 - file/filegroup, 740
 - files, securing, 341
 - full, 739
 - full-text, 751
 - history tables, 749
 - images, verifying, 747–749
 - inheriting systems and, 387
 - log shipping and, 755, 800
 - managing, 764
 - overview of, 739–743
 - partial, 739
 - partial differential, 740
 - performance, 764–765
 - permissions for, 750
 - plan development/execution
 - with database maintenance plans, 760–762
 - with Management Studio, 755–759
 - using T-SQL commands, 762–763
 - pure transaction-log, 741
 - replication and, 755
 - system databases, 750–751
 - master, 750–751
 - model, 751
 - msdb, 751
 - tempdb, 751
 - tail transaction-log, 741
 - transaction replication and, 755

backward compatibility

backward compatibility, 77–89

- behavior changes, 78–79
- deprecated database features, 78
- discontinued, 77–78
- unsupported features, 77–78

baseline performance, 570

- current metrics compared to, 499
- establishing, 498–499

BCEDIT commands, 480

best practices

- change management, 383–412
- collations, 42–43
- disk throughput, 38–39
- index alignment, 466–467
- security, 329–332
- SQL Server 2008
 - installation process, 35–61
 - upgrade process, 63–96
 - storage alignment, 467–469

BIDS. See Business Intelligence Development Studio

bigint, 13

binary (n), 13, 14

binary data types, 13–14

binding, 564. See also algebraizer

Binn folder, 339

bit, 12

BOL. See Books Online

Books Online (BOL)

- “AdventureWorks Sample Databases” section, 247
- “ALTER ASSEMBLY (Transact-SQL)” topic, 320
- “Capacity Planning for tempdb” topic, 458, 602
- “Certificates and Service Broker” topic, 269
- “CREATE INDEX (Transact-SQL)”, 624
- CREATE XML SCHEMA COLLECTION command, 239
- “Creating Compressed Tables and Indexes,” 475
- “DDL Event Groups for Use with Event Notifications” topic, 531
- “Filtered Index Design Guidelines” topic, 625
- hot-add memory, 479

INCLUDE clause, 587

“I/O Architecture,” 457

MERGE statement, 597

MOVE option, 692

OPENROWSET syntax, 600

“Optimizing tempdb Performance” topic, 461

“Resource Governor”, 488

“Service Broker Message Forwarding” topic, 275

sp_trace_setevent article, 517

sp_trace_setfilter article, 520

sys.dm_db_index_physical_stats syntax, 626

“TRUSTWORTHY Database Property”, 290

“Using SQL Server Profiler” topic, 523

“Using the USE PLAN Query Hint” topic, 576

“Version and Edition Upgrades,” 67

“Working with Spatial Indexes (Database Engine)”, 606

bottlenecks

data and, 417

disk, 509, 510

disk I/O, 456, 503, 583

global resource management, 477

I/O, 187, 461, 493, 508, 803

memory, 509, 511, 512, 513

network I/O and, 436, 437

PerfMon and, 500

processor, 456, 502, 503, 510

resolution of, tools for, 418

SQL Profiler and, 354

brute-force attack, 347

Buffer Cache Hit Ratio counter, 512

Buffers in Use counter, 187

Buffers Spooled counter, 187

Build (db_version table), 411

build input, 580

build process, daily, 64–65

builds, 65

BUILTINAdministrators login, 353

bulk transaction-log backup, 741

bulkadmin role, 348

burning in the system, 52

business intelligence DBAs, 3

CLR integration (SQL CLR)

Business Intelligence Development Studio (BIDS), 5, 24, 179. See also Analysis Services; Reporting Services

Analysis Services and, 179
 Integration Services and, 175, 179
 Reporting Services and, 175
 Visual Studio and, 5

C**C#, 4****cache, 424–425****cache coherency, 489****Cache Coherent Non-uniform Memory Access, (CC-NUMA), 477, 488****CAL (client access license)**

server + device, 31–32
 virtual environment, 32–33
 server + user, 32

calculations, UDM, 208–209**capacities (SQL Server 2008 editions), 18–19****capacity planning, tempdb, 459–460****case sensitivity**

collations and, 41
 passwords, 346
 Service Broker metadata names, 246
 tokens and, 167

catalog views, 538

CLR objects, 321–323
 database mirroring, 698–700
 for Service Broker data, 300
 for Service Broker metadata objects, 298–300

category, 92**CC-NUMA (Cache Coherent Non-uniform Memory Access), 477, 488****cell local memory, 419****cellular multiprocessing (CMP), 488, 489****Central Management Servers, 100, 390, 391****central processing units. See CPUs****certificates, 4**

expired, Service Broker applications, 297
 logins with, 352

change control, 179**change data capture, 27****change management, 383–412**

HIPAA and, 353, 383
 PBM. See policy-based management
 Sarbanes-Oxley law and, 2, 329, 345, 353, 370, 383, 386
 scripting and, 403
 sqlcmd and, 403–407
 version tables, 410–412
 Visual Studio projects, creation of, 383–385

change scripts, 407–412**changing roles, in log shipping, 794–800****changing schema owners, 363–364****changing schemas, 362****char, 11, 12****character data types, 11–12****CHECK_EXPIRATION option, 351****checkpoint_begin, 535****CIA triad (confidentiality, integrity, availability), 330–331****classification support (Resource Governor), 484–486****client access license. See CAL****client-side traces, 518****CLR assemblies**

ALTER ASSEMBLY statement, 320
 creating, 312–315
 deploying, 315–316
 DROP ASSEMBLY statement, 320–321
 queries on, 321
 registering, 317–320
 security, 316–317

CLR integration (SQL CLR), 4, 16, 24, 308–327

administration, 308–327
 enabling, 311
 managed code, 6, 310
 assemblies and, 315
 preemptive thread scheduling and, 309
 performance monitoring
 DMVs, 326–327
 SQL Profiler, 325
 System Monitor, 325
Professional SQL Server 2005 CLR Stored Procedures, Functions, and Triggers (Comingore & Hinson), 308

CLR integration (SQL CLR) *(continued)*

CLR integration (SQL CLR) *(continued)*

queries

finding the .NET Framework version in SQL Server, 327

loaded assemblies, 326

memory usage, 326

request status, 326

time spent in CLR integration by a query, 326

T-SQL v., 310

CLR objects

cataloging, 321–323

queries

scalar function, 322

stored procedures, 321–322

table-valued functions, 323

triggers, 322

user-defined aggregates, 323

user-defined types, 323

cluster size, NTFS, 451

clustered index scan (ordered), 587–589

clustered index scan (unordered), 585–586

clustered index seek with ordered partial scan, 591–593

clustering, 88, 807–837

active nodes v. passive nodes, 812

alternatives to, 810

database mirroring, 811

hot backup server, 810–811

log shipping, 811

replication, 811

warm backup server, 810

backout plan and, 819

backup considerations for, 755

benefits of, 808–809

big picture, 812–816

database mirroring v., 724–725

definition of, 808

failover and, 814

justification for, 810

limitations/myths, 809

log shipping v., 801

multiple instances of SQL Server on same server, 816

options

active/active, 814–815

active/passive, 814–815

multinode clusters, 815–816

preparations for, 819–822

hardware, 821–822

infrastructure, 820–821

Priority Boost and, 491

private network and, 813

public network and, 813

quorum and, 813

rebuilding, 817–819

shared disk array, 812–813

SQL Server 2008 instance and

installing, 828–831

maintaining, 833–834

service pack and hot fixes, 831

testing, 831–833

tasks for, 807–808

third-party solutions, 811

troubleshooting, 834–836

upgrading, 817–819

virtual server and, 813–814

Windows Server 2008 failover cluster services and

configuring, 827

installing, 824–827

before installing, 823

CmdExec. *See* Operating System commands cmdlets, 408–409

CMP (cellular multiprocessing), 488, 489

collations, 40–41

best practices/warnings, 42–43

case sensitivity and, 41

sort order and, 42–43

SQL Server, 40

Windows, 41

collection items, 549

collection sets, 549. *See also* system data collection sets

colmodctr, 562

column-level permissions, 374–375

Comingore, D., 308

Common Language Runtime integration. *See* CLR integration

CPUs (central processing units)

- community technology preview (CTP), 65**
- community testing, SQL, 65**
- Compact Edition (SQL Server 2008), 17**
- compilation process, 555, 559–562**
 - algebrizer, 564, 566
 - aggregate binding and, 564–565
 - grouping binding and, 565
 - name resolution and, 564
 - type derivation and, 564
- optimization, 565–566
 - exploration transformation, 568–569
 - flow chart, 567
 - implementation transformation, 569–570
 - process (diagram), 566
 - simplification transformation, 567–568
 - statistics and, 594–595
- parsing, 564, 566
- recompilations, 560–562
 - correctness and, 560–561
 - plan optimality and, 561–562
 - reasons for, 560
 - statement-level, 560
 - steps in, 559
- compliance. *See* change management; HIPAA; Sarbanes-Oxley law**
- compression. *See* data compression**
- compression backup, 742–743**
- Computer Management console, 334**
- conditions, 386. *See also* policy-based management**
- confidentiality, integrity, availability (CIA triad), 330–331**
- Configuration Manager (SQL Server), 53, 91, 97–99**
 - Integration Services service properties and, 184
 - SAC tool and, 91
- configuration tools (for Database Engine), 97–106**
- configuration/optimization. *See* performance tuning; server optimization**
- CONNECT permission, 291**
- connected user information query, 546**
- connections, creating, 384–385**
- constant folding, 561**
- context switching, 353, 356, 367, 368, 369, 370, 374, 491**
 - cost for, 491
 - problems with, 492
 - SQL Server Lightweight Pooling option and, 492
- contracts, 241–242**
- conversation group lock, 265**
- conversation groups, 265–267**
- conversation priorities, 251, 279–288**
 - on initiator endpoint, 282–286
 - setting, 279–287
 - summary concepts for, 288
 - on target endpoint, 286–287
- conversations**
 - defined, 251
 - dialog, 251
 - monolog, 251
- cooperative thread scheduling, 309**
- copy-only backup, 740–741**
- cores, 425**
- correctness, recompilations and, 560–561**
 - schemas of objects, 560
 - SET options, 561
- counters. *See* performance counters**
- covering nonclustered index scan (ordered), 589**
- covering nonclustered index scan (unordered), 586–587**
- CPU nodes, 478**
- CPU resource counters, 502–503**
 - Object: Process - Counter: % Privileged Time - Instance: sqlservr, 503
 - Object: Process - Counter: % Processor Time - Instance sqlservr, 502
 - Object: Processor - Counter: % Privileged Time, 502
 - Object: Processor - Counter: % Processor Time, 502
 - Object: System - Counter: Processor Queue Length, 502
- CPUs (central processing units), 419, 421–429, 453**
 - bottlenecks, 456, 502, 503, 510
 - cache, 424–425

CPUs (central processing units) (*continued*)

CPUs (central processing units) (*continued*)

disk I/O ratio with, 456–457
 hot-add, 479
 hyperthreading, 423–424
 multi-core systems, 32, 425–427
 cores, 425
 examples, 426, 427
 sockets, 425
 threads, 425
 resource counters, 502–503
 64-bit processors: IA64, 421
 SQL Server 2008
 installation, 36–37
 performance tuning, 488–494
 32-bit processors: x86, 421–422
 32-bit with 64-bit extension processors: x64, 422

CREATE ASSEMBLY, 315, 324

CREATE CREDENTIAL command, 355

CREATE LOGIN command, 351

CREATE RESOURCE POOL, 483

CREATE ROLE, 358

CREATE USER, 358

CreateTrace.sql, 518–520

credentials, 154–156, 354–355

creating
 Management Studio and, 154–156, 354
 T-SQL and, 355

cross-database ownership chaining, 365–366

CTP (community technology preview), 65

curious attackers, 332

currently running queries query, 540

cursor (data type), 15, 16

D

DAC. See Dedicated Administrator Connection

daily build process, 64–65

Data Collection, 500, 548, 549. See also system data collection sets

data columns, 517

data compression, 470–475

availability on SQL Server editions, 470
 considerations for, 475
 CPU/I/O tradeoff and, 470

database objects for, 470

monitoring, 475

page compression, 471–473

row compression, 470–471

space savings from, 473–475

stream, 687

Data Definition Language. See DDL

Data Dude (Visual Studio Team System for Database Professionals), 408

DATA folder, 340

data integrity, Service Broker and, 298

data locality, 488–489

data mining, 29

data mirroring

backup considerations for, 755

log shipping v., 801

data modification query plans, 595–600

maintenance strategies

per-index, 596–597

per-row, 595–596

stages for, 595

data providers, 548–549. See also

Performance Monitor; Query Activity; SQL Trace; T-SQL

data, replication, 656

data security, 340–341

data source view. See DSV

data storage devices. See disks

data transfer rate, 438

Data Transformation Services. See DTS

data types, 10–16. See also specific data types

binary, 13–14

character, 11–12

date, 14–15

geodetic, 25

numeric

 approximate, 13

 exact, 12–13

other, 15–16

time, 14–15

data warehouse

creation, 27

scale/performance, 27

database administrators. See DBAs

Database Audit Specifications, 380–381**Database Engine (SQL Server). *See also* performance tuning**

configuration tools, 97–106
 groups related to, 338
 managing/troubleshooting, 97–127
 security, 329–381
 as self-tuning, 455, 495
 uninstalling, 58–59

database file placement, I/O and, 457**database Integration Services roles, 204–205****Database Mail, 161–166, 458**

accounts, 163
 configuration information, 163
 setup, 164–166
 architecture, 161
 archiving for, 166
 configuration, 163–166
 Configuration wizard, 164
 security, 161–163

database maintenance plans, backup plans and, 760–762**database mirroring, 4, 683–730**

automatic failover and, 701–703
 benefits of, 684
 catalog views, 698–700
 clustering v., 811
 concepts/terminology, 684
 database availability scenarios
 mirror and witness are lost, 708–709
 mirror is lost, 708
 principal is lost, 706–707
 witness is lost, 708
 endpoints, 343, 687–691
 event listener setup, 725–729
 example, 687–697
 database preparation, 691–693
 endpoint preparation, 687–691
 establishing mirror session, 693–695
 high-safety operating mode with automatic failure, 695–696
 initial synchronization between principal and mirror, 693
 failover clustering v., 724–725
 forced failover and, 697, 704–706

log shipping v., 725
 manual failover and, 703–704
 mirroring_connection_timeout, 699
 mirroring_failover_lsn, 699
 mirroring_redo_queue, 699–700
 mirroring_role_sequence, 699
 mirroring_safety_sequence, 699
 monitoring, 709–716
 with Database Mirroring Monitor, 711–714
 with SQL Profiler, 716
 with System Monitor, 709–711
 multiple databases, 723–724
 operating modes, 685–687
 high performance, 685, 686, 687, 696–697
 high safety with automatic failover, 685, 686, 687, 695–696
 high safety without automatic failover, 685, 686, 687, 696
 synchronous mirroring, 685
 overview of, 683–709
 redo queue, 687, 699, 700, 701, 702, 713, 714
 role change, 700–706
 send queue and, 685, 687, 713, 714
 session, 684
 SQL Server 2008 editions and, 697–698
 state change events, 726–728
 stream compression and, 687
 sys.database_mirroring, 698–700
 sys.database_mirroring_endpoints, 700
 sys.database_mirroring_witnesses, 700
 transactional replication v., 725
 troubleshooting, 716–719
 upgrading, 88

Database Mirroring Monitor, 711–714**database principals (users), 345. *See also* users****database reports, 108****database roles. *See* roles****database snapshots, 729–730**

restore process for, 768

Database Tuning Advisor. *See* DTA**databases. *See also specific databases***

files, 5–6
 indexing. *See* indexes

databases (*continued*)

databases (*continued*)

principles, 455

system, 7–8

rebuilding, 105–106

TDE and, 341, 376

tempdb. *See* tempdb database

databases_log_file_size_changed, 535

database_started, 535

data-partitioning strategy. *See* partition functions

date, 14

(DATE), 167

date data types, 14–15, 24

DateInstalled, 411

datetime, 14

datetime2 (n), 14, 15

datetimeoffset (n), 14, 15

db_accessadmin, 349

DBAs (database administrators)

business intelligence, 3

developer. *See* developer DBAs

hybrid, 3–4

new knowledge for, 4

performance knowledge for, 414–415

production. *See* production DBAs

role of, 1

db_backupoperator, 349

DBCC commands, 738, 760, 769

DBCC Check, 458

DBCC CHECKDB, 75, 442, 748

DBCC DBREINDEX, 628, 745

DBCC DROPCLEANBUFFERS, 584

DBCC FLUSHPROCINDB (db_id), 563

DBCC FREEPROCCACHE, 559, 563, 584

DBCC INDEXDEFRAG, 628

DBCC INPUT BUFFER, 119

DBCC SHOWCONTIG, 594

DBCC showcontig, 626

DBCC SHOW_STATISTICS, 595

DBCC TRACEOFF, 120

DBCC TRACEON, 120

DBCC TRACESTATUS, 120

DBCC UPDATEUSAGE, 90

dbcreator role, 348

db_datareader, 349

db_datawriter, 349

db_ddladmin, 350

db_denydatareader, 350

db_denydatawriter, 350

db_owner, 350

db_securityadmin, 350

db_version table, 410–411

data dictionary for, 411

schema for, 410–411

DDL (Data Definition Language), 350

CREATE ASSEMBLY, 315, 324

CREATE RESOURCE POOL, 483

CREATE ROLE, 358

CREATE USER, 358

db_ddladmin and, 350

triggers

database-level, 397–401

event notifications and, 531

server-level, 401–402

syntax, 397

views, 402

DDS (decision support system) environment, 416

deadlock_monitor_state_transition, 535

debug programs policy, 337

decimal (p, s), 13

decision support system environment. *See* DSS environment

Dedicated Administrator Connection (DAC), 99–100

Default Trace, 501, 514, 516

defense in depth (security principle), 331–332

defragmentation utility, 452, 453

DELETE operations (with MERGE), 597–599

deleting

Reporting Services log files, 58

ReportServer database, 57–58

ReportServerTempDB, 57–58

denial of access, 352–353

deny log on locally policy, 336

deny log on through Terminal Services policy, 337

deployment, packages, 194–199

automated, 195–198

manual, 198–199

DMFs (dynamic management functions)

- deprecated database features, 78**
- Description (db_version table), 411**
- Designer, Maintenance Plans, 135–138**
- developer DBAs, 2–3**
 - performance knowledge for, 416–418
 - data, 417
 - schemas, 416, 417–418
 - SQL statements, 41
 - users, 417
- Developer Edition (SQL Server 2008), 18**
- development features. See CLR integration; Service Broker**
- development tools (SQL Server 2008 editions), 23–24**
- device CAL, server and, 31–32, 33**
- dialog conversation, 251**
- dialog security (Service Broker), 267, 275–279**
- dictionary compression, 471**
- differential backup, 740**
- digital signatures, for packages, 206**
- dimensional model, 208**
- disabled queues, 306**
- disaster recovery planning, 731, 776–778**
- disks, 437–439**
 - adapters. *See* disk adapters
 - bottlenecks, 509, 510
 - counters. *See* disk counters
 - data transfer rate, 438
 - fragmentation, 452–453
 - autogrow, 452
 - disk defragmentation utility, 452, 453
 - external, 452–453
 - file, 452
 - internal, 452
 - fundamental information on, 438–439
 - latency, 439
 - mounting volumes, 450
 - NTFS file system
 - allocation unit size, 451
 - cluster size, 451
 - FAT v., 451
 - permissions, SQL Server-related folders and, 339–340
 - partitioning, 450
 - rotational latency, 438
 - seek time, 438
 - SQL Server 2008 installation
 - configuration, 37–40
 - controllers, 39–40
 - setup, 44
 - throughput, 37–39
 - throughput in I/O/sec, 439
 - throughput in MB/sec, 439
 - total latency, 438
 - track-to-track latency, 438
 - transfer time, 438
- disk adapters, 447–450**
 - configuration, 450
 - drivers, 450
 - firmware, 450
 - MPIO solutions, 448–449
 - number of, 447–448
 - placement of, 449
- disk counters, 503–510**
 - multiple disks, single volume (hardware RAID), 506–507
 - multiple disks, single volume (software RAID), 506
 - on NT 4.0, 504
 - physical v. logical, 504–507
 - single disk, multiple partitions, 505
 - single disk, single partition, 504–505
 - on Windows 2000, 504
- disk I/O, 437–439**
 - bottlenecks, 456, 503, 583
 - CPU ratio with, 456–457
 - monitoring, 503
- Disk Usage (system data collection set), 549**
- disk virtualization, 445–446**
- diskadmin role, 348**
- distributed partitioned view (DPV), 461**
- Distribution agent jobs, 656**
- distributors, 653, 655**
- divides_by_uint64, 536**
- DMFs (dynamic management functions), 539–547**
 - categories of, 539–540
 - DMVs and, 539–547

DMFs (dynamic management functions) (*continued*)

DMFs (dynamic management functions) **(*continued*)**

monitoring with, 539–547
types of, 539

DMO object model, 81, 112

DMVs (dynamic management views), 10, 97, 118–119, 501, 539–547

AppDomains and, 324–325
categories of, 539–540
CLR integration performance monitoring with, 326–327
DMFs and, 539–547
monitoring with, 539–547
querying, 540–547
replication, 681–682
Service Broker-related, 301–302
 sys.dm_broker_activated_tasks, 301
 sys.dm_broker_connections, 302
 sys.dm_broker_forwarded_messages, 302
 sys.dm_broker_queue_monitors, 301
sys.dm_db_task_space_usage, 460
sys.dm_exec_connections, 118
sys.dm_exec_query_stats, 119
sys.dm_exec_sql_text, 119
sys.dm_os_dispatcher_pools, 538
sys.dm_xe_map_values, 538
sys.dm_xe_object_columns, 538
sys.dm_xe_packages, 539
sys.dm_xe_session_event_actions, 539
sys.dm_xe_session_events, 539
sys.dm_xe_session_object_columns, 539
sys.dm_xe_sessions, 539
sys.dm_xe_session_targets, 539
types of, 539

DNS, log shipping and, 799

DPV (distributed partitioned view), 461

DROP ASSEMBLY statement, 320–321

DSS (decision support system) environment, OTLP environment v., 455–456

DSV (data source view), 208

DTA (Database Tuning Advisor), 23

individual queries and, 630–640
new features, 607–608
 db_owners and, 608
 more control over tuning options, 608

offloading tuning load to lower-spec hardware, 608
partitioning support, 608
time-bound tuning, 607
tune a broader class of events and triggers, 607
tune across multiple databases, 607
what-if analysis, 607–608
XML file support, 608
partitioning and, 462, 623–624
too many indexes and, 649–651
update queries and, 640–649
workloads and, 651–652

DTS (Data Transformation Services). *See also* Integration Services

Integration Services v., 87
Tasks, 87
upgrading, 81–88

DTUtil

package deployment, 198–199
package management, 192–193

dump_exception_routine_executed, 535

dynamic management functions. *See* DMFs

dynamic management views. *See* DMVs

dynamic SQL, stored procedures with, 366–367

E

editions (SQL Server 2008), 16–33

capacities, 18–19
Compact Edition, 17
data mining, 29
data warehouse creation, 27
data warehouse scale/performance, 27
database mirroring, 697–698
Developer Edition, 18
development tools, 23–24
Enterprise Edition, 17–31
Evaluation Edition, 18
Express Advanced Edition, 20–31
Express Edition, 17–31
features comparison, 17–31
high availability, 20
Integration Services, 25–26

- location services, 25
- manageability, 22–23
- management tools, 23
- multi-dimensional analytics, 28
- operating system requirements, 18
- programmability, 24–25
- replication, 21
- reporting, 30–31
- scalability, 1, 18, 19
- security, 21
- spatial services, 25
- Standard Edition, 17–31
- Web Edition, 17–31
- Workgroup Edition, 17–31
- EKM (Extensible Key Management), 370, 377**
- encryption, 329, 370–377**
 - column-level permissions, 374–375
 - EKM and, 370, 377
 - encrypting data, 372–374
 - helper function, creating, 374
 - methodology for, 370–372
 - new features, 332
 - TDE and, 341, 375–376
- endpoints**
 - database mirroring, 343, 687–691
 - defined, 342
 - HTTP, 25, 343
 - Service Broker, 343
 - SOAP, 25, 343
 - TDS, 342–343
- Enterprise Edition (SQL Server 2008), 17–31**
- ##envvars.txt, 127**
- equal_ansi_string, 536**
- equijoin, 580**
- error logs, 113**
- error_reported, 535**
- escape macros, 168–169**
- \$(ESCAPE_DQUOTE(token)), 169**
- \$(ESCAPE_NONE(token)), 169**
- \$(ESCAPE_RBRACKET(token)), 169**
- \$(ESCAPE_SQUOTE(token)), 169**
- estimated execution plan, 572–576**
 - graphical, 576
 - SET SHOWPLAN_ALL, 572–574
 - SET SHOWPLAN_TEXT, 572–574
 - SET SHOWPLAN_XML, 574–575
- ETW (Event Tracing for Windows) framework, 500, 515**
- Evaluation Edition (SQL Server 2008), 18**
- event forwarding, 169–170**
- event logs (Windows), 548**
 - Application, 548
 - Integration Services service, 185–186
 - Security, 548
 - System, 548
- event monitoring, 514–539**
 - reasons for, 515–516
 - tools for, 514–515
- event notifications, 515, 529–531**
 - creating, 529–530
 - DDL triggers and, 531
 - SQL Trace and, 531
 - traces v., 529
- Event object, 533–535**
- Event Session object, 537–538**
- event sessions (XEvent object), 537–538**
- Event Tracing for Windows (ETW) framework, 500, 515**
- events, 517, 533–535, 538**
- exact numeric data types, 12–13**
- EXECUTE AS command, 367–369**
- EXECUTE permission, 292**
- execution modes**
 - On Change Log Only, 93
 - On Change Prevent, 92
 - On Demand, 92
 - On Schedule, 93
- execution plans. *See* actual execution plan; estimated execution plan**
- expired certificates (Service Broker applications), 297**
- exploration transformation (query optimization), 568–569**
- exporting packages, 193–194, 198**
- Express Advanced Edition (SQL Server 2008), 20–31**
- Express Edition (SQL Server 2008), 17–31**
- expressions, 4**
 - UDM, 208–209

Extended Events

Extended Events. *See* XEvents

extended stored procedures (XPs), 310–311

CLR integration v., 310–311

Extensible Key Management (EKM), 370, 377

external fragmentation, 452–453

F

facets, 92

defined, 386

failed SQL Server installation, 60–61

failover. *See also* clustering; database

mirroring

automatic, 701–703

clustering and, 814

forced, 697, 704–706

manual, 703–704

preparing mirror server for, 719–723

failsafe operator, 147

failures, 731–733. *See also* backup and

recovery

application, 732

hardware, 732

local disasters, 733

software, 732–733

too much privilege, 733

user errors, 732

far memory, 488

FAT, NTFS v., 451

fibers, 492

file differential backup, 740

file fragmentation, 452

file systems. *See* NTFS

file/filegroup backup, 740

filegroup free space query, 546–547

filegroups, 457

file_read, 535

FILESTREAM, support, 24

##files.txt, 126

fill factor option, 6, 594

filter pushing, 567

filtered indexes/statistics, 605,

624–626

benefits of, 624–625

tools/features for, 625–626

filtering objects, 112

filters, 517

Flight Recorder, 226–227

float, 13

flush_file_buffers, 535

fn_my_permissions function, 370

fn_trace_geteventinfo(), 521

fn_trace_getfilterinfo(), 522

fn_trace_getinfo (trace_id), 521

folders (SQL Server-related), 339–340

Backup, 339

Binn, 339

DATA, 340

FTData, 340

Install, 340

JOBS, 340

NTFS permissions for, 339–340

repldata, 340

Upgrade, 340

folding, constant, 561

forced autotparam, 559

forced failover, 697, 704–706

forced shutdown from a remote system policy, 337

forwarding events. *See* event forwarding

fragmentation, 452–453. *See also* disks

autogrow, 452

disk defragmentation utility, 452, 453

external, 452–453

file, 452

index, 593–594

average page density, 593–594

cleaning up, 628–629

logical scan, 593–594

monitoring, 626–627

internal, 452

Free Pages counter, 512

FTData folder, 340

full backup, 739

full dump, 125

full quorums, 696

full-text backups, 751

Full-Text Catalog, upgrading, 79–80

full-text indexes, 607, 626

index access methods

Full-Text search, 24, 79, 80

- DMVs, 540
- FTData folder, 340
- security, 338

functions. *See specific functions*

G

geodetic data type, 25

global resource management bottlenecks, 477

GPO (Group Policy Object), 337, 346

grace hash joins, 581

greater_than_equal_float64, 536

greater_than_i_sql_ansi_string, 536

Group Policy Object (GPO), 337, 346

grouping binding, 565

groups

- Administrators, 333–334
- Database Engine and, 338
- Remote Desktop Users, 334–335
- security, SQL Server-related, 337–338
- Users, 334–335

guest user, 358

H

hard disks. *See disks*

hard page faults, 431

hardware configuration, 420–421

hardware options, for SQL Server install, 36–40

Harinath, S., 207

hash bailouts, 581

hash joins, 580–582

- grace, 581
- in-memory, 581
- recursive, 581

Health Insurance Portability and Accountability Act (HIPAA), 353, 383

heartbeat signal, 813

hierarchyid (data type), 15, 16

high availability. *See also clustering; database mirroring; log shipping; transactional replication*

CIA triad and, 330–331

SQL Server 2008 editions, 20

high performance operating mode, 685, 686, 687, 696–697

high safety operating mode

with automatic failover, 685, 686, 687, 695–696

without automatic failover, 685, 686, 687, 696

Hinson, D., 308

HIPAA (Health Insurance Portability and Accountability Act), 353, 383. *See also Sarbanes-Oxley law*

history tables

- backing up, 749
- restore, 769

hot backup server, 810–811

hot-add CPU, 479

hot-add memory, 479

housekeeping, 491

HTTP endpoints (deprecated), 25, 343

hybrid DBAs, 3–4

hyperthreading, 32, 423–424

- affinity mask and, 489
- disabling, 489
- discussions on, 489

I

IA64 (64-bit) processors, 422

Idera SQLscaler, 456

IDs, 352

image (data type), 13, 14

implementation transformation (query optimization), 569–570

importing packages, 193–194, 198

independent software vendors (ISVs), 65

index access methods, 582–593

- clustered index scan (ordered), 587–589
- clustered index scan (unordered), 585–586
- clustered index seek with ordered partial scan, 591–593

index access methods (*continued*)

index access methods (*continued*)

- covering nonclustered index scan (ordered), 589
- covering nonclustered index scan (unordered), 586–587
- nonclustered index seek with ordered partial scan and lookups, 589–591
- table scan, 583–585
 - clearing caches, 584–585
 - SET STATISTICS IO ON/OFF, 583–584

index alignment, 466–467

index creation memory option, 494

index fragmentation, 593–594

- average page density, 593–594
- cleaning up, 628–629
- logical scan, 593–594
- monitoring, 626–627

index lock granularity changes, 607

index usage in a database query, 543–545

indexed view enhancements, 607

indexes, 605–652

- asynchronous statistics update, 606
- cleaning up, 628–629
- compressed storage of tables and, 606
- DTA and. *See* DTA
- features
 - new, 605–606
 - from SQL Server 2005, 606–608
- filtered indexes and statistics, 605, 624–626
- full-text, 607, 626
- large, dropping/rebuilding, 607
- maintenance, 626–629
- missing indexes feature, 625
- nonclustered, non-key columns in, 607
- online index operations, 458, 606
- parallel index operations, 606
- partitioned. *See* partitioned tables and indexes
- People database, 608–610
- spatial, 25, 606
- XML, 24, 607, 626
- on XML columns, 607

INFORMATION_SCHEMA, 364

inheriting systems, 387

initiator endpoint, 238

- conversation priorities on, 282–286

in-memory hash joins, 581

in-place upgrade process, 66–67, 68, 69

input/output. *See* I/O

INSERT operations (with MERGE), 597–599 (INST), 167

Install folder, 340

installation (SQL Server 2008). *See also* upgrade process

- Analysis Services install, 51
- backups after, 56
- burning in the system, 52
- issues, 59–60
 - admin tools not installed by default on remote cluster nodes, 60
 - installing client tools from network share, 59–60
 - minimum configuration warning, 60
- local install, 47–50
- new install, 45–46
- post-install configuration, 52–56
 - SQL Server Configuration Manager tool, 53
 - SQL Server Management Studio, 53–54
 - tempdb, 54–56
- pre-installation planning, 35–45
 - collations, 40–41
 - disk configuration, 37–40
 - disk controllers, 39–40
 - disk setup, 44
 - disk throughput, 37–39
 - hardware options, 36–40
 - processors, 36–37
 - security considerations, 44–45
 - sort order and, 42–43
 - system files location, 43
- remote install, 47
- sample databases, location of, 50–51
- scripted install, 46–47
- side-by-side install, 45–46
- troubleshooting failed, 60–61
- uninstallations, 57–59
- Upgrade Advisor, 69–75

InstalledBy, 411

instant database file initialization, 460

int, 12**Integration Services (SSIS), 3, 4**

BIDS and, 179
 change control and, 179
 components, 177–179
 data flow engine, 178–179
 components, 179
 default constraints, 177
 DTS v., 87
 object model, 178
 packages. *See* packages
Professional SQL Server 2008 Integration Services (Knight et al), 175
 project management and, 179
 runtime engine, 177, 178
 components, 177, 178
 scenarios for using, 176–177
 security, 203–206
 service. *See* Integration Services service
 SQL Server 2008 editions and, 25–26
 Tasks, 87
 tour of, 175–179
 upgrading DTS to, 81–88

Integration Services service, 177, 178

administration of, 179–187
 centralized SSIS hub and, 181–182
 configuration, 180–185
 event logs, 185–186
 overview of, 179–180
 performance monitoring, 187
 properties, setting of
 SQL Server Configuration Manager, 184
 Windows Services Snap-in, 182–183
 Windows Firewall configuration, 184–185
 XML configuration file, 180–181

integrity, availability, confidentiality (CIA triad), 330–331**IntelliSense, 24****Interleave NUMA, 477****interleaved memory, 419****internal fragmentation, 452****internal-only table, 594****internationalization support, 24****I/O (input/output), 419, 436–453**

bottlenecks, 187, 461, 493, 508, 803
 disk, 437–439
 CPU ratio with, 456–457
 network, 437
 problems, 456–461
 database file placement, 457
 SQL Server I/O process model, 457

“I/O Architecture” (BOL), 457**isolation**

of disk activity created by SQL Server, 509–510
 service isolation
 in SQL Server 2008, 338–339
 in Vista, 338–339
 in storage systems, 444–445
 grouping similar I/O workloads, 445
 separating SQL data from log, 444–445
 tempdb and, 445

ISVs (independent software vendors), 65**J****job steps, 139–142**

actions
 for failure, 140
 for success, 140
 ActiveX Script, 139
 Analysis Services command, 139
 Analysis Services Query, 139
 flow control, 140
 Integration Services Package Execution, 140
 logging, 141–142
 Operating System commands (CmdExec), 139
 Replication Distributor, 140
 Replication Merge, 140
 Replication Queue Reader, 140
 Replication Snapshot, 140
 Replication Transaction Log Reader, 140
 security context, 140
 T-SQL Script, 140

job tokens. *See* tokens**(JOBID), 167**

jobs

jobs, 138–143

- history, 141
- notifications, 142–143
 - scheduling, 146–147
- running, 139
- scheduling. *See* schedules

JOBS folder, 340

join algorithms, 579–582

- hash joins, 580–582
 - grace, 581
 - in-memory, 581
 - recursive, 581
- loop joins, 580
- merge joins, 573, 574, 582
 - many-to-many, 582
 - one-to-many, 582
- nested iterations, 580
- nested loop joins, 580

K

Kerberos authentication, 268, 291, 332, 343, 344

- “*How to Use Kerberos Authentication in SQL Server*” article, 344
- Reporting Services and, 4
- SPN and, 344
- troubleshooting, 344

Knight, B., 86, 175, 308

L

Large Objects (LOB), 75, 458, 475

latency, 439

LDF file extension, 457

least privilege principle, 329–330

least privileged authority, 330

less_than_ansi_string, 536

less_than_equal_i_unicode_string_ptr, 536

less_than_int64, 536

licensing (SQL Server), 31–33

- hyperthreading and, 32
- middleware and, 32
- multicore processors and, 32
- multi-tiered architectures and, 32

options

- processor licensing model, 31
- server + device CAL, 31–32
- server + user CAL, 32
- passive server, 33
- Reporting Services, 33
- transaction servers and, 32
- virtual servers, 32–33

Lightweight Pooling option, SQL Server, 492

lightweight threads, 492

LOB (Large Objects), 75, 458, 475

Local Security Policy snap-in, 335–337

policies

- act as part of the operating system, 336
- allow/deny log on locally, 336
- allow/deny log on through Terminal Services, 337
- debug programs, 337
- forced shutdown from a remote system, 337
- list, 335
- shut down the system, 337

location services, 25

Lock Pages in Memory, enabling, 480

log bloat candidates (example), 388–392

Log Bytes Flushed/Sec, 711

Log Bytes Received/Sec, 711

Log Bytes Sent/Sec, 709

Log File viewer (Management Studio), 548

log files, securing, 340–341

‘log full’ error, 387

Log Reader agent jobs, 656

Log Send Queue KB, 709

log shipping, 779–805

- application coding, 799
- architecture, 782–783
- backup considerations for, 755, 800
- changing roles in, 794–800
- clustering v., 801, 811
- to create a warm standby server, 780
- data mirroring v., 801
- database mirroring v., 725
- deploying, 785–791
 - initial configuration, 785–786
 - with Management Studio, 786–790
 - with T-SQL commands, 790–791

managed code

deployment scenarios, 779–782
 as disaster recovery solution, 780–781
 DNS and, 799
 failover clustering v., 801
 monitor server in, 783
 monitoring, 791–793
 with Management Studio, 792–793
 with stored procedures, 793
 network load balancing, 799
 performance, 803
 primary server in, 782
 process, 783–784
 redirecting clients to connect to secondary
 server, 799–800
 removing, 802–803
 with Management Studio, 802
 with T-SQL commands, 802–803
 replication v., 801–802
 as report database solution, 781–782
 secondary server in, 783
 sessions, 88
 SQL client aliasing and, 800
 switching between primary and secondary
 roles, 798–799
 switching roles from primary to secondary
 servers, 796–798
 synchronizing dependencies in, 794–796
 system requirements, 784–785
 troubleshooting, 793–794
 upgrading to, 803–804
logging, job step, 141–142
logical disk counters, 504–507
logical scan fragmentation, 593–594
LOGINPROPERTY function, 351–352
logins (server principals), 345–354
 with asymmetric keys, 352
 BUILTINAdministrators, 353
 with certificates, 352
 creating, 346–352
 database rights, granting, 348–350
 defined, 345
 IDs and, 352
 passwords, 346–347
 Profiler access, granting, 354
 security hierarchy for, 352–353

server roles, defining, 348
 server-level objects, defining access to,
 350–351
 SIDs and, 352
 SQL Server, 345
 Status page and, 351
 T-SQL and, 351–352
 CREATE LOGIN command, 351
 LOGINPROPERTY function, 351–352
 users (database principals) v., 345
 Windows domain, 345
 Windows local, 345

Logman, 513

script for I/O counters, 509
 script for memory counters, 513

logs, 548

SQL Server Error log, 548
 Windows event logs, 548

log_XX.trc, 127**loop joins, 580****LUNs (logical unit numbers), 446–447, 457****M****(MACH), 167****machine architecture, 427–429**

NUMA system, 427–429
 SMP system, 427

magazine publication, replication v., 653–654**mail. See Database Mail****Maintenance Plans, 129–138, 174**

Designer, 135–138
 Wizard, 130–135

maintenance tasks, automating. See**Maintenance Plans****MajorVersion, 411****malicious attackers, 332****Manage Profile Security dialog, 165, 166****manageability (SQL Server 2008), 22–23. See
also policy-based management****managed code, 6, 310**

assemblies and, 315
 preemptive thread scheduling and, 309
 RMO and, 654

management, change

management, change. See change management

Management Data Warehouse (MDW), 548–554

defined, 549
system data collection sets, 549–553
terminology, 548–549

Management Studio (SSMS), 5, 23, 97, 106–119, 418

backup plans and, 755–759
credential creation, 154–156, 354
graphical actual execution plan and, 579
graphical estimated execution plan and, 576
Log File viewer, 548
log shipping deployment with, 786–790
log shipping monitoring with, 792–793
packages and
 assigning roles, 204–205
 management, 192
project creation, 383–385
proxy creation, 156–157
reports, 106–108
 database, 108
 server-level, 107–108
Resource Governor and, 486–487
SQL Server 2008 install and, 53–54
sqlcmd execution from, 405–407
Visual Studio 2008 and, 64, 106

management tools, 23

manual failover, database mirroring and, 703–704

manual package deployment, 198–199

many-to-many merge joins, 582

MARS (Multiple Active Result Sets), 458, 607

master database, 7–8

master servers (MSX), 171–174

Max Degree of Parallelism (MAXDOP), 492

max server memory, 493

Max Worker Threads configuration setting, 492

MAXDOP (Max Degree of Parallelism), 492

MDAC (Microsoft Data Access Components), 6

MDF file extension, 457

MDW. See Management Data Warehouse

MDX (Multi Dimensional Expression), 208–209

MDX edit tool, 24

memory, 419, 429–436, 453

bottlenecks, 509, 511, 512, 513
cell local, 419
counters, 510–513
far, 488
hot-add, 479
interleaved, 419
near, 488
NUMA systems and, 419, 427–429
page faults, 430–431
 hard, 431
 soft, 430–431
page file, 430
physical address space, 429
RAM (physical), 419, 429
SQL Server 2008, performance tuning, 476–488, 510–513
VAS and, 431
VMM and, 429–430

Memory Broker, 479

memory configuration

scenarios, 434–436
 32-bit OS and SQL with 2–4GB of RAM, 434
 32-bit OS and SQL with 4 to 16GB of RAM, 436
 32-bit OS and SQL with less than 2GB of RAM, 434
 32-bit OS and SQL with more than 16GB of RAM, 436
 Special case- 32-bit OS with 2–4GB of RAM, 434
 Special case- 32-bit OS with 4GB of RAM, 434–436
 64-bit SQL on a 64-bit OS, 436
 x64 system with 64-bit OS and 32-bit SQL with less than 4GB of RAM, 436
 x64 system with 64-bit OS and 32-bit SQL with more than 4GB of RAM, 436
64-bit systems, 433–434, 482

- 32-bit systems (x86), 432–433, 479–482
 - /3GB option, 432, 433, 479, 480
 - AWE, 432, 433, 476, 480, 481, 482
 - PAE, 432, 476, 479, 480
- memory nodes, 477, 478**
- Memory: Pages/sec performance counter, 476**
- memory usage query, 547**
- memory-friendly applications, 482**
- MERGE, 24**
 - INSERT/UPDATE/DELETE operations with, 597–599
 - performance, 599–600
- Merge agent jobs, 656**
- merge joins, 573, 574, 582**
 - many-to-many, 582
 - one-to-many, 582
- merge replication, 655, 674–675**
- message types, 238–240**
- Microsoft Data Access Components. See MDAC**
- Microsoft Operations Manager Pack, 23**
- Microsoft Security Response Center blog, 333**
- Microsoft SQL Server 2008. See SQL Server 2008**
- Microsoft System Center Operations Manager, 459**
- Microsoft Visual Studio 2008. See Visual Studio 2008**
- middleware, 32**
- minimum configuration warning (SQL Server install), 60**
- minimum memory per query option, 494**
- MinorVersion, 411**
- Mirror Committed Overhead, 714**
- mirror database, 684**
- Mirror Log: Current Restore Rate, 714**
- Mirror Log: Time to Restore Log, 714**
- Mirror Log: Unrestored Log, 713**
- mirror request page, 718–719**
- mirror server, 684**
 - preparing, for failover, 719–723
- mirroring. See database mirroring**
- mirroring_connection_timeout, 699**
- mirroring_failover_isn, 699**
- mirroring_redo_queue, 699–700**
- mirroring_role_sequence, 699**
- mirroring_safety_sequence, 699**
- missing indexes feature, 625**
- model database, 7, 8**
 - backing up, 751
- Module object, 531**
- modules, 531**
- money (data type), 13**
- monitoring, 497–554. See also performance monitoring**
 - baseline and
 - current metrics compared to, 499
 - establishing, 498–499
 - data compression and, 475
 - database mirroring, 709–716
 - %Disk counters, 509
 - event monitoring, 514–539
 - reasons for, 515–516
 - tools for, 514–515
 - goal of, 498
 - index fragmentation, 626–627
 - individual instances v. _Total, 508
 - I/O latency, 508
 - I/O queue depth, 508
 - I/O throughput-MB/sec, 507
 - log monitoring, 548
 - SQL Server Error log, 548
 - Windows event logs, 548
 - MDW and, 548–554
 - new features in, 499–500
 - objectives, identifying, 498
 - replication, 679–682
 - Resource Governor and, 487–488
 - security and, 332
 - SQL Server process memory usage, 511–512
 - standard reports and, 500, 547
 - tools for, 500–501. *See also specific monitoring tools*
 - Activity Monitor, 501
 - Data Collection, 500, 548, 549
 - Default Trace, 501, 514, 516
 - DMFs, 539–547
 - DMVs, 501, 539–547
 - event notifications, 515, 529–531

monitoring *(continued)*

monitoring *(continued)*

Logman, 513
 PerfMon, 500, 501–514
 Relog, 514
 SQL Profiler, 500
 SQL Server Profiler, 514, 522–528
 SQL Trace, 500, 514, 516–522
 T-SQL, 501
 XEvents, 500, 515, 531–539
 transfers v. read/write, 508–509

monolog conversation, 251

mounting volumes, 450

msdb database, 8

(MSSA), 167

MSX. See master servers

Multi Dimensional Expression. See MDX

multi-core processors, 32, 425–427
 cores, 425
 examples, 426, 427
 sockets, 425
 threads, 425

multi-dimensional analytics, 28

multinode clusters, 815–816

Multiple Active Result Sets (MARS), 458, 607

multiple databases, mirroring, 723–724

multiple publishers also subscribing (replication model), 658, 660

multiple publishers, single subscriber (replication model), 658, 659

multiserver administration, 166–174

master servers, 171–174
 target servers, 171–174

multi-tiered architectures, 32

N

name resolution, 564

Named Pipes, 53, 91, 342, 344

NAS (Network Attached Storage), 37, 39, 437, 445, 470, 733

nchar, 11, 12

NDF file extension, 457

near memory, 488

nested iterations, 580

nested loop joins, 580

.NET assemblies. See assemblies

.NET CLR Exceptions counter, 325

.NET CLR Loading counter, 325

.NET CLR Memory counter, 325

.NET runtime host (SQL Server as), 308–309

NetBIOS protocol, 814
 attack (example), 331
 cluster name and, 826
 network cards and, 823

Network Attached Storage. See NAS

network I/O, 437
 bottlenecks, 436, 437

New Alert dialog, 148

New Database Mail Account dialog, 164, 165

New Operator dialog, 145

nonclustered index seek with ordered partial scan and lookups, 589–591

nonclustered indexes, non-key columns in, 607

non-key columns, in nonclustered indexes, 607

non-uniform memory access (NUMA) systems, 419

normalizer, 555, 564

not_equal_ptr, 536

notification events, 500. See also event notifications

notifications (job), scheduling, 146–147

NT LAN Manager (NTLM), 268, 343, 344. See also Kerberos authentication

ntext, 11, 12

NTFS
 allocation unit size, 451
 cluster size, 451
 FAT v., 451
 permissions, SQL Server-related folders and, 339–340

NTLM (NT LAN Manager), 268, 343, 344. See also Kerberos authentication

NUMA (non-uniform memory access) systems, 419, 427–429, 489
 CC-NUMA, 477, 488
 interleave NUMA, 477

numeric (p, s), 13

operating system commands (CmdExec)

numeric data types

approximate, 13
exact, 12–13

nvarchar, 11, 12

O**object models**

DMO, 81, 112
Integration Services, 178
SMO, 23, 112, 386
SQL-NS, 112

Object: Physical Disk - Counter: Avg. Disk Sec/Read, 508

Object: Physical Disk - Counter: Avg. Disk Sec/Write, 508

Object: Physical Disk - Counter: Avg. Disk Write Queue Length, 508

Object: Physical Disk - Counter: Disk Read Bytes/Sec, 507

Object: Physical Disk - Counter: Disk Reads/Sec, 507

Object: Physical Disk - Counter: Disk Write Bytes/Sec, 507

Object: Physical Disk - Counter: Disk Writes/Sec, 506

Object: Physical Disk - Counter: Avg. Disk Read Queue Length, 508

Object: Process - Counter: % Privileged Time - Instance: sqlservr, 503

Object: Process - Counter: % Processor Time - Instance sqlservr, 502

Object: Process-Instance : sqlservr -Counter: Virtual Bytes, 511

Object: Process-Instance: sqlservr - Counter: Working Set, 511

Object: Process-Instance: sqlservr -Counter: Private Bytes, 512

Object: Processor - Counter: % Privileged Time, 502

Object: Processor - Counter: % Processor Time, 502

Object: SQL Server:Replication Dist. - Counter: Dist:Delivered Cmds/Sec and Tx/Sec, 681

Object: SQL Server:Replication Log Reader - Counter: LogReader:Delivered Cmds/Sec and Tx/Sec, 681

Object: SQLServer:Buffer Manager -Counter: Target Pages, 512

Object: SQLServer:Buffer Manager -Counter: Total Pages, 512

Object: SQLServer:BufferManager -Counter: Database Pages, 512

Object: SQLServer:Memory Manager -Counter: Target Server Memory (KB), 512

Object: SQLServer:Memory Manager -Counter: Total Server Memory (KB), 512

Object: System - Counter: Processor Queue Length, 502

Object:Memory - Counter: AvailableMbytes, 511

objects

CLR, cataloging, 321–323

filtering, 112

XEvent, 531–538

Action, 535–536

Event, 533–535

Event Session, 537–538

Module, 531

Package, 531–532

Predicate, 536–537

Target, 537

OLTP (online transaction processing)

environment, 208, 416, 417, 439

DSS environment v., 455–456

On Change Log Only mode, 93

On Change Prevent mode, 92

On Demand mode, 92

On Schedule mode, 93

OneOff, 411

one-to-many merge joins, 582

online index operations, 458, 606, 625

online transaction processing environment.

See OLTP environment

Operating Mode (counter), 714

operating modes. See database mirroring

operating system commands (CmdExec), 139, 154

operating system requirements (SQL Server 2008)

operating system requirements (SQL Server 2008), 18

operating system security, 333–341

group management

Administrators, 333–334

Remote Desktop Users, 334–335

Users, 334–335

Local Security Policy snap-in, 335–337

patch management, 333

security groups, SQL Server-related, 337–338

SQL Server 2008 and, 337–341

operators, 144–147

creating, 144–145

defined, 144

failsafe, 147

names for, 145

opportunistic attackers, 332

optimization. *See* performance tuning; server optimization

optimization (for queries), 565–566

exploration transformation, 568–569

flow chart, 567

implementation transformation, 569–570

process (diagram), 566

simplification transformation, 567–568

statistics and, 594–595

Oracle replication, 655

(OSCMD), 167

owners, schema, 362–364

ownership chaining, 362, 364–365

cross-database, 365–366

securables and, 364–366

P

package deployment utility, 195–196

Package Installer Wizard, 196–198

Package object, 531–532

package templates, 190–191

package-protection levels, 203–204

packages (Integration Services)

administration of, 187–202

creating, 188–191

with Import and Export Wizard, 188–190

package templates and, 190–191

deploying, 194–199

automated, 195–198

DTUtil, 198–199

file save/move, 198

import/export, 198

manual, 198–199

digital signatures, 206

execution, 140, 154, 199–201

automating, with SQL Server Agent,
201–202

BIDS, 199

DTEExec utility, 199–200

DTEExecUI utility, 200–201

Import and Export Wizard, 199

importing/exporting, 193–194, 198

managing, 191–194

DTUtil, 192–193

Management Studio, 192

overview, 187–188

resources, 205–206

running, 205

saving, 205

security, 203–206

package-protection levels, 203–204

roles, 204–205

packages (XEvent object), 531–532

PAE (Physical Address Extensions), 432, 476, 479, 480

page compression, 471–473

dictionary compression, 471

prefix compression, 471

page faults, 430–431

hard, 431

soft, 430–431

page file, 430

Page Life Expectancy counter, 513

parallel index operations, 606

parallel query execution strategy, for partitioned objects, 601–602

parameter sniffing, 575

Pareto Principle, 455

parsing, 564, 566

partial backup, 739

partial differential backup, 740

partition functions, 463–464

performance monitoring

- partition schemes, 464–465**
- partition-aware SEEK operation, 600–601**
- partitioned heaps, execution plans for, 602**
- partitioned objects, parallel query execution strategy for, 601–602**
- partitioned tables and indexes, 461–469, 606, 610–624**
 - adding data to, 615–617
 - archiving, 775–776
 - benefits of, 610–611
 - creating, 611–615
 - deleting data from, 617–623
 - high-level process for, 462
 - impact/benefits of, 462
 - implementing, 462
 - prerequisites for, 611
 - reasons for, 461–462
 - rows in, 462
 - support for, 461
- partitioned view, 776**
- partitioning**
 - defined, 461
 - disks, 450
 - DTA and, 462, 623–624
 - production system, 623
- partner, 684**
- partner-to-partner quorums, 696**
- passive nodes, active nodes v., 812**
- passive server licensing, 33**
- password policy enforcement, 64, 346**
- passwords**
 - backup files and, 341
 - case sensitive, 346
 - login, 346–347
- patch management, 333**
 - Automatic Updates and, 333
 - Microsoft Security Response Center blog, 333
 - WSUS and, 333
- PBM. See policy-based management**
- peer-to-peer replication, 655, 656, 660, 661, 675–678**
- People database, 608–610**
- PerfMon. See Performance Monitor**
- performance**
 - backup, 764–765
 - knowledge, for development DBA, 413, 416–418
 - data, 417
 - schemas, 416, 417–418
 - SQL statements, 41
 - users, 417
 - knowledge, for production DBA, 413, 418
 - log shipping, 803
 - MERGE, 599–600
 - requirements, 414–416
 - defining targets, 415
 - focus on what's important, 415–416
 - performance tuning cycle, 414–415
- performance counters, 150, 224. See also specific counters**
 - Analysis Services, 223–224
 - Buffers in Use, 187
 - Buffers Spooled, 187
 - CPU resource, 502–503
 - disk, 503–510
 - memory usage, 510–513
 - .NET CLR Exceptions, 325
 - .NET CLR Loading, 325
 - .NET CLR Memory, 325
 - Rows Read, 187
 - SQL Server Cache Hit Ratio, 476
 - usage, updating, 90
- Performance Dashboard reports, 500. See also Data Collection**
- Performance Monitor (PerfMon), 500, 501–514**
 - counters, 150, 224
 - CPU resource, 502–503
 - disk I/O, 503–510
 - memory usage, 510–513
 - log data, traces correlated with, 526–527
 - replication and, 679–681
 - starting, 224
- performance monitoring. See also monitoring**
 - Analysis Services, 223–227
 - CLR integration

performance monitoring (*continued*)

performance monitoring (*continued*)

- DMVs, 326–327
- SQL Profiler, 325
- System Monitor, 325
- Integration Services service, 187

performance tuning (for SQL Server 2008).

See also server optimization

- Analysis Services, 223–227
- application optimization
 - defining a workload, 455–456
 - Pareto Principle, 455
 - system harmony and, 456
- CPU considerations, 488–494
 - affinity mask, 489–491
 - cache coherency, 489
 - data locality, 488–489
- cycle, 414–415
- data compression, 470–475
- I/O problems, 456–461
- memory considerations, 476–488, 510–513.

See also memory configuration

- partitioning tables/indexes, 461–469
- Resource Governor, 4, 482–488
- self-tuning and, 455, 495

performance tuning (queries), 501, 555–603

- database I/O information and, 570–571
- DTA and, 630–640
- index access methods and, 582–585
- join algorithms and, 579–582
- physical query processing, 555–570
- query plans and, 571–579

permissions. *See also roles*

- Analysis Services, 234–235
- for backups, 750
- column-level, 374–375
- and denial of access (in logins), 353
- for restore, 750
- SQL Server-related folders, 339–340
- troubleshooting, 369–370
 - fn_my_permissions function, 370
- user (database principals), 356–357

Physical Address Extensions (PAE), 432

physical address space, 429

physical disk counters, 504–507

physical memory, 419, 429

physical query processing, 555–570

pipe command, 408

plan optimality, 561–562

platform optimization. *See server optimization*

playback, capturing, 75–76

poison message handling, 293–295, 298

policies

- defined, 91
- execution modes, 92–93
- Local Security Policy snap-in
 - act as part of the operating system, 336
 - allow/deny log on locally, 336
 - allow/deny log on through Terminal Services, 337
- debug programs, 337
- forced shutdown from a remote system, 337
- list, 335
- shut down the system, 337
- Surface Area Configuration for Database Engine Features, 93–94

policy-based management (PBM), 91–96, 100, 329, 332–333, 386–402

- conditions and, 386
- execution modes, 92–93
- facets and, 386
- implementation, 394–396
- log bloat candidates (example), 388–392
- overview, 386–387
- scripting, 392–394
- storage location of, 93
- terminology of, 91–92

poor query performance, 89–90

post-upgrade tasks/checks, 66

- PBM, 91–96
- poor query performance, 89–90
- SQL Server Configuration Manager, 91
- usage counters, updating, 90

PowerShell, 403, 408–410

- cmdlets and, 408–409
- pipe command and, 409
- Professional Windows PowerShell Programming: Snap-ins, Cmdlets, Hosts, and Providers* (Kumaravel), 408

Predicate object, 536–537

predicates (XEvent object), 536–537, 538

preemptive thread scheduling, 309, 491
 prefix compression, 471
 pre-installation planning (SQL Server install), 35–45
 pre-upgrade tasks/checks, 65–66, 69–77
 principal database, 683
 Principal Log: Current Rate of New Transaction, 713
 Principal Log: Current Send Rate, 713
 Principal Log: Oldest Unsent Transaction, 713
 Principal Log: Time to Send Log (Estimated), 713
 Principal Log: Unsent Log, 713
 principal request page, 718
 principal server, 684
 principle of least privilege, 329–330
 Priority Boost, 491
 private network, clustering and, 813
 privileged mode, 491
 probe input, 580
 processadmin role, 348
 Processor: % Privileged Time counter, 491
 processor licensing model, 31
 in virtual environment, 33
 processors. *See* CPUs
 production DBAs, 1–2
 performance knowledge for, 418
 production system, partitioning, 623
 Professional Microsoft SQL Server Analysis Services 2008 with MDX (Harinath et al), 207
 Professional SQL Server 2005 CLR Stored Procedures, Functions, and Triggers (Comingore & Hinson), 308
 Professional SQL Server 2008 Integration Services (Knight et al), 86, 175, 308. *See also* Integration Services
 Professional Windows PowerShell Programming: Snap-ins, Cmdlets, Hosts, and Providers (Kumaravel), 408
 programmability (SQL Server 2008), 24–25
 projects (Visual Studio)
 connections, creating, 384–385
 creating, 383–385
 queries, creating, 385

proxies (SQL Server Agent), 153–157
 creating, 156–157
 using, 157
 public network, clustering and, 813
 publication, 656
 publishers, 653, 655
 pure transaction-log backup, 741

Q

queries. *See also specific queries*

CLR integration
 finding the .NET Framework version in SQL Server, 327
 loaded assemblies, 326
 memory usage, 326
 request status, 326
 time spent in CLR integration by a query, 326
 CLR objects
 assemblies, 321
 scalar function, 322
 stored procedures, 321–322
 table-valued functions, 323
 triggers, 322
 user-defined aggregates, 323
 user-defined types, 323
 compiling. *See* compilation process
 connected user information, 546
 currently running queries, 540
 filegroup free space, 546–547
 index usage in a database, 543–545
 language specification in, 25
 memory usage, 547
 optimization, 565–566
 exploration transformation, 568–569
 flow chart, 567
 implementation transformation, 569–570
 process (diagram), 566
 simplification transformation, 567–568
 parsing, 564, 566
 plans. *See* query plans
 poor performance, after upgrade, 89–90
 project, creating, 385
 query plan and query text for currently running queries, 547

queries (continued)

queries (continued)

tuning. *See* performance tuning
view queries waiting for memory grants,
 545–546
viewing blocking information, 543
viewing the locking information, 543
wait stats, 542–543
who is using which resources?, 541
who is waiting?, 542

Query Activity (system data collection set), 549

query plan and query text for currently running queries query, 547

query plans, 555, 557, 560, 562, 563, 564, 569, 571–579

actual execution plan, 576–579
 graphical, 579
 SET STATISTICS PROFILE ON/OFF, 577–579
 SET STATISTICS XML ON/OFF, 576
 analysis of, SQL Trace and, 602–603
 data modification, 595–600
 maintenance strategies, 596–597
 stages for, 595
 estimated execution plan, 572–576
 graphical, 576
 SET SHOWPLAN_ALL, 572–574
 SET SHOWPLAN_TEXT, 572–574
 SET SHOWPLAN_XML, 574–575
 gathering, 602–603
 query tuning and, 571–579
 ShowPlans, 572

query processing (physical), 555–570

compilation process, 559–562
 on partitioned tables/indexes, 600–602

query processor, 209

Quest Benchmark Factory, 456

queues (Service Broker), 242–245

disabled, 306
 managing, 292

quorums, 696

clustering and, 813
 full, 696
 partner-to-partner, 696
 witness-to-partner, 696

R

RAID (Redundant Array of Independent Drives), 438

levels, 443
 mirroring, 443
 storage systems and, 443–444
 recommendations, 444
 striping with mirroring, 443
 striping with parity, 443–444

RAM. *See* memory

real (data type), 13

rebuilding clusters, 817–819

rebuilding system databases, 105–106

RECEIVE permission, 292

recompilations, 560–562

correctness and, 560–561
 schemas of objects, 560
 SET options, 561
 plan optimality and, 561–562
 reasons for, 560
 statement-level, 560
 tools/commands for, 563

RECONFIGURE command, 479

recovery, 5. *See also* backup and recovery

disaster, 776–778
 models, 744–747
 bulk-logged, 745
 choosing, 745–746
 comparing, 744–745
 full, 744–745
 simple, 745
 switching, 746–747
 performing, 765–774
 planning for, 752–755
 data usage patterns, 753
 maintenance time window, 753–755
 requirements for, 752–753
 restore v., 743–744

recursive hash joins, 581

Redo Bytes/Sec, 711

redo queue, 685–686, 687, 699, 700, 701, 702, 713, 714

Redo Queue KB, 711

restore

Redundant Array of Independent Drives. See RAID

Reliability and Performance Monitor, 418. See also Performance Monitor; System Performance Monitor

Relog utility, 514

Remote Desktop Users group

description, 337
security and, 334–335

remote installation (SQL Server 2008), 47

replaying traces, 527–528

repldata folder, 340

replication

agent jobs, 656
articles and, 653, 656
backup considerations for, 755
clustering v., 811
components, 655–656
data, 656
distributors and, 653, 655
DMVs, 681–682
implementing, 661–675
 distribution setup, 663–666
 setup strategy, 662–663
log shipping v., 801–802
magazine publication v., 653–654
merge, 655
 implementing, 674–675
models, 657–661
 multiple publishers also subscribing, 658, 660
 multiple publishers, single subscriber, 658, 659
 peer-to-peer, 655, 656, 660, 661
 single publisher, one or more subscribers, 657–658
 updating subscriber, 660, 661
monitoring, 679–682
new features, 656–657
Oracle, 655
overview, 653–657
peer-to-peer, 655, 656, 660, 661, 675–678
Performance Monitor and, 679–681
publication and, 656
publishers and, 653, 655

roles, 655

scripting, 679

snapshot, 654

 implementing, 666–674

SQL Server 2008 editions and, 21

subscribers and, 655

subscription and, 656

transactional, 654, 657

 implementing, 674–675

types, 654–655

Replication Distributor, 140, 154

Replication Merge, 140, 154

Replication Monitor, 657, 679

Replication Queue Reader, 140, 154

Replication Snapshot, 140, 154

Replication Transaction Log Reader, 140, 154

reporting, 30–31

Reporting Services (SSRS), 3, 4

BIDS and, 175

Kerberos and, 4

licensing, 33

log files, deleting, 58

uninstalling, 57–58

upgrading, 80

reports, 106–108

database, 108

Performance Dashboard, 500

server-level, 107–108

standard, 500, 547

from system data collection sets, 549–551

ReportServer database, deleting, 57–58

ReportServerTempDB, deleting, 57–58

Resource database, 15

Resource Governor, 4, 482–488

classification support, 484–486

elements of, 483

implementation example, 485–486

Management Studio and, 486–487

resource pools, 483

workload groups, 484

resource pools, 483

restore, 743–744. See also backup and recovery

performance, 764–765

permissions for, 750

restore (continued)

restore (continued)

phases, 744
 copy, 744
 redo, 744
 undo, 744
 process
 database snapshot, 768
 file/filegroup, 767
 full database, 766
 history tables, 769
 instant file initialization, 765
 Management Studio, 769–772
 partial database, 766
 system databases, 773–774
 transaction-log, 766–767
 T-SQL restore command and, 772
 recovery v., 743–744
reverse engineering, 333
Revision (db_version table), 411
revoke, 352
role change, database mirroring, 700–706
role switching, 796
roles
 database, 153
 Analysis Services, 233–234
 Integration Services, 204–205
 principle of least privilege and, 330
 replication, 655. *See also* replication
 server
 Analysis Services, 233
 bulkadmin, 348
 dbcreator, 348
 defining, 348
 diskadmin, 348
 processadmin, 348
 securityadmin, 348
 serveradmin, 348
 setupadmin, 348
 sysadmin, 348
 SQLAgentOperatorRole, 153
 SQLAgentReaderRole, 153
 SQLAgentUserRole, 153
 user-defined, 357–358
rolling a transaction back, 5
rolling a transaction forward, 5

rotational latency, 438
row compression, 470–471
row versions, 458
rows, 462
Rows Read counter, 187
rowversion (data type), 16
runaway log file, 387
runtime host, 308–309

S

SAC tool (no longer available), 52, 78, 91, 101, 341–342. *See also* policy-based management
sample databases, location of, 50–51
SAN (Storage Area Network), 437, 445–447, 470
 cost for, 470
 disaster recovery plan, 731
 disk virtualization, 445–446
 LUNs, 446–447
Sarbanes-Oxley law, 2, 329, 345, 353, 370, 383, 386
scalability (SQL Server), 1, 18, 19
scalar functions, CLR, 322
scatter-gather methods, 457
schedulers, 476, 478, 490
schedules, 143–144
 for notifications, 146–147
SCHEMA_ID() function, 11
schemas, 9, 358–359
 changing, 362
 example, 359–361
 INFORMATION_SCHEMA, 364
 of objects, recompilations and, 560
 owners, 362–363
 changing, 363–364
 performance and, 416, 417–418
 sys, 364
 users and, 362–363
‘Schemas Owned By User’ grid, 356
scopes. *See also* securables
 defined, 364
scripted installation (SQL Server 2008), 46–47

server_event_session_targets

scripting. See also PowerShell; sqlcmd

change management and, 403
 PBM, 392–394
 replication, 679
 Upgrade Advisor, 72–73

scripts, change. See change scripts**search, full-text, 24****securables, 364–370**

defined, 364
 ownership chaining and, 364–366
 scopes and, 364

security, 21

assemblies (CLR), 316–317
 attackers
 curious, 332
 malicious, 332
 opportunistic, 332
 auditing and, 332
 best practices, 329–332
 CIA triad, 330–331
 defense in depth principle, 331–332
 least privilege principle, 329–330
 Database Engine, 329–381
 Integration Services, 203–206
 Kerberos authentication, 268, 291, 332,
 343, 344
 Reporting Services and, 4
 troubleshooting, 344
 Microsoft Security Response Center blog, 333
 monitoring and, 332
 operating system, 333–341
 Local Security Policy snap-in, 335–337
 patch management, 333
 security groups, SQL Server-related,
 337–338
 SQL Server 2008 and, 337–341
 Service Broker, 267–279
 dialog security, 267, 275–279
 transport security, 267–274
 SQL Server 2008, new features, 332–333
 SQL Server Agent, 152–157
 SQL Server installation and, 44–45
 Trustworthy Computing, 64–65

security context (job steps), 140**Security event log, 548****security groups, SQL Server-related, 337–338****security IDs. See SIDs****Security Support Provider Interface (SSPI), 344****securityadmin role, 348****SEEK operation, partition-aware, 600–601****seek time, 438****self-tuning, 455, 495. See also performance tuning****SEND permission, 291–292****send queue, 685, 687, 713, 714****server + device CAL, 31–32, 33****server + user CAL, 32, 33****Server Activity system data collection set, 549****Server Audit Specifications, 378–380****server groups, 100****server optimization, 419–453. See also performance tuning**

CPUs, 419, 421–429, 453

disk adapters, 447–450

configuration, 450

drivers, 450

firmware, 450

MPIO solutions, 448–449

number of, 447–448

placement of, 449

hardware configuration, 420–421

I/O configuration, 419, 436–453

memory, 419, 429–436, 453

resources, 419–420

server configuration, 447–451

mounting volumes, 450

partitioning, 450

start sector alignment, 450–451

storage systems. *See* storage systems

server principals (logins), 345. See also logins**Server Properties screen, 109–111****server roles. See roles****serveradmin role, 348****server_event_session_actions, 538****server_event_session_events, 538****server_event_session_fields, 538****server_event_sessions, 538****server_event_session_targets, 538**

server-level reports

server-level reports, 107–108

SERVERNAME_MSINFO32.TXT, 127

SERVERNAME_sp_sqldiag_Shutdown.OUT, 127

server-side traces, 517–522

service account, SQL Server Agent, 152

Service Broker, 25, 237–308, 327

activation, 260–265

activities, SQL Profiler and, 302–307

activation stored procedure is not being activated, 307

duplicate routes, 307

administration, 288–308

architecture, 238–246

contracts, 241–242

conversation groups, 265–267

conversation priorities, 279–288

data, catalog views for, 300

data integrity and, 298

disabled, in database, 306

DMVs and, 301–302

sys.dm_broker_activated_tasks, 301

sys.dm_broker_connections, 302

sys.dm_broker_forwarded_messages, 302

sys.dm_broker_queue_monitors, 301

errors

conversation endpoint is not in a valid state for SEND, 305–306

could not obtain information about Windows NT group/user, 306

examples, 246–260

message types, 238–240

messages

dropped, 304–305

undeliverable, 304

metadata objects

catalog views for, 298–300

names, case sensitivity, 246

queues, 242–245

disabled, 306

security, 267–279

dialog, 267, 275–279

transport, 267–274

services, 245–246

Service Broker applications

code review process, issues in

not dealing with poison messages, 298

not ending the conversation, 298

not handling all message types, 298

Service Broker commands outside of an explicit transaction, 298

copying, 296–297

expired certificates, replacing, 297

installing, 289–290

database preparation, 289–290

running scripts for, 290

moving, 295–296

permissions, setting, 290–292

poison message handling, 293–295, 298

queues, managing, 292

troubleshooting, 297–307

service, Integration Services. *See* Integration

Services service

service isolation

in SQL Server 2008, 338–339

in Vista, 338–339

service principal name (SPN), 344

services (Service Broker), 245–246

session, database mirroring, 684

SET options, 561

SET SHOWPLAN_ALL, 572–574

SET SHOWPLAN_TEXT, 572–574

SET SHOWPLAN_XML, 574–575

SET STATISTICS, 572

SET STATISTICS PROFILE ON/OFF, 577–579

SET STATISTICS XML ON/OFF, 576

setupadmin role, 348

shared disk array, clustering and, 812–813

Shared Memory protocol, 91, 342, 344

Showplan XML, 523–526

Showplans, 572. *See also* query plans

shut down the system policy, 337

side-by-side installation, 45–46

side-by-side upgrade, 67, 68

SIDs (security IDs), 352

silent killer. *See* I/O

simple autoparam, 559

Simple Object Access Protocol. *See* SOAP

- simplification transformation (query optimization), 567–568**
- single publisher, one or more subscribers (replication model), 657–658**
- 64-bit systems**
 - IA64 processors, 422
 - memory configuration, 433–434, 479
 - memory configuration scenarios
 - 64-bit SQL on a 64-bit OS, 436
 - x64 system with 64-bit OS and 32-bit SQL with less than 4GB of RAM, 436
 - x64 system with 64-bit OS and 32-bit SQL with more than 4GB of RAM, 436
 - SQL Server 2008 and, 88–89
 - x64 processors, 422
- sliding window, 463, 465, 611**
- smalldatetime, 14, 15**
- smallint, 12**
- smallmoney, 13**
- SMO (SQL Server Management Objects), 23, 112, 386**
- SMP (symmetric multi-processor) systems, 427**
- snapshot agent, 656**
- Snapshot agent jobs, 656**
- snapshot replication, 654, 666–674**
- snapshots, database, 729–730**
- SOAP (Simple Object Access Protocol), endpoints (deprecated), 25, 343**
- sockets, 425**
- soft page faults, 430–431**
- solutions v. projects (Visual Studio), 383. See also projects**
- Sort operation, 579, 597**
- sort order, collations and, 42–43**
- Source Safe, Visual, 383, 384, 385, 408, 412, 679**
- space savings, from data compression, 473–475**
- sp_addsrvrolemember, 351**
- spatial indexes, 25, 606**
- spatial libraries, advanced, 25**
- spatial services (SQL Server 2008), 25**
- spatial support, standards-based, 25**
- SP:CacheHit, 556, 557**
- SP:CacheInsert, 556, 557**
- SP:CacheMiss, 555, 556, 557**
- sp_configure, 111–112, 481**
- SPN (service principal name), 344**
- sp_replcounters replication system stored procedure, 682**
- sp_trace_create, 517, 520**
- sp_trace_setevent, 517, 520**
- sp_trace_setfilter, 518, 520**
- sp_trace_setstatus, 518, 520, 521**
- sp_who, 118**
- sp_who2, 118**
- SQL client aliasing, 800**
- SQL CLR. See CLR integration**
- SQL CMD, 23**
- SQL community testing, 65**
- SQL, dynamic. See dynamic SQL**
- SQL Native Client, 6**
- SQL Profiler, 23, 418, 500**
 - Analysis Services events and, 223–224
 - bottlenecks and, 354
 - CLR integration performance monitoring with, 325
 - database mirroring and, 716
 - recompilations and, 563
 - Service Broker activities and, 302–307
- SQL Server**
 - Agent. *See* SQL Server Agent
 - Analysis Services. *See* Analysis Services
 - Audit. *See* Audit
 - authentication. *See* authentication
 - automating. *See* Maintenance Plans; SQL Server Agent
 - collations. *See* collations
 - Configuration Manager. *See* Configuration Manager
 - Database Engine. *See* Database Engine
 - editions. *See* editions
 - Extended Events. *See* XEvents
 - Integration Services. *See* Integration Services
 - I/O process model. *See* I/O
 - Management Objects. *See* SMO
 - Management Studio. *See* Management Studio
 - monitoring. *See* monitoring
 - as .NET runtime host. *See* .NET runtime host

SQL Server (*continued*)

SQL Server (*continued*)

-related folders. *See* folders
 Reporting Services. *See* Reporting Services
 Surface Area Configuration tool. *See* SAC tool
 Upgrade Advisor. *See* Upgrade Advisor
 Upgrade Assistant. *See* Upgrade Assistant
 work scheduling. *See* work scheduling

SQL Server 2008

architecture, 5–16
 availability solutions. *See* high availability
 BOL. *See* Books Online
 clustering. *See* clustering
 data types, 10–16. *See also specific data types*
 editions, 16–33. *See also specific editions*
 capacities, 18–19
 data mining, 29
 data warehouse creation, 27
 data warehouse scale/performance, 27
 development tools, 23–24
 high availability, 20
 Integration Services, 25–26
 location services, 25
 manageability, 22–23
 management tools, 23
 multi-dimensional analytics, 28
 operating system requirements, 18
 programmability, 24–25
 replication, 21
 reporting, 30–31
 scalability, 1, 18, 19
 security, 21
 spatial services, 25
 installation best practices, 35–61
 licensing, 31–33
 log shipping. *See* log shipping
 new features, 6
 optimization. *See* performance tuning
 pricing, 16
 security. *See* security
 as self-tuning, 455, 495. *See also*
 performance tuning
 service isolation in, 338–339
 64-bit platform, 88–89
 uninstalling, 57–59

upgrading to, 45–46, 63–96
 Windows authentication and, 343–344

SQL Server Agent, 138–174

access to, 153
 components, 138–152
 alerts, 147–152
 jobs, 138–143
 operators, 144–147
 schedules, 143–144
 configuring, 157–161
 executing packages with, 201–202
 proxies, 153–157
 security, 152–157
 service account, 152

SQL Server: Buffer Manager: Page reads/sec, 509

SQL Server: Buffer Manager: Page writes/sec, 509

SQL Server Cache Hit Ratio, 476

SQL Server Error log, 548

SQL Server Lightweight Pooling option, 492

SQL Server login, 345

SQL Server operating system. *See* SQLOS

SQL Server Profiler, 514, 522–528

SQL Server: Buffer

Manager: Page-life expectancy, counter, 476

SQL Trace, 500, 514, 516–522

analysis of query plans with, 602–623
 architecture, 517, 518
 event notifications and, 531

SQL, Transact. *See* T-SQL

SQLAgentOperatorRole, 153

SQLAgentReaderRole, 153

SQLAgentUserRole, 153

sqlcmd, 403–407

executing
 from command prompt, 403–405
 from Management Studio, 405–407

sqldiag /OC:tempbaseline /X /N2, 127

SQLDiag.exe, 125–127

(SQLDIR), 167

SQLDumper.exe, 124–125

SQL-NS object model, 112

(SVR)

Index

- SQLOS (SQL Server operating system), 476–479, 489**
 - components, 477
 - goal of, 477
 - memory nodes, 477, 478
 - sql_statement_starting, 535**
 - SQLTrace-ServerSide, 518**
 - SQL_Variant, 15**
 - SSAS. See Analysis Services**
 - SSIS. See Integration Services**
 - SSMS. See Management Studio**
 - SSPI (Security Support Provider Interface), 344**
 - SSRS. See Reporting Services**
 - SSUA. See Upgrade Assistant**
 - Standard Edition (SQL Server 2008), 17–31**
 - standard reports, 500, 547**
 - standards-based spatial support, 25**
 - start sector alignment, 450–451**
 - startup parameters, 101–104**
 - startup stored procedures, 104–105**
 - state change events, database mirroring, 726–728**
 - statement-level recompilations, 560**
 - statistics**
 - filtered, 605, 624–626
 - query optimizer and, 594–595
 - Status page, 351**
 - (STEPCT), 167**
 - (STEPID), 167**
 - storage alignment, 467–469**
 - Storage Area Network. See SAN**
 - storage systems**
 - cost and, 442
 - design, 439–445
 - faster disks in, 440
 - more disks in, 440
 - simplicity in, 440
 - variance in, 439
 - vendors' expertise in, 439–440
 - disk quantities in, 441–442
 - disks, 437–439
 - data transfer rate, 438
 - fundamental information, 438–439
 - latency, 439
 - rotational latency, 438
 - seek time, 438
 - throughput in I/O/sec, 439
 - throughput in MB/sec, 439
 - total latency, 438
 - track-to-track latency, 438
 - transfer time, 438
 - I/O characteristics for, 442–443
 - isolation in, 444–445
 - grouping similar I/O workloads, 445
 - separating SQL data from log, 444–445
 - tempdb and, 445
 - NAS, 37, 39, 437, 445, 470, 733
 - NTFS file system, 451
 - RAID and, 443–444
 - mirroring, 443
 - recommendations, 444
 - striping with mirroring, 443
 - striping with parity, 443–444
 - SAN, 437, 445–447, 470, 731
 - space and, 441
 - start sector alignment, 450–451
 - testing and, 440–441
- stored procedures, 97, 127. See also extended stored procedures**
 - CLR, queries about, 321–322
 - dynamic SQL and, 366–367
 - log shipping monitoring with, 793
 - sp_replcounters replication system, 682
 - sp_who, 118
 - sp_who2, 118
 - startup, 104–105
 - T-SQL, server-side traces and, 517–522
- stream compression, 687**
- (STRTDT), 167**
- (STRTTM), 167**
- subscribers, 655**
- subscription, 656**
- surface area, 330**
- Surface Area Configuration for Database Engine Features policy, 93–94**
- Surface Area Configuration tool (no longer available), 52, 78, 91, 101, 341–342. See also policy-based management (SVR), 167**

symmetric multi-processor systems

symmetric multi-processor systems. *See* SMP systems

synchronous mirroring mode, 685. *See also* database mirroring

synonyms, 9

sys schema, 364

sysadmin role, 348

sys.database_mirroring, 698–700

sys.database_mirroring_endpoints, 700

sys.database_mirroring_witnesses, 700

sys.dm_broker_activated_tasks, 301

sys.dm_broker_connections, 302

sys.dm_broker_forwarded_messages, 302

sys.dm_broker_queue_monitors, 301

sys.dm_db_task_space_usage, 460

sys.dm_exec_cached_plans, 555, 557

sys.dm_exec_connections, 118

sys.dm_exec_query_stats, 119

sys.dm_exec_sql_text, 119, 558

sys.dm_io_virtual_file_stats, 570

sys.dm_os_dispatcher_pools, 538

sys.dm_repl_articles, 681

sys.dm_repl_schemas, 681

sys.dm_repl_tranhash, 681

sys.dm_repl_traninfo, 681

sys.dm_resource_governor_configuration, 488

sys.dm_resource_governor_resource_pools, 488

sys.dm_resource_governor_workload_groups, 488

sys.dm_xe_map_values, 538

sys.dm_xe_object_columns, 538

sys.dm_xe_objects, 538

sys.dm_xe_packages, 539

sys.dm_xe_session_event_actions, 539

sys.dm_xe_session_events, 539

sys.dm_xe_session_object_columns, 539

sys.dm_xe_sessions, 539

sys.dm_xe_session_targets, 539

sysmon. *See* System Monitor

sys.server_triggers, 402

sys.syscacheobjects Virtual Table, 563

system architecture, 427–429

NUMA system, 427–429

SMP system, 427

system data collection sets, 549–553

custom, 551–554

Disk Usage, 549

Query Activity, 549

reports from, 549–551

Server Activity, 549

system databases, 7–8

backing up, 750–751

backup, 750–751

master, 750–751

model, 751

msdb, 751

tempdb, 751

rebuilding, 105–106

System event log, 548

system files location, SQL Server install and, 43

System Monitor (sysmon), 125, 325, 430, 441, 833

CLR integration performance monitoring with, 325

database mirroring and, 709–711

performance objects, 709

System Performance Monitor, 418, 430, 460, 476. *See also* Performance Monitor

sys.triggers, 402

T

Table (data type), 15

Table Hints, 625

table scan, 583–585

clearing caches, 584–585

SET STATISTICS IO ON/OFF, 583–584

tables. *See also* partitioned tables and indexes

creating, 465–466

internal-only, 594

table-valued functions, CLR, 323

Tabular Data Stream. *See* TDS

tail transaction-log backup, 741

target endpoint, 238

conversation priorities on, 286–287

Target object, 537

target servers (TSX), 171–174, 549

transaction servers

- targets, 92, 538**
- targets (XEvent object), 537**
- Task Manager, 418**
- TDE. *See* Transparent Data Encryption**
- TDS (Tabular Data Stream) endpoints, 342–343**
 - Named Pipes, 342
 - shared memory, 342
 - TCP/IP, 342
 - VIA, 342
- telnet, 330**
- tempdb database, 8**
 - backing up, 751
 - capacity planning, 459–460
 - features in, 458
 - I/O problems and, 458–461
 - isolation and, 445
 - space requirements, 458
 - version stores, 458
 - white paper on, 570
- templates, 517**
- testing**
 - SQL Server 2008 instance on cluster, 831–833
 - storage systems and, 440–441
- text (data type), 11, 12**
- third-party clustering solutions, 811**
- 32-bit systems**
 - memory configuration, 432–433, 479–482
 - /3GB option, 432, 433, 479, 480
 - AWE, 432, 433, 476, 480, 481, 482
 - PAE, 432, 476, 479, 480
 - memory configuration scenarios
 - 32-bit OS and SQL with 2–4GB of RAM, 434
 - 32-bit OS and SQL with 4 to 16GB of RAM, 436
 - 32-bit OS and SQL with less than 2GB of RAM, 434
 - 32-bit OS and SQL with more than 16GB of RAM, 436
 - Special case- 32-bit OS with 2–4GB of RAM, 434
 - Special case- 32-bit OS with 4GB of RAM, 434–436
- x64, 422
- x86 processors, 421–422
- thread scheduling**
 - cooperative, 309
 - preemptive, 309, 491
- threads. *See also* hyperthreading**
 - fibers v., 492
 - lightweight, 492
 - multi-core, 425
 - worker, 490
- 3GB option (memory configuration), 432, 433, 479, 480**
- throughput in I/O/sec, 439**
- throughput in MB/sec, 439 (TIME), 167**
- time (n), 14, 15**
- time data types, 14–15, 24**
- Time to Send and Restore All Current Log (Estimated), 714**
- timestamp (data type), 16**
- tinyint, 12**
- tokens, 167–169. *See also* specific tokens**
 - case sensitivity of, 167
 - defined, 167
 - list of, 167
- total latency, 438**
- trace flags, 120–124**
- trace_print, 535**
- traces. *See also* SQL Trace**
 - Analysis Services and, 224–226
 - client-side, 518
 - event notifications v., 529
 - metadata, retrieving, 521–522
 - performance considerations for, 528
 - Performance Monitor log data correlated with, 526–527
 - replaying, 527–528
 - server-side, creating, 517–522
 - terminology, 517
- track-to-track latency, 438**
- Transaction Delay counter, 709**
- transaction logs, 5**
- transaction servers, 32**

transactional replication

transactional replication, 654, 657, 674–675

- backup considerations for, 755
- database mirroring v., 725

Transaction/Sec counter, 710

Transact-SQL. *See* T-SQL

transfer time, 438

Transparent Data Encryption (TDE), 341, 375–376

- databases and, 341, 376
- enabling, 375–376

transport security (Service Broker), 267–274

trigger metadata, CLR, 322

triggers

- AFTER, 458
- CLR, 322
- DDL. *See* DDL

trivial plan, 593

troubleshooting

- clustering, 834–836
- Database Engine, 97–127
- database mirroring, 716–719
- failed SQL Server installation, 60–61
- Kerberos authentication, 344
- log shipping, 793–794
- permission issues, 369–370
- Service Broker applications, 297–307
- tools
 - SQLDiag.exe, 125–127
 - SQLDumper.exe, 124–125
 - trace flags, 120–124

trouble-ticketing system (example), 463–464

TRUSTWORTHY bit, 722

Trustworthy Computing, 64–65

T-SQL (Transact-SQL), 24

- backup commands, 762–763
- CLR integration v., 310
- credentials and, 355
- as data provider, 549
- log shipping deployment and, 790–791
- log shipping removal and, 802–803
- logins and, 351–352
- monitoring processes in, 118–119
- performance tuning, 501, 555–603
- restore command, 772
- Script, 140, 154

- stored procedures, server-side traces and, 517–522
- users and, 358

TSX. *See* target servers

tuning. *See* performance tuning

type derivation, 564

TYPE_ID() function, 11

TYPE_NAME() function, 11

types, 538

U

UDM (Unified Dimensional Model), 208–210

- components, 208–209
 - administrative configuration, 209
 - calculations (expressions), 208–209
 - dimensional model, 208
 - DSV, 208
 - familiar/abstracted model, 209

UMS (User Mode Scheduler), 476

Unified Dimensional Model. *See* UDM

uninstalling

- Analysis Services, 58
- SQL Server 2008, 57–59
- SQL Server Database Engine, 58–59

Uniqueidentifier (data type), 16

unsupported features (SQL Server), 77–78

UPDATE operations (with MERGE), 597–599

update queries, DTA and, 640–649

updating subscriber (replication model), 660, 661

Upgrade Advisor, 69–75

- installing, 69–70
- resolving issues, 73–75
- scripting, 72–73
- using, 70–72

Upgrade Assistant (SSUA), 75–77

- baseline server, setting up, 76
- final analysis, 77
- playback, capturing, 75–76
- SQL profiler trace, running, 76
- upgrading to SQL Server 2008, 77

upgrade execution process, 66

Upgrade folder, 340

**upgrade process (to SQL Server 2008),
45–46, 63–96**

- backward compatibility, 77–89
- benefits, 63–64
- component considerations, 79–89
 - Analysis Services, 80–81
 - database mirroring, 88
 - DTS upgrade to Integration Services, 81–88
 - failover clustering, 88
 - Full-Text Catalog, 79–80
 - log-shipping sessions, 88
 - Reporting Services, 80
 - 64-bit platform, 88–89
- in-place, 66–67, 68, 69
- ISVs, 65
- side-by-side, 67, 68
- SQL community testing, 65
- strategies, 65–66
- tasks/checks
 - post-upgrade, 66, 89–96
 - pre-upgrade, 65–66, 69–77
 - upgrade, 66
- upgrading clustering, 817–819**
- upgrading to log shipping, 803–804**
- UPSERT, 24**
- usage counters, updating, 90**
- user CAL, server and, 32, 33**
- user mode, 491**
- User Mode Scheduler (UMS), 476**
- user-defined aggregates, CLR, 323**
- user-defined functions, 458**
- user-defined roles, 357–358**
- user-defined types, CLR, 323**
- users (database principals), 345, 355–358.**
 - See also* logins
 - creating, with T-SQL, 358
 - granular permissions, 356–357
 - guest, 358
 - roles, 357–358
 - schemas and, 362–363
- Users group, security and, 334–335**
- /USERVA option, 432**

V

- varbinary, 13, 14**
- varbinary (max), 13, 14, 311**
- varchar, 11, 12**
- varchar (max), 311**
- VAS (virtual address space), 431**
- VB.NET, 4**
- version control support, 24**
- version stores, 458, 607**
- version tables, 410–412**
- VIA protocol, 91, 342**
- view queries waiting for memory grants* query, 545–546**
- viewing blocking information* query, 543**
- viewing the locking information* query, 543**
- virtual address space (VAS), 431**
- Virtual Memory Manager (VMM), 429–430**
- virtual PC solution, 808**
- virtual server licensing, 32–33**
- Vista, service isolation in, 338–339**
- Visual Source Safe, 383, 384, 385, 408, 412, 679**
- Visual Studio 2008. *See also* Management Studio**
 - BIDS and, 5
 - full dump and, 125
 - Management Studio and, 64, 106
 - project creation, 383–385
 - solutions v. projects, 383
 - SQL Server 2008 editions, and, 24
- Visual Studio Team System for Database Professionals (Data Dude), 408**
- VMM (Virtual Memory Manager), 429–430**

W

- wait stats* query, 542–543**
- warm backup server, 810**
- Web Edition (SQL Server 2008), 17–31**
- Web services, 25**
- Web-based architecture (schematic diagram), 416**
- who is using which resources?* query, 541**
- who is waiting?* query, 542**

Windows 2008, details on

- Windows 2008, details on, 457**
 - Windows authentication. *See* authentication**
 - Windows collations, 41. *See also* collations**
 - Windows domain login, 345**
 - Windows event logs. *See* event logs**
 - Windows local login, 345**
 - Windows Management Instrumentation. *See* WMI**
 - Windows Performance Monitor. *See* Performance Monitor**
 - Windows PowerShell, 403, 408–410**
 - Windows Server Catalog, 421**
 - Windows Server System Reference Architecture (WSSRA), 416, 421**
 - Windows Server Update Services (WSUS), 333**
 - Windows Services Snap-in, Integration Services service properties and, 182–183**
 - Windows System Monitor. *See* System Monitor**
 - Windows Vista. *See* Vista**
 - Winter survey, 1**
 - Witness Address, 714**
 - witness server, 684, 695–696**
 - witness-to-partner quorums, 696**
 - wizards**
 - Database Mail Configuration, 164
 - Import and Export, 188–190
 - Maintenance Plans, 130–135
 - Package Installer, 196–198
 - (WMI(property)), 168**
 - WMI (Windows Management Instrumentation), 170–171**
 - work scheduling (SQL Server)**
 - affinity mask and, 491
 - default, 490
 - worker threads, 490**
 - Workgroup Edition (SQL Server 2008), 17–31**
 - workload groups, 484**
 - workloads, DTA and, 651–652**
 - write-ahead log, 5**
 - WSSR (Windows Server System Reference Architecture), 416, 421**
 - WSUS (Windows Server Update Services), 333**
- ## X
- x64 (32-bit with 64-bit extension) processors, 422**
 - x64-bit platform (SQL Server 2008), 88–89**
 - x86 (32-bit) processors, 421–422**
 - XEvents (SQL Server Extended Events), 500, 515, 531–539**
 - objects, 531–538
 - Action, 535–536
 - Event, 533–535
 - Event Session, 537–538
 - Module, 531
 - Package, 531–532
 - Predicate, 536–537
 - Target, 537
 - XML, 4**
 - (data type), 16
 - columns, indexes on, 607
 - configuration file, Integration Services service, 180–181
 - DTA and, 608
 - indexes, 24, 626
 - Showplan, 523–526
 - support, 24
 - XML/A (XML for Analysis), 209. *See also* Analysis Services
 - description, 209
 - support, 25
 - XMLA listener, 209
 - XPath, 4
 - XPs. *See* extended stored procedures
 - XQuery, 4