

# Index

## A

- account lockout feature, 347**
- accounts, mail. See Database Mail**
- act as part of the operating system policy, 336***
- Action object, 535–536**
- actions (XEvent object), 535–536, 538**
- activation, 260–265**
  - defined, 260
- active nodes, passive nodes v., 812**
- active/active clusters, 814–815**
- active/passive clusters, 814–815**
- ActiveX Script, 139, 154**
- Activity Monitor, 114–118, 501**
- actual execution plan, 576–579**
  - graphical, 579
  - SET STATISTICS PROFILE ON/OFF, 577–579
  - SET STATISTICS XML ON/OFF, 576
- adapter cards. See disk adapters (A-DBN), 167**
- Address Window Extensions (AWE), 432, 433, 476, 480, 481, 482**
- administration**
  - CLR integration, 308–327
  - Integration Services service, 179–187
  - multiserver, 166–174
    - master servers, 171–174
    - target servers, 171–174
  - packages, 187–202
  - Service Broker, 288–308
- Administrators group**
  - Computer Management console and, 334
  - security and, 333–334
- (A-ERR), 168**
- affinity I/O mask feature, 492–493**
- affinity mask, 489–491**
  - hyperthreading and, 489
  - SQL Server processor, 490
  - SQL Server work scheduling and, 491
- AFTER triggers, 458**
- Agent. See SQL Server Agent**
- agent jobs, 656**
  - Distribution, 656
  - Log Reader, 656
  - Merge, 656
  - Snapshot, 656
- aggregate binding, 564–565**
- aggregations**
  - defined, 227
  - designing, 228–232
  - role of, 228
- alerts, 147–152**
  - creating, 148
  - defined, 147
  - names for, 148
  - responses to, 151–152
  - SQL Server event, 148–150
  - SQL Server performance condition, 150–151
- algebrizer, 564, 566**
  - aggregate binding and, 564–565
  - grouping binding and, 565
  - name resolution and, 564
  - type derivation and, 564
- allocation unit size, NTFS, 451**
- allow log on locally policy, 336***
- allow log on through Terminal Services policy, 337***
- ALTER ASSEMBLY statement, 320**
- ALTER INDEX, 626**
- ALTER TABLE command, 471**
- ALTER TRACE rights, 354**
- (A-MSG), 168**

## Analysis Services (SSAS)

### Analysis Services (SSAS), 3, 4, 207–236

aggregations, designing, 228–232  
 BIDS and, 175  
 Command, 139, 154  
 components, 209  
 databases, 214–223  
 events, SQL Profiler and, 223–224  
 Flight Recorder and, 226–227  
 installing, 51–52  
 partition configuration, 227–228  
 performance counters, 223–224  
 performance monitoring/tuning, 223–227  
 permissions, 234–235  
*Professional Microsoft SQL Server Analysis Services 2008 with MDX* (Harinath et al), 207  
 Query, 139, 154  
 query processor, 209  
 roles  
   database, 233–234  
   server, 233  
 security, 233–235  
 server, 210–214  
 storage, 227–232  
 storage modes, 227  
 tour of, 207–209  
 traces, 224–225  
 UDM in, 208–209  
 uninstalling, 58  
 upgrading, 80–81  
 XML/A, 209  
 XMLA listener, 209

**AppDomains. See application domains**  
**application domains (AppDomains), 308, 309–310**

**Application event log, 548**

**application optimization**

  defining a workload, 455–456  
   Pareto Principle, 455  
   system harmony and, 456

**applications, memory-friendly, 482**

**approximate numeric data types, 13**

**architecture**

  log shipping, 782–783  
   machine, 427–429

  NUMA system, 427–429

  SMP system, 427

  Service Broker, 238–246

  SQL Trace, 517, 518

  Web-based (schematic diagram), 416

  WSSRA, 416, 421

**archiving data, 775–776**

  for Database Mail, 166  
   partitioned tables, 775–776

**articles, 653, 656**

**(A-SEV), 168**

**assemblies (CLR)**

  ALTER ASSEMBLY statement, 320  
   creating, 312–315  
   defined, 315  
   deploying, 315–316  
   DROP ASSEMBLY statement, 320–321  
   queries on, 321  
   registering, 317–320  
   security, 316–317

**Assembly Load, 325**

**assert\_fired, 535**

**(A-SVR), 167**

**asymmetric keys, logins with, 352**

**asynchronous methods, 457**

**asynchronous statistics update, 606**

**attackers**

  brute-force, 347  
   curious, 332  
   malicious, 332  
   NetBIOS (example), 331  
   opportunistic, 332

**Audit (SQL Server), 329, 377–381**

**Audit object, 332, 377**

  creating, 377–378  
   defined, 377

**Audit Specifications**

  Database, 380–381  
   Server, 378–380

**auditing. See also policy-based management**

  enhancements, 332  
   security and, 332

**authentication**

  SQL Server, 345–346  
   Windows, 343–347

- authority, least privileged, 330**
  - autogrow fragmentation, 452**
  - automatic deployment of packages, 195–198**
  - automatic failover, 701–703. *See also***
    - database mirroring
  - automatic page repair, 718**
  - Automatic Updates, patch management and, 333**
  - automating SQL Server. *See* Maintenance Plans; SQL Server Agent**
  - autoparam**
    - forced, 559
    - simple, 559
  - auto-tuning, 455, 495. *See also* performance tuning**
  - availability, integrity, confidentiality (CIA triad), 330–331. *See also* high availability**
  - average page density fragmentation, 593–594**
  - AWE (Address Window Extensions), 432, 433, 476, 480, 481, 482**
- B**
- backup and recovery, 731–778. *See also***
    - backups; recovery**
    - disaster recovery planning, 776–778
    - failures, 731–733
      - application, 732
      - hardware, 732
      - local disasters, 733
      - software, 732–733
      - too much privilege, 733
      - user errors, 732
    - plans
      - analyze business requirements, 734–735
      - categorize databases by recovery criteria, 736
      - communication of, 738
      - documenting, 736–738
      - failed backup notification policy, 738
      - maintaining, 738–739
      - making, 733–738
      - rehearsal policy for, 738–739
      - revisions, 739
      - validating/implementing/testing, 738
      - validation policy for, 739
  - backup commands, T-SQL, 762–763**
  - Backup folder, 339**
  - backup server**
    - hot, 810–811
    - warm, 810
  - backups, 739–743**
    - after SQL Server 2008 install, 56
    - bulk transaction-log, 741
    - compression, 742–743
    - copy database files to backup device, 742
    - copy-only, 740–741
    - data mirroring and, 755
    - differential, 740
    - failover cluster and, 755
    - file differential, 740
    - file/filegroup, 740
    - files, securing, 341
    - full, 739
    - full-text, 751
    - history tables, 749
    - images, verifying, 747–749
    - inheriting systems and, 387
    - log shipping and, 755, 800
    - managing, 764
    - overview of, 739–743
    - partial, 739
    - partial differential, 740
    - performance, 764–765
    - permissions for, 750
    - plan development/execution
      - with database maintenance plans, 760–762
      - with Management Studio, 755–759
      - using T-SQL commands, 762–763
    - pure transaction-log, 741
    - replication and, 755
    - system databases, 750–751
      - master, 750–751
      - model, 751
      - msdb, 751
      - tempdb, 751
    - tail transaction-log, 741
    - transaction replication and, 755

## backward compatibility

---

### **backward compatibility, 77–89**

- behavior changes, 78–79
- deprecated database features, 78
- discontinued, 77–78
- unsupported features, 77–78

### **baseline performance, 570**

- current metrics compared to, 499
- establishing, 498–499

### **BCEDIT commands, 480**

#### **best practices**

- change management, 383–412
- collations, 42–43
- disk throughput, 38–39
- index alignment, 466–467
- security, 329–332
- SQL Server 2008
  - installation process, 35–61
  - upgrade process, 63–96
  - storage alignment, 467–469

### **BIDS. See Business Intelligence Development Studio**

### **bigint, 13**

### **binary (n), 13, 14**

### **binary data types, 13–14**

### **binding, 564. See also algebraizer**

### **Binn folder, 339**

### **bit, 12**

### **BOL. See Books Online**

#### **Books Online (BOL)**

- “AdventureWorks Sample Databases” section, 247
- “ALTER ASSEMBLY (Transact-SQL)” topic, 320
- “Capacity Planning for tempdb” topic, 458, 602
- “Certificates and Service Broker” topic, 269
- “CREATE INDEX (Transact-SQL)”, 624
- CREATE XML SCHEMA COLLECTION command, 239
- “Creating Compressed Tables and Indexes,” 475
- “DDL Event Groups for Use with Event Notifications” topic, 531
- “Filtered Index Design Guidelines” topic, 625
- hot-add memory, 479

### INCLUDE clause, 587

### “I/O Architecture,” 457

### MERGE statement, 597

### MOVE option, 692

### OPENROWSET syntax, 600

### “Optimizing tempdb Performance” topic, 461

### “Resource Governor”, 488

### “Service Broker Message Forwarding” topic, 275

### sp\_trace\_setevent article, 517

### sp\_trace\_setfilter article, 520

### sys.dm\_db\_index\_physical\_stats syntax, 626

### “TRUSTWORTHY Database Property”, 290

### “Using SQL Server Profiler” topic, 523

### “Using the USE PLAN Query Hint” topic, 576

### “Version and Edition Upgrades,” 67

### “Working with Spatial Indexes (Database Engine)”, 606

### **bottlenecks**

#### data and, 417

#### disk, 509, 510

#### disk I/O, 456, 503, 583

#### global resource management, 477

#### I/O, 187, 461, 493, 508, 803

#### memory, 509, 511, 512, 513

#### network I/O and, 436, 437

#### PerfMon and, 500

#### processor, 456, 502, 503, 510

#### resolution of, tools for, 418

#### SQL Profiler and, 354

### **brute-force attack, 347**

### **Buffer Cache Hit Ratio counter, 512**

### **Buffers in Use counter, 187**

### **Buffers Spooled counter, 187**

### **Build (db\_version table), 411**

### **build input, 580**

### **build process, daily, 64–65**

### **builds, 65**

### **BUILTINAdministrators login, 353**

### **bulk transaction-log backup, 741**

### **bulkadmin role, 348**

### **burning in the system, 52**

### **business intelligence DBAs, 3**

## CLR integration (SQL CLR)

**Business Intelligence Development Studio (BIDS), 5, 24, 179. See also Analysis Services; Reporting Services**

Analysis Services and, 179  
 Integration Services and, 175, 179  
 Reporting Services and, 175  
 Visual Studio and, 5

**C****C#, 4****cache, 424–425****cache coherency, 489****Cache Coherent Non-uniform Memory Access, (CC-NUMA), 477, 488****CAL (client access license)**

server + device, 31–32  
 virtual environment, 32–33  
 server + user, 32

**calculations, UDM, 208–209****capacities (SQL Server 2008 editions), 18–19****capacity planning, tempdb, 459–460****case sensitivity**

collations and, 41  
 passwords, 346  
 Service Broker metadata names, 246  
 tokens and, 167

**catalog views, 538**

CLR objects, 321–323  
 database mirroring, 698–700  
 for Service Broker data, 300  
 for Service Broker metadata objects, 298–300

**category, 92****CC-NUMA (Cache Coherent Non-uniform Memory Access), 477, 488****cell local memory, 419****cellular multiprocessing (CMP), 488, 489****Central Management Servers, 100, 390, 391****central processing units. See CPUs****certificates, 4**

expired, Service Broker applications, 297  
 logins with, 352

**change control, 179****change data capture, 27****change management, 383–412**

HIPAA and, 353, 383  
 PBM. See policy-based management  
 Sarbanes-Oxley law and, 2, 329, 345, 353, 370, 383, 386  
 scripting and, 403  
 sqlcmd and, 403–407  
 version tables, 410–412  
 Visual Studio projects, creation of, 383–385

**change scripts, 407–412****changing roles, in log shipping, 794–800****changing schema owners, 363–364****changing schemas, 362****char, 11, 12****character data types, 11–12****CHECK\_EXPIRATION option, 351****checkpoint\_begin, 535****CIA triad (confidentiality, integrity, availability), 330–331****classification support (Resource Governor), 484–486****client access license. See CAL****client-side traces, 518****CLR assemblies**

ALTER ASSEMBLY statement, 320  
 creating, 312–315  
 deploying, 315–316  
 DROP ASSEMBLY statement, 320–321  
 queries on, 321  
 registering, 317–320  
 security, 316–317

**CLR integration (SQL CLR), 4, 16, 24, 308–327**

administration, 308–327  
 enabling, 311  
 managed code, 6, 310  
   assemblies and, 315  
   preemptive thread scheduling and, 309  
 performance monitoring  
   DMVs, 326–327  
   SQL Profiler, 325  
   System Monitor, 325  
*Professional SQL Server 2005 CLR Stored Procedures, Functions, and Triggers* (Comingore & Hinson), 308

## CLR integration (SQL CLR) *(continued)*

---

### CLR integration (SQL CLR) *(continued)*

#### queries

*finding the .NET Framework version in SQL Server*, 327

loaded assemblies, 326

memory usage, 326

request status, 326

*time spent in CLR integration by a query*, 326

T-SQL v., 310

### CLR objects

cataloging, 321–323

#### queries

scalar function, 322

stored procedures, 321–322

table-valued functions, 323

triggers, 322

user-defined aggregates, 323

user-defined types, 323

### cluster size, NTFS, 451

### clustered index scan (ordered), 587–589

### clustered index scan (unordered), 585–586

### clustered index seek with ordered partial scan, 591–593

### clustering, 88, 807–837

active nodes v. passive nodes, 812

alternatives to, 810

database mirroring, 811

hot backup server, 810–811

log shipping, 811

replication, 811

warm backup server, 810

backout plan and, 819

backup considerations for, 755

benefits of, 808–809

big picture, 812–816

database mirroring v., 724–725

definition of, 808

failover and, 814

justification for, 810

limitations/myths, 809

log shipping v., 801

multiple instances of SQL Server on same server, 816

#### options

active/active, 814–815

active/passive, 814–815

multinode clusters, 815–816

preparations for, 819–822

hardware, 821–822

infrastructure, 820–821

Priority Boost and, 491

private network and, 813

public network and, 813

quorum and, 813

rebuilding, 817–819

shared disk array, 812–813

SQL Server 2008 instance and

installing, 828–831

maintaining, 833–834

service pack and hot fixes, 831

testing, 831–833

tasks for, 807–808

third-party solutions, 811

troubleshooting, 834–836

upgrading, 817–819

virtual server and, 813–814

Windows Server 2008 failover cluster services and

configuring, 827

installing, 824–827

before installing, 823

### CmdExec. *See* Operating System commands cmdlets, 408–409

### CMP (cellular multiprocessing), 488, 489

### collations, 40–41

best practices/warnings, 42–43

case sensitivity and, 41

sort order and, 42–43

SQL Server, 40

Windows, 41

### collection items, 549

### collection sets, 549. *See also* system data collection sets

### colmodctr, 562

### column-level permissions, 374–375

### Comingore, D., 308

### Common Language Runtime integration. *See* CLR integration

## CPUs (central processing units)

- community technology preview (CTP), 65**
- community testing, SQL, 65**
- Compact Edition (SQL Server 2008), 17**
- compilation process, 555, 559–562**
  - algebrizer, 564, 566
  - aggregate binding and, 564–565
  - grouping binding and, 565
  - name resolution and, 564
  - type derivation and, 564
- optimization, 565–566
  - exploration transformation, 568–569
  - flow chart, 567
  - implementation transformation, 569–570
  - process (diagram), 566
  - simplification transformation, 567–568
  - statistics and, 594–595
- parsing, 564, 566
- recompilations, 560–562
  - correctness and, 560–561
  - plan optimality and, 561–562
  - reasons for, 560
  - statement-level, 560
  - steps in, 559
- compliance. *See* change management; HIPAA; Sarbanes-Oxley law**
- compression. *See* data compression**
- compression backup, 742–743**
- Computer Management console, 334**
- conditions, 386. *See also* policy-based management**
- confidentiality, integrity, availability (CIA triad), 330–331**
- Configuration Manager (SQL Server), 53, 91, 97–99**
  - Integration Services service properties and, 184
  - SAC tool and, 91
- configuration tools (for Database Engine), 97–106**
- configuration/optimization. *See* performance tuning; server optimization**
- CONNECT permission, 291**
- connected user information query, 546**
- connections, creating, 384–385**
- constant folding, 561**
- context switching, 353, 356, 367, 368, 369, 370, 374, 491**
  - cost for, 491
  - problems with, 492
  - SQL Server Lightweight Pooling option and, 492
- contracts, 241–242**
- conversation group lock, 265**
- conversation groups, 265–267**
- conversation priorities, 251, 279–288**
  - on initiator endpoint, 282–286
  - setting, 279–287
  - summary concepts for, 288
  - on target endpoint, 286–287
- conversations**
  - defined, 251
  - dialog, 251
  - monolog, 251
- cooperative thread scheduling, 309**
- copy-only backup, 740–741**
- cores, 425**
- correctness, recompilations and, 560–561**
  - schemas of objects, 560
  - SET options, 561
- counters. *See* performance counters**
- covering nonclustered index scan (ordered), 589**
- covering nonclustered index scan (unordered), 586–587**
- CPU nodes, 478**
- CPU resource counters, 502–503**
  - Object: Process - Counter: % Privileged Time - Instance: sqlservr, 503
  - Object: Process - Counter: % Processor Time - Instance sqlservr, 502
  - Object: Processor - Counter: % Privileged Time, 502
  - Object: Processor - Counter: % Processor Time, 502
  - Object: System - Counter: Processor Queue Length, 502
- CPUs (central processing units), 419, 421–429, 453**
  - bottlenecks, 456, 502, 503, 510
  - cache, 424–425

## CPUs (central processing units) (*continued*)

### CPUs (central processing units) (*continued*)

disk I/O ratio with, 456–457  
 hot-add, 479  
 hyperthreading, 423–424  
 multi-core systems, 32, 425–427  
   cores, 425  
   examples, 426, 427  
   sockets, 425  
   threads, 425  
 resource counters, 502–503  
 64-bit processors: IA64, 421  
 SQL Server 2008  
   installation, 36–37  
   performance tuning, 488–494  
 32-bit processors: x86, 421–422  
 32-bit with 64-bit extension processors: x64, 422

### **CREATE ASSEMBLY, 315, 324**

### **CREATE CREDENTIAL command, 355**

### **CREATE LOGIN command, 351**

### **CREATE RESOURCE POOL, 483**

### **CREATE ROLE, 358**

### **CREATE USER, 358**

### **CreateTrace.sql, 518–520**

### **credentials, 154–156, 354–355**

creating  
 Management Studio and, 154–156, 354  
 T-SQL and, 355

### **cross-database ownership chaining, 365–366**

### **CTP (community technology preview), 65**

### **curious attackers, 332**

### **currently running queries query, 540**

### **cursor (data type), 15, 16**

## D

### **DAC. See Dedicated Administrator Connection**

### **daily build process, 64–65**

### **Data Collection, 500, 548, 549. See also system data collection sets**

### **data columns, 517**

### **data compression, 470–475**

availability on SQL Server editions, 470  
 considerations for, 475  
 CPU/I/O tradeoff and, 470

database objects for, 470

monitoring, 475

page compression, 471–473

row compression, 470–471

space savings from, 473–475

stream, 687

### **Data Definition Language. See DDL**

### **Data Dude (Visual Studio Team System for Database Professionals), 408**

### **DATA folder, 340**

### **data integrity, Service Broker and, 298**

### **data locality, 488–489**

### **data mining, 29**

### **data mirroring**

backup considerations for, 755

log shipping v., 801

### **data modification query plans, 595–600**

maintenance strategies

per-index, 596–597

per-row, 595–596

stages for, 595

### **data providers, 548–549. See also**

**Performance Monitor; Query Activity; SQL Trace; T-SQL**

### **data, replication, 656**

### **data security, 340–341**

### **data source view. See DSV**

### **data storage devices. See disks**

### **data transfer rate, 438**

### **Data Transformation Services. See DTS**

### **data types, 10–16. See also specific data types**

binary, 13–14

character, 11–12

date, 14–15

geodetic, 25

numeric

  approximate, 13

  exact, 12–13

other, 15–16

time, 14–15

### **data warehouse**

creation, 27

scale/performance, 27

### **database administrators. See DBAs**

**Database Audit Specifications, 380–381****Database Engine (SQL Server). *See also* performance tuning**

configuration tools, 97–106  
 groups related to, 338  
 managing/troubleshooting, 97–127  
 security, 329–381  
 as self-tuning, 455, 495  
 uninstalling, 58–59

**database file placement, I/O and, 457****database Integration Services roles, 204–205****Database Mail, 161–166, 458**

accounts, 163  
 configuration information, 163  
 setup, 164–166  
 architecture, 161  
 archiving for, 166  
 configuration, 163–166  
 Configuration wizard, 164  
 security, 161–163

**database maintenance plans, backup plans and, 760–762****database mirroring, 4, 683–730**

automatic failover and, 701–703  
 benefits of, 684  
 catalog views, 698–700  
 clustering v., 811  
 concepts/terminology, 684  
 database availability scenarios  
 mirror and witness are lost, 708–709  
 mirror is lost, 708  
 principal is lost, 706–707  
 witness is lost, 708  
 endpoints, 343, 687–691  
 event listener setup, 725–729  
 example, 687–697  
 database preparation, 691–693  
 endpoint preparation, 687–691  
 establishing mirror session, 693–695  
 high-safety operating mode with automatic failure, 695–696  
 initial synchronization between principal and mirror, 693  
 failover clustering v., 724–725  
 forced failover and, 697, 704–706

log shipping v., 725  
 manual failover and, 703–704  
 mirroring\_connection\_timeout, 699  
 mirroring\_failover\_lsn, 699  
 mirroring\_redo\_queue, 699–700  
 mirroring\_role\_sequence, 699  
 mirroring\_safety\_sequence, 699  
 monitoring, 709–716  
 with Database Mirroring Monitor, 711–714  
 with SQL Profiler, 716  
 with System Monitor, 709–711  
 multiple databases, 723–724  
 operating modes, 685–687  
 high performance, 685, 686, 687, 696–697  
 high safety with automatic failover, 685, 686, 687, 695–696  
 high safety without automatic failover, 685, 686, 687, 696  
 synchronous mirroring, 685  
 overview of, 683–709  
 redo queue, 687, 699, 700, 701, 702, 713, 714  
 role change, 700–706  
 send queue and, 685, 687, 713, 714  
 session, 684  
 SQL Server 2008 editions and, 697–698  
 state change events, 726–728  
 stream compression and, 687  
 sys.database\_mirroring, 698–700  
 sys.database\_mirroring\_endpoints, 700  
 sys.database\_mirroring\_witnesses, 700  
 transactional replication v., 725  
 troubleshooting, 716–719  
 upgrading, 88

**Database Mirroring Monitor, 711–714****database principals (users), 345. *See also* users****database reports, 108****database roles. *See* roles****database snapshots, 729–730**

restore process for, 768

**Database Tuning Advisor. *See* DTA****databases. *See also specific databases***

files, 5–6  
 indexing. *See* indexes

## databases (*continued*)

### databases (*continued*)

principles, 455

system, 7–8

rebuilding, 105–106

TDE and, 341, 376

tempdb. *See* tempdb database

**databases\_log\_file\_size\_changed, 535**

**database\_started, 535**

**data-partitioning strategy. *See* partition functions**

**date, 14**

**(DATE), 167**

**date data types, 14–15, 24**

**DateInstalled, 411**

**datetime, 14**

**datetime2 (n), 14, 15**

**datetimeoffset (n), 14, 15**

**db\_accessadmin, 349**

**DBAs (database administrators)**

business intelligence, 3

developer. *See* developer DBAs

hybrid, 3–4

new knowledge for, 4

performance knowledge for, 414–415

production. *See* production DBAs

role of, 1

**db\_backupoperator, 349**

**DBCC commands, 738, 760, 769**

DBCC Check, 458

DBCC CHECKDB, 75, 442, 748

DBCC DBREINDEX, 628, 745

DBCC DROPCLEANBUFFERS, 584

DBCC FLUSHPROCINDB (db\_id), 563

DBCC FREEPROCCACHE, 559, 563, 584

DBCC INDEXDEFRAG, 628

DBCC INPUT BUFFER, 119

DBCC SHOWCONTIG, 594

DBCC showcontig, 626

DBCC SHOW\_STATISTICS, 595

DBCC TRACEOFF, 120

DBCC TRACEON, 120

DBCC TRACESTATUS, 120

DBCC UPDATEUSAGE, 90

**dbcreator role, 348**

**db\_datareader, 349**

**db\_datawriter, 349**

**db\_ddladmin, 350**

**db\_denydatareader, 350**

**db\_denydatawriter, 350**

**db\_owner, 350**

**db\_securityadmin, 350**

**db\_version table, 410–411**

data dictionary for, 411

schema for, 410–411

**DDL (Data Definition Language), 350**

CREATE ASSEMBLY, 315, 324

CREATE RESOURCE POOL, 483

CREATE ROLE, 358

CREATE USER, 358

db\_ddladmin and, 350

triggers

database-level, 397–401

event notifications and, 531

server-level, 401–402

syntax, 397

views, 402

**DDS (decision support system) environment, 416**

**deadlock\_monitor\_state\_transition, 535**

**debug programs policy, 337**

**decimal (p, s), 13**

**decision support system environment. *See* DSS environment**

**Dedicated Administrator Connection (DAC), 99–100**

**Default Trace, 501, 514, 516**

**defense in depth (security principle), 331–332**

**defragmentation utility, 452, 453**

**DELETE operations (with MERGE), 597–599**

**deleting**

Reporting Services log files, 58

ReportServer database, 57–58

ReportServerTempDB, 57–58

**denial of access, 352–353**

**deny log on locally policy, 336**

**deny log on through Terminal Services policy, 337**

**deployment, packages, 194–199**

automated, 195–198

manual, 198–199

## DMFs (dynamic management functions)

- deprecated database features, 78**
- Description (db\_version table), 411**
- Designer, Maintenance Plans, 135–138**
- developer DBAs, 2–3**
  - performance knowledge for, 416–418
    - data, 417
    - schemas, 416, 417–418
    - SQL statements, 41
    - users, 417
- Developer Edition (SQL Server 2008), 18**
- development features. See CLR integration; Service Broker**
- development tools (SQL Server 2008 editions), 23–24**
- device CAL, server and, 31–32, 33**
- dialog conversation, 251**
- dialog security (Service Broker), 267, 275–279**
- dictionary compression, 471**
- differential backup, 740**
- digital signatures, for packages, 206**
- dimensional model, 208**
- disabled queues, 306**
- disaster recovery planning, 731, 776–778**
- disks, 437–439**
  - adapters. *See* disk adapters
  - bottlenecks, 509, 510
  - counters. *See* disk counters
  - data transfer rate, 438
  - fragmentation, 452–453
    - autogrow, 452
    - disk defragmentation utility, 452, 453
    - external, 452–453
    - file, 452
    - internal, 452
  - fundamental information on, 438–439
  - latency, 439
  - mounting volumes, 450
  - NTFS file system
    - allocation unit size, 451
    - cluster size, 451
    - FAT v., 451
    - permissions, SQL Server-related folders and, 339–340
  - partitioning, 450
    - rotational latency, 438
    - seek time, 438
  - SQL Server 2008 installation
    - configuration, 37–40
    - controllers, 39–40
    - setup, 44
    - throughput, 37–39
    - throughput in I/O/sec, 439
    - throughput in MB/sec, 439
    - total latency, 438
    - track-to-track latency, 438
    - transfer time, 438
- disk adapters, 447–450**
  - configuration, 450
  - drivers, 450
  - firmware, 450
  - MPIO solutions, 448–449
  - number of, 447–448
  - placement of, 449
- disk counters, 503–510**
  - multiple disks, single volume (hardware RAID), 506–507
  - multiple disks, single volume (software RAID), 506
  - on NT 4.0, 504
  - physical v. logical, 504–507
  - single disk, multiple partitions, 505
  - single disk, single partition, 504–505
  - on Windows 2000, 504
- disk I/O, 437–439**
  - bottlenecks, 456, 503, 583
  - CPU ratio with, 456–457
  - monitoring, 503
- Disk Usage (system data collection set), 549**
- disk virtualization, 445–446**
- diskadmin role, 348**
- distributed partitioned view (DPV), 461**
- Distribution agent jobs, 656**
- distributors, 653, 655**
- divides\_by\_uint64, 536**
- DMFs (dynamic management functions), 539–547**
  - categories of, 539–540
  - DMVs and, 539–547

## DMFs (dynamic management functions) (*continued*)

---

### **DMFs (dynamic management functions)** **(*continued*)**

monitoring with, 539–547  
types of, 539

### **DMO object model, 81, 112**

### **DMVs (dynamic management views), 10, 97, 118–119, 501, 539–547**

AppDomains and, 324–325  
categories of, 539–540  
CLR integration performance monitoring with, 326–327  
DMFs and, 539–547  
monitoring with, 539–547  
querying, 540–547  
replication, 681–682  
Service Broker-related, 301–302  
  sys.dm\_broker\_activated\_tasks, 301  
  sys.dm\_broker\_connections, 302  
  sys.dm\_broker\_forwarded\_messages, 302  
  sys.dm\_broker\_queue\_monitors, 301  
sys.dm\_db\_task\_space\_usage, 460  
sys.dm\_exec\_connections, 118  
sys.dm\_exec\_query\_stats, 119  
sys.dm\_exec\_sql\_text, 119  
sys.dm\_os\_dispatcher\_pools, 538  
sys.dm\_xe\_map\_values, 538  
sys.dm\_xe\_object\_columns, 538  
sys.dm\_xe\_packages, 539  
sys.dm\_xe\_session\_event\_actions, 539  
sys.dm\_xe\_session\_events, 539  
sys.dm\_xe\_session\_object\_columns, 539  
sys.dm\_xe\_sessions, 539  
sys.dm\_xe\_session\_targets, 539  
types of, 539

### **DNS, log shipping and, 799**

### **DPV (distributed partitioned view), 461**

### **DROP ASSEMBLY statement, 320–321**

### **DSS (decision support system) environment, OTLP environment v., 455–456**

### **DSV (data source view), 208**

### **DTA (Database Tuning Advisor), 23**

individual queries and, 630–640  
new features, 607–608  
  db\_owners and, 608  
  more control over tuning options, 608

offloading tuning load to lower-spec hardware, 608  
partitioning support, 608  
time-bound tuning, 607  
tune a broader class of events and triggers, 607  
tune across multiple databases, 607  
what-if analysis, 607–608  
XML file support, 608  
partitioning and, 462, 623–624  
too many indexes and, 649–651  
update queries and, 640–649  
workloads and, 651–652

### **DTS (Data Transformation Services). *See also* Integration Services**

Integration Services v., 87  
Tasks, 87  
upgrading, 81–88

### **DTUtil**

package deployment, 198–199  
package management, 192–193

### **dump\_exception\_routine\_executed, 535**

### **dynamic management functions. *See* DMFs**

### **dynamic management views. *See* DMVs**

### **dynamic SQL, stored procedures with, 366–367**

## **E**

### **editions (SQL Server 2008), 16–33**

capacities, 18–19  
Compact Edition, 17  
data mining, 29  
data warehouse creation, 27  
data warehouse scale/performance, 27  
database mirroring, 697–698  
Developer Edition, 18  
development tools, 23–24  
Enterprise Edition, 17–31  
Evaluation Edition, 18  
Express Advanced Edition, 20–31  
Express Edition, 17–31  
features comparison, 17–31  
high availability, 20  
Integration Services, 25–26

- location services, 25
- manageability, 22–23
- management tools, 23
- multi-dimensional analytics, 28
- operating system requirements, 18
- programmability, 24–25
- replication, 21
- reporting, 30–31
- scalability, 1, 18, 19
- security, 21
- spatial services, 25
- Standard Edition, 17–31
- Web Edition, 17–31
- Workgroup Edition, 17–31
- EKM (Extensible Key Management), 370, 377**
- encryption, 329, 370–377**
  - column-level permissions, 374–375
  - EKM and, 370, 377
  - encrypting data, 372–374
  - helper function, creating, 374
  - methodology for, 370–372
  - new features, 332
  - TDE and, 341, 375–376
- endpoints**
  - database mirroring, 343, 687–691
  - defined, 342
  - HTTP, 25, 343
  - Service Broker, 343
  - SOAP, 25, 343
  - TDS, 342–343
- Enterprise Edition (SQL Server 2008), 17–31**
- ##envvars.txt, 127**
- equal\_ansi\_string, 536**
- equijoin, 580**
- error logs, 113**
- error\_reported, 535**
- escape macros, 168–169**
- \$(ESCAPE\_DQUOTE(token)), 169**
- \$(ESCAPE\_NONE(token)), 169**
- \$(ESCAPE\_RBRACKET(token)), 169**
- \$(ESCAPE\_SQUOTE(token)), 169**
- estimated execution plan, 572–576**
  - graphical, 576
  - SET SHOWPLAN\_ALL, 572–574
  - SET SHOWPLAN\_TEXT, 572–574
  - SET SHOWPLAN\_XML, 574–575
- ETW (Event Tracing for Windows) framework, 500, 515**
- Evaluation Edition (SQL Server 2008), 18**
- event forwarding, 169–170**
- event logs (Windows), 548**
  - Application, 548
  - Integration Services service, 185–186
  - Security, 548
  - System, 548
- event monitoring, 514–539**
  - reasons for, 515–516
  - tools for, 514–515
- event notifications, 515, 529–531**
  - creating, 529–530
  - DDL triggers and, 531
  - SQL Trace and, 531
  - traces v., 529
- Event object, 533–535**
- Event Session object, 537–538**
- event sessions (XEvent object), 537–538**
- Event Tracing for Windows (ETW) framework, 500, 515**
- events, 517, 533–535, 538**
- exact numeric data types, 12–13**
- EXECUTE AS command, 367–369**
- EXECUTE permission, 292**
- execution modes**
  - On Change Log Only, 93
  - On Change Prevent, 92
  - On Demand, 92
  - On Schedule, 93
- execution plans. *See* actual execution plan; estimated execution plan**
- expired certificates (Service Broker applications), 297**
- exploration transformation (query optimization), 568–569**
- exporting packages, 193–194, 198**
- Express Advanced Edition (SQL Server 2008), 20–31**
- Express Edition (SQL Server 2008), 17–31**
- expressions, 4**
  - UDM, 208–209

## Extended Events

---

**Extended Events. See XEvents**

**extended stored procedures (XPs), 310–311**

CLR integration v., 310–311

**Extensible Key Management (EKM), 370, 377**

**external fragmentation, 452–453**

## F

**facets, 92**

defined, 386

**failed SQL Server installation, 60–61**

**failover. See also clustering; database**

**mirroring**

automatic, 701–703

clustering and, 814

forced, 697, 704–706

manual, 703–704

preparing mirror server for, 719–723

**failsafe operator, 147**

**failures, 731–733. See also backup and**

**recovery**

application, 732

hardware, 732

local disasters, 733

software, 732–733

too much privilege, 733

user errors, 732

**far memory, 488**

**FAT, NTFS v., 451**

**fibers, 492**

**file differential backup, 740**

**file fragmentation, 452**

**file systems. See NTFS**

**file/filegroup backup, 740**

**filegroup free space query, 546–547**

**filegroups, 457**

**file\_read, 535**

**FILESTREAM, support, 24**

**##files.txt, 126**

**fill factor option, 6, 594**

**filter pushing, 567**

**filtered indexes/statistics, 605,**

**624–626**

benefits of, 624–625

tools/features for, 625–626

**filtering objects, 112**

**filters, 517**

**Flight Recorder, 226–227**

**float, 13**

**flush\_file\_buffers, 535**

**fn\_my\_permissions function, 370**

**fn\_trace\_geteventinfo(), 521**

**fn\_trace\_getfilterinfo(), 522**

**fn\_trace\_getinfo (trace\_id), 521**

**folders (SQL Server-related), 339–340**

Backup, 339

Binn, 339

DATA, 340

FTData, 340

Install, 340

JOBS, 340

NTFS permissions for, 339–340

repldata, 340

Upgrade, 340

**folding, constant, 561**

**forced autotparam, 559**

**forced failover, 697, 704–706**

**forced shutdown from a remote system policy, 337**

**forwarding events. See event forwarding**

**fragmentation, 452–453. See also disks**

autogrow, 452

disk defragmentation utility, 452, 453

external, 452–453

file, 452

index, 593–594

average page density, 593–594

cleaning up, 628–629

logical scan, 593–594

monitoring, 626–627

internal, 452

**Free Pages counter, 512**

**FTData folder, 340**

**full backup, 739**

**full dump, 125**

**full quorums, 696**

**full-text backups, 751**

**Full-Text Catalog, upgrading, 79–80**

**full-text indexes, 607, 626**

## index access methods

**Full-Text search, 24, 79, 80**

- DMVs, 540
- FTData folder, 340
- security, 338

**functions.** *See specific functions*

**G**

**geodetic data type, 25**

**global resource management bottlenecks, 477**

**GPO (Group Policy Object ), 337, 346**

**grace hash joins, 581**

**greater\_than\_equal\_float64, 536**

**greater\_than\_i\_sql\_ansi\_string, 536**

**Group Policy Object (GPO), 337, 346**

**grouping binding, 565**

**groups**

- Administrators, 333–334
- Database Engine and, 338
- Remote Desktop Users, 334–335
- security, SQL Server-related, 337–338
- Users, 334–335

**guest user, 358**

**H**

**hard disks.** *See disks*

**hard page faults, 431**

**hardware configuration, 420–421**

**hardware options, for SQL Server install, 36–40**

**Harinath, S., 207**

**hash bailouts, 581**

**hash joins, 580–582**

- grace, 581
- in-memory, 581
- recursive, 581

**Health Insurance Portability and Accountability Act (HIPAA), 353, 383**

**heartbeat signal, 813**

**hierarchyid (data type), 15, 16**

**high availability.** *See also clustering; database mirroring; log shipping; transactional replication*

CIA triad and, 330–331

SQL Server 2008 editions, 20

**high performance operating mode, 685, 686, 687, 696–697**

**high safety operating mode**

with automatic failover, 685, 686, 687, 695–696

without automatic failover, 685, 686, 687, 696

**Hinson, D., 308**

**HIPAA (Health Insurance Portability and Accountability Act), 353, 383.** *See also Sarbanes-Oxley law*

**history tables**

- backing up, 749
- restore, 769

**hot backup server, 810–811**

**hot-add CPU, 479**

**hot-add memory, 479**

**housekeeping, 491**

**HTTP endpoints (deprecated), 25, 343**

**hybrid DBAs, 3–4**

**hyperthreading, 32, 423–424**

- affinity mask and, 489
- disabling, 489
- discussions on, 489

**I**

**IA64 (64-bit) processors, 422**

**Idera SQLscaler, 456**

**IDs, 352**

**image (data type), 13, 14**

**implementation transformation (query optimization), 569–570**

**importing packages, 193–194, 198**

**independent software vendors (ISVs), 65**

**index access methods, 582–593**

- clustered index scan (ordered), 587–589
- clustered index scan (unordered), 585–586
- clustered index seek with ordered partial scan, 591–593

## index access methods (*continued*)

---

### **index access methods (*continued*)**

- covering nonclustered index scan (ordered), 589
- covering nonclustered index scan (unordered), 586–587
- nonclustered index seek with ordered partial scan and lookups, 589–591
- table scan, 583–585
  - clearing caches, 584–585
  - SET STATISTICS IO ON/OFF, 583–584

### **index alignment, 466–467**

### **index creation memory option, 494**

### **index fragmentation, 593–594**

- average page density, 593–594
- cleaning up, 628–629
- logical scan, 593–594
- monitoring, 626–627

### **index lock granularity changes, 607**

### **index usage in a database query, 543–545**

### **indexed view enhancements, 607**

### **indexes, 605–652**

- asynchronous statistics update, 606
- cleaning up, 628–629
- compressed storage of tables and, 606
- DTA and. *See* DTA
- features
  - new, 605–606
  - from SQL Server 2005, 606–608
- filtered indexes and statistics, 605, 624–626
- full-text, 607, 626
- large, dropping/rebuilding, 607
- maintenance, 626–629
- missing indexes feature, 625
- nonclustered, non-key columns in, 607
- online index operations, 458, 606
- parallel index operations, 606
- partitioned. *See* partitioned tables and indexes
- People database, 608–610
- spatial, 25, 606
- XML, 24, 607, 626
- on XML columns, 607

### **INFORMATION\_SCHEMA, 364**

### **inheriting systems, 387**

### **initiator endpoint, 238**

- conversation priorities on, 282–286

### **in-memory hash joins, 581**

### **in-place upgrade process, 66–67, 68, 69**

### **input/output. *See* I/O**

### **INSERT operations (with MERGE), 597–599 (INST), 167**

### **Install folder, 340**

### **installation (SQL Server 2008). *See also* upgrade process**

- Analysis Services install, 51
- backups after, 56
- burning in the system, 52
- issues, 59–60
  - admin tools not installed by default on remote cluster nodes, 60
  - installing client tools from network share, 59–60
  - minimum configuration warning, 60
- local install, 47–50
- new install, 45–46
- post-install configuration, 52–56
  - SQL Server Configuration Manager tool, 53
  - SQL Server Management Studio, 53–54
  - tempdb, 54–56
- pre-installation planning, 35–45
  - collations, 40–41
  - disk configuration, 37–40
  - disk controllers, 39–40
  - disk setup, 44
  - disk throughput, 37–39
  - hardware options, 36–40
  - processors, 36–37
  - security considerations, 44–45
  - sort order and, 42–43
  - system files location, 43
- remote install, 47
- sample databases, location of, 50–51
- scripted install, 46–47
- side-by-side install, 45–46
- troubleshooting failed, 60–61
- uninstallations, 57–59
- Upgrade Advisor, 69–75

### **InstalledBy, 411**

### **instant database file initialization, 460**

**int, 12****Integration Services (SSIS), 3, 4**

BIDS and, 179  
 change control and, 179  
 components, 177–179  
 data flow engine, 178–179  
   components, 179  
 default constraints, 177  
 DTS v., 87  
 object model, 178  
 packages. *See* packages  
*Professional SQL Server 2008 Integration Services* (Knight et al), 175  
 project management and, 179  
 runtime engine, 177, 178  
   components, 177, 178  
 scenarios for using, 176–177  
 security, 203–206  
 service. *See* Integration Services service  
 SQL Server 2008 editions and, 25–26  
 Tasks, 87  
 tour of, 175–179  
 upgrading DTS to, 81–88

**Integration Services service, 177, 178**

administration of, 179–187  
 centralized SSIS hub and, 181–182  
 configuration, 180–185  
 event logs, 185–186  
 overview of, 179–180  
 performance monitoring, 187  
 properties, setting of  
   SQL Server Configuration Manager,  
   184  
   Windows Services Snap-in, 182–183  
 Windows Firewall configuration,  
 184–185  
 XML configuration file, 180–181

**integrity, availability, confidentiality (CIA triad), 330–331****IntelliSense, 24****Interleave NUMA, 477****interleaved memory, 419****internal fragmentation, 452****internal-only table, 594****internationalization support, 24****I/O (input/output), 419, 436–453**

bottlenecks, 187, 461, 493, 508, 803  
 disk, 437–439  
   CPU ratio with, 456–457  
 network, 437  
 problems, 456–461  
   database file placement, 457  
   SQL Server I/O process model, 457

**“I/O Architecture” (BOL), 457****isolation**

of disk activity created by SQL Server,  
 509–510  
 service isolation  
   in SQL Server 2008, 338–339  
   in Vista, 338–339  
 in storage systems, 444–445  
   *grouping similar I/O workloads*, 445  
   *separating SQL data from log*, 444–445  
   *tempdb* and, 445

**ISVs (independent software vendors), 65****J****job steps, 139–142**

actions  
   for failure, 140  
   for success, 140  
 ActiveX Script, 139  
 Analysis Services command, 139  
 Analysis Services Query, 139  
 flow control, 140  
 Integration Services Package Execution, 140  
 logging, 141–142  
 Operating System commands (CmdExec),  
 139  
 Replication Distributor, 140  
 Replication Merge, 140  
 Replication Queue Reader, 140  
 Replication Snapshot, 140  
 Replication Transaction Log Reader, 140  
 security context, 140  
 T-SQL Script, 140

**job tokens. *See* tokens****(JOBID), 167**

## jobs

---

### **jobs, 138–143**

- history, 141
- notifications, 142–143
  - scheduling, 146–147
- running, 139
- scheduling. *See* schedules

### **JOBS folder, 340**

### **join algorithms, 579–582**

- hash joins, 580–582
  - grace, 581
  - in-memory, 581
  - recursive, 581
- loop joins, 580
- merge joins, 573, 574, 582
  - many-to-many, 582
  - one-to-many, 582
- nested iterations, 580
- nested loop joins, 580

## K

### **Kerberos authentication, 268, 291, 332, 343, 344**

- “*How to Use Kerberos Authentication in SQL Server*” article, 344
- Reporting Services and, 4
- SPN and, 344
- troubleshooting, 344

### **Knight, B., 86, 175, 308**

## L

### **Large Objects (LOB), 75, 458, 475**

### **latency, 439**

### **LDF file extension, 457**

### **least privilege principle, 329–330**

### **least privileged authority, 330**

### **less\_than\_ansi\_string, 536**

### **less\_than\_equal\_i\_unicode\_string\_ptr, 536**

### **less\_than\_int64, 536**

### **licensing (SQL Server), 31–33**

- hyperthreading and, 32
- middleware and, 32
- multicore processors and, 32
- multi-tiered architectures and, 32

### **options**

- processor licensing model, 31
- server + device CAL, 31–32
- server + user CAL, 32
- passive server, 33
- Reporting Services, 33
- transaction servers and, 32
- virtual servers, 32–33

### **Lightweight Pooling option, SQL Server, 492**

### **lightweight threads, 492**

### **LOB (Large Objects), 75, 458, 475**

### **Local Security Policy snap-in, 335–337**

- policies
  - act as part of the operating system, 336
  - allow/deny log on locally, 336
  - allow/deny log on through Terminal Services, 337
  - debug programs, 337
  - forced shutdown from a remote system, 337
  - list, 335
  - shut down the system, 337

### **location services, 25**

### **Lock Pages in Memory, enabling, 480**

### **log bloat candidates (example), 388–392**

### **Log Bytes Flushed/Sec, 711**

### **Log Bytes Received/Sec, 711**

### **Log Bytes Sent/Sec, 709**

### **Log File viewer (Management Studio), 548**

### **log files, securing, 340–341**

### **‘log full’ error, 387**

### **Log Reader agent jobs, 656**

### **Log Send Queue KB, 709**

### **log shipping, 779–805**

- application coding, 799
- architecture, 782–783
- backup considerations for, 755, 800
- changing roles in, 794–800
- clustering v., 801, 811
- to create a warm standby server, 780
- data mirroring v., 801
- database mirroring v., 725
- deploying, 785–791
  - initial configuration, 785–786
  - with Management Studio, 786–790
  - with T-SQL commands, 790–791

## managed code

deployment scenarios, 779–782  
 as disaster recovery solution, 780–781  
 DNS and, 799  
 failover clustering v., 801  
 monitor server in, 783  
 monitoring, 791–793  
   with Management Studio, 792–793  
   with stored procedures, 793  
 network load balancing, 799  
 performance, 803  
 primary server in, 782  
 process, 783–784  
 redirecting clients to connect to secondary  
   server, 799–800  
 removing, 802–803  
   with Management Studio, 802  
   with T-SQL commands, 802–803  
 replication v., 801–802  
 as report database solution, 781–782  
 secondary server in, 783  
 sessions, 88  
 SQL client aliasing and, 800  
 switching between primary and secondary  
   roles, 798–799  
 switching roles from primary to secondary  
   servers, 796–798  
 synchronizing dependencies in, 794–796  
 system requirements, 784–785  
 troubleshooting, 793–794  
 upgrading to, 803–804  
**logging, job step, 141–142**  
**logical disk counters, 504–507**  
**logical scan fragmentation, 593–594**  
**LOGINPROPERTY function, 351–352**  
**logins (server principals), 345–354**  
   with asymmetric keys, 352  
   BUILTINAdministrators, 353  
   with certificates, 352  
   creating, 346–352  
   database rights, granting, 348–350  
   defined, 345  
   IDs and, 352  
   passwords, 346–347  
   Profiler access, granting, 354  
   security hierarchy for, 352–353

server roles, defining, 348  
 server-level objects, defining access to,  
   350–351  
 SIDs and, 352  
 SQL Server, 345  
 Status page and, 351  
 T-SQL and, 351–352  
   CREATE LOGIN command, 351  
   LOGINPROPERTY function, 351–352  
 users (database principals) v., 345  
 Windows domain, 345  
 Windows local, 345

**Logman, 513**

script for I/O counters, 509  
 script for memory counters, 513

**logs, 548**

SQL Server Error log, 548  
 Windows event logs, 548

**log\_XX.trc, 127****loop joins, 580****LUNs (logical unit numbers), 446–447, 457****M****(MACH), 167****machine architecture, 427–429**

NUMA system, 427–429  
 SMP system, 427

**magazine publication, replication v., 653–654****mail. See Database Mail****Maintenance Plans, 129–138, 174**

Designer, 135–138  
 Wizard, 130–135

**maintenance tasks, automating. See****Maintenance Plans****MajorVersion, 411****malicious attackers, 332****Manage Profile Security dialog, 165, 166****manageability (SQL Server 2008), 22–23. See**  
**also policy-based management****managed code, 6, 310**

assemblies and, 315  
 preemptive thread scheduling and, 309  
 RMO and, 654

## management, change

---

**management, change. See change management**

**Management Data Warehouse (MDW), 548–554**

defined, 549  
system data collection sets, 549–553  
terminology, 548–549

**Management Studio (SSMS), 5, 23, 97, 106–119, 418**

backup plans and, 755–759  
credential creation, 154–156, 354  
graphical actual execution plan and, 579  
graphical estimated execution plan and, 576  
Log File viewer, 548  
log shipping deployment with, 786–790  
log shipping monitoring with, 792–793  
packages and  
  assigning roles, 204–205  
  management, 192  
project creation, 383–385  
proxy creation, 156–157  
reports, 106–108  
  database, 108  
  server-level, 107–108  
Resource Governor and, 486–487  
SQL Server 2008 install and, 53–54  
sqlcmd execution from, 405–407  
Visual Studio 2008 and, 64, 106

**management tools, 23**

**manual failover, database mirroring and, 703–704**

**manual package deployment, 198–199**

**many-to-many merge joins, 582**

**MARS (Multiple Active Result Sets), 458, 607**

**master database, 7–8**

**master servers (MSX), 171–174**

**Max Degree of Parallelism (MAXDOP), 492**

**max server memory, 493**

**Max Worker Threads configuration setting, 492**

**MAXDOP (Max Degree of Parallelism), 492**

**MDAC (Microsoft Data Access Components), 6**

**MDF file extension, 457**

**MDW. See Management Data Warehouse**

**MDX (Multi Dimensional Expression), 208–209**

**MDX edit tool, 24**

**memory, 419, 429–436, 453**

bottlenecks, 509, 511, 512, 513  
cell local, 419  
counters, 510–513  
far, 488  
hot-add, 479  
interleaved, 419  
near, 488  
NUMA systems and, 419, 427–429  
page faults, 430–431  
  hard, 431  
  soft, 430–431  
page file, 430  
physical address space, 429  
RAM (physical), 419, 429  
SQL Server 2008, performance tuning, 476–488, 510–513  
VAS and, 431  
VMM and, 429–430

**Memory Broker, 479**

**memory configuration**

scenarios, 434–436  
  32-bit OS and SQL with 2–4GB of RAM, 434  
  32-bit OS and SQL with 4 to 16GB of RAM, 436  
  32-bit OS and SQL with less than 2GB of RAM, 434  
  32-bit OS and SQL with more than 16GB of RAM, 436  
  Special case- 32-bit OS with 2–4GB of RAM, 434  
  Special case- 32-bit OS with 4GB of RAM, 434–436  
  64-bit SQL on a 64-bit OS, 436  
  x64 system with 64-bit OS and 32-bit SQL with less than 4GB of RAM, 436  
  x64 system with 64-bit OS and 32-bit SQL with more than 4GB of RAM, 436  
64-bit systems, 433–434, 482

- 32-bit systems (x86), 432–433, 479–482
  - /3GB option, 432, 433, 479, 480
  - AWE, 432, 433, 476, 480, 481, 482
  - PAE, 432, 476, 479, 480
- memory nodes, 477, 478**
- Memory: Pages/sec performance counter, 476**
- memory usage query, 547**
- memory-friendly applications, 482**
- MERGE, 24**
  - INSERT/UPDATE/DELETE operations with, 597–599
  - performance, 599–600
- Merge agent jobs, 656**
- merge joins, 573, 574, 582**
  - many-to-many, 582
  - one-to-many, 582
- merge replication, 655, 674–675**
- message types, 238–240**
- Microsoft Data Access Components. See MDAC**
- Microsoft Operations Manager Pack, 23**
- Microsoft Security Response Center blog, 333**
- Microsoft SQL Server 2008. See SQL Server 2008**
- Microsoft System Center Operations Manager, 459**
- Microsoft Visual Studio 2008. See Visual Studio 2008**
- middleware, 32**
- minimum configuration warning (SQL Server install), 60**
- minimum memory per query option, 494**
- MinorVersion, 411**
- Mirror Committed Overhead, 714**
- mirror database, 684**
- Mirror Log: Current Restore Rate, 714**
- Mirror Log: Time to Restore Log, 714**
- Mirror Log: Unrestored Log, 713**
- mirror request page, 718–719**
- mirror server, 684**
  - preparing, for failover, 719–723
- mirroring. See database mirroring**
- mirroring\_connection\_timeout, 699**
- mirroring\_failover\_isn, 699**
- mirroring\_redo\_queue, 699–700**
- mirroring\_role\_sequence, 699**
- mirroring\_safety\_sequence, 699**
- missing indexes feature, 625**
- model database, 7, 8**
  - backing up, 751
- Module object, 531**
- modules, 531**
- money (data type), 13**
- monitoring, 497–554. See also performance monitoring**
  - baseline and
    - current metrics compared to, 499
    - establishing, 498–499
  - data compression and, 475
  - database mirroring, 709–716
  - %Disk counters, 509
  - event monitoring, 514–539
    - reasons for, 515–516
    - tools for, 514–515
  - goal of, 498
  - index fragmentation, 626–627
  - individual instances v. \_Total, 508
  - I/O latency, 508
  - I/O queue depth, 508
  - I/O throughput-MB/sec, 507
  - log monitoring, 548
    - SQL Server Error log, 548
    - Windows event logs, 548
  - MDW and, 548–554
  - new features in, 499–500
  - objectives, identifying, 498
  - replication, 679–682
  - Resource Governor and, 487–488
  - security and, 332
  - SQL Server process memory usage, 511–512
  - standard reports and, 500, 547
  - tools for, 500–501. *See also specific monitoring tools*
    - Activity Monitor, 501
    - Data Collection, 500, 548, 549
    - Default Trace, 501, 514, 516
    - DMFs, 539–547
    - DMVs, 501, 539–547
    - event notifications, 515, 529–531

## monitoring (continued)

### monitoring (continued)

Logman, 513  
 PerfMon, 500, 501–514  
 Relog, 514  
 SQL Profiler, 500  
 SQL Server Profiler, 514, 522–528  
 SQL Trace, 500, 514, 516–522  
 T-SQL, 501  
 XEvents, 500, 515, 531–539  
 transfers v. read/write, 508–509

**monolog conversation, 251**

**mounting volumes, 450**

**msdb database, 8**

**(MSSA), 167**

**MSX. See master servers**

**Multi Dimensional Expression. See MDX**

**multi-core processors, 32, 425–427**  
 cores, 425  
 examples, 426, 427  
 sockets, 425  
 threads, 425

**multi-dimensional analytics, 28**

**multinode clusters, 815–816**

**Multiple Active Result Sets (MARS), 458, 607**

**multiple databases, mirroring, 723–724**

**multiple publishers also subscribing (replication model), 658, 660**

**multiple publishers, single subscriber (replication model), 658, 659**

**multiserver administration, 166–174**

**master servers, 171–174**  
 target servers, 171–174

**multi-tiered architectures, 32**

**N**

**name resolution, 564**

**Named Pipes, 53, 91, 342, 344**

**NAS (Network Attached Storage), 37, 39, 437, 445, 470, 733**

**nchar, 11, 12**

**NDF file extension, 457**

**near memory, 488**

**nested iterations, 580**

**nested loop joins, 580**

**.NET assemblies. See assemblies**

**.NET CLR Exceptions counter, 325**

**.NET CLR Loading counter, 325**

**.NET CLR Memory counter, 325**

**.NET runtime host (SQL Server as), 308–309**

**NetBIOS protocol, 814**  
 attack (example), 331  
 cluster name and, 826  
 network cards and, 823

**Network Attached Storage. See NAS**

**network I/O, 437**  
 bottlenecks, 436, 437

**New Alert dialog, 148**

**New Database Mail Account dialog, 164, 165**

**New Operator dialog, 145**

**nonclustered index seek with ordered partial scan and lookups, 589–591**

**nonclustered indexes, non-key columns in, 607**

**non-key columns, in nonclustered indexes, 607**

**non-uniform memory access (NUMA) systems, 419**

**normalizer, 555, 564**

**not\_equal\_ptr, 536**

**notification events, 500. See also event notifications**

**notifications (job), scheduling, 146–147**

**NT LAN Manager (NTLM), 268, 343, 344. See also Kerberos authentication**

**ntext, 11, 12**

**NTFS**  
 allocation unit size, 451  
 cluster size, 451  
 FAT v., 451  
 permissions, SQL Server-related folders and, 339–340

**NTLM (NT LAN Manager), 268, 343, 344. See also Kerberos authentication**

**NUMA (non-uniform memory access) systems, 419, 427–429, 489**  
 CC-NUMA, 477, 488  
 interleave NUMA, 477

**numeric (p, s), 13**

## operating system commands (CmdExec)

**numeric data types**

approximate, 13  
exact, 12–13

**nvarchar**, 11, 12

**O****object models**

DMO, 81, 112  
Integration Services, 178  
SMO, 23, 112, 386  
SQL-NS, 112

**Object: Physical Disk - Counter: Avg. Disk Sec/Read**, 508

**Object: Physical Disk - Counter: Avg. Disk Sec/Write**, 508

**Object: Physical Disk - Counter: Avg. Disk Write Queue Length**, 508

**Object: Physical Disk - Counter: Disk Read Bytes/Sec**, 507

**Object: Physical Disk - Counter: Disk Reads/Sec**, 507

**Object: Physical Disk - Counter: Disk Write Bytes/Sec**, 507

**Object: Physical Disk - Counter: Disk Writes/Sec**, 506

**Object: Physical Disk- Counter: Avg. Disk Read Queue Length**, 508

**Object: Process - Counter: % Privileged Time - Instance: sqlservr**, 503

**Object: Process - Counter: % Processor Time - Instance sqlservr**, 502

**Object: Process-Instance : sqlservr -Counter: Virtual Bytes**, 511

**Object: Process-Instance: sqlservr - Counter: Working Set**, 511

**Object: Process-Instance: sqlservr -Counter: Private Bytes**, 512

**Object: Processor - Counter: % Privileged Time**, 502

**Object: Processor - Counter: % Processor Time**, 502

**Object: SQL Server:Replication Dist. - Counter: Dist:Delivered Cmds/Sec and Tx/Sec**, 681

**Object: SQL Server:Replication Log Reader - Counter: LogReader:Delivered Cmds/Sec and Tx/Sec**, 681

**Object: SQLServer:Buffer Manager -Counter: Target Pages**, 512

**Object: SQLServer:Buffer Manager -Counter: Total Pages**, 512

**Object: SQLServer:BufferManager -Counter: Database Pages**, 512

**Object: SQLServer:Memory Manager -Counter: Target Server Memory (KB)**, 512

**Object: SQLServer:Memory Manager -Counter: Total Server Memory (KB)**, 512

**Object: System - Counter: Processor Queue Length**, 502

**Object:Memory - Counter: AvailableMbytes**, 511

**objects**

CLR, cataloging, 321–323

filtering, 112

XEvent, 531–538

Action, 535–536

Event, 533–535

Event Session, 537–538

Module, 531

Package, 531–532

Predicate, 536–537

Target, 537

**OLTP (online transaction processing)**

**environment**, 208, 416, 417, 439

DSS environment v., 455–456

**On Change Log Only mode**, 93

**On Change Prevent mode**, 92

**On Demand mode**, 92

**On Schedule mode**, 93

**OneOff**, 411

**one-to-many merge joins**, 582

**online index operations**, 458, 606, 625

**online transaction processing environment.**

**See OLTP environment**

**Operating Mode (counter)**, 714

**operating modes. See database mirroring**

**operating system commands (CmdExec)**, 139, 154

## operating system requirements (SQL Server 2008)

---

### **operating system requirements (SQL Server 2008), 18**

### **operating system security, 333–341**

- group management
  - Administrators, 333–334
  - Remote Desktop Users, 334–335
  - Users, 334–335
- Local Security Policy snap-in, 335–337
- patch management, 333
- security groups, SQL Server-related, 337–338
- SQL Server 2008 and, 337–341

### **operators, 144–147**

- creating, 144–145
- defined, 144
- failsafe, 147
- names for, 145

### **opportunistic attackers, 332**

### **optimization. *See* performance tuning; server optimization**

### **optimization (for queries), 565–566**

- exploration transformation, 568–569
- flow chart, 567
- implementation transformation, 569–570
- process (diagram), 566
- simplification transformation, 567–568
- statistics and, 594–595

### **Oracle replication, 655**

### **(OSCMD), 167**

### **owners, schema, 362–364**

### **ownership chaining, 362, 364–365**

- cross-database, 365–366
- securables and, 364–366

## **P**

### **package deployment utility, 195–196**

### **Package Installer Wizard, 196–198**

### **Package object, 531–532**

### **package templates, 190–191**

### **package-protection levels, 203–204**

### **packages (Integration Services)**

- administration of, 187–202
- creating, 188–191
  - with Import and Export Wizard, 188–190
  - package templates and, 190–191

### **deploying, 194–199**

- automated, 195–198
- DTUtil, 198–199
- file save/move, 198
- import/export, 198
- manual, 198–199
- digital signatures, 206
- execution, 140, 154, 199–201
  - automating, with SQL Server Agent, 201–202
- BIDS, 199
- DTEExec utility, 199–200
- DTEExecUI utility, 200–201
- Import and Export Wizard, 199
- importing/exporting, 193–194, 198
- managing, 191–194
  - DTUtil, 192–193
  - Management Studio, 192
- overview, 187–188
- resources, 205–206
- running, 205
- saving, 205
- security, 203–206
  - package-protection levels, 203–204
  - roles, 204–205

### **packages (XEvent object), 531–532**

### **PAE (Physical Address Extensions), 432, 476, 479, 480**

### **page compression, 471–473**

- dictionary compression, 471
- prefix compression, 471

### **page faults, 430–431**

- hard, 431
- soft, 430–431

### **page file, 430**

### **Page Life Expectancy counter, 513**

### **parallel index operations, 606**

### **parallel query execution strategy, for partitioned objects, 601–602**

### **parameter sniffing, 575**

### **Pareto Principle, 455**

### **parsing, 564, 566**

### **partial backup, 739**

### **partial differential backup, 740**

### **partition functions, 463–464**

## performance monitoring

- partition schemes, 464–465**
- partition-aware SEEK operation, 600–601**
- partitioned heaps, execution plans for, 602**
- partitioned objects, parallel query execution strategy for, 601–602**
- partitioned tables and indexes, 461–469, 606, 610–624**
  - adding data to, 615–617
  - archiving, 775–776
  - benefits of, 610–611
  - creating, 611–615
  - deleting data from, 617–623
  - high-level process for, 462
  - impact/benefits of, 462
  - implementing, 462
  - prerequisites for, 611
  - reasons for, 461–462
  - rows in, 462
  - support for, 461
- partitioned view, 776**
- partitioning**
  - defined, 461
  - disks, 450
  - DTA and, 462, 623–624
  - production system, 623
- partner, 684**
- partner-to-partner quorums, 696**
- passive nodes, active nodes v., 812**
- passive server licensing, 33**
- password policy enforcement, 64, 346**
- passwords**
  - backup files and, 341
  - case sensitive, 346
  - login, 346–347
- patch management, 333**
  - Automatic Updates and, 333
  - Microsoft Security Response Center blog, 333
  - WSUS and, 333
- PBM. See policy-based management**
- peer-to-peer replication, 655, 656, 660, 661, 675–678**
- People database, 608–610**
- PerfMon. See Performance Monitor**
- performance**
  - backup, 764–765
  - knowledge, for development DBA, 413, 416–418
  - data, 417
  - schemas, 416, 417–418
  - SQL statements, 41
  - users, 417
  - knowledge, for production DBA, 413, 418
  - log shipping, 803
  - MERGE, 599–600
  - requirements, 414–416
    - defining targets, 415
    - focus on what's important, 415–416
    - performance tuning cycle, 414–415
- performance counters, 150, 224. See also specific counters**
  - Analysis Services, 223–224
  - Buffers in Use, 187
  - Buffers Spooled, 187
  - CPU resource, 502–503
  - disk, 503–510
  - memory usage, 510–513
  - .NET CLR Exceptions, 325
  - .NET CLR Loading, 325
  - .NET CLR Memory, 325
  - Rows Read, 187
  - SQL Server Cache Hit Ratio, 476
  - usage, updating, 90
- Performance Dashboard reports, 500. See also Data Collection**
- Performance Monitor (PerfMon), 500, 501–514**
  - counters, 150, 224
    - CPU resource, 502–503
    - disk I/O, 503–510
    - memory usage, 510–513
  - log data, traces correlated with, 526–527
  - replication and, 679–681
  - starting, 224
- performance monitoring. See also monitoring**
  - Analysis Services, 223–227
  - CLR integration

## performance monitoring (*continued*)

---

### performance monitoring (*continued*)

- DMVs, 326–327
- SQL Profiler, 325
- System Monitor, 325
- Integration Services service, 187

### performance tuning (for SQL Server 2008).

#### *See also server optimization*

- Analysis Services, 223–227
- application optimization
  - defining a workload, 455–456
  - Pareto Principle, 455
  - system harmony and, 456
- CPU considerations, 488–494
  - affinity mask, 489–491
  - cache coherency, 489
  - data locality, 488–489
- cycle, 414–415
- data compression, 470–475
- I/O problems, 456–461
- memory considerations, 476–488, 510–513.

#### *See also memory configuration*

- partitioning tables/indexes, 461–469
- Resource Governor, 4, 482–488
- self-tuning and, 455, 495

### performance tuning (queries), 501, 555–603

- database I/O information and, 570–571
- DTA and, 630–640
- index access methods and, 582–585
- join algorithms and, 579–582
- physical query processing, 555–570
- query plans and, 571–579

### permissions. *See also roles*

- Analysis Services, 234–235
- for backups, 750
- column-level, 374–375
- and denial of access (in logins), 353
- for restore, 750
- SQL Server-related folders, 339–340
- troubleshooting, 369–370
  - fn\_my\_permissions function, 370
- user (database principals), 356–357

### Physical Address Extensions (PAE), 432

### physical address space, 429

### physical disk counters, 504–507

### physical memory, 419, 429

### physical query processing, 555–570

### pipe command, 408

### plan optimality, 561–562

### platform optimization. *See server optimization*

### playback, capturing, 75–76

### poison message handling, 293–295, 298

### policies

- defined, 91
- execution modes, 92–93
- Local Security Policy snap-in
  - act as part of the operating system, 336
  - allow/deny log on locally, 336
  - allow/deny log on through Terminal Services, 337
- debug programs, 337
- forced shutdown from a remote system, 337
- list, 335
- shut down the system, 337
- Surface Area Configuration for Database Engine Features, 93–94

### policy-based management (PBM), 91–96, 100, 329, 332–333, 386–402

- conditions and, 386
- execution modes, 92–93
- facets and, 386
- implementation, 394–396
- log bloat candidates (example), 388–392
- overview, 386–387
- scripting, 392–394
- storage location of, 93
- terminology of, 91–92

### poor query performance, 89–90

### post-upgrade tasks/checks, 66

- PBM, 91–96
- poor query performance, 89–90
- SQL Server Configuration Manager, 91
- usage counters, updating, 90

### PowerShell, 403, 408–410

- cmdlets and, 408–409
- pipe command and, 409
- Professional Windows PowerShell Programming: Snap-ins, Cmdlets, Hosts, and Providers* (Kumaravel), 408

### Predicate object, 536–537

### predicates (XEvent object), 536–537, 538

## queries

**preemptive thread scheduling, 309, 491**  
**prefix compression, 471**  
**pre-installation planning (SQL Server install), 35–45**  
**pre-upgrade tasks/checks, 65–66, 69–77**  
**principal database, 683**  
**Principal Log: Current Rate of New Transaction, 713**  
**Principal Log: Current Send Rate, 713**  
**Principal Log: Oldest Unsent Transaction, 713**  
**Principal Log: Time to Send Log (Estimated), 713**  
**Principal Log: Unsent Log, 713**  
**principal request page, 718**  
**principal server, 684**  
**principle of least privilege, 329–330**  
**Priority Boost, 491**  
**private network, clustering and, 813**  
**privileged mode, 491**  
**probe input, 580**  
**processadmin role, 348**  
**Processor: % Privileged Time counter, 491**  
**processor licensing model, 31**  
   in virtual environment, 33  
**processors. See CPUs**  
**production DBAs, 1–2**  
   performance knowledge for, 418  
**production system, partitioning, 623**  
**Professional Microsoft SQL Server Analysis Services 2008 with MDX (Harinath et al), 207**  
**Professional SQL Server 2005 CLR Stored Procedures, Functions, and Triggers (Comingore & Hinson), 308**  
**Professional SQL Server 2008 Integration Services (Knight et al), 86, 175, 308. See also Integration Services**  
**Professional Windows PowerShell Programming: Snap-ins, Cmdlets, Hosts, and Providers (Kumaravel), 408**  
**programmability (SQL Server 2008), 24–25**  
**projects (Visual Studio)**  
   connections, creating, 384–385  
   creating, 383–385  
   queries, creating, 385

**proxies (SQL Server Agent), 153–157**  
   creating, 156–157  
   using, 157  
**public network, clustering and, 813**  
**publication, 656**  
**publishers, 653, 655**  
**pure transaction-log backup, 741**

## Q

**queries. See also specific queries**

CLR integration  
   *finding the .NET Framework version in SQL Server, 327*  
   loaded assemblies, 326  
   memory usage, 326  
   request status, 326  
   *time spent in CLR integration by a query, 326*  
 CLR objects  
   assemblies, 321  
   scalar function, 322  
   stored procedures, 321–322  
   table-valued functions, 323  
   triggers, 322  
   user-defined aggregates, 323  
   user-defined types, 323  
 compiling. *See compilation process*  
*connected user information, 546*  
*currently running queries, 540*  
*filegroup free space, 546–547*  
*index usage in a database, 543–545*  
 language specification in, 25  
*memory usage, 547*  
 optimization, 565–566  
   exploration transformation, 568–569  
   flow chart, 567  
   implementation transformation, 569–570  
   process (diagram), 566  
   simplification transformation, 567–568  
 parsing, 564, 566  
 plans. *See query plans*  
 poor performance, after upgrade, 89–90  
 project, creating, 385  
*query plan and query text for currently running queries, 547*

## queries (continued)

---

### queries (continued)

tuning. *See* performance tuning  
 view queries waiting for memory grants,  
     545–546  
 viewing blocking information, 543  
 viewing the locking information, 543  
 wait stats, 542–543  
 who is using which resources?, 541  
 who is waiting?, 542

### Query Activity (system data collection set), 549

### query plan and query text for currently running queries query, 547

### query plans, 555, 557, 560, 562, 563, 564, 569, 571–579

actual execution plan, 576–579  
     graphical, 579  
     SET STATISTICS PROFILE ON/OFF, 577–579  
     SET STATISTICS XML ON/OFF, 576  
 analysis of, SQL Trace and, 602–603  
 data modification, 595–600  
     maintenance strategies, 596–597  
     stages for, 595  
 estimated execution plan, 572–576  
     graphical, 576  
     SET SHOWPLAN\_ALL, 572–574  
     SET SHOWPLAN\_TEXT, 572–574  
     SET SHOWPLAN\_XML, 574–575  
 gathering, 602–603  
 query tuning and, 571–579  
 ShowPlans, 572

### query processing (physical), 555–570

compilation process, 559–562  
 on partitioned tables/indexes, 600–602

### query processor, 209

### Quest Benchmark Factory, 456

### queues (Service Broker), 242–245

disabled, 306  
 managing, 292

### quorums, 696

clustering and, 813  
 full, 696  
 partner-to-partner, 696  
 witness-to-partner, 696

## R

### RAID (Redundant Array of Independent Drives), 438

levels, 443  
 mirroring, 443  
 storage systems and, 443–444  
     recommendations, 444  
 striping with mirroring, 443  
 striping with parity, 443–444

### RAM. *See* memory

### real (data type), 13

### rebuilding clusters, 817–819

### rebuilding system databases, 105–106

### RECEIVE permission, 292

### recompilations, 560–562

correctness and, 560–561  
     schemas of objects, 560  
     SET options, 561  
 plan optimality and, 561–562  
 reasons for, 560  
 statement-level, 560  
 tools/commands for, 563

### RECONFIGURE command, 479

### recovery, 5. *See also* backup and recovery

disaster, 776–778  
 models, 744–747  
     bulk-logged, 745  
     choosing, 745–746  
     comparing, 744–745  
     full, 744–745  
     simple, 745  
     switching, 746–747  
 performing, 765–774  
 planning for, 752–755  
     data usage patterns, 753  
     maintenance time window, 753–755  
     requirements for, 752–753  
     restore v., 743–744

### recursive hash joins, 581

### Redo Bytes/Sec, 711

### redo queue, 685–686, 687, 699, 700, 701, 702, 713, 714

### Redo Queue KB, 711

## restore

- Redundant Array of Independent Drives. See RAID**
- Reliability and Performance Monitor, 418. See also Performance Monitor; System Performance Monitor**
- Relog utility, 514**
- Remote Desktop Users group**  
description, 337  
security and, 334–335
- remote installation (SQL Server 2008), 47**
- replaying traces, 527–528**
- repldata folder, 340**
- replication**  
agent jobs, 656  
articles and, 653, 656  
backup considerations for, 755  
clustering v., 811  
components, 655–656  
data, 656  
distributors and, 653, 655  
DMVs, 681–682  
implementing, 661–675  
  distribution setup, 663–666  
  setup strategy, 662–663  
log shipping v., 801–802  
magazine publication v., 653–654  
merge, 655  
  implementing, 674–675  
models, 657–661  
  multiple publishers also subscribing, 658, 660  
  multiple publishers, single subscriber, 658, 659  
  peer-to-peer, 655, 656, 660, 661  
  single publisher, one or more subscribers, 657–658  
  updating subscriber, 660, 661  
monitoring, 679–682  
new features, 656–657  
Oracle, 655  
overview, 653–657  
peer-to-peer, 655, 656, 660, 661, 675–678  
Performance Monitor and, 679–681  
publication and, 656  
publishers and, 653, 655  
roles, 655  
scripting, 679  
snapshot, 654  
  implementing, 666–674  
SQL Server 2008 editions and, 21  
subscribers and, 655  
subscription and, 656  
transactional, 654, 657  
  implementing, 674–675  
types, 654–655
- Replication Distributor, 140, 154**
- Replication Merge, 140, 154**
- Replication Monitor, 657, 679**
- Replication Queue Reader, 140, 154**
- Replication Snapshot, 140, 154**
- Replication Transaction Log Reader, 140, 154**
- reporting, 30–31**
- Reporting Services (SSRS), 3, 4**  
BIDS and, 175  
Kerberos and, 4  
licensing, 33  
log files, deleting, 58  
uninstalling, 57–58  
upgrading, 80
- reports, 106–108**  
database, 108  
Performance Dashboard, 500  
server-level, 107–108  
standard, 500, 547  
from system data collection sets, 549–551
- ReportServer database, deleting, 57–58**
- ReportServerTempDB, deleting, 57–58**
- Resource database, 15**
- Resource Governor, 4, 482–488**  
classification support, 484–486  
elements of, 483  
implementation example, 485–486  
Management Studio and, 486–487  
resource pools, 483  
workload groups, 484
- resource pools, 483**
- restore, 743–744. See also backup and recovery**  
performance, 764–765  
permissions for, 750

## restore (continued)

---

### restore (continued)

phases, 744  
   copy, 744  
   redo, 744  
   undo, 744  
 process  
   database snapshot, 768  
   file/filegroup, 767  
   full database, 766  
   history tables, 769  
   instant file initialization, 765  
   Management Studio, 769–772  
   partial database, 766  
   system databases, 773–774  
   transaction-log, 766–767  
   T-SQL restore command and, 772  
   recovery v., 743–744  
**reverse engineering, 333**  
**Revision (db\_version table), 411**  
**revoke, 352**  
**role change, database mirroring, 700–706**  
**role switching, 796**  
**roles**  
   database, 153  
     Analysis Services, 233–234  
     Integration Services, 204–205  
     principle of least privilege and, 330  
   replication, 655. *See also* replication  
   server  
     Analysis Services, 233  
     bulkadmin, 348  
     dbcreator, 348  
     defining, 348  
     diskadmin, 348  
     processadmin, 348  
     securityadmin, 348  
     serveradmin, 348  
     setupadmin, 348  
     sysadmin, 348  
     SQLAgentOperatorRole, 153  
     SQLAgentReaderRole, 153  
     SQLAgentUserRole, 153  
     user-defined, 357–358  
**rolling a transaction back, 5**  
**rolling a transaction forward, 5**

**rotational latency, 438**  
**row compression, 470–471**  
**row versions, 458**  
**rows, 462**  
**Rows Read counter, 187**  
**rowversion (data type), 16**  
**runaway log file, 387**  
**runtime host, 308–309**

## S

**SAC tool (no longer available), 52, 78, 91, 101, 341–342. *See also* policy-based management**  
**sample databases, location of, 50–51**  
**SAN (Storage Area Network), 437, 445–447, 470**  
   cost for, 470  
   disaster recovery plan, 731  
   disk virtualization, 445–446  
   LUNs, 446–447  
**Sarbanes-Oxley law, 2, 329, 345, 353, 370, 383, 386**  
**scalability (SQL Server), 1, 18, 19**  
**scalar functions, CLR, 322**  
**scatter-gather methods, 457**  
**schedulers, 476, 478, 490**  
**schedules, 143–144**  
   for notifications, 146–147  
**SCHEMA\_ID() function, 11**  
**schemas, 9, 358–359**  
   changing, 362  
   example, 359–361  
   INFORMATION\_SCHEMA, 364  
   of objects, recompilations and, 560  
   owners, 362–363  
     changing, 363–364  
   performance and, 416, 417–418  
   sys, 364  
   users and, 362–363  
**‘Schemas Owned By User’ grid, 356**  
**scopes. *See also* securables**  
   defined, 364  
**scripted installation (SQL Server 2008), 46–47**

## server\_event\_session\_targets

**scripting. See also PowerShell; sqlcmd**

change management and, 403  
 PBM, 392–394  
 replication, 679  
 Upgrade Advisor, 72–73

**scripts, change. See change scripts****search, full-text, 24****securables, 364–370**

defined, 364  
 ownership chaining and, 364–366  
 scopes and, 364

**security, 21**

assemblies (CLR), 316–317  
 attackers  
   curious, 332  
   malicious, 332  
   opportunistic, 332  
 auditing and, 332  
 best practices, 329–332  
   CIA triad, 330–331  
   *defense in depth* principle, 331–332  
   *least privilege* principle, 329–330  
 Database Engine, 329–381  
 Integration Services, 203–206  
 Kerberos authentication, 268, 291, 332,  
   343, 344  
   Reporting Services and, 4  
   troubleshooting, 344  
 Microsoft Security Response Center blog, 333  
 monitoring and, 332  
 operating system, 333–341  
   Local Security Policy snap-in, 335–337  
   patch management, 333  
   security groups, SQL Server-related,  
     337–338  
   SQL Server 2008 and, 337–341  
 Service Broker, 267–279  
   dialog security, 267, 275–279  
   transport security, 267–274  
 SQL Server 2008, new features, 332–333  
 SQL Server Agent, 152–157  
 SQL Server installation and, 44–45  
 Trustworthy Computing, 64–65

**security context (job steps), 140****Security event log, 548****security groups, SQL Server-related, 337–338****security IDs. See SIDs****Security Support Provider Interface (SSPI), 344****securityadmin role, 348****SEEK operation, partition-aware, 600–601****seek time, 438****self-tuning, 455, 495. See also performance tuning****SEND permission, 291–292****send queue, 685, 687, 713, 714****server + device CAL, 31–32, 33****server + user CAL, 32, 33****Server Activity system data collection set, 549****Server Audit Specifications, 378–380****server groups, 100****server optimization, 419–453. See also performance tuning**

CPUs, 419, 421–429, 453

disk adapters, 447–450

configuration, 450

drivers, 450

firmware, 450

MPIO solutions, 448–449

number of, 447–448

placement of, 449

hardware configuration, 420–421

I/O configuration, 419, 436–453

memory, 419, 429–436, 453

resources, 419–420

server configuration, 447–451

mounting volumes, 450

partitioning, 450

start sector alignment, 450–451

storage systems. *See* storage systems

**server principals (logins), 345. See also logins****Server Properties screen, 109–111****server roles. See roles****serveradmin role, 348****server\_event\_session\_actions, 538****server\_event\_session\_events, 538****server\_event\_session\_fields, 538****server\_event\_sessions, 538****server\_event\_session\_targets, 538**

## server-level reports

---

### server-level reports, 107–108

**SERVERNAME\_MSINFO32.TXT, 127**

**SERVERNAME\_sp\_sqldiag\_Shutdown.OUT, 127**

### server-side traces, 517–522

**service account, SQL Server Agent, 152**

### Service Broker, 25, 237–308, 327

activation, 260–265

activities, SQL Profiler and, 302–307

activation stored procedure is not being activated, 307

duplicate routes, 307

administration, 288–308

architecture, 238–246

contracts, 241–242

conversation groups, 265–267

conversation priorities, 279–288

data, catalog views for, 300

data integrity and, 298

disabled, in database, 306

DMVs and, 301–302

sys.dm\_broker\_activated\_tasks, 301

sys.dm\_broker\_connections, 302

sys.dm\_broker\_forwarded\_messages, 302

sys.dm\_broker\_queue\_monitors, 301

errors

*conversation endpoint is not in a valid state for SEND*, 305–306

*could not obtain information about Windows NT group/user*, 306

examples, 246–260

message types, 238–240

messages

dropped, 304–305

undeliverable, 304

metadata objects

catalog views for, 298–300

names, case sensitivity, 246

queues, 242–245

disabled, 306

security, 267–279

dialog, 267, 275–279

transport, 267–274

services, 245–246

### Service Broker applications

code review process, issues in

not dealing with poison messages, 298

not ending the conversation, 298

not handling all message types, 298

Service Broker commands outside of an explicit transaction, 298

copying, 296–297

expired certificates, replacing, 297

installing, 289–290

database preparation, 289–290

running scripts for, 290

moving, 295–296

permissions, setting, 290–292

poison message handling, 293–295, 298

queues, managing, 292

troubleshooting, 297–307

### service, Integration Services. *See* Integration

#### Services service

### service isolation

in SQL Server 2008, 338–339

in Vista, 338–339

### service principal name (SPN), 344

### services (Service Broker), 245–246

### session, database mirroring, 684

### SET options, 561

### SET SHOWPLAN\_ALL, 572–574

### SET SHOWPLAN\_TEXT, 572–574

### SET SHOWPLAN\_XML, 574–575

### SET STATISTICS, 572

### SET STATISTICS PROFILE ON/OFF, 577–579

### SET STATISTICS XML ON/OFF, 576

### setupadmin role, 348

### shared disk array, clustering and, 812–813

### Shared Memory protocol, 91, 342, 344

### Showplan XML, 523–526

### Showplans, 572. *See also* query plans

### *shut down the system* policy, 337

### side-by-side installation, 45–46

### side-by-side upgrade, 67, 68

### SIDs (security IDs), 352

### silent killer. *See* I/O

### simple autotparam, 559

### Simple Object Access Protocol. *See* SOAP

- simplification transformation (query optimization), 567–568**
- single publisher, one or more subscribers (replication model), 657–658**
- 64-bit systems**
  - IA64 processors, 422
  - memory configuration, 433–434, 479
  - memory configuration scenarios
    - 64-bit SQL on a 64-bit OS, 436
    - x64 system with 64-bit OS and 32-bit SQL with less than 4GB of RAM, 436
    - x64 system with 64-bit OS and 32-bit SQL with more than 4GB of RAM, 436
  - SQL Server 2008 and, 88–89
  - x64 processors, 422
- sliding window, 463, 465, 611**
- smalldatetime, 14, 15**
- smallint, 12**
- smallmoney, 13**
- SMO (SQL Server Management Objects), 23, 112, 386**
- SMP (symmetric multi-processor) systems, 427**
- snapshot agent, 656**
- Snapshot agent jobs, 656**
- snapshot replication, 654, 666–674**
- snapshots, database, 729–730**
- SOAP (Simple Object Access Protocol), endpoints (deprecated), 25, 343**
- sockets, 425**
- soft page faults, 430–431**
- solutions v. projects (Visual Studio), 383. See also projects**
- Sort operation, 579, 597**
- sort order, collations and, 42–43**
- Source Safe, Visual, 383, 384, 385, 408, 412, 679**
- space savings, from data compression, 473–475**
- sp\_addsrvrolemember, 351**
- spatial indexes, 25, 606**
- spatial libraries, advanced, 25**
- spatial services (SQL Server 2008), 25**
- spatial support, standards-based, 25**
- SP:CacheHit, 556, 557**
- SP:CacheInsert, 556, 557**
- SP:CacheMiss, 555, 556, 557**
- sp\_configure, 111–112, 481**
- SPN (service principal name), 344**
- sp\_replcounters replication system stored procedure, 682**
- sp\_trace\_create, 517, 520**
- sp\_trace\_setevent, 517, 520**
- sp\_trace\_setfilter, 518, 520**
- sp\_trace\_setstatus, 518, 520, 521**
- sp\_who, 118**
- sp\_who2, 118**
- SQL client aliasing, 800**
- SQL CLR. See CLR integration**
- SQL CMD, 23**
- SQL community testing, 65**
- SQL, dynamic. See dynamic SQL**
- SQL Native Client, 6**
- SQL Profiler, 23, 418, 500**
  - Analysis Services events and, 223–224
  - bottlenecks and, 354
  - CLR integration performance monitoring with, 325
  - database mirroring and, 716
  - recompilations and, 563
  - Service Broker activities and, 302–307
- SQL Server**
  - Agent. *See* SQL Server Agent
  - Analysis Services. *See* Analysis Services
  - Audit. *See* Audit
  - authentication. *See* authentication
  - automating. *See* Maintenance Plans; SQL Server Agent
  - collations. *See* collations
  - Configuration Manager. *See* Configuration Manager
  - Database Engine. *See* Database Engine
  - editions. *See* editions
  - Extended Events. *See* XEvents
  - Integration Services. *See* Integration Services
  - I/O process model. *See* I/O
  - Management Objects. *See* SMO
  - Management Studio. *See* Management Studio
  - monitoring. *See* monitoring
  - as .NET runtime host. *See* .NET runtime host

## SQL Server (*continued*)

---

### SQL Server (*continued*)

-related folders. *See* folders  
 Reporting Services. *See* Reporting Services  
 Surface Area Configuration tool. *See* SAC tool  
 Upgrade Advisor. *See* Upgrade Advisor  
 Upgrade Assistant. *See* Upgrade Assistant  
 work scheduling. *See* work scheduling

### SQL Server 2008

architecture, 5–16  
 availability solutions. *See* high availability  
 BOL. *See* Books Online  
 clustering. *See* clustering  
 data types, 10–16. *See also specific data types*  
 editions, 16–33. *See also specific editions*  
   capacities, 18–19  
   data mining, 29  
   data warehouse creation, 27  
   data warehouse scale/performance, 27  
   development tools, 23–24  
   high availability, 20  
   Integration Services, 25–26  
   location services, 25  
   manageability, 22–23  
   management tools, 23  
   multi-dimensional analytics, 28  
   operating system requirements, 18  
   programmability, 24–25  
   replication, 21  
   reporting, 30–31  
   scalability, 1, 18, 19  
   security, 21  
   spatial services, 25  
 installation best practices, 35–61  
 licensing, 31–33  
 log shipping. *See* log shipping  
 new features, 6  
 optimization. *See* performance tuning  
 pricing, 16  
 security. *See* security  
 as self-tuning, 455, 495. *See also*  
   performance tuning  
 service isolation in, 338–339  
 64-bit platform, 88–89  
 uninstalling, 57–59

upgrading to, 45–46, 63–96  
 Windows authentication and, 343–344

### SQL Server Agent, 138–174

access to, 153  
 components, 138–152  
   alerts, 147–152  
   jobs, 138–143  
   operators, 144–147  
   schedules, 143–144  
 configuring, 157–161  
 executing packages with, 201–202  
 proxies, 153–157  
 security, 152–157  
 service account, 152

### SQL Server: Buffer Manager: Page reads/sec, 509

### SQL Server: Buffer Manager: Page writes/sec, 509

### SQL Server Cache Hit Ratio, 476

### SQL Server Error log, 548

### SQL Server Lightweight Pooling option, 492

### SQL Server login, 345

### SQL Server operating system. *See* SQLOS

### SQL Server Profiler, 514, 522–528

### SQL Server: Buffer

*Manager: Page-life expectancy, counter, 476*

### SQL Trace, 500, 514, 516–522

analysis of query plans with, 602–623  
 architecture, 517, 518  
 event notifications and, 531

### SQL, Transact. *See* T-SQL

### SQLAgentOperatorRole, 153

### SQLAgentReaderRole, 153

### SQLAgentUserRole, 153

### sqlcmd, 403–407

executing  
   from command prompt, 403–405  
   from Management Studio, 405–407

### sqldiag /OC:tempbaseline /X /N2, 127

### SQLDiag.exe, 125–127

### (SQLDIR), 167

### SQLDumper.exe, 124–125

### SQL-NS object model, 112

(SVR)

Index

- SQLOS (SQL Server operating system), 476–479, 489**  
 components, 477  
 goal of, 477  
 memory nodes, 477, 478
- sql\_statement\_starting, 535**
- SQLTrace-ServerSide, 518**
- SQL\_Variant, 15**
- SSAS. See Analysis Services**
- SSIS. See Integration Services**
- SSMS. See Management Studio**
- SSPI (Security Support Provider Interface), 344**
- SSRS. See Reporting Services**
- SSUA. See Upgrade Assistant**
- Standard Edition (SQL Server 2008), 17–31**
- standard reports, 500, 547**
- standards-based spatial support, 25**
- start sector alignment, 450–451**
- startup parameters, 101–104**
- startup stored procedures, 104–105**
- state change events, database mirroring, 726–728**
- statement-level recompilations, 560**
- statistics**  
 filtered, 605, 624–626  
 query optimizer and, 594–595
- Status page, 351**
- (STEPCT), 167**
- (STEPID), 167**
- storage alignment, 467–469**
- Storage Area Network. See SAN**
- storage systems**  
 cost and, 442  
 design, 439–445  
   faster disks in, 440  
   more disks in, 440  
   simplicity in, 440  
   variance in, 439  
   vendors' expertise in, 439–440  
 disk quantities in, 441–442  
 disks, 437–439  
   data transfer rate, 438  
   fundamental information, 438–439  
   latency, 438  
   rotational latency, 438  
   seek time, 438  
   throughput in I/O/sec, 439  
   throughput in MB/sec, 439  
   total latency, 438  
   track-to-track latency, 438  
   transfer time, 438  
 I/O characteristics for, 442–443  
 isolation in, 444–445  
   *grouping similar I/O workloads*, 445  
   *separating SQL data from log*, 444–445  
   *tempdb* and, 445  
 NAS, 37, 39, 437, 445, 470, 733  
 NTFS file system, 451  
 RAID and, 443–444  
   mirroring, 443  
   recommendations, 444  
   striping with mirroring, 443  
   striping with parity, 443–444  
 SAN, 437, 445–447, 470, 731  
 space and, 441  
 start sector alignment, 450–451  
 testing and, 440–441
- stored procedures, 97, 127. See also extended stored procedures**  
 CLR, queries about, 321–322  
 dynamic SQL and, 366–367  
 log shipping monitoring with, 793  
 sp\_replcounters replication system, 682  
 sp\_who, 118  
 sp\_who2, 118  
 startup, 104–105  
 T-SQL, server-side traces and, 517–522
- stream compression, 687**
- (STRTDT), 167**
- (STRTTM), 167**
- subscribers, 655**
- subscription, 656**
- surface area, 330**
- Surface Area Configuration for Database Engine Features policy, 93–94**
- Surface Area Configuration tool (no longer available), 52, 78, 91, 101, 341–342. See also policy-based management (SVR), 167**

## symmetric multi-processor systems

**symmetric multi-processor systems.** *See* SMP systems

**synchronous mirroring mode, 685.** *See also* database mirroring

**synonyms, 9**

**sys schema, 364**

**sysadmin role, 348**

**sys.database\_mirroring, 698–700**

**sys.database\_mirroring\_endpoints, 700**

**sys.database\_mirroring\_witnesses, 700**

**sys.dm\_broker\_activated\_tasks, 301**

**sys.dm\_broker\_connections, 302**

**sys.dm\_broker\_forwarded\_messages, 302**

**sys.dm\_broker\_queue\_monitors, 301**

**sys.dm\_db\_task\_space\_usage, 460**

**sys.dm\_exec\_cached\_plans, 555, 557**

**sys.dm\_exec\_connections, 118**

**sys.dm\_exec\_query\_stats, 119**

**sys.dm\_exec\_sql\_text, 119, 558**

**sys.dm\_io\_virtual\_file\_stats, 570**

**sys.dm\_os\_dispatcher\_pools, 538**

**sys.dm\_repl\_articles, 681**

**sys.dm\_repl\_schemas, 681**

**sys.dm\_repl\_tranhash, 681**

**sys.dm\_repl\_traninfo, 681**

**sys.dm\_resource\_governor\_configuration, 488**

**sys.dm\_resource\_governor\_resource\_pools, 488**

**sys.dm\_resource\_governor\_workload\_groups, 488**

**sys.dm\_xe\_map\_values, 538**

**sys.dm\_xe\_object\_columns, 538**

**sys.dm\_xe\_objects, 538**

**sys.dm\_xe\_packages, 539**

**sys.dm\_xe\_session\_event\_actions, 539**

**sys.dm\_xe\_session\_events, 539**

**sys.dm\_xe\_session\_object\_columns, 539**

**sys.dm\_xe\_sessions, 539**

**sys.dm\_xe\_session\_targets, 539**

**sysmon.** *See* System Monitor

**sys.server\_triggers, 402**

**sys.syscacheobjects Virtual Table, 563**

**system architecture, 427–429**

- NUMA system, 427–429
- SMP system, 427

### system data collection sets, 549–553

- custom, 551–554
- Disk Usage, 549
- Query Activity, 549
- reports from, 549–551
- Server Activity, 549

### system databases, 7–8

- backing up, 750–751
- backup, 750–751
  - master, 750–751
  - model, 751
  - msdb, 751
  - tempdb, 751
- rebuilding, 105–106

### System event log, 548

### system files location, SQL Server install and, 43

### System Monitor (sysmon), 125, 325, 430, 441, 833

- CLR integration performance monitoring with, 325
- database mirroring and, 709–711
- performance objects, 709

### System Performance Monitor, 418, 430, 460, 476.

*See also* Performance Monitor

### sys.triggers, 402

## T

### Table (data type), 15

### Table Hints, 625

### table scan, 583–585

- clearing caches, 584–585
- SET STATISTICS IO ON/OFF, 583–584

### tables. *See also* partitioned tables and indexes

- creating, 465–466
- internal-only, 594

### table-valued functions, CLR, 323

### Tabular Data Stream. *See* TDS

### tail transaction-log backup, 741

### target endpoint, 238

- conversation priorities on, 286–287

### Target object, 537

### target servers (TSX), 171–174, 549

## transaction servers

- targets, 92, 538**
- targets (XEvent object), 537**
- Task Manager, 418**
- TDE. *See* Transparent Data Encryption**
- TDS (Tabular Data Stream) endpoints, 342–343**
  - Named Pipes, 342
  - shared memory, 342
  - TCP/IP, 342
  - VIA, 342
- telnet, 330**
- tempdb database, 8**
  - backing up, 751
  - capacity planning, 459–460
  - features in, 458
  - I/O problems and, 458–461
  - isolation and, 445
  - space requirements, 458
  - version stores, 458
  - white paper on, 570
- templates, 517**
- testing**
  - SQL Server 2008 instance on cluster, 831–833
  - storage systems and, 440–441
- text (data type), 11, 12**
- third-party clustering solutions, 811**
- 32-bit systems**
  - memory configuration, 432–433, 479–482
    - /3GB option, 432, 433, 479, 480
    - AWE, 432, 433, 476, 480, 481, 482
    - PAE, 432, 476, 479, 480
  - memory configuration scenarios
    - 32-bit OS and SQL with 2–4GB of RAM, 434
    - 32-bit OS and SQL with 4 to 16GB of RAM, 436
    - 32-bit OS and SQL with less than 2GB of RAM, 434
    - 32-bit OS and SQL with more than 16GB of RAM, 436
    - Special case- 32-bit OS with 2–4GB of RAM, 434
    - Special case- 32-bit OS with 4GB of RAM, 434–436
- x64, 422
- x86 processors, 421–422
- thread scheduling**
  - cooperative, 309
  - preemptive, 309, 491
- threads. *See also* hyperthreading**
  - fibers v., 492
  - lightweight, 492
  - multi-core, 425
  - worker, 490
- 3GB option (memory configuration), 432, 433, 479, 480**
- throughput in I/O/sec, 439**
- throughput in MB/sec, 439 (TIME), 167**
- time (n), 14, 15**
- time data types, 14–15, 24**
- Time to Send and Restore All Current Log (Estimated), 714**
- timestamp (data type), 16**
- tinyint, 12**
- tokens, 167–169. *See also* specific tokens**
  - case sensitivity of, 167
  - defined, 167
  - list of, 167
- total latency, 438**
- trace flags, 120–124**
- trace\_print, 535**
- traces. *See also* SQL Trace**
  - Analysis Services and, 224–226
  - client-side, 518
  - event notifications v., 529
  - metadata, retrieving, 521–522
  - performance considerations for, 528
  - Performance Monitor log data correlated with, 526–527
  - replaying, 527–528
  - server-side, creating, 517–522
  - terminology, 517
- track-to-track latency, 438**
- Transaction Delay counter, 709**
- transaction logs, 5**
- transaction servers, 32**

## transactional replication

---

### **transactional replication, 654, 657, 674–675**

- backup considerations for, 755
- database mirroring v., 725

### **Transaction/Sec counter, 710**

### **Transact-SQL. *See* T-SQL**

### **transfer time, 438**

### **Transparent Data Encryption (TDE), 341, 375–376**

- databases and, 341, 376
- enabling, 375–376

### **transport security (Service Broker), 267–274**

### **trigger metadata, CLR, 322**

### **triggers**

- AFTER, 458
- CLR, 322
- DDL. *See* DDL

### **trivial plan, 593**

### **troubleshooting**

- clustering, 834–836
- Database Engine, 97–127
- database mirroring, 716–719
- failed SQL Server installation, 60–61
- Kerberos authentication, 344
- log shipping, 793–794
- permission issues, 369–370
- Service Broker applications, 297–307
- tools
  - SQLDiag.exe, 125–127
  - SQLDumper.exe, 124–125
  - trace flags, 120–124

### **trouble-ticketing system (example), 463–464**

### **TRUSTWORTHY bit, 722**

### **Trustworthy Computing, 64–65**

### **T-SQL (Transact-SQL), 24**

- backup commands, 762–763
- CLR integration v., 310
- credentials and, 355
- as data provider, 549
- log shipping deployment and, 790–791
- log shipping removal and, 802–803
- logins and, 351–352
- monitoring processes in, 118–119
- performance tuning, 501, 555–603
- restore command, 772
- Script, 140, 154

- stored procedures, server-side traces and, 517–522
- users and, 358

### **TSX. *See* target servers**

### **tuning. *See* performance tuning**

### **type derivation, 564**

### **TYPE\_ID() function, 11**

### **TYPE\_NAME() function, 11**

### **types, 538**

## U

### **UDM (Unified Dimensional Model), 208–210**

- components, 208–209
  - administrative configuration, 209
  - calculations (expressions), 208–209
  - dimensional model, 208
  - DSV, 208
  - familiar/abstracted model, 209

### **UMS (User Mode Scheduler), 476**

### **Unified Dimensional Model. *See* UDM**

### **uninstalling**

- Analysis Services, 58
- SQL Server 2008, 57–59
- SQL Server Database Engine, 58–59

### **Uniqueidentifier (data type), 16**

### **unsupported features (SQL Server), 77–78**

### **UPDATE operations (with MERGE), 597–599**

### **update queries, DTA and, 640–649**

### **updating subscriber (replication model), 660, 661**

### **Upgrade Advisor, 69–75**

- installing, 69–70
- resolving issues, 73–75
- scripting, 72–73
- using, 70–72

### **Upgrade Assistant (SSUA), 75–77**

- baseline server, setting up, 76
- final analysis, 77
- playback, capturing, 75–76
- SQL profiler trace, running, 76
- upgrading to SQL Server 2008, 77

### **upgrade execution process, 66**

### **Upgrade folder, 340**

*who is waiting?* query**upgrade process (to SQL Server 2008),  
45–46, 63–96**

- backward compatibility, 77–89
- benefits, 63–64
- component considerations, 79–89
  - Analysis Services, 80–81
  - database mirroring, 88
  - DTS upgrade to Integration Services, 81–88
  - failover clustering, 88
  - Full-Text Catalog, 79–80
  - log-shipping sessions, 88
  - Reporting Services, 80
  - 64-bit platform, 88–89
- in-place, 66–67, 68, 69
- ISVs, 65
- side-by-side, 67, 68
- SQL community testing, 65
- strategies, 65–66
- tasks/checks
  - post-upgrade, 66, 89–96
  - pre-upgrade, 65–66, 69–77
  - upgrade, 66
- upgrading clustering, 817–819**
- upgrading to log shipping,  
803–804**
- UPSERT, 24**
- usage counters, updating, 90**
- user CAL, server and, 32, 33**
- user mode, 491**
- User Mode Scheduler (UMS), 476**
- user-defined aggregates, CLR, 323**
- user-defined functions, 458**
- user-defined roles, 357–358**
- user-defined types, CLR, 323**
- users (database principals), 345, 355–358.**
  - See also* logins
  - creating, with T-SQL, 358
  - granular permissions, 356–357
  - guest, 358
  - roles, 357–358
  - schemas and, 362–363
- Users group, security and,  
334–335**
- /USERVA option, 432**

**V**

- varbinary, 13, 14**
- varbinary (max), 13, 14, 311**
- varchar, 11, 12**
- varchar (max), 311**
- VAS (virtual address space), 431**
- VB.NET, 4**
- version control support, 24**
- version stores, 458, 607**
- version tables, 410–412**
- VIA protocol, 91, 342**
- view queries waiting for memory grants* query,  
545–546**
- viewing blocking information* query, 543**
- viewing the locking information* query, 543**
- virtual address space (VAS), 431**
- Virtual Memory Manager (VMM), 429–430**
- virtual PC solution, 808**
- virtual server licensing, 32–33**
- Vista, service isolation in, 338–339**
- Visual Source Safe, 383, 384, 385, 408, 412,  
679**
- Visual Studio 2008. *See also* Management  
Studio**
  - BIDS and, 5
  - full dump and, 125
  - Management Studio and, 64, 106
  - project creation, 383–385
  - solutions v. projects, 383
  - SQL Server 2008 editions, and, 24
- Visual Studio Team System for Database  
Professionals (Data Dude), 408**
- VMM (Virtual Memory Manager), 429–430**

**W**

- wait stats* query, 542–543**
- warm backup server, 810**
- Web Edition (SQL Server 2008), 17–31**
- Web services, 25**
- Web-based architecture (schematic diagram),  
416**
- who is using which resources?* query, 541**
- who is waiting?* query, 542**

## Windows 2008, details on

---

- Windows 2008, details on, 457**
  - Windows authentication. *See* authentication**
  - Windows collations, 41. *See also* collations**
  - Windows domain login, 345**
  - Windows event logs. *See* event logs**
  - Windows local login, 345**
  - Windows Management Instrumentation. *See* WMI**
  - Windows Performance Monitor. *See* Performance Monitor**
  - Windows PowerShell, 403, 408–410**
  - Windows Server Catalog, 421**
  - Windows Server System Reference Architecture (WSSRA), 416, 421**
  - Windows Server Update Services (WSUS), 333**
  - Windows Services Snap-in, Integration Services service properties and, 182–183**
  - Windows System Monitor. *See* System Monitor**
  - Windows Vista. *See* Vista**
  - Winter survey, 1**
  - Witness Address, 714**
  - witness server, 684, 695–696**
  - witness-to-partner quorums, 696**
  - wizards**
    - Database Mail Configuration, 164
    - Import and Export, 188–190
    - Maintenance Plans, 130–135
    - Package Installer, 196–198
  - (WMI(property)), 168**
  - WMI (Windows Management Instrumentation), 170–171**
  - work scheduling (SQL Server)**
    - affinity mask and, 491
    - default, 490
  - worker threads, 490**
  - Workgroup Edition (SQL Server 2008), 17–31**
  - workload groups, 484**
  - workloads, DTA and, 651–652**
  - write-ahead log, 5**
  - WSSR (Windows Server System Reference Architecture), 416, 421**
  - WSUS (Windows Server Update Services), 333**
- ## X
- x64 (32-bit with 64-bit extension) processors, 422**
  - x64-bit platform (SQL Server 2008), 88–89**
  - x86 (32-bit) processors, 421–422**
  - XEvents (SQL Server Extended Events), 500, 515, 531–539**
    - objects, 531–538
      - Action, 535–536
      - Event, 533–535
      - Event Session, 537–538
      - Module, 531
      - Package, 531–532
      - Predicate, 536–537
      - Target, 537
  - XML, 4**
    - (data type), 16
    - columns, indexes on, 607
    - configuration file, Integration Services service, 180–181
    - DTA and, 608
    - indexes, 24, 626
    - Showplan, 523–526
    - support, 24
    - XML/A (XML for Analysis), 209. *See also* Analysis Services
      - description, 209
      - support, 25
    - XMLA listener, 209
    - XPath, 4
    - XPs. *See* extended stored procedures
    - XQuery, 4