

# Index

- Accident year 11
- Age-to-age factor estimate 18, 38, 271
- Age-to-age factors, *see* Development factors
- Aggregate process 6
- ALAE, *see* Allocated loss adjustment expenses
- Allocated loss adjustment expenses 13
- Approach 1, *see* Unconditional resampling
- Approach 2, *see* Partial conditional resampling
- Approach 3, *see* Conditional resampling
- Arrival process 371
- Associated conjugate 122, 131, 350, 352
  
- Bayesian Chain-ladder method 351–64
  - associated conjugate 352, 355
  - Bayesian estimator 353
  - conditional mean square error of prediction
    - associated conjugate 363, 364
    - credibility approach 361
    - non-informative prior 354, 355
  - credibility based estimator 360
  - credibility Chain-ladder 35
  - exponential dispersion family
  - model assumptions
    - associated conjugate 355
    - Bühlmann-Straub 359
    - Bayesian CL model 353
    - non-informative prior 354
  - non-informative prior 358, 363, 402
- Bayesian estimator 91, 113, 125, 145, 353
- Bayesian models 91–160
- Bayesian overdispersed Poisson model 133
- Bayes theorem 91, 101, 105, 113
  
- Benktander-Hovinen method 92–4
  - BH estimator 92
  - BH reserves 93
- Best estimate
  - accident year  $i$ , 16, 17
  - IBNyR and UPR claims 9
  - reported claims 9
- Beta function 408
- BF method, *see* Bornhuetter-Ferguson method
- BH method, *see* Benktander-Hovinen method
  
- Bootstrap methods 233–55
  - bootstrap
    - confidence interval 236
    - consistency 236
    - distribution 235
    - sample 234
- Chain-ladder method 244–8
  - conditional estimation error 247–8
  - unconditional estimation error 246–7
- empirical distribution 235
- Generalized linear models 242–4
  - Pearson residuals 242–3
- Log-normal model for cumulative sizes 237–41
  - model assumptions (Gaussian residuals) 247
- non-parametric bootstrap 234–6
- parametric bootstrap 236–7
- resampling
  - conditional 247
  - unconditional 246
- SUR bootstrap technique 253–5
  - multi-dimensional 254
  - one-dimensional 253–4

- Bornhuetter-Ferguson method 21–4, 26, 30, 37, 98, 223
- BF claims development pattern 21, 224
- BF estimator 22, 26, 223, 225
- BF model assumptions I 21
- BF model assumptions II 21, 99, 103
- BF model assumptions III 224
- BF reserves 24, 101, 103
- conditional mean square error of prediction
- aggregated accident years 231
  - single accident year 226
- conditional process variance
- single accident year 226
- simulation approach 233
- Bühlmann credibility model 145
- Bühlmann-Straub credibility model 145–54, 359
- Bayesian estimator 145
- BS reserving estimator
- homogenous 150
  - inhomogenous 150
- Bühlmann-Straub estimator
- homogeneous 149
  - inhomogeneous 149
- credibility weight 148
- different a priori means 149
- model assumptions 147
- quadratic loss function 147, 148, 149–50
- reserves 154, 155
- structural parameters 147
- unconditional mean square error of prediction
- aggregated accident years 179, 180
  - single accident year 174, 179, 180
- variational coefficient 152
- Cape-Cod method 95–7
- CC estimator 95
- CC model assumptions 95
- CC reserves 97
- loss ratio 95
- robustified overall loss ratio 95
- Chain-ladder method 15–20, 33, 36
- age-to-age factor estimate 16, 38
- CL estimator 16, 27
- CL factors, *see* Development factors
- CL model assumptions 16
- CL reserves 17, 19, 24, 137, 142, 145
- conditional estimation error
- linear approximation 52, 57, 59
  - lower bound 58
  - single accident year 44, 52
  - upper bound 58
- conditional mean square error of prediction
- aggregated accident years 41, 55, 57
  - Mack formula aggregated accident years 54
  - Mack formula single accident year 53, 59
  - single accident year 41, 52, 53
- conditional process variance
- aggregated accident years 42
  - single accident year 41, 42
- enhanced, *see* Enhanced Chain-ladder method
- individual development factor 38
- Mack model 36, 73
- resampling
- conditional 54, 56, 57
  - partial conditional 54
  - unconditional 45, 47, 58
- time series model 49
- variance estimate 38
- Claim(s)
- aggregate process 6
  - arrival process 371
  - claim amount 1
  - claim history 2
    - accident year 2
    - claims closing 2
    - reopening 2
    - reporting date 2
  - counting process 371
  - development pattern 21, 92, 122, 146
  - development triangle 10
  - IBNeR 3, 375–7
  - IBNyR 3, 375–7
  - incurred 308
  - inflation 3
  - information process 86
  - paid 332
  - payment process 6, 372
  - payments 1
  - reported process 375
  - reporting date 372
  - reporting delay 372
  - reserves 1, 3, 10, 98
    - IBNeR 3, 375
    - IBNyR 3, 375
    - IBNyR and UPR claims 9
    - reported claims 9
  - reserving problem 5

- settled 376
- settlement process 6, 372
- CL method, *see* Chain-ladder method
- Combined Chain-ladder and additive loss
  - reserving method 301–29
- conditional cross estimation error
  - single accident year 313
- conditional cross process variance
  - single accident year 315
- conditional mean square error of prediction
  - aggregated accident years 388
  - single accident year 384
- conditional resampling 315
- estimator 311
- time series model 308
- reserves 325
- Conditional estimation error 34
  - aggregated accident years 78, 230, 272, 297, 388
  - single accident year 44, 55, 63, 74, 264, 295, 384
- Conditional parameter error, *see* Conditional estimation error
- Conditional parameter prediction error
  - aggregated accident years 78
  - single accident year 63
- Conditional process variance 34
  - aggregated accident years 42, 78–9, 230, 272, 297
  - single accident year 41, 42, 63, 229
- Conditional resampling 45, 46, 49, 73, 77, 259, 295–6, 384
- Conditional stochastic error, *see* Conditional process variance
- Counting process 372
- Credibility coefficient 125, 128, 129
- Credibility mixture 92, 98, 128
- Credibility models 145–6
- Credibility weight 101, 105, 110
- Credibility weighted average 101, 107, 108
- Credible claims reserving methods 98–113
  - Log-normal/Log-normal model 105–13
    - conditional mean square error of prediction 111
    - credibility weight 107, 108
    - credibility weighted average 107, 108
    - estimator 109
    - model assumptions 106
    - reserves 110
    - unconditional mean square error of prediction 121
  - model assumptions I 100
  - model assumptions II 103
  - Model of Gogol, *see* Log-normal/Lognormal model
  - optimal credibility factor 100, 101
  - reserves 99, 101, 104
  - unconditional mean square error of prediction
    - single accident year 121
- Deflator 4
- Development factors 16
- Development period, *see* Development year
- Development year 10
- Distribution
  - continuous 167, 181
    - Beta 103, 408
    - compound Poisson 378
    - Gamma 114, 122, 167, 177, 183, 186, 187, 188, 365, 407
    - Log-normal 105, 167, 185, 407
    - multivariate Normal 203
    - Normal 167, 391, 402, 407
    - Uniform 60, 134, 354, 406
    - $\chi^2$  203
  - discrete
    - Binomial 405
    - Negative-Binomial 117, 183, 405
    - Poisson 25, 114, 118, 182
  - stationary 154
- Distributional models 193–227
- EDF, *see* Exponential dispersion family
- Enhanced Chain-ladder method 86
  - CL estimator 71
    - conditional estimation error
      - aggregated accident years 78
      - linear approximation 78
      - single accident year 74, 76, 79
    - conditional mean square error of prediction
      - aggregated accident years 80
      - single accident year 79
    - conditional parameter prediction error
      - aggregated accident years 80
      - single accident year 76–8
    - conditional process variance
      - aggregated accident years 80
      - single accident year 74
    - conditional resampling 73, 77
    - individual development factor 70

- Enhanced Chain-ladder method (*Continued*)  
 reserves 101, 103  
 time series model 71
- Estimated cashflow pattern 25, 30
- Evolutionary credibility models, *see* Kalman filter
- Exogenous information 6
- Expected cashflow pattern 25
- Expected cumulative cashflow pattern 21
- Expected reporting pattern, *see* Expected cashflow pattern
- Exponential dispersion family 113, 115, 121, 122, 205
- Exponential dispersion method  
 associated conjugate 113  
 Bayesian estimator 113  
 conditional mean square error of prediction  
 single accident year 123  
 estimator 113, 114  
 Exponential dispersion model 113  
 model assumptions 115  
 reserves 127  
 unconditional mean square error of prediction  
 single accident year 11, 23
- Exposure 199, 375
- Exposure rate, *see* Risk exposure per time
- Fisher information 202, 208
- Fisher information matrix 193, 202, 203, 208, 211, 212, 213, 217, 218
- FKG inequality 67
- Full Bayesian approach 131, 138
- Gamma function 407
- Gamma model 186–8  
 estimator 187–8  
 model assumptions 186  
 model assumptions multiplicative structure 187  
 variance function 185, 272
- General Insurance, *see* Non-Life Insurance
- Generalized binomial coefficient 406
- Generalized linear models 201–30  
 Bornhuetter-Ferguson method 223  
 BF estimator 225  
 BF model assumptions 224  
 conditional mean square error of prediction 226, 229  
 conditional process variance 226  
 prior estimate 224  
 simulation approach 232
- classical linear model 205
- conditional estimation error  
 aggregated accident years 230
- conditional mean square error of prediction  
 aggregated accident years 230, 231
- conditional process variance  
 aggregated accident years 231
- design matrix 203, 205
- estimator 209
- Exponential dispersion family 205
- Fisher information 202
- Fisher information matrix 193, 202, 203, 208, 211, 212, 213, 217, 218  
 expected 211  
 observed 211
- Fisher scoring method 210–214
- Fisher scoring update 214
- Gamma model 207
- Gaussian model 207
- Hessian matrix 211
- Inverse-Gaussian model 207
- iteratively weighted least-squares, *see* Fisher scoring method
- linear predictor 203, 206
- link function 203  
 canonical 206  
 log 203, 206, 208, 238
- maximum likelihood estimator 201–3
- model assumptions 205
- multiplicative structure 204, 206, 208, 218, 223
- Pearson residuals 218, 219, 221, 242
- Poisson model 207, 225
- quasi-likelihood models 206
- random component 203
- reserves 219–21
- response function 203, 208
- score function 211
- systematic component 203
- Tweedie's compound Poisson model 207
- unconditional mean square error of prediction  
 aggregated accident years 230
- variance function 203, 207, 210
- Hachemeister regression model 155–8  
 Hachemeister estimator 156  
 Hachemeister reserving estimator 157  
 model assumptions 155  
 quadratic loss matrix 157

- standard regression case 157
- structural parameters 158
- Hoerl curve 158, 199, 223, 401
- IBNeR 12, 376
- IBNyR 12, 376
- Incremental loss development pattern 146
- Index 4
  - function 4
- Individual development factor 38, 70, 350
- Inflation 3
  - superimposed 5
- Information available at time  $t$  5
  - total 6, 378
- Information process 6
- Innovation gains process 8
- Kalman filter 160–5
  - evolutionary credibility models 160
  - Kalman filter reserving estimator 162
  - model assumptions 160
  - model assumptions Gerber-Jones 164
  - recursion formula 161
  - reserves 165
  - structural parameters 161
- Legal compulsory insurance 3
- Life Insurance 1
- Likelihood function 26, 113, 134, 187, 191–193, 207, 210, 351–353, 402
- Lines of business (LoB) 1
- LoB, *see* Lines of business
- Log-likelihood function 26, 208, 210, 211
- Log-normal/Log-normal model, *see* Credible claims reserving methods
- Log-normal model 167–82
  - conditional mean square error of prediction
    - single accident year 168, 170
  - estimator
    - central 176
    - unbiased 169
    - unknown  $\sigma_j^2$  I 177
    - unknown  $\sigma_j^2$  II 178
- Log-normal model for incremental claims 185–6
  - model assumptions 168
  - reserves 174, 176, 181
  - unconditional mean square error of prediction
    - aggregated accident years 63
    - single accident year 78, 79, 81
  - variance function 186
- Loss
  - amount 1
  - payments, *see* Claims, payments
  - ratio 95
- Lower triangle 11
- Mack formula
  - aggregated accident years 57
  - single accident year 53
- Marked point process 6
- Marked Poisson point process 374
  - intensity 374
  - mark 374
- Markov chain assumption 37, 260, 350
- Markov Chain Monte Carlo methods 131–45, 364–8
  - ABC algorithm 132
  - acceptance probability 132
  - asymptotic acceptance rate 145
  - Bayesian overdispersed Poisson model 133
  - BUGS 145
  - conditional mean square error of prediction 143, 364
  - ergodic Markov chains 132
  - full Bayesian approach 143
  - Gamma priors 137, 366
  - Gibbs samplers 132
  - Metropolis-Hastings algorithm 132
  - normalization condition 133
  - proposal distribution 132, 133
  - single-component updating procedure 134
  - stationary distribution 132
  - stationary state 133
  - transition kernel 132
  - Uniform priors 134
  - WinBUGS 145
- Martingale 7, 16, 160
- Maximum likelihood estimator 201–3
  - Exponential dispersion family 205
  - Gamma model 186, 209
  - Models (M1)-(M3) 392
  - Poisson model 26, 27
  - Tweedie's compound Poisson model 188
- MCL method, *see* Munich chain-ladder method

- MCMC methods, *see* Markov Chain Monte Carlo methods
- Mean square error of prediction 33–6
- conditional 33
    - aggregated accident years 41, 55, 57, 63, 80, 230, 264, 272, 295, 319, 321, 357, 388
    - single accident year 41, 78, 123, 226, 229, 264, 271, 273, 294, 295, 313
  - unconditional 45
    - aggregated accident years 230
    - single accident year 81, 121, 123, 226, 229, 261, 264, 318
- MH algorithm, *see* Markov Chain Monte Carlo methods
- ML, *see* Maximum likelihood estimator
- Model of Gogol, *see* Credible claims reserving methods
- Model of Mack 37
- model assumptions 37
- Model of Schnieper
- conditional estimation error
    - aggregated accident years 380
    - single accident year 379
  - conditional process variance
    - single accident year 379
  - conditional resampling 379
  - model assumptions 380
- MSEP, *see* Mean square error of prediction
- Multidimensional credibility models 154–65
- Multiplicative structure 11, 33
- Multivariate additive loss reserving method 288–307
- conditional estimation error
    - aggregated accident years 297
    - single accident year 295
  - conditional mean square error of prediction
    - aggregated accident years 297, 298
    - single accident year 296
  - conditional process variance
    - aggregated accident years 297
    - single accident year 297
  - estimator 291
  - individual incremental loss ratio, *see* Normalized incremental payments 291
  - individual incremental loss ratio estimate
  - normalized incremental payments 288
  - reserves 302
  - scaled expected reporting pattern 289
  - time series model 288
- Multivariate Chain-ladder method 259–74
- CL estimator 262
  - conditional estimation error
    - aggregated accident years 265
    - single accident year 264
  - conditional mean square error of prediction
    - aggregated accident years 264
    - single accident year 303, 311
  - conditional process variance
    - aggregated accident years 312
    - single accident year 313
  - conditional resampling 315, 320
  - multivariate age-to-age factor, *see* Multivariate development factor
  - multivariate age-to-age factor estimate 259, 261
  - multivariate CL factor, *see* Multivariate development factor
  - multivariate CL model assumptions 260
  - multivariate development factor 260
  - multivariate individual development factor 250
  - multivariate time series model 266
  - reserves 267
- Multivariate CL method, *see* Multivariate Chain-ladder method
- Multivariate development factor 255
- Multivariate reserving methods 257–329
- Munich chain-ladder method 331–46
- age-to-age factor estimates
    - incurred 333
    - paid 333
  - best affine-linear one-step estimator 336
  - claims incurred 333
  - claims paid 333
  - CL estimators
    - incurred 333
    - paid 333
  - conditional correlation coefficient
    - incurred 335, 342
    - paid 335, 342
  - conditional expected squared loss 336
  - conditional normal equations 336
  - individual development factors
    - incurred 335
    - paid 335
  - linear subspaces 336, 338
  - MCL estimators 342
  - model assumptions 333

- ratios
  - incurred/paid 333, 345
  - paid/incurred 333, 346
- reserves 343
- residuals
  - incurred/paid ratios 342
  - paid/incurred ratios 342
- variance estimates
  - incurred 333
  - paid 333
- Negative-Binomial model 183–5
  - model assumptions 184
  - variance function 184
- Newton-Raphson algorithm 393
- New York-method 13–14
- Non-informative prior 358, 364
- Non-Life Insurance 1
  - policy 1
- Observations at time  $I$ 
  - claims development triangle 10
  - $N$  correlated development triangles 259
- Open liabilities
  - IBNyR claims including UPR 10
  - reported claims 10
- Other credibility models 159
- Outstanding claims liabilities, *see* Claims, reserves
- Outstanding loss liabilities, *see* Claims, reserves
- Overdispersed Poisson model with Gamma a priori distribution, *see* Poisson- Gamma model
- Overparametrization 144
- Paid claims, *see* Claims, payments
- Paid losses, *see* Claims, payments
- Paid-to-paid method, *see* New York-method
- Partial conditional resampling 45, 54
- Pay-as-you-go system 3
- Payment process 6, 372
- Payments
  - accounting year 3
  - cumulative 4
- Payout pattern 21
- Pearson residuals 218, 243
- Plug-in estimate 131
- Poisson-Gamma model 114–22
  - conditional mean square error of prediction
    - single accident year 121
  - estimator 118
  - latent variable 114
  - model assumptions 115
  - reserves 118
  - single accident year 121
  - unconditional mean square error of prediction
- Poisson model 25–7, 182
  - model assumptions 25
  - Poisson ML estimator 25, 26
  - reserves 27
  - variance function 182, 206
- Poisson process
  - homogeneous 371
  - inhomogeneous 379
  - intensity 378
- Posterior distribution 91, 108, 113, 116, 145
- Premium 1
  - reserves 3
  - unearned 2, 376
- Premium accounting principle 2
  - premium booked 2
  - premium earned 2
  - premium written 2
- Premium liability, *see* Premium reserves unearned
- Prior distribution 91, 113, 127
- Prior estimate 23, 226
- Profile likelihood function 193
- Profit-and-loss statement 33
- Property and Casualty Insurance, *see* Non- Life Insurance
- Q=Q-plot 239, 240, 246, 399
- Quadratic loss function 98, 101, 125, 145–8
- Reported claim process 376
- Reporting date 376
- Reporting delay 2, 377
- Resampling 44
  - conditional 45, 53, 171, 247, 264, 271
  - partial conditional 45
  - unconditional 45, 47, 58, 63, 171, 246
- Risk exposure per time 370
- Run-off situation 370
- Settlement process 6, 377
- Skewness 368
- Social insurance 3
- Squared loss function 113
- Statistical diagnostics 391–404
  - non-parametric smoothing 401–4

- Statistical diagnostics (*Continued*)
- likelihood function 402
  - maximum likelihood estimator 403
- testing age-to-age factors 391–401
- Akaike information criterion (AIC) 395
  - confidence interval 396
  - inflation parameter 401
  - likelihood function 392
  - maximum likelihood estimator 393
  - model assumption 391
  - Model choice 394–5
  - residuals 398
  - scaled sum of squared errors (gSSE) 394
  - sum of squared errors (SSE) 394
- Still-to-come-factor 24
- Stochastic kernels 46
- Supermartingale 7
- Time series model
- Chain-ladder method
    - multivariate 264
    - univariate 12
  - combined Chain-ladder and additive loss
    - reserving method 308
  - enhanced Chain-ladder method 71
  - multivariate additive loss reserving method 288
- Tweedie's compound Poisson model 188–99, 221
- model assumptions 188
  - model assumptions constant dispersion 191
  - reserves 196
  - variance function 190
- ULAE, *see* Unallocated loss adjustment expenses
- Ultimate claim 6, 12
- Ultimate claim amount, *see* Ultimate claim
- Ultimate claim load, *see* Ultimate claim
- Unallocated loss adjustment expenses 13–14
- Unconditional resampling 45, 47, 172, 244
- Uncorrelated increments 8
- Unearned premium reserve 3
- Upper right corner 45
- Upper triangle/trapezoid 11
- UPR, *see* unearned premium reserve
- Value-at-Risk 368
- Variance function 182, 184, 186, 187, 190, 203, 206, 210
- Variance process 7
- Variational coefficient 44, 71, 73, 109, 119, 144, 152, 199, 405, 408
- WAD factor model, *see* Weighted average development factor model
- Weighted average development factor model 69
- Wright's model 199
- model assumptions 199
- Year of occurrence, *see* Accident year



