

# Index

---

**Note to the Reader:** Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

- 
- A**
- absolute measurements, **93**
  - absolute positioning, 192
  - access
    - to sites. *See* administration
    - to web services, **496**
  - Access databases
    - for dynamic content, **538**, 538–539
    - vs. SQL Server, 404
  - Access Denied Go To page, 521
  - accessibility, **625**
    - checking, **576–577**
    - ensuring, 8
    - for Flash text, 250, 250
    - for frames, **147**, 147
    - preferences for, **626**, 626
    - reminders for, **56–57**, 57
    - reports for, **630**, 630–631
    - standards for, **563–564**, 563–564, **626–629**, 627–629
    - support for, **631–632**
  - Accessibility dialog box, 630, 631
  - Accessibility extension
    - category, 597
  - action attribute, 306–307
  - Action field, **307**
  - Action property, 318
  - actions, 258
  - Actions menu, 258
  - Active Area tab, 294
  - active content, **228**
  - Active Server Pages (ASP), 346–347, 350, **403**, **447–448**
    - database connections for, **450–451**, 451
    - in Dreamweaver, **454**
    - for dynamic content, 536
    - IIS for, 567
    - Live Data view for, **453–454**, 454
    - for Master Detail page sets, **540–541**, 541–542
    - for pages, **451–453**
    - permissions in, **449**
    - root folders for, **448–449**
    - site setup for, **449–450**, 449
  - Active Server Pages.NET (ASP.NET), 346–347, **403**, 501
    - installing, **501**
    - proxies for, **503–508**, 504–505, 508
    - sites for, **502–503**
    - virtual directories for, **501–502**, 502
    - web services for, **503–504**, 503
  - ActiveX controls, **231–232**
  - Add Line Breaks option, 391
  - Add Object To Library option, 80
  - Add to Cart Button dialog box, 369
  - Add To Favorites option, 77
  - Add Using WSDL dialog box, 505, 505, 507
  - Administer Password dialog box, 532
  - Administer Website dialog box, 528–529, 528, 532–533
  - administration, **513**, **579**
    - content. *See* content
    - Contributing, **527–529**, 527–530
    - journaling, **588–590**, 589–590
    - login pages and processes, **519–521**, 520
    - personalization features, **522–523**
    - restrictions, **521–522**, 522
    - rolling back sites, **590**
    - updating sites, **590–593**, 591–593
    - user, **514**
      - for authorization, **514–515**
      - for registration forms, **516–517**
      - for server behaviors, **517–519**, 517
      - sites for, **515–516**
      - workflow, **584–587**, 585–586
  - Advanced option, 281
  - Advanced Random Images extension, **618–620**, 619
  - AIFF (Audio Interchange File Format), 223
  - Align Caption option, 94
  - Align property, 317
  - alignment
    - in CSS, 196
    - images, 218–219
    - in tables, **103**
    - text, **137**
  - alt attribute, 490
  - Alt property, 317
  - Alt tags and alternative text
    - for images, **218**, 317
    - keywords in, 565
    - in XHTML, 490
  - anchors, link, **170–171**, **177**, 177
  - animation, GIF, **234**
  - animation symbols for
    - buttons, 291
  - Anything option, 280
  - Apache Tomcat server, 470
  - App Servers extension
    - category, 597
  - Appearance option, 281
  - Apple Safari 1 page, 557, 557
  - applets, **233**, 233

Application Objects, **423**, *423*, **467**, *467*

Application panel group, **43**  
 for ColdFusion, **431–432**  
 for databases, **406–408**,  
*407–408*

Application tab, **41**

Apply Source Formatting option,  
**121**, *394*

Apply Source Formatting To  
 Selection option, **394**

Apply Template To Page  
 option, **73**

applying  
 styles, **192–193**, **198**  
 templates, **72–73**, *72–73*

arguments attribute, **610–611**

ASP. *See* Active Server Pages (ASP)

ASP.NET (Active Server  
 Pages.NET), **346–347**, **403**, **501**  
 installing, **501**  
 proxies for, **503–508**,  
*504–505*, *508*  
 sites for, **502–503**  
 virtual directories for,  
**501–502**, *502*  
 web services for, **503–504**, *503*

assets, **15**  
 inserting, **78**  
 templates. *See* templates

Assets Manager, **77–78**

Assets panel, **44**, **75–76**  
 categories in, **76**  
 for templates, **63–64**, *65*

assigning  
 editable regions, **67–68**, *67–68*  
 privileges, **514–515**

Attach External Style Sheet option,  
**206**, *206*, *474–476*

Attach Style Sheet option, **200**

attaching  
 CSS, **200**, *206*, *206*, *474–476*  
 JavaScript, **261–262**

!ATTLIST element, **554–555**

attributes  
 for tags, **388**, *388*  
 in templates, **68**, *68*  
 in XHTML, **490**  
 in XML, **482**

Attributes panel, **43**

AU files, **223**

audiences  
 considering, **7**  
 defining, **548**  
 in site design, **332**

audio files, **225–226**, *226*  
 formats for, **223**  
 playing clips, **269–270**, *270*

Audio Interchange File Format  
 (AIFF), **223**

Audio Video Interleave (AVI)  
 format, **224**

authorization. *See* administration

Auto option, **158**

Auto Indent option, **373**, *378*

Automatic Wrapping After  
 Column option, **374**

Automatically Upload Files To  
 Server On Save option, **571**

Autostretch columns, **99–101**

AVI (Audio Video Interleave)  
 format, **224**

---

## B

b-trees, **416**

background  
 in CSS, **196**, *196*  
 in Flash text, **250**  
 in frames, **155**, *155*  
 in tables, **102**

backups, **425**

Balance Braces option, **394**

bandwidth, **222**

Banner Network, **360**

banners for marketing, **359–360**

bCentral merchant, **367**

behaviors, **25**, **257–258**  
 Behaviors panel, **258–259**, *258*  
 built-in, **261**  
 Call JavaScript, **261–262**, *261*  
 Change Property, **262–263**, *263*  
 Check Browser, **263**, *264*  
 Check Plugin, **264**, *264*  
 Control Shockwave or Flash,  
**265**, *265*  
 Drag Layer, **265–267**, *266–267*  
 and events, **258–261**

for frames, **161**

Go to URL, **266**, *267*

Jump Menu, **267**, *268*

Jump Menu Go, **268**, *268*

for multimedia, **235**

Open Browser Window,  
**268–269**, *270*

Play Sound, **269–270**, *270*

Popup Message, **271**, *271*

Preload Images, **271–272**, *272*

Set Nav Bar Image, **272–274**,  
*273–274*, *298*

Set Text of Frame,  
**274–275**, *275*

Set Text of Layer, **275–276**, *276*

Set Text of Status Bar, **276**, *276*

Set Text of Text Field,  
**276–277**, *277*

Show-Hide Layers, **278**, *278*

Show Pop-Up Menu, **281**,  
*281*, *298*

for style switcher, **282–284**

Swap Image and Swap Image  
 Restore, **278–279**, *279*

in templates, **67**, *74*

Validate Form, **280**, *280*

Behaviors panel, **43**, **258–259**, *258*,  
**388–389**, *389*

Berners-Lee, Tim, **23**, *36*

BigNoseBird.com site, **328**, *332*

binary tree indexes, **416**

bindings  
 for ColdFusion, **436–437**  
 for databases, **407–408**,  
**431–432**  
 in WSDL, **497**

Bindings panel, **43**, **431–432**  
 for ColdFusion, **431–432**, *436*  
 for databases, **407–408**  
 for Master Detail page sets, **541**  
 for PHP, **465–467**, *465*

Blank Database option, **515**

\_blank target, **160**, *176*

block formatting, **191**

block\_model value, **613**

block options for CSS, **196**, *196*

BLOCKQUOTE element, **553**

Blogger tool, **338–339**

- blogs
    - for interactive sites, **337–339**
    - list of, **637–638**
  - bold text, 133
  - bookmarks, **622–623**
  - Boolean logic, 414
  - borders
    - in CSS, **197, 197**
    - for frames, **148–150, 149**
    - for images, 219
    - for tables, 94, 98, 102–103
  - box model, CSS, **191–192, 191, 197**
  - box options for CSS, **196–197, 197**
  - braces ({}), balancing, **394**
  - branding, 354
  - brick-and-mortar businesses, 356
  - brightness for images, 220
  - broadband connections, 222
  - broken links, **182–187, 183–185**
  - Browser Compatibility Chart, 549
  - BrowserProfiles folder, 552
  - browsers
    - checking, **263**
    - compatibility, **17, 547**
    - with CSS, **205–206, 205–206**
    - designing for, **557**
    - feature detection, **556**
    - feature support in, **548–550**
    - problems in, **556**
    - resources for, **559**
    - standards for, **557–558, 558**
    - target audiences in, **548**
    - testing, **550–556**
    - events support by, **259–261**
    - future of, **559–560**
    - opening windows in, **268–269, 269**
    - support for, **36–37**
  - Browsers extension category, 597
  - bulletin boards, **335, 336**
  - Button editor dialog box, 292–293, 292–293
  - buttons and button symbols
    - Fireworks, **292–294, 292–294**
    - Flash, **250–251, 251, 295–296, 295**
  - in forms, **317–318, 317**
  - instances and libraries for, **292**
  - symbols for, **290–292, 291**
- 
- Call JavaScript behavior, **261–262, 261**
  - Caption option, 94
  - Cardservice International, 367
  - Cascading Style Sheets. *See* CSS (Cascading Style Sheets)
  - case in code, 391
  - case sensitivity in XML, 482
  - catalogs, online
    - completeness of, **363–364**
    - creating, **361–362, 361–363**
    - organizing, **363**
    - updating, **362–363**
  - CDATA sections, 485–486
  - cell padding and spacing, 94
  - Centering option, 374
  - CFCs (ColdFusion Components), 432
  - CFML (ColdFusion Markup Language), 347, 404, 429–430
  - cgi directory, **322**
  - CGI Resource Index site, 328, 332
  - CGI scripts, **320–322**
  - editing, **324–325**
  - languages for, **325–326**
  - requirements, **322–323**
  - Change Link Sitewide dialog box, 184, 184, 247
  - Change Property behavior, **262–263, 263**
  - Change Workspace option, 45
  - changes, tracking, 8
  - Char Width property
    - for file fields, 314
    - for forms, 309
  - chat rooms, **336–337**
  - check boxes, **311–313, 312–313**
  - Check Browser behavior, **263, 264**
  - Check Browser Support feature, **35, 205, 552, 552**
  - Check In/Check Out feature, 35–36, 52, **586–587**
  - Check Links Sitewide option, 186
  - Check New Username behavior, 518–519, 518
  - Check Plugin behavior, 235, **264, 264**
  - Check Spelling dialog box, 127, 127
  - Check Target Browsers feature, **551–552**
  - checked attribute, 611
  - Checked Value property, 312
  - CHMOD settings, **322–323**
  - Choose an Existing Spacer Image
    - File option, 99
  - Citation option, 133
  - .class extension, 233
  - Class menu, 307
  - Class property
    - for buttons, 318
    - for check boxes, 312
    - for file fields, 314
    - for forms, 309
    - for images, 317
    - for List/Menu selections, 316
  - classes for images, 218
  - Clean Up CSS option, 121–122
  - Clean Up <font> Tags option, 121–122
  - Clean Up HTML/XHTML dialog box, 394
  - Clean Up Word HTML dialog box, 121, 121
  - cleaning up HTML, **394–395, 583–584**
  - Clear Cell Heights option, 100
  - Clear Cell Widths option, 100
  - clear style in CSS, 192
  - clickthroughs, 359
  - client-side dynamic content, **537**
  - client-side image maps, 25, 180
  - Clip option, 109
  - Cloak Files Ending With
    - setting, 574
  - Cloaking category, 54
  - cloaking folders and files, **573–574, 574**
  - closing tags, 481–482
  - closing templates, **71**
  - clustering, 566

- code, 14, 14, 371
  - ColdFusion, 396
  - color for, 374
  - converting, 390–391
  - debugging, 393
    - balancing tags and braces, 394
    - cleaning up HTML, 394–395
    - formatting, 394
  - display options for, 373, 373
  - editing, 385–391, 385–389
  - editors for, 392–393, 392, 430–431
  - format options for, 373–374
  - hints for, 375, 378–379, 386–387, 386–387, 431
    - for CSS, 203, 203
    - new features for, 648
  - keyboard shortcuts for, 641
  - navigating, 391–392
  - preferences for, 396–397
  - rewriting, 375
  - shortcuts for, 378–382, 379–381
  - snippets for, 380–381, 381
  - structuring, 378
  - tags for
    - custom, 377–378
    - editing, 382–384, 382–384, 397–398
    - libraries for, 375–377, 376–377
    - reference materials for, 379, 379
    - Tag Chooser for, 380, 380–381
  - validating, 395–396, 395, 398–399
  - viewing, 372, 372
- Code and Design view, 34, 70
- Code Editing option, 604
- Code Inspector, 372
- Code Inspector panel, 44
- Code option, 133
- Code panel group, 43
- Code view, 34, 139
- Code View Options option, 373
- ColdFusion, 404, 429
  - adding records in, 442–445, 442
  - bindings for, 436–437
  - code editor in, 430–431
  - connecting to, 434–436, 435
  - debugging, 396
  - discussion groups for, 335
  - for dynamic content, 536
  - main page for, 437–441, 437–438
  - new features in, 431
  - panels in, 431–432
  - server behaviors for, 437
  - setup for, 432–434, 433–434
- ColdFusion Components (CFCs), 432
- ColdFusion Markup Language (CFML), 347, 404, 429–430
- ColdFusion server model, 347, 350
- collaboration, 53
- Collapse Empty Cells option, 111
- color
  - code, 374
  - for e-commerce sites, 355–357, 355
  - Favorites view, 77
  - Flash text, 250
  - frames, 155, 155
  - links, 173
  - monitors, 17
  - tables, 102–103, 102
  - text, 135, 135
- Colors category, 76
- columns
  - in framesets, 150, 150, 156–158, 157
  - in tables, 94, 94
    - adding and removing, 101
    - Autostretch, 99–101
- command attribute, 611
- Command dialog box, 420
- Command menu, 607, 607
- Command Name dialog box, 607
- commands, creating, 606–608, 606–607
- Commands folder, 616
- Comment Out Line option, 390
- comments
  - in browser profiles, 554
  - in code, 390
- Commerce extension category, 597
- Common Gateway Interface (CGI) scripts, 320–322
  - editing, 324–325
  - languages for, 325–326
  - requirements, 322–323
- Common Insert bar
  - for tables, 94, 96
  - for template regions, 69
- common language runtime in .NET, 499
- Common tab, 40
- communication for e-commerce sites, 354
- community building. *See* interactive sites
- compatibility, browser. *See* browsers
- Components panel, 43, 432, 504–505, 505
- concept-based searches, 565–566
- confidence for e-commerce sites, 354
- Configuration folder, 483–484
- Configure Server dialog box, 47
- connection keys, 529
- connection speed
  - considerations, 18
- Constrain Proportions option, 235
- content, 15–16, 580
  - cleaning up HTML, 394–395, 583–584
  - creating files, 582
  - deleting files, 582
  - dynamic, 402–406
    - adding, 409–412, 410–411
    - searching, 412–413, 412
  - for frames, 166
  - for libraries, 79–80, 79
  - moving files, 581
  - renaming files and folders, 582
  - site maps and file list views for, 580–581, 580
  - static. *See* Contribute
  - synchronizing, 583

- in templates, **65, 587**
- updating, **591–592, 591**
- Content extension category, **597**
- content\_model attribute, **613**
- Contents option, **281**
- context sensitivity of Property inspector, **41**
- contrast for images, **220**
- Contribute, **525–526**
  - administering, **527–529, 527–530**
  - connection keys for, **529**
  - dynamic pages in, **532–533**
  - FlashPaper in, **531–532, 532**
  - for knowledge transfer, **575**
  - permission groups for, **528, 528**
  - sites for, **526–528, 526–528**
  - templates for, **529–531, 530–532**
- Contribute Site Settings dialog box, **527, 527**
- Control Shockwave or Flash behavior, **235, 265, 265**
- Convert Layers to Table dialog box, **111, 111**
- Convert Lines To Tables option, **391**
- Convert Spaces To Tabs option, **390**
- Convert Tabs To Spaces option, **390**
- Convert To Symbol dialog box, **291**
- Convert Widths to Pixels/Percent option, **100**
- converting
  - code, **390–391**
  - layers to tables, **111**
  - tables to layers, **111**
  - temperature, **503–506, 503–505**
- cookies, **520–521**
- Copy option, **390**
- copying
  - colors, **77**
  - text from Word, **119–120**
- copyright law, **15**

- core classes in .NET, **499**
- Create a New Spacer Image option, **99**
- CREATE INDEX query, **416**
- Create New Data Source window, **539**
- Create New Symbol dialog box, **295**
- Creating And Submitting Extensions option, **601**
- credit card payments, **366–368, 367**
- cropping images, **220**
- CSS (Cascading Style Sheets), **20, 21, 138, 189**
  - attaching, **200, 206, 206, 474–476**
  - background options for, **196, 196**
  - block options for, **196, 196**
  - border options for, **197, 197**
  - box options for, **196–197, 197**
  - browser compatibility with, **205–206, 205–206**
  - for code, **389**
  - code hints for, **203, 203**
  - coding on the fly, **201–204, 201–204**
  - creating, **199–200, 199**
  - CSS Properties tab for, **202, 202**
  - for e-commerce sites, **356**
  - editing, **200–201, 206–207, 206–207**
  - extensions options for, **198**
  - vs. frames, **145**
  - for layout, **88**
  - learning sources for, **207–209**
  - list options for, **197**
  - new features for, **647–648**
  - positioning options for, **197**
  - previewing, **204–205, 205**
  - Relevant CSS tab for, **204, 204**
  - style switcher for, **282–284**
  - styles in
    - applying, **192–193, 198**
    - creating, **194–195, 195**

- editing, **198–199, 199**
- for layout, **191–192, 191**
- on-the-fly changes, **202–203, 202**
- support for, **548–549**
- for tables, **209–212, 209**
- in templates, **66**
- tools for, **192, 192–193**
- types of, **193**
- uses for, **190**
- in XML, **483**
- CSS master grid, **549**
- CSS Properties tab, **202, 202**
- CSS Style Definition dialog box, **193, 194, 196–198, 196–197**
- CSS Styles panel, **42, 193–194, 193**
- CSS Validator, **206**
- CSS Zen Garden site, **207**
- curly braces ({}), balancing, **394**
- Current Document search option, **128**
- Custom Print gallery, **270, 270**
- custom tags, **377–378, 612–614, 615**
- customer taste, **355, 355**
- Cut option, **390**

---

**D**

- Daily Image option, **619**
- Daily Report blog, **337**
- DailyNews table, **538, 539, 542–544, 543, 545**
- Data Source Name (DSN), **406–407**
  - for ASP, **451, 451**
  - for dynamic content, **539–540, 539–540**
  - for user administration sites, **515–516**
- Data Source Name Variable binding tool, **436–437**
- data types for databases, **414–415**
- Database Definition Language (DDL), **415**
- Database Manipulation Language (DML), **415**

- databases, **401, 404–405**
  - Application Panel Group for, **406–408, 407–408**
  - for ASP, **450–451, 451**
  - authorization for, **514–515**
  - developmental models for, **403–404**
  - drivers for, **405–406**
  - for dynamic content, **538–540, 538–540**
  - filters for, **408**
  - for JSP, **472–474, 473–474**
  - Live Data view for, **409**
  - for PHP, **463–464**
  - records in, **419–421, 420**
  - recordsets for, **422–423, 423**
  - schema, **413–415**
  - sources for, **406–407, 407**
  - SQL for, **415–418, 417**
  - troubleshooting, **425**
  - Web servers for, **403**
- Databases panel, **43, 406–407, 431**
- dates
  - ASP page for, **451–453**
  - dynamic, **543**
  - inserting, **126, 126**
- .dcr extension, **265**
- DDL (Database Definition Language), **415**
- Debug in Browser option, **551**
- debugging
  - code, **393**
    - balancing tags and braces, **394**
    - cleaning up HTML, **394–395**
    - formatting, **394**
    - validating, **395–396, 395, 398–399**
  - ColdFusion, **396**
  - keyboard shortcuts for, **643**
- Debugging Settings page, **396**
- declarations for Perl language, **323–324**
- Default Attribute Case option, **374**
- default.html file, **605**
- Default option
  - for frames, **159**
  - for wrap, **310**
- Default Proxy Generator dialog box, **508, 508**
- Default Tag Case option, **374**
- default templates, **605–606, 606**
- definition lists, **136**
- Definition option, **133**
- Delete Column option, **100**
- DELETE command, **418**
- Delete Record dialog box, **420, 420**
- Delete Row option, **100**
- deleting
  - columns, **100**
  - dynamic content, **412**
  - files, **582**
  - frames, **159**
  - library items, **81**
  - records, **419–420, 420**
  - rows
    - database, **418**
    - table, **100**
  - Server Behaviors, **412**
  - tag libraries, **377**
  - tags, **377, 390**
- delimiters, **105, 123**
- dependencies, **6**
- deprecated elements, **20**
- description.htm file, **615**
- design considerations, **17–18**
  - CSS, **20, 21**
  - layers, **20–23**
  - tables, **20–23, 22**
  - text, **19–20**
- Design Notes, **584**
  - for Contribute, **527**
  - creating, **585–586, 585–586**
  - enabling, **585**
  - working with, **246**
- Design Notes category, **54**
- Design Notes dialog box, **36, 585, 585**
- Design panel group, **42**
- Design Time Style Sheets dialog box, **204–205, 205**
- Design view, **34, 307, 307**
- Detach From Template option, **74**
- detaching templates, **74**
- Detect Flash Version option, **243**
- detect\_in\_attribute attribute, **614**
- developer tools in .NET, **498**
- DHTML/Layers extension
  - category, **597**
- dialog boxes, updating, **616–617, 616–617**
- DigiChat program, **336–337**
- .dir extension, **265**
- Director program, **5–6**
- directory lists, **136**
- disabled users, support for, **631–632**
- discussion boards, **335, 336**
- disjoint rollovers, **287**
- display options for code, **373, 373**
- DML (Database Manipulation Language), **415**
- docking panels, **46, 46**
- DOCTYPE declarations, **489**
- Document As Flashpaper option, **531**
- Document Editing option, **604**
- Document toolbar, **552, 552**
- document type definitions (DTDs), **483**
- Document window, **32–33, 32**
  - status bar, **38–39**
  - title bar, **38**
  - toolbars, **33–38, 33–34**
  - view area, **38**
- documenting design, **65**
- Down image state, **286**
- downloading extensions, **598–599**
- Drag Layer behavior, **265–267, 266–267**
- dragging
  - frames, **153, 153**
  - layers, **265–267, 266–267**
- drawing layers, **105–106, 106**
- drivers
  - database, **405–406**
  - JSP, **472–473**
- Drop-Down Menu generator
  - page, **302**
- DROP INDEX command, **416**
- DSN (Data Source Name), **406–407**
  - for ASP, **451, 451**
  - for dynamic content, **539–540, 539–540**
  - for user administration sites, **515–516**

DTDs (document type definitions), 483

Duplicate Set option, 603

.dwt extension, 67

dynamic attribute, 611

dynamic content, **402–406**, **535**

- adding, **409–412**, *410–411*
- ASP for. *See* Active Server Pages (ASP)
- client side, **537**
- components for, **542–543**, *543*
- in Contribute, **532–533**
- databases for, **538–540**, *538–540*
- dates, **543**
- JSP for. *See* Java Server Pages (JSP)
- Master Detail page sets with, **540–541**, *541–542*
- searching, **412–413**, *412*
- techniques for, **536–537**
- text, **543–544**, *544*

Dynamic Radio Buttons dialog box, 410, 410

Dynamic Table dialog box, 465, 465, 477

Dynamic Text dialog box, 543–544, 544

## E

e-commerce sites, **353**

- color and type for, **355–357**, *355*
- identities for, **354**
- logos for, **354–355**
- marketing, **357–360**, *360*
- transactions for, **360**

  - credit card payments, **366–368**, *367*
  - online catalogs for, **361–362**, *361–363*
  - shopping carts for, **364–366**, *364–365*, **368–370**

e-mail

- forms for, **328–330**
- links for, **177**, *177*

Edit Browser List option, 204

Edit Font List dialog box, 134, *134*, 196

Edit NoFrames Content command, 162

Edit Sites dialog box, 350

Edit Style option, 198–199

Edit Style Sheet dialog box, 199, 199, 202

Edit Symbols option, 295

Edit Tag mode, 139, 383–385

editable regions

- in Contribute, 530
- in templates, 60

  - assigning, **67–68**, *67–68*
  - creating, **69**
  - tips for, **70**

Editable Tag Attributes dialog box, 68, 68

editing

- browser profiles, 554–555
- CGI scripts, **324–325**
- code, **385–391**, *385–389*
- CSS, **200–201**, **206–207**, *206–207*
- Flash movie properties, **245**
- Flash objects, **251–252**
- HTML, **139–140**
- images, **235–236**, *235*
- Insert bar, **614–615**, *615–616*
- jump menus, **301**, *301*
- keyboard shortcuts for, **639–640**
- library items, **80–81**, *80*
- links, **184**
- new features for, **646**
- permission groups, **528**, *529*
- SSIs, **82**
- styles, **198–199**, *199*
- tag libraries, **376–377**, *376–377*
- tags, **382–384**, *382–384*, **397–398**
- templates, **74**
- text, **127**

editors

- code, **392–393**, *392*, **430–431**
- CSS, 201, **206–207**, *206–207*
- image, 219

!ELEMENT element, 553

Email Address option, 280

Email Link dialog box, 177, *177*

embed element

- in Flash, 227, **243–244**, *243*
- in Internet explorer, 244
- in Netscape, 230

embedded styles, 193

embedding audio files, **226**, *226*

Emphasis option, 133

Enable BBEdition Integration option, 392

Enable Cache option, 53

Enable Cloaking option, 574

Enable Debugging option, 396

enabled attribute, 611

enabling Design Notes, **585**

enctype attribute, 306

Enctype menu, 308

end\_string attribute, 614

Entire Current Local Site search option, 128

!Error element, 554–555

error messages

- in browser profiles, 554–555
- in Check Target Browsers, 551

events, **258–261**

Events menu, 258

Excel documents

- new features for, 648
- working with, **122–123**, *124–125*

Excite search engine, 566

existing pages

- from templates, **72–73**, *73*
- templates from, **64–65**

Expanded Tables mode, 34, 88, **96**, *96*

expanding tables, **105**

Export Sites dialog box, 573

Export Styles as CSS File dialog box, 199, 199

Export Template Data as XML dialog box, 487, 487

Export Wizard, 529, 530

Exported Site dialog box, 588–589

exporting

- Flash files, **240–243**, *241–242*
- sites as XML, **573**
- XML, **484–489**, *485–487*

Extending Dreamweaver  
manual, 601

extensibility, 480

Extensible Hypertext Markup  
Language (XHTML)  
support for, **489–492**  
validation in, **485, 492–493**

Extensible Markup Language. *See*  
XML (Extensible Markup  
Language)

Extensible Style Language  
Transformations (XSLT) style  
sheets, 483

Extension Development extension  
category, 597

extensions and Extension  
Manager, 248, **596, 622**  
creating, **601–603**  
in CSS, **198**  
installing, **599–600, 600**  
Macromedia Exchange for  
Dreamweaver site for,  
**596–599**  
in templates, **67**  
third-party, **636–637**  
using, **600–601, 600–601**

external editors  
code, **392–393, 392**  
CSS, 201, **206–207, 206–207**

external JavaScript file links, **283**

external style sheets, 193

eXtropy site, 328

## F

Favorites tab, **77–78**

fieldsets, **319–320, 320**

file attribute, 611

File Creation Date Range dialog  
box, 589

file fields, **313–314, 313**

file list views, **580–581, 580**

file management, keyboard  
shortcuts for, **639**

File Management menu, **35–36**

file permissions errors, 425

files  
cloaking, **573–574, 574**  
creating and deleting, **582**

formats for, 16  
moving, **581**  
renaming, **582**

Files panel group, **44, 247, 247,**  
**571–572, 571–572**

filters for databases, **408**

find and replace. *See also*  
searching  
for HTML tags, **140–141, 141**  
for text, **127–130, 128, 130**

Firebird page, 557, 557

Fireworks  
buttons in, **292–294, 292–294**  
rollovers in, **288–290, 289–290**  
symbols in, **291, 291**  
working with, **4–5**

Fireworks extension category, 597

Fix Invalidly Nested Tags  
option, 121

FLA files, 240

Flash, **239**  
Assets Manager for, 76  
behavior for, **265, 265**  
buttons in, **250–251, 251,**  
**295–296, 295**  
exporting and publishing files  
in, **240–243, 241–242**  
formats for, **240**  
launch-and-edit feature in,  
**251–252**  
for layout, **89**  
movies in, **227–228, 227, 245**  
object and embed elements in,  
**243–244, 243**  
saving files in, **245**  
symbols in, **291–292**  
text in, **249–253, 249–250, 253**  
updating links for, **246–247**  
working with, **5, 248, 248**

Flash Accessibility Attributes  
dialog box, 250, 250

Flash Button dialog box,  
616–617, **616**

Flash Elements tab, 41

Flash Media extension  
category, 597

FlashPaper, **531–532, 532**

float style in CSS, 192

floating layout, **28, 30**

Folder search option, 128

folders  
cloaking, **573–574, 574**  
creating, 582  
local, **48–49, 349**  
Local Root, 53  
names for, **48–49, 582**  
remote, **349–350, 349**

fonts, 19  
in CSS, 196  
in Flash, 249  
working with, **133–134, 134**

Footjoy site, 500

format options for code, **373–374**

Format Table dialog box, 92, 92

formats  
audio, **223**  
table, **92–93, 92**  
video, **224**

formatting  
code, **394**  
CSS for. *See* CSS (Cascading  
Style Sheets)  
keyboard shortcuts for, **641**  
in templates, 70  
text, **131**  
alignment, **137**  
color, **135, 135**  
with CSS, **138**  
fonts, **133–134, 134**  
graphical, **138**  
indentation, **137**  
lists, **136–137**  
paragraphs, **135**  
phrase elements, **132–133**  
Property inspector for,  
**132–137**  
size, **134–135**  
styles for, **137**  
support for, **131–132**  
in templates, 70

FormMail script, **328–330**

forms, **305**  
buttons in, **317–318, 317**  
CGI scripts for, **320–326**  
check boxes and radio buttons  
in, **311–313, 312–313**

- for dynamic content, 536
  - for e-mail, **328–330**
  - elements of, **306, 306**
  - fieldsets and legends in, **319–320, 320**
  - file fields in, **313–314, 313**
  - hidden fields in, **318–319**
  - images in, **316–317, 316**
  - labels in, **319, 319**
  - List/Menu fields in, **314–316, 314–315**
  - resources for, **327–328**
  - structure of, **306–308, 306–307**
  - target pages for, **326, 327**
  - text fields in, **308–311, 309, 311**
  - tips for, **321**
  - validating, **280, 280**
  - Forms tab, 40
  - Frame Tag Accessibility Attributes dialog box, 147, 147, 628, 629
  - frames, 21, **143**
    - accessibility options for, **147, 147**
    - behaviors for, **161**
    - borders for, **148–150, 149**
    - characteristics of, **148**
    - color for, **155, 155**
    - content for, **166**
    - creating, **152**
    - vs. CSS, **145**
    - deleting, 159
    - dragging, **153, 153**
    - inserting, **152**
    - keyboard shortcuts for, **642**
    - margins for, **156, 156**
    - navigation elements in, **159–160, 161**
    - NoFrames content for, **162**
    - properties for, **165–166**
    - purpose of, **144–145**
    - saving, 148, **167**
    - scrollbars in, **158–159, 158**
    - size of, **156–159, 157**
    - text of, **274–275, 275**
  - Frames panel, 42, **150, 150**
  - frameset XHTML doctype, 489
  - framesets, **143**
    - creating, **146–147, 146–147, 164–165, 165**
    - predefined, **151, 151**
    - rows and columns in, **150, 150, 156–158, 157**
    - saving, **154**
  - Friends of Active Copyright Education (FACE) site, 15
  - FrontPage Migration Kit, 589, 589
  - FTP
    - connections for, 51–52
    - new features for, 648
    - for remote folders, 349
    - for site files, **570**
  - FTP Log panel, 44
- 
- G**
- GET command
    - for forms, 307–308
    - shortcuts for, 35
  - Get More Behaviors option, 259
  - Get Newer Files from Remote option, 56
  - GIF (Graphics Interchange Format) files, 16, **234**
  - Gillespie, Joe, 16
  - Go button, **302**
  - Go to Detail Page dialog box, 419–420, 423, 423
  - Go to URL behavior, 161, 266, **267**
  - graphical text, **138**
  - graphics. *See* images
  - Graphics Interchange Format, 16, **234**
  - Green pages, 498
  - Greymatter tool, 338
  - grids in layers, 106
  - grripper, 46
  - guestbooks, **332–335, 333**
- 
- H**
- H property for images, 316
  - head\_model value, 613
  - <head> tag, 66
  - headings, text, 136
  - height of frames, **156–158, 157**
  - Height property for List/Menu selections, 315
  - help, keyboard shortcuts for, **642**
  - hidden fields, **318–319**
  - Hide Panel command, 45
  - hiding
    - layers, **278, 278**
    - panels, **45–46, 45**
  - high contrast mode, 631
  - high-speed connections, 222
  - Highlight Invalid HTML option, 373
  - hints for code, **375, 378–379, 386–387, 386–387, 431**
    - for CSS, **203, 203**
    - new features for, 648
  - History panel, 44, **606–607, 607**
  - Homesite/Coder style, **28, 29**
  - Homesite editor, 207
  - horizontal space for images, 219
  - hosts
    - form, **327–328**
    - web server, **569–570**
  - hotspots, **24–25, 187–188, 187, 217**
  - href attribute, 170
  - HTML, **138**
    - cleaning up, **394–395, 583–584**
    - editing, **139–140**
    - limitations of, **111**
  - HTML tab, 40
  - !htmlmsg element, 554–555
  - HTTP (Hypertext Transfer Protocol), 23
  - Hyperlink dialog box, 176, 176
  - hyperlinks. *See* links
  - hypertext, **23**
  - Hypertext Transfer Protocol (HTTP), 23
- 
- I**
- IBM WebSphere server, 470
  - iChat AV program, 336
  - icon attribute, 614
  - icon\_height attribute, 614
  - icon\_width attribute, 614
  - id attribute
    - for menu items, 610
    - for menus, 609
    - in XHTML, 490
  - identities for e-commerce sites, **354**

- Ignore Whitespace Differences
  - option, 129
- IIS (Internet Information Server)
  - for ASP, **448–449**
  - installing, **567–568**, 568
  - installing PHP in, **459–461**, 459–461
  - for JSP, 471
- image maps, 173
  - building, **180–181**, 180–182
  - creating, 217
  - hotspots in, **24–25**, 187
- Image Placeholder dialog box, 221, 221
- Image Size dialog box, 235–236, 235
- Image Tag Accessibility Attributes dialog box, 627, 627
- Image Viewer element, 248
- images, **16**
  - in Assets Manager, 76
  - for buttons, **286–287**, 291
  - dynamic, **411**
  - editing, **235–236**, 235
  - in forms, **316–317**, 316
  - for framesets, **165–166**
  - in layers, **114**
  - links to, 173
  - loading, **271–272**
  - new features for, 648
  - optimizing, **217**, 220, **236**
  - options for, **216–220**, 216
  - placeholders for, **221**, 221
  - placing, **214–215**, 214–215
  - random, **618–620**, 619
  - size of, **216–218**, **235–236**, 235
  - software for, 4–5
  - swapping, **278–279**, 279
  - text as, **220**
- Import Tabular Data dialog box, 123, 123
- Import XML dialog box, 486, 486
- Import XML DTD or Schema option, 377, 488
- imported symbols for Fireworks
  - buttons, 294
- importing
  - CSS, 193
  - sites, **55–56**, 55–56
  - tables, **105**, **120–124**, 121
  - tags, **377–378**, **488–489**
  - text, **120–124**, 121
  - XML, **484–489**, 485–487
- Inconsistent Region Names dialog box, 73, 73
- Indent Code option, 378
- indenting
  - code, 378, 390
  - text, **137**
- index.html file, 48
- indexes in SQL, **416**
- Inetpub folder, 345
- information architecture, 8
  - site maps, **9**, 9
  - wireframes and storyboards, **10**, 10
- informational messages, 551
- Init Val property, 309
- Initial State property, 312
- initializing site maps, **55**
- Initially Selected property, 316
- inline CSS, 192–193
- Input Tag Accessibility Attributes dialog box, 629, 629
- Insert bar, **39–41**, 39
  - custom characters for, **620–622**
  - editing, **614–615**, 615–616
  - for extensions, 600, 600
  - for frames, 151, 151
  - for images, 214, 214
  - new features for, **646**
  - for template regions, 69
- Insert Column option, 100
- INSERT command, 418
- Insert Date dialog box, 126, 126
- Insert Flash Button dialog box, 251–252, 252, 616–617, 617
- Insert Flash Text dialog box, 249, 249
- Insert Go Button after Menu option, 300
- Insert HTML mode, 139, 384
- Insert Image Placeholder option, 221
- Insert Jump Button dialog box, 299–300, 300
- Insert Jump Menu dialog box, 161, 267, 268
- Insert Keywords dialog box, 359
- Insert Master-Detail Page Set dialog box, 467, 467, 541, 541
- Insert Microsoft Word Or Excel Document dialog box, 119, 119, 123
- Insert Navigation Bar dialog box, 161, 297, 297
- Insert Other Character dialog box, 126, 126
- Insert Record dialog box, 442, 442, **517–518**, 517
- Insert Records Server Behavior, 419
- Insert Rollover Image dialog box, 287, 287
- Insert Row option, 100
- Insert Rows Or Columns dialog box, 100
- Insert Table dialog box, 94–95, 94
- Insert Tabular Data dialog box, 105
- Insert The Contents option, 119
- inserting
  - assets, **78**
  - dates, **126**, 126
  - dynamic content, **409–412**, 410–411
  - frames, **152**
  - jump menus, **299–301**, 300
  - keyboard shortcuts for, **643**
  - layers, **107**
  - library items, **80**
  - links, **173–177**, 174–177
  - movies, **227–228**, 227
  - records, **419**, **442–445**, 442
  - rows, **418**
  - snippets, **380–381**
  - special characters, **125–126**, 126
  - tags, **380**, 380
  - text, **118**, 119
- installing
  - ASP.NET, **501**
  - extensions, **599–600**, 600
  - IIS, **567–568**, 568
  - PHP, **459–461**, 459–461
  - PWS, **569**, 569
- instances, **292**
- integrated editors, **392**, 392
- integrated workspace, **28**, 28–30

interactive sites, **331**  
 blogs for, **337–339**  
 chat rooms for, **336–337**  
 for community, **332**  
 discussion boards for, **335, 336**  
 guestbooks for, **332–335, 333**  
 internal style sheets, **193**  
 Internet Explorer browser, **244, 548**  
 Internet Information Server (IIS)  
   for ASP, **448–449**  
   installing, **567–568, 568**  
   installing PHP in, **459–461, 459–461**  
   for JSP, **471**  
 isdomrequired attribute, **611**  
 isDOMRequired function, **620**  
 italic text, **133**

---

**J**

Java applets, **233, 233**  
 Java Database Connectivity (JDBC), **405–406, 569**  
 Java Server Pages (JSP), **347, 350, 403–404, 469**  
   database connections for, **472–474, 473–474**  
   in Dreamweaver, **475–477, 475–477**  
   for dynamic content, **537**  
   permissions for, **471**  
   root folder for, **470–471**  
   sites for, **471–472, 471–472**  
   starting, **470**  
 JavaBeans, **537**  
 JavaScript alert boxes, **271**  
 JavaScript programming language  
   attaching, **261–262**  
   file links in, **283**  
   for menus, **609**  
   support for, **548**  
 JavaScript server model, **350**  
 JDBC (Java Database Connectivity), **405–406, 569**  
 journaling  
   purpose of, **588**  
   report generation, **588–590, 589–590**

JPEG (Joint Photographic Experts Group) format files, **16**  
 JRun server, **470**  
 JSP. *See* Java Server Pages (JSP)  
 Jump Menu behavior, **267, 268**  
 Jump Menu Go behavior, **268, 268**  
 jump menus, **25, 299, 299**  
   editing, **301, 301**  
   Go button on, **302**  
   inserting, **299–301, 300**  
   workarounds for, **301**

---

**K**

key attribute, **611–612**  
 keyboard accessibility options, **631**  
 Keyboard option, **133**  
 keyboard shortcuts  
   creating, **603–605, 603**  
   list of, **639–644**  
 Keyboard Shortcuts editor, **603, 603**  
 keys, database, **414**  
 Keystroke program, **366**  
 keyword searches, **565**  
 keywords for marketing, **359, 360**  
 knowledge transfer, **575–576**

---

**L**

L/T option, **108**  
 Label property, **317**  
 labels, **319, 319**  
 launch-and-edit feature in Flash, **251–252**  
 Launcher, **39**  
 Layer ID option, **108**  
 layers, **20–23, 22, 87, 105**  
   adding, **113–114**  
   in browser compatibility, **557**  
   dragging, **265–267, 266–267**  
   drawing, **105–106, 106**  
   hiding, **278, 278**  
   images in, **114**  
   inserting, **107**  
   keyboard shortcuts for, **642**  
   measurement units for, **109**  
   Property inspector for, **108–109**  
   with tables, **110–111, 111**  
   text of, **275–276, 276**  
   tracing images for, **107, 112, 112**  
 Layers panel, **44, 108, 108**  
 layout. *See also* layers; tables  
   CSS for. *See* CSS (Cascading Style Sheets)  
   Flash for, **89**  
   methods for, **88**  
   templates for, **89–92, 91**  
 Layout Insert bar, **94, 96**  
 Layout mode, **34, 97–98, 97**  
 Layout tab, **40**  
 .lbi extension, **79**  
 .lck extension, **52**  
 Learning extension category, **597**  
 legends, **319–320, 320**  
 levels of security, **514–515**  
 libraries, **59, 78–79**  
   in Assets Manager, **76**  
   for buttons, **292**  
   content for, **79–80, 79**  
   items in  
     deleting, **81**  
     editing, **80–81, 80**  
     inserting, **80**  
   tag, **375–377, 376–377**  
 Library Item window, **80–81, 80**  
 Line Break Type option, **374**  
 line breaks in code, **391**  
 Line Numbers option, **373**  
 lines in code, **391**  
 Link Checker panel, **44**  
 Link External Style Sheet dialog box, **200**  
 Link Management, **182–183, 184**  
 link targets for images, **219**  
 links, **169**  
   anchors for, **170–171, 177, 177**  
   to audio files, **226, 226**  
   broken, **182–187, 183–185**  
   changing, **592–593, 593**  
   checking, **592**  
   color with, **173**  
   to CSS, **193, 282–283**  
   editing, **184**  
   in Flash, **246–247, 250**

- in frames, **160**, *161*, **167**
- hotspots, **188**
- image maps for, **180–181**, *180–182*
- to images, *173*, **218**
- inserting, **173–177**, *174–177*
- to JavaScript files, **283**
- keyboard shortcuts for, **643**
- kinds of, **172–173**
- paths to, **172**
- Property inspector for, **174–176**, *174–175*
- from site maps, **178–179**, *178–179*, **184**
- to templates, **70–71**
- testing, **185**, *185*
- updating, **184**, *184*, **186–187**, *187*, **246–247**
- List/Menu fields, **314–316**, *314–315*
- List Values dialog box, *301*, **301**, *315*, *315*, *475*, *475*
- List Values property, **315**
- lists
  - in CSS, **197**
  - dynamic, **410**
  - working with, **136–137**
- Live Data Settings dialog box, *454*, *454*
- Live Data view, **35**, **409**, *424*, *453–454*, *454*
- loading images, **271–272**
- local folders, **48–49**, **349**
- local information
  - for ASP, **449**, *449*
  - for ASP.NET, **502**
  - for JSP, **471**, *471*
- Local/Network option, **349**
- Local Root folder, **53**
- local site information for web applications, **344**
- local sites, synchronizing, **583**
- Locate in Local Site option, **583**
- Locate in Remote Site option, **583**
- locked regions
  - in Contribute, **530**
  - in templates, **60**, **69**

- Log In User dialog box, *519–520*, *520*
- Log Out User dialog box, *520*, *520*
- Log Out User server behavior, *520*, *520*
- logging users out, **520**, *520*
- logins
  - forms for, **518**
  - names for, *518–519*, *518*
  - processes for, **519–521**, *520*
- logos, **354–355**
- Low Source option for images, **219**
- lowercase in code, **391**

---

**M**

- Macromedia Exchange for Dreamweaver site, **596**
- downloading extensions in, **598–599**
- extension categories in, **597–598**
- Macromedia Extension Installation (MXI) files, **602**
- Macromedia Flash. *See* Flash
- Macromedia Flex server, **500**
- Macromedia JRun server, **470**
- mailing lists, **637**
- main page, **437–441**, *437–438*
- Maintain Design Notes option, **585**
- Make Attribute Editable option, **68**
- Make Column Autostretch option, **100**
- Make Document XHTML Compliant option, **491**
- Make Link command, **178**
- Make Nested Template option, **71**
- Mal's site, **368–370**
- Manage Sites dialog box
  - for Contribute, **526**
  - for Design Notes, **585**
  - for exporting files, **588–589**
  - for Flash files, **246**
- Manage Styles option, **202**
- maps
  - image, **173**
  - building, **180–181**, *180–182*

- creating, **217**
- hotspots in, **24–25**, **187–188**
- site, **9**, **9**, **580–581**, *580*
- initializing, **55**
- keyboard shortcuts for, **643–644**
- links from, **178–179**, *178–179*, **184**
- margins
  - in browser compatibility, **557**
  - in CSS, **197**
  - for frames, **156**, *156*
- marker\_model value, **613**
- marketing e-commerce sites, **357–360**, *360*
- master/detail pages
  - ASP for, **540–541**, *541–542*
  - creating, **423**, *423*
  - rapid development of, **425–427**, *426–427*
- Match Case option, **129**
- Matt's Script Archive site, **328**, *332*
- Max Chars property
  - for file fields, **314**
  - for forms, **309–310**
- MDAC (Microsoft Data Access Components), **499**
- measurement units
  - for frames, **157**
  - for layers, **109**
- MegaCGI cgi scripts site, **328**
- Menu Commands option, **604**
- menu lists, **136**
- menu.xml file, **605**
- menus and menu bars, **25**
  - adding, **609–610**
  - adding items to, **610–612**, *612*
  - creating, **608–609**
  - dynamic, **410**
  - jump. *See* jump menus
  - pop-up. *See* pop-up menus
  - for styles, **284**
- menus.xml file, **608**
- merchant accounts, **366**
- messages, popup, **271**, *271*
- Meta dialog box, **66**, *66*

meta tags, **66**, 66, 358, 565  
 method attribute, 306  
 Method field, 307  
 Method menu, **307–308**  
 Microsoft Data Access  
   Components (MDAC), 499  
 Microsoft Personal Web Server  
   wizard, 569, 569  
 Microsoft UDDI Registry, 496  
 MIDI (Musical Instrument Digital  
   Interface), 223  
 .mno extension, 586  
 modes in HTML, 139–141  
 Modify Navigation Bar dialog box,  
   297–298, 298  
 monitors  
   differences in, 17  
   resolution of, 37  
 Most Accurate option, 111  
 mouseovers, 14, **285**  
   creating, **287–290**, 287,  
   289–290  
   image states for, **286–287**  
 Move to Next Record dialog  
   box, 422  
 Moveable Type tool, 338  
 movie clip symbols for  
   buttons, 291  
 movies, **226–227**, 227  
   adding, **227–229**, 227, 229  
   in Assets Manager, 76  
   editing properties for, **245**  
 moving files, **581**  
 MP3 files, 223  
 MPEG (Moving Picture Experts  
   Group) format, 224  
 !msg element, 554–555  
 multiline text fields, **310**, 311  
 multimedia, **213**  
   ActiveX controls, **231–232**  
   animated GIFs, **234**  
   audio files, **225–226**, 226  
   audio formats, **223**  
   behaviors for, **235**  
   images in. *See* images  
   Java applets, **233**, 233  
   movies, **226–229**, 227, 229  
   need for, **222**

  players, **224–225**  
   plugins, **230–231**, 230  
   video formats, **224**  
 Musical Instrument Digital  
   Interface (MIDI), 223  
 MXI (Macromedia Extension  
   Installation) files, 602  
 MXML language, 500  
 MXP files, 599, 602  
 MySQL Connection dialog box,  
   464, 464  
 MySQL databases, 350, 405  
   configuring, **462–463**  
   downloading, 462  
   PHP with, **461–463**

---

## N

name attribute  
   for forms, 306  
   for menu items, 610  
   for menus, 610  
 Name field, 307  
 Name property  
   buttons, 317  
   check boxes, 311  
   file fields, 314  
   forms, 309  
   hidden fields, 318  
   images, 316  
   List/Menu selections, 315  
 Named Anchor dialog box,  
   177, 177  
 named anchors, 170, **177**, 177  
 names  
   Access connections, 539  
   browser profiles, 553  
   commands, 607  
   CSS, 200, 203  
   editable regions, 69  
   files, **582**  
   folders, **48–49**, **582**  
   frames, 148  
   login, 518–519, 518  
   styles, 195  
   templates, 64  
   windows, 269

namespaces  
   new features for, 648  
   XHTML, 490  
 narrowband connections, 222  
 navigation, 14  
   buttons for. *See* buttons and  
   button symbols  
   code, **391–392**  
   jump menus for, **298–302**,  
   299–301  
   objects for  
     in frames, **159–160**, 161,  
     **167**  
     menus, 173  
   pop-up menus for, **298**  
   recordsets, **422**  
   schemes for, **23–25**  
   simplicity in, **304**  
   updating, **592–593**, 593  
 navigation bars, **296–298**, 297–298  
   creating, **114**, **303**  
   images for, **272–274**,  
   273–274, 298  
 Navigation extension category, 598  
 nested elements  
   tables, **104–105**, 105  
   templates, 71–72  
   in XML, 482  
 .NET C# server model, 350  
 .NET platform, **498**  
   ASP.NET, **501–506**, 502–505  
   framework for, **499**  
 .NET servers, 498  
 .NET VB server model, 350  
 Netscape Navigator browser, 548  
 Netscape plugins, **230–231**, 230  
 New Attributes option, 376  
 New CSS Style dialog box, 195  
 New Document dialog box, 63, 63,  
   361, 365, 630, 630  
 New Editable Region dialog box,  
   67, 67  
 new features, **645**  
   for CSS, **647–648**  
   for usability, **645–646**  
 New from Template option, 72  
 New Library Item option, 79  
 New option for templates, 64

New Page dialog box, 530, 531  
 New Snippet option, 381  
 New Symbol option, 295  
 New Tag Library option, 376  
 New Tags option, 376  
 news feeds, 493, 494  
 News for MX Developers blog, 337  
 newsgroups, 637  
 Nielsen, Jakob, 16  
 No Resize option, 159  
 NoFrames content, 162  
 non-editable content, 587  
 normal flow, CSS, 191–192  
 notes, Design Notes, 584  
   creating, 585–586, 585–586  
   enabling, 585  
   working with, 246  
 \_notes folder, 586  
 num items property, 310  
 Number option, 280  
 Number From option, 280

## O

object element, 227, 232  
   in Flash, 243–244, 243  
   in Internet explorer, 244  
 objects, 14, 14  
 objectTag function, 620  
 Obscura Camera Supplies site,  
 355, 355  
 ODBC (Open Database  
 Connectivity), 405–406, 569  
 ODBC Data Source Administrator  
 dialog box, 539, 539  
 ODBC Microsoft Access Setup  
 window, 407, 407  
 Offscreen Rendering option, 626  
 OLE DB standard, 405  
 onClick event, 258  
 online catalogs  
   completeness of, 363–364  
   creating, 361–362, 361–363  
   organizing, 363  
   updating, 362–363  
 online resources, 635–636  
 Dreamweaver software,  
 636–637

newsgroups and mailing  
 lists, 637  
 templates, 637  
 third-party extensions,  
 636–637  
 online stores. *See* e-commerce sites  
 Online Style Guide, 208  
 Open Attach Template option, 74  
 Open Browser Window behavior,  
 268–269, 269  
 Open Database Connectivity  
 (ODBC), 405–406, 569  
 Open Documents search  
 option, 128  
 Open in Code View option, 372  
 Open URLs In menu, 300  
 opening  
   browser windows, 268–269, 269  
   templates, 71  
 Opera browser, 17  
 operating system considerations, 18  
 optimizing  
   images, 217, 220, 236  
   sites for search engines,  
   564–566  
 optional template regions, 60, 69  
 Oracle9i databases, 405  
 ordered lists, 136  
 outdenting in code, 390  
 Over image state, 286  
 Over While Down image state, 286  
 Overflow option, 109

## P

Package Extension option, 602  
 padding  
   in cells, 94  
   in CSS, 197  
 Page Properties dialog box  
   for frames, 155, 155  
   for links, 173  
   for tracing images, 107  
 pages, 13  
   content of, 15–16  
   design for. *See* design  
   considerations  
   elements of, 14, 14

navigation schemes, 23–25  
 from templates, 72  
 panels, 42–44, 43–44  
   in ColdFusion, 431–432  
   docking and undocking, 46, 46  
   hiding, 45–46, 45  
   keyboard shortcuts for, 644  
 paragraphs  
   formatting, 135  
   in templates, 70  
 parameters  
   for ActiveX controls, 233  
   for applets, 233, 233  
   for Flash movies, 245  
   for objects, 231  
   in templates, 66  
 Parameters dialog box, 231,  
 233, 233  
 \_parent target, 160, 176  
 parse\_attribute attribute, 614  
 password text fields, 310–311  
 passwords  
   in Contribute, 532  
   for site access, 518–519  
 Paste option, 390  
 Paste Formatted option, 123  
 pasting text from Word, 119–120  
 paths to links, 172  
 Paymentech service, 367  
 PDAs (portable digital  
 assistants), 17  
 percentages  
   for frames, 157–158  
   for tables, 93  
 Perl Archive site, 328  
 Perl language, 321  
   for chat rooms, 336  
   declarations for, 323–324  
   editing scripts in, 324–325  
   for guestbooks, 332–335  
   versions of, 322  
 Permission Group dialog box,  
 528, 529  
 permissions  
   in ASP, 449  
   in Contribute, 528, 528  
   in JSP, 471

- permissions errors, 425
- persistent data, cookies for, 520–521
- Personal Web Server (PWS)
  - for ASP, 448–449
  - installing, 569, 569
  - for JSP, 471
- personalization features, 522–523
- PHP, 347, 404, 457
  - Application Objects for, 467, 467
  - database connections for, 463–464
  - downloading, 458–459
  - in Dreamweaver, 464–467, 465–467
  - installing, 459–461, 459–461
  - with MySQL, 461–463
  - server behaviors for, 465–466, 465–466
  - sites for, 463
- PHP MySQL server model, 350
- phrase elements, 132–133
- Physical wrap option, 310
- pixels for frames, 157
- placeholders
  - for images, 221, 221
  - in templates, 70
- platform attribute
  - for menu items, 611
  - for menus, 610
- Play Recorded Command option, 608
- Play Sound behavior, 235, 269–270, 270
- plugins
  - adding, 230–231, 230
  - checking for, 264
- PNG (Portable Network Graphics)
  - format, 16
- point-of-sale (POS) hardware, 366
- Point to File icon, 174–176, 175, 179, 179
- pop-up menus
  - displaying, 281, 281
  - File Management, 35–36
  - for navigation, 298
- Preview/Debug, 36–37
  - View Options, 37–38
- Popup Message behavior, 271, 271
- portable digital assistants (PDAs), 17
- Portable Network Graphics (PNG)
  - format, 16
- ports in WSDL, 497
- POS (point-of-sale) hardware, 366
- Position dialog box, 281
- positioning
  - CSS for, 191–192, 191, 197
  - pop-up menus, 281
- POST option, 307–308
- Powell, Adam, 224
- predefined framesets, 151, 151
- Preferences dialog box
  - accessibility, 56–57, 626, 626
  - code-only view, 372, 372
  - color coding, 374, 374
  - disconnects, 582
  - external editors, 392
  - file extensions, 206–207, 207
  - frame accessibility, 147
  - layers, 107
  - Link Management, 183, 183
  - saving files, 581
  - status bar, 39
  - workspace, 45
  - XHTML, 491
- Preload Images behavior, 271–272, 272
- presentation classes in .NET, 499
- preset format for tables, 92–93, 92
- Preview/Debug menu, 36–37
- Preview in Browser feature, 550–551
- previewing
  - CSS, 204–205, 205
  - Fireworks buttons, 296
  - keyboard shortcuts for, 643
- primary keys for databases, 414
- privileges, assigning, 514–515
- process flows, 9, 9
- production environment, 566–567
  - FTP for, 570
  - hosting options for, 569–570
- remote servers for, 570–572, 571–572
- web server implementation, 567–569, 568–569
- Productivity extension
  - category, 598
- profiles
  - browser, 552–556
  - customer, 357
- Project Seven Development site, 90
- Property inspector, 41–42, 41
  - ActiveX controls, 232
  - applets, 233
  - audio, 226, 226
  - check boxes and radio buttons, 312, 312
  - CSS, 198, 203
  - Fireworks buttons, 294
  - Flash elements, 245, 248, 251
  - formatting text, 132–137
  - forms, 307–310, 313–317
  - frames, 149, 149, 156–157, 157
  - image maps, 180–181, 180–182
  - images, 216, 216, 219
  - jump menus, 301
  - layers, 108–109
  - library items, 80–81
  - links, 174–176, 174–175
  - movies, 228
  - new features for, 647
  - plugins, 230, 230
  - tables, 98, 101, 102
- proxies for ASP.NET, 503–508, 504–505, 508
- pseudo-classes, 193, 195
- Publish Settings dialog box
  - for Flash files, 241–242, 241–242
  - for Shockwave movies, 229, 229
- publishing Flash files, 240–243, 241–242
- pure play companies, 356
- Put command, shortcuts for, 35
- Put Newer Files to Remote option, 186
- PWS (Personal Web Server)
  - for ASP, 448–449
  - installing, 569, 569
  - for JSP, 471

- 
- quality assurance, **562–563**
- Quick Tag Editor, **139–140**, 376, **382–384**, 383–384
- QuickTime format, 224
- QuickTime player, **224–225**
- QuirksMode Compatibility Tables site, 549
- 
- Q**
- quality assurance, **562–563**
- Quick Tag Editor, **139–140**, 376, **382–384**, 383–384
- QuickTime format, 224
- QuickTime player, **224–225**
- QuirksMode Compatibility Tables site, 549
- 
- R**
- radio buttons
- dynamic, **410**, 410
  - in forms, **311–313**, 312–313
- Radio Group dialog box, 312–313, 313
- Radio Userland tool, 338, 493, 494
- Ralf's Chat scripts, 336
- random images, **618–620**, 619
- Random Images option, 619
- Random Slideshow option, 619
- RDS (Remote Development Services), 52
- RDS Login dialog box, 435
- RDS option, 349
- read access to Contribute folders, 529–530
- RealAudio files, 223
- RealMedia format, 224
- RealPlayer, **224**
- Record Insertion Form window, 419
- recording commands, **608**
- records
- deleting, **419–420**, 420
  - inserting, **419**, **442–445**, 442
  - stored procedures for, **420**
- Recordset dialog box, 417, 417
- for JSP, 476, 476
  - for PHP, 465–467, 465–466
  - for server behaviors, 437–438, 437–438
- recordsets
- defining, **408**
  - for dynamic content, 536
  - Live Objects in, **423**, 423
  - for Master Detail page sets, 541, 541
- navigating, **422**
- repeated regions in, **422–423**
- reference materials for tags, **379**, 379
- Reference panel, 43
- Refresh Design View option, 37, 378
- regions in templates
- editable, **67–68**, 67–68
  - relocking, **69**
  - repeating and optional, 60, **69**
- registering sites, 358
- registration forms, **516–517**
- regular expressions, 129, 392
- Relative option for frames, 157
- relative paths to links, 172
- Relative To: setting, **214–215**
- Relevant CSS panel, 43
- Relevant CSS tab, **204**, 204, 389
- Reload Modified Files option, 392
- relocking regions, **69**
- Remote Development Services (RDS), 52
- remote folders, **349–350**, 349
- remote information
- for ASP, **450**, 450
  - for ASP.NET, 502
  - for JSP, **472**, 472
- remote rollovers, 287
- remote site information for web applications, 344
- remote sites, 51
- servers for, **54**, **570–572**, 571–572
  - synchronizing, **574–575**, 575, **577–578**, **583**
- Remove All Tags option, 390
- Remove All Word Specific Markup option, 121–122
- Remove Non-Dreamweaver HTML Comments option, 394
- Remove Specific Tag(s) option, 394
- Remove Template Markup option, 69
- Remove Word Specific Markup option, 122
- renaming files and folders, **582**
- render\_contents attribute, 613
- reopening templates, **71**
- Repeated Region dialog box, 422
- repeating elements
- regions
    - in recordsets, **422–423**
    - in templates, 60, **69**  - SSIs for, **81–82**, 83
  - tables, 69
- reports, **588**
- accessibility, **630**, 630–631
  - Site Import Export Extension for, **588–590**
  - Site Summary Reports Extension for, **589–590**, 589–590
- Reports dialog box, 563, 563–564, 586, 589, 589, 630, 631
- requirements gathering, 7
- resampling images, 220
- resizing
- Flash text, 251
  - frames, **159**
- resolution of monitors, 37
- resources
- for ASP, 454
  - for creating extensions, **600**
  - for forms, **327–328**
  - online, **635–638**
  - for PHP, 461
- Restrict Access behavior, 521
- Restrict Access to Page dialog box, 522, 522
- restrictions, **521–522**, 522
- result page sets, **412–413**, 412
- Results panel group, **44**, 185, 185, 205, 206
- Retrospect packages, 590
- rewriting code, 375
- Rich Internet Applications (RIAs), 248, **500–501**
- Rich Media extension category, 598
- Rich Site Summary (RSS) language, 337, 493
- rolling back sites, **590**
- Rollover Image option, 287
- rollovers, 14, **285**
- creating, **287–290**, 287, 289–290
  - image states for, **286–287**

root elements  
 in XHTML, 489  
 in XML, 481  
 root folders, 50  
 for ASP, 448–449  
 for JSP, 470–471  
 for web servers, 350–351  
 Roundtrip HTML, 393

rows  
 database  
 deleting, 418  
 inserting, 418  
 selecting, 416–418, 417  
 in framesets, 150, 150,  
 156–158, 157  
 in tables, 94, 94, 101  
 RSS (Rich Site Summary)  
 language, 337, 493  
 Rule inspector, 647

## S

Safari Developer FAQ, 549  
 SalCentral registry, 496  
 Sample option, 133  
 sans-serif fonts, 133  
 Santa Fe Healing Art site, 270,  
 270, 365  
 Save As Template dialog box, 65,  
 65, 606  
 Save Files Before Putting  
 option, 581  
 Save For Web dialog box, 236  
 Save Frame option, 154  
 Save Frame As option, 148, 154  
 Save Frame as Template  
 option, 154  
 Save Frameset As option, 154  
 Save Frameset Page option, 154  
 Save on Launch option, 392  
 Save Selected Steps As Command  
 option, 607  
 saving  
 Flash files, 245, 250  
 frames, 148, 167  
 framesets, 154  
 schema, database, 413–415  
 screen readers, 631

script\_model value, 613  
 Scripting extension category, 598  
 scripts, 320–322  
 for chat rooms, 336  
 editing, 324–325  
 for guestbooks, 332–335, 333  
 languages for, 325–326  
 requirements, 322–323  
 Scripts category in Assets  
 Manager, 76  
 scrollbars, 158–159, 158  
 search engines, 66, 564–566  
 Search panel, 44  
 search services for marketing,  
 357–358  
 searching  
 for dynamic content,  
 412–413, 412  
 for editing code, 391  
 for HTML tags, 140–141, 141  
 for text, 127–130, 128, 130  
 Section 508 accessibility standards,  
 563–564, 563–564, 626–629,  
 627–629  
 Secure Sockets Layer (SSL)  
 encryption, 366  
 security  
 access restrictions, 521–522, 522  
 login pages and processes,  
 519–521, 520  
 privileges, 514–515  
 registration forms, 516–517  
 server behaviors, 517–519, 517  
 Security extension category, 598  
 Select Child option, 385  
 SELECT command, 416–417  
 Select Extension To Install dialog  
 box, 600, 622  
 Select External Editor dialog box,  
 392, 392  
 Select File dialog box  
 ActiveX controls, 231  
 applets, 233  
 audio, 226, 226  
 Flash, 243  
 links, 160, 174, 175  
 movies, 229  
 SSIs, 82, 83

Select Image Source dialog box  
 dynamic images, 412, 412  
 GIFs, 234  
 placing images, 214–215, 215  
 tracing images, 107  
 Select Parent Tag option, 385, 394  
 Select Table option, 95, 98  
 Selected Files in Site option, 129  
 Selected text search option, 128  
 selecting  
 database rows, 416–418, 417  
 table parts, 98–99  
 Selections: Allow Multiple  
 property, 315  
 \_self target, 160, 176  
 Sequential Slideshow option, 619  
 Server Behavior panel for  
 databases, 407–408  
 server behaviors, 402  
 adding, 517–519, 517  
 ColdFusion, 437–441, 437–438  
 PHP, 465–466, 465–466  
 Server Behaviors panel, 43, 412,  
 412, 432  
 Server Debug panel, 44  
 server-side image maps, 25, 180  
 server-side includes (SSIs), 81–82,  
 83, 126  
 server variables, 536–537  
 servers  
 hosts for, 569–570  
 implementing, 403, 567–569,  
 568–569  
 for multimedia content, 225  
 remote site, 54  
 testing, 350–351  
 for ASP, 450, 450  
 for ASP.NET, 503  
 defining, 350–351  
 for JSP, 472, 472  
 specifying, 344–345,  
 344, 346  
 troubleshooting, 424  
 for web applications  
 technology for, 346–348  
 working with, 345–346  
 Service Packs, 424  
 services. *See* web services

- sessions variables, 536
- Set Background Color option, 121
- Set Nav Bar Image behavior, 272–274, 273–274, 298
- Set Text of Frame behavior, 161, 274–275, 275
- Set Text of Layer behavior, 275–276, 276
- Set Text of Status Bar behavior, 276, 276
- Set Text of Text Field behavior, 276–277, 277
- SGML (Standardized General Markup Language), 483
- sharpness for images, 220
- Shockwave
  - in Assets Manager, 76
  - behavior for, 265, 265
  - movies in, 228–229, 229
  - uses for, 5–6
- shopping carts, 364–366, 364–365, 368–370
- shortcuts
  - for code, 378–382, 379–381
  - keyboard
    - creating, 603–605, 603
    - list of, 639–644
- Show All Events option, 389
- Show Attributes When Inserting Media option, 250
- Show Dependent Files option, 247
- Show Events For menu, 259, 550
- Show Grid option, 106
- Show-Hide Layers behavior, 278, 278
- Show Log On Completion option, 121, 394
- Show Pop-Up Menu behavior, 281, 281, 298
- Show Set Events option, 389
- Show When File Is Opened option, 586
- showIf attribute, 611
- Simple Object Access Protocol (SOAP), 496–498
- single-line text fields, 309–310
- Site Definition dialog box
  - ASP, 449–450, 449
  - ASP.NET, 502
  - cloaking, 574
  - Contribute, 526–527, 526, 532
  - Design Notes, 585
  - JSP, 471–472, 471
  - local folders, 346, 346, 349, 349
  - site setup, 49–52, 50–52
  - testing servers, 350
- Site Export Extension, 588–589
- Site Import Extension, 588–589
- Site Map Layout category, 55
- site maps, 9, 9, 580–581, 580
  - initializing, 55
  - keyboard shortcuts for, 643–644
  - links from, 178–179, 178–179, 184
- Site Panel option, 604
- Site Reports panel, 44, 630
- Site Summary Reports Extension, 589–590, 589–590
- Site Window option, 604
- Site Wizard, 16
- SiteOwner.com site, 358
- sites, 46–48, 47
  - access to. *See* administration
  - accessible. *See* accessibility
  - advanced setup for, 53–55, 54
  - for ASP, 449–450, 449
  - for ASP.NET, 502–503
  - cloaking on, 573–574, 574
  - for Contribute, 526–528, 526–528
  - e-commerce. *See* e-commerce
  - sites
    - exporting, 573
    - importing, 55–56, 55–56
    - interactive. *See* interactive sites
    - for JSP, 471–472, 471–472
    - keyboard shortcuts for, 643
    - knowledge transfer in, 575–576
    - local folders for, 48–49
    - optimizing, 564–566
    - for PHP, 463
    - production environment for. *See* production environment
    - rolling back, 590
  - Site Setup Wizard for, 49–52, 50–52
  - synchronizing, 574–575, 575, 577–578, 583
  - updating, 590–593, 591–593
  - for user administration, 515–516
- Sitewise Settings dialog box, 528, 528
- size
  - Flash text, 251
  - frames, 156–159, 157
  - images, 216–218, 235–236, 235
  - text, 134–135
- Smallest: Collapse Empty Cells option, 111
- smart clients and devices in .NET, 498
- Snap to Grid option, 106
- Snippet dialog box, 381, 381
- snippets, 380–381, 381
- Snippets option, 604
- Snippets panel, 43
- SOAP (Simple Object Access Protocol), 496–498
- sorting recordsets, 408
- Source Code mode, 140
- sources
  - database, 406–407, 407
  - image, 218
- SourceSafe Database option, 349
- spacers in tables, 99, 100
- spaces
  - in code, 390
  - in names, 49
- spacing in CSS, 196
- special characters
  - inserting, 125–126, 126
  - in names, 49
- Specific Tag mode, 140–141
- spell checking, 127, 127
- .spl extension, 265
- Split Frame options, 152
- SQL
  - creating tables in, 415–416
  - indexes in, 416
  - rows in
    - deleting, 418
    - inserting, 418
    - selecting, 416–418, 417
  - SQL Server databases, 404

Src property, 317  
 SSIs (server-side includes), **81–82**,  
   83, 126  
 SSL (Secure Sockets Layer)  
   encryption, 366  
 Standard mode for tables, **88**,  
   **94–95**, 94  
 Standardized General Markup  
   Language (SGML), 483  
 standards  
   accessibility, **563–564**,  
     563–564, **626–629**, 627–629  
   browser compatibility,  
     557–558, 558  
 Start page, **30**, 31, **646**  
 Start Recording option, 608  
 start\_string attribute, 614  
 static content management. *See*  
   Contribute  
 status bar  
   contents of, **38–39**  
   text of, **276**, 276  
 stored procedures, **420**  
 storyboards, **10**, 10  
 streamed files, 223  
 strict XHTML doctype, 489  
 strikethrough text, 132  
 Strong option, 133  
 structural tags, 132  
 Style/Format extension  
   category, 598  
 style sheets. *See* CSS (Cascading  
   Style Sheets)  
 style switcher, **282–284**  
 styles  
   formatting text with, **137**  
   workspace, **45**  
 Submit Extension option, 603  
 Submit It! Free service, 358  
 Sun JDBC-ODBC Driver dialog  
   box, 473–474, 473  
 Swap Image action, 289  
 Swap Image dialog box,  
   **278–279**, 279  
 Swap Image Restore behavior,  
   **278–279**  
 SWF files, 240, 265  
 Symbol Properties dialog box,  
   291, 291

symbols for buttons, **290–292**, 291  
 synchronization  
   cloaking for, **573–574**, 574  
   for importing, 55–56, 56  
   for links, 186–187, 187  
   local and remote sites, **583**  
   to remote server, **574–575**, 575,  
     **577–578**  
 Synchronize Files dialog box,  
   55–56, 56, 186–187, 187,  
   575, 575  
 Syntax Coloring option, 373

---

**T**  
 tab-delimited file, 123  
 tabbed documents, **646**  
 Table Borders option, 98  
 Table dialog box, 627, 627  
 tables, **20–23**, 22, **88**, **90**  
   adding, **113**, 113  
   alignment in, **103**  
   in code, 391  
   color in, **102–103**, 102  
   columns in, 94, 94, **101**  
   CSS for, **209–212**, 209  
   database. *See* databases  
   expanding, **96**, 96, **105**  
   importing, **105**, **120–124**, 121  
   keyboard shortcuts for,  
     **641–642**  
   with layers, **110–111**, 111  
   in Layout mode, **97–98**, 97  
   nesting, **104–105**, 105  
   new features for, **646**  
   preset format for, **92–93**, 92  
   Property inspector for, 98,  
     **101**, 102  
   rows in, 94, 94, **101**  
   selecting parts of, **98–99**  
   spacers in, **99**, 100  
   SQL, **415–416**  
   in Standard mode, **94–95**, 94  
 Tables extension category, 598  
 tabs in code, 390  
 Tag Chooser, **380**, 380–381  
 Tag Editors, 380, **385–386**,  
   385–386, **431**, 475

Tag Inspector  
   for CSS, **202**  
   for editing code, **388–389**  
   for Flash elements, 248, 248  
 Tag Inspector panel group, **43**  
 Tag Library Editor, 376–377,  
   376–377, **387–388**, 388  
 tag\_name attribute, 613  
 tag selectors, 38, 192–193,  
   **382–384**, 382–384  
 tag\_type attribute, 613  
 tags  
   balancing, **394**  
   custom, **377–378**  
   deleting, 390  
   editing, **382–384**, 382–384,  
     **397–398**  
   inserting, **380**, 380  
   libraries for, **375–377**, 376–377  
   reference materials for, **379**, 379  
   in templates, 68, 68  
   in XML, 481–482, **488–489**,  
     **612–614**, 615  
 target attribute, 306  
 target audiences, **548**  
 Target Browser Check option,  
   205, 205  
 Target Browser Check panel, 44  
 Target Browsers dialog box,  
   551, 552  
 Target menu for forms, 307  
 target pages for forms, **326**, 327  
 targets  
   for Flash text, 250  
   in frames, **160**, 161, **167**, 176  
   for image links, 219  
 Teletype option, 133  
 temperature conversions,  
   **503–506**, 503–505  
 Template Properties dialog box,  
   68, 68  
 templates, **59–62**, 61  
   applying, **72–73**, 72–73  
   in Assets Manager, 76  
   behaviors for, **67**, 74  
   closing and reopening, 71  
   content in, **65**, **587**  
   for Contribute, **529–531**,  
     530–532

- correcting, [591](#), [591](#)
  - creating, [63–65](#), [63](#)
  - default, [605–606](#), [606](#)
  - detaching, [74](#)
  - in development process, [62–63](#)
  - documenting design in, [65](#)
  - editing, [74](#)
  - from existing pages, [64–65](#)
  - extensions in, [67](#)
  - for layout, [89–92](#), [91](#)
  - links to, [70–71](#)
  - for maintenance, [576](#)
  - meta tag information in, [66](#), [66](#)
  - nested, [71–72](#)
  - online resources for, [637](#)
  - parameters in, [66](#)
  - regions in
    - editable, [67–68](#), [67–68](#)
    - relocking, [69](#)
    - repeating and optional, [60](#), [69](#)
    - saving frames as, [154](#)
    - updating pages linked to, [75](#)
    - for XML, [484–489](#), [485–487](#)
  - Templates folder, [71](#)
  - Templates For setting, [72](#)
  - testing
    - browser compatibility, [550–556](#)
    - links, [185](#), [185](#)
    - QA, [562–563](#)
    - usability, [562](#)
    - user-acceptance, [562](#)
  - Testing Server category, [54](#)
  - testing servers
    - for ASP, [450](#), [450](#)
    - for ASP.NET, [503](#)
    - defining, [350–351](#)
    - for JSP, [472](#), [472](#)
    - specifying, [344–345](#), [344](#), [346](#)
  - text, [14–15](#), [14](#), [117](#)
    - in code, [391](#)
    - design considerations for, [19–20](#)
    - dynamic, [409](#), [543–544](#), [544](#)
    - editing, [127](#)
    - entering, [124–126](#)
    - find and replace for, [127–130](#), [128](#), [130](#)
    - for Fireworks buttons, [294](#)
    - Flash, [249–253](#), [249–250](#), [253](#)
    - formatting. *See* formatting
    - of frames, [274–275](#), [275](#)
    - as graphics, [220](#)
    - HTML, [138–141](#), [141](#)
    - importing, [120–124](#), [121](#)
    - inserting, [118](#), [119](#)
    - keyboard shortcuts for, [641](#)
    - of layers, [275–276](#), [276](#)
    - for links, [173](#)
    - organizing, [118](#)
    - in persistent page elements, [126](#)
    - spell checking, [127](#), [127](#)
    - of status bar, [276](#), [276](#)
    - of text fields, [276–277](#), [277](#)
    - from Word, [119–120](#)
  - Text (Advanced) mode, [141](#)
  - Text extension category, [598](#)
  - text fields, [308–309](#), [309](#)
    - multiline, [310](#), [311](#)
    - password, [310–311](#)
    - single-line, [309–310](#)
    - text of, [276–277](#), [277](#)
  - Text tab, [40](#)
  - third-party items
    - extensions, [636–637](#)
    - XML tags, [612–614](#), [615](#)
  - Thoughts from Eric blog, [337](#)
  - threads, [335](#)
  - thumbnails, [6](#)
  - tiled images, [290](#)
  - time, ASP page for, [451–453](#)
  - title attribute, [306](#)
  - title bar, [38](#)
  - Title field, [35](#)
  - Tomcat server, [470](#)
  - toolbars, [33](#), [33–34](#)
    - Code Navigation menu, [37](#)
    - File Management menu, [35–36](#)
    - new features for, [645](#)
    - Preview/Debug menu, [36–37](#)
    - Refresh button, [37](#)
    - Title field, [35](#)
    - View Options menu, [37](#)
    - views, [34–35](#)
    - XML for, [483–484](#)
  - \_top target, [160](#), [176](#)
  - topics, discussion board, [335](#)
  - TopStyle Pro editor, [207](#)
  - tracing images, [107](#), [112](#), [112](#)
  - transactions, [360](#)
    - credit card payments, [366–368](#), [367](#)
    - online catalogs for, [361–362](#), [361–363](#)
    - shopping carts for, [364–366](#), [364–365](#), [368–370](#)
  - transitional XHTML doctype, [489](#)
  - troubleshooting
    - backups for, [425](#)
    - databases, [425](#)
    - servers, [424](#)
  - trust for e-commerce sites, [354](#)
  - Type property
    - for forms, [309](#)
    - for List/Menu selections, [315](#)
  - type style for e-commerce sites, [355–357](#), [355](#)
- 
- ## U
- UAs (user agents), [193](#)
  - UDDI (Universal Description, Discovery, and Integration Service), [496](#), [498](#)
  - Uncloak option, [574](#)
  - Uncomment Lines option, [390](#)
  - undocking panels, [46](#), [46](#)
  - Unicode support, [134](#)
  - unified core classes in .NET, [499](#)
  - unique usernames, [518–519](#), [518](#)
  - units
    - for frames, [157](#)
    - for layers, [109](#)
  - Universal Bookmarks dialog box, [623](#), [623](#)
  - Universal Bookmarks extension, [360](#)
  - Universal Description, Discovery, and Integration Service (UDDI), [496](#), [498](#)
  - unordered lists, [136](#)
  - Up image state, [286](#)
  - Update Automatically on Save option, [126](#)

Update Current Page option, 74, 81

Update Files dialog box, 184, 184

Update Pages dialog box, 81, 81

updating

- dialog boxes, **616–617**, 616–617
- from library item changes, **81, 81**
- links, **184, 184, 186–187, 187, 246–247**
- pages linked to templates, **75**
- sites, **590**
  - content, **591–592, 591**
  - links, **592–593, 593**
  - navigation, **592, 593**
  - templates, **591, 591**

Upload Design Notes for Sharing option, 585

uploaded files, 315

uppercase in code, 391

URL Prefix option, 351

URLs

- in Assets Manager, 76
- behavior for, **267, 267**
- in Favorites view, 78

URLs parameters, 536

usability

- new features for, **645–646**
- testing, **562**

Use Editable Region Names as XML Tags option, 487

Use External Editor option, 201

Use Regular Expressions option, 129, 392

Use Standard Dreamweaver XML Tags option, 487

Use Transparent GIFs option, 111

user-acceptance testing, **562**

user administration, **514**

- for authorization, **514–515**
- for registration forms, **516–517**
- for server behaviors, **517–519, 517**
- sites for, **515–516**

user agents (UAs), 193

usernames, **518–519, 518**

---

**V**

Validate as XML option, 396

Validate Form behavior, **280, 280**

Validate Markup option, 395, 399

validating

- code, **395–396, 395, 398–399**
- forms, **280, 280**
- XML and XHTML documents, **485, 492–493**

Validation panel, 44

Validator Options dialog box, 492–493

Validator Preferences dialog box, 492

Value property, 319

Variable option, 133

variables for dynamic content, 536–537

VBScript server model, 350

versions, browser, 263

vertical space for images, 219

video formats, **224**

view area, **38**

View Options menu, **37–38**

View Site FTP Log option, 571

views

- keyboard shortcuts for, **640**
- toolbars for, **34–35**

virtual directories, **501–502, 502**

Virtual option for wrap, 310

Vis option, 108

---

**W**

W/H option, 108

W property for images, 316

WAI (Web Accessibility Initiative), 8

warning messages, 551

WAV (Waveform) format, 223

Web Accessibility In Mind (WebAIM) site, 8

Web Accessibility Initiative (WAI), 8

Web Analysis extension category, 598

web applications, **343**

- code. *See* code

- designing and testing, **344–345, 344, 346**
- local folders for, **349**
- remote folders for, **349–350, 349**
- servers for
  - technology for, **346–348**
  - working with, **345–346**
  - testing servers for, **350–351**

Web Kitchen extension, 590

web logs

- for interactive sites, **337–339**
- list of, **637–638**

Web servers. *See* servers

web services, **495–496**

- accessing, **496**
- adding, **507–509, 507–508**
- ASP.NET, **503–504, 503**
- SOAP, **497–498**
- UDDI, **498**
- WSDL, **497**

Web Services Description Language (WSDL), **496–497**

WebAIM (Web Accessibility In Mind) site, 8

WebDAV option, 349

WebSphere server, 470

well-formed XML documents, 482

Wells Fargo Bank site, 366

WHERE clause, 417–418

White pages, 498

width

- of frames, **156–158, 157**
- in tables, 94

windows, opening, **268–269, 269**

Windows Components wizard, 568, 568

Windows Media format, 224

Windows Media Player, **224–225**

Wired News Animation Express site, 355

wireframes, 6, **10, 10**

Word documents

- new features for, 648
- working with, **119–124, 120–121**

Word Wrap option, 373

## workflow

- Check In/Check Out for, **586–587**
- Design Notes for, **584–586**, 585–586

workspace, **27, 45**

- docking and undocking panels, **46, 46**
- hiding panels, **45–46, 45**
- integrated, **28, 28–30**
- style of, **45**

Workspace Setup dialog box, **45**Wrap property, **309–310**Wrap Tag mode, **139, 384**WSDL (Web Services Description Language), **496–497**wwwroot folder, **448–449, 470, 568, 568**

## XHTML (Extensible Hypertext Markup Language)

- support for, **489–492**
- validation in, **485, 492–493**

XMethods registry, **496**XML (Extensible Markup Language), **479**

- concepts in, **480–483, 482–483**
- custom tags in, **612–614, 615**
- in Dreamweaver, **483–484**
- exporting sites as, **573**
- importing and exporting, **484–489, 485–487**
- new features for, **648**
- news feeds in, **493, 494**
- support for, **548**
- validation in, **485, 492–493**

- 
- X** XML Web Services, **498**  
 XSLT (Extensible Style Language Transformations) style sheets, **483**

- 
- Y** Yahoo discussion groups, **335, 336**  
 Yahoo! Store, **367**  
 Yellow pages, **498**

- 
- Z** Z-Index option, **108**