

## Subject Index

### a

Abbreviated New Drug Application 370, 385  
 absorption colors 175  
 acetaminophen 11, 33, 64, 69, 122, 181, 186, 196, 204, 222, 243, 292, 388  
 acetazolamide 33  
 acetic acid 164  
 acetone 116  
 acetylsalicylic acid 83, 153, 288  
 activation energy 27  
 additives 288  
 adipic acid 199  
 administration routes 311  
 adrenosterone 184  
 adsorption isotherms 236  
 alkaline phosphatase 356  
 allotropism 21  
 amine salts 113  
 amino acid 114  
 2-amino-4-nitrophenol 301  
 amorphization 334, 352  
 amorphous 1, 70, 85, 227, 238, 255, 259 ff., 293, 334, 344, 368, 386, 397  
 – characterization 276 ff.  
 – content 82, 244  
 – crystallization 278, 347  
 – definition 260  
 – kinetics 262  
 – microscopy 185  
 – moisture uptake 274  
 – preparation 263  
 – quantification 276 ff.  
 – reactivity 269  
 – solubility 10, 273  
 – stabilization 8, 10  
 – thermodynamics 262  
 amphoteric 317  
 amphotericin B 120  
 ampicillin 225 f., 267

aniline 114  
 – hydrochloride 114  
 anisotropic displacement parameter 141  
 annealing 356  
 – temperature 276  
 anthranilic acid 115  
 antiplasticizing effect 342  
 API *see* drug substance  
 argatroban 158  
 aspartic acid 194  
 aspirin *see* acetylsalicylic acid  
 asymmetric cell 123  
 ATR method 106  
 atropisomer 144  
 attenuated total reflection 103  
 attrition rate 5

### b

BCS 3, 6, 229, 312  
 – examples 387  
 Becke test 188  
 benoxaprofen 83  
 benperidol 265  
 benzoic acid 113, 314  
 Bertrand lens 181  
 binder 354  
 binding constant 8  
 bioavailability 3, 6 ff., 21, 117, 227, 229, 386  
 bioequivalence 386  
 biopharmaceutics classification system  
   *see* BCS  
 birefringence 178  
 blend uniformity 96  
 brilliance 160  
 brittleness 203  
 budesonide 52  
 bulk density 372  
 bupivacaine 84

Burger and Ramberger rules 27, 48  
2,6-di-*t*-butyl phenol 111

## c

Caco-2 4  
caffeine 68, 71, 75, 216, 225, 248, 338  
calcite 186  
calcium carbide 367  
calcium carbonate 182  
calibration 99  
calteridol tetradecahydrate 244  
Cambridge Crystallographic Data Centre 144, 301  
Cambridge Structural Database 33, 216, 219, 238  
capillary condensation 238  
Captisol<sup>®</sup> 84  
carbamazepine 50, 73, 120, 125, 243, 268, 296, 343, 353, 358, 387  
2-(carbonylamino)pyridine 148  
*catena*-bis( $\mu_2, \eta^2$ -acetylsalicylato)- $\mu_2$ -urea-calcium 153  
cefadroxil 372ff.  
cefatrizin 221  
cefazolin 83, 339f.  
cefditoren pivoxil 244, 347  
cefepime 129  
cefixime 226, 267  
cellulose *see* microcrystalline cellulose  
cephalexin 267  
cephalosporin 126  
cephalothin 337  
cephradir 268  
channel 83  
– compound 213  
chemical degradation 267  
chemical identification 96  
chemical shift anisotropy 82  
chemical stability 8, 259, 311, 322, 326f.  
chemometric analysis 129  
chenodeoxycholic acid 52  
chloramphenicol palmitate 21, 387  
chlordiazepoxide 22  
chloroquine phosphate 216  
chlorpheniramine 313  
chlorpropamide 338  
cimetidine 69, 74  
circularly polarized light 183  
citric acid 225, 267, 400  
Clapeyron equation 28  
clathrate 154, 213, 218  
clinical phases 5  
clinical studies 11

Clinical Trial Application 5  
closest packing 33  
cluster size 35  
co-crystals 1, 9, 213, 294  
color 168, 199  
compaction 21, 227  
compensator plates 170  
compressibility 11, 388  
compression 21, 52, 337, 355  
– pressure 357  
Compritol 54  
condensed transition point 30  
conformation 23, 82  
conformational polymorphism *see* polymorph, conformational  
conformer 260  
conglomerates 118  
contaminants 46, 206  
content uniformity 312, 322, 353  
controlled humidity cell 125  
corn starch 354  
corticosteroids 221  
critical relative humidity 224  
cromolyn sodium 40, 206  
croscarmellose sodium 252, 352  
cross providone 133  
cross-contamination 294  
cryogrinding 337  
crystal  
– anisotropic 175  
– biaxial 176  
– defects 225  
– engineering 229  
– faces 211  
– growth 34, 278, 288, 293, 297  
– habit *see* morphology  
– imperfections 46  
– isotropic 175  
– liquid *see* mesophase  
– plastic 262  
– single *see* single-crystal  
– size 13  
– system 180  
– twinned *see* twinning  
– uniaxial 176  
crystallinity 184, 326  
– THz spectra 125  
crystallization 356  
– conditions 287  
– difficulties 279  
– inadvertent 280  
– methods 289  
– process 400

- process development 12
- rate 260
- crystallography 139
- CSD *see* Cambridge Structural Database
- cyclodextrin 84, 245, 253, 265, 342

**d**

- DDT 196
- defects 211
- dehydration 126, 227, 268, 334
- delavirdine mesylate 86, 130, 252, 352, 360
- deliquescence 235, 312
- density rule 33
- desmotrope 144
- desolvated solvates *see* solvates, desolvation
- development phase 293
- dextran 85
- dextrose 380
- dichroism 175
- diclofenac 15, 313
- dielectric relaxation 238
- differential scanning calorimetry 25, 43 ff., 64, 196
  - combined approaches 58
  - curve asymmetry 56
  - high-speed 72
  - interfaced techniques 65
  - modulated temperature 70, 345
  - scanning speed 64
  - thermodynamic models 56
- differential thermal analysis 44, 196
- diffuse reflection 107, 109
- diffusion coefficient 6
- diflunisal 301
- digoxin 132
- rac-5,6-diisobutyryloxy-2-methylamino-1,2,3,4-tetrahydronaphthalene hydrochloride 59
- direct methods 161
- disease model 4
- disintegrant 352
- disodium cromoglycate 254
- dispersed extinction 178
- dispersion staining 188
- dissolution rate 3, 8, 27, 229, 252, 312, 322, 328, 352, 386
- sn*-1,3-distearoyl-2-oleoglycerol 65
- dosage form 4, 49, 53, 81, 310, 333, 392
- dose 6, 329
  - number 312
- doxazosin mesylate 59
- doxycyclin 221
- drug development 4 ff., 309

- drug discovery 4, 309
- drug product 2, 82, 333, 385
  - safety 385
- drug substance 2, 309, 333, 385, 391
- dry powder inhaler 2, 313
- drying 254, 336, 339
- DSC *see* differential scanning calorimetry
- dynamic mechanical analysis 273
- dynamic vapor sorption 239, 293

**e**

- eflucimibe 342
- Ehrenfest system of classification 34
- electrolyte 314
- electrostatic forces 214
- elemental analysis 322
- emulsion 10
- enalapril 342
  - maleate 125, 134, 388
- enantiomers 118
- enantiotropy 24, 47, 226, 303, 331
- endothermic 31
  - transformation 27
- energy–temperature diagram 3, 24 ff., 292, 303
- enthalpy 23, 262
- entropy 23
  - fusion rule 32
- ephedrine 99, 103, 313
  - hydrochloride 129
- erythromycin 126, 250, 252
- 17 $\beta$ -estradiol 341
- ET-diagram *see* energy–temperature diagram
- Eudragit RS PO<sup>R</sup> 354
- Eudragit E100<sup>R</sup> 70, 341
- eutectic 215, 265
- excipients 14, 49, 81, 227, 239, 328, 334, 352
  - amorphous 269
  - compatibility 312
  - inorganic 96
- excitation wavelength 101
- exothermic 31
  - transformation 27
- extinction angle 168
- extinction
  - anomalous 180
  - inclined 180
  - straight 180

**f**

- felodipine 264, 276
- fenopfen sodium 205

- first pass effect 6, 13
- flufenamic acid 348
- fluid-bed drying 255, 350
- fluid-bed granulation 336
- flunisolide 47, 52
- fluocortolon 221
- fluorescence 99
- form selection 254
- formulation 13
- free energy 21, 267
  - isobar 25
- freeze drying 21, 52, 222, 265, 338, 351, 354
- freezing 338
- frusemide 70
- fugacity 27
- fumaric acid 148
- furtive species 153
  
- g**
- Gelucire 54, 67f.
- generic drugs 391
- glass formers
  - fragile 271
  - strong 272
- glass transition 270ff.
  - temperature 10f., 238, 262, 270, 344
- glibenclamide 225
- glisentide 342
- glutamic acid 400
- L-glutamic acid 193
- glycine 53, 86, 338, 400
- Gordon-Taylor equation 238, 270, 274
- graph sets 301
- grinding 21, 52, 266, 342
- griseofulvin 267, 274, 352
- group frequencies 98
  
- h**
- habit *see* morphology
- heat capacity 45, 22, 243, 262
  - rule 32
- heat of
  - adsorption 236, 243
  - fusion rule 31
  - solution 69
  - transition rule 30
- heating rate 45
- Helmholtz free energy 24
- heteroseeding 290, 295
- 2,2',4,4'-hexanitroazobenzene 22
- high-power <sup>1</sup>H decoupling 82
- high-throughput screening 294ff., 320
  
- histamine H<sub>2</sub> receptor 369
- HMX 196
- hydrates 1, 10, 37ff., 212ff., 235ff., 287, 297, 322, 334, 341, 386
  - channel 240, 245, 359
  - classification 218
  - dehydration 219, 349, 358
  - formation 349
  - infrared 116
  - mechanical characteristics 253
  - non-stoichiometric 245
  - opposite stability relationship 242
  - stability 251
  - stoichiometry 240, 244
  - thermodynamics 37
- hydration 126
- hydroflumethazide 339
- hydrogen bond 22, 61, 123, 146, 211, 214, 238
  - intermolecular 111
  - intramolecular 112, 144
  - motifs 301
- hydrolysis 251
- hydrophilic 220
- hydroquinone 57
- 4-hydroxybenzoic acid 227
- hygroscopicity 8, 21, 235ff., 323, 327, 376
  - classification 236
  - coefficient 236
  - definition 235
  - potential 236
- hysteresis 240
  
- i**
- ibuprofen 342, 354
- image analysis 179
- image analyzer 193
- impurities 12, 90, 199, 279, 288, 293, 371, 388
- inclusion 168, 211
  - compound 213, 216
  - fluid 201
- indexation 160
- indicatrix 175
- indinavir sulfate 228
- indomethacin 74, 125, 260, 264, 266, 273, 280, 337, 342, 347, 349
- inelastic scattering 97
- infrared rule 33
- infrared spectroscopy 63, 95ff.
  - FT instrument 100
  - gases, liquids, solutions 110
  - instrumentation 100

- layer thickness 108
- sampling 105
- solids 115
- inhalation 13 f., 312
- injectables 311
- inosine dihydrate 205
- interfacial angle 192
- interference colors 177
- interference figure 176, 181
- interferon- $\gamma$  357
- interleukin-11 356
- internal energy 23
- International Conference on Harmonization 386
- intramolecular stretching modes 96
- intrinsic dissolution rate 56
- inverse gas chromatography 243, 347
- Investigational New Drug Application 5
- ionization constant 314
- irbesartan 74, 146
- iron oxide 133
- isomer 22
- isomorphic desolvate 217, 250 f.
- isotherms, types 237
- isotope exchange experiments 244
- itraconazole 70, 341

**k**

- Kauzmann paradox 270
- Kauzmann temperature 263, 271
- KBr disc 95, 106
- ketoprofen 342, 347
- kidney stones 228
- kinetic stability 9
- Kofler contact method 196
- Köhler illumination 170

**l**

- $\beta$ -lactam antibiotics 226
- lactate dehydrogenase 355
- lactitol 267
- lactose 128, 178, 252, 266 f., 270, 274, 337, 349
- Lamivudine 123
- latent heat 45
- lattice constants 139
- lattice defects 259, 261
- lattice disorder 343
- lattice energy 23
- Le Chatelier principle 28
- lead 4
- Lewis acid, base 238
- life cycle management 15, 325

- light microscopy 167
- limit of
  - detection 86, 91, 125, 129
  - quantification 125
- liposomal formulation 10
- liquid crystal *see* mesophase
- litigation cases 95
- long-range order 260
- low solubility in water 8
- lufenuron 69, 122
- lyophilization *see* freeze drying
- lyoprotectant 352, 354
- L-lysine monohydrochloride 198

**m**

- magnesium stearate 266
- maltodextrin 253
- mandelic acid 118
- mannitol 53 f., 222, 242, 279, 338
- manufacturability 388
- maprotiline hydrochloride 338
- mass spectrometry 246
- maximum absorbable dose (MAD) 6
- meal effect 7
- mechanical properties 11, 203
- mechanical stress 334, 337
- mefenamic acid 52, 122
- melt-extrusion 340
- melting point 25, 214, 262, 312, 323
  - curve 28
- mercuric iodide 199
- mesomorphism 205
- mesophase 1, 205, 261 f.
- metastable form 21, 46
  - stabilization 10
- metastable zone width 13
- metformin hydrochloride 69
- methyl salicylate 111
- 5-methyl-2-[(2-nitrophenyl)amino]-3-thiophenecarbonitrile 199
- methylene chloride 102
- methylprednisolone sodium succinate 252
- metoprolol tartrate 387
- Michelson interferometer 100
- microcalorimetry 243, 277, 345
- microcrystalline 261
  - cellulose 128, 253, 266, 341, 353
- microdeformation 140
- microemulsion 10
- micronization 13, 353
- micro-scale experiments 169
- microscopy 167 ff.
  - acoustic 168

- atomic force 73, 168, 346
- electron with X-ray elemental micro-analysis 168
- hot stage 195, 224, 292
- infrared 168
- light 167
- mid-infrared 101
- near-infrared 168, 101
- phase contrast 187
- polarized light 167
- Raman 101, 168, 295, 321
- screening tool 179
- specimen preparation 171
- thermal 68
- X-ray 168
- microthermal analysis 73
- milling 13, 21, 266, 337
- Minaxolone 122
- minimal acceptable solubility *see* solubility, minimal acceptable
- miokamycin 130
- mixtures, quantitative 117
- mizolastine 154
- moisture sorption analysis 224, 239
- moisture-induced transformation 228
- molecular conformation 61
- molecular disorder 251
- molecular flexibility 161
- molecular mobility 271
- molecular modeling 157
- molecular relaxation time 271
- molecular structure 95
- monosodium succinate 349
- monotropy 24, 47, 303
- Monte Carlo techniques 161
- morphine sulfate 243
- morphology 12, 83, 211, 302
- mother liquor 211
- mounting liquid 172
- m*-toluidine 281

**n**

- nabilone 83
- nafcillin sodium 339
- nanoindentor 203
- naphthalene 288
- naproxen 342
- N*-decylammonium bromide 140
- near-infrared spectroscopy 96, 128, 349, 400
- neotame 49, 83, 87
- Neusilin<sup>R</sup> 342, 347
- neutron diffraction 238

- New Drug Application 385
- niclosamide 225
- nifedipine 53, 70, 125, 264
- NIR *see* near-infrared spectroscopy
- nitrofurantoin 337
- NMR 81 ff., 238
  - contact time 84, 87
  - cross polarization 81
  - magic-angle spinning 81
  - relaxometry 245
  - selectivity 84
  - solid-state 81, 163, 168, 248, 277, 352
  - variable-temperature 60
- non-clinical phase 5
- non-crystalline substances *see* amorphous
- norfloxacin 252
- Norvir<sup>R</sup> *see* ritonavir
- novobiocin 273
- Noyes-Whitney equation 27
- N*-stearyl ethanolamine 60
- nucleation 34 ff., 53, 264, 278, 288, 293, 297, 318, 338
  - inhibitors 279
  - primary 34
  - secondary 34
- Nujol mull 95, 106

**o**

- optic axis 182
- optical dispersion 168, 178
- optical fibers 99
- optical properties 174
- orthoscopic viewing 144, 181
- Ostwald ripening 34
- Ostwald's Rule of Stages 157, 287, 196
- oxalic acid 204

**p**

- packing polymorphism 22
- p*-aminosalicylic acid 268
- paracetamol *see* acetaminophen
- paracrystal 160
- parameter space 292
- paramorphosis 205
- parapolymer 146
- paroxetine hydrochloride 375 ff.
- particle shape 168, 190
  - see also* morphology, habit
  - 6 basic shapes 191
- particle size 7, 12, 168, 261
  - distribution 302, 312
  - measurement 189
  - reduction 229

- partition coefficient 6
- patents 3, 11, 229, 365 ff.
  - definition 365
  - filings 95
  - issues 216
  - litigations 366
  - polymorphism 366
- p*-azoxyanisole 200, 205
- p*-chlorophenol 22
- peak width 86
- penetration, percutaneous 313
- pentamidine isothionate 228, 265
- peritectic 215
- permanent mounts 172
- permeability 6, 313, 387
- permeation 4
- pH 315 ff.
  - physiological 311
- pharmaceutical development 212, 239
- pharmaceutical formulation *see* drug product
- pharmaceutical processing 34
- pharmacodynamics 4
- pharmacokinetics 4, 13
- Pharmacopoeia European 220
- phase diagrams 64
- phase transformation 242, 333 ff., 401
  - detection 343
- phase transition 23
- phenobarbital 222
- phonon modes 116
- photoacoustic spectroscopy 109
- photomicrography 170
- p*-hydroxybenzoic acid 253
- physical stability 259
- physisorption 211
- pilocain hydrochloride 229
- piroxicam 342
- $pK_a$  315 ff.
  - difference 319
- plastic deformation 358
- plasticity 203
- plasticization 274
- plasticizer 337
- pleochroism 175, 199
- p*-nitrophenol 22
- poly(ethylene glycol) 54, 69, 352
- poly(vinyl pyrrolidone) 86, 263, 341 f.
  - solid dispersions 269
- polyamorphism 259, 275 ff.
- polycrystalline 181, 250
- polymorph 377
  - characterization 302 ff., 390
  - composition 14
  - concomitant 139, 144, 155, 196, 298
  - conformational 22, 144
  - content 394
  - controls 387, 398
  - conversion 173
  - crystallization 34
  - crystallography 139
  - definition 1, 117, 259, 386
  - disappearing 33, 377
  - excipient 54
  - metastable 10
  - mixtures 50, 81
  - prediction 300
  - prevalence 1, 21
  - qualitative test 394
  - quantitative test 394
  - risk/benefit consideration 393, 397
  - screening 9, 222, 287 ff., 321, 390
  - selection 303 f.
  - solubility difference 9, 386
  - stability 21
  - surrogate test 395
  - thermodynamically stable 9, 292, 353
  - transition 357
  - variability 399
- polysaccharides 260
- pore size 236
- potassium bromide disc *see* KBr disc
- potassium nitrate 196
- precession photographs 141
- Precirol 54
- prednisolone 84, 133, 339
- prednisolone *tert*-butyl-acetate 83, 226
- preferred orientation 192 f., 295
- preformulation 323
- premafloxacin 46
- pressure 30
  - temperature diagram 28
- prilocaine hydrochloride 59
- prior art 367
- process analytical technology 385, 399 ff.
- process monitoring 128
- process-induced changes 130, 227
- processing 333 ff.
  - effects of 50
- progesterone 400
- protein activity 355
- protein secondary structure 355
- providone 133
- pseudoephedrine 99, 103
  - hydrochloride 129
- pseudomorphosis 224

pseudomorphs 204  
 pseudopolymorph 213  
 pseudoracemate 329  
 PVP *see* poly(vinyl pyrrolidone)

**q**

quantitation of forms 86  
 quantitative analysis 128  
 quench-cooling 264

**r**

racemates 118  
 racemic compound 118, 329  
 racemic conglomerate 329  
 raffinose 245, 268  
 Raman spectroscopy 63, 95 f., 131, 245,  
 349, 400  
 – dispersive 96  
 – Fourier transform 96  
 – laser power 104  
 – polarization 105  
 – sample heating 131  
 – sample preparation 104, 110  
 – sample rotation 131  
 – sampling 104  
 – spatial resolution 131  
 ranitidine hydrochloride 125, 134,  
 369 ff., 387  
 rate of conversion 122  
 Rayleigh scattering 97  
 reactivity 386  
 reciprocal space 142  
 recognition sites 155  
 reference standard 95  
 refractive index 168, 186  
 – determination 187  
 – principal 175  
 regulatory applications 385 ff.  
 regulatory guidelines 291  
 rehydration 227  
 relative abundance 88  
 relative humidity 40  
 residual solvent 201 f.  
 resorcinol 33  
 revatropate hydrobromide 345  
 risedronate sodium 350, 359  
 ritonavir 12, 21, 352

**s**

saccharin 198  
 saccharose monopalmitate 341  
 salbutamol sulfate 254, 353  
 salicylic acid 153

salt formers 319  
 salt hydrolysis 342  
 salt screening 319 ff., 294  
 – high throughput 320  
 salt selection 8, 309 ff.  
 – statistics 325  
 salts 148  
 sample preparation 83, 117  
 scanning speed 50  
 scattering power 160  
 scopolamine 309  
 second harmonic generation 161  
 seeding 13, 375, 379 ff.  
 seeds 3, 290, 371  
 selection rules 98  
 sensitivity 96, 181  
 – to water 99  
 serotonin 375  
 short-range order 260  
 sink condition 27  
 skeletal bending modes 96  
 slurry ripening *see* solvent-mediated  
 transformation  
 SMCC 349  
 smell 323  
 sodium 339  
 – benzoate 113  
 – chloride 186, 207  
 – cromoglycate 248  
 – lauryl sulfate 205  
 – nafcillin 340  
 – phosphate 339  
 – stearyl fumarate 133  
 solid solutions 157  
 solid-state transformation 25, 47, 63, 196,  
 204  
 solubility 3, 6, 10, 311 f., 117, 316, 322,  
 326, 352, 386  
 – amorphous *see* amorphous, solubility  
 – determination 321  
 – equilibrium 7  
 – improvement 316  
 – kinetic 7  
 – metastable 352  
 – minimal acceptable 6  
 – plateau 317  
 – polymorphs *see* polymorph, solubility  
 – solvates *see* solvates, solubility  
 solubility–pH profile 316  
 solute 213  
 solvates 1, 37 ff., 116, 211 ff., 297, 386  
 – channels 216  
 – definition 37

- desolvation 3, 59, 204, 216f., 223, 250, 268
  - dissolution rate 37, 227
  - frequency 219
  - generation and characterization 222
  - isostructural 218
  - labile 295
  - non-stoichiometric 215
  - processing 227
  - solubility 37, 224
  - stability 224
  - stoichiometric 215
  - transient 222
  - types 215
  - solvation effects 116
  - solvent parameters 288, 290
  - solvent-mediated transformation 196, 201, 226, 242, 288, 293, 331
  - solvents, class 12
  - sorbitol 279f.
  - sorption 238
    - isotherms 243
  - space group 140
  - spatial resolution 297
  - specificity 181
  - specular reflection 109
  - spin–lattice relaxation time 82
  - spirapril hydrochloride 250
  - spray drying 266, 339
  - stability 387
  - $\pi$ - $\pi$  stacking 22
  - standard curve 87
  - stearic acid 133, 198
  - steric hindrance 145
  - structural relaxation 271
  - structure–activity relationship 4
  - sucrose 260, 267, 274, 288, 338, 347
  - sulfabenzamide 338
  - sulfamerazine 71
  - sulfametrol 227
  - sulfathiazole 22, 124, 221, 342
  - supercooled liquid 262
  - supercritical 290
    - carbon dioxide 50, 266
  - superdisintegrants 251
  - supersaturation 289, 318, 352
  - supra-molecular chemistry 229
  - supra-molecular synthon 156
  - surface coverage 243
  - surface energy 35, 243
  - suspensions 13
- t**
- tablet 130, 173, 312, 338, 388
  - tableting 227, 253
  - target 4
  - taste 323
  - tautomer 22, 119, 145
  - tedisamil dihydrochloride 122
  - temporary mounts 173
  - terahertz (THz) spectroscopy 95
  - terephthalic acid 204
  - terfenadine 56
  - theophylline 126, 130, 134, 225, 248, 334, 338, 349, 353, 359
  - theoretical methods 300
  - thermal analysis 43ff., 168
  - thermal conductivity 74
  - thermal expansibility 24
  - thermally stimulated current 74
  - thermodynamic activity 27
  - thermodynamic stability 3, 12, 309
  - thermodynamics of polymorphs 21ff.
  - thermogravimetric analysis 67, 196, 322
  - thiamine hydrochloride 227, 245, 359
  - third law of thermodynamics 23
  - TNT 196, 205, 400
  - tolbutamide 70
  - topical products 313
  - topochemical factors 10
  - toxicology studies 5
  - tranilast 63
  - transdermal application 313
  - transflection 109
  - transintestinal absorption rate 6
  - transition
    - first order 34, 45
    - glass *see* glass transition
    - phase *see* phase transition
    - point 25, 27
    - second order 71
    - temperature 10, 58
  - trehalose 245, 264, 266, 268, 270, 274, 280, 338, 356
  - triamcinolone acetonide 254
  - trilaurin 65
  - triphenyl phosphite 275
  - triple point 28
  - trovofloxacin mesylate 400
  - twinning 140, 168, 185, 197ff.

**u**

ultrasound 13, 290  
10-undecylenic acid 214  
unit cell 140  
US Pharmacopoeia 95

**v**

van der Waals interactions 22, 33, 214  
van't Hoff plot 225  
vapor pressure 27, 40  
vapor sorption 223  
vibrational spectroscopy 95 ff., 168, 238  
– basic theory 97  
virazole 22  
vitamin B<sub>12</sub> 226  
vitamin K 196  
Vogel–Tammann–Fulcher equation 271  
Volmer model 35

**w**

warfarin sodium 134, 211  
water  
– activity 40

– mobility 249  
– plasticizing effect 253, 274  
water–solid interactions 238  
Waxman-Hatch Law 370  
wet granulation 14, 21, 334

**x**

xemilofiban 353  
X-ray diffraction 51, 83, 119, 139f., 160,  
168, 185, 213, 223, 242, 295, 321, 370,  
372  
– direct methods 140  
– powder 63  
– single-crystal 63, 196, 216  
– structures from powder data 160  
– synchrotron 63  
X-ray wavelength 143

**z**

zantosteron 229  
zeolites 217  
zwitterion 115, 316