

Index

A

-A all, 880

-A p, 880

ABC, WCF, 1240–1241, 1245

Abort, 1062

FtpWebRequest, 1212

HttpListener, 1225

AbortTransaction, 817

Absolute, 670

abstract base class, 149–151

polymorphism, 174

abstract method, 150

AbstractBaseClass, 150

Abstraction, 159–162

abstraction, 49, 101

behavior, 159

Class, 159

properties, 159

AcceptTcpClient, 1311

AccessDataSource, 804, 854

Account, 1230

ServiceProcessInstaller, 1272

ACID test, 1174–1175, 1176

act-as relationship, 153

multiple interfaces, 180

Action, 512

actions pane, VSTO, 929–935

ActionsPane, 933

Activate, 663, 1188

Activated, 663, 1149, 1150, 1158

AppDomain, 1151–1152

library DLL, 1155

System.MarshalByRefObject, 1151

Activation, 1188

Activator.GetObject, 1168–1169, 1171

ActiveControl, 4

ActiveX

COM, 1033–1038

HTTP, 1110–1111

IDE, 1033

Windows Forms, 649

ActiveX Data Objects (ADO), 324, 1111. See also ADO.NET

XML, 379

activity library, 1082

Adapter, ServiceController, 1285

Add, 1244, 1256

AddAllButton, 711

AddButton, 711

-AddFullTrust, 498

AddGroup, 503

-AddGroup, 498

AddHandler, 89–90

event, 143

Add-In project, 589–590

Add-ins

Excel, 939–945

VSTO, 917–918, 939–945

/addmodule, 1337

AddNodes, 1219

AddOwnedForm, 655

AddPropertyMapping, 791

-AddPSet, 498

-addpset, 502

AddRemoveProgramsIcon, 984

addresses

IP, 1203

DNS, 1204

network programming, 1201–1205

WCF, 1240–1241

<AddResults>, 1257

Adjoining forms, 949

ADO. See ActiveX Data Objects

ADO.NET, 198

architecture, 328–329

class, 332–333

ADO.NET (continued)

ADO.NET (continued)

- components, 333–334
- Connection, 446
- connection pooling, 358–359
- constructors, 360–361
- data, 327–378, 633–639
 - DataSet, 349–356, 633
 - deleting, 331–332
 - inserting, 330–331
 - .NET Data Providers, 334–349
 - selecting, 329–330
 - updating, 331
- DataSet, 349–356, 633
- DataTable, 353–354
- features, 329–334
- namespace, 332–333
- properties, 361–362
- SqlDataReader, 633
- Transaction, 447
- Web pages, 328
- XML, 362–363, 380, 423–428
- Advanced Compile Options, 549, 979**
- Advanced Compiler Settings, 979**
- af, 498**
- ag, 498**
- Age, 88, 125**
 - base class, 122
- Aggregate, 457**
- AJAX. *See* Asynchronous JavaScript and XML**
- AJAX Master Page, 814**
- AJAX Web Form, 814**
- aliasing, 282**
- Alignment, 1033**
- All, 504**
- All Code, 483**
- AllCode, 495**
- AllowFullOpen, 684**
- AllowItemReorder, 681**
- AllowWebBrowserDrop, 1330**
- AlwaysCreate, 993**
- Amazon.com, 543**
- Anchor, 666–667**
 - UserControl, 710
- anchoring, Windows Forms, 666–667**
- And, 14, 92**

AndAlso, 14

- defining, 93
- overloading, 93
- antivirus, Windows Services, 1267**
- ap, 498**
- ApartmentState, 1062**
- App.Config, 556**
- app.config, 376**
 - WCF, reference, 1253
- App_Data folder, 872**
- AppDir, 504**
- AppDomain**
 - Activated, 1151–1152
 - ASP.NET, 1047–1048
 - memory, 1049
 - .NET Framework, 1047
 - remoting, 1145, 1146
 - Singleton, 1151
 - threading, 1047
- AppendFile, 1213**
- appid, 627**
- applets, Java, 1110**
- Application, 1104**
 - hosting, 1155–1160
 - System.Windows, 733
 - XML Web services, 1141
- application. *See also* client application; .NET application**
 - ASP.NET, 806–810, 839–847
 - data-driven, 853–863
 - folders, 818–823
 - building
 - Debug, 577
 - Visual Studio, 577–583
 - ClickOnce, 1008
 - debugging, Visual Studio, 578
 - deployment, 977–1017
 - Internet, 1006–1017
 - download cache, 1006–1007
 - inheritance, 179–180, 179–186
 - Internet Explorer, 1321–1330
 - minimum permissions, 506–510
 - mobile, 982
 - online, 1009–1011
 - pools, 877
 - remote data entry, 604

- remote data mirror, 604
- remote database, 607
- security, 1142–1143
- settings
 - My, 557
 - String, 557
 - Visual Studio, 556–558
- Silverlight, 900–906
- simple queuing, 604
- sockets, 1301–1304, 1318
- thick-client, 885
- thin-client, 885
- Web, 986
- WF, 1098–1104
- workflow, 1079–1080
- @Application, 825**
- <application>, 1158**
- Application Event Log, 316–317**
- Application_AuthenticateRequest, 825**
- Application_BeginRequest, 824–825**
- ApplicationContext, 287**
- Application_End, 825**
- Application_Error, 825**
- Application_Start, 824**
- application.xaml, 733**
- App_Local Resources, 234**
- arbitrary elements, shadowing, 124–126**
- Architects, 591**
 - Team Editions, 593
- ArgumentException, 306**
- Arguments, 1001–1002**
- Array, 27–28**
- ArrayList, 1209**
 - synchronization, 1067
- arrays, 27–30**
 - multidimensional, 28
- Asc, 20**
- Ascending, 460**
- ASCII, Byte, 20**
- “Ask Dr. Math,” 622**
- ASMX, 1100**
- ASMX Web Services. See ASP.NET Web Services**
- <asp:AdRotator>, 854**
- <asp:BoundField>, 859**
- <asp:BulletedList>, 854**
- <asp:CheckBoxList>, 854**
- <asp:CommandField>, 863**
- <asp:DataGrid>, 854**
- <asp:DataList>, 854**
- <asp:DetailsView>, 854**
- <asp:DropDownList>, 854**
- <asp:FormView>, 854**
- <asp:GridView>, 854**
- <asp:ListView>, 854**
- <asp:Menu>, 854, 866–867**
- ASP.NET, 194, 801–837. See also**
 - Asynchronous JavaScript and XML**
 - advanced features, 839–896
 - AppDomain, 1047–1048
 - application, 806–810, 839–847
 - data-driven, 853–863
 - folders, 818–823
 - authentication, 825
 - cache, 1199
 - code-behind, 814–815, 955
 - compilation system, 802–803, 844–847
 - content page, 850–853
 - Context, 1225
 - cross-page posting, 839–844
 - cultures, 219, 225–226
 - editing, 552
 - Forms Authentication, 518
 - FTP, 808–809
 - global resources, 240–241
 - Global.asax, 823–826
 - goals, 801–804
 - GUI, 804, 880–882
 - host process, 1099
 - HTML, 418
 - IDE, 805–806
 - IIS, 808, 1166
 - Vista, 876–877
 - inline coding, 812–814
 - JavaScript, 833–837
 - localization, 804
 - master pages, 847–853
 - membership, 870–874
 - namespace, 282–283
 - navigation, 864–870
 - .NET, 728
 - object, 804
 - page directives, 815–816

ASP.NET (continued)

ASP.NET (continued)

page event, 816–818
 page structure, 810–815
 pages, 839–847
 personalization, 874–876
 provider model, 877–884
 remoting, 1145
 resource files, 224–246, 233–241
 resources, 1361
 role management, 870–874
 server controls, 827–832
 Server Setup Wizard, 881–882
 server-side culture declarations, 224–225
 64 bit, 802
 SQL Server, 879–884
 state management, 1141
 threading, 1053
 transactions, 1199
 Visual Studio, 234–235, 805
 WCF, 805
 Web application, 986
 Web server, 807–808
 Web services, 1123
 web.config, 545
 WF, 1099–1104
 workflow, 1089
 XML, 428–434, 864

ASP.NET Web Matrix, 805

ASP.NET Web Services, 1235

aspnet_regsql.exe, 881

<asp:RadioButtonList>, 854

<asp:Repeater>, 854

<asp:SiteMapPath>, 865–866

<asp:TreeView>, 854

Assembly, 816

System.Reflection, 204

assembly, 955–975

attribute, 547–549

CLR, 953–954

COM+, 279

configuration files, 968–971

culture, 962

default interop, 1026

deployment, 963–965

dynamic loading, 971–974

GAC, 964–965

identity, 958–959

location, 969–970

manifest, 957–963

metadata, 954

modifier, 547

MSIL, 954

namespace, 195

.NET, 953, 1337–1339

.NET application, 195–196

search path, 970–971

security, 196

shared, 963–965

signing, 961

strong names, 960–961

version, 960, 965, 969

.assembly, 960

@Assembly, 825

Assembly File, 496

Assembly Information, Visual Studio, 547–549

Assembly Version, 548

[Assembly].Load, 171

Assert, 320, 484, 487

AsyncCallback, 343

asynchronous

COM, 1173

COM+, 1173

Command, 342–344

components, 1189

DownloadX, 1224

.NET Framework, 1057

requests, Windows Forms, 649

thread pool, 1056–1057

UploadX, 1224

workflow, 1103

Asynchronous JavaScript and XML (AJAX), 801, 884–895

Button, 890

DHTML, 887, 889

DOM, 887

HTTP, 887

Label, 890, 892

Visual Studio, 805, 888

AsyncState, 343

atomicity, 1174

Attach, 449

AttachAll, 449**Attribute, 484****attribute**

- assembly, 547–549
- CLR, 201–203
- controls, 701–702
- count, XmlReader, 396
- DefaultValue, 702
- .NET application, 202
- properties, 702
- transactions, 1186–1187
- Web services, 202
- XML, 202, 468
 - DOM, 413–415
 - source code, 387–389

AttributeCount, 397**Audio, 291****authentication, 641**

- ASP.NET, 825
- Kerberos, 641

<authorization>, 873**AutoCompletion, Windows Forms, 648, 674–675****AutoLog, 1271**

- ServiceBase, 1290

AutoResetEvent, 1068, 1075–1076**Autos, Debug, 583****AutoScaleDimensions, 562****AutoScaleMode, 562****AutoScroll, 658, 671****AutoScrollPosition, 710****autoshrink threshold, SQLCE, 602****AutoSize, 670****AutoWordSelection, 690****B****BackColor, 709****background threading, 1051–1052****BackgroundImage, 656, 709****BackgroundWorker, 1053, 1057**

- HttpListener, 1226–1227

BackgroundWorker1_DoWork, 1056**backing field, 700****BackStyle, 1033****base class, 103, 117**

- abstract, 149–151, 174

Age, 122

bugs, 122

child, 177

Control, 709

creating, 104–105, 181

fragile, 186–190

inheritance, 149–151

interface, 140

interface element, 125

library, 179

multiple inheritance, 127

MyBase, 115, 134

Overridable, 121

Overrides, 119

overriding, 112

Shadows, 121

UserControl, 709–710

Base Class Library (BCL), 247**Base64, 516****BaseAddress, 1223****/baseaddress, 1343****Basic, 641****basic object adapters, 1109****BCL. See Base Class Library****BeginExecuteReader, 343****BeginInvoke, 1058–1059****Beginning ASP.NET 3.5, 1362****BeginRead, 1057****BeginXYZ, 1057****behavior, 3, 52–53**

- abstraction, 159

- WPF, 744–748

bigint, SQL, 17**bin, 545****Binary, 995**

- FtpWebRequest, 1212

binary formatter, 354

- IIS, 1167–1168

binary operator, 91**BinaryFormatter, 1147, 1167, 1312**

- Deserialize, 1313

- HTTP, 1167

- TCP, 1167

- XML, 1168

BindGrid, 344

binding

binding, 1020, 1112. *See also* early binding; late binding

WCF, 1240–1241

<binding>, 1254

bindingConfiguration, 1254

BindingNavigator, 792

black box code, 49, 159

Blackjack, 543

Blend, 730–731

WPF, 765–776

Blend (Expression Blend), Silverlight, 902

BlinkStyle, 673

blocking, 1063

blogs, 1361, 1362

Boolean, 8, 11, 15–16, 60, 92, 322, 618, 1271

comparison operator, 14

CTS, 200

delegates, 93

EnableSession, 1141

IDE, 701

Integer, 16

My.Application, 287

True or False, 15–16

BooleanSwitch, 321–323

bootstrapper, 1015

BorderStyle, 671

BoundField, 859

boxing, 34–35

breadcrumb navigation, 865–866

breakpoints, 578–581

debugging, 581

DLL, 581

IDE, 581

BringToFront, 694

Browsable, 704

Browse, 274

browsers

cultures, 225

Silverlight, 897–898

Windows Forms, 649

BSTR, 199

BtnCheckStatus, 1285

btnCompare, 146

BtnDecrement, 1282

BtnIncrement, 1282

btnOK, 107

BtnStartService, 1285

BtnStopService, 1285

bubbling, 758

buffer, SQLCE, 602

/bugreport, 1339

bugs

base class, 122

Shadows, 122

Build, 577

DLL, 700

build configurations, Visual Studio, 583–586

BuildLanguageOptions, 1097

BuildSqlCommand, 347

Button, 236, 688

AJAX, 890

Conversation forms, 1305

button

Windows Forms, 711–712

WPF, 761–765

XAML, 761–765

ButtonBrowse, 774

ButtonBrowse_Click, 746

Button_Click, 222

ButtonClose, 759

ButtonLoad, 747

ButtonMax, 758

ButtonNext, 748, 761

event handler, 753

ButtonPrev, 745, 748, 761

event handler, 753

buttonSend, 1305

ButtonStyle1, 768

ByRef, 35, 633, 1216

Byte, 8, 10, 20

ASCII, 20

ByVal, 3, 35

C

C, 199

₩₩, 20

C++, 199

32 bit, 199

memory, 213

threading, 1045

unmanaged code, 552

class

- Windows Forms, 1273
- Windows Services, 1269
- C, 879**
- CAB Project template, 981**
- cabinet files, 981, 989**
- cache**
 - ASP.NET, 1199
 - SOAP, 1131
 - transactions, 1199
 - Web service, 1131
- CacheDuration, 1131**
- calc, 1171**
- CalculateDistance, 169**
- Calculator, 1155, 1161, 1171**
 - WCF, 1244
- CalculatorClient, 1253**
- CalculatorService, 1249–1250**
- Call Stack, Debug, 582**
- callback, 1057**
- CallExternalMethod, 1089**
- CancelAsync, 1056**
- CancellationPending, 1056**
- CanStop, ServiceController, 1284**
- <canvas>, 908–909**
 - Silverlight, 905–906
- Canvas.Left, 907**
- Canvas.Top, 907**
- Caption, 688, 689**
- carriage return, 4–5**
- CAS. *See* Code Access Security**
- Caspol.exe, 482, 483, 490, 511**
 - security policy, 495–498
- Cassini, 807**
- Catch, 57–58, 303–304**
- Category, 704**
- CausesValidation, 678**
- CCircularRef, 207**
- cell phones, Web services, 1143–1144**
- CenterParent, 654**
- CenterScreen, 653**
- Cert2spc.exe, 511**
- certificate, 482**
 - .NET SDK, 531
 - SSL, 1143
 - tools, 511
- Certificate Trust List (CTL), 511**
- Certmgr.exe, 511**
- cg, 498**
- chains of inheritance, 126**
- ChangeConflicts, 448**
- ChangeCulture, 287**
- Changed, 1290**
- ChangeUICulture, 287**
- channel, 1147**
- Char, 11, 20**
- char, 199**
- Character, 8**
- character placeholder, 676**
- CharacterCasing, 690**
- CheckBox, 688**
- CheckCharacters, 391, 399**
- CheckedListBox, 688**
 - controls, 705–708
- Checksum, 514**
- ChgGroup, 498**
- ChgPset, 498**
- child, 104**
 - base class, 177
 - MDI, 659
 - namespace, 272
 - UserControl, 710
 - workflow, 1091
- ChildChangedEventArgs, 780**
- Chktrust.exe, 511**
- Chr, 20**
- ChrW, 20**
- circular reference, GC, 206–208**
- Class, 6, 61–62**
 - abstraction, 159
 - interface, 153
 - Solution Explorer, 61
 - Web services, 1115
- class, 3, 50. *See also* base class; subclass**
 - ADO.NET, 332–333
 - vs. components, 98–99
 - constraints, 267
 - creating, 60–81
 - derived, 104
 - diagrams, Visual Studio, 590–591
 - disconnected, 332
 - enlistment, 1199
 - Friend, 141

class (continued)

class (continued)

- generics, 255–260, 261–262
- implementation, 189
- inheritance, 176–177
- interface, 155, 163
- LINQ, to SQL, 440–441
- MyBase, 130
- namespace, 272
- native interface, 151
- .NET application, 194
- object, 21
- Private, 141
- Protected, 141
- Protected Friend, 141
- Public, 141
- scope, 37
- shared, 332
- superclass, 103, 186
- virtual, 150

Class and Collection, 444

Class Designer, 103, 591

- inheritance, 107

Class View window, 62

classID, 1020–1033

ClassKey, 240

Class_Terminate, 209

CLEAR, 641

Clear, 715

ClearButton, 711, 716

ClearUndo, 690

ClickOnce, 198

- application, 1008
- bootstrapper, 1015
- configuration, 1013–1015
- custom options, 1016–1017
- deployment, 979, 1007–1016
- directories, 1011–1012
- files, 1011–1012
- manifest, 1012
 - editing, 1015–1016
- .NET Framework, 1008
- vs. other technologies, 1016
- rolling back, 1016
- uninstalling, 1016
- update, 1012–1013

Client, 1317

<client>, 1254, 1265

client application, 50–52, 1170–1171

- Internet, 1006
- object, 189
- Office, 544
- proxy, 1171–1172
- RDA, 607
- remoting, 1160–1164

Client Script Library, 888

ClientSize, 562

Clip, 764

Clipboard, 291

ClipToBounds, 749

Clock, 291

Close, 320

- HttpListener, 1225

Closed, 663

CloseOutput, 391, 399

Closing, 663

CLR. See common language runtime

Code, 1092

code

- access, permissions, 486–487, 490–485
- expansion, Visual Studio, 565–568
- modules, interface, 153
- server controls, 830
- snippets
 - Snippet Editor, 570
 - Visual Studio, 568–570
- source
 - Visual Studio, 563
 - XML, 387–389
- unmanaged, 552

Code Access Security (CAS), 624

Code View, 928

- tabs, 563

CodeAccessPermissions, 486–487

CodeAccessSecurityAttribute, 485

CodeActivity, 1092

CodeBehind, 1115

code-behind, 282, 736, 793, 802–803, 810–815

- ASP.NET, 814–815, 955
- XAML, 903

/codepage, 1343

CodePlex, 1361

Component Object Model (COM)

- Collapsed, 762**
- Collect, 216**
- Collection, 1209**
- Collections, 30–32**
- colon, 5**
- Color, 684, 703**
- ColorDialog, 684**
- columns, O/R Designer, 452–453**
- COM. See Component Object Model**
- COM+**
 - assembly, 279
 - asynchronous, 1173
 - JIT, 1150
 - metadata, 200–201
- COM Visible, 549**
- ComboBox, 688, 723–724**
 - Control, 724
 - ToolStrip, 680
 - Web services, 643
 - Windows Forms, 648
- Command, 333, 334**
 - asynchronous, 342–344
 - data, 335–340
- Command window, Visual Studio, 586–587**
- CommandBar, 933–934**
- CommandBehavior.CloseConnection, 342**
- CommandButton, 688**
- commands, 11–15**
- CommandTimeout, 448**
- comments, 7–8**
 - XML, 8, 467
- Commit, 1001, 1199**
- CommittableTransaction, 1197**
- CommitTransaction, 817**
- Common Files Folder, 991**
 - 64 bit, 991
- common language runtime (CLR), 193–217**
 - assembly, 953–954
 - attribute, 201–203
 - cross-language integration, 199–204
 - deployment, 197–198
 - DLL, 276–277, 972
 - .dll, 962
 - GC, 208–209
 - ildasm.exe, 204–205
 - memory, 205–216
 - metadata, 200–201
 - .NET, 193–197
 - SQL Server, 615–645
 - T-SQL, 615
 - versioning, 197–198
- Common Object Request Broker Architecture (CORBA), 1107, 1109**
 - Web services, 1140
- common type system (CTS), 199–200**
 - Boolean, 200
 - Int32, 200
 - System.Object, 200
- [CommonAppDataFolder], 991**
- [CommonFiles64Folder], 991**
- [CommonFilesFolder], 991**
- Company, 548**
- Compare, 23, 94, 146**
- CompareAge, Person, 95**
- CompareOrdinal, 23**
- comparison operator, 12–14**
 - Boolean, 14
- CompensatableSequence, 1091**
- Compensate, 1092**
- compilation system, ASP.NET, 802–803**
- Compile Settings, 542**
 - Visual Basic, 549–550
- compiler, 1331–1345**
 - debugging, 1339–1340
 - help, 1340–1341
 - implicit conversion, 39–42
 - language, 1341
 - .NET assembly, 1337–1339
 - optimization, 1335–1336
 - output, 1334–1344
 - files, 1336–1337
 - preprocessor, 1341–1342
 - resources, 1342
- Completed, 1104**
- component names, 274**
- Component Object Model (COM), 196, 1019–1044. See also COM+; Distributed COM**
 - ActiveX, 1033–1038
 - asynchronous, 1173
 - cross-language integration, 199
 - DLL, 965

Component Object Model (COM) (continued)

Component Object Model (COM) (continued)

early binding, 1020
 GUID, 1183
 late binding, 1020, 1028–1033
 legacy component, 1021–1023
 memory, 206
 MMC, 1110
 MSMQ, 1191
 namespace, 274
 .NET, 1020–1033
 .NET application, 1024–1027, 1035–1037
 .NET components, 1038–1043
 TCP/IP, 1108
 threading, 1062
 unmanaged code, 552
 Web services, 1106
 WebBrowser, 1321

Component Services, 1183
 DLL, 1184

Component Services Console, 1185
 queued components, 1191

components
 ADO.NET, 333–334
 asynchronous, 1189
 vs. class, 98–99
 queued, 1189–1196
 synchronous, 1189

composite controls, 699

compression, 989

Concat, 23

Condition, 985, 993, 1002

conditional statements, 11

ConditionedActivityGroup, 1091

config, 1161–1164
 .config, 1160

configuration files, assembly, 968–971

Configuration Manager, 585

ConfigurationSettings, 376

ConfigureClient, 1306, 1316
 Conversation forms, 1309
 Reflection, 1317

ConformanceLevel, 392, 399

Connection, 333, 334, 446–448
 ADO.NET, 446
 data, 335

connection pooling, ADO.NET, 358–359

connection string, 633

ConnectionString, 361

SqlDataSource, 858

consistency, 1174

Console, 6

console application, 5–8

Sub, 5

Visual Studio, 5

WCF, 1244–1247

Console.WriteLine, 43

constants, String, 25

constraints

class, 267

generics, 265–268

multiple, 268

New, 267–268

Structure, 267

type, 265–267

constructors

ADO.NET, 360–361

Dictionary, 139

inheritance, 135–140

methods, 84–85

overloading, 138–139

parameters, 137–138

Shared, 90

String, 23, 138

variable initialization, 138–139

Contacts.sdf, 604

ContainerControll, 710

Content, server controls, 852

content page, ASP.NET, 850–853

content presenter control, 750

content type, 926

ContentPlaceholder, 849

Content-Type, 1111

Context, ASP.NET, 1225

context switching, 1050

ContextMenu, 650

ContextMenuStrip, 650, 682, 1210

ContextUtil, 1180

Continue, 32–33

ContinuePending, ServiceController, 1285

contract, WCF, 1240–1241

Control, 4, 698, 816

base class, 709

- ComboBox, 724
- System.Windows.Forms, 709
- Windows Forms, 648
- control**
- content presenter, 750
- hosting, 792–797
- layered, 749
- Windows Forms, 664–694, 697–708
 - attribute, 701–702
 - Browsable, 704
 - Category, 704
 - CheckedListBox, 705–708
 - Description, 703–704
 - dynamic sizing and positioning, 665–668
 - embedding, 723–725
 - event, 705
 - GDI, 717
 - IDE, 703
 - inheritance, 698–708
 - resizing, 712
 - runtime, 693–694
 - System.Drawing, 717–718
 - Visual Studio, 701–702
 - z-order, 664
- WPF, 739–742
 - library, 782–785
 - XAML, 739–742
- control panel, 1283**
- Control Tab, Windows Forms, 664**
- Conversation, 1304, 1313, 1317**
- Conversation forms, 1305–1307**
 - Button, 1305
 - ConfigureClient, 1309
 - debugging, 1306
 - TextBox, 1305
- Conversation windows, 1304–1311**
 - Message, 1311–1316
 - TextBox, 1305
 - thread pool, 1305
 - threading, 1313
- cookies, 1139**
- Copy, 23, 487, 488, 690**
- Copyright, 548**
- CopyRow, SqlDataRecord, 639**
- CORBA. See Common Object Request Broker Architecture**
- core elements, 1–20**
 - boxing, 34–35
 - commands, 11–15, 32–34
 - data type conversions, 38–47
 - keywords, 2–8
 - parameters, 35–37
 - reference types, 8–11, 21–32
 - syntax, 2–8
 - value types, 8–11
 - variable scope, 37–38
- Count, 154**
- counter monitor service, 1275–1280**
- CounterMonitor, 1275–1279**
 - custom commands, 1287
 - debugging, 1295–1296
 - performance counters, 1281
 - Service Control Manager, 1279
- CounterMonitor.exe, 1277**
- CounterType, 1282**
- cp, 498**
- CPU, threading, 1045–1046, 1048–1049, 1051**
- Creat Strong Name Key, 499**
- Create, 534, 1205**
 - System.Net.WebRequest, 1299
- CreateCommand, 335**
- Created, 1290, 1292–1293**
- CreateDatabase, 448**
- CreateEventSource, 318**
- CreateInstance, 171, 972**
- CreateWorkflow, 1104**
- Credentials, 1206, 1223**
- credentials, 809, 874**
 - SQL Server, 641
 - WCF, 1264
- critical section, 1069**
- Crossbow. See Windows Forms Integration Library**
- cross-language integration**
 - CLR, 199–204
 - COM, 199
 - .NET application, 199–204
- cross-page posting, 839–844**
- CryptoAPI, 1143**
- CryptoEncryptor, 522**

cryptography

cryptography, 482, 513–535, 1183–1184

hash algorithms, 515–531

SSL, 533

CryptoStream, 522

CSS, 805

CStr, 45

CString, 199

CTL. See Certificate Trust List

CTS. See common type system

CType, 46–47, 58–59

generics, 254

overloading, 91

Person, 96

Culture, 236, 287

culture

adding, 237

ASP.NET, 219, 225–226

assembly, 962

browsers, 225

currencies, 228–231

dates, 227–228

definition, 220

Internet Explorer, 225

invariant, 220

neutral, 220, 239

numbers, 228–231

sorting string, 231–233

specific, 220, 239

threads, 221

CultureInfo, 222–224

currencies

conversion, 229

cultures, 228–231

Currency, 18

CurrentCulture, 223

Cursor, 759

-Custom, 504

Custom Actions Editor, 987, 1000–1002

custom activities, 1082

custom controls, 828

CustomActionData, 1002

Customer, 49–50, 102–103, 160, 252, 405, 972, 1258, 1261

CustomerForm, 253

CustomerList, 252–253

Cut, 690

D

-d, 846

-d <database>, 880

dangers, 187

Data, 404

data, 3

ADO.NET, 327–378, 633–639

connection pooling, 358–359

DataSet, 349–356

deleting, 331–332

inserting, 330–331

.NET Data Providers, 334–349

selecting, 329–330

updating, 331

Command, 335–340

Connection, 335

contracts

service, 1258–1259

WCF, 1257–1263

LINQ, 437–438

providers, 332

source, SQLCE, 601

synchronization, SQLCE, 604–615

types

conversions, 38–47

interface, 154, 155–156

object, 116–118

primitive, 45

variable, 117

variables, 121

Data Source Configuration Wizard, 160

DataAccess, 624

DataAdapter, 333, 334, 344–348

RDBMS, 351

SelectCommand, 336

XML, 351

database. See also SQL

filtering, 457–458

LINQ, 444–445, 456–461

query

grouping items, 459–461

Join, 458–459

transactions, 1176–1178

DatabaseExists, 448

DataBinding, 817

- <DataBindings>, 870**
- DataContext, 445–448**
 - O/R Designer, 453–454
 - SQL Server, 445
- <DataContract ()>, 1258**
- data-driven application, 853–863**
- DataException, 302**
- DataField, 859**
- DataGrid, DataSet, 374–378**
- DataGridView, 160, 792**
 - Web services, 643
- DataMember, 870**
- <DataMember ()>, 1258**
- DataReader, 333, 334, 340–342**
 - DataSet, 341
 - integration, 355–356
- DataRelationCollection, 350**
- DataRelations, 351**
- DataSet, 159, 328, 329, 333–334, 349–356**
 - ADO.NET, 633
 - creating, 351–353
 - DataGrid, 374–378
 - DataReader, 341
 - indexing, 354
 - object, 354
 - RDBMS, 351
 - serialization, 354–355, 1146–1147
 - SQLCE, 604
 - Sync Server, 611
 - T-SQL, 633
 - Web services, 1119, 1125
 - XML, 351
 - XSD, 351, 1128
- DataSourceID, 868, 870**
- DataTable, 49, 333–334, 346**
 - ADO.NET, 353–354
 - independence, 356
 - indexing, 354
 - object, 354
 - serialization, 354–355
 - Web services, 1125–1126
- DataTableCollection, 350**
- DataTables, 351**
- Date, 11, 21**
- date separator, 676**
- dates, cultures, 227–228**
- DateTime, 21**
- DateTimePicker, 688, 792**
- DbConnection, SQLCE, 600**
- DbDataAdapter, SQLCE, 600**
- DBNull, 25–26**
- DCOM. See Distributed COM**
- Deactivate, 663, 1188**
- deadlocks, 1063**
- Debug, 550–552**
 - application building, 577
 - Autos window, 583
 - Call Stack, 582
 - Immediate window, 582–583
 - Locals, 582
 - Output, 582
 - registry keys, 995
 - Watch windows, 582
 - Web services, 1115
- /debug[+:-], 1339**
- debugging, 299–325, 1339–1340**
 - application, Visual Studio, 578
 - breakpoints, 581
 - Conversation forms, 1306
 - CounterMonitor, 1295–1296
 - Interop Forms Toolkit, 1354
 - late binding, 170
 - OnStart, 1294
 - Server Explorer, 1294
 - Service Control Manager, 1294
 - SQL Server, 552
 - T-SQL, 615
 - Visual Studio, 550–552, 578, 1293–1296
 - Windows Services, 1275, 1293–1296
- Decimal, 11, 18, 19–20**
- decimal placeholder, 676**
- default interface, 50**
- default interop assembly, 1026**
- Default.aspx, 237–239**
- Default.aspx.resx, 234–235**
- DefaultLocation, 993**
- DefaultValue, 701**
 - attribute, 702
- DeferredLoadingEnabled, 448**
- /define, 1341–1342**
- DefinePad, UI, 1210**
- dehydrating, 382**

Delay

Delay, 1092

delay signing, 961

/delaysign[+:-], 1337

Delegate, 95

threading, 1057–1059

delegates, 93–98

Boolean, 93

declaring, 93–94

Event, 93

Handles, 93

implementing, 95–98

RaiseEvent, 93

WithEvents, 93

Delete, 318

DeleteAllOnSubmit (TSubEntity), 449

DeleteCommand, 344

Deleted, 1290

DeleteDatabase, 448

DeleteEventSource, 318

DeleteFile, 1213

DeleteOnSubmit, 449

Demand, 487, 488

Demanded, 512

Deny, 484, 487, 492

DenySetInstance, 512

Dependencies, 985

dependency properties, 766

DependencyProperty, 1094

deployment, 287

application, 977–1017

Internet, 1006–1017

online, 1009–1011

assembly, 963–965

building, 1005–1006

ClickOnce, 979, 1007–1016

CLR, 197–198

compression, 989

Custom Actions Editor, 1000–1002

File System Editor, 990–994

File Types Editor, 996–997

Interop Forms Toolkit, 1354

Launch Conditions Editor, 1002–1005

modifications, 986–1006

.NET, 978

no-touch, 1006–1007

Package Files, 988

prerequisites, 988–989

Registry Editor, 994–996

templates, 980–982

User Interface Editor, 987–1000

Visual Studio, 979–986

Windows Installer, 979

Windows Services, 1269

XCOPY, 978

depth, XmlReader, 396

dereference

Nothing, 56

object, 56

derived class, 104

deriving, 104

Description, 548, 865, 1230

controls, 703–704

WSDL, 1115

DESCryptoServiceProvider, 519

Deserialize, BinaryFormatter, 1313

[DesktopFolder], 991

deslaved forms, 655

destructor, 209

Detected Dependencies, 982, 984, 986

DetectURLs, 690

Developers, 591

Team Editions, 593–594

DHTML, AJAX, 887, 889

dialog boxes, User Interface Editor, 999–1000

DialogForm, Windows Forms, 660–661

DialogResult, 661–663

dialogs, Windows Forms, 683–685

Dictionary, 110, 120, 1104

constructors, 139

generics, 260

WF, 1099

Digest, 641

digit placeholder, 676

digital signature, 482, 490, 513, 528–531

DSA, 528

.NET Framework, 528

public key, 528

RSA, 528

SOAP, 1140

Web services, 1140

Digital Signature Algorithm (DSA), 524, 528

Dim, 3, 6, 42

DragEventArgs

- DIME. See Direct Internet Message Encapsulation**
- Direct Internet Message Encapsulation (DIME), 1238**
- DirectCast, 47, 59–60**
 - generics, 254
- DirListBox, 691**
- Disabled, 1187**
- <disconnect>, 1318**
- disconnected class, 332**
- Discovery, 1105, 1138**
- DiscoveryDocument, 1138**
- DisplayName, 1230, 1272, 1277**
- Dispose, 1073**
- Disposed, 663, 817**
- DistanceTo, 166–167**
 - Encapsulation, 174
- Distributed Applet-Based Massively Parallel Processing, 1110**
- Distributed COM (DCOM), 1020, 1107, 1108–1109**
 - Web services, 1140
- Distributed Transaction Coordinator (MSDTC), 1196**
- <div>, 1097**
- Divide, 1244, 1256**
- DLL, 553–554**
 - breakpoints, 581
 - Build, 700
 - CLR, 276–277, 972
 - COM, 965
 - Component Services, 1184
 - FROM EXECUTABLE FILE, 626
 - GAC, 501
 - interface, 1169–1170
 - library, 1154–1155
 - proxy, 1171
 - remoting, 1153
 - ServiceController, 1286
 - SQL Server, 619
 - SQLCE, 600
 - Visual Studio, 1165
 - VSTO, 915
 - WCF, 1241
 - workflow, 1099
- .dll. See dynamic link library**
- DNS. See Domain Naming System**
- Do Until, 33–34**
- Do While, 33–34**
- /doc[+:-], 1336**
- Dock, 1217**
 - UserControl, 710
- docking, Windows Forms, 665–666**
- DockPadding, 666**
- DocRibbon, 933**
- DOCTYPE, 851**
- document**
 - WebBrowser, 1328–1330
 - XML, 463–464
 - LINQ, 469–472
 - query, 470–472
 - reading, 473–475
 - writing, 475–476
- Document Object Model (DOM), 389, 413–415**
 - AJAX, 887
 - XML, 408–415
- Document Type Definition (DTD), 389**
- DocumentSource, 433**
- Document/Workbook, VSTO, 918**
- DoDragDrop, 685**
- DoFtpRequest, 1222**
- DOM. See Document Object Model**
- Domain Naming System (DNS), IP address, 1204**
- DomainUpDown, 688**
- DoOtherStuff, 150**
- DoSomething, 52, 55, 150**
 - late binding, 57
- DoSort, 96**
- Dot Net Nuke, 543**
- DotNetJunkies, 1361**
- Double, 11, 18, 19**
- DownloadData, 1223**
- DownloadFile, 1213, 1223**
- DownloadFileAsync, 1224**
- DownloadString, 1223**
- DownloadX, 124**
- DownloadXAsynch, 1224**
- DoWork, 1056, 1064–1066, 1228**
- drag and drop, .NET Framework, 685–687**
- DragDelta, 759**
- DragDrop, 685–687**
- DragEventArgs, 686**

DragStarted

DragStarted, 759
DriveListBox, 691
DropDownList, 724
DropDownStyle, 724
DSA. *See* Digital Signature Algorithm
DSACryptoServiceProvider, 524
DTD. *See* Document Type Definition
durability, 1174
DWORD, 995
dynamic code analysis, 595
dynamic link library (.dll), 195. *See also* DLL
 CLR, 962
dynamic XML documents, 472–473

E

-E, 879
early binding, 56–60
 COM, 1020
 IDE, 56
 IntelliSense, 56
 obj, 166
EDI. *See* Electronic Data Interchange
Effect, 686
Elapsed, 1061, 1276, 1281
Electronic Data Interchange (EDI), 1140
ElementHost, 780, 791
<Ellipse>, 907, 908–909
Else, 12
Elseif, 12
 string, 15
Email, 604
e-mail, 1189
Empty, 23
EnableRaisingEvents, 1291
EnableSession, 1141
en-AU, 220
en-CA, 220
Encapsulation, 163, 169
 DistanceTo, 174
 IShared, 173
encapsulation, 49, 162–164
 fragile base class, 189
 Name, 54
 syntax, 53
Encoding, 392, 1223

encryption
 secret key, 482, 513, 519–523
 Kerberos, 523
 Web services, 1140
End Class, 1093
End Function, 566
End If, 12
End stage, 999
<endpoint>, 1254
#EndRegion, 563
en-GB, 220
enlistment, 1199
EnlistTransaction, 1198
Enterprise Services. *See* .NET Enterprise Services
EnterReadLock, 1073
EnterUpgradeableReadLock, 1073
EnterWriteLock, 1073
EntryWritten, 318
Enum, 110
en-US, 220
Environment String, 995
EnvironmentPermission, 485, 492–493
EnvironmentPermissionAttribute, 484, 485
Equals, 487, 488, 703
Equals (Object), 200
Err, 300
Error, 323, 817
 extender providers, 674
error
 checking, 1339–1340
 handling
 On Error, 315–316
 error logging, 316–321
 syntax, 300
 logging, 316–321
 Windows Services, 1275
 workflow, 1091
Error List, 188
ErrorProvider, 673, 677, 792
Err.Raise, 315
Event, 263
 delegates, 93
 interface, 152
event
 AddHandler, 143
 controls, 705

Extensible Application Markup Language (XAML)

- EventLog, 318–319
- handler
 - ButtonNext, 753
 - ButtonPrev, 753
 - Visual Studio, 573–574
 - WPF, 742–744
 - XAML, 742–744
- Handles, 143
- inheritance, 142–146
- interface, 154
- .NET, 705
- raising, 144–146
- server controls, 830–832
- Silverlight, 910–913
- subclass, 144–146
- threading, 1063
- Event Logs, 316–318, 1271**
 - file watcher, 1289–1290
 - .NET, 1289
 - .NET Framework, 1289
 - security, 317
- Event Viewer, 1290**
- EventDriven, 1091**
- EventList, 1099**
- EventLog, 1292**
 - event, 318–319
 - methods, 318–319
 - properties, 318–319
 - registry, 494
 - System.Diagnostics, 316
 - trace files, 319
- Everything, 483**
- evidence, 490**
- Excel**
 - Add-ins, 939–945
 - templates, 918
 - threading, 1051
- exception handling, 299–325**
 - InitiateConnection, 1307–1309
 - .NET, 301–302
 - Trace, 321–325
 - XML, 403–405
- exception object, 301**
- Exchange Server, Windows Services, 1267**
- Exclude, 985**
- exclusive lock, 1069–1077**
- .exe. See executable**
- ExecSp, 372–373**
- ExecSpOutputValues, 373–374**
- ExecSpReturnDataReader, 370–371**
- ExecSpReturnDataSet, 363–370**
- ExecSpReturnXmlReader, 371–372**
- executable (.exe), 195**
- ExecuteAndSend, 635**
- ExecuteCode, 1095**
- ExecuteCommand, 448**
 - custom commands, 1287
 - ServiceController, 1284
- ExecuteQuery, 446, 448**
- ExecuteReader, 336**
- Execution, 484**
- Exists, 318**
- Exit For, 32–33**
- Exit Try, 307–308**
- ExitReadLock, 1073**
- ExitUpgradeableReadLock, 1073**
- ExitWriteLock, 1073**
- explicit conversion, 38, 44–47**
- explicit transaction, 1196–1197**
- <expression>, 457**
- Expression Blend. See Blend**
- Expression Design, Silverlight, 902**
- Expressions, 240**
- Extended Properties, 350–351**
- extender providers**
 - Error, 674
 - Windows Forms, 671–674
 - properties, 673
- extensibility, SSL, 533**
- Extensible Application Markup Language (XAML), 729**
 - basics, 734–738
 - button, 761–765
 - code-behind, 903
 - controls, 739–742
 - editing, 732
 - event handler, 742–744
 - IntelliSense, 743
 - layout, 748–752
 - resources, 760–761
 - Silverlight, 897, 903
 - styles, 767–775

Extensible Application Markup Language (XAML) (continued)

Extensible Application Markup Language (XAML) (continued)

UI, 743

WF, 1080

Window, 733

WPF, 734–752, 1080

Extensible Markup Language (XML), 328, 351, 356, 379–435, 549. *See also* Asynchronous JavaScript and XML

ADO, 379

ADO.NET, 362–363, 380, 423–428

ASP.NET, 428–434, 864

attribute, 202, 468

DOM, 413–415

BinaryFormatter, 1168

comments, 8, 467

compilation, 847

DataAdapter, 351

DataSet, 351

documents, 463–464

LINQ, 469–472

query, 470–472

reading, 473–475

writing, 475–476

DOM, 408–415

elements, DOM, 410–413

exception handling, 403–405

HTML, 380–381

HTTP, 1111

IIS, 1167

IntelliSense, 469

LINQ to, 462–468

namespace, 462

prefixes, 462

MemoryStream, 405–408

namespace, 465–467

navigation, 864

.NET, 390

serialization, 379, 382–389

smart-client deployment, 198

SOAP, 1112

source code, attribute, 387–389

SQL Server, 380, 425–428

stream-style parsers, 389–415

reading, 394–405

writing, 390–394

string, 462

System.Web.Services.Protocols, 1139

System.Xml, 389

TreeView, 868–870

T-SQL, 617

Visual Studio, 558, 573

Web services, 616, 1105–1144, 1106, 1140

Application, 1141

future, 1144

state management, 1141

WF, 1080

Extensible Stylesheet Language (XSL), 379

External, permissions, 625

F

-f, 846

F5 key, 8

Fail, 320

Failed AssemblyInfo, 512

failure audit, 317

FAQs, 1361

FaultHandler, 1091

[FavoritesFolder], 992

FFA. *See* Field Force Automation

Field Force Automation (FFA), 604

fields, 53–54, 62–63, 196

Friend, 54, 63

keywords, 63

Private, 63

Protected, 63

Protected Friend, 63

Public, 63

File, 50

File Not Found, 316

file search

Launch Conditions Editor, 1003–1004

Word, 1003–1004

File System Editor, 987, 990–994

File Transfer Protocol (FTP), 1201

ASP.NET, 808–809

client, 1213–1223

File Types Editor, 987, 996–997

File Version, 548

- file watcher**
 - Event Logs, 1289–1290
 - Windows Services, 1267–1268, 1289–1293
- /filealign, 1335**
- file-based system, 806**
- FileDialogPermission, 485, 497**
- FileDialogPermissionAttribute, 485**
- FileIOPermission, 485, 490, 510**
- FileIOPermissionAttribute, 485**
- FileListBox, 691**
- Filename, 684**
- FileSystem, 291**
- FileSystemDriver, ServiceController, 1285**
- FileSystemWatcher, 1290**
 - properties, 1291–1293
- FileWatcherService, 1289**
- FileWebRequest, 1206–1207, 1298**
- Fill, 907**
- FillColor, 1033**
- FillRowMethodName, 624**
- FillStyle, 1033**
- Filter, 457, 683, 1291**
- FilterIndex, 683**
- filtering, database, 457–458**
- Finalize, 209–211**
 - Overrides, 209
 - Protected, 209
- Finally, 303–304, 1072**
- FindForm, 694**
- FindPrimes, 1058–1059, 1061**
- FindPrimesViaDelegate, 1058–1059**
- firewall, 1204–1205**
 - HTTP, 1147
- FirstName, 604**
- FirstPermissionThat Failed, 512**
- FixedPitchOnly, 685**
- FixedSingle, 671**
- FlowLayoutPanel**
 - UserControl, 710
 - Windows Forms, 648, 650, 668–670
- Flush, 320**
- fnGetFunction, 630**
- fnGetLocation, 639**
- .Focus, 694**
- Folder, 985**
- FolderBrowserDialog, 785**
- Font, 684**
- FontDialog, 684**
- Fonts Folder, 991**
- [FontsFolder], 991**
- For, 566**
- For Each, 32–33, 38, 460, 473, 566**
- For Next, 32–33**
- FOR XML, 425**
- FOR XML AUTO, 427**
- FOR XML EXPLICIT, 427**
- FOR XML RAW, 425**
- Force, 499**
- for-each, XSLT, 416**
- ForeColor, 709**
- Form, 344**
- <form>, 852**
- Form Designer, 108, 559**
 - tabs, 563
- Form1, 651**
- Form1.Show (), 651**
- Form2, 655**
- Formal, 119**
- Format, UDTs, 617**
- formatter, 1147**
- FormBorderStyle, Windows Forms, 654**
- FormRegionInitializing, 953**
- Forms Authentication, 872**
 - ASP.NET, 518
- 4 Guys from Rolla, 1361**
- fragile base class, 186–190**
 - encapsulation, 189
 - implementation, 189–190
 - interfaces, 188–189
 - Name, 190
 - semantics, 189–190
 - syntax, 189–190
- fragile superclass, 186**
- Frame, 670–671**
- frames, WPF, 755–760**
- framework, inheritance, 179–180**
- Friend, 50**
 - class, 141
 - fields, 54, 63
 - interface, 51–52, 153

Friend (continued)

Friend (continued)

- methods, 63, 140
- MyBase, 134
- properties, 140

FROM EXECUTABLE FILE, DLL, 626

FromOADate, 21

FromXml, 487, 488

FrontPage Extensions, 810

FTP. See File Transfer Protocol

FtpClient, 1219–1220

FtpWebRequest, 1205, 1211–1223

- Abort, 1212
- Binary, 1212
- Method, 1212
- .NET Framework, 1211
- Passive, 1212

FullTrust, 483

fully qualifying, 280

Function, 3–4, 6, 263, 566

- interface, 51

function, T-SQL, 616

- creating, 623–630

Function GetOutput () as Double, 1021

G

GAC. See global assembly cache

GacIdentityPermission, 485

gacutil.exe, 964–965

garbage collector (GC), 205–216

- circular reference, 206–208
- CLR, 208–209
- managed heaps, 213–214
- Nothing, 207
- optimizations, 215–216

GC. See garbage collector

GDI. See Graphic Device Interfaces

generalization, inheritance, 103

Generate Local Resource, 234

generations, 215

Generic.Dictionary (Of K, V), 110

generics, 247–269

- class, 255–260, 261–262
- constraints, 265–268
- creating, 255–269
- CType, 254

Dictionary, 260

DirectCast, 254

inheritance, 252–254, 261–262

interfaces, 263

late binding, 268–269

methods, 254–255

- creating, 264

parameters, 260–261

Structure, 262–263

types, 249–253

- creating, 255–263

Geocode, 627

GeoLocation, 639

Get, 783, 1208

GetAuthorSqlReader, 339

GetAuthorSqlRecord, 340

GetBaseException, 301, 313–314

GetChangeSet, 448

GetCommand, 448

GetConfig, 376

GetDateTimeStamp, 1213

GetDirectories, 1215–1216

GetDirectoryEntries, 1215

GetEnvironmentVariable, 287

GetEventLogs, 318

GetFiles, 747, 1215

GetFileSize, 1213

GetHashCode, 487, 488

GetHostEntry, 1307

GetLayoutClip, 749

GetModifiedMembers, 449

GetNearestStore, 641–642

GetNearestStoreResponse, 641–642

GetNewBindingList, 449

GetNextControl, 694

GetOriginalEntityState, 449

GetPubsConnection, 343, 346

GetRequestStream, 1205

GetResponse, 1206, 1299

GetResponseStream, 1223, 1299

GetStream, 1302

GetTable, 448

GetTableFromReader, 356

GetType, 106, 487, 488, 972

GetValue, 157

GetValues, 158

- GIF, 1321**
 - Gilder, George, 1143**
 - global assembly cache (GAC), 197, 485, 553, 964–965**
 - DLL, 501
 - .NET, 273
 - Global Assembly Cache Folder, 992**
 - global resources, ASP.NET, 240–241**
 - global scope, 37**
 - Global.asax, ASP.NET, 823–826**
 - global.asax, 1103**
 - globally unique identifier (GUID), 160, 1020–1033**
 - COM, 1183
 - Gopher, 1201**
 - GotFocus, 709**
 - GPU. *See* graphical processing unit**
 - GrantedSet, 512**
 - Graphic Device Interfaces (GDI)**
 - controls, 717
 - Windows Forms, 718–723
 - graphical processing unit (GPU), 729–730**
 - graphical user interface (GUI)**
 - ASP.NET, 804, 880–882
 - WCF, 1255
 - WPF, 728
 - graphics**
 - raster, 729–730
 - vector, 729–730
 - GreaterThan, 94**
 - GridView, 855–859**
 - editing/deleting, 859–863
 - Web services, 1125
 - Group, 457**
 - GroupBox, 671, 723**
 - GUI. *See* graphical user interface**
 - GUID. *See* globally unique identifier**
 - Guid, 549**
- H**
- HandleCreated, 663**
 - HandleDestroyed, 663**
 - HandleExternalEvent, 1089**
 - HandleInitiateConnectionException, 1307–1309**
 - Handles**
 - delegates, 93
 - event, 143
 - methods, 156
 - handshake protocol, 533**
 - HasChildren, 694**
 - Hash, 504**
 - hash algorithms, 482, 513, 514–535**
 - keyed, 516
 - HashAlgorithm, 515**
 - Hashtable, 119**
 - synchronization, 1067
 - Headers, 1206, 1224**
 - heaps**
 - managed, 213–214
 - reference types, 8–9
 - HelloCustomerService, WSDL, 1261–1263**
 - HelloFullName, 1261**
 - help, 1340–1341**
 - /help, 1341
 - HelpKeywordonHelpProvider1, 672**
 - HelpLink, 301, 314–315, 404**
 - HelpNavigatoronHelpProvider1, 673**
 - HelpProvider, 672, 792**
 - HelpString on HelpProvider1, 672**
 - HelpText, 1272**
 - Hidden, 762**
 - host process, 1082**
 - ASP.NET, 1099
 - WF, 1099
 - hosting**
 - Application, 1155–1160
 - controls, 792–797
 - IIS, 1244
 - Managed Windows Services, 1244
 - WCF, 1244–1247
 - Windows Forms, 1244
 - WPF, 1244
 - Windows Forms, 782–792
 - HostProtectionAttribute, 485**
 - HScrollBar, 689**
 - HTML, 649, 1107, 1209**
 - ASP.NET, 418
 - compilation, 847
 - .NET Framework, 1321

HTML (continued)

HTML (continued)

server controls, 827–829
 System.Web.Services.Protocols, 1139
 XML, 380–381
<html>, 852
HTTP. See Hypertext Transfer Protocol
HTTP GET, 1138
 .NET Framework, 1140
 System.Web.Services.Protocols, 1139
HTTP POST, 1139
 .NET Framework, 1140
HttpChannel, 1168
HttpGetEnabled, 1247
HttpListener, 1205
 Abort, 1225
 BackgroundWorker, 1226–1227
 Close, 1225
 IsListening, 1225
 .NET Framework, 1225
 Prefixes, 1225
 Start, 1225, 1226
 Stop, 1225
 Web server, 1224–1233
HTTPSessionState, 1141
HttpStatusCode, 1300
HttpUtility, 1095
HttpWebRequest, 1206–1207, 1298, 1299
Hypertext Transfer Protocol (HTTP), 1110–1111, 1201
 ActiveX, 1110–1111
 AJAX, 887
 BinaryFormatter, 1167
 firewall, 1147
 IIS, 1165–1166
 Java, 1110–1111
 .NET, 1147, 1167
 origins, 1107
 remoting, 1147, 1158
 SOAP, 1111
 sockets, 1301
 SSL, 1142
 System.Web.Services.Protocols, 1139
 URL, 1158
 Web services, 641, 1105
 XML, 1111

IAbstractBaseClass, 150

ICalculator, 1171

 WCF, 1244

IComparable, 266

icons, Windows Forms Toolbox, 723

Id, 604

IDataReader, T-SQL, 633

IDbConnection, 356, 633

IDE. See Integrated Development Environment

identity permissions, 490

IDisposable, 209, 211–213, 629–630, 1320

IEnlistmentNotification, 1199

If Then, 12, 38

 string, 15

If True Then, 13

IfExists, 1090

IgnoreComments, 399

IgnoreProcessing Instructions, 399

IgnoreWhitespace, 399

IIS. See Internet Information Services

IL. See Microsoft Intermediate Language

IL Disassembler (ildasm.exe), 204–205, 958

ildasm.exe, 958

ildasm.exe. See IL Disassembler

Image, 682, 691, 740–742

ImageKey, 1217

ImageList, 689, 792, 1217

images, Visual Studio, 554–555

Images - closed, 1217

Images - open, 1217

Immediate window, Debug, 582–583

immutable object, 1064

imperative methods, 63

implementation, 52–53

 class, 189

Implements, 155, 156, 816

implicit conversion, 16, 38–39

 compiler, 39–42

implicit layer, 750

implicit transaction, 1196–1197

Import, 816

@Import, 825

Import System.Diagnostics, 317

- importing**
 - namespace, 280–282
 - registry files, 996
- Imports, 971**
- /imports, 1337**
- IncludeSubdirectories, 1291**
- Indent, 392**
- IndentChars, 392**
- indexing**
 - DataSet, 354
 - DataTable, 354
- InDoubt, 1199**
- Info, 287, 291**
- Informal, 119**
- inheritance, 49, 101, 102–151, 176–191. See also multiple inheritance**
 - application, 179–186
 - base class, 149–151
 - chains of, 126
 - class, 176–177
 - Class Designer, 107
 - constructors, 135–140
 - controls, 698–708
 - dangers, 187
 - event, 142–146
 - fragile base class, 186, 187–190
 - framework, 179–180
 - generalization, 103
 - generics, 252–254, 261–262
 - implementing, 104–150
 - interface, 158
 - is-a relationship, 176, 180
 - levels, 126–129, 186–187
 - methods, shadowing, 131
 - multilevel, 127–129
 - multiple interfaces, 177–178, 180–186
 - navigation in, 133
 - overloading, 109–111
 - overriding, 111–120
 - polymorphism, 173–175, 176
 - prevention, 151
 - Private, 140
 - Protected, 102
 - Public, 135
 - secondary interfaces, 158
 - shadowing, 120–126
 - shared event, 148–149
 - shared methods, 146–148
 - single-level, 186
 - subclass, 135
 - System.Object, 106
 - virtual method, 115–118
 - Windows Forms, 657
- Inherits, 98, 107**
- Init, 817**
- InitComplete, 817**
- InitialDirectory, 683**
- initialization vectors (IVs), 521**
- InitializeComponent, 561–562, 575**
- InitiateConnection, 1307–1310, 1311**
 - exception handling, 1307–1309
- InitiateConnectionThreadEntryPoint, 1307**
- inline coding**
 - ASP.NET, 812–814
 - Visual Studio, 812
- InnerException, 301, 311–315, 404**
 - overloading, 311
 - Throw, 311
- in-place precompilation, 845**
- InProc, 877**
- InsertAllOnSubmit (TSubEntity), 449**
- InsertCommand, 344**
- InsertOnSubmit, 449**
- Install, 1001**
- Install Mode, 1014**
- installation**
 - End stage, 999
 - .msi, 198
 - on-demand, 967
 - Progress stage, 999
 - Silverlight, 898–900
 - Start stage, 998
 - User Interface Editor, 998–999
 - Windows Service, 1277–1278
- Installation URL, 1014**
- Installer, 1270, 1293**
- InstallerClass, 1002**
- InstallUtil.exe, 1231, 1270, 1274, 1277**
- Instance, 6**
- instance, 2, 50, 53–54**
 - methods, 125
- instrumentation, 595**

int

int, 1257

Int16, 10, 16, 17

Int32, 10, 16, 17

CTS, 200

Int64, 10, 16

Integer, 8, 10, 15, 16, 17, 157, 703, 1257

Boolean, 16

decimal types, 18–20

operator, 90

threading, 1064

types, 16–17

unsigned types, 17–18

integers, 8

primitive types, 10–11

Integrated Development Environment (IDE), 537

ActiveX, 1033

ASP.NET, 805–806

Boolean, 701

breakpoints, 581

controls, 703

early binding, 56

late binding, 168

macros, 589

Web reference, 1123

Web services, 1119

WPF, 730

XML literals, 469

IntegrationExceptionEventArgs, 780

IntelliSense, 241, 920

early binding, 56

methods, 84

Visual Studio, 565

WCF, 1256

XAML, 743

XML, 469

InteractiveProcess, ServiceController, 1285

Interface, 150, 153–154, 182–183

interface, 50–51, 51–52, 1020. See also

graphical user interface; multiple interfaces;

user interface

base class, 125, 140

Class, 153

class, 155, 163

code modules, 153

data types, 154, 155–156

default, 50

defining, 153–154

DLL, 1169–1170

Event, 152

event, 154

fragile base class, 188–189

Friend, 51–52, 153

Function, 51

generics, 263

implementing, 155–158

inheritance, 158

methods, 154, 156

Module, 153

native, 50, 151, 152

object, 162

parameters, 154

Private, 51, 140

properties, 156

Protected, 51

Public, 51, 151, 153

shadowing, 125

Sub, 51

variables, 152

InterfaceType, 1100

Interlocked, 1068

Internet, 484, 1297–1330

application deployment, 1006–1017

client application, 1006

.NET Framework, 1298

sockets, 1301–1321

Internet Explorer

application, 1321–1330

cultures, 225

Internet Information Services (IIS),

641

ASP.NET, 808, 1166

Vista, 876–877

binary formatter, 1167–1168

hosting, 1244

HTTP, 1165–1166

remoting host, 1147, 1155, 1164–1168

TCP, 1165

threading, 1051–1052

URL, 1169

Windows Services, 1267

XML, 1167

Internet Inter-ORB Protocol, 1109

KeyContainerPermissionAccessEntryCollection

Interop Forms Toolkit, 1347

- debugging, 1354
- deployment, 1354
- .NET, 1348
- using, 1349–1354

interoperability, SSL, 533

InteropFormsToolsInstaller.msi, 1350

interrogative methods, 63

Intersect, 487, 488

InvalidOperationException, 302

invariant culture, 220

invocations, queuing, 1193–1194

Invoke, 94, 344, 1304

InvokeRequired, 1099

InvokeWebService, 1089

InvokeWorkFlow, 1090

IP address, 1203

- DNS, 1204

IpEndPoint, 1307

IPM.Note, 948

IPrintableObject, 182–186

IPv6, 128 bit, 1203

Is, 15

is-a relationship, 103, 153

- inheritance, 176, 180
- multiple interfaces, 180

IsActivating, 1100

IsByteOrdered, 618

IsDeterministic, 624

IsFalse, 92

IsFixedLength, 618

IShared, 169, 172

- Encapsulation, 173
- Poly, 173

IsListening, HttpListener, 1225

IsMdiContainer, 658

IsMouseOver, 768

IsNetworkDeploying, 287

IsNot, 15

IsNullorEmpty, 23

IsolatedStorage, 497

IsolatedStorageFilePermission, 485

IsolatedStorageFilePermissionAttribute, 485

IsolatedStoragePermission, 485

IsolatedStoragePermissionAttribute, 485

isolation, 1174

IsPrecise, 624

IsSubsetOf, 487, 488

IsTrue, 92

IsUnrestricted, 488

Items, 713

IVs. *See* initialization vectors

IXsltContextFunction, 422

IXsltContextVariable, 422

J

Java, 1108

- applets, 1110
- HTTP, 1110–1111
- Remote Scripting, 1110
- RMI, 1109

Java Object Serialization, 1109

JavaScript, 805. *See also* Asynchronous

JavaScript and XML

- ASP.NET, 833–837
- server controls, 833–837
- Silverlight, 903

Javascript Object Notion (JSON), 887

JIT. *See* just-in-time

Join, 457, 458–459, 1062

JPEG, 1321

JSON. *See* Javascript Object Notion

JustInTime, 1188

just-in-time (JIT), 194–195, 545

- COM+, 1150
- transactions, 1188

K

Kerberos

- authentication, 641
- secret key encryption, 523

KernelDriver, ServiceController, 1285

key pair, 961

Keyboard, 291

/keycontainer, 1337

KeyContainerPermission, 485

KeyContainerPermissionAccessEntry, 485

KeyContainerPermissionAccessEntryCollection, 485

KeyContainerPermissionAccessEntryEnumerator

KeyContainerPermissionAccessEntryEnumerator, 485

KeyContainerPermissionAttribute, 485

KeyDown, 911

keyed hash algorithms, 516

/keyfile, 1338

KeyOutput, 985

KeyState, 686

KeyUp, 911

keywords, 2–8, 1207

fields, 63

Visual Studio, 565–567

key.xml, 528

L

Label, 154, 156, 689, 785

AJAX, 890, 892

Language, 1115

language, 1341

Language Integrated Query Framework (LINQ), 40, 437–479

data, 437–438

database, 444–445, 456–461

mapping, 444–449

to .NET, 462–468

object, 444–449

O/R Designer, 449–454

query, 456–461

to SQL, 439–454

class, 440–441

LINQ to XML, 476–478

O/R Designer, 441–444

stored procedures, 461

to Visual Studio, 439–454

to XML, 462–468

documents, 469–472

LINQ to SQL, 476–478

namespace, 462

prefixes, 462

languages. See culture

LANs. See local area networks

Last Location, 557

LastName, 604

late binding, 56–60

COM, 1020, 1028–1033

debugging, 170

DoSomething, 57

errors, 58

generics, 268–269

IDE, 168

Object, 57

polymorphism, 166–168, 175

reflection, 170–171, 175

Latitude, 622, 629

Launch Conditions Editor, 987, 1002–1005

file search, 1003–1004

layered controls, 749

implicit, 750

layout

WPF, 748–752

XAML, 748–752

LayoutClip, 749

LayoutExceptionEventArgs, 780

LayoutMDI, 660

Lego Mindstorms, 543

letter placeholder, 676

/libpath, 1338

Like, 92

LineNumber, 404, 691

LineNumberOffset, 399

LinePosition, 404

LinePosition Offset, 399

LinkLabel, 689, 1322–1323

LinkLable, 792

/linksource, 1342

LINQ. See Language Integrated Query Framework

LinqDataSource, 804, 854

List, 1209

-List, 496

List (Of Integer), 1056, 1064–1066

list controls, 828

-List Description, 496

ListBox, 222, 686, 689

ListDictionary, 31

ListDirectory, 1213

ListDirectoryDetails, 1213

Listen, 1090

Listener, 1302–1303, 1307, 1320

-ListFulltrust, 496

-ListGroup, 496

-ListPset, 496
ListSelector, 712
ListView, 689, 1217, 1220
literal characters, 676
Load, 3, 89, 418–419, 817
 MyForm, 663
 remoting, 1161
 Web services, 645
LoadComplete, 817
Loaded, 911
LoadFrom, 971
LoadOptions, 448
local area networks (LANs), 1108
 WebRequest, 1298
.locale, 963
LocalInternet, 484
LocalIntranet, 497
Localizable, 242
localization, 219–246, 555
 ASP.NET, 804
 ASP.NET resource files, 233–241
 cultures, 219–233
Locals, Debug, 582
Location, UDTs, 619, 622
location transparency, 1161
Location.Distance, 639
Log, 287, 318, 448
Long, 8, 10, 11, 16, 17
Longitude, 622, 629
looping statements, 11
LostFocus, 911
IpBuffer, 199
Lutz Roeder's Reflector for .NET, 204

M

-m, 846
MAC. See message authentication code
-machine, 497
macros
 IDE, 589
 Visual Studio, 587–590
 VSTO, 920–923
/main, 1343
Main Sub, 5
MainMenu, 650

Makecert.exe, 511
MakeDirectory, 1213
managed heaps, 213–214
 compaction, 216
 GC, 213–214
Managed Windows Services, hosting, 1244
manifest, 954, 957–963
 ClickOnce, 1012
 editing, 1015–1016
Manual, 653
ManualResetEvent, 1069, 1076–1077
Manufacturer, 984
Mapping, 448
mapping, LINQ, 444–449
Margin, Windows Forms, 648, 669
marshaling, 1191
Mask, 677
MaskedTextBox, 792
 Windows Forms, 649–650, 675–677
Master, 816
< % Master % >, 849
Master Page, 814
master pages, ASP.NET, 847–853
MasterPageFile, 851
MasterType, 816
mathforum.org/dr.math, 622
max, 1063, 1064
MaxByteSize, 618
MaximumSize, Windows Forms, 648–649
MaxItemsToSelect, 705
MBROs, 1151
mCount, 90
mCounter, 86
MD5. See Message-Digest algorithm 5
MDI. See Multiple Document Interface
Me, 4, 6, 130–133
 methods, 130
 object, 130
 properties, 138
 ToString, 130–131
member variables, 53–54
<membership>, 883
memory
 AppDomain, 1049
 C++, 213
 CLR, 205–216

memory (continued)

memory (continued)

- COM, 206
- .NET application, 205–216
- Nothing, 205
- processes, 1049
- reference types, 9
- remoting, 1147
- synchronization, 1063
- value types, 9
- MemoryStream, XML, 405–408**
- Menu, 866–867**
 - SiteMapDataSource, 868
- menus, Windows Forms, 681–683**
 - runtime, 682–683
- MenuStrip, 650, 681, 1217**
- Merge Module Project template, 981**
- merge replication, SQLCE, 607**
- Message, 301, 404**
 - Conversation windows, 1311–1316
 - queuing, 1314
 - ToString, 310
- message, 1112, 1147**
 - serialization, 1149
- _message, 1312**
- message authentication code (MAC), 533**
- message link, WCF, 1148**
- message sink, 1148**
- Message Transmission Optimization Mechanism (MTOM), 1238**
- MessageCredentialType.Windows, 1264**
- Message-Digest algorithm 5 (MD5), 482, 513, 518**
- metadata, 194, 200–201**
 - assembly, 954
 - COM+, 200–201
 - .NET, 201
 - support, 201
- meta:resourcekey, 236**
- Method, 6, 512, 1206**
 - FtpWebRequest, 1212
- MethodName, 1100**
- methods, 3, 63–66, 196**
 - abstract, 150
 - base, 117
 - constructors, 84–85
 - EventLog, 318–319
 - Friend, 63, 140
 - generics, 254–255
 - creating, 264
 - Handles, 156
 - imperative, 63
 - instance, 125
 - IntelliSense, 84
 - interface, 154, 156
 - interrogative, 63
 - Me, 130
 - nonvirtual, 121–124
 - overloading constructor, 84–85
 - parameters, 84–85
 - Private, 63, 156
 - Protected, 63
 - Public, 63, 156
 - shadowing, 120
 - inheritance, 131
 - Shared, 87–88
 - shared, 146–148
 - signature, 165
 - subclass, 117
 - virtual, 115–118
- Microsoft Clustering kServices, 1173**
- Microsoft Developer Centers, 1361**
- Microsoft Developer Network (MSDN), 539**
 - WF, 1104
- Microsoft Intermediate Language (MSIL), 194, 545**
 - assembly, 954
- Microsoft Management Console (MMC), 802, 1110**
 - COM, 1110
 - Component Services Console, 1185
- Microsoft Message Queue (MSMQ), 1145, 1173, 1189**
- Microsoft .NET Framework 3.0 Community, 1104**
- Microsoft Office SharePoint Server (MOSS), 919**
- Microsoft Paint, Visual Studio, 555**
- Microsoft Transaction Server (MTS), 1107, 1173**
 - Windows Services, 1268
- microsoft.interopformsredist.msi, 1350**
- Microsoft.VisualBasic, 2**
- MIME, 1008**
 - System.Web.Services.Protocols, 1139
- min, 1063, 1064**

- minimum permissions**
 - application, 506–510
 - Visual Studio, 508–510
- MinimumSize, 715**
 - Windows Forms, 648–649
- MinimumSplashScreenDisplayTime, 287**
- Miscellaneous options, 1015**
- MMC. See Microsoft Management Console**
- mnemonics, 689**
- mnMaxValue, 1282**
- mobile application, 982**
- mobile controls, 828**
- Mod, 92**
- mode, SQLCE, 602**
- model forms, 660**
- Module, 5, 6**
 - interface, 153
- module**
 - .NET application, 194–195
 - scope, 37
- Module.vb, 6**
- Monitor, 1069**
- MonthCalendar, 689, 792**
- MonthView, 689**
- MOSS. See Microsoft Office SharePoint Server**
- Mouse, 291**
- MouseDown, 685, 686**
- MouseEnter, 762, 911**
- MouseLeave, 762, 911**
- MouseLeftButtonDown, 911**
- MouseLeftButtonUp, 911**
- MouseMove, 911, 1304**
- MousePosition, 694**
- MSDN. See Microsoft Developer Network**
- MSDN Forums, 1361**
- MSDN Visual Basic Developer Center, 1361**
- msdn.microsoft.com/workflow, 1104**
- MS-DOS, 5**
- MSDTC. See Distributed Transaction Coordinator**
- .msi installations, 198**
- MSIL. See Microsoft Intermediate Language**
- MSMQ. See Microsoft Message Queue**
- MTOM. See Message Transmission Optimization Mechanism**
- MTS. See Microsoft Transaction Server**
- multilevel inheritance, 127–129**
- multiple constraints, 268**
- Multiple Document Interface (MDI), 563, 658–660**
 - child, 659
 - parent, 658–659
- multiple inheritance, 127, 178–179**
 - base class, 127
 - dangers, 127
 - .NET, 127
 - subclass, 127
- multiple interfaces, 101, 151–158**
 - act-as relationship, 180
 - application, 181–186
 - inheritance, 177–178, 180–186
 - is-a relationship, 180
 - polymorphism, 168–169, 175
 - reflection, 171–173, 176
- Multiply, 1244, 1256**
- MultiSelect, 1217**
- multitasking, 1047**
- multithreading, 1046**
 - preemptive, 1046
 - processes, 1047
 - spell checker, 1046
 - synchronization, 1064
 - Word, 1046
- MustInherit, 149**
- MustOverride, 149–150**
 - polymorphism, 174
- Mutex, 1069**
- My, 286–297**
 - application settings, 557
 - unit tests, 596
- My Project, Visual Studio, 546–547**
- MyAdjoiningPane, 954**
- My.Application, 287–291**
 - Boolean, 287
- MyBase, 133–134**
 - base class, 115, 134
 - class, 130
 - Friend, 134
 - object, 130
 - Overrides, 113, 114–115
 - parent, 133
 - Protected, 134

MyBase (continued)

MyBase (continued)

Public, 134
subclass, 115

MyBase.Finalize, 209–210

MyClass, 134–135

ToString, 134–135

My.Computer, 291–294

myController, 1286

MyDataComponent, 1119–1123

MyForm = New Form1, 663

MyForm = Nothing, 664

MyForm.Activate, 663

MyForm.Close, 663

MyForm.Dispose, 664

MyForm.Hide, 663

My.Forms, 294

MyForm.Show, 663

MyForm.ShowDialog, 663

MyFunction, 15

myLong, 45

myReader.Read, 330

My.Resources, 294

myScript, 834

myShort, 45

myString, 15, 42

My.User, 295

My.WebServices, 295

myWindow.Designer.vb, 730

Browse, 274

child, 272

class, 272

COM, 274

creating, 283–286

crowding, 281

importing, 280–282

LINQ, to XML, 462

Microsoft.VisualBasic, 2

.NET, 273

Projects, 274

Recent, 274

reference, 275–277

<ServiceContract (>), 1263

System, 2

WCF, 1263

Windows Forms, 553

XML, 465–467

XmlDataSource, 432–433

NameTable, 399

Narrowing conversion, 91

National Institute of Standards and Technology (NIST), 524

native interface, 50, 152

class, 151

Nested Collection, 444

nested Try, 308–309

.NET

ASP.NET, 728

assembly, 953, 1337–1339

COM, 1020–1033

components, COM, 1038–1043

deployment, 978

event, 705

Event Logs, 1289

exception handling, 301–302

GAC, 273

HTTP, 1147, 1167

Interop Forms Toolkit, 1348

LINQ to, 462–468

metadata, 201

multiple inheritance, 127

namespace, 273

Object class, 8

remoting, 1145

SOAP, 1112, 1139

N

Name, 49, 291, 562, 1217

encapsulation, 54

fragile base class, 190

Optional, 138

overloading, 109–110

name, 138, 140

XmlReader, 396

(Name), 993, 1001

name resolution, 1204

Namespace, 6

namespace, 2, 271–298

ADO.NET, 332–333

aliasing, 282

ASP.NET, 282–283

assembly, 195

NNTP. See Network News Transfer Protocol

- TCP, 1147
- versions, 965
- Visual Studio, 538
- Web services, 1106
- Windows Forms, 700
- Windows Services, 1270
- XML, 390
- .NET application**
 - assembly, 195–196
 - attribute, 202
 - class, 194
 - CLR, 193–197
 - COM, 1024–1027, 1035–1037
 - cross-language integration, 199–204
 - elements, 194–197
 - globalizing, 226
 - memory, 205–216
 - modules, 194–195
 - types, 196–197
- .NET CLR, 349**
- .NET Data Providers, 334–349**
- .NET Enterprise Services, 1173–1200**
 - component registration, 1183–1184
 - queued components, 1189–1196
 - System.Transactions, 1196–1199
 - transactions, 1173–1175, 1196–1199
 - UI, 1175
- .NET Framework, 2**
 - AppDomain, 1047
 - application download cache, 1006–1007
 - asynchronous, 1057
 - base class library, 179
 - ClickOnce, 1008
 - digital signatures, 528
 - drag and drop, 685–687
 - Event Logs, 1289
 - FtpWebRequest, 1211
 - HTML, 1321
 - HTTP GET, 1140
 - HTTP POST, 1140
 - HttpListener, 1225
 - Internet, 1298
 - printing, 183
 - Reflection API, 204
 - resources, 1361
 - security, 481–535
 - ServiceController, 1284
 - SQL Server, 615
 - synchronization, 1067
 - synchronous, 1057
 - System.Object, 130
 - System.Net, 1205
 - thread pool, 1056–1057
 - WCF, 1237
 - Web services, 1117, 1140
 - WF, 1079
 - Windows Forms, 647
 - Windows Services, 1270–1273
 - WSDL, 1114
- .NET SDK, 510, 516**
 - certificates, 531
- NET START <servicename>, 1274**
- NET STOP <servicename>, 1274**
- /netcf, 1336**
- NetRequest, 1298**
- <netTcpBinding>, 1254**
- NetTopBinding, 1245**
- Network, 291**
- Network News Transfer Protocol (NNTP), 1201**
- network programming, 1201–1233**
 - addresses, 1201–1205
 - ports, 1201–1205
 - protocols, 1201–1205
 - System.Net, 1205–1233
- NetworkCredential, 1223**
- networking, UNIX, 1107**
- neutral culture, 220**
 - preference, 239
- NeverBlink, 673**
- New, 6**
 - constraints, 267–268
 - object, 54
 - parameters, 138
- NewLineChars, 392**
- NewLineHandling, 392**
- NewLineOn Attributes, 392**
- newsgroups, 1361**
- NextValue, 1282**
- Ngen.exe, 195**
- NIST. See National Institute of Standards and Technology**
- NNTP. See Network News Transfer Protocol**

/noconfig

/noconfig, 1344

NodeType, 397

/nologo, 1334

nondeterministic finalization, 208

nonvirtual methods

Overridable, 121

overriding, 121–124

shadowing, 121–124

subclass, 121

/nostdlib, 1344

Not, 14

Nothing, 3, 6, 15, 483, 1318

dereference, 56

GC, 207

memory, 205

NotifyFilter, 1291

NotifyIcon, 690, 792

NotInheritable, 151

no-touch deployment, 1006–1007

NotSupported, 1187

/nowarn, 1339–1340

NTFS, 482, 483

permissions, 1142

n-tier, 1145, 1175

NTLM, 641

Null, 488

Nullable, 26–27

numbers, cultures, 228–231

NumericUpDown, 690, 698

O

OBA. See Office Business Application

obfuscator, 204

obj, 545

early binding, 166

obj variable, 54

Object, 21–22, 953

late binding, 57

.NET, 8

Option Strict, 58

parameters, 95

WF, 1099

object, 50

ASP.NET, 804

base, 117

class, 21

client application, 189

client-activated, 1149

composition, 50–54

data types, 116–118

DataSet, 354

DataTable, 354

declaration, 54–55

definition, 2

dereference, 56

immutable, 1064

instantiation, 54–55

interface, 162

LINQ, 444–449

Me, 130

MyBase, 130

New, 54

O/R Designer, 449–451, 454–456

pooling, 1189

reference, 55–56

serializable, 1146–1147, 1149, 1152–1153

subclass, 117

synchronization, 1068–1077

System. Object, 204

wellknown, 1149

Object Browser, 200, 279

object context sink, 1148

Object Modeling, 540

object orientation, 49–50

**object oriented programming,
101–191**

inheritance, 102–151

Object Request Brokers (ORB), 1107

ObjectDataSource, 804, 854

Web services, 1125

object-oriented programming

abstraction, 159–162

encapsulation, 162–164

inheritance, 176–191

polymorphism, 165–176

ObjectPrinter, 185

ObjectTrackingEnabled, 448

objectUri, 1158

objX, 10

objY, 10

ODBC, 348–349

overloading

- Office, 541, 544**
 - client application, 544
 - VSTO, 916–917
- office automation, 917**
- Office Business Application (OBA), 918–920**
- OFR. See Outlook Form Region**
- OLE DB, 348–349**
- OLE DB .NET, 334, 335, 344, 349**
- OleDbConnection, 335**
- OmitXml Declaration, 392**
- On Error, error handling, 315–316**
- OnClosed, 213**
- OnContinue, 1271**
- OnCustomCommand, 1271, 1287–1288**
- on-demand installation, 967**
- 128 bit**
 - IPv6, 1203
 - SSL, 1140
- 123ASPX, 1361**
- OnErrorGoTo, 300**
- one-way functions. See hash algorithms**
- OnLoad, 213**
- OnPause, 1271**
- OnPowerEvent, 1271**
- OnShutdown, 1271**
- OnStart, 1226, 1292**
 - debugging, 1294
 - ServiceBase, 1270
- OnStop, 1270, 1292**
- Opacity, Windows Forms, 656**
- OpenFileDialog, 683–684**
- OpenForms, 287**
- OpenRead, 1223**
- OpenWrite, 1223**
- OPENXML, 425**
- <OperationContract ()>, 1258**
- Operator, 91**
- operator**
 - binary, 91
 - chart, 91
 - Integer, 90
 - overloading, 90–92
 - String, 90
 - unary, 91
- /optimize[+:-], 1336**
- Option Compare, 40**
- Option Explicit, 39**
- Option Infer, 40**
- Option Strict, 40, 56, 166, 1207**
 - Object, 58
- Optional, 36**
 - Name, 138
- OptionButton, 690**
- /optioncompare, 1341**
- /optionexplicit[+:-], 1341**
- /optioninfer[+:-], 1341**
- /optionstrict[+:-], 1341**
- Or, 14, 92**
- O/R Designer, 441–444, 449–454**
 - columns, 452–453
 - DataContext, 453–454
 - object, 449–451, 454–456
- Oracle, 327, 332, 553**
 - transactions, 1175
- ORB. See Object Request Brokers**
- Order, 457**
- Order By, 460**
- OrElse, 14**
 - defining, 93
 - overloading, 93
- /out, 1336**
- Outlook, threading, 1051**
- Outlook Form Region (OFR), 918, 945–954**
 - SharePoint, 948
- Outlook Web Access (OWA), 729**
- OutlookItem, 953**
- OutOfMemoryException, 302**
- Output, Debug, 582**
- OutputCache, 816**
- OutputMethod, 392**
- Outputs, 985**
- overloading**
 - AndAlso, 93
 - constructor methods, 84–85
 - constructors, 138–139
 - CType, 91
 - inheritance, 109–111
 - InnerException, 311
 - Name, 109–110
 - operator, 90–92
 - OrElse, 93
 - overriding, 117–120

overloading (continued)

overloading (continued)

- parameters, 120
- Shared methods, 147

Overloads, subclass, 119

Overridable, 112, 119

- base class, 121
- nonvirtual methods, 121
- polymorphism, 174
- shadowing, 120
- Shared, 146

Overrides, 113–114

- base class, 119
- Finalize, 209
- MyBase, 113, 114–115
- Protected, 113

overriding

- base class, 112
- inheritance, 111–120
- nonvirtual methods, 121–124
- overloading, 117–120
- Shadows, 124
- subclass, 120
- virtual method, 115–118

OWA. *See Outlook Web Access*

owned forms, Windows Forms, 654–655

OwnedForms, 655

Owner, 655

P

-p, 846

-P <password>, 879

Package Files, 988

Padding, 669–670

- Windows Forms, 648

PadLeft, 24

PadRight, 24, 36

Page, 776, 816

< % Page % >, 849

page directives, ASP.NET, 815–816

page event, ASP.NET, 816–818

Page.ClientScriptBlock, 834–835

Page.ClientScript.RegisterClientScriptInclude, 836–837

Page.ClientScript.RegisterStartupScript, 835–836

PageSetupDialog, 685

Page.xaml, 903

Page.xaml.vb, 903

Paint, 756

pairname, 961

Panel, 670–671, 723

Parallel, 1091

ParamArray, 36–37, 705

parameters, 35–37

- constructors, 137–138
- generics, 260–261
- interface, 154
- methods, 84–85
- New, 138
- Object, 95
- overloading, 120

parent, 103

- MDI, 658–659
- MyBase, 133

Parse, 46

- UDTs, 618

ParseDefinition, 1209

ParseResponse, 1208

partial class (types), 803

Partition, 457

Passive, FtpWebRequest, 1212

passwords, 1214, 1220

- ServiceProcessInstaller, 1272
- SQLCE, 601

Paste, 690

Path, 1291

PathSeparator, 1217

Paused, ServiceController, 1285

PausePending, ServiceController, 1285

PayPal, 543

Percent, 670

performance

- sampling, 595
- tools, 595

performance counters, 1280–1283

- CounterMonitor, 1281
- values, 1282–1283

Performance Monitor, 1280

PerformanceCounter, 1282

period, 2, 4

Permanent, 985

- PermCalc.exe, 506–508, 511**
- permissions, 482, 483–484**
 - code access, 486–487
 - External, 625
 - identity, 490
 - minimum, 506–510
 - NTFS, 1142
 - registry, 494
 - requesting, 506
 - role-based, 487–490
 - SMTP, 625
 - SQL Server, 624
 - System.Security.Permissions, 484–490
 - tools, 511
 - Web services, 625
- PermissionSetAttribute, 485**
- PermissionState, 512**
- PermissionType, 512**
- PermitOnly, 484, 487**
- PermitOnlySetInstance, 512**
- PermView.exe, 482**
- Permview.exe, 511**
- Person, 61–96**
 - CompareAge, 95
 - CType, 96
- Person Count, 87**
- [PersonalFolder], 992**
- Peverify.exe, 511**
- PIA. See Primary Interop Assemblies**
- PictureBox, 690, 691**
- PKCS. See Public Key Cryptographic System**
- placeholders, 676**
- PlainTextContentControl, 936, 938**
- /platform, 1338**
- PNG, 1321**
- PointToClient, 694**
- PointToScreen, 694**
- Policy, 1090**
- Poly, 169**
 - IShared, 173
- polymorphism, 49, 165–176, 1128**
 - abstract base class, 174
 - inheritance, 173–175, 176
 - late binding, 166–168, 175
 - multiple interfaces, 168–169, 175
 - MustOverride, 174
 - Overridable, 174
 - reflection, 170–171
 - late binding, 175
 - multiple interfaces, 171–173, 176
 - virtual method, 117
- port, 1112**
 - network programming, 1201–1205
 - remoting, 1158–1159
- Ports, 291**
- portType, 1112**
- POST, 1205**
- Power Packs, 1347–1354**
 - downloads, 1349
- App_Browsers folder, 823**
- App_Code folder, 818–822**
- App_Data folder, 822**
- App_GlobalResources folder, 822–823**
- App_LocalResources folder, 823**
- App_Themes folder, 822**
- App_WebReferences folder, 823**
- preemptive multitasking, 1049**
- preemptive multithreading, 1046**
- Prefixes, 1226**
 - HttpListener, 1225
- prefixes, LINQ, to XML, 462**
- PreInit, 817**
- PreLoad, 817**
- preprocessor, 1341–1342**
- PreRender, 817**
- PreRenderComplete, 817**
- Prerequisites, 988–989, 1015**
- Preserve, 29–30**
- PreviousPageType, 816**
- primary interface, 50, 152**
- Primary Interop Assemblies (PIA), 917**
- primary thread, 1046–1047**
- primitive types**
 - integers, 10–11
 - string, 10–11
- principal, 487**
- PrincipalPermission, 484, 486, 488**
- PrincipalPermissionAttribute, 486**
- Print, 183, 184**
- PrintableObject, 179**
- PrintDialog, 685**

PrintDocument

PrintDocument, 183, 184, 685, 792

printing

- .NET Framework, 183
- WebBrowser, 1330

PrintObject, 155, 157

PrintPage, 184

PrintPreview, 183, 184

PrintPreviewDialog, 685

PrintWorkingDirectory, 1213

Priority, 1062

PrivacyStatement, 240

Private, 1282

- class, 141
- fields, 63
- inheritance, 140
- interface, 51, 140
- methods, 63, 156
- Protected, 141

private keys, 513, 528

ProcessConnection, 1311

Process-Connection, 1309

processes

- memory, 1049
- multithreading, 1047
- threading-1048, 1047

ProcessOutbound Connection, 1309

ProcessRequest, 1209

Product, 548

ProductName, 984

Professional ASP.NET 3.5, 1362

**Professional SQL Server 2000 Programming
(Vieira), 425**

ProgID, 197, 1020–1033

Program Files Folder, 991

- 64 bit, 991

[ProgramFiles64Folder], 991

[ProgramFilesFolder], 991

[ProgramMenuFolder], 992

Progress stage, 999

ProgressBar, 690

ProgressChanged, 1066

ProhibitDtd, 400

Project, 457

**project templates, Visual Studio,
541–545**

Projects, 274

properties, 196

- abstraction, 159
- ADO.NET, 361–362
- attribute, 702
- dependency, 766
- EventLog, 318–319
- FileSystemWatcher, 1291–1293
- Friend, 140
- interface, 156
- Me, 138
- ServiceProcessInstaller, 1272
- shadowing, 120
- Shared, 88–89

Property, 53, 263, 993

- variables, 142

Property Designer, 685

PropertyCollection, 350

PropertyGrid, 792

PropertyMap, 781, 791

PropertyMappingExceptionEventArgs, 781

PropertyTranslator, 781

Protected, 50, 140–142

- class, 141
- fields, 63
- Finalize, 209
- inheritance, 102
- interface, 51
- methods, 63
- MyBase, 134
- Overrides, 113
- Private, 140
- variables, 142

Protected Friend

- class, 141
- fields, 63

protocols. See also File Transfer Protocol;

**Hypertext Transfer Protocol; Simple Mail
Transfer Protocol; Simple Object Access
Protocol**

- handshake, 533
- Internet Inter-ORB Protocol, 1109
- network programming, 1201–1205
- NNTP, 1201
- sockets, 1312

ProVB_VS

- running, 563–564

ReceiveInboundConnection

- unit tests, 596
 - Visual Studio, 559–571
 - Provider, 335**
 - <providers>, 883**
 - Proxy, 1206, 1224**
 - proxy, 1147–1148**
 - DLL, 1171
 - real, 1147–1148
 - remoting, 1153, 1171–1172
 - transparent, 1147–1148
 - ptX, 9**
 - Pub, 504**
 - Public, 50, 1094, 1155**
 - class, 141
 - fields, 63
 - inheritance, 135
 - interface, 51, 151, 153
 - methods, 63, 156
 - MyBase, 134
 - subclass, 140
 - public key, 513**
 - cryptology standard, 482
 - digital signatures, 528
 - Public Key Cryptographic System (PKCS), 513, 523–528**
 - .publickey, 960**
 - .publickeytoken, 962**
 - Publish, 577**
 - Publish Version, 1014**
 - PublisherIdentityPermission, 486**
 - PublisherIdentityPermissionAttribute, 486**
 - Publishing Location, 1014**
 - punctuation, 4**
 - pure virtual function, 150**
- Q**
- QFE. *See* Quick Fix Engineering**
 - quantum, 1048–1049**
 - query**
 - database
 - grouping items, 459–461
 - Join, 458–459
 - expressions, 456–457
 - LINQ, 456–461
 - XML documents, 470–472
 - QueryString, 1223, 1224**
 - querystring, 1138**
 - Queue, synchronization, 1067**
 - queued components, 1189–1196**
 - Component Services Console, 1191
 - QueueUserWorkItem, 1061**
 - queuing**
 - invocations, 1193–1194
 - Message, 1314
 - simple queuing application, 604
 - transactions, 1194–1196
 - Quick Fix Engineering (QFE), 197, 966–967**
 - /quiet, 1340**
- R**
- _R all, 880**
 - _R p, 880**
 - RACE Integrity Primitives Evaluation Message Digest (RIPEMD), 518–519**
 - RadioButton, 690**
 - RaftingContainer, 678**
 - RaiseEvent, delegates, 93**
 - raster graphics, 729–730**
 - RawValue, 1282**
 - RC2CryptoServiceProvider, 519**
 - RDA. *See* remote data access**
 - RDBMS. *See* Relational Database Management System**
 - Read, 5, 341, 403, 1057**
 - Read only, SQLCE, 602**
 - Read Write, SQLCE, 602**
 - readability, 11**
 - ReadEndElement (), 401**
 - reader locks, 1071–1075**
 - ReaderWriterLock, 1069, 1071–1075**
 - ReaderWriterLockSlim, 1069, 1071, 1073**
 - ReadLine, 403**
 - ReadOnly, 985**
 - read-only, read-write, 125**
 - ReadStartElement (String), 401**
 - ReadToEnd, 1299**
 - read-write, read-only, 125**
 - real proxy, 1147–1148**
 - ReceiveInboundConnection, 1303–1304, 1310–1311**

ReceiveThreadEntryPoint

ReceiveThreadEntryPoint, 1315, 1319

Recent, namespace, 274

RecognizerDriver, ServiceController, 1285

Recordset, 328

-Recover, 499

<Rectangle>, 911–912

/recurse, 1344

Red, Green, and Blue (RGB), 774

ReDim, 29–30

refactoring, 570–571

Reference, 816

reference

circular, 206–208

namespace, 275–277

object, 55–56

types, 8–11, 21–32

 heaps, 8–9

 memory, 9

 threading, 1064

URIs, 1248–1249

Visual Studio, 552–554, 1248

WCF, 1248–1253

 app.config, 1253

Web, 1123–1125

WSDL, 1248

/reference, 1338

Reference.svcmap, 1249

Reference.vs, 1249

Reflection, ConfigureClient, 1317

reflection, 195, 1317

 late binding, 170–171, 175

 multiple interfaces, 171–173, 176

 polymorphism, 170–171

Reflection API, .NET Framework, 204

Refresh, 448

 ServiceController, 1284

RefusedSet, 512

RegAsm, 1041

Region, Windows Forms, 657

#Region, 563

Register, 816, 985

RegisterChannel, 1160

RegisterClientScriptInclude, 836–837

RegisterScriptBlock, 834–835

RegisterStartupScript, 835–836

RegisterWellKnownService Type, 1160

Registry, 291

registry

 EventLog, 494

 files, importing, 996

 keys, 994–996

 permissions, 494

Registry Editor, 987, 994–996

RegistryPermission, 486

RegistryPermissionAttribute, 486

Relational Database Management System

(RDBMS), 334

 DataAdapter, 351

 DataSet, 351

.rem, 1158

-RemFullTrust, 499

-RemGroup, 499

remote data access (RDA)

 client application, 607

 SQLCE, 607

remote data entry application, 604

remote data mirror application, 604

remote database application, 607

remote method invocation (RMI), 1107

 Java, 1109

 Web services, 1140

remote object, 1146

remote procedure calls (RPCs), 1107

 Web services, 1140

Remote Provider, 335

Remote Scripting, Java, 1110

Remote Server, 335

Remoting, 1146

remoting, 1145–1172

 AppDomain, 1145, 1146

 ASP.NET, 1145

 client application, 1160–1164

 components, 1153

 configuration, 1157–1160, 1162–1164

 DLL, 1153

 HTTP, 1147, 1158

 implementation, 1153–1172

 Load, 1161

 memory, 1147

 .NET, 1145

 ports, 1158–1159

 proxy, 1153, 1171–1172

- SOAP, 1145–1146
- Sub Main, 1161
- TCP, 1146, 1147, 1158–1159
- TCP/IP, 1145
- threading, 1147
- WCF, 1145
- Web Form, 1145
- Web services, 1145
- remoting host, 1147**
 - IIS, 1147, 1155, 1164–1168
- Remove Integer Overflow Checks, 549**
- RemoveButton, 711, 716**
- RemoveDirectory, 1213**
- /removeintchecks[+:-], 1340**
- RemoveOwnedForm, 655**
- RemPSet, 499**
- RenderMouseover, 768**
- RenderPage, 183, 184**
- Replace-all forms, 948**
- Replacement forms, 948**
- Replicator, 1090**
- ReportProgress, 1056, 1065**
- Request, 1225**
- Request for Comments (RFC), 1203**
- Request for Comments 1766, 219*
- RequestMinimum, 506**
- RequestOptional, 506**
- RequestRefused, 506**
- Required, 1187**
- <required Runtime>, 969, 1332**
- RequiresNew, 1187**
- Reset, 716**
- Reset, 496**
 - **ResolveGroup, 496**
 - **ResolvePerm, 496**
- /resource, 1342**
- resource files**
 - ASP.NET, 224–246
 - Windows Forms, 242–246
- resource managers, 1175**
 - creating, 1199
 - MSMQ, 1194
- ResourcePermissionBase, 486**
- ResourcePermissionBaseEntry, 486**
- Resource.resx, 240**
- Response, 1225**
- ResponseHeaders, 1224**
- RestoreDirectory, 683**
- ResumeLayout, 562, 1062**
- .resx, 234–235**
- Return, 6**
- Return statement, 4**
- RevertAll, 487**
- RevertAssert, 487, 493–494**
- RevertDeny, 487**
- RevertPermitOnly, 487**
- RFC. See Request for Comments**
- RGB. See Red, Green, and Blue**
- ribbons, VSTO, 929–932**
- rich controls, 828**
- RichTextContentControl, 936**
- RichTextMenu, 690**
- RijndaelManaged, 519**
- RIPEMD. See RACE Integrity Primitives**
 - Evaluation Message Digest
- RIPEMD-160, 518–519**
- Rivest, Ronald, 518**
- Rivest, Shamir, and Adelman (RSA), 524**
 - digital signatures, 528
- RMI. See remote method invocation**
- role-based permissions, 487–490**
- <roleManager>, 873**
- Roles, 865**
- Rollback, 1001**
- /rootnamespace, 1344**
- round-trip engineering, 540**
- RowCount, 670**
- RPCs. See remote procedure calls**
- RSA. See Rivest, Shamir, and Adelman**
- RSACryptoServiceProvider, 524**
- rsp, 496**
- RSS feeds, 541**
- RSS-aggregator, 472**
- Running, ServiceController, 1285**
- runtime, 969. See also common language**
 - runtime**
 - library, 20
 - WF, 1082, 1099
 - Windows Forms controls, 693–694
 - Windows Forms menus, 682–683
 - workflow, 1103

<runtime>

<runtime>, 969

RunWorkerCompleted, 1066

S

-S <server>, 879

SAFEARRAY, 199

Sales Force Automation (SFA), 604

salt, 516

sampling, performance, 595

SavableObject, 179

SaveFileDialog, 683–684

SaveMySettingsOnExit, 287

Schemas, 400

scope, 37–38

Screen, 291

screen scraping, 1209

Scripting.FileSystem, 206

ScriptManager, 890

scrollable forms, Windows Forms, 657–658

ScrollableControl, 710

/sdkpath, 1344

secondary interfaces, 152–158

defining, 153–154

implementing, 155–158

inheritance, 158

secret key encryption, 482, 513, 519–523

Kerberos, 523

Secure Hash Algorithm (SHA), 482, 513,

517–518

64 bit, 517

Secure Sockets Layer (SSL), 482, 533–535, 641

128 bit, 1140

certificates, 1143

cryptography, 533

extensibility, 533

HTTP, 1142

interoperability, 533

security, 533

TCP, 533

Web services, 1142

security

application, 1142–1143

assembly, 196

Event Logs, 317

groups, 483

.NET Framework, 481–535

permissions, System.Security.Permissions,

484–490

policies, 483

policy

Caspol.exe, 495–498

managing, 495–513

SSL, 533

tools, 510–511

WCF, 1238–1239, 1263–1265

Web services, 1141–1143

downside, 1143

Security Identifier (SID), 487

SecurityAttribute, 486

SecurityException, 511–513

SecurityMode.Message, 1264

SecurityMode.None, 1264

SecurityPermission, 486

SecurityPermissionAttribute,
486

Secutil.exe, 511

SELECT, 335–336

Select, 566

Select Case, 15–16, 566

SelectCommand, 344

DataAdapter, 336

SqlDataSource, 858

SelectedImageKey, 1217

SelectedItems, 715, 716, 723

self-describing, 966

semantics, 53

fragile base class, 189–190

semicolon, 4

Send, 635

SendPage, 1229

SendResultsEnd, 635, 636

SendResultsRow, 635, 636

SendResultsStart, 635, 636

SendToBack, 694

[SendToFolder], 992

Separate forms, 949

Sequence, 1091

SequenceActivity, 1093

sequential workflow, 1082

Serializable, 202, 1150, 1312

UDTs, 617

- <Serializable ()>, 1146–1147, 1152**
- serializable object, 1146–1147, 1149, 1152–1153**
- serialization, 1312**
 - DataSet, 354–355, 1146–1147
 - DataTable, 354–355
 - message, 1149
 - XML, 379, 382–389
- Serialize, 384**
- server context sink, 1148**
- server controls**
 - ASP.NET, 827–832
 - code, 830
 - Content, 852
 - event, 830–832
 - HTML, 827–829
 - JavaScript, 833–837
 - Web server, 827–829
 - XmlDataSource, 428–432
- Server Explorer, 98, 1274, 1283**
 - debugging, 1294
 - Performance Counters, 1280
 - Sync Server, 611
 - Visual Basic, 587
- Server Library, 1153**
- ServerCertificates, 1143**
- server-side culture declarations, ASP.NET, 224–225**
- service, 1112**
 - data contracts, 1258–1259
 - WCF, 1258–1259
- <service>, 1158, 1165**
- Service Contract Language, 1137**
- Service Control Manager, 1268, 1283**
 - CounterMonitor, 1279
 - debugging, 1294
- Service Counters, 1280**
- Service Manager, 1274**
- Service Repository, 1105**
- ServiceBase, 1270–1271**
 - AutoLog, 1290
 - ServiceController, 1285
- <ServiceContract ()>, 1241–1242, 1258**
 - namespace, 1263
- ServiceController, 1273, 1284–1285**
 - custom commands, 1287
 - DLL, 1286
 - .NET Framework, 1284
- ServicedComponent, 1188**
- ServiceHost, 1247**
- serviceHost.Description.Behaviors.Add, 1247**
- ServiceInstaller, 1230, 1270, 1274**
- ServiceMetadataBehavior, 1247**
- ServiceName, 1230, 1272**
 - FileWatcherService, 1289
 - ServiceController, 1284
- service-oriented architecture (SOA), 1236**
 - XSD, 1236
- ServiceProcessInstaller, 1230, 1274**
 - properties, 1272
- ServiceReference, 1249**
- ServiceType, 1285**
- Session_End, 825**
- SessionId, 1089**
- Session_Start, 824**
- Set, 457, 783**
 - threading, 1075
- SetAbort, 1180**
- SetComplete, 1180**
- SetPNG, 636**
- Setup Project template, 982**
- Setup Wizard, 982**
- setup.exe, 1350**
- SFA. See Sales Force Automation**
- SGML. See Standard Generalized Markup Language**
- SHA. See Secure Hash Algorithm**
- shadowing, 120–126**
 - arbitrary elements, 124–126
 - dangers, 120, 125
 - interface elements, 125
 - methods, 120
 - inheritance, 131
 - nonvirtual methods, 121–124
 - Overridable, 120
 - properties, 120
 - Shared methods, 148
 - subclass, 123, 133
 - Windows Forms, 120

Shadows

Shadows, 120

- base class, 121
- bugs, 122
- methods, instance, 125
- overriding, 124

shallow copy, 10, 36

Shape, 691, 1033

Shared, 86

- constructors, 90
- event, 89–90
- methods, 87–88
- Overridable, 146
- properties, 88–89
- variables, 86–87

shared assembly, 963–965

shared class, 332

shared data

- synchronization, 1066–1068
- threading, 1062–1068

shared environment, 745

shared event, inheritance, 148–149

shared methods

- inheritance, 146–148
- overloading, 147
- shadowing, 148
- subclass, 148

Shared Read, SQLCE, 602

SharePoint, 592

- library, 926
- OFR, 948
- VSTO, 918

Short, 10, 16, 17, 38

shortcuts, 993–994

ShouldSerialize, 703, 716

ShowCheckBox, 870

ShowColor, 685

ShowDialog, 661, 684

ShowDistance, 167–168, 169

ShowEffects, 684

ShowHelp onHelpProvider1, 673

ShowMessage, 1313, 1315

ShowXmlNode, 396–397

Shutdown, 939

SID. See Security Identifier

side-by-side versioning, 197, 965–966

SignCode.exe, 482, 511

signing, assembly, 961

Silverlight, 897–914, 1361

- application, 900–906
- browsers, 897–898
- <canvas>, 905–906
- event, 910–913
- Expression Blend, 902
- Expression Design, 902
- installation, 898–900
- JavaScript, 903
- versions, 898
- Visual Studio, 902
- XAML, 897, 903

Silverlight.js, 903

Simple Mail Transfer Protocol (SMTP), 1202

- permissions, 625
- sockets, 1312

Simple Object Access Protocol (SOAP), 641, 642, 1105

- cache, 1131
- digital signature, 1140
- headers, 1131–1136, 1167
- HTTP, 1111
- .NET, 1112, 1139
- remoting, 1145–1146
- System.Web.Services.Protocols, 1139
- T-SQL, 616
- WCF, 1237
- Web services, 1106
- WF, 1100
- WSDL, 1112
- WS-Security, 1265
- XML, 1112

simple queuing application, 604

Single, 11, 18–19

SingleCall, 1149–1151

- library DLL, 1155
- serializable object, 1152–1153
- thread pool, 1150

SingleCall (wellknown), 1150

single-level inheritance, 186

Singleton, 1151

- AppDomain, 1151
- library DLL, 1155

Singleton (wellknown), 1150

- singleton pattern, 1149**
- Site, 504**
- SiteMapDataSource, 804, 854**
 - Menu, 868
- SiteMapPath, 865–866**
- 16 bit, 10**
 - threading, 1045
- 64 bit, 17–18**
 - ASP.NET, 802
 - Common Files Folder, 991
 - Program Files Folder, 991
 - SHA, 517
 - Sytem Folder, 991
- SizeMode, 690**
- SizeType, 670**
- SkipVerif, 504**
- SkipVerification, 484**
- Sleep, 1062**
- smallint, SQL, 17**
- Smalltalk, 49**
- smart controls, 827**
- Smart Device, 544**
- Smart Device CAB Project template, 982**
- smart tags, Windows Forms, 648**
- smart-client deployment, XML, 198**
- SMTP. *See* Simple Mail Transfer Protocol**
- Sn.exe, 511**
- sniffing, 827**
- Snippet Editor, 570**
- SOA. *See* service-oriented architecture**
- SOAP. *See* Simple Object Access Protocol**
- SOAPAction, 1111**
- SoapException, 1139**
- SoapFormatter, 1167, 1312**
- soapsuds.exe, 1171**
- Socket, 1317**
- sockets. *See also* Secure Sockets Layer**
 - application, 1301–1304, 1318
 - HTTP, 1301
 - Internet, 1301–1321
 - protocols, 1312
 - SMTP, 1312
 - TCP/IP, 1301, 1302
- software publisher, 484–485**
- Software Publisher Certificate (SPC), 511**
- Solution Explorer, 500, 560**
 - Class, 61
 - Visual Studio, 545–546
 - Web services, 1119
- SortedDictionary, 190**
- SortExpression, 859**
- Source, 301, 312–313, 318, 404**
- source code**
 - Visual Studio, 563
 - XML, attribute, 387–389
- SourceColumn, 346**
- SourceExists, 318**
- SourceItems, 715, 716**
- SourceList, 711**
- SourceUri, 404**
- spaghetti code, 186**
- SPC. *See* Software Publisher Certificate**
- specific culture, 220, 239**
- spell checker, multithreading, 1046**
- Spinner, 691**
- SplashScreen, 288**
- Split, 24**
- SplitContainer, 650, 1217**
 - Windows Forms, 667–668
- Splitter, 650**
 - Windows Forms, 667
- SpParamXml, 361**
- SpParamXmlDoc, 361**
- SQL**
 - bigint, 17
 - LINQ to, 439–454
 - class, 440–441
 - O/R Designer, 441–444
 - stored procedures, 461
 - smallint, 17
 - Web services, 1120
- SQL cache invalidation, 802**
- SQL Server, 336, 599–646**
 - ASP.NET, 879–884
 - CLR, 615–645
 - credentials, 641
 - DataContext, 445
 - debugging, 552
 - DLL, 619
 - .NET Framework, 615
 - permissions, 624

SQL Server (continued)

SQL Server (continued)

stored procedures, 633
 TDS, 634
 transactions, 1175
 Visual Studio, 544
 Web services, 639–645
 accessing, 642–645
 Windows Services, 1267
 XML, 380, 425–428

SQL Server Compact Edition (SQLCE), 599, 600–615

autoshrink threshold, 602
 buffer, 602
 data source, 601
 data synchronization, 604–615
 DataSet, 604
 DbConnection, 600
 DbDataAdapter, 600
 DLL, 600
 limitations, 600
 merge replication, 607
 mode, 602
 passwords, 601
 RDA, 607
 Read only, 602
 Read Write, 602
 remote data entry application, 604
 remote data mirror application, 604
 remote database application, 607
 Shared Read, 602
 simple queuing application, 604
 Sync Services, 607–615

SQL Server .NET Data Provider, 348–349

SQL Server Service Manager, 1283

SQLCE. *See* SQL Server Compact Edition

SqlCommand, 330, 336, 340, 346, 634

SqlConnection, 330, 335, 356, 634

SqlDataReader, 339, 356, 635

ADO.NET, 633

SqlDataRecord, 635–636

CopyRow, 639

SqlDataSource, 854, 855–859

ConnectionString, 858
 SelectCommand, 858

/sqllexportonly <filename>, 880

SqlFunction, 624

SqlParameter, 346

SqlPipe, 634–639

SqlProcedure, 633

SQLServer, 877

SqlUserDefinedType, 617

SSL. *See* Secure Sockets Layer

Stack, synchronization, 1067

StackPanel, 762–763

StackPanelNext, 763

stacks, value types, 8–9

StackTrace, 301, 312–313, 404

Standard Generalized Markup Language (SGML), 380, 1108

Start, 1103

HttpListener, 1225, 1226

ServiceController, 1284

Start stage, installation, 998

[StartMenuFolder], 992

StartPending, ServiceController, 1285

StartPosition, Windows Forms, 653

StartType, 1272, 1274

Startup, 939, 968–969

<startup>, 968–969

startup forms, Windows Forms, 653

State, 1091

state machine, workflows, 1082–1084

state management

ASP.NET, 1141

XML Web services, 1141

StateFinalization, 1091

StateInitialization, 1091

StateServer, 877

StaticResources, 761

Status, ServiceController, 1285

StatusBar, 650

StatusCode, 1300

StatusStrip, 650

Stop

HttpListener, 1225

ServiceController, 1284

Stopped, ServiceController, 1285

StopPending, ServiceController, 1285

Storeadm.exe, 511

Sync Services, SQLCE

- stored procedures, 336–337**
 - LINQ, to SQL, 461
 - SQL Server, 633
 - T-SQL, 616, 633
 - creating, 632–639
 - Web services, 640
- StoredProcedureHelper, 360, 376**
- StoredProcedureSettings, 376**
- StorePermission, 486**
- StorePermissionAttribute, 486**
- StreamReader, 535, 1222**
- stream-style parsers, XML, 389–415**
 - reading, 394–405
 - writing, 390–394
- StreamWriter, 319–321**
- Stretch, 753, 763**
- Stretch.Uniform, 745**
- String, 11, 22–25**
 - application settings, 557
 - constants, 25
 - constructor, 23
 - constructors, 138
 - operator, 90
 - registry keys, 995
- string, 8**
 - Elseif, 15
 - If Then, 15
 - primitive types, 10–11
 - size, 9
 - sorting, 231–233
 - Web Services, 1289
 - XML, 462
- String ToString (), 200**
- stringarray, 24**
- StringBuilder, 281, 1230**
- Stroke, 907**
- StrokeThickness, 907**
- Strong, 504**
- strong names, 960–961, 1184**
- Structure**
 - constraints, 267
 - generics, 262–263
- styles**
 - transparency, 774–775
 - WPF, 767–775
 - XAML, 767–775
- stylesheet, XSLT, 416**
- Sub, 3–4, 6, 263, 566**
 - console application, 5
 - interface, 51
- Sub AddInput (InputValue as Double), 1021**
- Sub DoCalculation (), 1021**
- Sub Main**
 - remoting, 1161
 - Windows Forms, 652
- Sub Reset (), 1021**
- subclass, 104**
 - creating, 105–108
 - event, 144–146
 - inheritance, 135
 - methods, 117
 - multiple inheritance, 127
 - MyBase, 115
 - nonvirtual methods, 121
 - object, 117
 - Overloads, 119
 - overriding, 120
 - Public, 140
 - shadowing, 123, 133
 - Shared methods, 148
 - variable, 117
- subclassing, 49, 104, 182**
- SubmitChanges, 448**
- subroutine, 3**
- SubString, 23–24**
- Sub.Sub, 3**
- Subtract, 1244, 1256**
- success audit, 317**
- superclass, 103**
 - fragile, 186
- Supported, 1187**
- <supportedRuntime>, 1332**
- Suspend, 1062, 1092**
- Suspend Layout, 562**
- SwitchName, 322**
- SymmetricAlgorithm, 519, 522**
- Sync Server**
 - DataSet, 611
 - Server Explorer, 611
- Sync Services, SQLCE, 607–615**

synchronization

synchronization

- ArrayList, 1067
- Hashtable, 1067
- memory, 1063
- multithreading, 1064
- .NET Framework, 1067
- object, 1068–1077
- Queue, 1067
- shared data, 1066–1068
- Stack, 1067
- workflow, 1103

SynchronizingObject, 1061

synchronous

- components, 1189
- .NET Framework, 1057

SyncLock, 1069–1077

syntax, 2–8

- encapsulation, 53
- error handling, 300
- fragile base class, 189–190

System, 553

- namespace, 2

System Folder, 991

System.Object

- .NET Framework, 130
- object, 204

[System64Folder], 991

System.Activator, 1168

System.Array, 27

System.Boolean, 11

System.Byte, 10

System.Char, 11

System.Collections, 278

System.Collections.Generic, 31, 278

System.Collections.Queue, 1314

System.Collections.Specialized, 31

System.ComponentModel, 701

System.ComponentModel.Component, 98

System.Configuration.Install.Installer, 1270, 1274

System.Data, 278, 332, 553

SystemDataAccess, 624

System.Data.Common, 332

System.Data.Odbc, 332

System.Data.OleDb, 332

System.Data.SqlClient, 332

System.Data.SqlServerCe, 601

System.Data.SqlTypes, 332

System.DateTime, 11

System.Decimal, 11

System.Deployment, 553

System.Diagnostics, 278

- EventLog, 316

System.Double, 11

System.Drawing, 182, 279, 553

- controls, 717–718

System.Drawing.dll, 182

System.Drawing.Graphics, 718–723

System.Drawing.Point, 9

System.EnterpriseServices, 279, 1173, 1187

[SystemFolder], 991

System.GC.Collect, 208–209

System.Int16, 10

System.Int32, 10

System.Int64, 11

System.IO, 279, 1301

System.IO.Directory, 747

System.IO.StreamReader, 1299

System.Linq, 279

System.MarshalByRefObject, 1146, 1151

- Activated, 1151

System.Net, 1205–1233, 1301

- .NET Framework, 1205

System.Net.Dns, 1307

System.Net.IPHostEntry, 1307

System.Net.NetworkStream, 1302

System.Net.Sockets, 1205, 1301

System.Net.Sockets.Socket, 1317

System.Net.Sockets.TcpListener, 1302

System.Net.TcpClient, 1301

System.Net.TcpListener, 1301

System.Net.WebClient, 1223, 1298

System.Net.WebProxy.WebClient, 1298

System.Net.WebRequest, Create, 1299

System.Object, 3, 94

- CTS, 200

- inheritance, 106

- ToString, 130

System.Reflection, 170, 971–972

- Assembly, 204

System.Runtime.InteropServices.Out, 633

<system.runtime.remoting>, 1165

- System.Runtime.Remoting.dll, 1168**
 - System.Runtime.Serialization, 1258**
 - System.Security.Cryptography, 531**
 - System.Security.Cryptography.X509Certificates, 532**
 - System.Security.Cryptography.Xml, 531**
 - System.Security.Permissions, 488**
 - permissions, 484–490
 - System.ServiceProcess.ServiceInstaller, 1270**
 - <system.serviceMode>, 1264**
 - System.ServiceModel.BasicHttpBinding, 1245**
 - System.ServiceModel.Channels.CustomBinding, 1245**
 - System.ServiceModel.Description, 1247**
 - System.ServiceModel.dll, 1241**
 - System.ServiceModel.MsmqBindingBase, 1245**
 - System.ServiceModel.NetNamedPipeBinding, 1245**
 - System.ServiceModel.NetPeerTopBinding, 1245**
 - System.ServiceModel.NetTopBinding, 1246**
 - System.ServiceModel.WSDualHttpBinding, 1246**
 - System.ServiceModel.WSHttpBindingBase, 1246**
 - System.ServiceProcess, 1284**
 - System.ServiceProcess.dll, 1286**
 - System.ServiceProcess.ServiceController, 1273**
 - System.ServiceProcess.ServiceProcessInstaller, 1270**
 - System.Service.ServiceBase, 1270**
 - System.Single, 11**
 - System.String, 11**
 - System.Text, 279**
 - System.Text.StringBuilder, 9**
 - System.Threading, 222, 279, 1057**
 - System.Threading.Monitor, 1069**
 - System.Threading.ReaderWriterLock, 1314**
 - System.Timers.Timer, 1057, 1061**
 - System.Transactions, 1196–1199**
 - SystemUri, 1297**
 - System.Web, 279**
 - System.Web.HttpUtility, 1208**
 - System.Web.Services, 279, 1136–1139**
 - System.Web.Services.Description, 1137–1138**
 - System.Web.Services.Discovery, 1138–1139**
 - System.Web.Services.Protocols, 1139**
 - System.Windows, Application, 733**
 - System.Windows.Forms, 279, 553, 651**
 - Control, 709
 - library, 744
 - System.Windows.Forms.Form, 576**
 - System.Windows.Forms.Timer, 1061**
 - System.Windows.Media.Imaging, 747**
 - System.XML, 553**
 - System.Xml, 379**
 - XML, 389
 - System.Xml.Linq, 462**
 - System.Xml.Schema, 379**
 - System.Xml.Serialization, 379, 382–389**
 - System.Xml.XPath, 379**
 - System.Xml.Xsl, 379**
 - Sytem Folder, 64 bit, 991**
- T**
- TabControl, 690**
 - TabIndex, 576**
 - <Table>, 424**
 - Table (TEntity), 449**
 - TableAdapter Configuration Wizard, 1119–1120**
 - TableDefinition, 624**
 - TableLayoutPanel**
 - UserControl, 710
 - Windows Forms, 648, 650, 670
 - tabs**
 - Code View, 563
 - Form Designer, 563
 - TabStrip, 690**
 - Tabular Data Stream (TDS), 348**
 - SQL Server, 634
 - /target, 1336**
 - [targetDir], 846**
 - TargetSite, 301, 311–315, 404**
 - Task List, Visual Studio, 586**
 - TaskComplete, 1059**
 - TCP**
 - BinaryFormatter, 1167
 - IIS, 1165
 - .NET, 1147
 - remoting, 1146, 1147, 1158–1159
 - SSL, 533
 - thread pool, 1056–1057

TCP (continued)

TCP (continued)

URL, 1158

Web services, 641

TcpClient, 1303, 1317

TCP/IP, 1107

COM, 1108

remoting, 1145

sockets, 1301, 1302

Web services, 1145

TcpListener, 1303, 1311

TDS. See Tabular Data Stream

Team Build, 592

Team Editions

Architects, 593

Developers, 593–594

Testers, 593

Team Explorer, 592

Team Foundation Server (TFS), 591, 920

Visual Studio, 592

VSS, 592

Team Suite, 591

Team System, Visual Studio, 591

Telecosm (Gilder), 1143

TEMP, 1291

Temp, 502

[TemplateFolder], 992

templates

deployment, 980–982

Excel, 918

VSTO, 915

Word, 918, 925–938

XSLT, 416

Terminate, 1092

Test, 457

TestCounter, 1280, 1283

Testers, 591

Team Editions, 593

TestForm.vb, 339

TestPage.html, 903

TestPage.html.js, 903

Text, 146, 576, 688, 689

compilation, 847

Text Editor, Visual Studio, 564–565

text string, Visual Studio, 555

TextAlign, 689

<TextBlock>, 907

TextBox, 107, 110–111, 690, 745, 1210

Conversation forms, 1305

Conversation windows, 1305

Web services, 643

Windows Forms, 648

TextBoxMargin, 785

TextBoxRounding, 785

TextChanged, 1307

TextField, 870

textMessage, 1305

textMessages, 1305

textUsername, 1305, 1316

TextWriter, 319, 384

TFS. See Team Foundation Server

TheClass, 54–55

theTimer, 98

thick-client application, 885

thin-client application, 885

32 bit, 10, 17–18

C++, 199

threading, 1045

thousands separator, 676

Thread, 222

thread ID, 1155, 1160–1161

thread pool, 1056–1061

asynchronous, 1056–1057

Conversation windows, 1305

.NET Framework, 1056–1057

SingleCall, 1150

TCP, 1056–1057

URL, 1056–1057

ThreadEntryPoint, 1303

threading, 279, 1045–1077. See also

multithreading

32 bit, 1045

affinity, 1050–1051

AppDomain, 1047

ASP.NET, 1053

background, 1051–1052

C++, 1045

COM, 1062

Conversation windows, 1313

CPU, 1045–1046, 1048–1049, 1051

Delegate, 1057–1059

event, 1063

Excel, 1051

Transact-SQL (T-SQL)

- IIS, 1051–1052
- implementation, 1053–1077
- Integer, 1064
- manually creating, 1061–1062
- Outlook, 1051
- processes, 1047–1048
- reference types, 1064
- remoting, 1147
- safety, 1050–1051
- scheduling, 1048–1050
- Set, 1075
- shared data, 1062–1068
- UI, 1052, 1307
- value types, 1064
- Windows Forms, 649, 1052, 1304
- Windows Services, 1269, 1290
- Word, 1051
- ThreadPool.QueueUserWorkItem, 1059**
- threads, 221–224**
 - cultures, 221
 - Windows Forms, 221
- Throw, 303, 305–307, 1092**
 - InnerException, 311
- time separator, 676**
- Timeout, 1206**
- Timer, 98, 691, 1275–1276, 1281**
- Title, 548, 865, 936, 984**
- TitleBar, 756**
- TibIMP, 1043**
- TibImp.exe. See Type Library Import**
- TLS. See Transport Layer Security**
- TODO, 212, 586**
- ToOADate, 21**
- Toolbar, 650**
 - Windows Forms, 678–681
- toolbars, 1324–1328**
- Toolbox, 98**
 - Windows Forms, icons, 723
- tools**
 - certificates, 511
 - performance, 595
 - permissions, 511
 - security, 510–511
- ToolStrip, 650**
 - ComboBox, 680
 - Windows Forms, 678–681
- ToolTip, 672**
- TopMost, Windows Forms, 654**
- ToString, 301, 487, 488, 494**
 - Me, 130–131
 - Message, 310
 - MyClass, 134–135
 - System.Object, 130
 - UDTs, 618
- ToXml, 487, 488**
- Trace**
 - exception handling, 321–325
 - Visual Studio, 550–552
- trace files, 319–321**
 - EventLog, 319
- trace switches, 321–323**
- TraceSwitch, 321–323**
- TraceVerbose, 323**
- TrackBar, 691**
- Trademark, 548**
- TrafficLight, 719–723**
- Transaction, 448, 1187**
 - ADO.NET, 447
- TransactionAttribute, 1187**
- TransactionOption, 1187**
- transactions, 1173–1175**
 - ASP.NET, 1199
 - attribute, 1186–1187
 - cache, 1199
 - component registration, 1183–1184
 - components, 1175–1188
 - database, 1176–1178
 - explicit, 1196–1197
 - implicit, 1196–1197
 - invalid data, 1188
 - JIT, 1188
 - .NET Enterprise Services, 1173–1175, 1196–1199
 - Oracle, 1175
 - queuing, 1194–1196
 - SQL Server, 1175
 - System.Transactions, 1196–1199
- Transact-SQL (T-SQL), 599**
 - CLR, 615
 - DataSet, 633
 - debugging, 615

Transact-SQL (T-SQL) (continued)

Transact-SQL (T-SQL) (continued)

functions, 616
 creating, 623–630
 IDataReader, 633
 SOAP, 616
 stored procedures, 616, 633
 creating, 632–639
 vs. Visual Basic, 615–617
 Web services, 616
 XML, 617
Transform, 419
Transitive, 993
Translate, 448, 1097
TranslationOptions, 1097
translucency, Windows Forms, 656–657
transparency
 styles, 774–775
 Windows Forms, 656–657
TransparencyKey, Windows Forms, 656
transparent proxy, 1147–1148
TransparentColor, 1217
transport channel, 1147
Transport Layer Security (TLS), 533
TreeNodeBinding, 870
TreeView, 691, 867–870, 1219–1220
 XML, 868–870
TripleDESCryptoServiceProvider, 519
Try, 302–304
 nested, 308–309
Try Catch, 1318
TryCast, 47, 60
TryEnterReadLock, 1073
TryEnterUpgradeableReadLock, 1073
TryEnterWriteLock, 1073
TryParse, 46
T-SQL. See Transact-SQL
txtBirthdate, 107
txtHireDate, 107
txtName, 107
txtSalary, 107
type, XmlReader, 396
type constraints, 265–267
Type GetType(), 200
type library, 1020
Type Library Import (TlbImp.exe), 1026–1027
types, 1112

U

-u, 846
-U <login>, 879
UBound, 28–29
UDDI. See Universal Description, Discovery, and Integration
UDFs. See user-defined functions
UDTs. See user-defined types
UI. See user interface
UICulture, 236, 288
UInt16, 16
UInt32, 16
UInt64, 16, 17
UIPermission, 486
UIPermissionAttribute, 486
UML. See Unified Modeling Language
unary operator, 91
UNC. See Universal Naming Convention
underscore, 5
Undo, 690
Unified Modeling Language (UML), 103
Uniform Resource Identifier (URI), 1297–1298
 creating, 1299
 reference, 1248–1249
 System.Web.Services.Protocols, 1139
Uniform Resource Locator (URL), 335, 1008–1009, 1297–1298
 HTTP, 1158
 IIS, 1169
 System.Web.Services.Protocols, 1139
 TCP, 1158
 thread pool, 1056–1057
 updating, 1323–1324
Uninstall, 1001
Union, 487, 488
unit tests
 My, 596
 ProVB_VS, 596
 Visual Studio, 596–598
United Devices, 1110
Universal Description, Discovery, and Integration (UDDI), 1105
Universal Naming Convention (UNC), 1008–1009
UNIX, networking, 1107

- Unload, 817**
 - unmanaged code**
 - C++, 552
 - COM, 552
 - Update options, 1015**
 - UpdateCommand, 344**
 - UpdateDisplay, 1059–1060**
 - UpdatePanel, 890, 892, 895**
 - Updater Application Block, 1016–1017**
 - UploadData, 1223**
 - UploadFile, 1213, 1223**
 - UploadFileWithUniqueName, 1213**
 - UploadString, 1223**
 - UploadValues, 1223**
 - UploadValuesAsync, 1224**
 - UploadX, 124**
 - URI. *See* Uniform Resource Identifier**
 - URL. *See* Uniform Resource Locator**
 - Url, 512, 865**
 - URL, 504**
 - UrlEncode, 1208**
 - UseDefaultCredentials, 1223**
 - UseMnemonic, 689**
 - User, ServiceProcessInstaller, 1272**
 - user, 497**
 - user controls, 828**
 - user ID, 1214, 1220**
 - user interface (UI), 162, 163. *See also* graphical user interface**
 - DefinePad, 1210
 - .NET Enterprise Services, 1175
 - testing, 596
 - threading, 1052, 1307
 - Windows Services, 1268
 - WPF, 743, 752–761
 - XAML, 743
 - User Interface Editor, 987–1000**
 - dialog boxes, 999–1000
 - installation, 998–999
 - User32.dll, 728**
 - UserControl, 698**
 - Anchor, 710
 - base class, 709–710
 - child, 710
 - composite, 710–717
 - Dock, 710
 - FlowLayoutPanel, 710
 - resizing, 712
 - TableLayoutPanel, 710
 - user-defined functions (UDFs), 630–632**
 - Web services, 640
 - user-defined types (UDTs), 616**
 - creating, 617
 - Format, 617
 - Location, 619, 622
 - Parse, 618
 - Serializable, 617
 - ToString, 618
 - USERNAME, 497**
 - _username, 1312**
 - User's Application Data Folder, 991**
 - User's Desktop, 991**
 - User's Favorites Folder, 992**
 - User's Personal Data Folder, 992**
 - User's Programs Menu, 992**
 - User's Send to Menu, 992**
 - User's Start Menu, 992**
 - User's Startup Folder, 992**
 - User's Template Folder, 992**
 - UseVisualStyleBackColor, 576**
 - UseWaitCursor, 649**
 - Windows Forms, 648
 - Using, 209, 1222**
 - UsingResx.resx, 244**
 - UTF-8, 1334**
 - /utf8output[+:-], 1334**
- V**
- v, 846**
 - Validated, 709**
 - Validating, 677–678, 709**
 - validation controls, 828**
 - ValidationFlags, 400**
 - ValidationMethodName, 618**
 - ValidationType, 400**
 - Value, 154, 157, 397**
 - value, XmlReader, 396**
 - value types, 8–11, 15–20**
 - memory, 9
 - stacks, 8–9
 - threading, 1064

value-of, XSLT

value-of, XSLT, 416

ValueType, 266

variable, 3

- base, 117
- data types, 117
- initialization, constructors, 138–139
- interface, 152
- Property, 142
- Protected, 142
- scope, 37–38
- Shared, 86–87
- subclass, 117
- types, 8–11

VariableName, 566

VB City, 1361

VBA. See Visual Basic for Applications

vbAccelerator.com, 1361

vbc.exe.config, 1331–1333

vbc.rsp, 1344–1345

VBRun, 1361

/vbruntime[+:-], 1339

VbWCF_Service, 1264

vector graphics, 729–730

.ver, 962–963

/verbose, 1335

versioning

- CLR, 197–198
- policies, 966–967

Vieira, Robert, 425

View, 1217

ViewState, 895

virtual class, 150

virtual method

- inheritance, 115–118
- overriding, 115–118
- polymorphism, 117

Visibility, 933

VisibleChanged, 663

Vista, ASP.NET, IIS, 876–877

Visual Basic

- Compile Settings, 549–550
- Server Explorer, 587

Visual Basic for Applications (VBA), 915

- VSTO, 920–925

Visual Source Safe (VSS), 591

- TFS, 592

Visual Studio, 336, 537–598

- AJAX, 805, 888
- application settings, 556–558
- ASP.NET, 234–235, 805
- Assembly Information, 547–549
- build configurations, 583–586
- building application, 577–583
- class diagrams, 590–591
- code expansion, 565–568
- code snippets, 568–570
- Command window, 586–587
- console application, 5
- controls, 701–702
- debugging, 550–552, 578, 1293–1296
- deployment, 979–986
 - templates, 980–982
- DLL, 1165
- enhancing sample application, 571–583
- event handler, 573–574
- images, 554–555
- inline coding, 812
- IntelliSense, 565
- keywords, 565–567
- LINQ to, 439–454
- macros, 587–590
- Microsoft Paint, 555
- minimum permissions, 508–510
- My Project, 546–547
- .NET, 538
- performance tools, 595
- project templates, 541–545
- ProVB_VS, 559–571
- reference, 552–554, 1248
- resources, 554–555
- Silverlight, 902
- Solution Explorer, 545–546
- source code, 563
- SQL Server, 544
- Task List, 586
- Team System, 591
- Text Editor, 564–565
- text string, 555
- TFS, 592
- Trace, 550–552
- unit tests, 596–598
- versions, 539–540

Web services

WCF, 1239–1240
 Web services, 1119–1128
 workflows, 1080–1081
 XML, 558, 573
 XML literals, 538

Visual Studio Tools for Office (VSTO), 541, 544, 915–954

actions pane, 929–935
 Add-ins, 917–918, 939–945
 DLL, 915
 Document/Workbook, 918
 macros, 920–923
 OBA, 918–920
 Office, 916–917
 OFR, 945–954
 ribbons, 929–932
 SharePoint, 918
 templates, 915
 VBA, 920–925
 Word, 925–938
 workflow, 918

Visual Web Developer, 539

Vital, 985

VScrollBar, 691

VSS. See Visual Source Safe

VSTO. See Visual Studio Tools for Office

W

-W, 879

wait state, 1049

WaitCursor, 649

WAITFOR DELAY, 343

WaitOne, 1075

WAN. See wide area network

/warnaserror[+:-], 1340

warning, 317

WAS. See Windows Activation Service

Watch windows, Debug, 582

WCF. See Windows Communication

Foundation

wchar, 199

Web application, ASP.NET, 986

Web Form, 814

remoting, 1145

Web pages

ADO.NET, 328
 titles, 1323–1324
 WebBrowser, 1321

Web reference, 1123–1125

IDE, 1123

Web server

ASP.NET, 807–808
 HttpListener, 1224–1233
 server controls, 827–829

Web services, 814

architecture, 1140–1141
 ASP.NET, 1123
 attribute, 202
 building, 1115–1117
 cache, 1131
 cell phones, 1143–1144
 Class, 1115
 COM, 1106
 ComboBox, 643
 CORBA, 1140
 DataGridView, 643
 DataSet, 1119, 1125
 DataTable, 1125–1126
 DCOM, 1140
 Debug, 1115
 digital signature, 1140
 downside, 1143–1144
 encryption, 1140
 GridView, 1125
 HTTP, 641, 1105
 IDE, 1119
 Load, 645
 .NET, 1106
 .NET Framework, 1117, 1140
 ObjectDataSource, 1125–1126
 permissions, 625
 remoting, 1145
 RMI, 1140
 RPCs, 1140
 security, 1141–1143
 directory-level, 1142–1143
 downside, 1143
 SOAP, 1106
 headers, 1131–1136
 Solution Explorer, 1119

Web services (continued)

Web services (continued)

- SQL, 1120
- SQL Server, 639–645
 - accessing, 642–645
- SSL, 1142
- stored procedures, 640
- string, 1289
- system architecture, 1106
- System.Web.Services, 1136–1139
- TCP, 641
- TCP/IP, 1145
- TextBox, 643
- T-SQL, 616
- UDFs, 640
- Visual Studio, 1119–1128
- Windows Forms, 642
- workflow, 1090, 1100
- WSDL, 1140
- XML, 616, 1105–1144, 1106, 1140
 - Application, 1141
 - future, 1144
 - state management, 1141
- Web Services Description Language (WSDL), 641, 642, 1105, 1112–1115, 1247–1248**
 - Description, 1115
 - HelloCustomerService, 1261–1263
 - .NET Framework, 1114
 - reference, 1248
 - WCF, 1238, 1257
 - Web services, 1140
 - workflow, 1089
- Web Services Enhancements (WSE), 1140, 1235**
- Web Setup Project template, 982**
- Web User Control, 814**
- WebBrowser, 1297**
 - COM, 1321
 - documents, 1328–1330
 - printing, 1330
 - Web pages, 1321
 - Windows Forms, 649
- WebClient, 1205, 1223–1225, 1298**
- web.config, 1165**
 - ASP.NET, 545
 - compilation, 847
- WebConfigurationManager, 803–804**
- WebMethod, 1115, 1141**
 - overloading, 1128–1130
- <WebMethod () >, 1116**
- WebMethodAttribute, 1136**
- WebProxy, 1298**
- WebRequest, 534, 1205–1223, 1298**
 - LANs, 1298
 - WAN, 1298
- WebRequest.Create, 1206**
- WebRequestMethods.Ftp, 1213–1223**
- WebResponse, 1205–1223**
- WebService, 1115, 1136**
- WebServiceAttribute, 1136**
- WebServiceBinding, 1116**
 - <WebServiceBinding>, 1129
- WebServiceFault, 1090, 1100**
- WebServiceInput, 1090, 1100**
- WebServiceOutput, 1090, 1100**
- WebServicesBindingAttribute, 1136**
- wellknown, 1149, 1158**
- WF. See Windows Workflow Foundation**
- WF runtime services, 1082**
- wf.netfx3.com, 1104**
- While, 33–34, 1090**
- Whitespace, 397**
- wide area network (WAN), 1108**
 - WebRequest, 1298
- Width, 670**
- /win32icon, 1342**
- Win32OwnProcess, 1285**
- /win32resource, 1342**
- Win32ShareProcess, 1285**
- Window, 776**
 - XAML, 733
- window_loaded, 744**
- <Window.Resources>, 763**
- Windows Activation Service (WAS), 1244**
- Windows Communication Foundation (WCF), 545, 1140, 1235–1265**
 - ABC, 1240–1241, 1245
 - addresses, 1240–1241
 - app.config, reference, 1253
 - ASP.NET, 805
 - binding, 1240–1241
 - Calculator, 1244
 - capabilities, 1237–1238

Windows Forms

- console application, 1244–1247
- consumer application, 1248–1257
 - code, 1255–1257
- contract, 1240–1241
- credentials, 1264
- data contracts, 1257–1263
- DLL, 1241
- GUI, 1255
- ICalculator, 1244
- IntelliSense, 1256
- message link, 1148
- namespace, 1263
- .NET Framework, 1237
- reference, 1248–1253
- remoting, 1145
- security, 1238–1239, 1263–1265
- service, 1258–1259
- SOA, 1236
- SOAP, 1237
- Visual Studio, 1239–1240
- WS-*, 1238–1239
- WSDL, 1238, 1257
- XSD, 1257
- Windows CryptoAPI, 1143**
- Windows Folder, 992**
- Windows Forms, 279, 647–695, 1321**
 - ActiveX, 649
 - advanced features, 697–725
 - anchoring, 666–667
 - application, 785–792
 - asynchronous requests, 649
 - AutoCompletion, 648, 674–675
 - browsers, 649
 - button, 711–712
 - C++, 1273
 - changes, 647–651
 - ComboBox, 648
 - Control, 648
 - Control Tab, 664
 - controls, 664–694, 697–708
 - attribute, 701–702
 - Browsable, 704
 - Category, 704
 - CheckedListBox, 705–708
 - Description, 703–704
 - dynamic sizing and positioning, 665–668
 - embedding, 723–725
 - event, 705
 - GDI, 717
 - IDE, 703
 - inheritance, 698–708
 - resizing, 712
 - runtime, 693–694
 - System.Drawing, 717–718
 - Visual Studio, 701–702
 - z-order, 664
 - DialogForm, 660–661
 - dialogs, 683–685
 - docking, 665–666
 - extender providers, 671–674
 - properties, 673
 - FlowLayoutPanel, 648, 650, 668–670
 - FormBorderStyle, 654
 - GDI, 718–723
 - hosting, 1244
 - inheritance, 657, 698–708
 - Margin, 648, 669
 - MaskedTextBox, 649–650, 675–677
 - MaximumSize, 648–649
 - menus, 681–683
 - runtime, 682–683
 - MinimumSize, 648–649
 - namespace, 553
 - .NET, 700
 - .NET Framework, 647
 - Opacity, 656
 - owned forms, 654–655
 - Padding, 648
 - Region, 657
 - resource files, 242–246
 - resources, 1361
 - scrollable forms, 657–658
 - shadowing, 120
 - smart tags, 648
 - SplitContainer, 667–668
 - Splitter, 667
 - StartPosition, 653
 - startup forms, 653
 - Sub Main, 652
 - TableLayoutPanel, 648, 650, 670
 - TextBox, 648
 - threading, 649, 1052, 1304

Windows Forms (continued)

Windows Forms (continued)

- threads, 221
- Toolbar, 678–681
- Toolbox, icons, 723
- ToolStrip, 678–681
- TopMost, 654
- translucency, 656–657
- transparency, 656–657
- TransparencyKey, 656
- UseWaitCursor, 648
- Web services, 642
- WebBrowser, 649
- WF, 1098–1100
- workflow, 1089
- WPF, 779–799
 - controls hosting, 792–797
 - hosting, 782–792
 - limitations, 797–798

Windows Forms Integration Library, 744, 780–781, 791

Windows Installer

- customization, 987
- deployment, 979

Windows Installer package file, 979

Windows interop library, 744

Windows Meta Files (WMF), 514

Windows Presentation Foundation (WPF), 647, 727–777

- behavior, 744–748
- Blend, 765–776
- button, 761–765
- controls, 739–742
 - library, 782–785
- dependency properties, 766
- event handler, 742–744
- frames, 755–760
- GUI, 728
- hosting, 1244
- IDE, 730
- layout, 748–752
- resources, 760–761
- strategy, 728–729
- styles, 767–775
- UI, 743, 752–761
- user controls, 775–776

- Windows Forms, 779–799
 - controls hosting, 792–797
 - hosting, 782–792
 - limitations, 797–798
- XAML, 734–752, 1080

Windows Services, 1267–1296

- antivirus, 1267
- automated stock price reporter, 1268
- C++, 1269
- communication, 1283–1287
- counter monitor service, 1275–1280
- creating, 1269–1275
- custom commands, 1287–1289
- debugging, 1275, 1293–1296
- deployment, 1269
- errors, 1275
- Exchange Server, 1267
- file watcher, 1267–1268, 1289–1293
- IIS, 1267, 1287
- installation, 1277–1278
- MTS, 1268
- .NET, 1270
- .NET Framework, 1270–1273
- performance counters, 1280–1283
- SQL Server, 1267
- starting, 1278–1279
- threading, 1269, 1290
- UI, 1268
- uninstalling, 1279–1280

Windows Workflow Foundation (WF), 545, 1079–1104

- activities, 1089–1098
- application, 1098–1104
- ASP.NET, 1099–1104
- building workflows, 1080–1098
- Dictionary, 1099
- host process, 1099
- MSDN, 1104
- .NET Framework, 1079
- Object, 1099
- runtime, 1099
- SOAP, 1100
- Windows Forms, 1098–1100
- XAML, 1080
- XML, 1080

WindowsDefaultBounds, 654

WindowsDefaultLocation, 653
[WindowsFolder], 992
WindowsFormsHost, 744, 781
WindowsFormsLibrary. See Windows Forms Integration Library
Windows.Stretch, 745
WindowState, 694
Windows.xaml, 750–751
Winer, Dave, 1112
With, 108
WithEvents, 143
 delegates, 93
WMF. See Windows Meta Files
Word
 file search, 1003–1004
 multithreading, 1046
 templates, 918, 925–938
 threading, 1051
 VSTO, 925–938
WordWrap, 690
WorkerReportsProgress, 1054
WorkerSupportsCancellation, 1054
workflow
 application, 1079–1080
 ASP.NET, 1089
 asynchronous, 1103
 building, 1080–1098
 child, 1091
 DLL, 1099
 errors, 1091
 runtime, 1103
 sequential, 1082
 state machine, 1082–1084
 synchronization, 1103
 Visual Studio, 1080–1081
 VSTO, 918
 Web services, 1090, 1100
 Windows Forms, 1089
 WSDL, 1089
workflow runtime engine, 1082
WorkflowCompleted, 1099
WorkflowRuntime, 1100
WPF. See Windows Presentation Foundation
Write, 320
WriteEntry, 318
Writelf, 320

WriteLine, 320
WriteLineF, 320
writer locks, 1071–1075
wrox.com, 382
WS-*, 1238–1239
WS-AtomicTransaction, 1239
WS-Coordination, 1239
WSDL. See Web Services Description Language
<wsdl:message>, 1138
WSE. See Web Services Enhancements
WS-Policy, 1236
WS-ReliableMessaging, 1239
WS-SecureConversation, 1239
WS-Security, 1238–1239, 1264
 SOAP, 1265

X

X.509 certificate, 511, 531–533
XAML. See Extensible Application Markup Language
x:Array, 736
XAttribute, 468
x:Class, 735
x:ClassModifier, 735
x:Code, 737
XComment, 467
XCopy, 198
XCOPY deployment, 978
XDocument, 463–464
XElement, 464–465
x:FieldModifier, 735
x:Key, 735, 760
XML. See Extensible Markup Language
XML literals, 2, 42–44, 468–470
 IDE, 469
 Visual Studio, 538
XML Path (XPath), 379
Xml server control, 433–434
XmlAttribute, 409
XmlDataSource, 804, 854, 870
 namespace, 432–433
 server control, 428–432
XmlDocument, 409, 462, 629
XMLElement, 42
XmlElement, 409

XmlException

XmlException, 302, 404

XMLHttpRequest, 884, 887

XmlNameTable, 390

XmlNode, 376, 409

XmlReader, 390, 395–405, 629

attribute count, 396

depth, 396

name, 396

type, 396

value, 396

XmlReaderSettings, 399–400

XmlResolver, 390, 400, 418

XML-RPC, 1112

XmlWriter, 384, 389

x:Name, 735

XNamespace, 465–467

x:Null, 736

Xor, 92

XPath. See XML Path

XSD

compilation, 847

DataSet, 351, 1128

SOA, 1236

WCF, 1257

x:Shared, 736

XSL. See Extensible Stylesheet Language

XSL Transformations (XSLT), 379,

415–423

for-each, 416

stylesheet, 416

template, 416

value-of, 416

XslCompiledTransform, 420

XSLT. See XSL Transformations

XsltArgumentList, 423

XsltCompileException, 423

XsltContext, 423

XsltException, 423

x:Static, 737

x:Subclass, 736

x:Type, 737

x:TypeArguments, 736

x:XData, 738

Z

Zone, 512

-Zone, 504

ZoomFactor, 690

z-order, controls, 664