

# Index

## • A •

abandoning ship, 225–226  
accessories  
  boat hook, 67  
  fenders, 67–68  
  marine electronics, 68–70  
  mooring lines, 65–66  
  safety, 61–65  
  tubes, 70–74  
accidents. *See* emergencies  
advisories, small craft, 198–199  
aft, 20, 21  
Alaska small craft advisories, 199  
alcohol, 318  
aligning (vehicle and trailer), 80–81  
alongside docking. *See also* docking  
  between boats, 144–145  
  currents and, 145  
  illustrated, 141  
  selecting, 144  
  tying up with, 148  
aluminum paddles, 65  
aluminum propellers. *See also* propellers  
  benefits/drawbacks, 273–274  
  repairing, 277–278  
American Boat and Yacht Council (ABYC)  
  wiring standard, 279, 280–281  
anchor launch strategy, 107  
anchor lock, 20, 21  
anchored boats  
  approaching for rafting up, 149–150  
  drift, 155  
  GPS position, 155  
  swing, 153  
anchors  
  chain, 152  
  checking, 212  
  defined, 152  
  depth, 154–155  
  fluke, 154  
  grapnel, 154

  lowering, 155  
  parts of, 152–153  
  plough, 153  
  pulling before starting engine, 126  
  rode, 152  
  rode-to-depth ratio, 155  
  scope, 152  
  setting, 154–155  
  spare, 64, 228  
  stowing, 156  
  stuck, 156  
  styles, 153–154  
  weighing, 156  
antennas  
  cost, 185  
  external, 184  
  fixed VHF radios, 184–185  
  GPS, 191  
  handheld VHF radio, 183  
  height, 184  
  mounting bracket, 185  
  mounting location, 184  
anti-fouling paint, 294  
anti-slip transmission, 117

## • B •

backing up (trailers), 83–84  
bad weather. *See* weather  
ball (hitch), 78, 81, 89  
ball mount, 78  
Bass Anglers Sportsman Society (BASS), 321  
bass boats, 13, 23–24  
*Bass Club Digest*, 321  
bass clubs, 320–321  
batteries  
  charge level, checking, 97–98  
  charging, 248–252  
  connections, 281–282  
  deep-cycle, 248  
  jumping, 130–131  
  in long-term storage, 261

- batteries (*continued*)
  - maintaining, 248–252
  - positive terminal, 282
  - replacing, 252
  - setups, 281
  - switch, 97
  - 12-volt systems, 281–282
- battery chargers
  - built-in, 250
  - dockside connection, 293
  - requirements, 249
  - solar, 249–250
  - types, 249
  - using, 251–252
  - Xtreme Charge, 261
- battery isolator switch, 251
- battery jumper, 130–131
- battery packs, 250
- bay boats, 13
- beam-to docking. *See* alongside docking
- Beaufort scale, 203
- belts
  - change indications, 272
  - functions, 271
  - pre-purchase inspection, 347
  - tension, testing, 271–272
- berths, 13
- bilge
  - defined, 266
  - fan, 149
  - in long-term storage, 263
  - pump, 266
- bilge plug
  - launching and, 267
  - putting in, 96
  - removing, 118, 308
- bill of sale, 53
- black streak remover, 255
- blades, propeller, 273
- boarding ladder, 20, 21
- boat brush, 253
- boat covers. *See* mooring covers
- boat handler. *See also* launching
  - boat-driving capability, 101–102
  - defined, 101
- boat hooks, 67, 340–341
- boat shows, 59
- boat wax, 254
- boat-brand clubs, 322–323
- boater characteristics, 9–10
- boating
  - activities, matching to boat type, 41–42
  - commitment, 9
  - costs, weighing, 10–11
  - licenses, 13, 14
  - training, 13–14
- boats
  - buying, 14–15
  - cruising, 13, 31–32
  - deck, 12
  - fishing, 13, 22–27
  - hitching together, 150
  - parts of, 20–22
  - pontoon, 12, 30
  - runabouts, 27–30
  - specifications, 2
  - types of, 12–13
  - watersports, 12, 29
- boat-washing soap, 255
- bolts, tightening, 267–268
- bow
  - defined, 20
  - illustrated, 21
  - navigation light, 20, 21
  - in strong seas, 208
  - winch, 96, 116
- bow strap
  - at solo launch, 106
  - checking, 89
  - at crew launch, 102
  - defined, 78
- bow-in docking. *See also* docking
  - illustrated, 141
  - process, 143–144
  - selecting, 143
- bowline knots, tying, 335–336
- bowriders
  - benefits/drawbacks, 28
  - characteristics, 27–28
  - defined, 12
  - popularity, 27
- brackets/braces, tightening/repairing, 270
- brake cable, 79, 81
- brakes
  - tow vehicle, 88
  - trailer, 89, 350

- breakfast, 316
- bridge lights, 172
- bronze propellers, 274, 279
- buckets, 253
- budgets
  - boat storage costs, 44–45
  - financing, 48–49
  - fuel, 46
  - insurance, 47–48
  - maintenance, 46–47
  - trailer purchase, 45–46
- buoys. *See also* navigation markers
  - green “can,” 171, 172
  - nautical charts, 176
  - red and green, 170
  - red “nun” buoys, 170–171, 172
  - white and red/orange, 171
- buying
  - basics, 50–53
  - at boat shows, 59
  - boating activities and, 41–42
  - budgets, 44–50
  - with cash, 48
  - choices, narrowing, 38–44
    - at dealers, 53, 58–59
    - financing and, 48–49
  - horsepower selection, 43–44
  - from individuals, 57–58
  - new boats, 14–15
  - paperwork, 52–53
  - pre-owned boats, 15
  - pre-owned versus new boat decision, 50–56
  - price determination, 51–52
  - quality construction, 50–51
  - sea trials, 15
  - water type/location and, 38–41
  - Web site, 56–57
- **C** ●
- captain’s license, 60
- cardinal directions, 179
- cellphones, 207, 215
- center console offshore boats, 26
- Central region small craft advisories, 199
- chain, anchor, 152
- charts
  - contents, 176
  - as emergency gear, 216
  - fishing, 174, 177–178
  - GPS, 191
  - nautical, 174, 175–177
  - obsolescence, 175
  - smaller lake, 174
  - sources, 178
- chilling items, 313–314
- chines, 20, 21
- chop, at trailer approach, 111
- circuit breakers, 282–283
- cleaning. *See also* maintenance
  - green products, 255
  - onboard equipment, 340
  - soaps, 254–256
  - tools, 253–254
  - waxes, 254–256
- cleats, lashing lines to, 146–147
- clubs
  - boat-brand, 322–323
  - fishing, 319–322
  - fractional ownership, 325–328
  - U.S. Coast Guard Auxiliary, 324–325
  - watersports, 323–324
- Coastal Conservation Association (CCA), 322
- cockpit, 20, 21
- coffee makers, 311
- collision, vessel, 220
- combo skis, 72–73
- communication
  - between boats, 185–186
  - emergency message, 186
- compass
  - accuracy, checking, 180
  - card, 179
  - cardinal directions, 179
  - choosing, 182
  - degrees, 179
  - as emergency gear, 216
  - functioning of, 179
  - illustrated, 180
  - navigation, 178–182
  - need for, 179
  - using, 181

- conventions, this book, 2–3
  - coolers, 310–311
  - costs
    - antennas, 185
    - boat storage, 44–45
    - boating, 11–12
    - depth finder, 69
    - dry storage, 302
    - financing, 48–49
    - fuel, 46
    - GPS, 69
    - insurance, 47
    - landlubber family activities, 11
    - maintenance, 46–47
    - skis, 73
    - slalom ski, 73
    - trailer purchase, 45–46
    - tube, 70
    - VHF radio, 70, 183
    - wakeboard, 71
    - wet slip storage, 297–298
  - course
    - changing, 34
    - changing, in stormy seas, 209–210
    - maintaining, 133–134
    - reciprocal, 181
  - courtesy dock
    - for crew, 104
    - dry stack storage, 301
    - at solo launch, 106
    - at loading time, 109
    - offloading passengers at, 109–110
    - releasing boat from, 110
  - CPR training, 60
  - crack the whip tube maneuver, 72
  - crew
    - at boat loading, 116
    - dock fueling and, 124, 125
    - at launch, 104–105
    - limits, knowing, 331–332
    - loading, time for, 98, 104
    - offloading, 109–110
    - preparation for docking/disembarking, 332–333
    - securing, 110
    - storm preparation, 206
  - crew boat launch. *See also* launching
    - boat handler, 101–102
    - guests/kids, 204–205
    - with no courtesy dock, 105
    - vehicle driver, 103–104
  - crosscurrents, on ramp, 100–101
  - crossing paths rule, 161–162
  - cruisers
    - defined, 13
    - express, 31
    - horsepower guidelines, 44
    - houseboat, 32
    - pocket, 31
    - sedan, 31
  - cuddy cabins, 28
  - currents
    - alongside docking and, 145
    - stern-in docking and, 142
    - at trailer approach, 111, 113
- D •
- damage assessment, 227
  - day markers, 169
  - deadrise angle, 20, 21
  - dealers
    - buying from, 58–59
    - new boat pricing, 55–56
    - NMMA seal, 58, 59
  - deck
    - defined, 20
    - illustrated, 21
    - pre-purchase inspection, 349
  - deck boats
    - characteristics, 28–29
    - defined, 12
    - performance, 28
  - deep ramps, 100
  - deep-cycle batteries, 248
  - depth finders. *See also* electronics
    - choosing, 187–188
    - costs, 69, 186
    - defined, 68
    - digital transmitters, 188
    - functioning, 187
    - screens, 188
    - shallow water alarm, 188
    - sonar unit, 187
    - spotting fish with, 189
    - time lag, 189
    - transducers, 187, 188
    - using, 188–189

- diameter, propeller, 272, 273
  - dinner, 317
  - displacement hoists, 296–297
  - displacement hulls, 132
  - distress signals, 224–225
  - docking
    - alongside (parallel), 144–145
    - approach to, 17, 140
    - bow-in (forward), 143–144
    - choices, 140
    - crew preparation for, 332–333
    - fear of, 140
    - speed, 140
    - stern-in (backward), 140–143
    - undocking and, 148–149
  - docklines. *See* lines
  - dockminiums, 304–305
  - docks
    - floating, 293
    - fueling at, 124–125
    - tying to, 145–148
  - documenting boats, 53
  - draft, 20, 21, 36
  - drift, while anchored, 155
  - drinks. *See also* food
    - alcoholic, 318
    - chilling, 313
    - coffee/tea, 315
    - single-serving mixes, 314
    - sodas, 314
    - sports drinks, 314
    - water, 313, 314
  - drive system alignment, checking, 349
  - drive trim, 346
  - driving
    - acceleration, 133
    - changing course, 134
    - cruise speed, 133
    - docking, 17, 140–149
    - engine shutdown and, 137
    - fueling and, 121–125
    - high speeds, 134
    - maintaining course, 133–134
    - pitch, 135
    - propeller, trimming, 135–136
    - response, 134
    - ride, adjusting, 134–137
    - roll, 135
    - slow speeds, 134
    - speed, 17
    - starting engine and, 126–131
    - taking off, 131–133
    - trim tabs, 136–137
    - yaw, 135
  - dry stack storage. *See also* storage
    - advantages/disadvantages, 302–304
    - boat preparation for, 301–302
    - characteristics, 300–301
    - costs, 302
    - courtesy docks, 301
    - covered/uncovered, 300
    - defined, 45, 299
    - illustrated, 299
    - launch limits, 300, 302
- *E* ●
- ear muffs, 259
  - Eastern region small craft advisories, 199
  - electric hoists, 297
  - electrical problems
    - circuit breakers, 282–283
    - fuses, 282–283
    - 110-volt power, 283
    - repairing, 279–285
    - stereo example, 284–285
    - tracking down, 283–285
    - 12-volt battery system, 281–282
    - wire color code and, 280–281
    - wiring tools, 285
  - electronic control module (ECM), 247
  - electronics
    - depth finder, 68–69, 186–189
    - GPS, 69, 189–192
    - radar, 192–193
    - security, 307
    - VHF radio, 70, 183–186
  - emergencies
    - abandoning ship, 225–226
    - collision, 220
    - communication gear for, 214–215
    - equipment failure, 217
    - equipment for, 211–217
    - fire, 218–219
    - flares, 224
    - float plans, 216–217

emergencies (*continued*)

- grounding, 219–220
  - help, calling for, 186, 221–225
  - knowing, 207
  - mayday call, 222–223
  - navigation tools for, 215–216
  - pan-pan call, 223–224
  - personal accident/injury, 221
  - task assignment during, 217
  - temporary repairs, 226–227
  - types of, 217–221
  - wait or go to shore decision, 225
  - waving for attention, 224
  - weather, 221
- engine compartments
- latches, 234
  - see-through fire ports, 218
- engine management module (EMM), 247
- engines
- checking before purchase, 15
  - choking, 128–129
  - cylinders, fogging, 259
  - ethanol and, 245–246
  - flushing with fresh water, 118–119
  - four-stroke, 123
  - freezing up prevention, 260
  - gauges, 247–248, 347–348
  - horsepower selection, 43–44
  - inboard, 32–33
  - jet propulsion, 35–36
  - jump-starting, 130–131
  - manifolds, 260
  - oil, 122–123
  - outboard, 33–34
  - pod drive, 35
  - shutting down, 137
  - starting, 126–131
  - sterndrive, 34–35
  - two-stroke, 123
  - types of, 32–36
  - winterizing, 18
- equipment failure
- emergencies, 217
  - minor, consequences, 228
- ethanol, 245–246
- express cruisers, 31
- eye bolts, 79, 89

● **F** ●

- fenders
- attaching, 96–97
  - defined, 67
  - hanging, 148
  - lines, adjusting, 148
  - materials, 67
  - in rafting up, 150, 151
  - specs, 68
- financing, 49
- fire emergencies, 218–219
- fire extinguishers
- checking, 212
  - classes, 64
  - maintenance, 64
  - standards, 64
- first-aid kit, 213–214
- first-aid training, 60
- fish and ski boats, 13, 24
- fishing boats
- bass, 13, 23–24
  - bay, 23, 25–26
  - center console offshore, 26
  - choosing, 22–27
  - fish and ski, 23, 24
  - flats, 13, 25
  - freshwater, 23–24
  - horsepower guidelines, 43–44
  - saltwater, 25–27
  - types of, 13
  - walkaround, 26–27
  - walleye, 13, 24
- fishing charts. *See also* charts
- defined, 174
  - USGS maps, 177–178
  - using, 177–178
- fishing clubs. *See also* clubs
- bass, 320–321
  - benefits, 319
  - Coastal Conservation Association (CCA), 322
  - muskie, 322
  - offerings, 320
  - walleye, 321
- fit and finish, 50–51
- flares, 224

- flats boats, 13, 25
  - float plans, 216
  - floating docks, 293
  - floating hoists, 296
  - fluids
    - checking, 18
    - hydraulic engine trim, 245, 345
    - power steering, 346
    - transmission, 243–244
    - trim tab, 346
  - fluke anchor, 153, 154
  - FLW Outdoors, 321
  - fog
    - generation conditions, 204
    - lights and, 205
    - navigating through, 203–205
    - radar and, 205
    - rules for boaters, 204–205
    - sound signals, 205
    - speed rules, 204–205
  - fogging cylinders, 259
  - following seas, 209
  - food. *See also* drinks
    - breakfast, 316
    - dinner, 317
    - lunch, 316–317
    - meal planning, 317–318
    - snacks, 315
  - forward, 21, 22
  - four-point connection, 145, 146–147
  - four-stroke engines, 123
  - four-wheel drive, 117
  - fractional ownership clubs
    - advantages/disadvantages, 327–328
    - boating expenses, 327
    - defined, 325
    - finding, 326
    - initiation fees, 326
    - ownership fees, 326
    - recurring fees, 326–327
  - freeboard
    - defined, 22
    - illustrated, 21
    - in strong seas, 208
  - freezer packs, 314
  - freshwater
    - access, 293
    - systems, 262
    - tanks, 293
  - freshwater fishing boats, 23–24
  - freshwater usage, in boat selection, 41
  - fuel
    - burn rate, 46
    - costs, 46
    - gauge, 347
    - stabilizing, 258–259
  - fueling
    - considerations, 122
    - courtesy, 124
    - at dock, 124–125
    - on land, 123–124
    - oil needs and, 122–123
    - patience, 125
    - safety equipment, 125
  - fuses, 282–283, 341
- **G** ●
- galley. *See also* drinks; food
    - defined, 13, 309
    - fridges, 310
    - heating appliances, 311–312
    - tools and utensils, 312
  - galvanic corrosion, 295
  - gauges, engine, 247–248, 347–348
  - gear-case lubricant
    - changing, 241–243
    - draining, 242
    - pre-purchase inspection, 345
    - replacement process, 242
    - in sterndrives, 243
    - tools and supplies, 241
  - give-way vessels
    - in crossing paths rule, 162
    - defined, 160
    - in head-on meeting rule, 165
    - in overtaking vessel rule, 164
  - Global Positioning Systems (GPS)
    - anchor drift, 155
    - antennas, 191
    - chart plotters, 190
    - charts, 191
    - choosing, 190–191
    - combination units, 191
    - cost, 69
    - defined, 69

- Global Positioning Systems (GPS) (*continued*)
- as emergency gear, 215–216
  - fixed mount units, 191
  - functioning of, 189–190
  - GOTO function, 191
  - Man Over Board (MOB) function, 192
  - position calculation, 190
  - receivers, 190
  - satellites, 190
  - screens, 190–191
  - speed display, 192
  - trails, 190, 192
  - using, 189–192
  - waypoints, 192
  - weather information, 197–198
- GOTO function, GPS, 191
- GPS. *See* Global Positioning Systems
- GPS Snitch, 307
- grapnel anchor, 153, 154
- Great Lakes, 39
- green boat-care products, 255
- green “can” buoys, 171, 172
- green lights
- boat, 166, 168
  - dry land, 172
- green, odd-numbered squares, 169, 170
- grills, 311–312
- grounding, 219–220
- Guam and Northern Mariana Islands small craft advisories, 199
- guests/kids at launch, 104–105
- guide-ons (trailer), 90, 91
- gunwale, 21, 22, 311
- **H** •
- hail, 203
- half-hitch knots, 336–338
- handheld VHF radios, 183, 214–215
- harbormaster, 207, 293
- hardware, tightening/replacing, 270–271
- Hawaii and Samoa small craft advisories, 199
- hazards. *See* emergencies
- head, 13
- head seas, 208
- head-on meeting rule, 165
- heating appliances, 311–312
- helm, 21, 22, 334
- helm station, 21, 22, 271
- hinges, tightening/repairing, 270
- hitch locking lever, 79, 81
- hitching
- alignment, 80–81
  - defined, 78
  - parts, 78
  - process, 81
- hoists
- displacement, 296–297
  - electric, 297
  - floating, 296
  - salty bunks on, 297
  - wet slip, 296–297
- hooks. *See* anchors
- horn, backup, 341
- horsepower. *See also* engines
- choosing in boat purchase, 43–44
  - cruisers, 44
  - fishing boats, 43–44
  - fuel economy and, 43
  - pontoons, 44
  - runabouts, 44
- hose fittings, checking, 18, 268–269
- hot-dogging, resisting temptation, 333–334
- houseboats, 32
- hulls
- displacement, 132
  - planing, 132
  - pre-purchase inspection, 349
  - problems, 349
- hurricanes, 201
- hydraulic engine trim fluid, 245, 345
- **I** •
- ice, 313–314
- icons, this book, 6
- ignition switch, tightening, 271
- inboard engines. *See also* engines
- boats using, 33
  - defined, 32
  - kill switch connector, 127
  - oil, changing, 237–239
  - placement illustration, 33
  - props, removing, 277

transmission fluid, checking/changing,  
243–244

individuals, buying from, 57–58

In-Fisherman Professional Walleye Trail, 321

inflatable boats, 29–30

inshore coastal waters, 39

inspections

- with marine surveyors, 53, 54–55
- pre-owned boats, 54, 344–350

insurance

- checking, 217
- costs, 47
- guidelines, 47–48
- lining up, 15
- online, 48

Intracoastal Waterway (ICW)

- defined, 175
- markers, 169
- nautical charts, 176

## • J •

jet boats, 36

jet propulsion power

- defined, 35
- functioning, 36
- illustrated, 36
- oil, changing, 240

## • K •

keel, 21, 22

keel rollers (trailer), 90, 91

kill switch lanyard, 127–128

knives, 342

knots

- bowline, 335–336
- half-hitch, 336–338

## • L •

lakes, 39

latches, tightening/repairing, 270

launching

- alone, 105–107
- anchor strategy, 107
- boat handler, 101–102

- with crew, 101–105
- crew loading at, 98
- crosscurrent on ramp, 100–101
- deep ramp, 100
- etiquette, 95
- guests/kids at, 104–105
- juggling act strategy, 108
- lining up for, 98
- potential mistakes, 16
- process, 17
- shallow ramp, 99
- staging for, 95–98
- vehicle driver, 103–104
- wheel chocks during, 98

leaks

- fixing, 266–267
- plug materials, 342
- plugging, 227

licenses, boating, 13, 14

life jackets. *See also* safety gear

- defined, 62
- in emergencies, 225
- importance, 339
- state laws and, 62
- types, 62
- watersports, 74

life preservers, 63, 212

lighted markers, 169

lightning, 200–221, 202–203

lights (boat)

- fog and, 205
- green, 166, 168
- interpreting, 168
- pre-purchase inspection, 348
- reading, 166–168
- red, 166, 168
- repairing, 271
- turning on, 167
- visibility, 166
- white, 166–167, 168
- yellow, 167

lights (trailer)

- failure, all, 85
- failure, single, 85–86
- pre-purchase inspection, 350
- testing, 81, 86
- wire color coding, 85
- wiring, 84–85

- lights, bridge, 172
  - lights, navigation, 172
  - lines. *See also* mooring lines
    - defined, 145
    - down-current, 149
    - downwind, 149
    - fender, adjusting, 148
    - lashing to cleats, 146–147
    - proper, using, 334
    - tangled, avoiding, 335
    - tying, 147, 148
    - up-current, 149
    - upwind, 149
  - livewells, 23
  - loading
    - crew, 98
    - gear, 94
    - last-minute gear, 97
  - loading boats
    - bow winch alone, 116
    - challenge, 16
    - courtesy dock and, 109
    - deep ramp, 100
    - final approach, 114
    - idling boaters and, 108
    - offloading crew and, 109–110
    - power, 115
    - at ramp, 109
    - road-ready boat/trailer, 117–119
    - shallow ramp, 99
    - situating on trailer, 114
    - staging area and, 109, 118
    - traffic, 107
    - trailer approach, 111–113
    - trailer contact, 113–116
    - winch with partner, 116
  - loading line, 108–109
  - local channel markers, 169–170, 176
  - locker drains, 262
  - locking pin, 79, 81
  - long-term storage. *See* storage (long-term)
  - lookout rule, 161
  - loss of horizon, 132
  - lubber line, 179
  - lubricating
    - gear case, 241–243
    - wheel bearings, 87–88
    - wiring connections, 85
  - lunch, 316–317
- M •
- magnetic north, 182
  - maintenance
    - battery, 248–252
    - cleaning, 253–256
    - costs, budgeting, 46–47
    - ethanol effects, 245–246
    - fire extinguisher, 64
    - fittings, checking, 18
    - fluids, 18, 243–246
    - gauges and, 247–248
    - gear-case lubricant, 241–243
    - hydraulic engine trim fluid, 245
    - oil, 232–240
    - power-steering fluid, 244
    - tasks, 18
    - transmission fluid, 243–244
    - winterization, 18
    - wiring tools, 285
  - Man Over Board (MOB) function, GPS, 192
  - maneuvers
    - crack the whip, 72
    - warning before, 332
    - yelling and, 333
  - marina operators, 207, 293
  - marinas
    - amenities, 303
    - mechanics, 304
    - premium amenities, 305
  - marine forecasts
    - bad, 200–201
    - getting, 195–198
    - GPS, 197–198
    - radio, 197
    - Web, 196
  - marine surveyors, 53, 54–55
  - markers. *See* navigation markers
  - mayday calls, 222–223
  - meal planning, 317–318
  - mechanical checks (pre-owned boat purchase)
    - deck and hull, 349
    - drive system alignment, 349
    - electrical devices, 348
    - engine belt, 347
    - engine devices, 346
    - engine fluids, 344–346
    - trailer, 350

microfiber towels, 254  
midships, 21, 22  
mooring covers  
  characteristics, 263  
  covering, 264  
  fit, 290  
  importance, 263  
  installation, 291  
  removing in hurricanes, 201  
  UV protection, 290  
  waterproofing, 290  
mooring lines  
  attaching, 96–97  
  choosing, 65–66  
  diameter, 66  
  length, 66  
  materials, 65–66  
  in rafting up, 150  
  specs, 66  
muskie clubs, 322

## • N •

National Association of State Boating Laws  
  Administrators (NASBLA), 60  
National Marine Manufacturers Association  
  (NMMA)  
  boat certification, 219  
  fire extinguishers, 64  
  wiring, 279  
National Oceanic and Atmospheric  
  Administration (NOAA), 174  
National Weather Service site, 196  
nautical charts. *See also* charts  
  bridge/power line heights, 177  
  buoys, 176  
  cardinal directions, 176  
  contents, 176–177  
  defined, 174  
  depth soundings, 176  
  ICW, 176  
  local channel markers, 176  
  obstructions, 177  
  using, 175–177  
navigation  
  bad weather, 195–210  
  charts, 174–178  
  compass, 178–182  
  electronics, 173

  fog, 203–205  
  GPS, 189–192  
  lights, 172  
  tools, 215–216  
navigation markers  
  buoys, 170–172  
  day, 169  
  intersecting channel, 170  
  Intracoastal Waterway (ICW), 169  
  lighted, 169  
  local channels, 169–170, 176  
  understanding, 168–172  
negative wires, 284  
new boats (buying). *See also* buying  
  buying basics, 50–53  
  highlights, 14–15  
  lemons, 55  
  looking at, 55–56  
  pricing policies, 55–56  
nighttime boating, 165  
non-skid deck cleaner, 255  
north  
  compass and, 179  
  magnetic, 182  
  true, 182

## • O •

offshore coastal waters, 39  
offshore fishing boats, 13, 26  
oil  
  brand, 233  
  checking, 234, 238  
  dipstick, 234, 235  
  FC-W, 233  
  four-stroke engine, 123, 237–239  
  jet-drive engines, 240  
  premium versus bargain, 240  
  pre-purchase inspection, 344  
  two-stroke engine, 122, 236  
  weight, 233  
oil changes  
  inboard/sterndrive engines, 237–239  
  jet-drive engine, 240  
  for long-term storage, 259  
  money savings, 232  
  process, 234–235  
  tools and supplies, 233–234  
  two-stroke engines, 236

- oil filters
    - automobile engine, 234
    - marine engine, 234
    - unscrewing, 235, 239
    - wrench, 233
  - oil-pressure gauge, 247, 347–348
  - 110-volt power, 283
  - organization, this book, 4–5
  - outboard power. *See also* engines
    - automatic draining, 260
    - boats using, 34
    - defined, 33
    - oil, changing, 236
    - placement illustration, 33
    - priming, 128
    - props, removing, 275–277
  - overtaking vessel rule. *See also* rules
    - application, 163
    - exceptions, 163
    - give-way vessel, 164
    - horn and whistle signals, 163
    - illustrated, 164
    - international waters, 163
    - special requirements, 163
    - stand-on vessel, 164
  - owner's manuals, 47
- *p* ●
- paddles, 64–65
  - paint, anti-fouling, 294
  - painting boat bottom, 294–295
  - pan-pan calls, 223–224
  - paperwork, 52–53
  - personal accidents/injuries, 221
  - pitch, 135
  - pitch, propeller, 272, 273
  - planing hulls, 132
  - planning
    - meal, 317–318
    - ramp, 94
  - pliers, 341
  - plough anchor, 153
  - plumbing
    - bilge, 263
    - draining before storage, 261
    - freeze-proofing, 261–263
    - freshwater systems, 262
    - locker drains, 262
  - pocket cruisers, 31
  - pod drives, 35
  - pontoon boats
    - characteristics, 30
    - defined, 12
    - horsepower guidelines, 44
    - popularity, 30
  - port, 21, 22
  - power loading, 115
  - power-steering fluid, 244, 246
  - pre-owned boats (buying). *See also* buying
    - buying basics, 50–53
    - considering, 54–55
    - highlights, 15
    - inspecting, 54
    - marine surveyor inspection, 53, 54–55
    - mechanical checks, 343–350
    - new boat versus, 50–56
  - prequalification, financing, 48
  - prices
    - asking, 52
    - fair, determining, 51–52
    - guidelines, 52
    - new boat, 55–56
  - propellers
    - aluminum, 273–274, 277–278
    - blades, 273
    - broken, 227
    - bronze, 274, 279
    - clearance, 156
    - damage determination, 274–275
    - diameter, 272, 273
    - dimensions, 272–273
    - inboard, removing, 277
    - materials, 273–274
    - outboard/sterndrive, removing, 275–277
    - pitch, 272, 273
    - removing, 275–277
    - repairing, 277–279
    - spins a hub, 275
    - stainless-steel, 274, 278
    - trimmed up, 132
    - trimming, 135–136
    - in water at engine start, 126
  - pulling boat-loaded trailers, 82

• **Q** •

quartering seas, 209

• **R** •

rackominiums, 304, 305

radar

benefits, 193

fog and, 205

functioning of, 192–193

helm display, 193

mounting, 193

power, 193

radios. *See* VHF radios

rafting up

approach, 149–150

break-up, 151

defined, 149

fenders, 151

hitching boats, 150

mooring lines, 150

ramps

boats loading up at, 109

crosscurrents on, 100–101

deep, 100

downward slope, 98

hogs at, 95

lining up for loading, 110

preparation for, 94

roughing up, 117

shallow, 99

sizing up, 98–101

slippery, 116–117

staging area, 95

reader assumptions, this book, 3–4

reciprocal course, 181

recommissioning

defined, 258

preparation, 264

red and green buoys, 170, 171

red, even-numbered triangles, 169, 170

red lights

boat, 166, 168

safe passage boundaries, 172

red “nun” buoys, 170–171, 172

refrigerators, 310

regional advisories, 199

registration, 53

rendezvous, 323

repairs. *See also* maintenance

belts, 271–272

bolts/screws, 267–268

downtime, 265

electrical, 279–285

hardware, 269–271

hose clamps, 268–269

leaks, 266–267

major, need for, 265

minor, 265–285

propeller, 272–279

temporary, 226–227

through-hull fittings, 267, 269

retractable transom straps (trailer), 90, 91

right of way, 160–161

rigid inflatable boats (RIBs), 30

rivers, 39

rode. *See also* anchors

checking, 212

defined, 152

in setting anchor, 155

rode-to-depth ratio, 155

roll, 135

rope, extra, 340

rules, boating

crossing paths, 161–162

enforcement, 159

in fault/liability determination, 160

foggy, 204–205

golden rule, 160–161

light turn-on, 167

lookout, 161

meeting head-on rule, 165

navigation markers, 168–172

no right of way, 160–161

overtaking vessel, 162–164

sharing the water, 159–165

speed, 165

states, 2, 160

runabouts

bowriders, 27–28

cuddy cabins, 28

deck boats, 28–29

defined, 27

horsepower guidelines, 44

inflatable, 29–30

## ● S ●

- safety
  - courses, 60
  - fueling, 125
  - starting engine, 126–127
  - stops, 119
  - undocking, 149
- safety chains, 79, 81, 118
- safety gear
  - checking, 17, 212–213
  - fire extinguishers, 64, 212
  - first-aid kit, 213–214
  - life jackets, 62, 74, 225, 339
  - life preservers, 63, 212
  - orientation, 61–62
  - paddles, 64–65
  - spare anchor, 64
- saltwater boating, 118–119
- saltwater fishing boats, 25–27
- saltwater usage, in boat selection, 40
- scope, 153
- screwdriver, 341
- screws, tightening/replacing, 267–268
- sea trials, 15
- seas
  - adjusting speed to, 207
  - following, 209
  - gauging, 202
  - head, 208
  - quartering, 209
  - stormy, 209–210
  - strong, affecting parts of boat, 208
- security
  - marina, 303
  - trailer, 307–308
- sedan cruisers, 31
- setting anchor, 154–155
- shallow ramps, 99
- shallow waters, 39
- shoaling, 175
- shorepower, 293
- shoving off, 148–149
- shutting down engines, 137
- silicone squeegee, 254
- SIRIUS Satellite Radio, 197
- six-pack license, 60
- skis
  - combo set, 72–73
  - slalom, 73
- slippery ramps, 116–117
- slips. *See* wet slips
- small craft advisories
  - defined, 198
  - heeding, 198
  - regional, 199
- smart instruments, 247
- snacks, 315
- solar chargers, 249
- sole, 21, 22
- solo launches. *See also* launching
  - anchor strategy, 107
  - juggling act strategy, 108
  - with no courtesy dock, 106–107
  - steps, 106
  - swimmer's, 105
- solo loading, 116
- sonar units. *See* depth finders
- Southern region small craft advisories, 199
- spare anchors, 64, 228
- specifications, boat, 2
- speed
  - cruise, 133
  - docking approach, 140
  - GPS display, 192
  - high, 134
  - nighttime boating, 165
  - rule, 165
  - slow, 134
  - at trailer approach, 112
- speedometer, 247, 347
- spotters, 80, 81
- spray grease, 342
- spray wash-and-wax, 255
- staging area
  - after loading, 118
  - before loading, 109
  - defined, 95
- staging for launch. *See also* launching
  - battery charge check, 97–98
  - battery switch, 97
  - bilge plug, 96
  - bow winch, 96

- fenders and docklines, 96–97
  - last-minute gear loading, 97
  - transom straps, 96
  - stainless-steel propellers. *See also* propellers
    - characteristics, 274
    - performance, 274
    - repairing, 278
  - stand-on vessels
    - in crossing paths rule, 162
    - defined, 160
    - in head-on meeting rule, 165
    - in overtaking vessel rule, 164
  - starboard, 21, 22
  - starting engines
    - anchor and, 126
    - choking and pumping, 128
    - jumping and, 130–131
    - kill switch, 127–128
    - priming fuel lines, 128
    - propeller in water, 126
    - safety, 126–127
    - troubleshooting, 129–131
  - state boating exam, 60
  - stem, 21, 22
  - stern
    - defined, 22
    - illustrated, 21
    - in strong seas, 208
  - sterndrive power
    - boats using, 35
    - defined, 34
    - hydraulic engine trim fluid, 245
    - kill switch connector, 127
    - oil, changing, 237–239
    - placement illustration, 34
    - power-steering fluid, 244
    - props, removing, 275–277
    - upper gear cases in, 243
  - stern-in docking. *See also* docking
    - illustrated, 141
    - process, 142–143
    - reasons for, 140–141
    - selecting, 142–143
  - storage
    - costs, 44–45
    - dry stack, 299–304
    - mooring covers and, 290–291
    - options, 45
    - purchase, 304–305
    - setting up, 289–308
    - trailing, 305–308
  - storage (long-term)
    - battery, 261
    - defined, 258
    - engine freeze-up prevention, 260
    - fogging cylinders, 259
    - freeze-proofing plumbing, 261–263
    - mooring covers, 263–264
    - oil changing for, 259
    - preparing for, 257–264
    - stabilizing fuel, 258–259
  - storms. *See also* weather
    - boat security/relocation, 201
    - bow in, 208
    - crew preparation, 206
    - freeboard in, 208
    - handling boats in, 205–210
    - riding out, 206–207
    - stern in, 208
  - stormy seas
    - affects on boat parts, 208
    - changing course in, 209–210
    - following, 209
    - head, 208
    - quartering, 209
  - stoves, 311
  - stowable paddles, 65
  - sun protection, 342
  - swim platform, 21, 22
  - swing, 153
  - synthetic chamois, 254
- T ●
- tachometer, 247, 347
  - temperature gauge, 248
  - temporary repairs, 226–227
  - throttle
    - engaging, 133
    - lever functions, 131
    - pumping, 128–129
  - through-hull fittings, 18, 267, 269
  - throwable life preservers, 63

- thunderstorms. *See also* weather
  - formation, 203
  - power of, 202–203
  - speed, 206
- tires (trailer), 88, 350
- title, 53
- tongue jack, 79, 81
- tools
  - cleaning, 253–254
  - galley, 312
- tools
  - gear-case lubricant, 241
  - key, 341–342
  - navigation, 215–216
  - oil changing, 233–234
  - wiring, 285
- tow ropes
  - ransom, 73
  - tow point, 73
  - tubing, 74
  - wakeboarding, 74
  - water-skiing, 74
- tow vehicles
  - acceleration, 82
  - at solo launch, 106
  - anti-slip transmission, 117
  - backing up, 16
  - brakes, 88
  - financing, 49
  - four-wheel drive, 117
  - fuel consumption, minimizing, 82–83
  - mirrors, 81
  - parking/emergency brakes, 17, 99, 106
  - stopping distance, 82
  - turning with, 82
  - wheel chocks, 104
- towing
  - backing up and, 83–84
  - capacity, 16
  - difficulties, 77
  - on dual-lane roads, 82
  - frequent stops while, 83
  - hitching, 78–79
  - pulling and, 82
  - safety, 16
  - tips, 82–83
- trailer approach. *See also* loading boats
  - contact, 113–116
  - current, 111, 113
  - final, 114
  - speed, 112
  - steering challenges, 112–113
  - water conditions, 111
  - wind conditions, 111, 113
- trailer storage. *See also* storage
  - advantages/disadvantages, 308
  - boat preparation for, 306–308
  - boat protection, 308
  - convenience, 305
  - home, 306
  - marina, 306
  - security, 307–308
  - self-storage lots, 306
  - using, 305–308
- trailers
  - backing up with, 16, 83–84
  - brakes, 89, 350
  - center rollers, 90, 91
  - contact, at loading, 113–116
  - coupler, 79
  - finding, 16
  - gadgets, 90–91
  - guide-ons, 90, 91
  - hardware, checking, 89
  - light plug, 81
  - lighting wires, 84–85
  - lights, failure, 85–86
  - lights, testing, 81, 350
  - pre-purchase inspection, 350
  - pulling, 82–83
  - purchase costs, 45–46
  - retractable transom straps, 90, 91
  - retrieving for loading, 110
  - road-readying, 117–119
  - roadworthiness, 84–89
    - as storage, 45
    - tires, 350
    - tongue jack, 79
    - wheels, 87–88, 350
  - training, 13–14
  - transducers, sonar, 187, 188
  - transmission fluid, 243–244

transom straps. *See also* trailers  
 checking, 89  
 connecting, 118  
 defined, 79  
 disconnecting/removing, 96  
 retractable, 90–91

transoms  
 defined, 22  
 illustrated, 21  
 walk-through, 141

trim tabs  
 defined, 136  
 at engine shutdown, 137  
 fluid, 346  
 illustrated, 136  
 markings, 137  
 pre-purchase operation, 346–347

trimming propeller  
 defined, 135  
 process, 135–136  
 in quartering seas, 209

trolling, 24

true north, 182

tubes  
 cost, 70  
 crack the whip maneuver, 72  
 defined, 70  
 illustrated, 71  
 tow ropes, 74

12-volt battery system, 281–282

two-stroke engines, 122

tying  
 bowline knots, 335–336  
 to dock, 145–148  
 half-hitch knots, 336–338  
 lines, 147, 148  
 to other boats, 149–151

types, life jacket, 62

• U •

undocking, 148–149

U.S. Coast Guard  
 radioing position to, 207  
 rule enforcement, 159

U.S. Coast Guard Auxiliary, 14, 324–325

U.S. Coast Guard Navigation Rules, 159, 205

U.S. Geological Survey (USGS) maps, 177

upholstery cleaners, 256

UV inhibitor, 256

• V •

vehicle driver  
 at crew launch, 103–104  
 at solo launch, 105–117  
 trailer retrieval, 110

ventilating, 135

vessels  
 collision with, 220  
 crossing paths with, 161–162  
 defined, 160  
 give-way, 160, 162, 164  
 overtaking, 162–164  
 stand-on, 160, 162, 164

VHF radios  
 antennas, 183, 184–185  
 backup, 184  
 calling with, 186  
 channels, 185  
 checking, 212  
 communicating with, 185–186  
 cost, 70, 184  
 defined, 183  
 DSC-equipped, 184  
 emergency transmission, 186, 222–224  
 fixed, 183–184  
 handheld, 183, 214–215  
 need for, 70  
 transmit range, 183, 184  
 weather, 197

voltage meter, 248, 347

• W •

wakeboard riders, 29

wakeboards  
 cost, 71  
 defined, 71  
 illustrated, 72  
 tow rope, 74

walkaround boats, 26–27

- walleye boats, 13, 24
  - walleye clubs, 321
  - water, drinking, 313, 314
  - waterline, 21, 22
  - water-pump hoses, draining, 260
  - waters
    - boat selection and, 40–41
    - fresh water, 41
    - location, 38
    - salt water, 40–41
    - sharing, 159–165
    - types, 38–39
  - water-skiing, tow rope, 74
  - watersports
    - boats, 12, 29
    - clubs, 323–324
    - jackets, 74
  - watersports accessories. *See also* accessories
    - life jackets, 74
    - skis, 72–73
    - slalom ski, 73
    - tow rope, 73–74
    - tubes, 70–71
    - wakeboards, 71–72
  - waves, gauging, 202
  - waving, in emergencies, 224
  - waypoints, GPS, 192
  - weather
    - dealing with, 201–205
    - departure/destination plans and, 200
    - emergencies, 221
    - fog, 203–205
    - GPS, 197–198
    - hail, 203
    - hurricanes, 201
    - lightning, 200–201, 202–203
    - marine forecasts, 195–198
    - navigating, 195–210
    - precautions, 200–201
    - radios, 197
    - small crafts warnings/advisories, 198–199
    - storms, 205–210
    - sudden changes, 201
    - thunderstorms, 202–203
    - Web sites, 196
  - Web site shopping, 56–57
  - weighing (raising) anchor, 156
  - Western region small craft advisories, 199
  - wet slips. *See also* storage
    - advantages/disadvantages, 45, 298
    - anti-fouling paint and, 294
    - approach, 292
    - boarding access, 292–293
    - boat preparation for, 294–295
    - costs, 297–298
    - docking access, 291–293
    - dockside amenities, 293
    - galvanic corrosion and, 295
    - hoists, 296–297
    - location in marina, 292
    - shorepower, 293
    - stern-in docking, 140–143
    - storage, 291–298
  - wheel chocks, 98, 99, 104
  - wheels (trailer)
    - bearings, monitoring, 87–88
    - bearings, pre-purchase inspection, 350
    - tires, checking, 88
  - white and red/orange buoys, 171
  - white lights, 166–167, 168
  - wind
    - gauging, 202
    - stern-in docking and, 142
    - at trailer approach, 111, 113
  - wire crimping tool, 285
  - wiring. *See also* electrical problems
    - ABYC standards, 279
    - color code, 280–281
    - connections, lubricating, 85
    - tools, 285
    - trailer lights, 84–85
  - wooden paddles, 65
  - wrench, adjustable, 341
- 
- X •
  - XM Radio, 198
  - Y •
  - yaw, 135
  - yelling, 333
  - yellow lights, 167
  - Z •
  - zincs, 295