

INDEX

Page references followed by *fig* indicate an illustrated figure; followed by *t* indicate a table.

A

- Abuja master plan (Nigeria), 309
- Access to care: as health care system pillar, 226–228; migrant health and, 55–56; universal health care providing, 476; as urban health challenges, 470–471. *See also* Health care systems
- Activism. *See* Urban poor activism
- Aedes albopictus*, 113
- Aedes aegyptii*, 113
- Aesthetics: brief history of health, urban planning, and, 346–349; current state of urban, 349–351; definition of, 340; factors shaping public health and urban, 342–346; interrelation of health, urban form and, 340–342
- Aesthetics, Well-Being and Health: Essays within Architecture and Environmental Aesthetics* (Cold), 342
- African Population & Health Research Center (APHRC), 150, 152
- Aga Khan Health Services, 234
- Age differences: Shanghai's aging of native population, 423*fig*; vulnerability to small arms violence and, 165*fig*
- Age-friendly cities: *Global Age-Friendly Cities: A Guide* (WHO) on, 96; New York City Age-friendly Cities (AFC NYC) project, 96–102; WHO Ageing and Life Course program on, 95–96
- AIDS. *See* HIV/AIDS
- Air pollutants: air toxics, 323*t*, 330; biological, 79, 324*t*; carbon dioxide (CO₂), 292, 322*t*, 328–329; climate change and greenhouse gas (GHG) emissions, 291–292; lead, 322*t*, 329–330; nitrogen dioxide (NO₂), 327; nitrogen oxides (NO_x), 323*t*, 327; PM (particulate matter), 323*t*, 324–326; sources, health effects, and regulations of major, 322*t*–324; sulfur dioxide (SO₂), 322*t*, 326–327; tropospheric ozone, 323*t*, 328; urban microenvironment sources of, 321*t*; VOCs (volatile organic compounds), 324*t*, 329; WHO guidelines on target levels for, 334
- Air pollution: climate change impact on, 291–292; health risks associated with urban, 322*t*–331; history of, 318–319; increasing temperatures impact on, 78–79; motor vehicles and, 290; pollen allergies, 79; public health implications for, 330–331; urban environments and exposure to, 320–321*t*; weekly mortality/sulfur dioxide levels of London Fog (1952), 318*fig*
- Air quality: EPA's Air Quality Index on, 332; global mega-cities and annual ambient, 319, 320*t*, 334; London Congestion Charging Scheme (2003) to manage, 332–333; management in urban environments, 331–334; public health litigation in Delhi over, 333
- Air toxics, 323*t*, 330
- Alma-Ata Declaration of Primary Health Care, 406
- American Public Transportation Association (APTA), 286
- Amsterdam: characteristics of, 60–61; ethnic diversity in, 61; health promotion in multicultural population, 64–66; health status of population, 61–62; migrant health educators in, 65–66; public health policies in, 62–66
- Animal importation, 111
- Anopheles* vectors, 114

- Anthrax terrorism (2001), 193
- Antibiotic-resistant bacteria, 117–118
- Antimicrobial resistance, 119–120
- Argentine *villa miseria*, 307
- Asia: inadequate water/sanitation infrastructure in, 272–276; informal settlements found in, 308
- B**
- Bastee Basheer Odhikar Surakha Committee (BOSC), 394
- Beijing Olympic Games (2008), 18, 20
- Belfast Healthy Cities initiative, 351
- Belo Horizonte (Brazil): Brazilian Unified Health System (BHC) of, 441–450; brief history of, 438–439; MDG (Millennium Development Goals) indicators for, 439, 440*t*; urban determinants of health in, 439, 441; ZEIS (Zones of Special Social Interest) in, 439
- Berlin International Building Exhibition (IBA), 348
- Bicycling transportation, 296
- Biological air pollutants, 79, 324*t*
- Bogotá public transportation, 333
- Brain drain: long-term solutions, 53; migration and resulting, 51–52
- Brazil: Brazilian Unified Health System (BHC) of, 441–450; bus rapid transit system in, 296–299*fig*; crime rates and near collapse of health system in, 165; CRRU (Concession of the Real Right to Use) in, 314; determinants to vulnerability to small arms violence in, 165*fig*; *favelas* of, 307; NHCP (National Health Card Project) of, 245, 246; S[box198]o Paulo's integrated public health system in, 245–247; urban health and governance model in Belo Horizonte in, 438–451; ZEIs (zones of “special interest”) in, 314. *See also* Latin America
- Brazilian Unified Health System (BHC): COMFORÇA of, 447–448; democratic governance model of the, 446–450*t*; IQVU (Quality of Urban Life Index) of the, 445–446; IVA (Environmental vulnerability Risk) of the, 445; IVS (Health Vulnerability Index) of the, 445; metrics of the, 443*t*–444*t*; overview and goals of the, 441–442; Urban Health observatory (OSUBH) and, 442
- “Broken windows theory,” 159
- Built environment: CPTED (crime prevention through environmental design), 159, 166–169; influencing disasters and their consequences, 179–180, 183; influencing disease transmission, 273*t*; interrelation of health, form, and aesthetics of, 340–342; London Plan (GLA) for, 261; macro, meso, and micro levels of crime and, 166–168; policy interventions to promote health, 135; urban crime and associated design of, 166; urban health framework on, 7–8*fig*. *See also* Environment; Urban physical environment
- Bus Rapid Transit (BRT) systems, 296–299*fig*
- Business sector: governance of, 361–362; how health is impacted by, 372–374*t*; how public health professionals influence health impact of, 382–385; reducing urban health inequities through efforts of, 477–478; strategies to influence health-related practices of, 379–382. *See also* Employment; Multinational corporations
- C**
- Campylobacter*, 112
- Can Our Cities Survive?* (Sert), 347
- Canada: crime prevention strategies used in, 169; Health Infoway system of, 239; welfare reforms recommended by IMF, 21
- Carbon dioxide (CO₂): as air pollutant, 322*t*, 328–329; motor vehicles emissions of, 292
- Carboxyhemoglobin (COHb), 329
- Centers for Disease Control and Prevention (CDC), 295
- The Challenge of Slums* report (2003), 18, 19, 306
- Chemical exposures, 79
- Child Protection Centre Zagreb survey (2003), 210
- Children: Croatian programs for prevention of violence among, 215; infant and under-5 mortality rates, 461*t*; malnutrition in rural and urban India, 39*fig*–40
- Chilean *callampa*, 307
- Chlamydia trachomatis* (CT), 62
- Cholera, 346
- Chronic disease: “causes behind the causes” of, 131*t*; increasing risk of, 126–127; magnitude and scope of, 129–133; multiple sclerosis (MS), 82; myths about, 127–128; providing public education on preventable, 472–473; taking action on, 134–136; what cities are doing to counter risk of, 135. *See also* Diseases
- CIAM movement (1920s and 1930s), 347
- Cities: Amsterdam, 60–66; Belo Horizonte (Brazil), 438–450; climate change trends impacting, 70–73; cultural of peace against

- violence in Zagreb, 208–218; Delhi (India), 72*fig*, 77*fig*–78, 290, 333; disaster preparedness of, 185–186; disaster response and recovery of, 186–187; documented/potential health threats of climate change to, 73–82; growth of mega-cities, 223; health-relevant exposures/effects of climate change on, 74*fig*; Healthy Cities project (WHO), 10, 135, 208, 408–418; impact of climate change on “fully workable days” in Delhi, 77*fig*–78; infectious diseases spread and temperature change in, 111–112; policies to counter chronic disease risk, 135; policies to reduce health impacts of climate change, 82–85; rapid growth of, 109, 126; risk of chronic disease in, 126–127; summary of temperature change in selected, 71*t*; UN-HABITAT’s Safer Cities Program, 168; WHO definition of healthy, 427. *See also* Community; Healthy Cities project (WHO); Informal settlements; Nairobi City (Kenya); New York City; Urbanization
- “Cities without slums” initiative (UN), 306
- Citybike Wien program (Vienna), 296, 297*fig*
- Civil society: governance role of, 357–358; informal settlements and involvement of, 312–314; role in solving Luka Ritz’s homicide, 214–215. *See also* NGOs (nongovernmental organizations)
- Clean Air Act, 291, 327
- Clientelism, 395
- Climate change: city policies to reduce health impacts of, 82–85; documented and potential health threats of, 73–82; global and regional trends in, 70–73; greenhouse gas (GHG) emissions and, 291–292; health threat of, 70, 291–292; health-relevant exposures/effects of, 74*fig*; summary of temperature change in selected cities, 71*t*; as twenty-first century health trend, 5. *See also* Environment
- Clostridium difficile*, 118
- Clostridium perfringens*, 81
- Colombia: air quality management through public transportation n, 333; Medellín Metrocable system of, 300–301
- COMFORÇA (Brazilian Unified Health System), 447–448
- Commission on Social Determinants of Health (WHO), 2, 22, 48
- Communicable diseases. *See* Infectious diseases
- Communication systems: e-health, 239–244; New York City’s PCIP, 100, 241–242; S[box198]o Paulo’s integrated public health system and, 245–247. *See also* Information flow
- Community: e-health system development and role of, 248; microgovernance and networks of, 363–364; need to belong to, 223; reducing urban health inequities through efforts of, 477; role in building social capital and urban health, 463–464; urban aesthetics and walkability enhancing the, 349–350. *See also* Cities
- Community Organizations Development Institute (CODI), 361
- Competition state, 19–20
- Composite International Diagnostic Interview (CIDI), 62
- Contraceptive use, 41*t*
- Copernicus theory, 127
- Corporate average Fuel Economy (CAFE) standards, 286–287
- Costa Rican workforce, 79*t*
- Crime fear, 165–166
- Crime prevention through environmental design (CPTED), 159, 166–169
- Crime. *See* Urban crime
- Criminal gangs terrorism: criminal-based terrorism response to, 202–203; description and rise of, 197–198
- Croatia: Croatian War of Independence (1991–1995) of, 209–210; “Golden Generation” of, 211; government anti-violence programs in, 215–217; history of violence in, 209; Program of Activities for the Prevention of Violence Among Children and Adolescents of, 215. *See also* Yugoslavian civil war; Zagreb (Croatia)
- Croatian Football Association (FA), 213
- Culture: as individual health factor, 63*fig*; migrant health and role of, 50; as urban crime variable, 159–161
- D**
- The Death and Life of Great American Cities* (Jacobs), 341
- Death rates. *See* Mortality rates
- Delhi: hourly air temperatures in, 72*fig*; impact of climate change on “fully workable days” in, 77*fig*–78; motor vehicle emissions in, 290; public health litigation over air quality in, 333. *See also* India
- Demographic and Health Surveys (DHS), 37

- Demographic shifts: definition of, 3–4; as twenty-first century health trend, 3–5. *See also* Urban demographic transformation
- Dengue, 107, 113
- Developed countries: e-health systems in, 239–240; integrated e-health systems in, 240–242; urban terrorism responses by, 203–204. *See also* Global North
- Developing countries: brain drain depleting, 51–52, 53; creating good practices addressing migrant health issues in, 49; “double job schedules” of women in, 76–77; e-health systems in, 242–244; growth rates of total urban population in, 32*fig*; resource constraints of, 52; total urban population by region in, 31*fig*; urban terrorism responses by, 203–204; water and sanitation services in urban areas of, 268–280. *See also* Global South
- Diarrheal diseases: inadequate water/sanitation and, 271–272; water and sanitation interventions to reduce, 278–279
- Disaster management: mitigation as, 183–185; preparedness as, 185–186; response and recovery as, 186–187
- Disasters: early warning systems for, 185; examining the health and economic costs of, 176; health effects of, 177–178; Hurricane Katrina, 164, 181; interaction between physical and social environments during, 183; natural versus humanmade, 176; social environment influencing effects of, 180–183; in urban areas, 178; urban physical environment influencing effects of, 179–180
- Disease spread factors: international travel, 108; urbanization, 108–109
- Disease transmission: epidemiology of, 272–276; fecal-oral pathogen transmission routes, 275*fig*; inadequate water/sanitation and, 271–276; physical factors influencing, 273*t*; vector-borne, 81*t*, 107, 113–114
- Diseases: climate change impact on, 81*t*–82; factors affecting microbial spread of, 108–109; Global Burden of Disease (GBD) study on, 130, 331; globalization and infectious, 106; inadequate water/sanitation and, 271–276; migration and, 50–51; recommendations for preventing emerging/resurgent, 118–120; vector-borne, 81*t*, 107, 113–114. *See also* Chronic disease; Infectious diseases
- DOHMH (NYC Department of Health and Mental Hygiene): on population health, 92–93; public health interventions by, 93–94
- E**
- E. Coli*, 112
- E. coli* O157:H7, 112
- E-health systems: current status in the developed world, 239–240; in the developing world, 242–244; integrated developed world, 240–242; lessons learned from efforts of, 247–249; S[box198]o Paulo’s public health, 245–247
- Early warning systems: as disaster preparedness, 185; Los Angeles Terrorism Early Warning (TEW) Group model of, 202
- Economic inequalities: disaster vulnerability impact of, 181; shaping urban aesthetics and health, 345–346; susceptibility to disease related to, 274, 276; urban life and, 17–18. *See also* Family income
- Education levels (Shanghai), 426
- Electronic health records (EHR): used in the developed world, 239–240; in the developing world, 242–244; integrating systems in developed world, 240–242; lessons learned from experience with, 247–249; S[box198]o Paulo’s public health use of, 245–247
- Emerging infectious diseases: overview of, 107–108; recommendations for prevention of, 118–120
- Employment: impact of inadequate water/sanitation on, 271–272; New York City, 99; as Shanghai health factor, 426. *See also* Business sector
- Entrepreneurship governance, 361–362
- Environment: air quality management in urban, 331–334; as individual health factor, 63*fig*; New York City accessibility and physical, 99–100; as social determinant for healthy living, 471–472; syndemic situation created from hazards of, 270–271; urban health and social, 8*fig*, 9; urban health and urban physical, 7–8*fig*. *See also* Built environment; Climate change; Social environment
- Epidemiological Intelligence (Epi-Intel) Cell, 202
- European Healthy Cities Network (WHO-EHCN): content and themes of the phases of the, 411–413*fig*; critical success factors of the, 414–417; organizational structure of the, 410–411; origins of the, 406–409; *Social Determinants of Health* published by, 411. *See also* Healthy Cities project (WHO)
- The European School survey Project on Alcohol and Other Drugs, 210
- Extreme weather incidents, 80

F

Family income: relatives murdered by minimum wage and, 162*fig*; as Shanghai health factor, 426; urban crime association with inequalities of, 163*fig*–164. *See also* Economic inequalities

Fatah (the PLO), 194

Favelas (Brazil), 307

Firearm manufacturers/sales, 377–379

Food supply: food and beverage industry impact on healthy, 375–377; infectious diseases spread through transported, 112

“Football” War (Zagreb, Croatia), 212–213

Freetown (Sierra Leone): inadequate water services in, 269*fig*; latrines in urban slum in, 270*fig*

Freight road transportation, 289

Fuel efficiency: CAFE standards for, 286–287; green auto technologies and, 294

Fuel quality: air pollution and, 290; green auto technologies and, 294

Fuels: alternative, 294; hazardous material spills of, 291; health effects of additives to, 291; reducing use of, 293–294; types of, 290

Fumifugium or the Aer and Smoake of London Dissipated (Evelyn), 318

G

Gender differences: Costa Rican workers exposed to sunlight during work, 79*t*; as determinant of vulnerability to small arms violence, 165*fig*; sensitivity to heat and, 76–77

Ghana: age and sex structure of urban relative to rural, 37*fig*; health and urban poor of, 36–38

Global Age-Friendly Cities: A Guide (WHO), 96

Global Burden of Disease (GBD) study, 130, 331

Global demography: changes in the, 128–129; percentage of population in low-, middle-, and high-income countries, 129*t*; shifts in twenty-first century, 3–5; three leading causes of death by income group, 131*t*

Global economy: inequalities of, 17–18, 181, 274, 276, 345–346; SDH (social determinates of health) balanced with, 21–23; the state role in the, 19–20

Global financial crisis (GFC): fragility revealed through, 133; poverty increase due to, 133

Global North: e-health in the, 243–244; health care system fragmentation in the, 245; informal settlements in the, 307; links between Global South and, 197; threat of terrorism in the, 195. *See also* Developed countries

Global South: e-health in the, 243; health care system challenges in the, 246, 249; informal settlements in the, 307–315; lack of PTSD treatment following terrorism in, 201; links between Global North and, 197; poverty concentration in rural areas of, 373; terrorist attacks in the, 195, 197. *See also* Developing countries

Global Strategy for Health for All, 406

Global urban terrorism: distribution of, 194–198; impact of, 198–201; incidents of terrorism by year (1998–2007), 196*t*; response strategies to, 201–204

Globalization: definition of, 2; “disqualizing” nature of, 14–17; HIV/AIDS spread and, 114–115; infectious diseases and, 106; migration impacted by, 47–49; state role in creating barriers to, 20–21; as twenty-first century health trend, 2–3

Globalization and World Cities study group, 16

Governance: Belo Horizonte (Brazil) model of urban health and, 438–451; civil society role in, 357–358; definition of, 356; good governance versus, 358–359; health-related business decisions driven by, 381; healthy city approach for urban health in Shanghai, 427–435; healthy urban, 356–366; improving health by improving urban, 462; informal settlements, 312–314; Nairobi City (Kenya), 141–144; for NYC public health interventions, 93–94; public affairs and, 359; shaping urban aesthetics and health, 344–345; three main elements of, 356–357; Zagreb (Croatia) anti-violence programs, 215–217. *See also* Public health policies; The state

Gram-negative bacilli, 118

Greater London Authority (GLA): establishment of, 254, 257; healthy urban development strategy of, 257–263; HIA (health impact assessment) tool used by, 259–262

Greenhouse gas (GHG) emissions, 291–292

Greenway Project (South Bronx), 295

H

H1N1 influenza strain, 117, 119

H5N1 influenza strain, 117, 119

Hamas, 194

Hazards: climate change and chemical exposures, 79; fuel spills, 291; syndemic situation created from environmental, 270–271; UN ISDR definition of, 177; WHO on inadequate water/sanitation, 270

- HEALTH 21*: (WHO regional Office for Europe), 416–417
- Health care services: innovations in delivery of, 230–232; KEPH (Kenya Essential Package of Health), 144–145; Nairobi City (Kenya), 141–154; New York City's, 100; urban health framework on, 8*fig*, 9
- Health care systems: Brazilian Unified Health System (BHC), 441–450; financial support of, 229–230; Mexican health care reform of, 226–228, 232–233; opportunities to strengthen urban, 233–234; shortage of health care workers in, 249; as spread of infectious diseases factor, 110; three pillar of urban, 225–232; universal, 476. *See also* Access to care; Participatory budgeting
- Health effects: air pollutants and, 322*t*–324; climate change, 74*fig*; disasters and, 177–183; how business decisions impact, 372–374*t*; of inadequate water/sanitation infrastructure, 272–276; migration and, 49–51; urban terrorism, 198–199. *See also* Mental health effects; Urban health
- Health Effects Institute, 331
- Health impact assessment (HIA): evidence-based policy changes based on, 261–262; as urban development tool, 259–261
- Health inequalities: addressing London, 255, 262–263; definition of, 6; disequalizing globalization impact on, 14–17; measuring urban poor, 459–460; as twenty-first century trend, 5–7
- Health inequities: definition of, 6; framework for action in reducing, 478–480*fig*; reducing urban, 476–478; as twenty-first century trend, 5–7; Urban Heart tool for measuring, 478–479
- Health inequities reduction: advocacy and implementation for, 479; framework for reducing, 478–480*fig*; identifying priorities and interventions for, 478–479; monitoring progress toward MDGs, 479
- Health promotion: Amsterdam population and, 64–66; as health care system pillar, 228–229; providing public health education as, 472–473
- Health-related business practices: government responses to drive, 381; market responses to drive, 380–381; moral and political responses to drive, 381–382; reducing urban health inequities through, 477–478
- Healthy Cities project (WHO): creation of the, 406–409; description of, 10, 135; four elements for action, 409; on qualities of a healthy city, 407–408; in Shanghai, 422–435; six strategic goals of, 408–409; Zagreb (Croatia) membership in, 208. *See also* Cities; European Healthy Cities Network (WHO-EHCN)
- Healthy Migrants for Healthy Thailand, 49
- Healthy urban government: definition of, 356; elements and examples of, 360–364; governance versus good and, 358–359; importance to health, 359–360; limits of, 364–365; non-government contributions to, 357–358; public affairs importance of, 359; Shanghai adoption of, 427–435; three main elements of, 356–357. *See also* Urban health
- Helsingborg Plan for Sustainable Development, 413*fig*
- High-income countries: percentage of population in, 129*t*; three leading causes of death in, 131*t*
- HIV/AIDS: Amsterdam population health risks for, 62, 63; globalization impact on spread of, 114–115; health promotion in Amsterdam to prevent, 64–65; injecting drug use (IDU) and, 115; morbidity and mortality in Nairobi City, 149; providing public education on, 472–473; Sonagachi Project as prevention intervention to, 364; trend toward being leading cause of death, 130; urbanization and growth of, 106, 107. *See also* Infectious diseases; Sexually transmitted infections (STIs)
- Hodood Ordinances (Pakistan), 159
- Homicides: Croatian civil society role in solving Luka Ritz, 214–215; family income, minimum wage, and relatives victim of, 162*fig*; macro, meso, and micro levels of analysis of urban design and, 166–168
- Housing: healthy urban governance role in, 360–361; as Shanghai health factor, 426; United Nations Special Rapporteur on, 20
- Human rights: migrant health, access to care, and, 55–56; United Nations Special Rapporteur on housing as, 20
- Humanmade disasters: definition of, 176; interaction between physical and social environments during, 183; social environment influencing effects of, 180–183; urban physical environment influencing effects of, 179–180
- Hurricane Katrina: economic inequalities impacting effects of, 181; violence following, 164
- Hygiene promotion, 279–280

I

Immigrant criminal gangs, 197–198

India: child malnutrition in, 39*fig*–40; measuring urban and rural living standards, 38–41; National Slum Dwellers Federation activism in, 396–398, 464; prenatal care in urban and rural, 38*fig*; Sonagachi Project to reduce HIV rates among sex workers, 364. *See also* Delhi

Indiana University School of Medicine (IUSM), 241

Indianapolis Network for Patient Care and Research (INPCR), 241

Indonesia: population data gathered from, 35–36; population exposed to seaward hazards in, 35*fig*

Inequalities: “disequalizing” nature of globalization, 14–17; economic, 17–18, 181, 274, 276, 345–346; family income, 162*fig*, 163*fig*–164, 426; health, 5–7, 14–17, 255, 262–263, 459–460; London and existing, 254–255; urban crime association with income, 163*fig*–164

Infant and under-5 mortality rates, 461*t*

Infectious diseases: antibiotic-resistant bacteria and, 117–118; cholera, 346; climate change impact on, 81*t*; dengue, 107, 113; emerging, 107–108; globalization and, 106; malaria, 113–114, 243; migration and, 50–51; multiple-drug-resistant tuberculosis (TB), 106, 107; pandemic influenza, 117, 119–120; providing public education on, 472–473; recommendations for prevention of, 118–120; SARS (severe acute respiratory virus), 106, 107, 115–117, 357; Shanghai and morbidity or prevalence of selected, 433*t*; urbanization and the growth of, 106–107, 109–112. *See also* Diseases; HIV/AIDS; Sexually transmitted infections (STIs)

Influenza, 117, 119

Informal settlements: definitions of, 306–307; formation and persistence of, 308–310; government strategies on, 312–314; Kayamandi Zone F (Cape Town), 311*t*; living in an, 311–312; scale, location, and trends of, 307–308. *See also* Cities; Slums

Information flow: Canadian Helath Infoway system for, 239; e-health systems and, 239–244; PCIP (Primary Care Information Project) [NYC], 100, 241–242. *See also* Communication systems

Injecting drug use (IDU), 115

Injury risk, 224

International arms trade, 377–379

International Compendium of Crime Prevention Practices, 169

International Monetary Fund (IMF): asymmetries of decision making by the, 15; Canadian welfare reforms recommended by, 21; SAPs (structural adjustment programs) mandated by, 19

International Organization for Migration’s (IOM) Migration Health Dialogue, 49

International Physical Activity Questionnaire (IPAQ), 427

International Sanitary Conferences, 346

International travel: infectious disease spread through, 111; microbial spread through, 108

J

Japan: infant and under-5 mortality rates in, 461*t*; Kobe earthquake (1995) response and recovery in, 186; murder and property crime rates in, 161*fig*

K

Kenya: Aga Khan Health Services working on e-health system in, 243; infant and under-5 mortality rates in, 461*t*; Kenya Diabetes Management and Information Centre (DMI), 151; KEPH (Kenya Essential Package of Health) in, 144–145*t*; service provision for noncommunicable diseases (NCD) in, 144–145. *See also* Nairobi City (Kenya); Sub-Saharan Africa KidsWalk-to-School program (CDC), 295

L

Language/migrant health link, 50

Latin America: Colombia, 300–301, 333; informal settlements found in, 308. *See also* Brazil

Lead, 322*t*, 329–330

Leadership. *See* Governance

Less developed (LDC) countries, 30*fig*

Lifestyle (Shanghai), 426–427

London: addressing health inequalities in, 255, 262–263; Congestion Charging Scheme (2003) to manage air pollution in, 332–333; GLAs healthy urban development strategy for, 257–263; using health impact assessment tool for urban development in, 259–261; LHC (London Health Commission) of, 258; London subway bombings (2005), 195, 197; overview of, 254–255; SDH (social determinants of health) in, 255–257; SmokeFree London forum, 262. *See also* United Kingdom

London Fog (1952), 318*fig*

- Los Angeles Terrorism Early Warning (TEW) Group model, 202
- Low-income countries: percentage of population in, 129*t*; three leading causes of death in, 131*t*; water and sanitation services in urban areas of, 268–280
- M**
- Madrid train bombings (2004), 195, 200
- Mahila Milan, 464
- Malaria: health effects of, 113–114; Tamil Nadu urban malaria control, 243
- Maldevelopment, 222
- Malnutrition, climate change and increased, 80
- Mara Salvatrucha-13 (MS-13), 197–198
- Mayors Against Illegal Guns, 379
- Medellín Metrocable system (Colombia), 300–301
- Mega-cities: air quality of, 319, 320*t*, 334; global locations of, 32; increase of, 223; UN forecasts on, 32–33
- Men having sex with men (MSM) health risk, 62
- Mental health effects: PTSD (post-traumatic stress disorder), 199–201; urban terrorism, 199–201. *See also* Health effects
- Menu labeling laws, 135
- Methicillin-resistant *S. aureus* (MRSA), 118
- Mexican Mafia (La Eme), 197
- Mexico: bus rapid transit system in, 299; health care reform in, 226–233; leading causes of death in, 224; Mexico City earthquake, 182; NAFTA between U.S. and, 376; Popular Health Insurance (*Seguro Popular*) of, 227–228, 230; System of Social Protection in Health (SSPH) law in, 227
- Middle-income countries: percentage of population in, 129*t*; three leading causes of death in, 131*t*
- Migrant health: Amsterdam public health education for, 65–66; communicable diseases and, 50–51; human rights, access to care, and, 55–56; living conditions and, 50; noncommunicable diseases and, 51; reproductive health, 51; role of language and culture in, 50; ways to improve, 56–57; working conditions and, 50
- Migration: globalization impact on, 47–49; health impact of, 49; health impact on receiving countries, 49–51; impact on countries of origin, 51–52; increasing rate of, 225; microbial spread through, 109; perspectives and solutions to problems of, 52–55; significance to urban growth through, 46–47; urban demographic transformation due to, 33–34
- Millennium Development Goals (MDGs) [UN]: Belo Horizonte City and performance of eight indicators of, 440*t*; burden of human diseases reduction as, 118; e-health value to achieving, 247; as human rights issue for migrants, 55; on improving lives of slum dwellers, 308, 314; international community commitment to, 23, 233; monitoring progress toward, 479. *See also* United Nations
- Mini-manual of the Urban Guerilla* (1969), 193–194
- Mitigation of disaster, 183–185
- More developed (MDCs) countries, 30*fig*
- Mortality rates: HIV/AIDS trend as being leading cause of death, 130; infant and under-5 mortality in selected countries, 461*t*; leading causes of death in Mexico, 224; London Fog (1952) and, 318*fig*; ten leading causes of death/mortality in Shanghai, 425*t*; three leading causes of death by income group, 131
- Motor vehicles: fuel efficiency of, 286–287, 290–291, 293–294; global trends in ownership of, 288*t*–289; greenhouse gas (GHG) emissions of, 291–292; injuries due to accidents, 224; vehicle miles of travel (VMT), 286. *See also* Road transportation
- MRSA (methicillin-resistant *S. aureus*), 118
- Multinational corporations: food and beverage industry, 375–377; impact on urban health by, 375–379; international arms trade by, 377–379; reducing urban health inequities through efforts of, 477–478; strategies to influence health-related practices of, 379–382. *See also* Business sector
- Multiple Indicator Cluster Surveys (MICS), 37
- Multiple sclerosis (MS), 82
- Multiple-drug-resistant tuberculosis (TB), 106, 107
- N**
- Nairobi City (Kenya): APHRC health promotion partnership with, 152; APHRC survey on health facilities in, 143–144; CCN (City Council of Nairobi) governance and health service provision in, 141–144; comparison of child mortality rates rural areas and, 42*fig*; CVD clinics project in two slums of, 145–152; diabetes/hypertension outcomes among adult slum residents (2008–2009), 147*t*; future plans and policy implications in, 154; HIV/AIDS morbidity and mortality in, 149; infant and under-5 mortality rates in, 461*t*; interim outputs and improved clinical outcomes in, 152–154; Kenya Diabetes Management and

- Information Centre (DMI), 151; KEPH (Kenya Essential Package of Health) in, 144–145; overview of city of, 140–141; selected health and demographic indicators in slums of, 141; slum dwellers and urban poor of, 41–42. *See also* Cities; Kenya
- National Debt Reduction Strategy Paper, 52
- National Slum Dwellers Federation (India), 396–398, 464
- National Transit Database (2007), 289
- Natural disasters: definition of, 176; Hurricane Katrina, 164, 181; interaction between physical and social environments during, 183; social environment influencing effects of, 180–183; urban physical environment influencing effects of, 179–180
- Network of European National Healthy Cities Networks, 410–411
- New Urbanism movement, 348–349
- New York Academy of Medicine (NYAM), 97
- New York City: anthrax terrorism (2001) disruption in, 193; demographics and overview of, 92–93; governance and range of public health interventions in, 93–94; moving toward implementing findings on, 100–101; older population in, 94–95; PCIP (Primary Care Information Project) for information flow, 100, 241–242; population aging and urbanization planning in, 95–96; September 11, 2001 attacks on, 194–195; tobacco control strategy used in, 135; *Toward an Age-Friendly New York City: A Findings Report* on, 98–101; urban intervention policies of, 94–98. *See also* Cities
- New York City Age-friendly Cities (AFC NYC) project: assessment of city agencies for, 96–97; assessment of community needs for, 97–98; engaging political leadership in, 96; lessons learned from, 101–102; origins and development of, 95–96; *Toward an Age-Friendly New York City: A Findings Report* on, 98–101
- NGOs (nongovernmental organizations): African Population & Health Research Center (APHRC), 150, 152; Basteer Basheer Odhikar Surakha Committee (BOSC), 394; governance role of, 357–358; Mahila Milan, 464; National Slum Dwellers Federation (India), 396–397, 464; OrangiPilot Project Research and Training Institute (OPP-RTI), 393, 465; reducing urban health inequities through efforts of, 477; role in reducing urban poverty, 400–401; SDI (Slum/Shack Dwellers International), 398; SPARC (Society for Promotion of Area Resources), 464; urban health improvement role of, 463–465. *See also* Civil society; Social services; Urban poor activism
- NHCP (National Health Card Project) [Brazil], 245, 246
- Nigerian Abuja master plan, 309
- Nitrogen dioxide (NO₂), 327
- Nitrogen oxides (NO_x), 323*t*, 327
- Noncommunicable diseases. *See* Diseases
- North American Free Trade Agreement (NAFTA), 376
- O**
- Obesity: food and beverage industry contributing to, 375–377; as heat disorder risk factor, 82; HIA (health impact assessment) used to reduce, 262; menu labeling laws to fight, 135
- OECD countries' brain drain, 51–52, 53
- OrangiPilot Project Research and Training Institute (OPP-RTI), 393, 465
- Ottawa Charter for Health Promotion, 406
- Ovations (United HealthCare Group) chronic disease initiative, 136
- Oxford Health Alliance Sydney Summit, 135–136
- P**
- Pakistan: e-health system developed in, 243; Hodood Ordinances of, 159
- Pandemic influenza, 117, 119–120
- Panel on Urban Population Dynamics (2003), 37–38
- Participatory budgeting: Brazilian Unified Health System (BHC) model of, 447–450; PREM (Participatory Public Expenditure Management), 363; public spending through, 363, 447–450, 464. *See also* Health care systems
- Particulate matter (PM), 323*t*, 324–326
- Pathogens: *Campylobacter*, 112; *Chlamydia trachomatis* (CT), 62; *Clostridium difficile*, 118; *Clostridium perfringens*, 81; *E. Coli*, 112; *E. coli* O157:H7, 112; factors affecting concentrations of environment, 272–273; fecal-oral pathogen transmission routes, 275*fig*; methicillin-resistant *S. aureus* (MRSA), 118; *Salmonella*, 81, 112; *Shigella*, 112; *Staphylococcus aureus*, 81
- PCIP (Primary Care Information Project) [NYC], 241–242

- Personal Responsibility and Work Opportunity Reconciliation Act, 21
- Physical activity: International Physical Activity Questionnaire (IPAQ), 427; as Shanghai health factor, 426–427
- Physical environment. *See* Urban physical environment
- Planet of Slums* (Davis), 23
- Political-based terrorism responses, 201–202
- Pollen allergies pollution, 79, 324*t*
- Pollutants. *See* Air pollutants
- Popular Health Insurance (*Seguro Popular*) [Mexico], 227–228, 230
- Population: demographic shifts of, 3–5; demographics associated with urban crime, 164–165*fig*; estimates on future African urban, 46; exposed to seaward hazards in Indonesia, 35*fig*; Indonesian, 35–36; as spread of infectious diseases factor, 109–110; UN estimates on urban, 300; UN forecasts on growth, 29–30*fig*, 32–34; urban demographic transformation, 29–36
- Poverty. *See* Urban poverty
- PREM (Participatory Public Expenditure Management), 363
- Preparedness of disaster, 185–186
- Prison gangs, 197–198
- Program of Activities for the Prevention of Violence Among Children and Adolescents (Croatia), 215
- PTSD (post-traumatic stress disorder): description and symptoms of, 199; DSM-IV criteria for, 201; September 11, 2001 and, 200; urban terrorism and, 199–201
- Public health: Amsterdam policies on, 62–66; balancing global politics with needs of, 21–23; connections between crime prevention and, 169–170; connections between urban planning, aesthetics, and, 340–351; health-related business practices influenced by, 382–385; NYC governance and interventions, 93–94; NYC health and human services, 100; S[box198]o Paulo’s integrated system of, 245–247; social model of, 256*fig*; urban air pollution implications for, 330–331; violence prevention as priority of, 158–159
- Public health policies: Amsterdam, 62–66; e-health system development and role of, 248–249; reducing climate change health impacts, 82–85. *See also* Governance
- Public spending: Brazilian Unified Health System (BHC) model of, 447–450*t*; participatory budgeting approach to, 363, 447–450, 464; PREM (Participatory Public Expenditure Management), 363
- PulseNet, 118
- R**
- Rail transit: improvements and growth of, 299–300; trends in, 289–290
- Rape victims, 159
- Reproductive health: contraceptive use by residence/poverty status, 41*t*; migration and, 51
- Resource constraints, 52
- Rio Declaration, 406
- Road transportation: alternative fuels for, 294; global trends in vehicle ownership for, 288*t*–289; green auto technologies for, 294; health and safety risks associated with, 290–293; increasing fuel efficiency for, 293–294; promoting transit instead of, 296–300; promoting walking or bicycling instead of, 294–296; trends for, 286–288; trends in freight, 289. *See also* Motor vehicles
- “Rough City” (Maric), 214
- S**
- Safer Cities Program (UN-HABITAT), 168
- Safety risks: transit security and, 293; transit system and related, 292–293; transportation and associated health and, 290–293
- Salmonella*, 81, 112
- SALTRA (Salud y Trabajo en América Central) program, 78
- Sanitation services: epidemiology of disease transmission and, 272–276; health benefits of interventions for, 278–280; impact on livelihoods of inadequate, 271–272; in low-income urban settlements, 268–271; perceptions of ill health and demands for improved, 276–278
- S[box198]o Paulo public health system, 245–247
- SARS (severe acute respiratory virus), 106, 107, 115–117, 357
- SARS-CoV, 115
- SDI (Slum/Shack Dwellers International), 398
- Security issues: governance role in policing and, 362; transit system, 293
- September 11, 2001, 194–195, 200
- Sexually transmitted infections (STIs): Amsterdam population health risks for, 62, 63; globalization and spread of, 114–115; health promotion in Amsterdam to prevent, 64–65; providing public

- education on, 472–473. *See also* HIV/AIDS; Infectious diseases
- Shanghai (China): aging of native population, 423*fig*; economy and demographics of, 422–423; health service system in, 424, 426; health status of population, 424; social, economic, and lifestyle factors related to health in, 426–427; ten leading causes of death/mortality in, 425*t*
- Shanghai Healthy City project: “Happy Song for a Healthy City” theme song of, 429; major indicators related to children, 432*t*; measures of environmental quality during, 431*t*–432*t*; morbidity or prevalence of selected infectious diseases, 433*t*; number of outpatient medical visits in, 432*t*; origins and development of, 428–435; political commitment to, 430*fig*; reported degree on changed health indicators by residents, 433*t*; structure of MHPC (Municipal Health Promotion Committee), 429*fig*
- Shigella*, 112
- Sierra Leone: inadequate water services in, 269*fig*; latrines in urban slum in, 270*fig*
- Slow Cities movement, 351
- Slums: aesthetic neglect of, 347–348; *The Challenge of Slums* report (2003) on, 18, 19, 306; CVD clinics project in two Nairobi, 145–152; health challenges in, 457–459; health impact of inadequate water/sanitation infrastructure in, 272–276; of Nairobi, 41–42; population by region (2005), 458*fig*; proportion of urban populations living in, 457*fig*; risk factors for chronic disease in, 132; selected health and demographic indicators in Nairobi, 141*t*; as spread of infectious diseases factor, 110; urban poor activism by inhabitants of, 396–399. *See also* Informal settlements; Urban poverty
- Small-arms production, 377–379
- SmokeFree London forum, 262
- Soccer War (Zagreb, Croatia), 212–213
- Social capital: advantages of, 182; influencing relocation following disasters, 182–183
- Social Determinants of Health* (WHO-EHCN), 411
- Social determinates of health (SDH): balancing global economy with, 21–23; as cause behind the causes of chronic disease, 131*t*; Commission on Social Determinants of Health (WHO) on, 2, 22, 48; importance of, 14; London and, 255–257; socioeconomic, environment, and crime as, 471–472; as urban health challenge, 471–472
- Social environment: influencing disasters and their consequences, 180–183; shaping urban aesthetics and health, 345–346; urban health framework on, 8*fig*, 9. *See also* Environment
- Social model of public health, 256*fig*
- Social services: social model of public health and, 256*fig*; urban health framework on, 8*fig*, 9. *See also* NGOs (nongovernmental organizations)
- Socioeconomic health factors, 471–472
- Sonagachi Project, 364
- South Africa: Kayamandi Zone F (Cape Town) informal settlement in, 311*t*; World Cup (2010) held in, 18. *See also* Sub-Saharan Africa
- South Asia: inadequate water/sanitation infrastructure in, 272–276; informal settlements found in, 308
- SPARC (Society for Promotion of Area Resources), 464
- Squatter settlements, 306
- Staphylococcus aureus*, 81, 118
- The state: “competition,” 19–20; global economy role of, 19–20; globalization barriers created by, 20–21. *See also* Governance
- State of World Population 2007*, 33
- Structural adjustment programs (SAPs), 19
- Sub-Saharan Africa: Abuja master plan (Nigeria), 309; estimates on future urban population of, 46; health impact of inadequate water/sanitation infrastructure in, 272–276; informal settlements found in, 308, 310, 311*t*; migration issues for, 54–55; Sierra Leone, 269*fig*, 270*fig*; UN-HABITAT’s Safer Cities Program in, 168. *See also* Kenya; South Africa
- Substance abuse/violence link, 210–211
- Sulfur dioxide (SO₂), 322*t*, 326–327
- Swedish infant/under-5 morality rates, 461*t*
- Sydney Summit of Oxford Health Alliance, 135–136
- T**
- Tamil Nadu urban malaria control, 243
- Targets for Health for all* (WHO Regional Office for Europe), 415
- Technological health factor, 343–344
- Temperature: hourly air temperatures in Delhi, 72*fig*; impact on air pollution by rising, 78–79; infectious diseases spread and change in, 111–112; summary of change in selected cities, 71*t*; Wet Bulb Globe Temperature (WBGT), 75–76*fig*

- Terrorism: anthrax (2001), 193; global incidents by year (1998-2007), 196*t*; as major modern issue, 192; by region (1998-2008), 196*t*; September 11, 2001, 194–195, 200. *See also* Urban terrorism
- Tobacco use: HIA (health impact assessment) used to reduce, 262; NYC's tobacco control strategy, 135
Toward an Age-Friendly New York City: A Findings Report, 98–101
- Transit system: Bogotá air quality management through use of, 333; Bus Rapid Transit (BRT), 296–299*fig*; health and safety risks associated with, 290–293; improving the, 293–300; Medellín's Metrocable, 300–301; promoting use of public, 296–300; rail, 289, 299–300; security issues of, 293; as Shanghai health factor, 426; TOD (transit-oriented developments) and, 348–349; trends in, 289–290
- Transportation. *See* Urban transportation
- Tropospheric ozone, 323*t*, 328
- Twenty Steps for Developing a Health Cities Project* (WHO), 408
- 2007 *Global Report on Human Settlements* (UN-HABITAT), 158
- U**
- UN Millennium Development Goals, 2
- UN-HABITAT: *The Challenge of Slums* report (2003), 18, 19, 306; Safer Cities Program of, 168; 2007 *Global Report on Human Settlements* by, 158; “What is Adequate Shelter?” on, 313
- UNICEF studies: on SAPs (structural adjustment programs), 19; on violence in schools, 210–211
- United Kingdom: Black report on health divide in, 255; Crime and Disorder Act (1998) of, 169; crime and violence prevention policies in, 168–169; murder and property crime rates in, 161*fig*. *See also* London
- United Nations: “cities without slums” initiative of, 306; estimates on urban populations by, 300; global population growth forecasts by, 29–30*fig*, 34; mega-cities forecast by, 32–33. *See also* Millennium Development Goals (MDGs) [UN]
- United Nations Office on Drugs and Crime (UNODC), 161
- United Nations Population Fund Report (2007), 3
- United Nations Special Rapporteur, 20
- United States: murder and property crime rates in, 161*fig*; NAFTA between Mexico and, 376; September 11, 2001 attacks on the, 194–195, 200; “stealth urban policies” in the, 22; transportation infrastructure in the, 284–286*t*. *See also* U.S. legislation
- Universal health care, 476
- Urban crime: age, gender, and employment status related to, 164–165; “broken windows theory” of, 159; comparison of recorded homicide per population, 160*fig*; environmental design characteristics associated with, 166; family income and relatives murdered by minimum wage, 162*fig*; fear of, 165–166; governance role in policing to control, 362; Hurricane Katrina and increased, 164; macro, meso, and micro levels of analysis of urban design and, 166–168; poverty association with, 161–163; as social determinant for healthy living, 472; sociocultural and economic variables of, 159–164; as sociopathology, 158. *See also* Violence
- Urban crime prevention: connections between public health and, 169–170; CPTED (crime prevention through environmental design), 159, 166–169; interventions for, 168–169
- Urban demographic transformation: examining the process of, 29; forecasting urban and city growth, 34; mapping urban data on, 34–36; migration versus natural increase, 33–34, 46–57, 225; sketch of urban growth and, 29–33. *See also* Demographic shifts; Urbanization
- Urban design/development: CPTED (crime prevention through environmental design), 159, 166–169; disasters and role of, 179–180; GLA (Greater London Authority) strategy for healthy, 257–263; HIA (health impact assessment) as tool in, 259–262; interrelation of health, form, and aesthetics of, 340–342; macro, meso, and micro levels of analysis of crime and, 166–168; outcomes of healthy development and, 27. *See also* Built environment; Urban planning
- Urban health: challenges of, 222–225, 454, 470–473; conceptual framework for, 7–9; disaggregated approach to, 28–29; disaster impact on, 177–178; documented and potential climate change threats to, 73–82; governance importance to, 359–360; how business decision affect, 372–374*t*; importance of pro-poor approach to, 460–462; improving local governments to improve, 462–463; improving urban governance to improve, 462; inequalities of, 5–7, 14–17, 255, 262–263, 459–460; inequities of, 5–7, 476–480*fig*; interrelation of form, aesthetics, and, 340–342;

- issues and concerns of, 48; maldevelopment concept of, 222; meeting challenges and opportunities in, 9–10; megatrends in 21st century, 2–7; migration impact on, 49, 50–57; multinational corporation impact on, 375–379; opportunities for the future of, 473–476; role of communities in building social capital and, 463–464; role of urban professionals in, 464–465; SDH (social determinates of health) and, 2, 14, 21–23, 48, 131*t*, 255–257; socioeconomic, cultural, and environmental conditions for, 63*fig*; transportation and associated risks of safety and, 290–293; urban form, aesthetics, and, 340–351; urbanization impact on, 48. *See also* Health effects; Healthy urban government; Urbanization
- Urban health challenges: access to care as, 470–471; dimensions of the, 454; education for communicable diseases, STDs, and preventable chronic conditions, 472–473; overview of global, 222–225; SDH (social determinates of health) which are, 471–472
- Urban health framework: health and social services, 8*fig*, 9; social environment, 8*fig*, 9; urban physical environment, 7–8*fig*
- Urban health trends: climate change as, 5; demographic shifts as, 3–5; globalization as, 2–3; health inequalities and inequities as, 6–7; urbanization as, 5–6
- Urban Heart initiative, 478–479
- Urban infrastructure: demands for improved water/sanitation, 276–278; health benefits of water/sanitation interventions, 278–280; health effects of inadequate water/sanitation, 272–276; impact on livelihoods by inadequate water/sanitation, 271–272; low-income areas and water/sanitation, 268–271; as spread of infectious diseases factor, 110; U.S. transportation, 284–286*t*
- Urban physical environment: influencing disasters and their consequences, 179–180, 183; influencing disease transmission, 273*t*; shaping urban aesthetics and health, 342–343; urban health framework on, 7–8*fig*. *See also* Built environment
- Urban planning: factors shaping public health and aesthetics of, 342–346; Helsingborg Plan for Sustainable Development, 413*fig*; New Urbanism movement of, 348–349; for urban retrofitting, 350–351. *See also* Urban design/development
- Urban poor: child malnutrition among Indian rural and, 39*fig*–40; comparison of child mortality rates in Nairobi and Kenya, 42*fig*; comparisons of rural households, urban nonpoor, and, 40*t*–41; contraceptive use by women by residence and poverty status, 41*t*; Demographic and Health Surveys (DHS) on, 37; examining health status of the, 36–42; measuring health inequalities of the, 459–460; Multiple Indicator Cluster Surveys (MICS) on, 37; Panel on Urban Population Dynamics (2003) on, 37–38; relative poverty of Indian, 38*fig*–39; slum dwellers and the, 41–42
- Urban poor activism: clientelism role in, 395; to get needs addressed, 393–396; from protest to coproduction, 396–399; role of international agencies in, 400–401. *See also* NGOs (nongovernmental organizations)
- Urban poverty: conventional approaches to reduction of, 390–391; role of international agencies in reducing, 400–401; 21st century challenges of, 457*fig*–459; urban crime association with, 161–163; urbanization context of, 391–393. *See also* Slums
- Urban terrorism: criminal gangs form of, 197–198; definition of, 192–193; global distribution of, 194–198; Los Angeles Terrorism Early Warning (TEW) Group model, 202; Madrid train bombings (2004), 195, 200; mental health issues of, 199–201; *Mini-manual of the Urban Guerilla* (1969) in, 193–194; physical health issues of, 198–199; roots of, 193–194; September 11, 2001, 194–195, 200. *See also* Terrorism
- Urban terrorism responses: criminal-based, 202–203; developed world and developing world differences in, 203–204; political-based, 201–202
- Urban transportation: aggregate trends in U.S., 287*fig*; characteristics of U.S. infrastructure, 284–286*t*; global trends in vehicle ownership for, 288*t*–289; health and safety risks associated with, 290–293; improving the system, 293–301; as Shanghai health factor, 426; trends in road, freight, and transit, 286–290
- Urbanization: as context of poverty, 391–393; definition of, 5; evolution of, 454–456; growth of infectious diseases and, 106–107; increased risk of injuries and, 224; microbial spread and, 108–109; opportunities and challenges of, 456–457; as twenty-first century trend, 5–6. *See also* Cities; Urban demographic transformation; Urban health
- U.S. Department of Energy (DOE), 292
- U.S. Department of Homeland Security (DHS), 202

U.S. Department of Transportation (DOT), 286, 291, 292
 U.S. Environmental Protection Agency (EPA):
 Air Quality Index of, 332; fuel standards of, 290
 U.S. legislation: Clean Air Act, 291, 327;
 Personal Responsibility and Work Opportunity
 Reconciliation Act, 21. *See also* United States

V

Vector-borne diseases: climate change impact on, 81; dengue, 107, 113; emerging, 107; malaria, 113–114; by vector and pathogen types, 81
 Vehicle miles of travel (VMT), 286
 Violence: criminal gangs, 197–198; cultural of peace against Zagreb, 208–218; fear of crime-related, 165–166; gender/age as determinants to vulnerability to small arms, 165*fig*; multinational corporations selling firearms, 377–379; public health priority of prevention of, 158–159; as sociopathology, 158; substance abuse association with, 210–211. *See also* Urban crime
 Volatile organic compounds (VOCs), 329

W

Walkability, 349–350
 Walking transportation, 294–295
 Water services: disease transmission through contamination of, 271–276; epidemiology of disease transmission and, 272–276; health benefits of interventions for, 278–280; impact on livelihoods of inadequate, 271–272; in low-income urban settlements, 268–271; perceptions of ill health and demands for improved, 276–278
 Web sites: Belfast Healthy Cities initiative, 351; British crime prevention strategies, 169; Canada's crime prevention strategies, 169; Globalization and World Cities study group, 16; *International Compendium of Crime Prevention Practices*, 169; London Congestion Charging Scheme, 332; Oxford Health Alliance Sydney Summit, 135; United Nations Special Rapporteur, 20
 West Nile virus, 107
 Wet Bulb Globe Temperature (WBGT), 75–76*fig*, 78
 “What is Adequate Shelter?” (UN Millennium Project), 313

WHO (World Health Organization): collaborative study on SARS headed by, 116, 357;
 Commission on Social Determinants of Health of, 2, 22, 48; *Global Age-Friendly Cities: A Guide* by, 96; on global disease burden due to inadequate water/sanitation services, 270; *HEALTH 21*: (WHO regional Office for Europe), 416–417; healthy city definition by, 427; Healthy City projects, 10, 135, 208, 406–418; influenza classifications by, 117; OECD countries' brain drain estimated by, 52; Ottawa Charter for Health Promotion, 406; *Social Determinants of Health* (WHO-EHCN), 411; on target levels for air pollutants, 334; *Targets for Health for all* (WHO Regional Office for Europe), 415; *Twenty Steps for Developing a Health Cities Project*, 408; Urban Heart initiative of, 478–479; *World Report on Violence and Health* by, 213–214
 Women: contraceptive use by residence and poverty status, 41*t*; “double job schedules” of developing countries, 76–77; Pakistan's Hodood Ordinances on rape victims, 159; reproductive health of, 41*t*, 51
 World Bank: asymmetries of decision making by the, 15; SAPs (structural adjustment programs) mandated by, 19; on Tanzanian health system reports, 244
 World Health Assembly, 158
World Report on Violence and Health (WHO), 213–214

Y

Yugoslavian civil war, 212–213. *See also* Croatia

Z

Zagreb (Croatia): Child Protection Centre Zagreb survey (2003), 210; civil society role in solving Luka Ritz murder, 214–215; “football” war in, 212–213; government programs against violence in, 215–217; Healthy Cities movement membership by, 208; history of violence in, 209–213; international programs against violence applied in, 213–214; overview of, 208–209; positive signs of progress in, 217–218. *See also* Croatia
 Zagreb Declaration, 416