

Index

SYMBOLS & NUMBERS

- \$ (dollar sign), **currency translation**, 1464
- * (asterisk), **URL Authorization**, 1501
- "...<>", **calling descendants**, 488–489
- ".<>", **calling elements**, 488–489
- ? (question mark), **URL Authorization**, 1501
- 400 errors, exception handling**, 1120

A

- <a> **element**, 263
- Absolute positioning, CSS elements**, 855
- abstraction, Web Forms and**, 1694
- accelerator keys**, 105
- Access Control Lists. see ACLs (Access Control Lists)**
- access rules**, 1572–1577, 1580
- AccessDataSource control**, 294
- AccessKey attribute, hot-keys**, 106
- Accordion control, AJAX**, 969–972
- ACLs (Access Control Lists)**
 - adding rules to, 1148–1149
 - overview of, 1145–1151
 - querying information about, 1145–1146
 - removing rules from, 1150
- AcquireRequestState, Session object**, 1024
- acronyms, design guidelines**, 478
- Actions pane, IIS Manager**, 549
- Activate event, Wizard server control**, 177
- Active Directory Application Mode (ADAM)**, 579–581
- Active Server Pages (ASP)**, 61, 1694
- ActiveDirectoryMembership Provider**, 579–581
- ActiveX component, installing private assemblies**, 1295–1296
- ActiveX DLL**
 - adding to References section of project, 1287–1288
 - using COM objects in ASP.NET, 1287–1288, 1290–1291
- ADAM (Active Directory Application Mode)**, 579–581
- adapters, CSS Friendly Control Adapters toolkit**, 864
- Add Application Extensions Mapping dialog, IIS 5**, 1271
- Add Connection dialog box**, 402–403
- Add Field dialog, GridView**, 315–317
- Add Reference dialog**, 1285, 1287, 1290
- Add Service Reference dialog**, 1414, 1420
- Add Web Reference dialog**, 1381
- <add> element**
 - adding profiles with, 1555
 - adding providers with, 1553
 - adding rules with, 1554
 - adding SQL Server data provider, 722
 - application-specific settings, 1510
 - <eventMappings> configuration, 1550
 - SQL Server cache invalidation, 1079
 - working with personalization properties, 702, 707, 711
- AddAccessRule() method, ACLs**, 1149–1150
- AddAttribute() method, server controls**, 1199

AddAttributesToRender () method, server controls

AddAttributesToRender () **method**,
server controls, 1201–1204

AddRemoveProgramsIcon **property**,
installer properties, 1619

AddStyleAttribute, **server controls**,
1203

AddUsersToRole () **method**, Roles
class, 633–634, 636–637, 778–779

Adjacent Selectors, CSS, 842

administration

security trimming, 691–692
setting up AdminOnly.aspx page, 692
using Web Site Administration Tool. *see*
Web Site Administration Tool

Administration Tool

building browser-based, 1540–1545
viewing performance counters through,
1537–1540

ADO.NET

asynchronous command execution. *see*
asynchronous command execution
asynchronous connections, 435
common tasks, 362–366
DataAdapter object, 373–376
DataList server control, 387–393
DataReader object, 371–373
DataSet and DataTable, 379–384
deleting data, 366
inserting data, 364–365
ListView server control, 393–402
namespaces and classes, 367–368
Oracle as database with ASP.NET 3.5,
384–387
parameters, 376–379
selecting data, 362–364
updating data, 365–366
using Command object, 370–371
using Connection object, 368–370
ADO.NET, using Visual Studio, 402–413
creating connection to data source,
402–404

using CustomerOrders DataSet,
410–413

working with DataSet Designer, 404–410

ADO.NET Data Services

adding entity data model to, 1426–1428
consuming in ASP.NET, 1448–1452
creating first service, 1429–1434
expanding on entity associations,
1441–1445
filtering content, 1446–1448
ordering in result sets, 1445
overview of, 1425–1426
querying the interface, 1434–1435
reading a table of data, 1435–1436
reading specific item from a table,
1436–1438
relationships and, 1438–1441
summary, 1452
top and skip commands for navigating
result sets, 1445–1446

ADO.NET Entity Framework

base page for entity data model,
1335–1337
building ASP.NET page using EDM,
1316–1319
conceptual and logical layers, 1311
configuring data source control for entity
data model, 1337–1340
creating entity data model, 1312
EDM Wizard and, 1313–1315
inheritance, 1326–1332
many-to-one and many-to-many
relationships, 1323–1326
mapping layer, 1311–1312
one-to-one and one-to-many relationships,
1320–1323
O/R designer, 1315–1316
overview of, 1309–1311
stored procedures, 1332–1335
summary, 1341

AdRotator server control, 145–146, 351

All attribute, Forms Authentication

Advanced Settings dialog, IIS Manager, 552–553

after **element, CSS**, 845

AggregateCacheDependency class,
1068

AJAX (Asynchronous JavaScript and XML)

applications, 874–876

Aptana open source libraries for,
1651–1652

client-side technologies, 872–873

<ContentTemplate> element of
UpdatePanel control, 890–891

development with, 874

JSON and, 870, 1426

multiple UpdatePanel controls, 897–901

need for, 867–871

overview of, 867

page history, 901–907

script combining, 907–912

ScriptManager control, 884–887

ScriptManagerProxy control, 887–888

server-side controls, 884

server-side technologies, 873

simple ASP.NET page not using AJAX,
876–878

simple ASP.NET page using AJAX, 878–884

Timer control, 888–890

triggers, building with Visual Studio 2008,
891–893

UpdatePanel control, 890

UpdateProgress control, 895–897

Visual Studio 2008 and, 871–872

Visual Studio 2008 extensions for, 878

AJAX Control Toolkit

Accordion control, 969–972

AlwaysVisibleControlExtender, 920–923

AnimationExtender, 923–924

AutoCompleteExtender, 924–928

CalendarExtender, 928–929

CascadingDropDown control, 972–975

CollapsiblePanelExtender, 929–931

ConfirmButtonExtender, 931–932

control impact on ASP.NET pages, 919–920

downloading and installing, 914–915

DragPanelExtender, 933–935

DropDownExtender, 935–937

DropShadowExtender, 937–939

DynamicPopulateExtender, 939–943

extenders, 920

FilteredTextBoxExtender, 944–945

HoverMenuExtender, 945–946

ListSearchExtender, 946–947

localization DLLs and, 918–919

MaskedEditExtender, 947–950

MaskedEditValidator, 947–950

ModalPopupExtender, 932–933

MutuallyExclusiveCheckBoxExtender,
950–952

new controls, 916–917

new project templates, 915–916

NoBot control, 975–977

NumericUpDownExtender, 952–953

overview of, 913–914, 1661

PagingBulletedListExtender, 953–954

PasswordStrength control, 977–978

PopupControlExtender, 954–956

Rating control, 978–979

ResizableControlExtender,
956–958

RoundedCornersExtender, 958–959

server controls, 969

SliderExtender, 959–961

SlideShowExtender, 959–963

summary, 981

TabContainer control, 979–980

TextBoxWatermarkExtender, 964–965

ToggleButtonExtender, 965–966

UpdatePanelAnimationExtender,
967–968

ValidatorCalloutExtender, 968–969

AJAXControlExtender.vsi, 915

aliases, listing of current, 1092

All attribute, Forms Authentication,
1499

<allow> node

<allow> node

- authenticating/authorizing groups, 991
- authenticating/authorizing HTTP transmission, 991
- authenticating/authorizing users, 989–990
- URL Authorization, 1501
- allowAnonymous **attribute**, **personalization**, 716
- AllowClose **property**, **WebPart class**, 821, 823
- allowDefinition **attribute**, **locking-down configuration**, 1502–1503
- AllowDirectoryBrowsing **property**, **File System Editor**, 1621
- AllowLayoutChange **attribute**, **Web Parts**, 809
- allowOverride **attribute**, **locking-down configuration**, 1502–1503
- AllowReadAccess **property**, **File System Editor**, 1621
- AllowReturn **attribute**, **Wizard server control**, 172
- AllowScriptSourceAccess **property**, **File System Editor**, 1621
- AllowWriteAccess **property**, **File System Editor**, 1621
- AlternatingItemTemplate**, **DataList server control**, 390–392
- AlwaysVisibleControlExtender**, **AJAX**, 920–923
- AnimationExtender**
 - fading background color with, 923–924
 - overview of, 923
- anonymous authentication**, 583
- anonymous identity**, 1499–1500
- anonymous personalization**. *see* **personalization**, **anonymous**
- anonymous users**, **URL Authorization**, 1501
- AnonymousID **property**, **anonymous identifier storage**, 714
- AnonymousIdentification_Creating **event**, 715
- <anonymousIdentification> **section**, **configuration**, 1500
- <AnonymousTemplate>, **LoginView control**, 769–770
- ANTS profiler**, **Red Gate Software**, 1652–1653
- Apache Web Server**, and **mod_rewrite**, 1663
- app **command**, 1519
- \App_Browsers **folder**, 38–39
- \App_Code **folder**, 32–37
- App_Code **folder**, 1281
- \App_Data **folder**, 37
- \App_GlobalResources **folder**, 38
- \App_LocalResources **folder**, 38
- \App_prefix, **reserved folders**, 1635
- \App_Themes **folder**, 37–38, 258–259
- \App_WebReferences **folder**, 38
- Appearance section**, **Web Parts**, 805
- Application Configuration dialog**, **IIS**, 1014–1017
- application configuration files**, 1483–1484
- @Application **directive**, **Global.asax file**, 51–52
- application event logs**, **writing to**, 1534–1536
- Application Extension Configuration dialog**, **IIS 6**, 1272
- application frameworks**
 - adding **Global.asax file**, 50–53
 - application location options, 1–5
 - build providers, 43–50
 - compilation, 39–43
 - folders, 32–39
 - working with classes through **VS2008**, 53–59
- Application **object**, 1046–1047
- application packaging and deploying**
 - with **Copy Web Site**, 1602–1607
 - Custom Actions Editor**, 1628–1629

- deployment pieces, 1598
- File System Editor, 1620–1624
- File Types Editor, 1625–1626
- installation programs, 1607–1613
- Launch Conditions Editor, 1629–1630
- overview of, 1597
- precompiled Web applications, 1605–1607
- Registry Editor, 1624–1625
- steps to take before, 1598–1599
- summary review, 1630
- User Interface Editor, 1626–1628
- Windows Installer options, 1616–1620
- XCOPY, 1599–1602
- application pools, IIS Manager**, 550–553, 1587
- Application Restarts performance counter**, 1538
- Application Settings, IIS Manager**, 1591–1592
- Application tab, Web Site Administration Tool**, 1580–1581
- `Application_onError` **handler**, 1120
- `applicationHost.config` **file, IIS Manager**
 - adding Web site, 554–555
 - delegation, 564
 - hierarchical configuration, 559–561
 - overview of, 550–553
- `ApplicationName` **property**,
 - `MembershipProvider` **class**, 621–622
- `ApplicationProtection` **property, File System Editor**, 1621
- applications**
 - AJAX, 874–876
 - configuring for SQL Server cache
 - invalidation, 1078–1079
 - creating MVC application, 1706–1708
 - error and exception handling, 1121–1122
 - navigating between databases and applications, 1309
 - storing settings specific to, 1510–1511
 - thick-client vs. thin-client, 867–868
 - tracing, 1094–1098, 1545
- Applications Running performance counter**, 1538
- Applied Rules list, CSS Properties Tool window**, 861–862
- Apply Styles tool window, Visual Studio**, 860–861
- `AppMappings` **property, File System Editor**, 1621
- `appRequestQueueLimit` **attribute, runtime**, 1507
- AppScaler**, 1044
- `<appSettings>`, **web.config file**, 1486–1487, 1510, 1580–1581
- Aptana Studio, JavaScript IDE**, 1651–1652
- architecture, IIS 7**
 - extensible, 542
 - modular, 537–538
- arithmetic operators, for filtering content in result sets**, 1447
- `.ascx` **file extension, user controls**, 1178, 1346
- `.ashx` **file extension, HttpHandlers**, 1273
- `.asmx` **file extension, Web service files**, 1372, 1381
- ASMX Web Services**, 1404
- ASP (Active Server Pages)**, 61, 1694
- ASP.NET**
 - AJAX. *see* AJAX (Asynchronous JavaScript and XML)
 - application packaging and deploying. *see* application packaging and deploying
 - configuration settings, 1503–1505
 - consuming ADO.NET Data Services in, 1448–1452
 - forms-based authentication, 1634
 - IIS 7 integrated pipeline with, 542–544
 - localization threads, 1455–1458
 - Machine account, 160
 - Management Objects, 1511–1518
 - migrating from 1x to 2.0, 1632–1634

ASP.NET (continued)

ASP.NET (continued)

migrating from 2.0 to 3.5, 1634
 runtime configuration settings, 1505–1508
 Snap-In for IIS 6.0 or Windows Vista's IIS Manager, 1522–1523
 TreeView Line Generator dialog, 663
 Web Site Administration Tool. *see* Web Site Administration Tool
 Web Site Configuration Tool, 603
 worker process configuration settings, 1508–1510

ASP.NET AJAX. *see* AJAX (Asynchronous JavaScript and XML)

ASP.NET Development Server, 1109–1110

ASP.NET Dynamic Data

Content folder, 1345
 core files in default application, 1344
 creating base application, 1343–1344
 CustomPages folder, 1345
 display features, 1366–1368
 DynamicData folder, 1345
 FieldTemplates folder, 1345–1350
 incorporating database with application, 1351–1355
 overview of, 1343
 PageTemplates folder, 1350–1351
 registering dynamic data model within Global.asax file, 1355–1357
 routes, 1361–1365
 running Dynamic Data application, 1357–1360
 styles and layout, 1357
 summary, 1368

ASP.NET MMC snap-in

configuring providers in, 603
 migrating from 1x to 2.0, 1632–1634
 security through IIS, 1017–1018

ASP.NET MVC

advantages of Web Forms, 1694
 basic Web Forms application, 1694–1698
 basics of MVC, 1702
 client IDs and, 1701

common reactions to MVC, 1705–1706
 convention over configuration concept, 1708–1712
 creating MVC application, 1706–1708
 events and, 1698–1699
 HTML rendering and, 1701
 limitations of Web Forms, 1699–1701
 maintainability, 1703
 orchestration vs. composing, 1702
 request lifecycle and, 1714
 separation of concerns, 1702–1703
 summary, 1715
 testing and, 1701–1705
 ViewState and, 1701
 Web Forms vs., 1693

ASP.NET pages

building using EDM (Entity Data Model), 1316–1319
 changes due to addition of AJAX control, 919–920
 ScriptManager included on, 885
 simple ASP.NET page not using AJAX, 876–878
 simple ASP.NET page using AJAX, 878–884

ASP.NET SQL Server Setup Wizard

command-line tool, 571–573
 configuring personalization framework, 722
 configuring SQL-backed session state, 1040–1042
 defined, 571
 as GUI tool, 573–575
 aspnet_compiler.exe **tool**, 41
 aspnet_isapi **extension module**, IIS 7, 544
 aspnet_regiis.exe **tool**, 1510, 1519
 aspnet_regsql.exe **tool**, 571–574, 1040–1042, 1073–1078
 AspNet_SqlCacheTablesForChange Notification **table**, 1079
 aspnet_state.exe **tool**, 1034
 aspnet_wp.exe, 1035, 1046
 ASPNETDB.mdf **file**, 721–722, 737

Audit Failure Events Raised performance counter

- AspNetSql2005ProfileProvider, 724
- AspNetSqlProfileProvider, 751
- ASPX Edit Helper for Visual Studio**, 1659
- .aspx extension**
 - caching with master pages, 248–249
 - content page basics, 221
 - content page coding, 226–229
 - converting ASP.NET 1.x in Visual Studio 2008, 1642
- assemblies**
 - adding to installer output, 1621–1622
 - LINQ, 446
 - private, 1295–1296, 1306
 - public, 1296, 1306–1307
- assemblies **attribute, compilation**, 1493
- @Assembly **directive**, 12, 21, 51–52
- Assembly Registration Tool (regasm.exe)**, 1303, 1306
- assembly resource (.resx) files**, 687
- associations, 1441–1445. *see also* relationships**
- AsyncCallback **class**, 416
- asynchronous command execution**, 414–435
 - with AsyncCallback class, 416
 - callback approach to, 432–434, 1210–1214
 - canceling, 434
 - consuming Web services, 1401–1403
 - IAsyncResult interface and, 415–416
 - methods of SqlCommand class, 414–415
 - overview of, 414
 - poll approach to, 417–420
 - using multiple wait handles, 423–432
 - wait approach to, 420–423
 - WaitHandle class, 416–417
- Asynchronous JavaScript and XML. *see* AJAX (Asynchronous JavaScript and XML)**
- Asynchronous **property**, SqlConnection **class**, 435
- Atom-based XML**, 1426
- atomization**, 493
- Attach to Process, Debug menu**, 1111
- Attribute Selectors, CSS**, 842
- attributes**
 - <add/>, 1553
 - @Assembly directive, 21
 - <browser>, 1494–1495
 - buffering Web events, 1561
 - code-behind pages, 11
 - <compilation>, 1492–1493
 - @Control directive, 17–18
 - <eventMappings>, 1551
 - <form>, 736–737
 - Forms Authentication, 1498–1499
 - @Implements directive, 20
 - locking-down configuration, 1502–1503
 - @Master directive, 16
 - @MasterType directive, 21
 - modifying file and directory, 1144–1145
 - modifying provider behaviors, 606–611
 - @OutputCache directive, 22
 - @Page directive, 13–15
 - @PreviousPageType directive, 21
 - <processModel> element, 1508–1510
 - @Reference directive, 22
 - @Register directive, 20
 - rendering HTML tag, 1199–1201
 - <rolemanager>, 772–773
 - <rules>, 1553–1554
 - runtime settings configuration, 1505–1508
 - server control, 1193–1194
 - <sessionState>, 1488
 - <siteMapNode>, 641
 - SqlMembershipProvider, 751
 - storing application-specific settings, 1510–1511
 - @WebService directive, 1373
 - XML document, 479–480
- Audit Failure Events Raised performance counter**, 1538

Audit Success Events Raised performance counter

Audit Success Events Raised performance counter, 1538

Australia, culture codes, 1454

Authenticate() **method, forms authentication**, 1000

authentication, 734–769

applying measures, 984–985

authorization vs., 984

configuring, 1496–1499

configuring

WindowsTokenRoleProvider,
583–584

credentials, 752–760

defined, 734

forms-based. *see* Forms-based authentication

IIS 6 interaction with ASP.NET,
542–544

MembershipProvider class, 624–626

Passport. *see* Passport authentication

passwords and, 764–768

setting <authentication> node,
985–986

showing number of users online, 762–764

of specific files and folders, 1004–1005

users, adding, 737–751

users, authenticating, 987–989

users, working with authenticated,
760–762

using ASP.NET MMC snap-in,
1017–1018

using Security Setup Wizard, 1572–1577

Web site setup for, 734–737

Windows-based. *see* Windows-based authentication

WindowsIdentity object and,
1008–1010

author blogs, online resources, 1717

Author **property, installer properties**, 1619

authorization, 769–785

applying to single file, 1005

authentication vs., 984

configuration settings, 1500–1502

defined, 734

with LoginView server control, 769–771

roles, adding and retrieving application,
775–777

roles, adding users to, 778–779

roles, caching of, 783–785

roles, checking for specific user in,
782–783

roles, deleting, 777–778

roles, getting all users of particular,
779–780

roles, getting for specific user, 781

roles, removing users from, 781–782

roles, setting up Web site for managing,
771–775

of specific files and folders, 1005

Windows-based, 987–991

authorization, programmatic, 1005–1010

overview of, 1005–1006

with User.Identity property,
1006–1007

using User.IsInRole() method,
1007–1008

with WindowsIdentity, 1008–1010

<authorization> **element**, 752

AuthorizationStoreRoleProvider,
584–585

Auto Format, TreeView server control, 652–653

AutoCompleteExtender, AJAX, 924–928

AutoDetect **value, storing identifiers**, 714

autoEventWireup **element, page configuration**, 1504

AutoGenerateDeleteButton **property**,
327, 335–336

AutoGenerateEditButton **attribute**,
322

automaticSaveEnabled **attribute**,
<profile> **node**, 720

AutoPostBack **property**

DropDownList control, 118

build providers

RadioButton server control, 130
 TextBox server control, 108–110
 AutoUpgrade **property**, Silverlight
control, 1676

B

background color, fading, 923–924

Base Class Library (BCL), 1125

Basic authentication, 992–993

batch **attribute, compilation configuration**,
 1492

Batch section, .NET compilation,
 1587–1588

batchTimeout **attribute, compilation
 configuration**, 1492

BCL (Base Class Library), 1125

before element, CSS, 845

BeginExecuteReader, **asynchronous
 commands**, 417–420

*Beginning JavaScript, Third Edition (Wiley
 Publishing, Inc.)*, 86

Beyond Compare, 1665

Bin **folder**, 1285

binary metabase, 1480

BinaryReader **class**, 1158

BinaryWriter **class**, 1158

Bind **method, data binding**, 353

binding

early vs. late, 1303

Menu server control to XML file, 676–678

TreeView control to XML file, 654–656

block boxes, 851

**blogs (weblogs), and XmlDataSource
 control**, 515–517

blogs (weblogs), online resources,
 1717–1718

Blowery Http Compression Module,
 1163

<body> **tag**, 263

BooleanSwitch, 1105–1106

bootstrapping, 1618

borders, CheckBoxList control, 128

Bound List controls

AdRotator control, 351

DetailsView server control, 330–335

DropDownList control, 350

FormView, 345–350

GridView control. *see* GridView control

ListBox control, 350

ListView control. *see* ListView control

Menu control, 351

overview of, 304

RadioButtonList control, 350

TreeView control, 350–351

box model, CSS, 850–853

**breadcrumb navigation, SiteMapPath
 control**, 642

.browser **files**, 1214–1216, 1494–1495

browsers

Administrative Tool and, 1540–1545

\App_Browsers folder, 38–39

ASP.NET server controls and, 62

client-side caching and, 1064–1066

configuration settings, 1493–1495

container-specific master pages and,
 246–248

displaying event log contents, 1532–1534

downlevel, 1214–1217

implementing CSS, 836

internal stylesheets and, 73

limitations of classic ASP, 61–62

RIAs (Rich Internet Applications) and,
 1671

state management and, 1022

supporting Basic authentication, 992

buffer **element**, 1504

buffer uploads, 1507

BufferedWebEventProvider, 591,
 595, 597, 1559–1561

buffering, Web events, 1559–1561

Build Calculator, 1283

build providers, 43–50

compilation configuration, 1493

constructing own, 45–50

build providers (*continued*)

build providers (*continued*)

overview of, 43

using built-in, 44–45

built-in Web server, 2

bulleted lists, 953–954

BulletedList server control, 150–155

business objects, .NET

COM Interoperability with. *see* COM Interop defined, 1281

using from unmanaged code. *see* .NET from unmanaged code

using in ASP.NET 3.5, 1281–1285

Button server control

CausesValidation property, 111

CommandName property, 111–112

ImageButton server control, 115–116

LinkButton server control, 114–115

overview of, 111–114

working with client-side JavaScript, 112–114

Button_Command **event**, 112

buttons

events, 66–67

Wizard navigation, 174

Byte **arrays**, 165–166, 1153

C

Cab Project, 1608

CAB Size, 1618–1619

cabinet files, 1618–1619

Cache **object**

Application object vs., 1046–1047

attaching SQL Server cache dependencies to, 1083–1086

cache dependencies, 1067–1073

data caching using, 1066–1067

Cache-Control HTTP Header, 1064–1066

CacheDependency, 1067–1073

AggregateCacheDependency class, 1068

creating custom, 1069–1073

defined, 1067

setting dependencies with Insert method, 1067

SqlCacheDependency class, 1073, 1078–1079, 1083–1086

UnsealedCacheDependency class, 1068–1069

CacheDuration **property**, **SOAP responses**, 1393–1394

caching

data source control, 300–301

defined, 1057

detecting cached user controls, 1184–1186

HttpCachePolicy class and client-side, 1064–1066

with master pages, 248–249

output, 1057–1058

overview of, 1057

partial page, 1060–1061

post-cache substitution, 1061–1063

programmatically, 1066–1073

roles, 783–785

testing SQL Server invalidation, 1080–1086

using SQL Server Cache Dependency, 1073–1078

Web service responses, 1393–1394

Calendar server control, 137–144

date format, 138–139

date ranges, 139–141

date selection, 137–138

day, week or month selections, 139

overview of, 136

style and behavior, 141–144

CalendarExtender control

overview of, 928–929

PopupControlExtender and, 954–956

Canada, culture codes, 1454

Cancel **method**, **asynchronous processing**, 434

CAPI (cryptographic API), 601

Caption **attribute**, **Table server control**, 135–136

client-side validation

- Cascading Style Sheets. see CSS (Cascading Style Sheets)**
- CascadingDropDown control, AJAX,** 972–975
- Cassini Web server,** 1110
- casting, user control to its native type,** 1184
- Catalog Mode, Portal Framework Web pages,** 788, 801–802, 803
- CausesValidation property, Button server control,** 111
- CCW (Com-Callable Wrapper),** 1297–1299
- .cd file extension (class designer),** 53–59
- Cell property, DayRenderEventArgs class,** 144
- ChangeConflictException,** 474
- ChangePassword server control,** 764–765
- characters, NumericUpDownExtender and,** 952–953
- check boxes, in TreeView,** 656–660
- CheckBox control**
 - CheckBoxList server control vs., 127
 - MutuallyExclusiveCheckBoxExtender, 950–952
 - overview of, 124–126
 - RadioButton server control vs., 129
 - ToggleButtonExtender and, 965–966
- CheckBoxList control**
 - overview of, 127–129
 - visually removing items from collections, 119–121
- Checked property, CheckBox server control,** 126
- child elements, SiteMapPath server control,** 648
- child nodes, TreeView control,** 653
- Child Selectors, CSS,** 841
- Choose Location dialog,** 2–5
- class designer (.cd file extension),** 53–59
- class libraries, Silverlight,** 1672–1673
- Class Selectors, CSS,** 842–843
- classes**
 - \App_Code folder for, 32–37
 - basic ADO.NET, 367–368
 - configuration file programming, 1511–1512
 - CSS pseudo, 843–844
 - derived from Stream class, 1152
 - in LINQ to SQL, 463
 - Portal Framework, 814–818
 - working with, 53–59
- classic ASP**
 - ASP.NET today vs., 61–62
 - event model, 65–66
 - include files in, 219–221
 - Session object in, 1024
- client IDs, disadvantages of Web Forms,** 1701
- Client Script Library,** 872–873
- ClientID property, server controls,** 1200
- ClientScriptManager class,** 1205–1210
- client-side**
 - AJAX technologies, 872–873
 - authentication settings, 1497
 - caching, 1064–1066
 - culture declarations, 1459–1460
 - Javascript debugging, 1116–1119
 - state management, 1023–1024, 1698
- client-side, adding features to server controls,** 1205–1214
 - accessing embedded resources, 1210
 - asynchronous callbacks, 1210–1214
 - emitting client-side script, 1205–1210
- client-side callback,** 87–101
 - complex example of, 95–101
 - overview of, 86
 - simple approach for, 87–92
 - typical postback vs., 86–87
 - using single parameter, 92–95
- client-side validation**
 - CustomValidator control with, 202–208
 - server-side validation vs., 186–187
 - turning off, 211–212

Close () method

Close () method

Stream class, 1153

XmlReader, 528

XmlReader and XmlWriter, 505

CLR objects, creating from XML, 498–499

cmd.ExecuteNonQuery () **command**,

ADO.NET, 365

code

content pages, 225–229

in-line pages, 7–9

master pages, 223–225

online converter tool for, 1664

server controls, 64–65

tools for tidying up, 1656–1658

Code Converter, online, 1664

Code Style Enforcer, 1657

code-access security (CAS), 1482–1483

code-behind pages

creating new page using, 9–11

for CustomerOrders page, 411

of DynamicPopulateExtender, 941–943

overview of, 9–11

for XML Web, 1373

CodeExpression **class**, 356

CodeFile **attribute**, Page **directive**, 11

codegen **folder, buffer uploads**, 1507

CodePlex project, 914

codeSubDirectories **attribute**,

compilation configuration, 1492

CollapseAll () **method**, TreeView

class, 663–667

CollapsiblePanelExtender

Label controls and, 931

Panel controls and, 929–931

collections, visually removing items from,

119–121

Color Picker, 1255

columns

DataList control, creating multiple,
392–393

Grid View control, sorting, 310–312

GridView control, customizing, 314–317

GridView control, editing row data,
320–323

GridView control, using TemplateField,
317–320

inserting XML data into, 533–534

setting column visibility to false,
1367–1368

COM Interop, 1286–1296

assessing tricky members in C#,
1291–1292

deploying components with .NET apps,
1295–1296

error handling, 1292–1295

overview of, 1286

releasing COM objects manually, 1292

Runtime Callable Wrapper, 1286–1287

using COM objects in ASP.NET code,
1287–1292

Com-Callable Wrapper (CCW), 1297–1299

Command and Parameter Editor dialog, 282

Command object

defined, 367–368

using DataReader object, 371–373

using in ADO.NET, 370–371

Command window, 1092

CommandField, 322

CommandName **property**, Button server
control, 111–112

comments

internal stylesheets using HTML, 73

in XML documents, 479

Comments view, Task List, 1092

CompareValidator server control, 188,
194–197

compilation

configuration, 1491–1493

configuration settings, 1491–1493

.NET Compilation in IIS Manager,
1587–1588

overview of, 39–43

precompilation for deployment, 1605–1607

connection strings

- precompilation of .NET business objects, 1282–1284
- compilationMode, <pages>
 - configuration**, 1504
- components, tracing from**, 1098–1100
- composite controls**, 1227–1230, 1243–1245
- compression, deployment project**, 1618
- compression, streams**
 - HTTP output, 1163–1165
 - using Deflate() method, 1162–1163
 - using GZipStream, 1161–1162
- Computer Management utility, group authentication**, 990–991
- conceptual layer**
 - coding in applications, 1310
 - of entity data model, 1311
- Conceptual Schema Definition Language (CSDL)**, 1311
- concurrency, LINQ to SQL**, 474
- <configSections> **element**, 1485–1486
- configSource **attribute, include files configuration**, 1504
- configuration**
 - altering SQL Server versions, 576–577
 - anonymous identity, 1499–1500
 - application file, 1483–1484
 - applying in hierarchal manner, 984
 - applying settings, 1484–1485
 - ASP.NET pages, 1503–1505
 - ASP.NET runtime settings, 1505–1508
 - ASP.NET worker process, 1508–1510
 - authentication, 1496–1499
 - authorization, 1500–1502
 - browser capabilities, 1493–1495
 - compilation, 1491–1493
 - connecting strings, 1486–1487
 - custom errors, 1495–1496
 - custom sections, 1523–1530
 - detecting changes, 1485
 - editing files, 1522–1523
 - file format, 1485–1486
 - health monitoring, 1548–1555
 - with IIS Manager. *see* IIS (Internet Information Service) Manager
 - include files, 1505
 - locking-down settings, 1502–1503
 - overview of, 1479–1480
 - programming files, 1511–1518
 - protecting settings, 1518–1522
 - of providers, 603
 - server configuration files, 1481–1483
 - session state, 1487–1491
 - storing application-specific settings, 1510–1511
 - summary review, 1530
 - with Web Site Administration Tool. *see* Web Site Administration Tool
 - writing events via, 1555–1556
- configuration files, session state and**, 1480
- configuration providers**, 598–601
- Configure Behavior dialog**, 473
- Configure Data Source Wizard**, 277–281, 286–288
- Configure Data Wizard**, 294–295
- Configure ListView dialog**, 338
- confirmation form, for user actions**, 932–933
- ConfirmButtonExtender, AJAX**, 931–932
- ConflictDetection **property, SqlDataSource control**, 282–285
- Connection **object**
 - defined, 367
 - executing SQL queries with, 370
 - using DataReader object, 371–373
 - using in ADO.NET, 368–370
- connection strings**
 - configuration settings, 1486–1487
 - connecting SqlProfileProvider to SQL Server 2005, 586

connection strings (*continued*)

connection strings (*continued*)

creating `ActiveDirectoryMembershipProvider`,
579

enumerating, 1514–1515

IIS Manager, 1592

protecting configuration settings,
1518–1522

session state configuration, 1490

storing connection information, 301–304

using `Connection` object in ADO.NET,
368–370

using `ConnectionStringBuilder` for,
304

connections

asynchronous, 435

to data source, 402–404

to Oracle Database, 384–387

`SqlDataSource` control, 277–281

between WebParts. *see* Web Parts,
connecting

Connections pane, IIS Manager, 549–555

Application Pools node, 550–553

overview of, 549

Sites node, 554–555

`ConnectionString` **property**,

`SqlDataSource` control, 279, 281,
288–289, 722

`ConnectionStringBuilder` **class**, 304

`connectionStringName` **attribute**,
`<add>` **element**, 1079

constants, validating against, 196–197

consumer Web Parts, 824–825, 828–830

consuming data services, in ASP.NET,
1448–1452

**consuming XML Web services. *see* XML
Web services, consuming**

`Container.DataItem` **syntax**, 353

containers, ListView, 342–343

container-specific master pages,
246–248

content areas, 221–223, 240–241

Content folder, ASP.NET Dynamic Data,
1345

content pages

basics, 221–223

caching with master pages, 248–249

coding, 225–229

mixing languages/master pages with,
229–231

programmatically assigning master pages
to, 241–243

working with page title on, 232

`ContentPlaceholder` **server control**,
240–241, 244–246

`<ContentTemplate>`

`LoginView` control, 771

`UpdatePanel` control, 890–891

`ContinueButtonClick()` **event**,
`CreateUserWizard` control, 741–742

`Control` **class**, 68

control designers, 1242–1255

designer actions, 1252–1254

designer regions, 1243–1252

overview of, 1242

`@Control` **directive**

defined, 12

overview of, 17–18

for user controls, 1178

control IDs, 1200

`ControlContainer` **class**, 1242

controls

AJAX server controls. *see* server controls,
AJAX

data source. *see* data source controls

IIS Manager, 1592–1593

master page, 233–239

server. *see* server controls

styling ASP.NET, 863–864

`Controls` **collection**, 1182–1184

ControlState

client-side state management, 1024

state management and, 1054

using in server controls, 1219–1221

cryptographic API (CAPI)

- ControlToValidate property**
 CompareValidator control, 194–197
 CustomValidator control, 205
 Regular Expression validator control, 202
 RequiredFieldValidator control, 190, 193
- convention over configuration concept, in ASP.NET MVC, 1708–1712**
- conversion, currency, 1464–1466**
- ConversionReport.webinfo file, 1642–1643**
- cookieless attribute, Forms Authentication, 1499**
- cookieless session state, 1044–1045, 1488, 1595**
- cookieName attribute, 712–713, 1029**
- cookies**
 achieving identification without, 713–714
 changing length of time stored, 713
 changing name for anonymous identification, 713
 client-side state management, 1022–1023
 with Login control, 754
 persistent user data storage and, 699
 roles cached in, 783–785
 setting anonymous, 712–713
 storing only non-sensitive information in, 1047–1048
- cookieTimeout attribute, anonymous personalization, 712–713**
- Copy Web Site GUI, deployment option, 1602–1607**
 precompiled Web applications, 1605–1607
- copy-and-paste deployment, XCOPY, 1599–1602**
- core files, ASP.NET Dynamic Data, 1344**
- counters, performance, 1536–1545**
- CR_Documentor, 1667–1668**
- Create() method, XmlReader, 486–488**
- Create or Manage Roles link, ASP.NET Web Site Administration Tool, 690–691**
- CreateChildControls() method, Web Parts, 822, 828, 830**
- CreateEventSource(), writing to event log, 1536**
- CreateNewStoreData() method, SessionStateModule, 1044**
- CreateRole() method, Roles class, 631–632, 634–635, 776**
- CreateUser() event, CreateUserWizard control, 741–742, 745–746**
- CreateUser() method, Membership API, 746**
- CreateUserWizard server control**
 adding user to membership service, 737–739
 overview of, 737–739
 seeing where users are stored, 739–741
 using personalization properties, 742–746
 working with, 741–742
- credentials**
 authenticating against values in database, 1000–1002
 authenticating against values in web.config file, 998–1000
 Basic authentication, 992–993
 Digest authentication, 993–994
 locking out users with bad passwords, 756–760
 logging in users programmatically, 755–756
 remote debugging, 1111–1112
 turning off access with <authorization> element, 752
 using Login server control, 752–755, 1002–1003
- cross-page postbacks**
 Button server control, 114
 overview of, 25–32
 state management and, 1048–1050
- CRUD (Create, Read, Update, and Delete) ADO.NET Data Services and, 1425**
 dynamic data and, 1345
- cryptographic API (CAPI), 601**

cryptographic service provider (CSP)

cryptographic service provider (CSP), 601
 CsaProviderName **attribute**, RsaProtectedConfigurationProvider,
 601

CSDL (Conceptual Schema Definition Language), 1311

CSP (cryptographic service provider), 601

CSS (Cascading Style Sheets)

changing styles using, 70–73
 creating files for themes, 261–264
 designing. *see* HTML and CSS design
 incorporating images into themes using,
 264–267
 styling HTML for server controls,
 1201–1204

CSS properties grid, CSS Properties Tool window, 861–862

CSS Properties tool window, Visual Studio,
 861–862

CssClass **property, ASP.NET server controls**, 864

culture **attribute**, Web.config **file**, 686
 culture **attribute**,
 web.config.comments **file**,
 1458–1459

culture declarations

client-side, 1459–1460
 server-side, 1458–1459

culture types

localization, 1454–1455
 .NET globalization, 1588

CultureInfo **object, ASP.NET threads**,
 1455–1458

currency, localization, 1462–1466

CurrentNode **property, SiteMap class**,
 681–684

Custom Actions Editor, 1628–1629

custom sections, configuration,
 1523–1530

custom server controls, 270–274

<customErrors> **section, configuration settings**, 1495–1496

Customize Line Images, TreeView control,
 662

CustomPages **folder, ASP.NET Dynamic Data**, 1345

CustomProviders, 613–614

CustomValidator server control, 188,
 202–208

D

data binding

expressions and expression builders,
 354–359
 inline data-binding syntax, 352
 ListView, 343–344
 using data source controls. *see* data source
 controls

data caching, 1066–1067

data concurrency, 284–285, 293

data context, LINQ to SQL, 465

data contract, WCF service, 1407,
 1417–1420

data item rendering, ListView, 340–341

data management, with ADO.NET. *see*
ADO.NET

Data Protection API (or DPAPI),
 1518–1522

Data Provider **classes, ADO.NET**, 367

data providers. *see* providers

Data Services. *see* ADO.NET Data Services

data source configuration wizard,
 1337–1340

data source controls

AccessDataSource control, 294
 configuring caching, 300–301
 configuring for entity data model,
 1337–1340
 LinqDataSource control, 289–294
 ObjectDataSource control, 295–300
 overview of, 275–277
 SiteMapDataSource control, 300
 SqlDataSource control. *see*
 SqlDataSource control

- storing connection information, 301–304
- using Bound List controls with. *see* Bound List controls
- XmlDataSource control, 294–295
- data source, creating connection to,** 402–404
- data stores,** 37, 154
- data visualizers, debugging using,** 1114–1115
- DataAdapter **object,** 367–368, 373–376
- databases,** 524–534
 - authenticating against values in, 1000–1002
 - debugging, 1119
 - enabling for SQL Server cache invalidation, 1074
 - incorporating with Dynamic Data application, 1351–1355
 - navigating between databases and applications, 1309
 - routing events to SQL server, 1556–1559
 - SQL Server cache invalidation, 1077
 - XML and, 524–528
 - XML data type and SQL Server 2005, 528–534
- DataBind() **method, list controls,** 304
- data-binding, GridView control,** 319
- DataFile **property, AccessDataSource control,** 294
- DataGrid control,** 310, 312–314
- DataKeyNames **property, GridView control,** 322–323
- DataList server control,** 387–393
 - available templates, 387
 - ItemTemplate, 388–390
 - multiple columns, 392–393
 - other layout templates, 390–392
 - styling with CSS-Friendly Control Adapters, 864
- DataPager control,** 344–345
- DataReader **object**
 - in ADO.NET, 371–373
 - DataSet vs., 382–384
 - defined, 367–368
 - loading DataTable from, 380–382
 - reading data from SQL database, 362
- Dataset Designer view,** 484
- DataSets**
 - building, 410–413
 - defined, 379
 - overview of, 510
 - persisting to XML, 510–511
 - typed, 384
 - when to use, 382–384
 - XmlDataDocument, 511–513
- DataSourceMode **property,**
 - SqlDataSource control,** 281
- DataTable **objects,** 379–384, 510–511
- datatips, debugger,** 1114
- dates**
 - Calendar control. *see* Calendar server control
 - CalendarExtender and, 928
 - localization, 1461–1462
- DateTime_Edit.aspx **file**
 - code-behind pages from, 1349
 - listing, 1348
- DateTime.aspx **file**
 - code-behind file for, 1347–1348
 - listing, 1346–1347
- Day **property, DayRenderEventArgs class,** 144
- DayRender **event, Calendar control,** 142–144
- DbgView, debugging using,** 1099
- DCOM,** 1385
- debug **attribute, compilation configuration,** 1492
- debug configuration, Visual Studio,** 1108–1109
- debugging,** 1108–1119
 - in Application tab, 1582–1583
 - client-side Javascript, 1116–1119

debugging (continued)

debugging (continued)

- datatips, 1114
- debug vs. release, 1108–1109
- design-time support for, 1089–1092
- IIS vs. ASP.NET Development Server, 1109–1110
- JIT dialog and, 1109
- new tools for, 1114–1116
- overview of, 1108
- remote, 1111–1112
- SQL stored proc and, 1119
- starting session of, 1110–1114
- tools, 1647–1653
- tracing and. *see* tracing
- turning off before deploying, 1598–1599
- XSLT, 523
- Debug.Write **function**, 1099–1100
- declarations, culture**, 1458–1460
- declarations, XML documents**, 479
- DeclarativeCatalogPart control**, 809
- decryption, ViewState**, 1053–1054
- Default.asp, 1028, 1033–1034
- Default.aspx **page**
 - adding language to, 1471–1472
 - AJAX and, 878
 - finalizing localization, 1472–1474
 - local resource files, 1472–1473
 - setting up administrators' section, 692–693
 - user login, 628–629
- DefaultDocument **property, File System Editor**, 1621
- defaultLanguage **attribute, compilation configuration**, 1492
- defaultProvider **attribute**
 - connecting to new SQL Server instance, 575–577
 - defining provider instance, 618–619
 - installing personalization, 724
 - SqlMembershipProvider, 577
 - SqlRoleProvider, 584
- defaultRedirect, **custom errors configuration settings**, 1496
- default.svc **file, for ADO.NET Data Service**, 1429–1430
- defaultUrl **attribute, Forms authentication**, 1499
- defaultValue **attribute, personalization**, 711
- Deflate() **method, streams**, 1162–1163
- delayed execution, LINQ**, 451
- delegation, IIS Manager**, 561–564
- DeleteAllOnSubmit **method, LINQ to SQL**, 474–475
- DeleteCommand, **DetailsView control**, 336
- DeleteCookie() **method, Roles API**, 784–785
- DeleteOnSubmit **method, LINQ to SQL**, 474–475
- DeleteProfile() **method, ProfileManager**, 730
- DeleteRole() **method, Roles class**, 632–633, 777–778
- DeleteUser() **method, ProfileManager**, 731
- deleting, users from roles**, 781–782
- deleting data**
 - from SQL Server, 366
 - using DetailsView server control, 335–336
 - using GridView control, 327–330
 - using LINQ to SQL, 474–475
 - using SqlDataSource control, 328
- DelimitedListTraceListener**, 1103
- denial of service (DoS) attacks**, 161, 1507
- <deny> **node**
 - authenticating/authorizing groups, 991
 - authenticating/authorizing HTTP transmission, 991
 - authenticating/authorizing users, 989–990
 - denying unauthenticated users, 752
 - URL authorization, 1501

Direction attribute, Panel server control

dependencies, 1067–1073

- AggregateCacheDependency class, 1068
- creating custom, 1069–1073
- IIS 7 update, 545
- setting dependencies with Insert method, 1067
- testing SQL Server cache invalidation, 1082–1086
- UnsealedCacheDependency class, 1068–1069
- using SQL Server Cache Dependency, 1073–1078

deployment. see application packaging and deploying

Descendant Selectors, CSS, 841

Description **property, installer properties, 1619**

Description **property, ProviderBase class, 611**

DescriptionUrl **attribute, Image server control, 133**

Design Mode, Portal Framework Web pages, 788, 797, 802–804

Design view

- applying styles to Menu control in, 670–671
- dragging and dropping controls in, 63–64
- HTML and CSS in, 857–858
- HTML server controls in, 74
- server control events in, 66–67
- viewing nested master pages in, 245–246

Designer **attribute, 1242–1243, 1245**

designer regions

- creating composite control with, 1243–1245
- customizing designer class to define, 1245–1252
- overview of, 1243

DesignerActionList class, 1252–1254

designers, O/R. see O/R (Object/Relation) designer

design-time

- syntax notifications, 1090–1091
- Task List views, 1092–1093
- tracing. *see* tracing
- using Immediate and Command window at, 1092

design-time, server control behaviors at, 1237–1257

- custom type converters, 1239–1241
- designers, 1242–1255
- overview of, 1237
- type converters, 1238–1242
- UI type editors, 1255–1256

desktop shortcuts, 1623–1624

DetailsView server control, 330–335

- CSS-Friendly Control Adapters for styling, 864
- customizing display of, 331
- with GridView control, 331–335
- inserting, updating and deleting data, 335–336
- overview of, 330–331
- SelectParameters vs. FilterParameters, 334

DetectNewerInstalledVersion **property, installer properties, 1619**

developers, tools for, 1664–1668

development, AJAX, 874

DHTML, 870

diagnostic switches, 1105–1106

dialog boxes, reporting validation errors, 210–211

dialogs, adding to installation process, 1627–1628

DictionarySectionHandler, 1523, 1527

DiffMerge, 1665

Digest authentication, 993–994

Direction **attribute, Panel server control, 149**

directives

directives

Global .asax file, 51–52
page. see page directives

directories

browsing with `Directory`
 /`DirectoryInfo`, 1129–1134
displaying files using `File/FileInfo`,
 1135–1140
enumerating file system directories,
 1130–1132
getting/setting current, 1134–1135
I/O shortcuts, 1159–1161
modifying Access Control Lists, 1145–1151
modifying properties and attributes,
 1144–1145
working with `DriveInfo` class,
 1126–1129
`Directory` **class**, 1129–1134
`DirectoryInfo` **class**
 browsing directory structure with,
 1129–1134
 displaying files in directory, 1135–1140
 modifying file and directory properties with,
 1144–1145
`Disconnected` **classes**, **ADO.NET**, 367
display features, **ASP.NET Dynamic Data**,
 1366–1368
`Display` **property**, **CSS box model**, 853
DisplayAfter **attribute**, **UpdateProgress**
 control, 897
`DisplayMode` **property**, **BulletedList**
 control, 152–153
`DisplayMode` **property**,
 ValidationSummary **control**, 210
`DisplayRememberMe` **property**, **Login**
 control, 753–754
`Dispose` **method**, **IHttpModule** **interface**,
 1262–1263
`Dispose` **statement**, 1153
DLLs
 in ASP.NET applications, 1285
 precompiling business objects into,
 1282–1284

1738

DOCTYPES, 836

Document Object Model (DOM)

AJAX support for, 870
managed code for accessing, 1689–1691

dollar symbol (\$), **currency translation**,
 1464

DOM (Document Object Model)

AJAX support for, 870
managed code for accessing, 1689–1691

domain **attribute**, **Forms authentication**,
 1499

domain name restrictions, 1013–1014

DoS (denial of service) attacks, 161, 1507

dotTrace profiler, **Jetbrain**, 1652–1653

downloading AJAX Control Toolkit,
 914–915

DPAPI (Data Protection API), 1518–1522

`DpapiProtectedConfiguration`
 Provider, 598

drag and drop

`DragPanelExtender`, 933–934
server controls, 63–64

DragPanelExtender, **AJAX**, 933–935

`DriveInfo` **class**, 1126–1129

drives, 1126–1129

`DriveType` **enumeration**, 1127

drop-down lists

`DropDownExtender`, 935
validating, 193–194

DropDownExtender, **AJAX**, 935–937

DropDownList control

adding list of modes to Web page, 797–800
building `ProfileManager.aspx` page
 with, 726–729
`CascadingDropDown` control, 972–975
as databound control, 350
`ListBox` server control vs., 121–124
overview of, 117–119
reading from event log, 1532–1534
visually removing items from collections,
 119–121

DropShadow **effects**, 937

DropShadowExtender, **AJAX**, 937–939

 EmptyDataTemplate property, GridView

DropShadowExtender control

Image controls and, 937–938

Panel controls and, 938–939

Duration **attribute, output caching**, 1058**dynamic compilation configuration,**

1491–1493

Dynamic Data. see ASP.NET Dynamic Data**Dynamic Data Entities Web Application,**

1343

dynamic data routes, 1361–1365**Dynamic Data Web Application**, 1343**dynamic links, menu styles**

adding styles to dynamic items, 672–673

overview of, 671

dynamic pseudo classes, CSS, 844

DynamicBottomSeparatorImageUrl

property, Menu control, 675DynamicData **folder**, 1345DynamicPopOutImageUrl **property,****Menu control**, 674**DynamicPopulateExtender**

code-behind page of, 941–943

Panel controls and, 940–941

DynamicPopulateExtender, AJAX, 939–943

DynamicTopSeparatorImageUrl

property, Menu control, 675**E****early-bound access, personalization**, 705**Edit and Continue, debugging**, 1115**Edit and Refresh, debugging**, 1115**Edit Columns, GridView control**, 315**Edit Mode, Portal Framework Web pages,**

788, 804–808

Edit Templates, GridView, 308–309**editing configuration files**, 1522–1523**EditItemTemplate, ListView**, 342–343,

398–399

editor, resource, 1476–1477Editor **attribute, UI type editors**,

1255–1256

Editor Zone, adding to page, 804–807**editors**

Custom Actions Editor, 1628–1629

File System Editor, 1620–1624

File Types Editor, 1625–1626

Launch Conditions Editor, 1629–1630

Registry Editor, 1624–1625

User Interface Editor, 1626–1628

EditTemplate, GridView control, 320**EDM (Entity Data Model). see also ADO.NET****Entity Framework**

adding to ADO.NET Data Services,

1426–1428

base page for, 1335–1337

building ASP.NET page with, 1316–1319

changing ADO.NET Data Service to work

with, 1430–1431

creating, 1312

EDM Wizard and, 1313–1315

inheritance and, 1326–1332

many-to-one and many-to-many

relationships, 1323–1326

mapping between layers, 1311–1312

new features in ASP.NET focusing on,

1425

one-to-one and one-to-many relationships,

1320–1323

O/R (Object/Relation) designer,

1315–1316

overview of, 1311

stored procedures and, 1332–1335

EDM Wizard, 1313–1315**ELMAH (Error Logging Modules and****Handlers)**, 1662**e-mail**

notification, 593–596

password recovery using, 765–768

sending from Web page, 1174

SMTP e-mail in IIS Manager, 1595

Web events, 1562–1566

embedded resources, accessing, 1210**empty elements, XML**, 481EmptyDataTemplate **property, GridView**,

308–310

EmptyDataText property, GridView

- EmptyDataText **property, GridView**, 308–310
- EmptyItem **template, ListView**, 342–343, 399
- Enable 32-bit Applications, IIS Manager**, 552
- enable **attribute, runtime settings configuration**, 1506
- EnableDelete **property, LinqDataSource control**, 290
- EnableInsert **property, LinqDataSource control**, 290
- enableLocalization **attribute, <siteMap> element**, 685
- EnableSessionState **attribute, <pages> configuration**, 1504
- EnableSessionState **attribute, Session performance**, 1033–1034
- EnableSortingAndPagingCallbacks **property, GridView**, 314
- EnableTheming **attribute**, 256
- EnableUpdate **property, LinqDataSource control**, 290
- enableViewState **element, <pages> configuration**, 1504
- encryption**
 - configuration settings, 1518–1522
 - Digest authentication with, 993–994
 - Forms authentication and, 1499
 - Forms-based authentication with, 1000
 - ViewState, 1053–1054
- End **events, Session object**, 1025
- EndExecuteReader, **asynchronous commands**, 417–420
- endpoints, WCF service**, 1406
- English-speaking culture codes**, 1454
- EnsureChildControls() **method, composite controls**, 1230
- Enterprise Services**, 1404
- EntityDataSource control**
 - configuring for entity data model, 1337–1340
 - creating base page for entity data model, 1336–1337
 - overview of, 1335
- Error Events Raised performance counter**, 1538
- error handling**
 - adding users programmatically, 748–750
 - configuration settings, 1495–1496
 - <customErrors> syntax for, 1495–1496
 - design-time support for, 1089–1092
 - health monitoring and. *see* health monitoring
 - in .NET, 1292–1295
 - in .NET from unmanaged code, 1303–1305
 - overview of, 1119–1122
 - SQL-backed session state, 1041–1042
 - tracing and. *see* tracing
 - using data source control events for database, 285–286
- Error Logging Modules and Handlers (ELMAH)**, 1662
- error notifications**
 - debugging using, 1115
 - design-time support for, 1089–1090
 - e-mail Web events, 1564–1566
 - using images and sounds for, 212–213
- Error **property, Page class**, 1120
- ErrorMessage **property, ValidationSummary control**, 209
- Eval **method, data binding syntax**, 353
- EvaluateExpression **property, expression builders**, 357–358
- event logs**
 - health monitoring. *see* health monitoring instrumentation overview, 1531
 - reading, 1532–1534
 - writing, 1534–1536
- EventLogTraceListener**, 1102–1103
- EventLogWebEventProvider
 - defined, 591
 - health monitoring configuration, 1548
 - overview of, 592–593

 extender controls

- `<eventMappings>`, **health monitoring configuration**, 1549–1551
- `eventName` **attribute**, `<rules>` **configuration**, 1554
- events**
 - animation and, 923
 - anonymous identification, 715
 - ASP.NET MVC vs. ASP.NET Web Forms, 1698–1699
 - buffering Web, 1559–1561
 - CreateUserWizard control, 741–742
 - e-mailing Web, 1562–1566
 - global application, 51
 - GridView control, 306–307, 314
 - Init method registering, 1262–1263
 - LinqDataSource control, 293–294
 - master page, 248
 - Menu server control, 675–676
 - ObjectDataSource control, 300
 - page, 23–24
 - postback, 1221–1225
 - ProfileModule class, 717
 - server control, 65–68
 - server controls, 1194
 - sessions and, 1024–1026
 - SQL server, 1556–1559
 - SqlDataSource control, 285
 - state management and, 1698–1699
 - user control, 1180, 1185–1186
 - validation, 188
 - Web, 1106–1108
 - Wizard server control, 174–176
 - writing via configuration, 1555–1556
 - XmlDataSource control, 294–295
- exception handling**, 1119–1122
 - application-level, 1121–1122
 - HTTP Status Codes, 1122–1123
 - methods for, 1119–1120
 - page-level, 1120–1121
- ExceptionHandled **property**, **database errors**, 285–286
- Execute methods**, **Command object**, 370–371
- ExecuteNonQuery() **command**, **SQL Server**, 366
- ExecutePermissions **property**, **File System Editor**, 1621
- executionTimeout **property**, 162, 1506
- ExpandAll() **method**, **TreeView class**, 663–667
- explicit **attribute**, **compilation configuration**, 1492
- expression builders**, 354–359
- expressions**, 354–359
- extender controls**
 - AlwaysVisibleControlExtender, 920–923
 - AnimationExtender, 923–924
 - AutoCompleteExtender, 924–928
 - CalendarExtender, 928–929
 - CollapsiblePanelExtender, 929–931
 - ConfirmButtonExtender, 931–932
 - DragPanelExtender, 933–935
 - DropDownExtender, 935–937
 - DropShadowExtender, 937–939
 - DynamicPopulateExtender, 939–943
 - FilteredTextBoxExtender, 944–945
 - HoverMenuExtender, 945–946
 - ListSearchExtender, 946–947
 - MaskedEditExtender, 947–950
 - MaskedEditValidator, 947–950
 - ModalPopupExtender, 932–933
 - MutuallyExclusiveCheckBoxExtender, 950–952
 - NumericUpDownExtender, 952–953
 - overview of, 920
 - PagingBulletedListExtender, 953–954
 - PopupControlExtender, 954–956
 - ResizableControlExtender, 956–958
 - RoundedCornersExtender, 958–959
 - SliderExtender, 959–961
 - SlideShowExtender, 959–963

extender controls (*continued*)

extender controls (*continued*)

TextBoxWatermarkExtender, 964–965
 ToggleButtonExtender, 965–966
 UpdatePanelAnimationExtender, 967–968
 ValidatorCalloutExtender, 968–969

extending ASP.NET, tools for, 1661–1663

extensibility, MVC guiding principles,
 1702

extensible architecture, IIS 7, 542

eXtensible Markup Language. see XML
(eXtensible Markup Language)

external style sheets, CSS

combining with internal style sheets, 850
 creating, 72
 overview of, 837–839

F

F5, starting debug session, 1111

Fiddler tool, 649, 1064

field names, LINQ queries, 449–450

FieldTemplates **folder, ASP.NET**
Dynamic Data, 1345–1350

file buffering, runtime configuration, 1507

file extensions

.ascx (user controls), 1178
 .ashx (HttpHandlers), 1273
 .asmx (Web service files), 1372, 1381
 .aspx pages, 221–223, 226–229,
 248–249, 1642
 .cd (class designer), 53–59
 .js (JavaScript), 1637–1638
 mapping in IIS, 1277–1278
 mapping with File Types Editor, 1625–1626
 .master (master pages), 221–223
 .mdf. *see* SQL Server Express Edition
 (.mdf file)
 .msi (Windows Installer), 1608
 .resx (resource files), 1468
 using AJAX, 1298–1299
 working with, 1014–1017
 .wsdl (Web Services Description
 Language), 32–37

file I/O and streams, 1126–1151

Directory and DirectoryInfo
 classes, 1129–1134
 DriveInfo class, 1126–1129
 File and FileInfo objects, 1135–1140
 modifying Access Control Lists, 1145–1151
 modifying properties and attributes,
 1144–1145
 network communications. *see* network
 communications
 security and, 1125
 using relative paths and setting/getting
 current directory, 1134–1135
 working with paths, 1140–1144
 working with serial ports, 1166–1167

file I/O and streams, reading and writing

files, 1151–1166

compressing streams, 1161–1166
 encodings, 1159
 I/O shortcuts, 1159–1161
 overview of, 1151–1152
 Reader and Writer classes, 1156–1159
 streams, 1152–1156

File System Editor, 1609, 1620–1624

File System setting, Copy Web Site, 1604

**File Transfer Protocol. see FTP (File Transfer
 Protocol)**

File Types Editor, 1625–1626

FileInfo **class,** 1135–1140, 1144–1145

FileIO access, server configuration,
 1483

files

adding to installer output, 1621–1622
 authenticating specific, 1004–1005
 authorization of, 1502
 configuration of. *see* configuration
 File/FileInfo displaying directory,
 1135–1140
 I/O shortcuts, 1159–1161
 modifying ACLs in, 1145–1151
 modifying properties and attributes,
 1144–1145

<forms> element

- FileStream
 - reading system file with, 1153–1154
 - Streamreader and, 1157–1158
- FileUpload server control**, 156–166
 - file size limitations, 161–162
 - overview of, 156–157
 - permissions, 160
 - uploading file contents into Byte array, 165–166
 - uploading file contents into Stream object, 164–165
 - uploading files using, 157–159
 - uploading multiple files from same page, 162–164
- FileWebRequest **class**, 1173–1174
- FileWebResponse **class**, 1173–1174
- filter **command**, 1446–1448
- FilteredTextBoxExtender, AJAX**, 944–945
- filtering**
 - adding to LINQ query, 451–453
 - traditional query methods, 444
 - using SelectParameter controls, 281–282
- FilterParameters, **DetailsView control**, 334
- FindControl () **method**
 - cross-page posting, 27
 - dynamically adding user control to Web page, 1183
 - getting at server controls on master page, 234
- FindNode () **method**, **TreeView control**, 666, 669
- FindProfilesByUsername () **method**, **ProfileManager class**, 730
- FindUsersInRole () **method**, **Roles class**, 782–783
- FinishButtonClick **event**, **Wizard server control**, 175–176
- FireBug**, 1064
- Firebug**, 1648–1649
- Firebug Lite**, 1649
- firewalls, debugging SQL**, 1119
- first letter pseudo element, CSS**, 845
- first-child pseudo classes, CSS**, 843
- first-line pseudo element, CSS**, 845
- 500 errors, exception handling**, 1120
- float **property, CSS elements**, 855–856
- flushing Web events**, 1561
- Focus () **method**, **TextBox server control**, 108
- folders**
 - adding to installer output, 1621–1622
 - authenticating specific, 1004–1005
 - creating proper structure for themes, 258–259
- folders, application**, 32–39
 - \App_Browsers, 38–39
 - \App_Code, 32–37
 - \App_Data, 37
 - \App_GlobalResources, 38
 - \App_LocalResources, 38
 - \App_Themes, 37–38
 - \App_WebReferences, 38
- Font tags, HTML**, 836
- FOR XML AUTO, 524–528
- FOR XML PATH, 529
- FOR XML TYPE, 528
- ForceCopyBuildProvider, 44–45
- foreach **loop, queries**, 444
- form elements, Wizard server control**, 176–180
- Format menu, Visual Studio Design view**, 858
- Format whole document option, XML toolbar**, 1522
- FormatString property, LoginName control**, 762
- formatting, configuration files**, 1485–1486
- <forms> **element**, 995

FormsAuthentication class

FormsAuthentication **class**, 997,
1003–1004

FormsAuthenticationHash

 PasswordForStoringIn

 ConfigFile() **method**, 1000

Forms-based authentication, 994–1004

 adding users to membership service,
 737–751

 configuration settings, 1498–1499

 configuring, 1498–1499

 defined, 985

 FormsAuthentication class, 997,
 1003–1004

 mixing versions of .NET Framework,
 1634–1635

 overview of, 994–996

 Security Setup Wizard, 1572–1573

 setting up Web site for membership,
 734–737

 using Login control with, 1002–1003

 against values in database, 1000–1002

 against values in web.config file,
 998–1000

FormView server control, 345–350, 864

400 errors, exception handling, 1120

Framework Class Library, 1038

Friendly Control Adapters, CSS, 864

from **statement, LINQ syntax**, 448

FrontPage Extensions, 5

FTP (File Transfer Protocol)

 changing application location with, 3–5

 Copy Web Site GUI option, 1604

 using FtpWebRequest

 /FtpWebResponse, 1171–1174

FtpWebRequest **class**, 1171–1174

FtpWebResponse **class**, 1171–1174

full trust settings, server configuration files,

1482–1483

fully qualified redirect URLs, runtime

settings configuration, 1506

functional areas, IIS 7, 538

functions, for filtering content in result sets,
1447–1448

G

GAC (Global Assembly Cache), 1296, 1306

Gacutil.exe, 1296

garbage collection, .NET, 1292

General section, .NET compilation, 1588

GenerateMachineKey tool, 1054

GeneratePassword() **method, creating**
users, 768–769

generic handlers, 1273–1277

GetAllProfiles() **method**,
 ProfileManager **class**, 730

GetAllRoles() **method, Roles class**,
777

GetCallbackEventReference
arguments, 1213

GetCallbackResult() **method**,
asynchronous callbacks, 1210–1214

GetCallbackResults **method**,
 ICallbackEventHandler, 94

GetCodeExpression **method**,
expressions, 356

GetCurrentDirectory() **method**,
 Directory **class**, 1134–1135

GetDirectories() **method**,
 DirectoryInfo **class**, 1130–1132

GetFiles() **method, DirectoryInfo**
class, 1135–1140

GetInvalidFileNameChars **method**,
 Path **class**, 1141

GetInvalidPathChars **method, Path**
class, 1141

GetItem() **method**,
 SessionStateModule, 1044

GetItemExclusive() **method**,
 SessionStateModule, 1044

GetNumberOfUsersOnline() **method**,
 Membership **class**, 762–764

GetUpdatedTime **method, Post-Cache**
Substitution Control, 1063

hierarchical structure, of XML data

- GetUsersForRole () **method**, Roles **class**, 781
 - GetUsersInRole () **method**, Roles **class**, 583, 780
 - GetXmlDocument **method**, **XmlDataSource control**, 295
 - Global Application Class**, 50–53
 - Global Assembly Cache (GAC)**, 1296, 1306
 - global resources, localization**, 1475–1476
 - Global.asax **file**, 50–53, 1355–1357
 - globalization**
 - .NET Globalization in IIS Manager, 1588
 - server-side culture declarations, 1458–1459
 - through localization. *see* localization
 - GridView control**
 - adding paging to, 312–314
 - adding sorting to, 310–312
 - binding to directory files, 1136–1139
 - creating LINQ query bound to, 447–450
 - customizing columns in, 314–317
 - deleting data, 327–330
 - DetailsView server control vs., 330
 - displaying data with, 304–308
 - errors when updating data, 323–325
 - other formatting features, 329–330
 - overview of, 304
 - reading from event log, 1532–1534
 - row data, 320–323
 - TemplateField EditItem template, 325–327
 - in traditional query methods, 439–443
 - using EmptyDataText and EmptyDataTemplate properties, 308–310
 - using TemplateField column, 317–320
 - using with DetailsView server control, 331–335
 - Group Container, ListView**, 342–343
 - grouping data**
 - with group keyword in LINQ, 453–454
 - LINQ to Objects, 453–454
 - LINQ to SQL, 467–469
 - LinqDataSource control, 292
 - traditional query methods, 444–446
 - GroupName **property**, **RadioButton control**, 130
 - groups**
 - authenticating/authorizing, 990–991
 - CSS selector, 845–846
 - personalization, 706–707, 718
 - rendering in ListView, 341–342
 - validation, 213–217
 - GUI tool, SQL Server Setup Wizard**, 573–575
 - GUIDs (unique identifiers)**, 233–234, 714
 - GZipStream, 1161–1162
- ## H
- handlers**
 - custom configuration, 1528–1530
 - custom section creation, 1523–1530
 - HttpHandlers. *see* HttpHandlers
 - processing HTTP requests, 1259–1262
 - hashed message authentication code (HMAC)**, 1053
 - header, Wizard server control**, 173
 - HeaderText **attribute**, **Wizard server control**, 173
 - health monitoring**
 - buffering Web events, 1559–1561
 - configuration, 1548–1555
 - e-mailing Web events, 1562–1566
 - overview of, 1545–1547
 - provider model, 1547–1548
 - routing events to SQL server, 1556–1559
 - using Web event providers for, 591
 - writing events via configuration, 1555–1556
 - HiddenField server control**, 155–156, 1050–1053
 - hierarchical configuration, IIS Manager**, 555–561
 - hierarchical structure, of XML data**, 528

HMAL (hashed message authentication code)

HMAL (hashed message authentication code), 1053

Home tab, Web Site Administration Tool, 1571

HorizontalAlign attribute, Panel server control, 149

hosting, WCF service in console application, 1411

hot-keys, 105–106

hotspots, ImageMap control, 182

hover button, added to ListView control's ItemTemplate, 945–946

hover style, Menu control, 671–672

HoverMenuExtender, AJAX, 945–946

HRESULT values, 1292

HTML

ASP.NET MVC and, 1702

compiling, 43

manipulating document structure with HTML Bridge, 1690

rendering and interoperability, 1701

rendering server controls at runtime, 1194–1199

in state management, 1022

style-changing elements, 70

styling server controls, 1201–1204

user controls vs. standard Web page, 1178

Web Forms hiding details of, 1694

HTML and CSS design

caveats, 836

external style sheets, 837–839

Friendly Control Adapters, 864

HTML vs. CSS, 835

inline styles, 840

internal style sheets, 839–840

introducing CSS, 837

limitations of styling HTML, 836

style inheritance, 849–850

HTML and CSS design, CSS rules, 840–848

merged styles, 846–848

overview of, 840

pseudo classes, 843–844

pseudo elements, 845

Selector combinations, 845–846

Selector grouping, 845

Selectors, 841–843

styling ASP.NET controls using, 863–864

HTML and CSS design, element layout and positioning, 850–856

controlling style overriding with

!important attribute, 856–857

CSS box model, 850–853

overview of, 850

positioning CSS elements, 853–856

HTML and CSS design, in Visual Studio, 857–864

Apply Styles tool window, 860–861

CSS Properties tool window, 861–862

Manage Styles tool window, 859–860

managing relative CSS links in masterpages, 863

overview of, 857–858

styling ASP.NET controls, 863–864

working with CSS, 858–862

HTML Bridge managed code APIs, in Silverlight, 1686

HTML elements

applying styles directly to, 70–71

turning into server controls, 73–76

HTML server controls, 73–80

HTML classes for working with, 78–79

HtmlContainerControl base class, 77–78

HtmlControl base class, 76–77

HtmlGenericControl class, 79–80

turning HTML elements into, 73–76

Web server controls vs., 62–63, 103–104

HtmlAccess **property**, Silverlight **control**, 1681

HtmlContainerControl **class**, 77–78

HtmlControl **base class**, 76–77

HTMLDog Web site, 1654–1655

HtmlGenericControl **class**, 79–80

IIS (Internet Information Server)

HtmlTextWriter **class**, 1196–1199,
1202–1203

HTTP

ASP.NET MVC and, 1702
Web Forms hiding details of, 1694

HTTP GET **requests, state management**,
1022

HTTP Headers

controlling caching with, 1064–1066
example request header, 1434–1435
state management and, 1022

HTTP output, 1163–1165, 1263–1266

HTTP requests, processing

ASP.NET request processing, 1262–1263
IIS 5/6 and ASP.NET, 1259–1260
overview of, 1259
using HttpHandlers. *see* HttpHandlers
using HttpModules. *see* HttpModules

HTTP Status Codes, 1122–1123

HTTP transmission,

authenticating/authorizing, 991

HttpApplication **object**, 1024–1025

HttpCachePolicy **class**, 1064–1066

HttpContext, 1026, 1704

HttpContext.Current.Items,
1055–1056

HttpFileCollection **class**, 163

HTTP-GET, 1386–1388

HttpHandlers

generic handlers, 1273–1277
HTTP pipeline model handling requests with,
1262–1263
mapping file extensions in IIS, 1277–1278

HttpModules, 1262–1278

compressing HTTP output, 1163–1165
configuration settings, 1486
creating, 1262–1263
HttpHandlers vs., 1272–1273
IIS wildcards, 1270–1272
implementing IHttpModule interface,
1262–1263
modifying HTTP output with, 1263–1266

performing URL rewriting with, 1266–1270

HTTP-POST, 1389

<httpRuntime> **section**, 1506

HttpSessionState **object**, 1026

HttpWebRequest **class**, 1167–1171

HttpWebResponse **class**,
1167–1171

HyperLink server control, 116

HyperLinkField control, 317

hyperlinks

appearance of, 263–264
attaching styles sheets in Manage Style
Tool window, 859–860
managing CSS in masterpages, 863

IAsyncResult **interface**, 415–416, 1403

ICallbackEventHandler, 86, 93–94

icons, TreeView control, 660–661

id **attribute**, <browser> **element**, 1495

ID **attribute**, server controls, 104, 1200

ID Selectors, CSS, 843

identification, anonymous user,
1499–1500

<identity> **element**, 1011–1012

IDisposable, 505, 528

IE Web Developer Toolbar, Microsoft,
1650–1651

ie.browser **files, configuration settings**,
1494–1495

IEnumerable **interface**, 451

If Then **statement**, CheckBox control,
126

IgnoreFileBuildProvider, 44–45

IHttpHandler **interface**, 1275–1276

IHttpModule **interface**, 1262–1263

IIS (Internet Information Server)

ASP.NET Development Server vs.,
1109–1110

authentication schemes, 735

changing where application is saved, 3

mapping file extensions, 1277–1278

IIS (Internet Information Server) (*continued*)

IIS (Internet Information Server) (*continued*)

state management, 1022
 Windows authentication. *see*
 Windows-based authentication
 working with file extensions, 1014–1017

IIS (Internet Information Service) Manager, 1585–1595

Application Pools node, 550–553
 Application Settings, 1591–1592
 changing provider for sessions using,
568–569

configuring on Vista, 1585–1588

Connection Strings, 1592

delegation, 561–564

hierarchical configuration, 555–561

.NET Compilation, 1587–1588

.NET Globalization, 1588

.NET Profile, 1588–1589

.NET Roles, 1589

.NET Trust Levels, 1590

.NET Users, 1590–1591

overview of, 549–550

Pages and Controls, 1592–1593

Providers, 1593

Session State, 1593–1595

Sites node, 554–555

SMTP e-mail, 1595

summary review, 1595

using IIS 7.0 Manager, 1018–1019

IIS 5 (Internet Information Server 5.0)

adding wildcards in, 1271–1272
 processing HTTP requests, 1259–1260

IIS 6 (Internet Information Server 6.0)

adding wildcards in, 1272
 interaction with ASP.NET, 542–544
 main features of, 537–538
 moving to IIS 7, 564–566
 processing HTTP requests, 1259–1260
 security, 1013–1018

IIS 7 (Internet Information Server 7.0)

ASP.NET integrated pipeline with,
542–544

building customized Web server, 544–549
 extensible architecture of, 542

IIS Manager. *see* IIS (Internet Information
Service) Manager

IIS-WebServer, 538–541

modular architecture of, 537–538

moving application from IIS6 to,
564–566

overview of, 537

processing HTTP requests, 1260

IIS-ApplicationDevelopment update, 539

IIS-CommonHttpFeatures update, 539

IIS-HealthAndDiagnostics update, 540

IIS-IIS6ManagementCompatibility update, 541

IIS-Performance update, 541

IIS-Security update, 540

IisTraceListener, 1105

IisWebEventProvider, 591, 597

IIS-WebServer, 538–541

IIS-ApplicationDevelopment update, 539

IIS-CommonHttpFeatures update, 539

IIS-HealthAndDiagnostics update, 540

IIS-Performance update, 541

IIS-Security update, 540

IIS-WebServerManagementTools update,
541

ISS-FTTPublishingService, 542

overview of, 538–539

update dependencies, 545

IIS-WebServerManagementTools update, 541

IIS-WebServerRole, 538

ILMerge, 520

Image controls

DropShadowExtender control and,
937–938

as initiator of drop-down list, 935–937

as Web server control, 132–134

ImageButton server control, 115–116

ImageMap server control, 180–182

InsertItemTemplate, ListView control

images

- BulletedList control, 151–152
- controlling size of, 957–958
- error notification, 212–213
- Hyperlink control, 116
- menu item, 674–675
- themes, 264–267
- TreeView control icons, 660–661
- UpdateProgress control, 897
- Web Part verbs, 813–814

Images **folder, themes**, 264–267

ImageUrl **property**

- Image server control, 132
- ImageButton server control, 115
- Web Part verbs, 814

Immediate window, 1092

impersonation, 1011–1012

@Implements **directive**, 12, 20

@Import **directive**, 12, 18–20, 51–52

import **statement, CSS**, 839

!important **attribute**, 856–857

Imports **keyword, XML namespace**, 488–489

include **files**, 219–221, 1505

indentation, VB in Visual Studio, 499

Index **property, File System Editor**, 1621

influential blogs, online resources, 1717–1718

Infrastructure Error Events Raised performance counter, 1538

inheritance

- applying configuration files, 1484–1485
- CSS Properties Tool window and, 861–862
- CSS style, 849–850
- entity data models and, 1326–1332

Inherits **attribute, Page directive**, 11

Init **method, IHttpModule interface**, 1262–1263

Initialize() **method**

- ProviderBase class, 611
- SessionStateModule, 1043

- XmlMembershipProvider class, 622–624

InitializeRequest() **method**, SessionStateModule, 1044

InitialValue **property**, **RequiredFieldValidator control**, 192–193

InitParameters **property**, Silverlight **control**, 1680–1681

inline boxes, 851–853

inline styles, 70, 840, 864

InnerHTML **property**, HtmlContainerControl **class**, 78

InnerText **property**, HtmlContainerControl **class**, 78

in-place precompilation, 40

InProc **provider**, 568

In-Process Session State

- limitation of, 1027
- maintaining state, 1046
- overview of, 1026–1027
- Session_OnEnd event in, 1026–1027
- storing data in Session object, 1028–1031
- Web gardening and, 1027

InProcSessionStateStore

- configuring sessionState management, 1026
- defined, 588
- overview of, 1026–1033
- working with, 588–589

Insert **method, cache dependencies**, 1067

InsertCommand, **DetailsView control**, 335–336

inserting data

- into SQL Server, 364–365
- using DetailsView server control, 335–336
- using LINQ to SQL, 471–473
- using stored procedures, 472–473

InsertItemTemplate, ListView control, 344, 399–400

InsertTemplate, GridView control

InsertTemplate, GridView control, 320

installation

- building programs, 1607–1613
- using Windows Installer service. *see* Windows Installer service

installation program

- creating, 1609–1613
- installing application with, 1613–1614
- uninstalling application with, 1614–1616

Installation URL property, deployment projects, 1618

installing AJAX Control Toolkit, 914–915

instrumentation

- application tracing, 1545
- browser-based Administrative Tool building, 1540–1545
- buffering Web events, 1559–1561
- e-mailing Web events, 1562–1566
- event log, 1531–1532
- event log reading, 1532–1534
- event log writing, 1534–1536
- health monitoring configuration, 1548–1555
- health monitoring provider model, 1547–1548
- performance counter viewing through Administration Tool, 1537–1540
- routing events to SQL server, 1556–1559
- summary review, 1567
- writing events via configuration, 1555–1556

Integrated Windows authentication, 991–992

IntelliSense

- AnimationExtender and, 924
- for CSS, 838, 840
- for inline coding, 9
- for LINQ to SQL, 462–463
- for personalization properties, 704–705
- for server controls, 64–65

interfaces

- creating for provider Web Part, 825–828

WCF service contract, 1408–1410

XML Web service, 1377–1380

internal style sheets, CSS

- combining with external style sheets, 850
- creating, 72–73
- overview of, 839–840

internationalization, through localization. *see* localization

Internet Explorer

- client-side culture declarations, 1459–1460
- Design mode only in, 799

Internet Information Server. *see* IIS (Internet Information Server)

Internet Information Service Manager. *see* IIS (Internet Information Service) Manager

Interop Type Library, 1297–1299

invariant cultures, 1454–1455, 1473

IP addresses, restrictions, 1013–1014

IPostBackDataHandler interface, 1225–1227

IPostbackEventHandler, 86

ISAPI Rewrite module, Helicon, 1663

IsApplication property, File System Editor, 1621

IsAuthenticated property, User.Identity, 1006–1007

IsCrossPagePostBack property, cross-page posting, 30

IsEnabled property, page-level tracing, 1094

IsLockedOut property, MembershipUser object, 757, 759

IsPostBack property, Page class, 25

IsReusable property, IHttpHandler interface, 1274

ISS-FTTPublishingService, 542

IsUserInRole () method, Roles class, 583, 782

Item Container, ListView, 342–343

layout, CSS elements

ItemTemplate

- DataList control, 388–390
- GridView control, 318
- Listview control, 398
- IXPathNavigable,
 - XslCompiledTransform **class**, 519

J**JavaScript. see also AJAX (Asynchronous JavaScript and XML)**

- accessing root visual element, 1684–1685
- accessing scriptable objects, 1687–1688
- accessing XAML elements, 1685
- Aptana Studio tools for, 1651–1652
- buttons for client-side, 112–114
- client-side callback functions, 1214
- client-side debugging, 1116–1119
- compressor for, 1658
- creating managed types in, 1689–1691
- hard-coded .js files and ASP.NET 3.5, 1637–1638
- manipulating server controls, 80–86
- resource for, 86
- setting attached properties, 1685–1686
- in Web applications, 250–251

JavaScript APIs

- exposing managed code in, 1686–1689
- Silverlight and, 1684–1686
- Silverlight control and, 1681–1682

JavaScript Object Notation (JSON) editor,
1651**JIT (just-in-time) compiler,** 1108–1109**joins**

- Entity Framework performing between tables, 1325–1326
- LINQ to Objects, 455–457
- LINQ to XML, 461–462

.js (JavaScript) file extension,
1637–1638**JSON**

- AJAX dependent on, 870
- data stores and, 1426

Just My Code debugging, 1116**just-in-time (JIT) compiler,** 1108–1109**K**

- keyContainerName **attribute**, RsaProtectedConfigurationProvider, 601
- keyEntropy **attribute**, DpapiProtectedConfigurationProvider, 600

keywords, LINQ query syntax, 448**L****Label controls**

- CollapsiblePanelExtender and, 931
- FileUpload control using, 159
- Literal control vs., 106
- overview of, 104–106
- Label2Answer **key, resource files**, 1472
- LabelStartText **property**, WebPart **class**, 822, 823

Language Integrated Query. see LINQ (Language Integrated Query)**language pseudo classes, CSS,** 844**languages**

- cultures and regions, 1453–1455
- resource files, 1471–1472
- setting preferences, 1459–1460

late-bound access, personalization, 705**Launch Conditions Editor,** 1611,
1629–1630**layout**

- ASP.NET Dynamic Data, 1357
- DataList control template, 387–393
- menu item, 673–674
- Web Part settings, 808
- Web zone, 790–794
- WebPartZone control, 795

layout, CSS elements, 850–856

- controlling style overriding, 856–857
- CSS box model, 850–853

layout, CSS elements (*continued*)

layout, CSS elements (*continued*)

overview of, 850
positioning, 853–856

LayoutTemplate, ListView control,
338–340, 396–398

Legacy **setting, XHTML,** 1636

**limited object serialization formatter
(LosFormatter),** 1050

LimitedSqlRoleProvider **provider,**
630–631, 634–637

line numbers, and debugging, 1109

LineImagesFolder **property, TreeView
control,** 663

link pseudo classes, CSS, 844

link tags, HTML, 838–839

LinkButton server control, 114–115

links. see hyperlinks

LINQ (Language Integrated Query)

consuming ADO.NET Data Services in
ASP.NET, 1451–1452

extending, 475

LINQ to Objects. *see* LINQ to Objects

LINQ to SQL. *see* LINQ to SQL

LINQ to XML. *see* LINQ to XML (XLINQ)

navigating between databases and
applications, 1309

summary review, 475–476

traditional query methods, 437–446

LINQ to Entities, 1343

LINQ to Objects, 437–446

adding query filters, 451–453

defined, 437

delayed execution behavior, 451

grouping data, 453–454

joins, 455–457

operators used by, 454–455

paging, 457

replacing traditional queries, 446–451

traditional query methods, 437–446

LINQ to SQL, 462–471

adding new data context, 465

deleting data, 474–475

dynamic data and, 1343

incorporating database with Dynamic Data
application, 1351–1355

inserting data, 471–473

overview of, 462–465

setting up file, 463

updating data, 473–474

writing LINQ queries, 466–467

LINQ to XML (XLINQ)

bridging XmlSerializer and, 503–504

creating CLR objects from XML, 498–499

creating XML, 502–504

joining XML data, 461–462

overview of, 477–478

using XDocument vs. XmlReader,
488–489

using XPath with XDocuments, 509

validating against schema with
XDocument, 491–493

working with, 458–461

LINQ to XSD, 498

LinqDataSource Configuration Wizard,
289–291

LinqDataSource control, 289–294

data concurrency, 293

events, 293–294

overview of, 289–291

query operations, 291–292

List.aspx **file,** 1351

ListBox control, 121–124

adding items to collection, 123–124

allowing users to select multiple items,
121–122

as databound control, 350

example, 122–123

extending with ListSearchExtender,
946–947

overview of, 121

ListSearchExtender, AJAX, 946–947

ListView control, 336–345

data binding and commands, 343–344

data item rendering, 340–341

logical operators, for filtering content in result sets

- getting started with, 338–340
- group rendering, 341–342
- hover button added to ListView control's
 - ItemTemplate, 945–946
- overview of, 336–337
- paging and DataPager control, 344–345
- results of, 400–402
- ListView control, templates**, 393–402
 - creating EditItemTemplate, 398–399
 - creating EmptyItemTemplate, 399
 - creating InsertItemTemplate, 399–400
 - creating ItemTemplate, 398
 - creating LayoutTemplate, 396–398
 - data item rendering using templates,
 - 340–341
 - defining templates, 340
 - group rendering using templates,
 - 341–342
 - list of available templates, 393–394
 - overview of, 340
 - using, 394–396
 - using EmptyItem template, 342–343
- Literal server control**, 106–107
- Load, **page event**, 23–24
- Load **method**, XslCompiledTransform
 - class, 519–522
- LoadControl() **method, to Web page**,
 - 1182–1187
- LoadPostData() **method**,
 - IPostBackDataHandler interface**,
 - 1225–1227
- Local IIS setting, Copy Web Site GUI**,
 - 1604
- local resource files**, 1468–1471
- localization**
 - ASP.NET threads, 1455–1458
 - client-side culture declarations,
 - 1459–1460
 - culture types, 1454–1455
 - date translation, 1461–1462
 - Default.aspx page finalization,
 - 1472–1474
 - global resources, 1475–1476
 - language resource files, 1471–1472
 - local resource files, 1468–1471
 - neutral cultures, 1474
 - number and currency translation,
 - 1462–1466
 - overview of, 1453
 - resource editor, 1476–1477
 - server-side culture declarations,
 - 1458–1459
 - site map, 685–689
 - sorting strings translation, 1466–1468
- localization DLLs, AJAX Control Toolkit and**,
 - 918–919
- Localization **property, installer
 properties**, 1619
- LocalName **property**, Reader, 488
- LocalSqlServer,
 - SqlMembershipProvider, 579
- location options, application**
 - authorization configuration, 1500
 - built-in Web server, 2
 - file authorization, 1502
 - using FrontPage Extensions for remote
 - sites, 5
 - using FTP, 3–5
 - using IIS, 3
- Lock() **method**, Application, 1046
- lock statement**, ReadUserFile()
 - method, 627
- lock-down configuration settings**,
 - 1502–1503
- Log **command**, 1092
- <LoggedInTemplate>, **LoginView
 control**, 769–770
- Logging buffer mode**, 1561
- logical layer**
 - ADO.NET Entity Framework,
 - 1311
 - of data in databases, 1310
- logical operators, for filtering content in
 result sets**, 1447

login

login, 752–760
 denying unauthenticated users, 752
 locking out users with bad passwords,
 756–760
 logging in users programmatically, 755–756
 using Login server control, 752–755
 using XmlMembershipProvider,
 628–629
Login server control, 752, 1002–1003
LoginName server control, 760–762
LoginStatus server control, 760
 loginURL **attribute**, **Forms authentication**,
 1498
LoginView server control, 769–771
 LogVisits **property**, **File System Editor**,
 1621
**LosFormatter (limited object serialization
 formatter)**, 1050

M

m **variable**, **LINQ syntax**, 448
 machine.config **file**
 adding SQL data provider, 721–722
 changing SQL Server 2005 connection
 string, 575–576
 configuration files. *see* configuration
 configuring providers, 603
 controlling ASP.NET cache, 1067
 creating SqlMembershipProvider,
 577–579
 creating SqlRoleProvider, 582–583
 defined, 984
 membership provider settings, 750–751
 using RsaProtectedConfigura-
 tionProvider,
 600–601
 using SQL Server as provider, 724
 <machinekey>, web.config **file**, 1053
 <MailDefinition> **element**,
PasswordRecovery control, 766
maintainability, **ASP.NET MVC**, 1703

Manage Styles tool window, **Visual Studio**,
 859–860
managed code
 accessing DOM using, 1689–1691
 creating JavaScript type in, 1690–1691
 exposing in JavaScript, 1686–1689
managed types, in JavaScript, 1689
management
 with IIS Manager. *see* IIS (Internet
 Information Service) Manager
 with Web Site Administration Tool. *see* Web
 Site Administration Tool
Management Objects, ASP.NET,
 1511–1518
 Manufacturer **property**, **installer
 properties**, 1619
 ManufacturerUrl **property**, **installer
 properties**, 1619
**many-to-many relationships, entity data
 model**, 1323–1326
**many-to-one relationships, entity data
 model**, 1323–1326
mapping
 file extension in IIS, 1277–1278
 file extensions, 1014–1017
 with File Types Editor, 1625–1626
 IIS wildcard, 1271–1272
 LINQ to XML, 459–461
 URLs, 684–685
mapping layer
 connecting logical and conceptual layers,
 1310–1311
 of entity data model, 1311–1312
Mapping Specification Language (MSL),
 1311
MARS (Multiple Active Result Sets)
 asynchronous command execution using,
 414
 defined, 435
 using multiple wait handles, 423–432
MaskedEditExtender, AJAX, 947–950
MaskedEditValidator, AJAX, 947–950

 MembershipProvider class

- @Master **directive**, 12, 15–17
- .master **file extension**, 221–223
- master pages**
 - ASP.NET AJAX and, 249–251
 - basics, 221–223
 - caching, 248–249
 - coding, 223–225
 - coding content pages, 225–229
 - connecting to Web Parts, 833
 - container-specific, 246–248
 - development of, 219–221
 - event ordering, 248
 - managing CSS links, 863
 - mixing page types and languages, 229–231
 - nesting, 243–246
 - placing WebPartManager control on, 790
 - programmatically assigning, 241–243
 - specifying default content in, 240–241
 - specifying which one to use, 231–232
 - working with controls and properties from, 233–239
 - working with page title, 232
- MasterPageFile **attribute, content page**, 227–228, 246–248
- masterPageFile **attribute, content page**, 1504
- @MasterType **directive**, 12, 21
- maxBatchGeneratedFileSize **attribute, compilation configuration**, 1492
- maxBatchSize **attribute, compilation configuration**, 1492
- MaximumValue **property, RangeValidator control**, 198
- maxInvalidPasswordAttempts **attribute**, 757
- maxRequestLength **property**
 - changing file-size limitation setting, 162
 - runtime settings configuration, 1506–1507
- .mdf **files. see SQL Server Express Edition (.mdf file)**
- Media Player control, Silverlight controls**, 1682
- medium trust setting**, 1482–1483
- Membership API**, 746, 785
- membership management service**
 - adding users, 737–751
 - asking for credentials, 752–760
 - authorization vs. authentication, 734
 - dealing with passwords, 764–768
 - overview of, 733
 - public methods of Membership API, 785
 - role management service vs., 772
 - setting up Web site for, 734–737
 - showing number of users online, 762–764
 - using Web Site Administration Tool, 785–786
 - working with authenticated users, 760–762
- membership providers**, 577–581
 - changing password requirements, 738
 - in machine.config file, 750–751
 - .NET Users, 1590–1591
 - overview of, 570–571
 - setting up Web site for, 734–737
 - System.Web.Security
 - .ActiveDirectoryMembershipProvider, 579–581
 - System.Web.Security
 - .SqlMembershipProvider, 577–579
 - using multiple skin options, 577
- membership system, role management**, 690–691
- MembershipCreateUserException, 748–750
- MembershipProvider **class**
 - building own providers, 613
 - constructing class skeleton, 614–617
 - creating CustomProviders application, 613–614
 - creating XML user data store, 617–618
 - defining provider instance in web.config file, 618–619

MembershipProvider class (*continued*)

MembershipProvider **class** (*continued*)

- implementing methods/properties of, 620–628
- not implementing methods/properties of, 619–620

MembershipUser **object, user login**, 759

memory

- caching and, 1060
- releasing COM objects and, 1292

MemoryStream, **writing to**, 1155

Menu server control, 669–678

- binding to XML file, 676–678
- as databound control, 351
- events, 675–676
- menu items, layout, 673–674
- menu items, separating with images, 675
- overview of, 669–670
- pop-out symbol, 674
- styles, adding to dynamic items, 672–673
- styles, for static items, 671–672
- styles, predefined, 670–671
- styles, with CSS-Friendly Control Adapters, 864

MenuItemClick **event**, 675–676

Merge Module Project, 1608

merge tools, 1665

merged styles, CSS, 846–848

methods

- DirectoryInfo class, 1130
- extending session state with other providers, 1043–1044
- FormsAuthentication class, 1003–1004
- Membership API public, 785
- overloading Web, 1390–1393
- Path class, 1140
- ProfileManager class, 726
- Roles API public, 786
- WebPartManager class, 815

Microsoft programs. see by individual names

migrating older ASP.NET projects

- ASP.NET 3.5 pages as XHTML, 1635–1637
- converting ASP.NET 1.x in VS 2008, 1638–1643
- Forms authentication for mixing versions, 1634–1635
- migrating from 2.0 to 3.5, 1643–1646
- no hard-coded .js files in 3.5, 1637–1638
- overview of, 1631
- reserved folders, 1635
- running multiple versions side-by-side, 1632
- upgrading applications, 1632–1634

MinimumValue **property, RangeValidator control**, 198

MinimumVersion **property, Silverlight control**, 1676

minRequiredNonalphanumericCharacters **attribute, passwords**, 608–610, 741

minRequiredPasswordLength **attribute, passwords**, 610, 741

mod_rewrite, **Apache Web Server**, 1663

ModalPopupExtender, AJAX, 932–933

mode **attribute**

- <authentication> node, 985–986
- custom errors configuration settings, 1496
- Literal server control, 106–107
- <sessionState> configuration, 1488

modes, Web page

- changing. *see* WebPartManager control
- modifying Web Part settings, 804–808
- possible, 788
- session state settings, 1593–1595

modules

- architecture of IIS 7, 537–538
- HttpModules. *see* HttpModules
- MVC patterns, 1703

money, currency translation, 1464–1466

monitoring, health. see health monitoring

mostRecent **property, trace data**, 1098

.msi **file extension, Windows Installer service**, 1608

NetworkStream, reading to

MSL (Mapping Specification Language),
1311

MSMQ, 1404

multiline text boxes, 107–108

**Multiple Active Result Sets. see MARS
(Multiple Active Result Sets)**

MultiView server control, 166–170

MutuallyExclusiveCheckBoxExtender,
AJAX, 950–952

MVC. see ASP.NET MVC

MYKEY private variable, 1033

MyKey property, 1031–1033

`myRead.Read()` **method**, `DataReader`
class, 364

N

name attribute

`<add>` element, 1079

Forms authentication, 1498

`<profiles>` configuration, 1555

`<rules>` configuration, 1554

Name property, `ProviderBase` **class**, 611

Name property, `Reader`, 488

namespaces

ADO.NET, 367–368

LINQ, 447

`<pages>` configuration, 1504

namespaces, XML

building Web services, 1422

declaring, 488–489

defined, 479

overcoming `XmlDataSource` control
limitations, 513

resolution, 508–509

NameTable optimization, XML, 493–495

NameValueFileSectionHandler,
1523

naming conventions, LINQ to SQL,
464

**NavigateUrl attribute, ImageMap
control**, 182

NavigateUrl property, `TreeNode` **object**,
667–669

navigation, Wizard control, 173–174

nesting

master pages, 243–246

`.sitemap` files, 694–696

`web.config` files, 984

.NET

Compilation, 1587–1588

deploying COM components with,
1295–1296

Globalization, 1588

`.NET Roles` in IIS Manager, 1589

`.NET Trust Levels` in IIS Manager,
1590

`.NET Users` in IIS Manager, 1590–1591

Profile, 1588–1589

Remoting, 1404

running multiple Web sites with multiple
versions of, 1510

server configuration files, 1481–1483

.NET from unmanaged code, 1297–1307

COM-Callable Wrapper, 1297–1299

deploying `.NET` components with COM apps,
1305–1307

early vs. late binding, 1303

error handling, 1303–1305

overview of, 1297

using `.NET` components within COM objects,
1299–1303

`net start` **command**, 1488

.NET Users, IIS, 1590–1591

network communications, 1167–1174

defined, 1167

`FileWebRequest` and

`FileWebResponse`, 1173–1174

`FtpWebRequest` and `FtpWebResponse`,
1171–1174

`HttpWebRequest` and

`HttpWebResponse`, 1167–1171

sending mail, 1174

`NetworkStream`, **reading to**, 1155–1156

neutral cultures

neutral cultures, 1454–1455, 1474

New Group dialog,
 authentication/authorization, 991

New Project dialog, 1188, 1282

New Style dialog box, Visual Studio, 859

New User dialog, Windows authentication,
 986–987

New Web Site dialog, 1371–1372

`NewPasswordRegularExpression`
 attribute, ChangePassword control,
 765

`NextView` **method, MultiView and View
 controls**, 168

NoBot control, AJAX, 975–977

nodes, TreeView control
 adding programmatically, 667–669
 expanding and collapsing programmatically,
 663–667
 overview of, 653–654
 specifying lines used to connect, 661–663

None, authentication, 985, 1499

**Normal Mode, Portal Framework Web
 pages**, 788

Normal positioning, CSS elements,
 853–854

Northwind.mdf file, locating, 362

NT authentication, SQL Server 2005, 1119

NTLM, 992

`Null` **value, GridView control**, 314

numbers, localizing, 1462–1466

NumericUpDownExtender, AJAX,
 952–953

`numRecompilesBeforeAppRestart`
 attribute, compilation, 1492

O

**OAEP (Optional Asymmetric Encryption and
 Padding)**, 601

Object Test Bench, 53, 58

ObjectDataSource control, 295–300

**Object/Relation designer. see O/R
 (Object/Relation) designer**

objects

inheritance and, 1327–1332

mapping application objects to relational
 database schemas, 1310

relationships and, 1438

ODP (Oracle Data Provider), 286

offline, taking application, 1583

`OnClick` **attribute, Button control**,
 113

`OnCommand` **event, Button control**, 111

`OnDataBound` **attribute, TreeView control**,
 664–665

**one-to-many relationships, entity data
 model**, 1320–1323

one-to-one relationships, entity data model,
 1320–1323

online, displaying number of users,
 762–764

online resources
 advanced Web services, 1390
 author blogs, 1717
 built-in Web server, 2
 Cassini built-in Web server, 1110
`DbgView`, 1099
 extending LINQ, 475
 Fiddler tool, 649
 Friendly Control Adapters toolkit, CSS, 864
 GenerateMachineKey tool, 1054
 HTTP Headers and controlling caching,
 1064
 IIS 7 and ASP.NET integration, 1260
 ILMerge, 520
 influential blogs, 1717–1718
 JavaScript for controls, 82
 LINQ to XSD, 498
 MSDN URL for debugging SQL Server, 1119
 Northwind database, 362
 regular expression strings, 202
 third-party session-state providers, 1044
 third-party validation server controls, 188
 Ultimate Tools List updates, 1647
 ViewState, 1053

- ViewStateDecoder tool, 1053
 - W3C on XML, 480
 - Web sites, 1718
 - working with HTML, 70
 - working with JavaScript, 86
 - www.asp.net, 1655
 - XML Schema Editor, 484
 - XSLT, 518
 - OnServerValidate **attribute**,
 - CustomValidator control**, 207
 - OpenMachineConfiguration **method**,
 - machine.config, 1516
 - Operator **property**, **CompareValidator control**, 197
 - operators**, **LINQ query**, 454–455
 - Optimistic Currency**, **SqlDataSource control**, 280
 - Optional Asymmetric Encryption and Padding (OAEP)**, 601
 - O/R (Object/Relation) designer**
 - creating entity data models, 1315–1316
 - LINQ to SQL, 1352–1354
 - LINQ to XML, 462–463
 - relationship view in, 1439
 - Oracle Data Provider (ODP)**, 286
 - Oracle database**, 286–288, 384–387
 - order by **statement**, **LINQ query**, 450–451
 - OrderBy **clause**, **LinqDataSource control**, 291–292
 - ordering data, in result sets**, 1445
 - Orientation **attribute**, **Menu control**, 673
 - Out-of-Process Session State**
 - configuration settings, 1488–1491
 - configuring sessionState management, 1026
 - maintaining state using, 1046
 - working with, 1034–1040
 - OutOfProcSessionStateStore
 - defined, 588
 - working with, 589–590
 - output, installer adding items to**, 1621–1622
 - output caching**
 - overview of, 1057–1058
 - runtime settings configuration, 1508
 - testing SQL Server cache invalidation, 1080–1086
 - VaryByControl attribute, 1059
 - VaryByCustom attribute, 1059–1060
 - VaryByParam attribute, 1058–1059
 - Output File Name property, deployment projects**, 1617
 - @OutputCache **directive**, 12, 22, 249
 - OutputCacheModule**, 1058
 - OutputDebugString, 1099
 - overloading WebMethods**, 1390–1393
 - override rules, configuration files**, 1485
- P**
- package files, deployment projects**, 1617
 - packaging. see application packaging and deploying**
 - Packer for .NET**, 1658
 - page, cross posting**, 25
 - Page **class**
 - adding strongly typed property to, 1037–1038
 - converting ASP.NET 1.x in VS 2008, 1642
 - Error property, 1120
 - making sessions transparent, 1031–1033
 - Trace property, 1094
 - page compilation**, 39–43
 - @Page **directive**
 - adding tracing to, 1094
 - converting ASP.NET 1.x in Visual Studio 2008, 1642
 - defined, 12
 - optimizing Session performance, 1033–1034
 - overview of, 12–15
 - server-side culture declarations, 1459

page directives

page directives, 11–22

- @Assembly directive, 21
- @Control directive, 17–18
- @Implements directive, 20
- @Import directive, 18–20
- @Master directive, 15–17
- @MasterType directive, 21
- @OutputCache directive, 22
- @PreviousPageType directive, 21
- @Reference directive, 12, 22
- @Register directive, 12, 20–21

page events, 23–24

page exception handling, 1120–1121

page history, AJAX, 901–907

page postbacks, 24–25

- raising, 1221–1225

page recycling, 1115

page structure options, ASP.NET

- code-behind model, 9–11
- inline coding, 7–9
- overview of, 5–7

page tracing, 1094

Page_Init **event**, 799

Page_Load **event**

- disabling client-side validation, 211–212
- example of, 66
- getting at server controls on master page, 235
- working with simple callback, 93

Page_LoadComplete **event handler**,
controls on master page, 235

pageBaseType **element**, <pages>

configuration, 1504

PageCatalogPart control, 802, 810

PageClientScript **property**, **applying**
JavaScript to controls, 81

PageIndexingChanged **event**, **GridView**
control, 314

PageIndexingChanging **event**, **GridView**
control, 314

Page.MasterPageFile **property**,
241–243

Page.RegisterClientScriptBlock
method, 82

Page.RegisterStartupScript
method, 82

PagerSettings **property**, **GridView**
control, 313–314

PagerStyle **property**, **GridView control**,
313–314

pages, applying themes to Web. see themes
Pages and Controls, IIS Manager,
1592–1593

<pages>, **configuration settings**,
1503–1505

PageTemplates **folder**, **ASP.NET Dynamic**
Data, 1350–1351

Page.Trace, 1094–1095

paging

- DataPager control, 344–345
- DetailsView control, 331
- GridView control, 312–314
- LINQ, 457

PagingBulletedListExtender, AJAX,
953–954

Panel controls

- CollapsiblePanelExtender and, 929–931
- dragging and dropping, 934–935
- DropShadowExtender control and, 938–939
- DynamicPopulateExtender control,
940–941
- RoundedCornersExtender and, 958–959
- UpdatePanelAnimationExtender, 967–968
- as Web server control, 147–149

parameters

- client-side callback, 92–95
- configuring SQL statements, 376–379
- XCOPY, 1600–1602

parent node, TreeView control, 653

parentID **attribute**, **browsers**, 1495

ParentLevelsDisplayed **property**,
SiteMapPath control, 646–647

ParseExpression **method**, **expressions**,
356–357

personalization properties

- Partial **keyword, code-behind pages**, 11
- partial page caching**, 1060–1061
- partial page rendering, with ScriptManager control**, 884–885
- Passport authentication**
 - configuration settings, 1497–1498
 - defined, 985
 - limitations of, 735
 - overview of, 1004
- PasswordRecovery server control**, 765–768
- passwords**
 - adding user to membership service, 737–739
 - authenticating against values in database, 1000–1002
 - authenticating against values in web.config file, 998–1000
 - ChangePassword server control, 764–765
 - generating random, 768–769
 - inputting on form with TextBox control, 107
 - limitations of Basic authentication, 992
 - locking out users with bad, 756–760
 - PasswordRecovery server control, 765–768
 - protecting configuration settings, 1518
 - seeing and modifying, 738
 - using SqlMembershipProvider, 607–610
- PasswordStrength control, AJAX**, 977–978
- passwordStrengthRegular Expression **attribute**, 610–611
- “Paste XML as XLIQ” feature**, 503
- path **attribute**, 1499, 1502
- PathDirection **property, SiteMapPath control**, 646
- paths**
 - changing in IIS Manager, 1587
 - Path class, 1140–1144
 - structuring pages with, 5
 - working with, 1140–1144
- PathSeparator **property, SiteMapPath control**, 644–646
- PDB (program database or debug) file**, 1108–1109
- pe **command**, 1519
- performance. see also caching**
- performance, state management and**, 1033–1034
- performance counters**, 1536–1545
- permissions, uploading files**, 160
- Personalizable **attribute, custom Web Parts**, 822
- personalization**
 - model for, 699–700
 - past ways of providing end user, 699
 - programmatic access to, 717–720
 - providers, 721–725
- personalization, anonymous**, 711–716
 - defined, 711
 - enabling identification of end user, 711–713
 - migration to authenticated users, 717–720
 - options for personalization properties, 715–716
 - user profile storage warnings, 716
 - working with, 714–715
- personalization, managing application profiles**, 725–731
 - overview of, 725
 - ProfileManager class methods, 726
 - ProfileManager class properties, 725
 - ProfileManager.aspx page, building, 726–729
 - ProfileManager.aspx page, examining code of, 730–731
 - ProfileManager.aspx page, running, 731–732
- personalization properties**, 702–711
 - anonymous options for, 715–716
 - creating, 700–701
 - making read-only, 711

personalization properties (*continued*)

personalization properties (*continued*)

- migrating anonymous users for particular, 718
- providing default values, 711
- registering users in membership service with, 742–746
- storing in groups, 706–707
- using, 702–705
- using custom types, 708–710

personalization provider

- .NET Profile, 1588–1589
- overview of, 585–586

Personalization Services layer, personalization model, 700

PersonalizationScope, custom Web Parts, 822

pkmgr.exe, 546–547

Placeholder server control, 150

plug-ins, Silverlight, 1675

Poll approach, asynchronous commands, 417–420

pollTime attribute, <add> element, 1079

polymorphism, and method overloading, 1390

pop-out symbol, Menu control, 674

PopupControlExtender, AJAX, 954–956

Portal Framework

- overview of, 787–788
- Web Parts. *see* Web Parts
- working with classes in, 814–818

ports

- session state service, 1035
 - Web services using port 80, 1385
 - working with serial, 1166–1167
- position attribute, CSS box model, 852

positioning CSS elements

- Absolute, 855
- Normal, 853–854
- overview of, 853
- Relative, 854
- using float property, 855–856

PositionIsEverything Web site, 1654–1655

postbacks

- accessing data in server controls, 1225–1227
- client-side vs. typical, 86–87
- dealing with, 24–25
- handling events in server controls, 1221–1225
- state management and, 1048–1050
- tracking user controls across, 1186–1187

PostBackUrl attribute, Button control, 114, 1048

PostBackValue attribute, ImageMap control, 182

PostBackEvent property, installer properties, 1619

Post-Cache Substitution Control, 1061–1063

Power Toys Pack Installer, 1660

PreBuildEvent property, installer properties, 1619

precompilation

- for business objects, 1282–1285
- for deployment, 41, 1605–1607

predefined styles, Menu control, 670–671

pre-existing providers. *see* providers, extending pre-existing

PreInit event, assigning master pages, 241–243

PreRender () method, server controls, 1206

presentation logic, inline coding and, 9

@PreviousPageType directive, 12, 21

private assemblies, 1295–1296, 1306

privileges, authorization configuration, 1500–1502

Process Explorer, 1668

<processModel> element, configuration, 1508–1510

processor affinity, 1027

ProcessRequest () method, IHttpHandler interface, 1275

- ProductCode **property, installer properties**, 1619
- ProductName **property, installer properties**, 1619
- Professional ASP.NET MVC**, 1705
- Professional IIS 7 and ASP.NET Integrated Programming (Khosravi)**, 1260
- Professional Silverlight for ASP.NET Developers**, 1671
- Profile API layer, personalization model**, 700
- Profile **class, personalization properties**, 704–705
- Profile_MigrateAnonymous **event**, 717
- Profile_Personalization **event**, 718–719
- <profile> **section, web.config file**, 704–705
- ProfileCommon object**, 744
- ProfileManager **class**, 725–731
 methods, 726
 overview of, 725
 ProfileManager.aspx page, building, 726–729
 ProfileManager.aspx page, examining code, 730–731
 ProfileManager.aspx page, running, 731–732
 properties, 725
- ProfileModule **class**, 717–720
- Profile.ProfileAutoSaving **event**, 720
- profiler tools**, 1652–1653
- profiles**
 managing application. *see* ProfileManager class
 .NET Profile in IIS Manager, 1588–1589
 programmatic access to personalization, 717–720
- <profiles>, **health monitoring**, 1554–1555
- program database or debug (PDB) file**, 1108–1109
- programming**
 authorization. *see* authorization, programmatic
 configuration files, 1511–1518
 mixing languages on content/master pages, 229–231
- properties**
 CheckBoxList control, 128–129
 composite controls, 1228–1230
 cross-page posting, 27–32
 CSS Properties Tool window, 861–862
 custom controls, 272–274
 custom server controls, 1191–1192
 custom Web Part control, 821–823
 deployment projects, 1616–1620
 dragging and dropping controls, 63–64
 file and directory, 1144–1145
 File System Editor, 1620–1624
 File Types Editor, 1626
 FormsAuthentication class, 1003–1004
 GridView control style, 329–330
 HTML server control styles, 1201–1204
 HtmlContainerControl class, 78
 HtmlControl base class, 77
 Login control, 755
 master page, 235–237
 personalization. *see* personalization properties
 ProfileManager class, 725
 RequiredFieldValidator control, 190–191
 server controls, 68–70, 1194–1195
 SqlCommand class, 370
 styling ASP.NET controls, 863–864
 user controls, 1180–1182
 WebMethod attribute, 1376–1377
 WebPart class, 817–818
 WebPartManager class, 815–816
 WebPartZone class, 815–817
 WebService attribute, 1376

PropertyGridEditorPart

PropertyGridEditorPart, 808

protection, configuration settings,
1518–1522

protection **attribute, Forms authentication**, 1498

protocols, Web services transport,
1385–1390

provider model

in ASP.NET 3.5, 569–571

configuration providers, 598–601

configuring providers, 603

health monitoring, 1547–1548

membership providers, 577–581

overview of, 567–568

personalization provider, 585–586

role providers, 581–585

SessionState providers, 588–590

setting up for SQL Server versions,
571–577

SiteMap provider, 586–588

understanding providers, 568–569

Web event providers. *see* Web event
providers

WebParts provider, 601–603

provider model, extending

building providers. *see* providers, building

modifying with attributes, 606–611

as one tier in larger architecture, 605–606

pre-existing providers. *see* providers,
extending pre-existing

ProviderBase class, 611–612

Provider pattern, HttpSessionState

object, 1026

Provider **property, SiteMap class**, 681

Provider tab, Web Site Administration Tool,
1583–1585

ProviderBase **class**, 611–612

providers

custom, 1490–1491

e-mailing Web events, 1562–1566

extending session state with, 1042–1044

IIS Manager, 1593

personalization, 700, 721–725

<providers> configuration,
1551–1553

<rules> configuration, 1553–1554

SqlDataSource control connections, 278

understanding, 568–569

Web Part, 825–828, 830–833

providers, building, 613–629

building ReadUserFile() method,
626–628

constructing class skeleton, 614–617

creating CustomProviders application,
613–614

creating XML user data store, 617–618

defining provider instance in web.config
file, 618–619

MembershipProvider class, 620–628

user login, 628–629

validating users, 624–626

providers, extending pre-existing, 629–637

AddUsersToRole() method, 633–634

CreateRole() method, 631–632

DeleteRole() method, 632–633

limiting role capabilities, 630–631

using LimitedSqlRoleProvider
provider, 634–637

Providers **property, SiteMap class**, 681

<providers>

health monitoring, 1551–1553

routing events to SQL server, 1557

ProxyWebPartManager control, 833

pseudo classes, CSS, 843–844

pseudo elements, CSS, 845

pseudo web.config files, 1485–1486

public assemblies, 1296, 1306–1307

Publish Web Site, 1605–1607

Q

queries. *see also* LINQ (Language Integrated Query)

LINQ, 437–446

- querying ADO.NET Data Services interface, 1434–1435
 - reading from a table of data, 1435–1436
 - reading specific item from a table, 1436–1437
 - reviewing individual customer from table, 1438
 - QueryString (URL)**, 1047
 - client-side state management, 1024
 - queues, buffering Web events**, 1559–1561
 - queues, runtime settings configuration**, 1507
 - QuirksMode Web site**, 1654–1655
- ## R
- RAD (Rapid Application Development)**, 1700
 - RadioButton server control**, 129–131
 - RadioButtonList server control**
 - as databound control, 350
 - DropDownList control vs., 117
 - overview of, 131–132
 - RadioButton control vs., 131
 - visually removing items from collections, 119–121
 - RaiseCallbackEvent () method, asynchronous callbacks**, 1210–1214
 - RaiseCallbackEvent method, ICallbackEventHandler**, 94, 100
 - RaisePostBackDataChangedEvent () method, IPostBackDataHandler interface**, 1225–1227
 - random passwords**, 768–769
 - RangeValidator server control**, 188, 198–201
 - Rapid Application Development (RAD)**, 1700
 - Rating control, AJAX**, 978–979
 - RCW (Runtime Callable Wrapper)**
 - adding reference to COM control manually, 1290
 - Com-Callable Wrapper vs., 1297
 - defined, 1286
 - deploying COM with public assemblies, 1296
 - error handling in .NET, 1292
 - overview of, 1286–1287
 - Read () method, Stream class**, 1153
 - ReadContentAs () method, XmlReader**, 495–496
 - ReadElementContentAs () method, XmlReader**, 495–496
 - ReadElementString () method, XmlReader**, 495
 - Reader class**
 - encodings, 1159
 - I/O shortcuts, 1159–1161
 - overview of, 1156–1159
 - working with Writers and Streams, 1151–1152
 - reading**
 - with event log, 1532–1534
 - specific item from a table, 1436–1438
 - from a table of data, 1431–1434, 1435–1436
 - read-only, personalization**, 711
 - readOnly attribute, personalization properties**, 711
 - ReadSubTree**, 497–498, 504
 - ReadToDescendant, XmlReader**, 505
 - ReadToNextSibling, XmlReader**, 505
 - ReadUserFile () method**, 626–628
 - ReadWriteControlDesigner class**, 1243
 - RedirectFromLoginPage () method, FormsAuthentication**, 997, 1002
 - redirectUrl attribute, authentication**, 1498
 - Refactor! for ASP.NET, Devexpress**, 1656
 - @Reference directive**, 12, 22, 1183
 - references**
 - adding WCF consumer service reference, 1414–1415

references (continued)

references (continued)

- consuming XML Web services by adding, 1380–1382
- tools, 1654–1655
- Reflector**, 1666
- Reformat Selection option, XML toolbar**, 1522
- regasm.exe (**Assembly Registration Tool**), 1303, 1306
- RegExLib Web site**, 202
- regions, localization. see localization**
- @Register **directive**
 - creating custom Web Part control, 823
 - defined, 12
 - overview of, 20–21
- RegisterClientScriptBlock **method, server controls**, 82–83
- RegisterClientScriptInclude **method, server controls**, 85–86
- RegisterStartupScript **method, server controls**, 83–85
- RegisterStartupScriptMethod() **method, server controls**, 1205–1210
- Registry Editor**, 1624–1625
- Regular Expression Editor**, 202
- RegularExpressionValidator server control**, 188, 201–202
- relational databases**
 - mapping application objects to relational database schemas, 1310
 - SQL Server, 528
- relationships**
 - ADO.NET Data Services and, 1438–1441
 - expanding on entity associations, 1441–1445
 - many-to-one and many-to-many relationships, 1323–1326
 - one-to-one and one-to-many relationships, 1320–1323
- relative positioning, CSS**, 854
- release configuration, Visual Studio**, 1108–1109
- ReleaseComObject **class, memory**, 1292
- ReleaseRequestState, Session **object**, 1025
- RememberMeSet **property, Login control**, 753–754
- RememberMeText **property, Login control**, 753–754
- Remote Debug Monitor** (msvsmon.exe), 1111–1112
- remote debugging**, 1111–1112
- remote servers, web.config file**, 1517–1518
- Remote Site, Copy Web Site GUI**, 1604
- remote sites, FrontPage Extensions**, 5
- RemoveAccessRule() **method**, 1150
- RemovePreviousVersions **property, installer properties**, 1619
- RemoveUserFromRole() **method, Roles class**, 781–782
- Render() **method, server controls**, 1205–1210
- RenderContents() **method, overriding**, 1196
- RenderContents() **method, server controlz**, 1193
- rendering, ListView**, 340–342
- rendering HTML, server controls**
 - defined, 1194–1195
 - overview of, 1196–1199
 - page event lifecycle, 1195–1196
- RepeatColumn **property, CheckBoxList control**, 128–129
- RepeatColumn **property, RadioButtonList control**, 132
- RepeatColumns **property, DataList control**, 392
- RepeatDirection **property**
 - CheckBoxList control, 128–129
 - DataList control, 392–393
 - RadioButtonList control, 132
- RepeatLayout **property, DataList control**, 390

<RoleGroups>, LoginView control

- Request Error Events Raised performance counter**, 1539
- Request Execution Time performance counter**, 1539
- request lifecycle, ASP.NET MVC**, 1714
- request limit, for trace data**, 1098
- Request **object**, 1082–1083
- request time-out, runtime**, 1506
- Request Wait Time performance counter**, 1539
- requestLengthDiskThreshold, **runtime**, 1507
- Requests Current performance counter**, 1539
- Requests Disconnected performance counter**, 1539
- Requests Failed performance counter, HTTP Status Codes**, 1123
- Requests Queued performance counter**, 1539
- Requests Rejected performance counter**, 1539
- RequiredFieldValidator server control**, 189–194
 - blank entries and, 193
 - defined, 188
 - overview of, 189–190
 - using InitialValue property, 192–193
 - validating drop-down lists, 193–194
 - viewing results, 191–192
- requireSSL **attribute, Forms authentication**, 1499
- reserved folders, ASP.NET**, 1635
- ResizableControlExtender, AJAX**, 956–958
- Resource Editor**, 1473, 1476–1477
- resource files**
 - global, 1475–1476
 - localization, 1468–1471
 - .resx extension for, 687, 1468
 - storing, 38
- resourceKey **attribute**,
 - <siteMapNode> **element**, 686
- Response.Write **command**, 1462
- RestartWWWService **property, installer properties**, 1619
- result sets, ADO.NET Data Services**
 - filtering content, 1446–1448
 - ordering data in, 1445
 - top and skip commands for navigating, 1445–1446
- .resx **extensions (resource files)**, 687, 1468
- Retrieve.aspx, 1030
- RetrieveTitle() **method, consumer Web Parts**, 829
- RewritePath() **method, URL rewriting**, 1270
- RIAs (Rich Internet Applications)**, 1671
- role management service**
 - adding and retrieving application roles, 775–777
 - adding users to roles, 778–779
 - caching roles, 783–785
 - checking users in roles, 782–783
 - deleting roles, 777–778
 - getting all roles of particular user, 781
 - getting all users of particular role, 779–780
 - membership management service vs., 772
 - overview of, 733
 - public methods of Roles API, 786
 - removing users from roles, 781–782
 - setting up Web site for role management, 771–775
 - using LoginView server control, 769–771
 - using Web Site Administration Tool, 785
- role providers**, 581–585
 - LimitedSqlRoleProvider, 630–631
 - overview of, 581
 - SqlRoleProvider, 582–583
- <RoleGroups>, LoginView control**, 770–771

<rolemanager>, setting up Web site

<rolemanager>, setting up Web site,
771–775

roles

adding and retrieving application, 775–777
 adding users to, 778–779
 caching, 783–785
 checking users in, 782–783
 defining with Security Setup Wizard,
1573
 deleting, 777–778
 enabling security trimming, 692–694
 getting all users of particular, 779–780
 getting for particular user, 781
 IIS-WebServerRole, 538
 managing, 690–692, 771–775, 1578
 .NET Roles in IIS Manager, 1589
 .NET Users, 1590–1591
 public methods of Roles API, 786
 removing users from, 781–782
 Wizard server control, 179–180

Roles API

deleting end user's role cookie, 784–785
 public methods of, 786
 role management service with, 772

root element, XML documents, 479

root node, TreeView control, 653

RootNode **property,** SiteMap **class,** 681

RoundedCornersExtender, AJAX, 958–959

routing

ASP.NET Dynamic Data, 1361–1365
 events to SQL server, 1556–1559

RowDataBound **event, GridView control,**
307, 325–327

RowDeleted **event, GridView control,**
328–329

rows

GridView control, 320–323

Table server control, 134–135

RowState **property, GridView control,** 326

RowUpdated **event, DataGrid view,** 324

RowUpdating **event, GridView control,**
327

RsaProtectedConfigurationProvider,
599

RSS feeds

viewing using ELMAH, 1662
 XmlDataSource control and, 294–295,
515–517

RssCacheDependency **class, custom
cache dependencies,** 1069–1073

rules

adding/removing ACL, 1148–1151
 CSS. *see* HTML and CSS design, CSS rules
 health monitoring, 1553–1554
 managing access rules in Security tab,
1580
 Windows Installer, 1608
 XML, 1370

<rules>, routing events to SQL server,
1557–1558

Run As Server Control, Visual Studio,
74–75

runat= 'server' ' **attribute declaration**
 creating skin using, 259

HTML server controls requiring, 74–76

Web server controls requiring, 104

RunPostBackEvent **property, installer
properties,** 1620

runtime

applying configuration files, 1484–1485
 configuration settings, 1505–1508
 loading user controls dynamically at,
1182–1187
 server controls rendering HTML at,
1194–1199

**Runtime Callable Wrapper. *see* RCW
(Runtime Callable Wrapper)**

S

salted hash, 1053

Save **method, XmlDataSource control,**
295

scaffolding, Solution Explorer, 1343

ScaleOut Software, 1044

security trimming

schema, XML

- adding in SQL Server 2005, 531–533
- associating XML typed column with, 533
- editing, 483–485
- using with `XmlTextReader`, 489–491
- using XML Schema Definition (XSD), 481–482
- validating against with `XDocument`, 491–493

schemaLocation attribute, editing XML and XML schema, 483–485**screen space,**

- AlwaysVisibleControlExtender** and, 920–923

script combining, AJAX, 907–912**scriptable objects**

- accessing from JavaScript, 1687–1688
- registering, 1687

ScriptableMember attribute, 1688–1689**ScriptableType attribute, 1686****ScriptControl class, 1187****ScriptManager control**

- combining scripts with, 910–912
- description of, 884
- JavaScript in Web applications, 249–251
- overview of, 884–887

ScriptManagerProxy control

- description of, 884
- JavaScript in Web applications, 251
- overview of, 887–888

scripts

- adding features to server controls, 1205–1210
- installing personalization features, 723

scrollbars, Panel server control, 148–149**searches, auto complete and, 924****SearchPath property, installer properties, 1620****security**

- authentication. *see* authentication
- authorization. *see* authorization

Basic authentication, 992–993

- client-side vs. server-side validation and, 186–187

Forms-based authentication. *see*

Forms-based authentication

- identity and impersonation, 1011–1012
- I/O, 1125

membership management. *see*

membership management service

.NET Trust Levels, 1590

overview of, 983–984

Passport authentication. *see* Passport authenticationpersonalization. *see* personalizationprogrammatic authorization. *see*

authorization, programmatic

- protecting configuration settings, 1518–1522

role management. *see* role management service

through IIS, 1013–1018

Windows-based authentication, 986–994

Security event log, 1534**Security Setup Wizard, 1572–1577**

- authentication options, 1572–1574

role definition, 1573

users, adding, 1573, 1576

Security tab, Web Site Administration Tool

creating users, 1577

enabling role management in, 690–691

managing access rules, 1580

managing roles, 1578

managing users, 1578

overview of, 1571

Security Setup Wizard, 1572–1577

security trimming, 689–696

enabling, 692–694

overview of, 689

setting up administrators' section, 691–692

setting up role management for administrators, 690–691

securityTrimmingEnabled attribute, XmlSiteMapProvider

securityTrimmingEnabled **attribute**,
XmlSiteMapProvider, 693

Select a Master Page dialog, 225–229

SELECT statement

LINQ query syntax, 448

SqlDataSource control connections, 279

selecting data, from SQL database,
 362–364

SelectionMode **attribute**, **Calendar
 control**, 137–138

SelectionMode **attribute**, **ListBox
 control**, 121

Selectors, CSS

combinations, 846

grouping, 845–846

merging styles, 846–848

overview of, 841–843

working with CSS in Visual Studio, 858–859

SelectParameters, **DetailsView server
 control**, 334

SelectParameters **property**,
SqlDataSource control, 281–282

semantics, XML syntax vs., 480–481

separation of concerns, ASP.NET MVC,
 1702–1703

SeparatorTemplate, DataList control,
 390–392

serial ports, 1166–1167

Serializable **attribute**

Out-of-Process Session State, 1035–1037

ViewState, 1050

serialization, XML, 497–498

server configuration files, 1481–1483

**server controls. see also validation server
 controls**

AJAX. *see* AJAX (Asynchronous JavaScript
 and XML), server-side controls

AJAX Control Toolkit. *see* AJAX Control
 Toolkit

attributes of, 1193–1194

building pages with, 63–65

client-side callback, working with. *see*
 client-side callback

client-side features, adding to, 1205–1214

composite controls, 1227–1230

control designers, 1242–1255

defined, 1177

detecting and reacting to downlevel
 browsers, 1214–1217

events, 65–68

HTML, 73–80

HTML, styling, 1201–1204

manipulating with JavaScript, 80–86

Media Player control, 1682

overview of, 61–62, 1187–1188

postback data, 1225–1227

postback events, 1221–1225

rendering, 1194–1199

Silverlight. *see* Silverlight control

skins, 259–261, 1204–1205

styles applied to, 68–73

tag attributes, 1199–1201

templated, 1230–1237

themes, 256, 1204–1205

types of, 62–63

UI type editors, 1255–1256

using ControlState, 1219–1221

using type converters, 1238–1242

using ViewState, 1217–1219

WebControl project setup, 1188–1193

server controls, AJAX Control Toolkit,
 969

Accordion control, 969–972

CascadingDropDown control, 972–975

new, 916–917

NoBot control, 975–977

PasswordStrength control, 977–978

Rating control, 978–979

TabContainer control, 979–980

**Server Explorer, event logs. see event logs
 servers**

routing events to SQL, 1556–1559

state management options, 1023

ShowStartingNode property, SiteMapDataSource control

server-side controls, AJAX

<ContentTemplate> element of
 UpdatePanel control, 890–891
 multiple UpdatePanel controls, 897–901
 overview of, 884
 ScriptManager control, 884–887
 ScriptManagerProxy control, 887–888
 Timer control, 888–890
 <Triggers> element of UpdatePanel
 control, 891–893
 UpdatePanel control, 890
 UpdateProgress control, 895–897

server-side technologies

AJAX, 873
 authentication, 1497
 culture declarations, 1458–1459
 validation, 205–208

service contract, WCF service

creating interface for, 1408–1410
 defined, 1407
 implementing interface for, 1410–1411
 setting namespace, 1422

Service.asmx file, 1372–1373

service-oriented architecture (SOA), 1404–1405

services

WCF. *see* WCF (Windows Communication
 Foundation)

XML Web. *see* XML Web services

Session **object**, 1024–1046

in classic ASP, 1024

configuring session state management,
 1026

cookieless session state and, 1044–1045

event model and, 1024–1026

extending session state with other
 providers, 1042–1044

in-process session state and, 1026–1033

maintaining, 1046

making transparent, 1031–1033

optimizing performance, 1033–1034

Out-of-Process session state, 1034–1040

SQL-backed session state, 1040–1042

session state

configuration settings, 1480, 1487–1491
 configuring management, 1026
 cookieless, 1044–1045
 extending with other providers, 1042–1044
 in IIS Manager, 556, 1593–1595
 In-Process, 1026–1033
 Out-of-Process, 1034–1040
 provider model in ASP.NET 3.5 for,
 569–571
 providers, 568–569, 588–590
 Session State Settings for, 1593–1595
 SQL-backed, 1040–1042
 storing, 567–568

SessionStateModule, 1043

SessionStateStoreProviderBase,
 1042–1043

Set-Cookie HTTP Header, state, 1022

GetCurrentDirectory() **method**,
 Directory **class**, 1134–1135

**SetFocusOnError property, validation
 groups**, 216

SetItemExpireCallback() **method**,
 SessionStateModule, 1044

Setup Project, Windows Installer service,
 1608

Setup Wizard, Windows Installer service,
 1608

**SGML (Standard Generalized Markup
 Language)**, 479, 1370

Shared **classes, ADO.NET**, 367

Shell **command**, 1092

shortcuts, desktop, 1623–1624

ShowCheckBoxes **property, TreeView
 control**, 656–660

ShowLines **property, TreeView control**,
 661–663

ShowStartingNode **property**,
SiteMapDataSource control, 678–679

ShowToolTips property, SiteMapPath server control

ShowToolTips **property, SiteMapPath server control**, 647–648

Silverlight

accessing DOM using managed code, 1689–1691
 controls, 1674–1675
 creating new project, 1673
 exposing managed code in JavaScript, 1686–1689
 getting started with, 1671–1674
 HTML Bridge managed code APIs, 1686
 HtmlAccess property, 1681
 InitParameters property, 1680–1681
 JavaScript API, 1681–1682, 1684–1686
 Media Player control, 1682
 overview of, 1671
 Silverlight control, 1675–1677
 SplashScreenSource property, 1678–1680
 summary, 1691
 thick-clients vs. thin-clients and, 867–868
 Windowless property, 1677–1678

Silverlight **control**

applying, 1675–1676
 HtmlAccess property, 1681
 InitParameters property, 1680–1681
 JavaScript API, 1681–1682
 overview of, 1675
 SplashScreenSource property, 1678–1680
 Windowless property, 1677–1678
 SimpleMailWebEventProvider, 591, 593–595, 1562–1563
 SingleTagSectionHandler, 1523, 1527

site maps

defined, 639
 localization of, 685–689
 nesting, 694–696
 URL mapping, 684–685
 using SiteMapDataSource control, 678–681

using SiteMapPath control. *see* SiteMapPath server control
 using TreeView control. *see* TreeView server control
 XML-based, 640–641

site navigation

nesting .sitemap files, 694–696
 security trimming and, 689–696
 using Menu server control. *see* Menu server control
 using SiteMap API, 681–684
 using sitemap localization, 685–689
 using SiteMapDataSource control, 678–681
 using SiteMapPath control, 642–648
 using TreeView server control. *see* TreeView server control
 using URL mapping, 684–685
 using XML-based site maps, 640–641

SiteMap API, 681–684

SiteMap **class**, 639, 640, 681

.sitemap file. *see* site maps

SiteMap provider, 586–588

SiteMapDataSource control

applying to Menu control, 669–670
 applying to TreeView control, 651
 data source controls, 300
 interacting with site maps using, 640
 overview of, 678
 ShowStartingNode property, 678–679
 StartFromCurrentNode property, 679–680
 StartingNodeOffset property, 680
 StartingNodeUrl property, 681
 testing site map localization results, 687–689

<siteMapNode> element, XML-based site maps, 640–641

SiteMapPath server control, 642–648

child elements of, 648
 creating own style for, 683–684
 overview of, 642–644

- ParentLevelsDisplayed property, 646–647
- PathDirection property, 646
- PathSeparator property, 644–646
- ShowToolTips property, 647–648
- Sites node, IIS Manager**, 554–555
- size limitations, files**, 161–162
- SkinID **attribute**, 268–269, 270
- skins**
 - creating for server controls, 259–261
 - creating multiple options for, 267–269
 - creating server controls with, 1204–1205
 - in custom controls, 270–274
 - incorporating images into themes using, 264–267
- skip **command, navigating Data Services result sets**, 1445–1446
- Skip **method, LINQ**, 457
- SliderExtender, AJAX**, 959–961
- SlideShowExtender, AJAX**, 959–963
- slidingExpiration **attribute, Forms authentication**, 1499
- smart controls**, 62
- Smart Device Cab Project, Windows Installer**, 1608
- smart tags**
 - server control, 1252–1253
 - syntax notification at design-time, 1091
- smartNavigation **element**, 1504
- SMTP**
 - configuring in Application tab, 1582
 - IIS Manager, 1595
 - set-up for e-mailing Web events, 1563–1564
- SOA (service-oriented architecture)**, 1404–1405
- SOAP (Simple Object Access Protocol)**
 - caching responses, 1393–1394
 - communicating with XML Web service using, 1389–1390
 - defining XML structure through, 1370
 - exposing custom datasets as, 1374–1377
 - requests, 1370–1371
 - responses, 1371
 - XML Web service interface displaying messages, 1379
- SOAP headers**, 1394–1399
 - building Web services with, 1395–1397
 - consuming Web services with, 1397–1399
 - overview of, 1394–1395
 - requesting Web services with SOAP 1.2, 1399–1401
- Solution Explorer, scaffolding**, 1343
- SortByCategory, page-level tracing**, 1094
- SortByTime, page-level tracing**, 1094
- sorting data**
 - adding to GridView control, 310–312
 - strings in different cultures, 1466–1468
 - in traditional query methods, 444–446
- sounds, in error notification**, 212–213
- Source view**
 - coding server controls in, 65
 - GridView control columns in, 317
 - HTML server controls in, 74–76
- SourceSwitch, 1106
- Span **tag, server controls**, 1193
- specific culture definitions**
 - currency translation, 1466
 - defined, 1454
 - vs. neutral cultures, 1474
- SplashScreenSource **property, Silverlight control**, 1678–1680
- SQL Server**
 - debugging, 1119
 - setting up providers for versions of, 571–577
 - writing Web events to, 596–597
- SQL Server 2000**
 - cache dependency, 1075–1076
 - cache invalidation, 1083
 - caching in, 1075–1076
 - creating users with SqlMembershipProvider, 607
 - locating Northwind.mdf file in, 362

SQL Server (*continued*)

SQL Server (*continued*)

- membership provider for, 577, 578
- personalization provider for, 586, 722–723
- retrieving XML from, 525–526
- role provider for, 581
- setting up provider to work with, 571–577
- SQL stored proc debugging, 1119
- support for XML on, 524
- Web Parts provider for, 601

SQL Server 2005

- cache invalidation, 1077–1078, 1083
- connecting role management system to, 583
- creating users with `SqlMembershipProvider`, 607
- debugging, 1119
- membership provider for, 577, 578
- personalization provider for, 585–586, 722–723
- `pollTime` attribute and, 1079
- role provider for, 581
- routing events to SQL server, 1557
- setting up provider to work with, 571–577
- SQL stored proc debugging, 1119
- SQL to LINQ generating SQL optimized for, 468
- Web Parts provider for, 601
- writing Web events to, 596–597

SQL Server 2005, and XML data type, 528–534

- adding column of untyped XML, 530–531
- adding XML schema, 531–533
- associating XML typed column with schema, 533
- generating custom XML, 529–530
- inserting XML data into XML column, 533–534
- overview of, 528–529

SQL Server 2008

- creating users with `SqlMembershipProvider`, 607
- membership provider for, 578

- personalization provider for, 586, 722–723
- role provider for, 581
- setting up provider to work with, 571–577
- Web Parts provider for, 601

SQL Server 7.0

- cache invalidation, 1083
- personalization provider for, 722–723
- setting up provider to work with, 571–577

SQL Server Cache Dependency,

1073–1078

- cache invalidation, 1077–1078
- disabling databases for cache invalidation, 1076–1077
- disabling table for cache invalidation, 1076–1077
- enabled tables, 1076
- enabling databases for cache invalidation, 1074
- enabling table for cache invalidation, 1074–1075
- overview of, 1073–1074
- and SQL Server 2000, 1075–1076

SQL Server cache invalidation. *see also* SQL Server Cache Dependency

- configuring applications for, 1078–1079
- testing, 1080–1086

SQL Server Express Edition (.mdf file)

- adding users to membership service, 737–751
- personalization provider, 721–722
- personalization provider for, 585–586
- providers working with, 571
- role providers, 581–585
- `SqlMembershipProvider` in, 578
- Web site setup for membership, 734–737

SQL Server scripts, installing

personalization features, 723

SQL* Plus, 385

`SqlCacheDependency` **class**

- attaching SQL cache dependencies to `Request` object, 1083–1086

state management, Session object in

- configuring ASP.NET application, 1078–1079
- defined, 1073
- SqlCommand **class**, 414–415
- properties, 370
- SqlConnection **class**
 - asynchronous connections, 435
 - overview of, 368–369
 - using DataReader object, 371–373
- sqlConnectionString **attribute**, 1488
- SqlDataAdapter **class**, 373–376
- SqlDataSource control**
 - adding UpdateCommand to, 321–322
 - configuring data connection, 277–281
 - ConflictDetection property, 282–285
 - DataSourceMode property, 281
 - events, 285
 - filtering data using SelectParameters, 281–282
 - overview of, 277
- SqlDependency **object**, 1082–1086
- SqlMembershipProvider**, 751
- SqlMembershipProvider **class**
 - building providers, 613
 - overview of, 577–579
 - simpler password structures, 607–610
 - stronger password structures, 610–611
 - Web site set up for membership, 734–737
- SqlParameter **class**, 376–379
- SqlPersonalizationProvider, 601–603
- SqlProfileProvider, 585–586
- SqlProfileProvider, **connecting to SQL Server 2005**, 723–724
- SqlRoleProvider **class**, 582–583
 - AddUsersToRole() method, 633–634
 - CreateRole() method, 631–632
 - DeleteRole() method, 632–633
 - role management service with, 771–775
 - working with
 - LimitedSqlRoleProvider, 630–631
- SQLServer
 - provider, 568
 - session state configuration, 1489–1490
- SqlSessionStateStore
 - configuring sessionState management, 1026
 - defined, 588
 - working with, 590
- SqlWebEventProvider
 - buffering Web events, 1561
 - defined, 591
 - overview of, 596–597
- squiggles (syntax notifications)**, 1089–1091
- Standard Generalized Markup Language (SGML)**, 479, 1370
- Start **events**, Session **object**, 1025
- StartFromCurrentNode **property**, **SiteMapDataSource control**, 679–680
- StartingNodeOffset **property**, **SiteMapDataSource control**, 680
- StartingNodeUrl **property**, **SiteMapDataSource control**, 681
- state management**
 - Application object, 1046–1047
 - ControlState, 1054
 - cookies, 1047–1048
 - deciding on method for, 1022–1024
 - hidden fields, 1050–1053
 - overview of, 1021
 - postbacks and cross-page postbacks, 1048–1050
 - QueryStrings, 1047
 - using HttpContext.Current.Items for short-term storage, 1055–1056
 - ViewState, 1050–1054
- state management, Session object in**, 1024–1046
 - choosing correct way to maintain, 1046
 - configuring sessionState management, 1026
 - cookieless session state, 1044–1045

state management, Session object in (*continued*)

state management, Session object in (*continued*)

event model and, 1024–1026
 extending session state with other providers, 1042–1044
 in-process session state, 1026–1033
 making transparent, 1031–1033
 optimizing performance, 1033–1034
 Out-of-Process Session State, 1034–1040
 SQL-backed session state, 1040–1042
 State **property**, SqlConnection **class**, 435
State Server Sessions Abandoned performance counter, 1539
State Server Sessions Active performance counter, 1539
State Server Sessions Timed Out performance counter, 1539
State Server Sessions Total performance counter, 1539
State Service, 1035, 1038–1040
 stateConnectionString **attribute**, <sessionState>, 1488
 stateNetworkTimeout **attribute**, <sessionState>, 1488
 StateServer, 568, 1488–1489
static links, Menu control styles for, 671–672
 StaticBottomSeparatorImageUrl **property, Menu control**, 675
<StaticHoverStyle>, **Menu control**, 671–672
<StaticMenuItemStyle>, **Menu control**, 671–672
 StaticPopOutImageUrl **property, Menu control**, 674
 StaticTopSeparatorImageUrl **property, Menu control**, 675
 StepType **attribute, Wizard server control**, 172–173
stored procedures
 Entity Framework and, 1332–1335

inserting data into SQL Server, 472–473
 simple SQL and, 469–471

storing

application-specific settings, 1510–1511
 connection strings, 1486–1487
 session state, 1487–1491

StrangeLoop Network, AppScaler, 1044

Stream class

classes derived from, 1152
 compressing, 1161–1166
 compressing streams, 1161–1166
 encodings, 1159
 I/O shortcuts, 1159–1161
 overview of, 1152–1156
 Reader and Writer classes, 1156–1159
 reading and writing I/O data with, 1151–1152

Stream object, 164–165

StreamReader, 1157–1158, 1159

StreamWriter, 1159

strict attribute, compilation

configuration, 1492

strings, sorting, 1466–1468

strongly typed objects, 1309

Style Builder, 71–72

<style> tag, HTML, 839–840

styles

adding to PathSeparator property, 645
 applying to HTML elements, 70–71
 ASP.NET Dynamic Data, 1357
 BulletedList server control, 151
 Calendar server control, 141–144
 DataList control template, 391–392
 displaying in Manage Style Tool window, 859–860
 GridView control, 329–330
 HTML for server controls, 1201–1204
 limitations of HTML for, 836
 Login control, 755
 Menu control, 670–675
 TreeView control, 652–653
 using Apply Styles tool window, 860–861

System.Web.Management.Sql WebEventProvider

- using CSS for. *see* CSS (Cascading Style Sheets)
- using themes. *see* themes
- StyleSheetTheme **attribute**, Page **directive**, 258
- Subject **property**, **installer properties**, 1620
- submaster pages**, 244–246
- subpages**. *see* **content pages**
- Subscribers **group**, **IsInRole method**, 1007–1008
- Substitution Control, Post-Cache**, 1061–1063
- SupportPhone **property**, **installer properties**, 1620
- SupportsEvaluate **property**, **expression builders**, 357–358
- SupportUrl **property**, **installer properties**, 1620
- Switch **class**
 - aspnet_regiis.exe utility, 1510
 - BooleanSwitch, 1105–1106
 - for diagnostic switches, 1105
 - SourceSwitch, 1106
 - TraceSwitch, 1106
- Synclock statement**, 627
- syntax**
 - notifications (squiggles), 1089–1091
 - VB in Visual Studio 2008 vs. C#, 488
 - XML semantics vs., 480–481
- System event log, writing to**, 1534
- System.AccessControl **namespace**, 1145–1146
- System.ComponentModel
 - .TypeConverter **class**, 1239
- System.Configuration, 598–601, 1511–1518, 1523–1530
- System.Core.dll **assembly**, **LINQ**, 446
- System.Data.OracleClient, 384–387
- System.Diagnostics, 1532–1534, 1540–1545
- System.Diagnostics.Trace, 1094, 1098
- System.Exception, 1122
- System.IO **namespace**, 1126–1135
- System.IO.Compression, 1161
- System.IO.Path, 1140–1144
- System.IO.Ports, 1166–1167
- System.Net **namespace**
 - defined, 1167
 - FileWebRequest and FileWebResponse classes, 1173–1174
 - FtpWebRequest and FtpWebResponse classes, 1171–1174
 - HttpWebRequest and HttpWebResponse classes, 1167–1171
 - sending mail, 1174
- System.Net.Mail **namespace**, 1174
- SystemWeb.config, 1505
- System.Web.Configuration, 1511–1518
- System.Web.HttpBrowser Capabilities, 1216
- System.Web.Mail, 1174
- System.Web.Management
 - event types, 1551
 - Web event providers, 591
- System.Web.Management.Event
 - LogWebEventProvider, 592–593, 1547
- System.Web.Management.IisTrace
 - WebEventProvider-, 591, 1547
- System.Web.Management.SimpleMail
 - WebEventProvider, 591, 593–595, 1547
- System.Web.Management.Sql
 - WebEventProvider, 591, 596–597, 1547

System.Web.Management.TemplatedMailWebEventProvider

System.Web.Management.TemplatedMailWebEventProvider, 591, 595–596, 1547

System.Web.Management.TraceWebEventProvider, 591, 597, 1547

System.Web.Management.WmiWebEventProvider, 591, 597–598, 1548

System.Web.Script.Services.ScriptService, 1374

System.Web.Security.ActiveDirectoryMembershipProvider, 579–581

System.Web.Security.AuthorizationStoreRoleProvider, 584–585

System.Web.Security.SqlMembershipProvider, 577–579

System.Web.Security.SqlProfileProvider, 585–586

System.Web.Security.SqlRoleProvider, 582–583

System.Web.Security.WindowsTokenRoleProvider, 583–584

System.Web.Services.Protocols, 1374

System.Web.SessionState, 588–590

System.Web.UI.ICallbackEventHandler **interface**, 1210–1214

System.Web.UI.ScriptControl, 1187

System.Web.UI.WebControls, 1187

System.Web.UI.WebControls.WebParts.SqlPersonalizationProvider, 601–603

T

TabContainer control, AJAX, 979–980

Table menu, Visual Studio Design view, 857–858

Table per Type (TPT) models, 1320

Table server control, 134–136

TableAdapter Configuration wizard, 406

TableAdapter **object**, 405–406, 413

tables

- disabling for SQL Server cache invalidation, 1076–1077
- enabling for cache invalidation, 1074–1075
- enabling for SQL Server cache invalidation, 1076
- joins between, 1325–1326
- reading a table of data, 1435–1436
- reading specific item from, 1436–1438
- routing for specific tables, 1365
- SQL Server cache invalidation and, 1082

tags

- rendering HTML, 1198–1199
- rendering HTML attributes, 1199–1201
- user control, 1178

Take **method, LINQ**, 457

TargetPlatform **property, installer properties**, 1620

Task List views, 1092–1093

TDD (Test Driven Development), 1703–1704

Temp DB database, 1490

tempDirectory **attribute, compilation configuration**, 1493

templated controls, 1230–1237

TemplatedMailWebEventProvider, 591, 595–596, 1564–1566

TemplateField column, GridView control, 317–320

TemplateField EditItem template, GridView control, 325–327

TemplatePagerField, ListView paging, 344–345

templates. see also master pages

- ASP.NET Server Control class, 1188–1191
- controls, 308–309
- DataList server control. *see* DataList server control

timeouts

- GridView control, 308–309
- ListView server control, 393–394
- new project templates in Visual Studio, 915–916
- Test Driven Development (TDD)**, 1703–1704
- testability, MVC guiding principles**, 1702
- testing**
 - health monitoring, 1555–1556
 - migration from ASP.NET 1x to 2.0, 1633
 - site map localization, 687–689
 - SQL Server cache invalidation, 1080–1086
 - Web Forms and, 1701–1705
- text**
 - aligning around check box, 126
 - compiling, 43
 - Hyperlink control, 116
 - Label control, 104–106
 - Literal control, 106–107
 - TextBox control, 107–111
- Text property**
 - CompareValidator control, 196
 - Regular Expression validator control, 202
 - RequiredFieldValidator control, 190–191
 - TreeNode object, 667–669
 - validation control with, 209–210
 - ViewState, 1218–1219
- TextAlign property, CheckBox control**, 126
- TextBox control**, 107–111
 - AutoPostBack, 108–110
 - filtering to use only numbers, 944
 - Focus () method, 108
 - NumericUpDownExtender, 952–953
 - overview of, 107–108
 - PasswordStrength control and, 977
 - using AutoCompleteType, 110–111
 - using calendar control from, 928–929
- TextBoxStringProvider () method, provider Web Parts**, 828
- TextBoxWatermarkExtender, AJAX**, 964–965
- Themeable **attribute**, 271–274
- themes**
 - assigning skin programmatically, 270
 - assigning to entire application, 255
 - assigning to page programmatically, 269–270
 - assigning to single ASP.NET page, 253–255
 - creating proper folder structure, 258–259
 - creating server controls with, 1204–1205
 - creating skin, 259–261
 - custom controls, skins and, 270–274
 - defining multiple skin options, 267–269
 - folder for storing, 37–38
 - master pages using, 257
 - removing from server controls, 256
 - removing from web pages, 257
 - StyleSheetTheme attribute, 258
 - using CSS files in, 261–264
 - using images in, 264–267
- thick-client applications**, 867–868
- thin-client applications**, 867–868
- third-party vendors**
 - DbgView, 1099
 - extending LINQ, 475
 - GenerateMachineKey tool, 1054
 - HTTP compression modules, 1163
 - HTTP Headers and controlling caching, 1064
 - session state providers, 1042–1044
 - validation server controls, 188
 - ViewStateDecoder tool, 1053
- threads, ASP.NET**, 1455–1458, 1507
- time, culture differences**, 1461–1462
- timeouts**
 - Forms authentication, 1499
 - runtime settings configuration, 1506–1507
 - session state configuration, 1488
 - Session State Settings, 1595

Timer control

Timer control

description of, 884
overview of, 888–890

titles

content page, 232
custom content page, 232

titles, installer properties, 1620

.tlb file extension (type library file),
1298–1299

tlbexp.exe, 1298–1302

ToggleButtonExtender, AJAX, 965–966

tools. *see also* **AJAX Control Toolkit**

configuration file editing, 1522–1523
debugging, 1647–1653
extending ASP.NET, 1661–1663
general purpose developer, 1664–1668
IIS Manager. *see* IIS (Internet Information Service) Manager
references, 1654–1655
resource editor, 1476–1477
tidying up code, 1656–1658
Visual Studio add-ins, 1659–1660
Web Site Administration Tool. *see* Web Site Administration Tool
Windows Installer service. *see* Windows Installer service

ToolTips

SiteMapPath server control, 647–648
for syntax errors at design-time, 1090

top **command, navigating Data Services result sets**, 1445–1446

ToShortDateString() **method**,

Calendar control, 138

TPT (Table per Type) models, 1320

trace forwarding, 1100

Trace **property**, Page **class**, 1094

<trace> **setting, locking-down configuration**, 1502

trace.axd, 1095–1098

TraceContext **class**, 1094

Trace.IsEnabled **property, page-level tracing**, 1094

TraceListeners

configuring, 1100–1101
defined, 1093–1094
DelimitedListTraceListener, 1103
EventLogTraceListener, 1102–1103
lisTraceListener, 1105
listening in on debugging with, 1099
new WebPageTraceListener, 1101–1102
XmlWriterTraceListener, 1103–1104

TraceMode attribute, page-level tracing,
1094

Tracepoints, 1116

TraceSwitch, 1106

TraceWebEventProvider, 591, 597

Trace.Write **function**, 1095, 1099–1100

tracing, 1093–1108

application, 1094, 1545
ASP.NET's Page.Trace, 1094
from components, 1098–1100
configuring TraceListeners, 1100–1101
DelimitedListTraceListener, 1103
diagnostic switches, 1105–1106
EventLogTraceListener, 1102–1103
managing in Application tab, 1582–1583
new ASP.NET WebPageTraceListener,
1101–1102
overview of, 1093–1094
page-level, 1094
storing data in Session object,
1029–1030
System.Diagnostics.Trace, 1094
trace forwarding, 1100
viewing trace data, 1095–1098
Web events, 1106–1108
XmlWriterTraceListener, 1103–1104

Transform method,

XslCompiledTransform **class**,
519–522

translation

dates, 1461–1462
number and currency, 1462–1466
sorting strings, 1466–1468

UpdatePanel control

- transport protocols, Web services,**
1385–1390
 - TreeNode **objects, TreeView control,**
667–669
 - TreeView class, TreeView control,** 663–669
 - TreeView Line Generator dialog,** 663
 - TreeView server control,** 648–669
 - binding to XML file, 654–656
 - built-in styles of, 652–653
 - as databound control, 350–351
 - incorporating images into themes,
264–265
 - overview of, 648–652
 - parts of, 653–654
 - programmatically working with, 663–669
 - selecting multiple options, 656–660
 - specifying custom icons, 660–661
 - specifying lines used to connect nodes,
661–663
 - styling with CSS-Friendly Control Adapters,
864
 - testing site map localization results,
687–689
 - TreeView1_DataBound() **method,** 665
 - TreeViewLineImages **property, TreeView control,** 663
 - <Triggers> element, UpdatePanel control,**
891–893
 - Triple DES encryption,** 601
 - trust levels**
 - .NET Trust Levels in IIS Manager, 1590
 - security and, 1012
 - server configuration files, 1482–1483
 - Try/Catch, **in exception handling,**
1119–1120
 - two-way data binding,** 353
 - type converters,** 1238–1242
 - type libraries,** 1297–1299
 - Type Library Exporter,** 1298–1299, 1302
 - Type Library Importer,** 1287, 1290
 - Type **property, CompareValidator server control,** 197
 - Type **property, RangeValidator server control,** 198
 - Type Selectors, CSS,** 841
 - typed datasets,** 32–37, 384
 - types**
 - personalization properties, 707–710
 - ViewState and, 1219
- ## U
- UI type editors,** 1255–1256
 - uiculture **attribute, Web.config file,**
686
 - uiculture **attribute,**
Web.config.comments **file,**
1458–1459
 - unattend.xml **file,** 548
 - unhandled exceptions,** 1120
 - Uniform Resource Locator. see URL (Uniform Resource Locator)**
 - Uniform/Universal Resource Identifier. see URI (Uniform Resource Identifier)**
 - uninstalling applications, Windows Installer,**
1614–1616
 - unique identifiers (GUIDs),** 233–234, 714
 - UniqueID **property, server controls,** 1200
 - unit testing,** 1703–1704
 - United Kingdom, culture codes,** 1454
 - United States, culture codes,** 1454
 - Universal Selectors, CSS,** 841
 - Unlock() **method, Application,** 1046
 - unmanaged code. see .NET from unmanaged code**
 - UnsealedCacheDependency **class,**
1068–1069
 - UpdateCommand
 - DetailsView control, 336
 - SqlDataSource control, 321
 - UpdatePanel control**
 - <ContentTemplate> element, 890–891
 - description of, 884
 - multiple UpdatePanel controls, 897–901
 - <Triggers> element, 891–893

UpdatePanelAnimationExtender, AJAX

UpdatePanelAnimationExtender, AJAX, 967–968

UpdateParameters, **SqlDataSource control**, 321–322

UpdateProgress control, 884, 895–897

updates

- browser configuration, 1495
- in DetailsView control, 335–336
- handling errors in GridView control during, 323–325
- IIS 7 dependencies and, 545
- LINQ to SQL, 473–474
- in SQL Server, 365–366
- using `pkmgr.exe` to install specific, 547

UpgradeCode **property, installer properties**, 1620

upgrades

- to ASP.NET 3.5 using VS 2008, 1634
- to ASP.NET applications, 1632–1634
- to IIS 7, 548–549
- using ASP.NET reserved folders, 1635
- using stepped approach in, 1634

upload buffering, 1507

uploading files. see FileUpload server control

URI (Uniform Resource Identifier)

- querying ADO.NET Data Services interface, 1434
- reading from a table of data, 1435–1436
- reading specific item from a table, 1436–1438
- result sets from URI queries, 1445
- storing, 714
- XML namespaces as, 479

URL (Uniform Resource Locator)

- dynamic routes and, 1361–1362
- Installation URL, 1618
- mapping, 684–685
- state management and, 1023
- XML namespaces as, 479

URL Authorization, 1501

URL rewriting, 1266–1270

URLAuthorizationModule, 1501

UseCookies **value, storing identifiers**, 714

UseDeviceProfile **value, storing identifiers**, 714

useFullyQualifiedRedirectUrl **attribute, runtime**, 1506

useMachineContainer **attribute**, RsaProtectedConfigurationProvider, 601

useMachineProtection **attribute**, DpapiProtectedConfigurationProvider, 600

useOAEP **attribute**, RsaProtectedConfigurationProvider, 601

user controls

- as .ascx files, 1346
- creating, 1178–1180
- defined, 1177
- interacting with, 1180–1182
- loading dynamically, 1182–1187
- problems with in ASP.NET 1.0, 221

User Interface Editor, 1626–1628

User **property, Page object**, 1005–1006

User Tasks view, Task List, 1092

userControlBaseType **element**, <pages> **configuration**, 1504

UserControls (ASCX), 1061

User.Identity **property**, 1006–1007

User.IsInRole() **method**, 1007–1008

usernames

- adding users to membership service, 737–739
- authenticating against values in database, 1000–1002
- authenticating against values in `web.config` file, 998–1000
- Basic authentication limitation, 992
- locking out users with bad passwords, 756–760

ValueChanged event, HiddenField control

- with LoginName server control, 760–762
 - protecting configuration settings, 1518
 - using Login control with Forms authentication, 1002–1003
 - users**
 - adding with Security Setup Wizard, 1573, 1576
 - allowing to change Web page mode, 797–808
 - authentication. *see* authentication; membership management service
 - authorization. *see* authorization; role management service
 - confirming user actions with ConfirmButtonExtender control, 931–932
 - creating, 1577
 - creating and placing in Admin role, 690–691
 - managing, 1578
 - membership providers validating, 624–626
 - .NET Users in IIS Manager, 1590–1591
 - personalization properties for. *see* personalization properties
 - ReadUserFile() method, 626–628
 - using XmlMembershipProvider for login, 628–629
 - Windows authentication. *see* Windows-based authentication
 - UseURI **value, storing identifiers with**, 714
 - Using **statement**
 - closing streams with, 1153
 - XmlReader and XmlWriter, 505
 - XmlReader implementing, 528
- V**
- ValidateNumber **function**,
 - CustomValidator control**, 207
 - validateRequest **element**, <pages> **configuration**, 1504
 - ValidateUser() **method**
 - Membership class, 755–756
 - MembershipProvider class, 624–626
 - validation**
 - CustomValidator control, 202–208
 - Forms authentication and, 1499
 - with membership providers, 624–626
 - against schema with XDocument, 491–493
 - of XML, 481–482, 490–493
 - Validation and More (VAM) server control**, 188
 - validation server controls**
 - client-side vs. server-side, 186–187
 - CompareValidator, 194–197
 - CustomValidator, 202–208
 - defined, 185
 - overview of, 187–188
 - RangeValidator, 198–201
 - RegularExpressionValidator, 201–202
 - RequiredFieldValidator, 189–194
 - turning off client-side validation, 211–212
 - understanding validation, 185–186
 - using images and sounds for error notifications, 212–213
 - validation causes, 188–189
 - ValidationSummary, 208–211
 - working with validation groups, 213–217
 - ValidationExpression **property**,
 - Regular Expression validator control**, 202
 - ValidationGroup **property, validation groups**, 214
 - <validationkey>, web.config **file**, 1053
 - ValidationSummary server control**, 188, 208–211
 - ValidatorCalloutExtender, AJAX**, 968–969
 - Value **property**, TreeNode **object**, 667
 - ValueChanged **event, HiddenField control**, 156

value-required rule, RequiredFieldValidator control

value-required rule, RequiredFieldValidator control, 189

ValueToCompare **property**,
CompareValidator control, 197

VAM (Validation and More) server control,
188

VaryByControl **attribute, output caching**,
1059

VaryByCustom **attribute, output caching**,
1059–1060

VaryByParam **attribute, output caching**,
1058–1059, 1081

verbs

URL Authorization configuration, 1501

Web Part, 811–814

Version **property, installer properties**,
1620

View server control, 166–170

views

querying LING to SQL data using, 468–469

of trace data, 1095–1098

ViewState

client-side state management, 1024

drawbacks of, 1701

state management, 1050–1054

state management and, 1698

tips for, 1053

using ControlState in server controls,
1219–1221

using in server controls, 1217–1219

ViewStateDecoder tool, 1053

virtual directories, 1485

VirtualDirectory **property, File System
Editor**, 1621

visibility **property**

CSS box model, 853

setting column visibility to false,
1367–1368

Visibone Web site, 1655

Visual Studio

ADO.NET tasks with, 402–413

classes, 53–59

configuration file editing tools, 1522–1523

global resource files, 1475–1476

HTML and CSS in. *see* HTML and CSS

design, in Visual Studio

HTML server controls, 73–76

release and debug configurations,

1108–1109

Resource Editor, 1476–1477

Style Builder, 71–72

Visual Studio 2008

add-in tools, 1659–1660

AJAX, working with. *see* AJAX (Asynchronous
JavaScript and XML)

AJAX Control Toolkit and. *see* AJAX Control
Toolkit

ASP.NET 1.x applications, converting,
1638–1643

ASP.NET 2.0 to 3.5, migrating from,
1643–1646

ASP.NET 3.5, upgrading application to,
1634

ASP.NET projects, creating new,
1288–1291

configuration files, editing, 1522

Copy Web Site deployment option,
1602–1607

CSS, working with, 858–862

CSS Attribute Selectors not supported in,
842

design surface, 855

event log, working with, 1531–1536

first-child pseudo class not supported in,
843

installer program, building, 1607–1613

Interop Type Library, generating in,
1297–1299

JavaScript debugger, 1118–1119

.NET business objects, creating,
1282–1284

O/R (Object/Relation) designer, 1315

precompilation for deployment, 1605–1607

RCW for COM component, creating, 1287

Web event providers

refactoring support in, 1656
 resource files, 1468–1474
 server controls, creating ASP.NET, 1188
 Silverlight Tools for Visual Studio 2008 SPI,
 1671–1672
 triggers built with, 891–893
 WCF service, building, 1405–1406
 Web Page Design Surface, 1237
 Web Part controls, creating custom,
 818–819
 Web Site Administration Tool access, 785,
 1570
 WebPartManager control, 790
 WebPartZone controls, dragging and
 dropping in, 794
 XHTML in, 1635–1637
 XML Web service. *see* XML Web Services,
 building
 zone layouts, 794

Visual Studio Conversion Wizard,
 1638–1643

Visual Studio Solution Explorer, scaffolding,
 1343

visualizers, data, 1114–1115

.vsi files, 915

W

W3C (World Wide Web Consortium), 480,
 482

w3wp.exe, 1035, 1046

Wait approach

multiple wait handles, 423–432
 overview of, 420–423

WaitAny **method, asynchronous**
processes, 428–432

WaitHandle **class,** 416–417

WaitOne **method, WaitHandle class,**
 420–423

Warn() **method, TraceContext class,**
 1094

watermarks, 964–965

WCF (Windows Communication Foundation), 1404–1413

building service, 1405–1406
 creating interface, 1408–1410
 creating service framework, 1408
 development of, 1404
 hosting service in console application, 1411
 larger move to SOA, 1404–1405
 overview of, 1405
 reviewing WSDL document, 1411–1413
 service components, 1406–1407
 utilizing interface, 1410–1411

WCF (Windows Communication Foundation), building consumer application, 1413–1422

adding service reference, 1414–1415
 building consumer, 1420–1421
 configuration file changes, 1415–1416
 namespaces, 1422
 working with data contracts,
 1417–1420
 writing consumption code,
 1416–1417
 WSDL and schema for HelloCustomer
 service, 1421–1422

Web browsers. *see* browsers

Web Developer Toolbar, Firefox,
 1650–1651

Web event providers

EventLogWebEventProvider,
 592–593
 IisWebEventProvider, 597
 list of, 591
 overview of, 591–592
 SimpleMailWebEventProvider,
 593–595
 SqlWebEventProvider, 596–597
 TemplatedMailWebEventProvider,
 595–596
 TraceWebEventProvider, 597
 WmiWebEventProvider,
 597–598

Web events

Web events

defined, 591
 health monitoring. *see* health monitoring
 tracing using, 1106–1108

Web Farm, session state configuration,
 1488–1491

Web Forms. *see also* ASP.NET MVC

advantages of, 1694
 basic Web Forms application, 1694–1698
 limitations of, 1699–1701
 testing and, 1701–1705

Web Frameworks, ASP.NET MVC as,
 1705–1706

Web gardening, 1027

Web Page Design Surface, Visual Studio
 2008, 1237

Web pages

adding templated controls to,
 1235–1236
 adding user controls to, 1179–1180
 dynamically adding user controls to,
 1182–1187
 limitations of using HTML for styling, 836
 sending e-mail from, 1174
 using external style sheets in, 838–839
 using inline styles in, 840
 using internal style sheets in, 839–840

Web Parts

allowing user to change mode of page,
 797–808
 creating custom, 818–824
 modifying zones, 808–814
 overview of, 787–788
 using WebPartManager control,
 789–790
 using WebPartZone control, 794–796
 verbs, 811–814
 working with zone layouts, 790–794

Web Parts, connecting, 824–833

on ASP.NET page, 830–833
 building consumer Web Part, 828–830
 building provider Web Part, 825–828

dealing with master pages when, 833
 overview of, 824–825

Web server

built-in, 2
 customizing with IIS 7, 544–549

Web server controls, 103–184

AdRotator, 145–146
 BulletedList, 150–155
 Button, 111–114
 Calendar, 137–144
 CheckBox, 124–126
 CheckBoxList, 127–129
 DropDownList, 117–119
 FileUpload, 156–166
 HiddenField, 155–156
 HyperLink, 116
 Image, 132–134
 ImageButton, 115–116
 ImageMap, 180–182
 Label, 104–106
 LinkButton, 114–115
 ListBox, 121–124
 Literal, 106–107
 MultiView, 166–170
 overview of, 103–104
 Panel, 147–149
 Placeholder, 150
 RadioButton, 129–131
 RadioButtonList, 131–132
 Table, 134–136
 TextBox, 107–111
 using HTML server controls vs., 62–63
 View, 166–170
 visually removing items from collections,
 119–121
 Wizard, 170–180
 Xml, 146–147

Web services. *see* XML Web services

**Web Services Description Language. *see*
 WSDL (Web Services Description
 Language) files**

WebEventProvider class

- Web Services Enhancements (WSE)**, 1390, 1404
- Web Setup Project, Windows Installer**, 1608
- Web Site Administration Tool**
 - Application tab, 1580–1581
 - configuration file editing, 1522–1523
 - Home tab, 1571
 - overview of, 1569–1570
 - Provider tab, 1583–1585
 - role management service with, 775
 - Security Setup Wizard, 1572–1577
 - Security tab, creating users, 1577
 - Security tab, managing access rules, 1580
 - Security tab, managing roles, 1578
 - Security tab, managing users, 1578
 - Security tab, overview of, 1571
 - using, 785
- Web sites**
 - adding in IIS Manager, 554–555
 - building with Portal Framework. *see* Portal Framework
 - changing name of in IIS Manager, 1587
 - membership management set up, 734–737
 - online resources, 1718
 - role management set up, 771–775
 - running with multiple versions of .NET, 1510
- Web user control**, 1179–1180
- web.config file**
 - ActiveDirectoryMembership Provider in, 579–581
 - administrator section, 691–692
 - ASP.NET cache, 1067
 - attribute values, 608–609
 - <authentication> node setting, 985–986
 - AuthorizationStoreRoleProvider, 584–585
 - configuration files. *see* configuration
 - connection strings, 369–370, 575–576
 - defined, 984
 - DpapiProtectedConfiguration Provider, 599–600
 - file-size limitation, 162
 - Forms authentication. *see* Forms-based authentication
 - health monitoring, 1548
 - HttpHandler, 1278
 - HttpModule, 1165–1166, 1265–1266
 - InProcSessionStateStore, 588–589
 - localization, 686
 - master page, 231–232
 - multiple languages, 36–37
 - personalization properties, 700–701
 - provider instances, 618–619
 - providers, 603
 - role management, 691
 - role management service, 772–773
 - <rules>, 1553–1554
 - security trimming, 692–694
 - settings new to ASP.NET 3.5, 875–876
 - SMTP setup for emailing Web events, 1563–1564
 - SQL Server cache invalidation, 1078–1079
 - SqlPersonalizationProvider, 601–603
 - SqlSessionStateStore, 590
 - storing connection information, 301–304
 - System.Linq namespace, 447
 - themes, 255, 257
 - WCF consumer, 1415–1416
 - Web event providers. *see* Web event providers
 - Web site membership, 735–737
 - Windows authentication. *see* Windows-based authentication
 - WindowsTokenRoleProvider, 583–584
 - XmlSiteMapProvider, 586–588
 - web.config.comments **file**, 1458–1459
 - WebControl **class**, 68, 1187–1193
 - WebEventProvider **class**, 591

weblogs (blogs), and XmlDataSource control

weblogs (blogs), and XmlDataSource control, 515–517

weblogs (blogs), online resources, 1717–1718

WebMethod **attribute**

- overloading, 1390–1393
- specifying SOAP header for, 1396–1397
- XML Web service, 1376–1377

WebPageTraceListener, 1101–1102

WebPart **class**

- building consumer Web Part, 828–830
- building provider Web Part, 825–828
- creating custom Web Part control, 818–824
- working with, 817–818

WebPartManager **class**, 815

WebPartManager control

- adding Web Parts to page, 800–802
- connecting Web Parts, 808
- connecting Web Parts using, 830–833
- dealing with master pages, 833
- modifying Web Part settings, 804–808
- moving Web Parts, 802–804
- overview of, 789–790, 797

WebParts provider, 601–603

<WebPartsTemplate>, **DeclarativeCatalogPart control**, 809–810

WebPartZone **class**, 816–818

WebPartZone control

- connecting Web Parts on page, 831
- controlling Web Part verbs, 811–814
- default elements, 796
- working with, 794–796

WebRequest **class**

- defined, 1173–1174
- FileWebRequest class, 1173–1174
- FtpWebRequest class, 1171–1174
- HttpWebRequest class, 1167–1171

WebResource.axd **handler**, 1210

WebResponse **class**

- defined, 1173–1174
- FileWebResponse class, 1173–1174

FtpWebResponse class, 1171–1174

HttpWebResponse class, 1167–1171

WebService **attribute**, 1376

@WebService **directive**, 1373

<WebServiceBinding> **attribute**, 1374

WebService.cs **file**, 1373

WebService.vb, 1373

Web.sitemap **file**

for localization, 685–686

nesting, 694–696

setting up administrators' section, 692

Web.sitemap.fi.resx **file**, 687–689

Web.sitemap.resx **file**, 687–689

where **clause**

LINQ query, 452–453

LinqDataSource control, 291–292

wildcards, IIS, 1270–1272

WinDiff, 1665

Windowless **property**, Silverlight **control**, 1677–1678

Windows Communication Foundation. see WCF (Windows Communication Foundation)

Windows Installer service

- actions of, 1609
- Custom Actions Editor, 1628–1629
- defined, 1608–1609
- File System Editor, 1620–1624
- File Types Editor, 1625–1626
- Launch Conditions Editor, 1629–1630
- options, 1616
- Output File Name, 1617
- Registry Editor, 1624–1625
- User Interface Editor, 1626–1628
- working with deployment project properties, 1616–1620

Windows NT Challenge/Response authentication, 992, 1497

Windows Presentation Foundation, 867–868

- Windows Server 2008**
 - command-line setup options, 546–548
 - installing IIS 7 on, 545–546
- Windows Services**, 1488–1489
- Windows Vista**
 - command-line setup options, 546–548
 - configuration file editing tools, 1522–1523
 - IIS Manager. *see* IIS (Internet Information Service) Manager
 - installing IIS 7 on, 545
 - using Basic authentication option in, 993
 - using IIS 7.0 Manager in, 1018–1019
 - working with file extensions, 1015
- Windows XP, remote debugging and**, 1112
- Windows-based authentication**, 986–994
 - <allow> and <deny> nodes, 989–990
 - authenticating/authorizing groups, 990–991
 - authenticating/authorizing HTTP transmission method, 991
 - authenticating/authorizing users, 987–989
 - Basic authentication, 992–993
 - configuring, 1497
 - creating users, 986–987
 - defined, 985
 - Digest authentication, 993–994
 - Integrated Windows authentication, 991–992
 - overview of, 986
 - Security Setup Wizard, 1573
 - WindowsIdentity object, 1008–1010
- WindowsBuiltInRole enumeration**, 1008–1009
- WindowsIdentity object**, 1008–1010
- WindowsTokenRoleProvider**, 583–584
- WinMerge**, 1665
- Wizard server control**, 170–180
 - adding header to, 173
 - AllowReturn attribute, 172
 - customizing side navigation, 171–172
 - events, 174–176
 - navigation system for, 173–174
 - overview of, 170–171
 - showing form elements with, 176–180
 - StepType attribute, 172–173
- <WizardSteps> element**, 744
- WmiWebEventProvider**, 591, 597–598
- worker process, configuration settings**, 1508–1510
- Worker Process Restarts performance counter**, 1539
- Worker Processes Running performance counter**, 1539
- workplace pane, IIS Manager**, 549
- World Wide Web Consortium (W3C)**, 480, 482
- Wrap attribute, multiline text boxes**, 108
- Write() method**
 - Stream class, 1154–1155
 - TraceContext class, 1094
 - writing to MemoryStream, 1155
- WriteEntry(), writing to event log**, 1536
- Writer class**, 1151–1152, 1156–1159
- writing events**
 - with event log, 1534–1536
 - routing events to SQL server, 1556–1559
 - via configuration, 1555–1556
- Wrox.master file**, 228–229, 246–248
- WroxOpera.master file**, 246–248
- Wrox's Beginning Web Programming with HTML, XHTML, and CSS (Wiley Publishing, Inc.)**, 70
- WSDL (Web Services Description Language) files**
 - consuming XML Web services, 1381
 - schema for HelloCustomer service, 1421–1422
 - WCF service linking to, 1411–1413
 - XML Web services linking to, 1378
- .wsdl file extension**, 32–37
- WSE (Web Services Enhancements)**, 1390, 1404
- WS-I Basic Profile spec**, 1391–1392
- WS-Policy**, 1405

www.asp.net

www.asp.net, 1655

WYSIWYG design, of Visual Studio, 857

X

XAML files

accessing XAML elements/properties in
JavaScript, 1685

Silverlight and, 1676

SplashScreenSource property and,
1678–1680

XAP files

Silverlight and, 1672–1673

SplashScreenSource property and,
1678

XCOPY, deploying with, 1599–1602

XDocument

processing XML with, 488–489

querying with XPath, 509

validating against schema with, 491–493

XHTML, 1090–1091, 1635–1637

XLINQ. *see* LINQ to XML (XLINQ)

XML (eXtensible Markup Language). *see*
**also AJAX (Asynchronous JavaScript
and XML)**

acronym design and, 478

AJAX dependence on, 870

basics of, 478–480

binding Menu server control to, 676–678

binding TreeView control to, 654–656

configuration files, 1480

creating CLR objects from, 498–499

creating with XmlWriter, 499–501

data binding, 353–354

and databases, FOR XML AUTO clause,
524–528

DataSets, 510–513

integration with, 1370

LINQ to. *see* LINQ to XML (XLINQ)

NameTable optimization, 493–495

overview of, 477–478

retrieving .NET CLR types from, 495–496

schema, editing, 483–485

schema, using with XmlTextReader,
489–491

schema, validating against with
XDocument, 491–493

serialization, 497–498

site maps based on, 640–641

using AdRotator control, 145–146

using XDocument vs. XmlReader,
488–489

XML data type and SQL Server 2005,
528–534

Xml InfoSet, 480–481

XmlDataSource control, 513–517

XmlDocument and XPathDocument,
505–509

XmlReader and XmlWriter, 486–488,
504–505

XSD, 481–482

XSLT, 517–523

XML Editor, 483–485, 1090–1091

Xml InfoSet, 480–481

XML Literals, 502

XML Schema Definition. *see* **XSD (XML
Schema Definition)**

XML Schema Editor, 484

XML server control, 146–147

XML Web services

caching responses, 1393–1394

communication between disparate
systems, 1369–1371

overloading Web methods, 1390–1393

overview of, 1369

SOAP headers, 1394–1395

Windows Communication Foundation for.
see WCF (Windows Communication
Foundation)

XML Web services, building, 1371–1380

contents of Service.asmx file,
1372–1373

exposing custom datasets as SOAP,
1374–1377

interface, 1377–1380

XsltSettings object

- overview of, 1371–1372
- WebService.vb or WebService.cs file, 1373–1374
- XML Web services, consuming**
 - adding Web reference, 1380–1382
 - asynchronously, 1401–1403
 - invoking from client application, 1382–1385
 - overview of, 1380
 - transport protocols for, 1385–1390
 - using SOAP headers, 1397–1399
- XmlConvert **class**, 495
- XmlDataDocument **class**, 511–513
- XmlDataSource **server control**
 - binding TreeView control to XML file using, 654–656
 - data binding and, 155
 - overview of, 294–295, 513–517
- XmlDocument
 - databases and XML, 524–528
 - XDocument vs., 488–489
 - XPathDocument and, 505–509
- XmlHTTP**, 92
- XMLHttpRequest **object**, 870
- XmlMembershipProvider **class**
 - constructing class skeleton, 614–617
 - creating CustomProviders application, 613–614
 - creating XML user data store, 617–618
 - defining provider instance in web.config file, 618–619
 - implementing methods/properties of, 620–621
 - not implementing methods/properties of, 619–620
- XmlNamespaceManager, 513
- XmlReader
 - calling Close () when done with, 528
 - improvements in 2.0, 504–505
 - optimizing with NameTable, 493–495
 - overview of, 486–488
- ReadSubTree and XML serialization, 497–498
- retrieving .NET CLR types from, 495–496
- XDocument vs., 488–489
- XmlReaderSettings **object**, 486–488
- XmlSerializer, 497–498, 503–504
- XmlSiteMapProvider**, 586–588, 692–694
- XmlTextReader, 489–491
- XmlWriter, 486–488, 499–501, 504–505
- XmlWriterSettings **class**, 499–501
- XmlWriterTraceListener**, 1103–1104
- XPath, 509, 513
- XPathBinder **class, XML data binding**, 354
- XPathDocument, 505–509, 519
- XPathNavigator **class**, 505–508
- XPathNodeIterator, 506–509
- XSD (XML Schema Definition)**
 - LINQ to XSD, 498
 - overview of, 481–482
 - working with WCFservice, data contracts, 1417
 - WSDL and, 1421–1422
 - XML Editor as default view for, 484
- XSD Designer**, 484
- XslCompiledTransform **class**, 519–522, 523
- XSLT**, 517–523
 - debugger, 523
 - overview of, 517–518
 - speed of, 519
 - styling XML from SQL Server, 527–528
 - XslCompiledTransform class, 519–522
 - XSLTC.exe command-line compiler, 520–522
 - XSLTC.exe **command-line compiler**, 520–522
 - XSLTCommand, 522
 - XsltSettings **object**, 519

YSlow, by Yahoo!

Y

YSlow, by Yahoo!, 1649–1650

Z

ZIP files, 1672

zones, Web

adding Web Parts to page,
801–802
defining, 789

layouts, 790–794

modifying, 808–814

moving Web Parts between,
802–804

using WebPartZone control,
794–796

WebPartManager control managing,
789–790

ZoneTemplate **attribute, WebPartZone
control**, 795