

Contents

| | |
|--|--------------|
| About the Authors | xv |
| Foreword | xix |
| Preface | xxi |
| Acknowledgements | xxiii |
| Abbreviations | xxv |
| List of Figures | xxxv |
| List of Tables | xxxix |
| 1 Introduction to Femtocells | 1 |
| <i>Simon Saunders</i> | |
| 1.1 Introduction | 1 |
| 1.2 Why Femtocells? The Market Context | 1 |
| 1.3 The Nature of Mobile Broadband Demand | 2 |
| 1.4 What is a Femtocell? | 4 |
| 1.4.1 Femtocell Attributes | 6 |
| 1.4.2 Femtocell Standards | 7 |
| 1.4.3 Types of Femtocell | 7 |
| 1.5 Applications for Femtocells | 7 |
| 1.6 What a Femtocell is not | 8 |
| 1.7 The Importance of 'Zero-Touch' | 10 |
| 1.8 User Benefits | 11 |
| 1.9 Operator Motivations and Economic Impact | 13 |
| 1.10 Operator Responses | 14 |
| 1.11 Challenges | 15 |
| 1.12 Chapter Overview | 15 |
| 2 Small Cell Background and Success Factors | 17 |
| <i>Simon Saunders</i> | |
| 2.1 Introduction | 17 |
| 2.2 Small Cell Motivations | 17 |
| 2.2.1 Cellular Principles | 17 |
| 2.2.2 Conventional Cell Types: Why 'Femtocells'? | 18 |

| | | |
|----------|--|-----------|
| 2.2.3 | <i>Challenges of Achieving Indoor Coverage from Outdoor Macrocells</i> | 20 |
| 2.2.4 | <i>Spectrum Efficiency</i> | 21 |
| 2.2.5 | <i>Geometry Factors</i> | 23 |
| 2.2.6 | <i>The Backhaul Challenge</i> | 24 |
| 2.3 | Other Small-Cell Systems | 24 |
| 2.3.1 | <i>Overview</i> | 24 |
| 2.3.2 | <i>Picocells</i> | 24 |
| 2.3.3 | <i>Distributed Antenna Systems</i> | 25 |
| 2.3.4 | <i>Wireless Local Area Networks</i> | 27 |
| 2.4 | The Small-Cell Landscape | 28 |
| 2.5 | Emergence of the Femtocell – Critical Success Factors | 29 |
| 2.5.1 | <i>Mobile Data Adoption and Revenue Growth</i> | 30 |
| 2.5.2 | <i>Broadband Adoption</i> | 30 |
| 2.5.3 | <i>Connecting Four Billion Users – And Counting</i> | 31 |
| 2.5.4 | <i>Internet Applications</i> | 33 |
| 2.5.5 | <i>Fixed–Mobile Substitution</i> | 33 |
| 2.5.6 | <i>User Device Availability</i> | 36 |
| 2.5.7 | <i>Processing Power and Cost</i> | 36 |
| 2.6 | Conclusions | 37 |
| | | |
| 3 | Market Issues for Femtocells | 39 |
| | <i>Stuart Carlaw</i> | |
| 3.1 | Key Benefits of a Femtocell from Market Perspective | 39 |
| 3.1.1 | <i>In-Home Coverage</i> | 39 |
| 3.1.2 | <i>Macro Network Capacity Gain</i> | 40 |
| 3.1.3 | <i>Termination Fees</i> | 40 |
| 3.1.4 | <i>Simplistic Handset Approach</i> | 41 |
| 3.1.5 | <i>Home Footprint and the Quadruple Play</i> | 41 |
| 3.1.6 | <i>Maximising Returns on Spectrum Investment</i> | 42 |
| 3.1.7 | <i>Churn Reduction – The Sticky Bundle</i> | 42 |
| 3.1.8 | <i>Positive Impact on Subsidisation Trends</i> | 43 |
| 3.1.9 | <i>Value-Added Services</i> | 43 |
| 3.1.10 | <i>Changing User Behaviour</i> | 43 |
| 3.1.11 | <i>Reducing Energy Consumption</i> | 44 |
| 3.2 | Key Primers | 44 |
| 3.2.1 | <i>Broadband Penetration</i> | 44 |
| 3.2.2 | <i>Saturation</i> | 45 |
| 3.2.3 | <i>Evolution in Carrier Business Model</i> | 46 |
| 3.2.4 | <i>Competition</i> | 47 |
| 3.2.5 | <i>Technical Feasibility</i> | 48 |
| 3.2.6 | <i>Economics</i> | 48 |
| 3.2.7 | <i>Limitations in Other Services</i> | 49 |
| 3.2.8 | <i>Carrier and Manufacturer Support</i> | 49 |
| 3.2.9 | <i>Consumer Demand</i> | 50 |
| 3.2.10 | <i>Supporting the Data Boom</i> | 50 |

| Contents | ix |
|--|-----------|
| 3.2.11 <i>Growing Standardisation</i> | 50 |
| 3.2.12 <i>Air Interface Technology Evolution</i> | 52 |
| 3.3 Key Market Challenges | 52 |
| 3.3.1 <i>Cost Pressure</i> | 52 |
| 3.3.2 <i>Intellectual Property Rights</i> | 53 |
| 3.3.3 <i>Technology Issues</i> | 53 |
| 3.3.4 <i>Establishing a 'Sellable' Proposition</i> | 54 |
| 3.3.5 <i>Disconnect Between OEMs and Carriers</i> | 54 |
| 3.3.6 <i>Too Much Reliance on Standards</i> | 54 |
| 3.3.7 <i>Window of Opportunity</i> | 55 |
| 3.3.8 <i>Developing the Ecosystem</i> | 55 |
| 3.4 Business Cases for Femtocells | 55 |
| 3.4.1 <i>Business Case Foundations</i> | 55 |
| 3.4.2 <i>Exploring the Economics</i> | 57 |
| 3.5 Air Interface Choices | 60 |
| 3.5.1 <i>GSM Advantages</i> | 60 |
| 3.5.2 <i>GSM Disadvantages</i> | 61 |
| 3.5.3 <i>WCDMA Advantages</i> | 61 |
| 3.5.4 <i>WCDMA Disadvantages</i> | 61 |
| 3.5.5 <i>Conclusions</i> | 61 |
| 3.5.6 <i>HSDPA, HSUPA and HSPA+</i> | 62 |
| 3.6 Product Feature Sets | 62 |
| 3.6.1 <i>Stand-Alone</i> | 62 |
| 3.6.2 <i>Broadband Gateway</i> | 63 |
| 3.6.3 <i>Wi-Fi Access Point</i> | 63 |
| 3.6.4 <i>TV Set-Top Box</i> | 63 |
| 3.6.5 <i>Video Distribution Mechanisms</i> | 64 |
| 3.6.6 <i>Segmentation</i> | 64 |
| 3.7 Additional Considerations | 64 |
| 3.7.1 <i>Enterprise Femtocells</i> | 64 |
| 3.7.2 <i>Super-Femtocells and Outdoor Femtocells</i> | 65 |
| 3.8 Adoption Forecasts and Volumes | 65 |
| 3.8.1 <i>Methodology</i> | 65 |
| 3.8.2 <i>Forecasts</i> | 68 |
| 3.9 Conclusions | 70 |
| 4 Radio Issues for Femtocells | 71 |
| <i>Simon Saunders</i> | |
| 4.1 Introduction | 71 |
| 4.2 Spectrum Scenarios | 71 |
| 4.3 Propagation in Femtocell Environments | 73 |
| 4.4 Coverage | 74 |
| 4.5 Downlink Interference | 75 |
| 4.6 Interference Challenges and Mitigations | 79 |
| 4.7 Femtocell-to-Femtocell Interference | 80 |
| 4.8 System-Level Performance | 81 |

| x | Contents |
|----------|--|
| 4.9 | RF Specifications in WCDMA 84 |
| 4.10 | Health and Safety Concerns 86 |
| 4.11 | Conclusions 89 |
| 5 | Femtocell Networks and Architectures 91 |
| | <i>Andrea Giustina</i> |
| 5.1 | Introduction 91 |
| 5.2 | Challenges 92 |
| 5.3 | Requirements 93 |
| 5.4 | Femto Architectures and Interfaces 94 |
| 5.5 | Key Architectural Choices 96 |
| | 5.5.1 <i>Connecting Remote Femtocells</i> 96 |
| | 5.5.2 <i>Integrating the Femto Network with the Macro Network</i> 98 |
| | 5.5.3 <i>Functional Split between the FAP and the FGW</i> 100 |
| 5.6 | Other Important Femto Solution Aspects 101 |
| | 5.6.1 <i>End-to-End Quality of Service</i> 102 |
| | 5.6.2 <i>Local Access (Data and Voice)</i> 103 |
| | 5.6.3 <i>Femtozone Services</i> 105 |
| | 5.6.4 <i>Mobility</i> 106 |
| | 5.6.5 <i>Femtocell Location</i> 108 |
| | 5.6.6 <i>Enterprise and Open Spaces</i> 109 |
| 5.7 | UMTS Femtos 110 |
| | 5.7.1 <i>Iuh Protocol Stacks</i> 110 |
| 5.8 | CDMA 112 |
| 5.9 | WiMAX 113 |
| 5.10 | GSM 114 |
| 5.11 | LTE 115 |
| 5.12 | Conclusions 116 |
| 6 | Femtocell Management 117 |
| | <i>Ravi Raj Bhat and V. Srinivasa Rao</i> |
| 6.1 | Introduction 117 |
| 6.2 | Femtocell FCAPS Requirements 118 |
| | 6.2.1 <i>Fault and Event Management</i> 119 |
| | 6.2.2 <i>Configuration Management</i> 119 |
| | 6.2.3 <i>Accounting and Administration Management</i> 119 |
| | 6.2.4 <i>Performance Management</i> 120 |
| | 6.2.5 <i>Security Management</i> 120 |
| 6.3 | Broadband Forum Auto-Configuration Architecture and Framework 120 |
| 6.4 | Auto-Configuration Data Organisation 121 |
| | 6.4.1 <i>Data Hierarchy</i> 121 |
| | 6.4.2 <i>Profiles</i> 123 |
| 6.5 | CPE WAN Management Protocol Overview 123 |
| | 6.5.1 <i>Protocol Stack and Operation</i> 124 |
| 6.6 | FAP Service Data Model 126 |
| | 6.6.1 <i>Control Object Group</i> 126 |

| Contents | xi |
|--|------------|
| 6.6.2 <i>Configuration Object Group</i> | 126 |
| 6.6.3 <i>Monitoring Object Group</i> | 128 |
| 6.6.4 <i>Management Object Group</i> | 129 |
| 6.7 DOCSIS OSS Architecture and Framework | 129 |
| 6.8 Conclusions | 132 |
| 7 Femtocell Security | 133 |
| <i>Rasa Sieberg</i> | |
| 7.1 Why is Security Important? | 133 |
| 7.1.1 <i>Viewpoint: Continuity</i> | 133 |
| 7.1.2 <i>Viewpoint: (Contained) Change</i> | 134 |
| 7.2 The Threat Model | 134 |
| 7.2.1 <i>Threats from 'Outsiders' – Third Parties</i> | 135 |
| 7.2.2 <i>Threats from 'Insiders' – Device Owners</i> | 135 |
| 7.3 Countering the Threats | 136 |
| 7.3.1 <i>Radio Link Protection</i> | 136 |
| 7.3.2 <i>Protecting the (IP) Backhaul</i> | 138 |
| 7.3.3 <i>Device Integrity – Tamper Resistance</i> | 143 |
| 7.4 Conclusions | 145 |
| 8 Femtocell Standards and Industry Groups | 147 |
| <i>Simon Saunders</i> | |
| 8.1 The Importance of Standards | 147 |
| 8.2 GSM | 148 |
| 8.3 WCDMA | 148 |
| 8.3.1 <i>TSG RAN WG2 – Radio Layer 2 and Radio Layer 3 RR</i> | 149 |
| 8.3.2 <i>TSG RAN WG3 Architecture</i> | 149 |
| 8.3.3 <i>TSG RAN WG4 Radio Performance and Protocol Aspects RF Parameters and BS Conformance</i> | 150 |
| 8.3.4 <i>TSG SA WG1 – Services</i> | 150 |
| 8.3.5 <i>TSG SA WG3 – Security</i> | 150 |
| 8.3.6 <i>TSG SA WG5 Telecom Management</i> | 151 |
| 8.3.7 <i>Summary of WCDMA Standards</i> | 151 |
| 8.4 TD-SCDMA | 151 |
| 8.5 LTE | 151 |
| 8.6 CDMA | 153 |
| 8.7 Mobile WiMAX | 155 |
| 8.8 The Femto Forum | 156 |
| 8.9 The Broadband Forum | 157 |
| 8.10 GSMA | 157 |
| 8.11 Conclusions | 157 |
| 9 Femtocell Regulation | 159 |
| <i>Simon Saunders</i> | |
| 9.1 Introduction | 159 |
| 9.2 Regulatory Benefits of Femtocells | 159 |

| xii | Contents | |
|-----------|--|------------|
| 9.3 | Spectrum Efficiency | 160 |
| 9.4 | Economic Efficiency | 160 |
| 9.5 | Enabling Competition | 160 |
| 9.6 | Broadening Access to Services | 161 |
| 9.7 | Enabling Innovation | 161 |
| 9.8 | Environmental Goals | 161 |
| 9.9 | Spectrum Licensing Issues | 162 |
| 9.10 | Location | 163 |
| 9.11 | Authentication | 163 |
| 9.12 | Emergency Calls | 163 |
| 9.13 | Lawful Interception and Local IP Access | 164 |
| 9.14 | Backhaul Challenges | 165 |
| 9.15 | Mobile Termination Rates | 165 |
| 9.16 | Competition Concerns | 166 |
| 9.17 | Equipment Approvals | 166 |
| 9.18 | Examples of Femtocell Regulations | 166 |
| 9.19 | Conclusions | 168 |
| 10 | Femtocell Implementation Considerations | 169 |
| | <i>Simon Saunders</i> | |
| 10.1 | Introduction | 169 |
| 10.2 | Signal Processing | 170 |
| 10.3 | Location | 170 |
| 10.4 | Frequency and Timing Control | 171 |
| 10.5 | Protocol Implementation | 172 |
| 10.6 | RF Implementation | 172 |
| 10.7 | System Design and Cost | 173 |
| 10.8 | Mobile Device Challenges and Opportunities | 175 |
| 10.9 | Conclusions | 176 |
| 11 | Business and Service Options for Femtocells | 177 |
| | <i>Simon Saunders and Stuart Carlaw</i> | |
| 11.1 | Introduction | 177 |
| 11.2 | Ways of being a Femtocell Operator | 177 |
| 11.3 | Femtocells for Fixed-Line Operators | 180 |
| 11.4 | Types of Femtocell Service | 181 |
| 11.5 | Service Examples | 182 |
| | 11.5.1 Femtozone Services | 182 |
| | 11.5.2 Connected Home Services | 184 |
| 11.6 | Service Enablers | 185 |
| | 11.6.1 Service Implementation | 186 |
| 11.7 | Stages of Femtocell Service Introduction | 186 |
| | 11.7.1 Stage 1 – Supporting Fixed Mobile Substitution | 187 |
| | 11.7.2 Stage 2 – Prompting Mobile Data Uptake | 187 |
| | 11.7.3 Stage 3 – Bringing the Mobile Phone into the Connected Home Concept | 187 |
| | 11.7.4 Stage 4 – Taking the Connected Home into the Wider World | 187 |
| 11.8 | Conclusions | 188 |

| Contents | xiii |
|---|------------|
| 12 Summary: The Status and Future of Femtocells | 189 |
| <i>Simon Saunders</i> | |
| 12.1 Summary | 189 |
| 12.2 Potential Future Femtocell Landscape | 191 |
| 12.2.1 <i>Growth of Femtocell Adoption</i> | 191 |
| 12.2.2 <i>Femtocells in Homes and Offices</i> | 192 |
| 12.2.3 <i>Femtocells in Developing and Rural Markets</i> | 192 |
| 12.2.4 <i>Femtocells Outdoors</i> | 192 |
| 12.2.5 <i>Femtocell-Only Operators</i> | 193 |
| 12.2.6 <i>Femtos Enabling Next-Generation Mobile Networks</i> | 193 |
| 12.2.7 <i>When is a Femtocell not a Femtocell?</i> | 195 |
| 12.3 Concluding Remarks | 195 |
| References | 197 |
| Further Reading | 203 |
| Appendix: A Brief Guide to Units and Spectrum | 205 |
| Index | 207 |

