

COPYRIGHTED MATERIAL

Index

Index

Symbols

& operator, 127
*** operator, 127**
^ operator, 127
+ operator, 127, 280–281
< operator, 127
<< operator, 127
<= operator, 127
<> operator, 127
= operator, 127
> operator, 127
>= operator, 127
>> operator, 127
/ operator, 127
\ operator, 127
/? option, 1010

A

Abort member

FtpWebRequest class, 941
 HttpListener class, 955

abstract base class, 185–187

MustInherit keyword, 185
 MustOverride keyword, 186

abstraction, 83, 223–227

Access Control Lists (ACLs), 202

AccessDataSource control, 642

Account property, ServiceProcessInstaller class, 904

ACID test, 774–775

ACLs (Access Control Lists), 202

act-as relationship, 139

Action property, 471

Activated objects, 877–878

Activator class, System namespace, 894

Activator.GetObject, remoting using, 894–895

ActiveX controls, 543, 761–766

 legacy ActiveX control, 761–763

 .NET application, 763–765

Add method, SortedList collection, 80

AddFullTrust command, 458

AddGroup command, 458

AddGroup switch, 461

AddHandler method, 108, 110, 111–113

/addmodule option, 1007

AddNodes method, 946

AddOwnedForm() method, 506

AddPSet command, 458

addresses, 933–934

ADO.NET, 8, 13

ADO.NET 1.x, 341

ADO.NET 2.0, 341–388

- architecture enhancements, 342–344
- connection pooling enhancements in, 369
- data access component, building, 369–388
 - constructors, 370–371
 - methods, 373–385
 - overview, 369–370
 - properties, 371–372
 - stored procedure XML structure, 372–373
 - using DataSet Objects to bind to DataGrids, 385–388
- data providers, 344–359
 - Command object, 345–346
 - Connection object, 344–345
 - DataAdapter objects, 354–358
 - DataReader object, 350–351
 - executing commands asynchronously, 352–354
 - OLE DB .NET Data Provider, 359
 - overview, 344
 - SQL Server .NET Data Provider, 358
 - using stored procedures with Command objects, 346–350
- DataSet component, 359–366. *See also* DataSet objects
 - DataRelationCollection, 360
 - DataTable objects, 363–366
 - DataTableCollection, 359
 - ExtendedProperties, 360–361
 - overview, 359
- overview, 341–342
- working with common provider model, 366–368

AdRotator control, 602, 603

aliasing namespaces, 294–295

All option, 462

AllowDrop property, 536, 565

AllowFullOpen property, 534

AllowPaging property, 647

AllowSorting property, 647

AllowWebBrowserDrop property, 1000

American Standard Code for Information Interchange (ASCII), 62

Anchor property, 565

anchoring Windows Forms controls, 515–516

And operator, 127

AndAlso operator, 128

ApartmentState method, 821

app.config file, 23, 302–303, 349, 386–387, 883

AppDir option, 463

AppDomain process, 806

Append method, StringBuilder class, 80

AppendFile field, 942

application download cache, 734

Application event log, 922

application events, 609

ApplicationContext method, 299

ApplicationEnd event, 610

application-private assemblies, 678

ApplicationStart event, 610

Arguments custom action property, 728

ArrayList class, 76, 826–827, 938

arrays, 73–76

- control arrays, 511–513
- multidimensional, 74–75
- ReDim statement, 75–76
- UBound function, 74

ASCII (American Standard Code for Information Interchange), 62

.asmx extension, 845

ASP, vs. Web forms, 609–610

ASP.NET

- overview, 11
- server controls, 598, 602–603

ASP.NET 2.0, 627–669

- applications and pages, 627–634
- configuring ASP.NET, 666–669

- data-driven applications, 642–652
 - editing and deleting of records with GridView, 648–652
 - overview, 642–643
 - using GridView and SqlDataSource controls, 643–648
- master pages, 634–642
 - creating content page, 637–641
 - creating master page, 635–637
 - declaring master page application-wide, 641
 - overview, 634–635
 - providing default content in your master page, 642
- membership and role management, 661–665
- navigation, 653–660
- overview, 627
- personalization, 665–666
- assemblies, 199–200, 671–690, 1006–1008**
 - /addmodule, 1007
 - /delaysign, 1007
 - and deployment, 678–680
 - dynamic loading of, 687–689
 - /imports, 1007
 - /keycontainer, 1007
 - /keyfile, 1007–1008
 - /libpath, 1008
 - manifest, 673–678
 - overview, 671–673
 - /reference, 1008
 - versioning issues, 681–687
- Assembly class, 208, 687–689**
- .assembly extern directive, 677**
- Assembly Information screen, Visual Studio .NET, 25–26**
- Assembly Version, 26**
- <assemblyIdentity> element, 685**
- AssemblyInfo property, 299**
- Assert method, 334, 445**
- AsymmetricAlgorithm class, System.Security.Cryptography namespace, 484**
- atomicity in transactions, 774**
- AttributeCount property, 407**
- attributes, 206–208**
 - Assembly, 26
 - Assembly Version, 26
 - Browsable, 559
 - Category, 559
 - COM Visible, 26
 - Company, 26
 - ConnectionString, 647
 - ContentPlaceHolderID, 640
 - Copyright assembly, 26
 - culture, 685
 - DataSourceID, 656
 - DefaultValue, 556, 558
 - Description, 26, 559, 654
 - File Version, 26
 - Guid, 26
 - MasterPageFile, 639
 - Obsolete, 206
 - OnClick, 629
 - PostBackUrl, 629
 - Product, 26
 - Roles, 654
 - runat, 600
 - safemode, 1002
 - Serializable, 206, 981
 - ShowLines, 659
 - Source Code Style, 397–399
 - Title, 26, 654
 - ToolboxBitmap, 579
 - Trademark, 26
 - Transaction, 800
 - TransactionAttribute, 789
 - TransactionOption, 789
 - Url, 654
 - VirtualPath, 630
- Audio property, 303**

Author property, 704, 707
AutoCompleteCustomSource property, 500
AutoCompleteMode property, 500
AutoCompleteSource property, 500
autocompletion
 in text boxes and combo boxes, 500
 and Windows Forms controls, 523–524
automatic quick fix engineering policy, 683
AutoResetEvent object, 828, 832–833
Autos window, Visual Studio 2005, 46
AutoScaleDimensions property, 33
AutoScaleMode property, 33
AutoScroll property, 509

B

BackColor property, 565
BackgroundWorker control, 811, 816
base class. See **abstract base class**
BaseAddress, WebClient class, 953
 /**baseaddress** option, 1013
BeginExecuteNonQuery method, 352
BeginExecuteReader method, 352
BeginExecuteXmlReader method, 352
BeginInvoke method, 818
BeginRead method, 816
Binary member, FtpWebRequest class, 941
BinaryFormatter class, 873, 893, 981
binding, 90–94. See *also* **late binding**
binding element, 842
<bindingRedirect> element, 685
BitArray collection, 76
block cipher algorithm, 488
Boolean primitive type, 54–55
Boolean type, 8, 55–58
Bootstrapper program, 744
BoundField control, 647
boxing, 79–80
breadcrumb navigation, 654
Breakpoints window, Visual Studio 2005, 45
BringToFront property, 565

Browsable attribute, 559
bubbled events, 609
/bugreport option, 1008
Build option, 43
Build page, 711–714
 build configurations, 711–712
 compression, 713
 Package files, 712
 prerequisites, 712–713
 setting cabinet file size, 713
 using solution signing options, 714
BulletedList control, 603
Button control, 602, 614
ByRef parameter, 52, 100
Byte primitive type, 51, 54
ByVal parameter, 52, 100

C

CA (Certificate Authority), 491
Cab Project template, 697
Calendar control, 602, 603
Call keyword, 78
Call Stack window, Visual Studio 2005, 45
CanDeserialize method, 396
CanFocus property, 565
CanGoBackChanged event, 997
CanGoForwardChanged event, 997
CanStop service controller property, 916
Capture namespace, 285
CaptureCollection namespace, 285
CASPOL (Code Access Security Policy), 455
caspol.exe utility, 440, 455–465, 470
Catch block, 91
Catch keyword, 316–317
Category attribute, 559
CausesValidation property, 527–528, 565
CBool() method, 67
CByte() method, 67
CChar() method, 67
CDate() method, 67

- CDBl() method, 67**
- CDec() method, 67**
- CenterParent startup location, 504**
- CenterScreen startup location, 504**
- Cert2spc.exe, 471**
- Certificate Authority (CA), 491**
- Certificate management tools, 471**
- Certmgr.exe, 471**
- Ch() method, 62**
- ChangeCurrentCulture method, 299**
- ChangeCurrentUICulture method, 299**
- Char primitive type, 54–55**
- Character type, 51**
- CheckAsset method, 445**
- CheckBox control, 603**
- CheckBoxList control, 603**
- CheckCharacters property, 401, 409**
- CheckDemand method, 445**
- CheckDeny method, 445**
- CheckedListBox control, 560–564**
- checkmarks for menu items, 532**
- CheckPermitOnly method, 446**
- ChgGroup command, 458**
- ChgPset& command, 458**
- Chktrust.exe, 471**
- Chr() method, 62**
- ChrW() method, 62**
- Clnt() method, 67**
- circular references, 211–212**
- Class constraint, 279**
- class creation, 94–116. See also classes creation**
 - Class keyword, 95–96
 - constructor methods, 114
 - events, 106–113
 - fields, 96–97
 - methods, 97–100
 - overview, 94
 - properties, 100–106
 - termination and cleanup, 115–116
- Class keyword, 95–96, 134, 224**
- classes, 84, 267–271. See also class creation**
 - abstract base class, 185–187
 - Activator, 895, 897
 - Activator, System namespace, 894
 - ArrayList, 76, 826–827, 938
 - Assembly, 208, 687–689
 - AsymmetricAlgorithm, System.Security.Cryptography namespace, 484
 - BinaryFormatter, 893, 981, 988
 - CodeAccessSecurityAttribute, 443
 - vs. components, 133–135
 - ConfigurationSettings, 386
 - Connection, 344–345
 - Contact base class, 247–248
 - ContextUtil, 782
 - Control, 67, 499, 564–565
 - DataAdapter, 343, 354, 358
 - DataProtectionPermission, 443
 - DataProtectionPermissionAttribute, 443
 - DataReader, 350–351
 - DataRelationCollection, 360
 - DataTable, 357–358, 364
 - DBNull, 72–73
 - Dictionary, 156, 262
 - DSACryptoServiceProvider, 484
 - Encoder, 284
 - Environment, 298
 - EnvironmentPermission, 443, 451
 - EnvironmentPermissionAttribute, 443
 - FileDialogPermission, 443
 - FileDialogPermissionAttribute, 443
 - FileIOPermission, 443, 451
 - FileIOPermissionAttribute, 443
 - FileSystem, 211
 - FileSystemObject, 211
 - Form, 32, 39
 - FormsAuthenticationModule, 478
 - FtpWebRequest, 935, 941, 942
 - FtpWebRequest class, 941

classes (continued)

classes (continued)

- GacIdentityPermission, 443
- GacIdentityPermissionAttribute, 443
- Graphics, 573–574
- HashAlgorithm, 476
- Hashtable, 103
- HMACSHA1, 476
- HttpChannel, 894
- HttpContext, 958
- HttpListener, 935
- HttpListenerContext, 958
- HttpListenerRequest, 958
- HttpListenerResponse, 958
- HttpUtility, 938
- HttpWebRequest, 1000
- HttpWebResponse, 1000
 - and inheritance, 273–274
- Installation-Oriented, 904–905
- IPEndPoint, 976
- IPHostEntry, 976
- IsolatedStorageFilePermission, 443
- IsolatedStoragePermission, 443
- KeyContainerPermission, 443
- KeyContainerPermissionAccessEntry, 444
- KeyContainerPermissionAccessEntry
 - Collection, 444
- KeyContainerPermissionAccessEntry
 - Enumerator, 444
- KeyContainerPermissionAttribute, 444
- ListDictionary, 76, 77
- MACTripleDES, 476
- MD5CryptoServiceProvider, 476
- Message, 981–986
- MessageBox, 36
- MissingMemberException, 91
- NetworkStream, 974
- Object, 51, 52, 68–70, 269, 276
- Partial classes, 16
- PerformanceCounter, 914
- PermissionSetAttribute, 444
- PrincipalPermission, 444
- PrincipalPermissionAttribute, 444
- ProviderFactory, 366
- PublisherIdentityPermission, 444
- PublisherIdentityPermissionAttribute, 444
- ReaderWriterLock, 830
- ReflectionPermission, 444
- ReflectionPermissionAttribute, 444
- RegistryPermission, 444
- RegistryPermissionAttribute, 444
- ResourcePermissionBase, 444
- ResourcePermissionBaseEntry, 444
- RIPMD160Managed, 476
- RSACryptoServiceProvider, 484
- RSAKeyValue, 485
- ScrollableControl, 509
- SecurityAttribute, 444
- SecurityException, 471–473
- SecurityPermission, 444
- SecurityPermissionAttribute, 445
- ServiceBase, 903–904
- ServiceController, 905, 916–919
- ServiceInstaller, 905
- ServiceProcessInstaller, 904
- ServiceProcessInstaller class, 904
- SHA1CryptoServiceProvider, 476
- SHA256Managed, 476
- SoapDocumentMethodAttribute, 861
- SoapFormatter, 893, 981
- SqlConnection, 345, 369
- SqlDataAdapter, 377
- SqlDataReader, 348
- SqlParameter, 356
- StorePermission, 445
- StorePermissionAttribute, 445
- Stream, 418
- StreamReader, 951
- StreamWriter, 951
- String, 70–72
- StringBuilder, 53, 72, 284

- StringBuilder class, 80
- StringCollection, 76, 77
- StringDictionary, 76, 77
- TcpClient, 970
- TcpListener, 970
- TextStream, 211
- TextWriter, 418
- ThreadPool, 816
- Timer, 134, 820
- Trace, 335–339
- UIPermission, 445
- UIPermissionAttribute, 445
- UserControl, 565–566
 - creating composite UserControl, 567–568
 - example, 569–572
 - exposing properties of subcontrols, 568–569
 - overview, 566–567
 - resize, how works, 568
 - setting minimum size, 568
- WebClient, 935, 952, 953, 966
- WebRequest, 935
- WebService, 858
- WebServiceAttribute, 858
- WebServicesBindingAttribute, 858
- X509Certificate, 493
- XmlAttribute, 419
- XmlDocument, 371–372, 418
- XmlElement, 419
- XmlNameTable, 400
- XmlNode, 372, 418
- XmlReader, 437
- XmlReaderSettings, 409–410
- XmlResolver, 400
- XmlSerializer, 416
- XmlTextReader, 434
- XmlTextWriter, 434
- XmlWriter, 399, 418, 437
- XsltArgumentList, 432
- XsltCompileException, 432
- XsltContext, 432
- XsltException, 432
- XsltTransform, 400, 424, 428–429
- classes (reference types), 68–78**
 - arrays, 73–76
 - collections, 76–78
 - DBNull class and IsDBNull() function, 72–73
 - Object class, 68–70
 - overview, 68
 - String class, 70–72
- ClearPool method, SqlConnection class, 369**
- ClearPools method, SqlConnection class, 369**
- Click event, 565**
- ClickOnce deployment, 11, 16, 202–203, 735–745**
 - Bootstrapper program, 744
 - configuration options, 741–744
 - configuring application for, 735–736
 - deploying application that is available offline, 738
 - deploying online application, 736–738
 - files and directories produced by, 739
 - online vs. locally installed applications, 736
 - vs. other deployment technologies, 745
 - overview, 735
 - signing manifest, 740
 - update process, 740
- client-side events, 608**
- ClientSize property, 33**
- CLng() method, 67**
- Clock property, 303**
- Close member, HttpListener class, 955**
- Close method, 333, 334**
- CLR. See Common Language Runtime (CLR)**
- CObj() method, 67**
- code access permission, 445–446**
- Code Access Security Policy (CASPOL), 455**
- CodeAccessSecurityAttribute class, 443**
- <codeBase> element, 686**
- /codepage option, 1013**
- Collect method, 221**

collections, 76–78

Color property, 534

ColorDialog control, 534

COM (Component Object Model), 2–3, 13

classic COM, 748–749

disadvantages of, 2–3

and late binding, 756–761

legacy component, 749–752

.NET application, 752–754

role of, 13

using .NET components in, 766–772

using TlbImp directly, 755–756

COM+, 205

combo boxes, autocompletion in, 500

Command object, 344, 345–350

Command property, 723

commands

AddFullTrust, 458

AddGroup, 458

AddPSet, 458

ChgGroup, 458

ChgPset&, 458

End Namespace, 295

ExecuteCommand, 919

executing asynchronously, 352–354

Force&, 458

–List, 455

–ListFulltrust, 455

–ListGroup, 455

–ListPset, 455

Namespace command, 295

Recover, 458

RemFullTrust, 458

RemGroup, 458

RemPSet, 458

–Reset, 455

–ResolveGroup, 455

–ResolvePerm, 455

Using command, 214

Commit custom action, 727

Common Language Runtime (CLR), 4–8, 197–222, 311

common type system, 8

cross-language integration, 203–209

deployment, 202–203

elements of .NET application, 198–201

IL Disassembler, 209–210

key design goals, 5–7

memory management, 210–222

faster memory allocation for objects,
218–219

overview, 210–211

metadata, 7

multiple-language integration and support, 7

namespaces, 8

overview, 4–5, 197–198

versioning, 201–202

Common Object Request Broker

Architecture (CORBA), 837, 839

Common Type System (CTS), 204

Company attribute, 26

Compare delegate, 130

Compare method, 70, 184

CompareOrdinal method, 70

CompareValidator control, 604

compiler options, 64–66

COMPlus namespace, 294

**Component Object Model. See COM
(Component Object Model)**

components vs. classes, 133–135

Concat method, 70

Condition property, 706, 728, 732

conditional compilation, 337–338

configuration files, 684–687

overview, 684

runtime settings, 685–687

ConformanceLevel property, 401, 409

Connection class, 344–345

Connection property, 355

ConnectionString attribute, 647

- ConnectionString property, 371**
- consistency in transactions, 774**
- console applications, 12**
- constraints, 276–280**
- constructor methods, 114**
 - overloading, 119–120
 - overview, 114
 - parameterized constructors, 114
- constructors, 172–176**
 - overloading, and variable initialization, 175–176
 - with parameters, 174–175
 - shared, 125
 - simple, 172–173
- Contact base class, creating, 247–248**
- ContainsKey method, Hashtable class, 103**
- Content Files deployment output, 700**
- ContentPage control, 603**
- ContentPlaceHolder control, 637**
- ContentPlaceHolderID attribute, 640**
- context menus, 532**
- context switching, 808**
- ContextMenu control, 501**
- ContextMenuStrip control, 501**
- ContextUtil class, 782**
- Control class, 499, 564–565**
- Control control, 614**
- control panel for a service, 915**
- controls**
 - Access Control Lists (ACLs), 202
 - AccessDataSource, 642
 - ActiveX, 543, 761–766
 - legacy ActiveX control, 761–763
 - .NET application, 763–765
 - AdRotator, 602, 603
 - BackgroundWorker, 811, 816
 - BoundField, 647
 - BulletedList, 603
 - Button, 602, 614
 - Calendar, 602, 603
 - CheckBox, 603
 - CheckBoxList, 603
 - ColorDialog, 534
 - CompareValidator, 604
 - ContentPage, 603
 - ContentPlaceHolder, 637
 - ContextMenuStrip, 501
 - Control control, 614
 - CustomValidator, 604
 - DataGrid, 385–388, 602, 615
 - DataGridView, 306
 - DataList, 603
 - DetailsView, 603
 - DropDownList, 603
 - DynamicImage, 603
 - ErrorProvider, 522
 - extender provider controls, 520–523
 - FileUpload, 603
 - FlowLayoutPanel, 499, 500–501, 517–520
 - overview, 517–518
 - Padding and Margin properties, 518–520
 - FontDialog, 535
 - FormsView, 603
 - GridView, 603, 624, 643–652, 854–856
 - GroupBox, 538–539
 - HelpProvider control, 521–522
 - HTML server controls, 598, 600–601
 - HyperLink, 602
 - Image, 603
 - ImageButton, 602
 - ImageMap, 603
 - Label, 602, 612
 - LinkButton, 602
 - LinkLabel, 992
 - ListBox, 603
 - ListView, 946, 949
 - MaskedTextBox, 500, 524–526
 - Menu server, 656–657
 - MenuStrip, 501
 - MultiView, 603

controls (continued)

- NotifyIcon, 553
 - ObjectDataSource, 642, 652, 854
 - Panel, 538–539
 - Printer Dialog controls, 535
 - RadioButton, 603
 - RadioButtonList, 603
 - RangeValidator, 604
 - RegularExpressionValidator, 604
 - Repeater, 603
 - RequiredFieldValidator, 604, 612
 - retired, 543
 - ScrollableControl, 509
 - server controls, 598
 - server-side controls, 598–600
 - ServiceController, 905, 916–919
 - SiteMapDataSource, 642, 656
 - SiteMapPath, 654–655
 - Splitter, 516–517
 - SqlDataSource, 642, 643–648
 - StatusStrip, 501
 - Table, 603
 - TableLayoutPanel, 499, 500–501, 520
 - TextBox, 278, 602, 612
 - Toolbars and ToolStrip, 528–531
 - allowing user to move Toolbar elements, 531
 - altering Toolbar elements in Designer, 531
 - creating standard set of Toolbar elements, 531
 - creating ToolStrip and adding toolbar elements, 529–530
 - overview, 528–529
 - ToolStripButton, 528
 - ToolStripComboBox, 528
 - ToolStripControlHost, 528
 - ToolStripDropDownButton, 529
 - ToolStripDropDownItem, 529
 - ToolStripLabel, 528
 - ToolStripMenuItem, 529
 - ToolStripSeparator, 528
 - ToolStripSplitButton, 529
 - ToolStripTextBox, 528
 - TreeView, 603, 657–660
 - User Controls, 598, 605–606
 - UserControl class, 565–566
 - creating composite UserControl, 567–568
 - example, 569–572
 - exposing properties of subcontrols, 568–569
 - overview, 566–567
 - resize, how works, 568
 - setting minimum size, 568
 - Validation Controls, 598, 604–605
 - WebBrowser, 993
 - WebBrowser control, 500, 991, 998–1000
 - Wizard, 603
 - XmlDataSource, 642
- Controls property, 565**
- conversation windows, 972–980**
- creating Conversation form, 974–975
 - initiating connections, 975–979
 - receiving inbound connections, 979–980
- Convert class, System namespace, 67**
- Copy method, 70, 446, 447**
- Copyright attribute, 26**
- CORBA (Common Object Request Broker Architecture), 837, 839**
- counter monitor service, 907–912**
- installing, 910
 - starting, 910–911
 - uninstalling, 911–912
- CounterType property, PerformanceCounter class, 914**
- Create member, WebRequest class, 935**
- Created event, FileSystemWatcher class, 925–926**
- CreateEventSource method, 331**
- CreateInstance method, 236**
- cross-language integration, 203–209**
- attributes, 206–208
 - common type system, 203–204

- metadata, 204–206
 - overview, 203
 - Reflection API, 208–209
 - cryptography, 473–474. See also hash algorithms; security, in .NET framework 2.0**
 - CShort() method, 67**
 - CSng() method, 67**
 - CStr() method, 67**
 - CTS (Common Type System), 204**
 - CType() method, 63, 68, 92–93, 218**
 - CType operator, 127**
 - culture attribute, 685**
 - Currency type, 61**
 - CurrentCulture method, 299**
 - CurrentDirectory method, 299**
 - CurrentUICulture method, 299**
 - Custom Actions Editor, 726–729**
 - custom deployment options, 745–746**
 - Custom option, 463**
 - CustomActionData property, 728**
 - CustomValidator control, 604**
- D**
- data access component, building (ADO.NET 2.0), 369–388**
 - constructors, 370–371
 - methods, 373–385
 - ExecSp, 382–383
 - ExecSpOutputValues, 384–385
 - ExecSpReturnDataReader, 380–381
 - ExecSpReturnDataSet, 373–380
 - ExecSpReturnXmlReader, 381–382
 - overview, 369–370
 - properties, 371–372
 - stored procedure XML structure, 372–373
 - using DataSet Objects to bind to DataGrids, 385–388
 - Data Component Configuration Wizard, 850**
 - data providers, ADO.NET, 344–359**
 - Command object, 345–346
 - Connection object, 344–345
 - DataAdapter objects, 354–358
 - DataReader object, 350–351
 - executing commands asynchronously, 352–354
 - OLE DB .NET Data Provider, 359
 - overview, 344
 - SQL Server .NET Data Provider, 358
 - using stored procedures with Command objects, 346–350
 - DataAdapter class, 343**
 - DataAdapter object, 344, 354–358**
 - Database project type, 21**
 - DataBind() method, 857**
 - <DataBindings> element, 660**
 - data-driven applications, ASP.NET 2.0, 642–652**
 - editing and deleting of records with GridView, 648–652
 - overview, 642–643
 - using GridView and SqlDataSource controls, 643–648
 - DataGrid control, 385–388, 602, 615**
 - DataGridView control, 306**
 - DataList control, 603**
 - DataProtectionPermission class, 443**
 - DataProtectionPermissionAttribute class, 443**
 - DataReader class, 344, 350–351**
 - DataRelationCollection class, 360**
 - DataRowCollection property, DataTable class, 357**
 - DataSet component, ADO.NET 2.0, 359–366. See also DataSet objects**
 - DataRelationCollection, 360
 - DataTable objects, 363–366
 - DataTableCollection, 359
 - ExtendedProperties, 360–361
 - overview, 359
 - DataSet objects, 342, 351**
 - creating and using, 361–363
 - enhancements to, 364–366
 - using to bind to DataGrids, 385–388

- DataSourceID attribute, 656**
- DataTable class, 357–358**
- DataTable objects, 363–366**
- DataTableCollection class, 359**
- Date primitive type, 55**
- DateTime primitive type, 54**
- DBNull class, 72–73**
- DCOM (Distributed Component Object Model), 748, 838–839**
- /debug option, 1009**
- Debug Symbols deployment output, 700**
- debugging and error-checking, 1008–1010.**
 - See also exception handling**
 - /bugreport, 1008
 - /debug, 1009
 - /nowarn, 1009
 - /quiet, 1009
 - /removeintchecks, 1009
 - /warnaserror, 1010
- Decimal primitive type, 54–55, 60–62, 82**
- Declare keyword, 29**
- DeclaringType property, 209**
- Decoder namespace, 285**
- deep copy, 53**
- default interop assembly, 755**
- default property properties, 105–106**
- default versioning policy, 683**
- DefaultValue attribute, 556, 558**
- /delaysign option, 1007**
- Delegate keyword, 128**
- delegates, 128–133**
 - declaring delegate, 128–129
 - implementing delegate method, 130–133
 - overview, 128
 - using delegate datatype, 129–130
- Delete method, 331**
- DeleteCommand property, 357**
- DeleteEventSource method, 331**
- DeleteFile field, 942**
- Demand method, 446, 447**
- Demanded property, 471**
- Deny method, 446**
- DenySetInstance property, 471**
- Dependencies primary output project property, 706**
- deployment, 202–203, 299, 691–746. See also deployment project, modifying; Internet deployment of Windows applications; Visual Studio .NET, deployment projects**
 - and assemblies, 678–680
 - building, 732–733
 - overview, 691–692
 - using Windows Installer, 694–695
 - why easier in .NET, 692–694
 - XCOPY deployment, 694
- deployment output**
 - Content Files, 700
 - Debug Symbols, 700
 - Documentation Files, 701
 - Localized resources, 700
 - Primary, 700
 - Source Files, 701
 - XML Serialization, 701
- deployment project, modifying, 710–732**
 - Custom Actions Editor, 726–729
 - File System Editor, 714–719
 - File Types Editor, 722–723
 - Launch Conditions Editor, 729–732
 - overview, 710–711
 - project properties, 711–714
 - Registry Editor, 719–722
 - User Interface Editor, 723–726
- dereferencing objects, 90**
- DES encryption, 479**
- Description attribute, 26, 559, 654**
- Description property, 704, 707, 844**
- Deserialize method, BinaryFormatter class, 988**
- deserialize method overrides, 394**
- DetailsView control, 603**

DetectedDependencies folder, 707
DetectNewerInstalledVersion property, 705
 dialog forms, 547–549
DialogResult property, 547–549
Dictionary (Of K, T) generic, 262
Dictionary class, 156, 262
digital signatures, 488–491
DirectCast function, 93–94
 directory-level security, 867
DISCO, 863–865
DisplayName property, 708, 905
Dispose method, 217
Distributed Component Object Model (DCOM), 748, 838–839
DLL (Dynamic Link Library), 6, 692–693
DNA, disadvantages of, 2–3
DNS (Domain Naming System), 863–866, 933
 /doc option, 1005–1006
Dock property, 565
docking of Windows Forms controls, 514–515
Document Object Model (DOM), 418–424
 overview, 418–419
 traversing raw XML elements, 419–422
 traversing XML attributes, 422–424
Documentation Files deployment output, 701
DoDragDrop property, 565
DOM. *See* **Document Object Model (DOM)**
Domain Naming System (DNS), 863–866, 933
Double primitive type, 54–55
DoubleClick event, 565
drag and drop, 535–538
DragDrop event, 565
DragEnter event, 565
DragLeave event, 565
DragOver event, 565
 drives changes in Visual Basic, 14
DropDownList control, 603
DSA encryption, 484
DSACryptoServiceProvider class, 484
DtdValidate property, 409

durability in transactions, 774
Dynamic Help, Visual Studio .NET, 30–31
Dynamic Link Library (DLL), 6, 692–693
dynamic loading of assemblies, 687–689
 Assembly class, 687–689
 overview, 687
 putting assemblies to work, 689–690
DynamicImage control, 603

E

early binding, 90–94, 748. *See also* **late binding**
Edit and Continue, 16
Effect property, 536
Elapsed event, 820, 914
elements
 <assemblyIdentity>, 685
 binding element, 842
 <bindingRedirect>, 685
 <codeBase>, 686
 <DataBindings>, 660
 for-each, 424
 message, 842
 Option Explicit, 41
 Option Strict, 41
 port, 842
 portType, 842
 <probing>, 686
 <roleManager>, 664
 service, 842
 stylesheet, 424
 template, 424
 types, 842
 value-of, 424
Empty property, 70
Enabled property, 565
EnableRaisingEvents property,
 FileSystemWatcher class, 923
EnableSession property, 862–863

encapsulation, 83, 227–229

Encoder class

System.Drawing.Imaging namespace, 284

System.Text namespace, 284

Encoder namespace, 285

EncodeXmlBinary property, 402

Encoding namespace, 285

Encoding property, 402

End Namespace command, 295

End Region directive, 27

End Try keyword, 316

EndExecuteNonQuery method, 352

EndExecuteReader method, 352

EndExecuteXmlReader method, 352 **Enterprise Services, 773. See also queued components; transactions**

EntryPoint property, 728

EntryWritten event, 331

Environment class, 298

EnvironmentPermission class, 443, 451

EnvironmentPermissionAttribute class, 443

Equality method, 71

Equals method, 70, 204, 209, 446, 447

Error log entry, 330

error logging, 329–335

Event Log, 330–331

events, methods, and properties, 331–332

overview, 329–330

writing to trace files, 333–335

ErrorProvider control, 522

errors. See exception handling

event handlers, customizing, 36–37

Event keyword, 108, 188

EventLog component, 922, 925

events, 106–113

application events, 609

ApplicationEnd, 610

ApplicationStart, 610

AutoResetEvent, 828, 832–833

bubbled, 609

CanGoBackChanged, 997

CanGoForwardChanged, 997

Click, 565

client-side, 608

Created, 925–926

declaring and raising custom events,
109–110

DoubleClick, 565

DragDrop, 565

DragEnter, 565

DragLeave, 565

DragOver, 565

Elapsed, 820, 914

EntryWritten, 331

form events, 509

GotFocus, 565

handling, 106–107

and inheritance, 179–182

intrinsic, 608

ItemCommand, 609

KeyDown, 565

KeyPress, 565

KeyUp, 565

MouseDown, 565

MouseHover, 565

MouseOver, 608

MouseUp, 565

multiple, 107

Navigated, 993

non-postback, 608–609

OnClosed, 217

OnContinue, 903

OnCustomCommand, 903

OnLoad, 217

OnOpen, 217

OnPause, 903

OnPowerEvent, 903

OnSessionChange, 903

OnShutdown, 903

OnStart, 903

OnStop, 903

postback, 608–609, 628

raising, 108–110
 receiving with AddHandler, 111–113
 receiving with WithEvents, 110–111
 SelectedIndexChanged, 949
 server-side, 608
 session events, 609
 shared, 124–125, 185
 TextChanged, 106
 Validated, 565
 Validating, 527, 565
 in Web forms, 606–609
 WithEvents keyword, 107–108
Everything permission set, 441
exception handling, 311–339. See also error logging; structured-exception-handling keywords in VB.NET
 exceptions vs. Err object in VB6, 315
 interoperability with VB6-style error handling, 328–329
 overview, 311–312
 properties and methods of exceptions, 314–315
 and SecurityException class, 471–473
 and Trace class, 335–339
 in VB6, 312–313
Exclude property, 706
ExcludeFilter property, 706
exclusive locks and SyncLock statement, 828–834
 AutoReset Events, 832–833
 ManualReset Events, 833–834
 reader–writer locks, 830–832
ExecSp method, 382–384
ExecSpOutputValues method, 384–385
ExecSpReturnDataReader method, 380–381
ExecSpReturnDataSet method, 373–380
ExecSpReturnXmlReader method, 381–382
ExecuteCommand method, Service controller class, 916, 919
ExecuteReader method, 351

ExecuteScalar method, 783
Execution permission set, 442
Exists method, 331
Exit Try statement, 311, 320–321
explicit conversions, 63–68
 compiler options, 64–66
 overview, 63
 performing, 66–68
ExtendedProperties, 360–361
extender provider controls, 520–523
 ErrorProvider, 522
 HelpProvider, 521–522
 overview, 520–521
 properties of, 522–523
 ToolTip, 521
 working with in code, 523
Extensible Markup Language. See XML (Extensible Markup Language)

F

Fail method, 334
FailedAssemblyInfo property, 471
Failure audit log entry, 330
fields, 87–88, 96–97
File System Editor, 714–719
 adding items to folder, 715
 adding special folders, 715–719
 creating shortcuts, 719
 overview, 714–715
File Transfer Protocol (FTP), 931
File Types Editor, 722–723
File Version attribute, 26
File Watcher, 922–926. See also FileSystemWatcher
 /filealign option, 1005
FileDialogPermission class, 443
FileDialogPermissionAttribute class, 443
FileIOPermission class, 443, 451
FileIOPermissionAttribute class, 443
Filename property, 534

Files additional property, 708

FileSystem class, 211

FileSystem property, 304

FileSystemObject class, 211

FileSystemWatcher, 923–926

adding FileSystemWatcher code to OnStart
and OnStop, 924

Created event, 925–926

EnableRaisingEvents property, 923

EventLog component, 925

FileSystemWatcher component, 923

Filter property, 924

IncludeSubdirectories property, 924

NotifyFilter property, 923

Path property, 923

FileUpload control, 603

FileWebRequest class, 936

Fill method

DataAdapter class, 354

DateSet class, 852

SqlDataAdapter class, 377

Filter property

FileSystemWatcher class, 924

OpenFileDialog class, 533

FilterIndex property, 534

Finalize method, 90, 214–215, 222

Finally keyword, 316–317

**FindControl method, PreviousPage
property, 629**

firewalls, 934

FirstPermissionThatFailed property, 471

Fixed3D option, 505

FixedDialog option, 505

FixedPitchOnly property, 535

FixedSingle option, 505

FixedToolWindow option, 505

**FlowLayoutPanel control, 499, 500–501,
517–520**

overview, 517–518

Padding and Margin properties, 518–520

Flush method, 333, 334

Focus property, 565

Folder property, 706

Font property, 535, 565

FontDialog control, 535

FOR XML AUTO query, 435

FOR XML clause, 434

FOR XML EXPLICIT query, 436

FOR XML RAW query, 435

Force& command, 458

for-each element, 424

ForeColor property, 565

**Form class, System.Windows.Forms
namespace, 32, 39**

form events, 509

**FormsAuthenticationModule class, System
.Web.Security namespace, 478**

FormsView control, 603

Friend keyword, 86, 88, 97, 177

FromOADate method, 63

FromTypes method, 396

FromXml method, 446, 447

FTP (File Transfer Protocol), 931

FtpWebRequest class, 935, 941–952

creating FTP client, 943–952

WebRequestMethods.Ftp, 942

FullTrust permission set, 441

Function keyword, 98

G

GAC (Global Application Cache), 671

**GAC (Global Assembly Cache), 201–202,
679–680**

GacIdentityPermission class, 443

GacIdentityPermissionAttribute class, 443

gacutil.exe, 680

garbage collection, 211–218

circular references, 211–212

CLR's, 212–214

Finalize method, 214–215

- garbage collector optimizations, 220–222
 - IDisposable interface, 215–218
 - overview, 211
 - GDI+, 25**
 - GDI+, painting custom control with, 573–579**
 - overview, 573
 - System.Drawing namespace, 573
 - System.Drawing.Graphics class, 573–574
 - using GDI+ capabilities in Windows Form, 574–579
 - generics, 16, 77–78, 259–281**
 - constraints, 276–280
 - Dictionary (Of K, T), 262
 - and late binding, 280–281
 - List (Of T), 260
 - methods, 265–266, 275–276
 - overview, 259
 - types, 261–265, 267–275
 - using, 260–266
 - GetBaseException method, 314, 326–327**
 - GetConfig method, ConfigurationSettings class, 386**
 - GetData() method, 852**
 - GetDataReader method, 366**
 - GetDateTimeStamp field, 942**
 - GetDirectories method, 947–948**
 - GetDirectoryEntries method, 949**
 - GetEventLogs method, 331**
 - GetExecutingAssembly method, 208**
 - GetFiles method, 947–948**
 - GetFileSize field, 942**
 - GetHashCode method, 204, 446, 447**
 - GetMembers method, 209**
 - GetObject method, Activator class, 895**
 - GetRequestStream method, WebRequest class, 935**
 - GetResponse method, WebRequest class, 935**
 - GetType method, Activator class, 897**
 - GetType method, Object class, 142, 204, 446, 447**
 - GetTypes method, 208**
 - GetValues method, 194**
 - GetXml method, 432**
 - Global Application Cache (GAC), 671**
 - Global Assembly Cache (GAC), 201–202, 679–680**
 - Global keyword, 297**
 - Global Unique Identifier (GUID), 224, 785**
 - global.asax file, 598**
 - GoBack() method, 997**
 - GoForward() method, 997**
 - GoHome() method, 997**
 - Gopher protocol, 931**
 - GotFocus event, 565**
 - Goto keyword, 29**
 - GoTo statement, 312**
 - GrantedSet property, 471**
 - Graphical User Interface (GUI), 12**
 - Graphics class, System.Drawing namespace, 573–574**
 - GridView control, 603, 624, 643–652, 854–856**
 - GroupBox container control, 538–539**
 - GroupCollection namespace, 285**
 - GUI (Graphical User Interface), 12**
 - GUID (Global Unique Identifier), 224, 785**
 - Guid attribute, 26**
 - Guid primitive type, 54**
- ## H
- Handles clause, 193**
 - Handles keyword, 106, 107**
 - handling exceptions, 413–414**
 - Handshake Protocol, 493**
 - hash algorithms, 474–495**
 - digital signature basics, 488–491
 - Message Digest version 5 (MD5), 478–479
 - overview, 474–476
 - Public Key Cryptographic System (PKCS), 484–488

hash algorithms (continued)

- RACE Integrity Primitives Evaluation (RIPEMD-160), 479
- secret key encryption, 479–484
- Secure Sockets Layer (SSL), 493–495
- Secured Hashing Algorithm (SHA), 477–478
- X509 certificates, 491–493
- hash digest, 488**
- Hash option, 463**
- HashAlgorithm class, System.Security.Cryptography namespace, 476**
- HashAlgorithm property, 708**
- Hashtable class, 103**
- Hashtable collection, 76**
- heap, 218**
- help features, Visual Basic compiler, 1010**
- /help option, 1010**
- HelpLink property, 314, 328**
- HelpProvider control, 521–522**
- HelpText property, ServiceProcessInstaller class, 904**
- Hidden property, 706**
- Hide property, 565**
- HMACSHA1 class, 476**
- HTML server controls, 598, 600–601**
- HTTP (HyperText Transfer Protocol), 606, 841, 931**
- HttpChannel class, 894**
- HttpContext class, 958**
- HttpListener class, 935, 955–963**
- HttpListenerContext class, 958**
- HttpListenerRequest class, 958**
- HttpListenerResponse class, 958**
- HttpUtility class, System.Web namespace, 938**
- HttpRequest class, System.Net namespace, 936, 1000**
- HttpResponse class, System.Net namespace, 1000**
- HyperLink control, 602**
- HyperText Transfer Protocol (HTTP), 606, 841, 931**
- IClassFactory interface, 748**
- IComparable interface, 277**
- IConfigurationSectionHandler interface, System.Configuration namespace, 387**
- icons for menu items, 532**
- IDE (Integrated Development Environment), 20, 27–28**
- identity permissions, 449**
- identity section, manifest, 675–677**
 - culture, 676–677
 - overview, 675–676
 - strong names, 676
 - version number, 676
- IDictionary interface, 375**
- IDisposable interface, 214, 215–218**
- IETF (Internet Engineering Task Force), 493**
- IgnoreComments property, 409**
- IgnoreInlineSchema property, 409**
- IgnoreProcessing property, 409**
- IgnoreSchema property, 410**
- IgnoreValidation property, 410**
- IgnoreWhitespace property, 410**
- IIS (Internet Information Server), 584**
 - dynamic discovery with, 864–865
 - using as remoting host, 890–894
- IL (Intermediate Language), 7**
- IL Disassembler, 209–210, 673**
- Ildasm.exe tool, 209, 673**
- Image control, 603**
- ImageButton control, 602**
- ImageMap control, 603**
- Implements clause, 193**
- Implements keyword, 29, 192, 232**
- Implements statement, 275**
- importing namespaces, 292–293**
- Imports keyword, 294**
- /imports option, 1007**
- Imports statement, 35, 143, 237, 283**
- IncludeSubdirectories property, FileSystemWatcher class, 924**

- Indent property, 402**
- IndentChars property, 402**
- Inequality method, 71**
- Info property, 304**
- Information log entry, 330**
- Inheritance, 83**
- inheritance, 241–257. *See also* inheritance implementation**
 - and classes, 273–274
 - depth of levels, 252–254
 - fragile base class issue, 254–257
 - and multiple interfaces, 246–252
 - overview, 241
 - polymorphism with, 238–240
 - when to use, 242–246
- Inheritance, Framework, 244**
- inheritance implementation, 140–187**
 - combining interfaces and inheritance, 195
 - constructors, 172–176
 - creating abstract base class, 185–187
 - creating base class, 140–141
 - creating subclass, 141–145
 - events and inheritance, 179–182
 - interacting with base class, your class, and your object, 166–172
 - levels of inheritance, 163–166
 - overloading methods, 145–148
 - overriding methods, 148–156
 - overview, 140
 - preventing inheritance, 187
 - protected scope, 177–179
 - shadowing, 156–163
 - shared events, 185
 - shared methods, 182–184
- Inherits keyword, 32, 142, 143–145**
- Inherits statement, 134**
- InitialDirectory property, 533**
- InitializeComponent procedure, 33**
- InnerException property, 314, 323–325**
- InsertCommand property, 357**
- Install custom action, 727**
- Install Mode property, 743**
- Installation URL property, 743**
- Installation-Oriented classes, 904–905**
- InstallerClass property, 728**
- InstallUtil.exe utility, 910**
- instance variables, 87–88**
- instances, 84**
- Int16 primitive type, 54**
- Int32 primitive type, 54**
- Int64 primitive type, 54**
- Integer datatype, 125**
- Integer primitive type, 8, 51, 55, 58–59, 274**
- Integrated Development Environment (IDE), 20, 27–28**
- IntelliSense, 29**
- interface, 85–88**
- Interface keyword, 187, 190**
- interfaces, 275**
 - IDisposable, 214
 - multiple, 187–195
- Interlocked object, 828**
- Intermediate Language (IL), 7**
- Internet deployment of Windows applications, 733–746. *See also* ClickOnce deployment**
 - custom deployment options, 745–746
 - no-touch deployment, 733–734
 - overview, 733
- Internet Engineering Task Force (IETF), 493**
- Internet Explorer, using in applications, 990–1000**
 - allowing simple Web browsing, 991–992
 - creating toolbar, 994–998
 - launching from Windows application, 992–993
 - printing using WebBrowser control, 1000
 - showing documents using WebBrowser control, 998–1000
 - updating URLs and page titles, 993–994

Internet Information Server (IIS), 584

- dynamic discovery with, 864–865
- using as remoting host, 890–894

Internet permission set, 442

Intersect method, 446, 447

intrinsic events, 608

Invoke method, 130

IPEndPoint class, System.Net
namespace, 976

IPHostEntry class, System.Net
namespace, 976

IPrintableObject class, 248–252

is-a relationship, 139

IsCrossPagePostBack property, 632

IsDBNull() function, 72–73

IsEmpty function, 80

ISerializable interface, 878

IsFalse overloading, 127

IsNetworkDeployed method, 299

IsNot keyword, 16

IsNull function, 80

IsolatedStorageFilePermission class, 443

IsolatedStoragePermission class, 443

Isolation property, 774

IsPostBack property, 631

IsSubsetOf method, 446, 447

IsTrue operator, 127

IsUnrestricted method, 447

Item property, 270

ItemCommand event, 609

IXsltContextFunction interface, 432

IXsltContextVariable interface, 432

J

Java, remote method invocation in, 839

JIT (Just in Time), 22, 791

Join thread object method, 821

Just in Time (JIT), 22, 791

K

Keyboard property, 304

/keycontainer option, 1007

KeyContainerPermission class, 443

KeyContainerPermissionAccessEntry
class, 444

KeyContainerPermissionAccessEntryCollec-
tion class, 444

KeyContainerPermissionAccessEntryEnumer-
ator class, 444

KeyContainerPermissionAttribute class, 444

KeyDown event, 565

/keyfile option, 1007–1008

KeyOutput property, 706

KeyPress event, 565

KeyState property, 536

KeyUp event, 565

keywords

- AddHandler, 110

- ByRef, 100

- ByVal, 100

- Call, 78

- Catch, 316–317

- Class keyword, 95–96, 134, 224

- Declare, 29

- Delegate, 128

- End Try, 316

- Event, 108, 188

- Finally, 316–317

- Friend, 86, 88, 97, 177

- Function, 98

- Global, 297

- Goto, 29

- Handles, 106, 107

- Implements, 29, 192, 232

- Imports, 294

- Inherits, 32, 142, 143–145

- Interface, 187, 190

- IsNot, 16

- keywords, 80–82
 - Me, 33, 166–170
 - MustInherit, 185, 186
 - MustOverride, 186
 - My, 298–309
 - My.Application, 299–303
 - My.Computer, 303–307
 - My.Forms, 307
 - My.Resources, 308
 - My.User, 308
 - My.WebServices, 308–309
 - overview, 298–299
 - MyBase, 150–152, 169, 170–171
 - MyClass, 171–172
 - Narrowing, 126
 - New, 88
 - NotInheritable, 187
 - Operator, 126
 - Option, 29
 - Optional, 78, 116–117
 - Overloads, 145
 - Overridable, 148–149
 - Overrides, 149–150
 - Partial, 32, 592
 - Preserve, 75–76
 - Private, 85, 87, 97, 177
 - Property, 100, 188
 - Protected, 85, 97, 177
 - Protected Friend, 97
 - Provider, 345
 - Public, 85, 88, 97, 99, 177
 - RaiseEvent, 110
 - retired, 80–82. *See also* structured-exception-handling keywords in VB.NET
 - Return, 98
 - Shadows, 157
 - Shared, 32, 121, 122
 - structured-exception-handling keywords in VB.NET, 315–328
 - Exit Try statement, 320–321
 - GetBaseException method, 326–327
 - HelpLink property, 328
 - InnerException and TargetSite properties, 323–325
 - Message property, 323
 - Nested Try structures, 321–323
 - overview, 315–316
 - Source and StackTrace properties, 326
 - Throw keyword, 318
 - Try, Catch, and Finally keywords, 316–317
 - Sub, 98
 - Throw, 316, 318
 - Try, 315, 316–317
 - Using keyword, 17, 218
 - Widening, 126
 - WithEvents, 38, 107–108, 110–111
 - Keywords property, 705**
- L**
- Label control, 602, 612**
 - language options, Visual Basic compiler, 1010–1011**
 - Language property, 708**
 - LanguageIdIsDetected dependency property, 707**
 - late binding, 748, 756–761**
 - calculation framework, 757–761
 - example for, 756
 - and generics, 280–281
 - implementing, 91–92
 - overview, 91–92
 - polymorphism through, 231–233
 - sample COM object, 756–757
 - use of CType function, 92–93
 - use of DirectCast function, 93–94
 - use of TryCast function, 94
 - Launch Conditions Editor, 729–732**
 - adding file search, 730
 - creating launch condition, 731–732

Launch Conditions Editor (continued)

- modifying file search properties, 730–731
- overview, 729
- LBound function, 80**
- Levels 0 through 4, 335**
- /libpath option, 1008**
- libraries of prewritten functionality, 15**
- Like operator, 127**
- LineNumber property, 410**
- LineNumberOffset property, 410**
- LinePositionOffset property, 410**
- LinkButton control, 602**
- LinkLabel control, 992**
- /linkresource option, 1011**
- List (Of T) generic, 260**
- List command, 455**
- ListBox control, 603**
- ListDictionary class,**
 - System.Collections.Specialized namespace, 76, 77**
- ListDirectory field, 942**
- ListDirectoryDetails field, 942**
- ListFulltrust command, 455**
- ListGroups command, 455**
- ListPset command, 455**
- ListView control, 946**
- Load method, 236, 366, 427**
- LoadFrom method, 208, 236**
- .locale directive, 677**
- .Locale directive, 678**
- LocalInternet permission set, 442**
- Localization property, 705**
- Localized resources project output, 700**
- Locals window, Visual Studio 2005, 46**
- Location property, 38, 565**
- location transparency, 887**
- Log property, 299, 301, 332**
- Long primitive type, 55**
- Long type, 8, 51, 59**
- Longhorn operating system, 16**
- Lset function, 80**

M

- machine.config file, 366**
- MACTripleDES class, 476**
- /main option, 1013**
- MainForm property, 299**
- MainMenu, replaced by MenuStrip, 501**
- Makecert.exe, 471**
- MakeDirectory field, 942**
- manifest, 673–678**
 - identity section, 675–677
 - overview, 673–675
 - referenced assemblies, 677–678
- Manual startup location, 504**
- ManualResetEvent object, 828, 833–834**
- Margin property, FlowLayoutPanel control, 501, 518–520**
- MaskedTextBox control, 500, 524–526**
- Master directive, 637**
- master pages, ASP.NET 2.0, 634–642**
 - creating content page, 637–641
 - creating master page, 635–637
 - declaring master page application-wide, 641
 - overview, 634–635
 - providing default content in your master page, 642
- master.cs file, 635**
- MasterPageFile attribute, 639**
- master.vb file, 635**
- MatchCollection namespace, 285**
- MaximumSize property, 499**
- MD5 (Message Digest version 5), 478–479**
- MD5CryptoServiceProvider class, 476**
- MDI forms, 544–545**
 - creating MDI parent form, 545
 - differences in MDI parent forms between VB6 and VB.NET, 545
 - MDI child forms, 545
 - MDI example in VB.NET, 545–547
 - overview, 544
- MDI interface, 28**

- Me keyword, 33, 166–170**
- memory management, 210–222. See also garbage collection**
 - faster memory allocation for objects, 218–219
 - overview, 210–211
- MemoryStream class, 414–417**
- Menu control, 656–657**
- menus, 531–533**
 - adding standard items to, 532
 - context menus, 532
 - ContextMenu, 501
 - ContextMenuStrip control, 501
 - dynamically manipulating at runtime, 532–533
 - icons and checkmarks for menu items, 532
 - overview, 531–532
- MenuStrip control, 501**
- Merge Module Project template, 697**
- MergeModuleProperties property, 707**
- message, 872**
- Message class, 981–986**
- Message Digest version 5 (MD5), 478–479**
- message element, 842**
- Message property, 314, 323, 732**
- MessageBox class, System.Windows.Forms namespace, 36**
- MessageBoxButtons enumeration, 35**
- metadata, 7, 198–201, 204–206**
- Method member, FtpWebRequest class, 942**
- Method property, 471**
- method signatures, 230**
- methods, 92–93, 97–100**
 - Abort thread object method, 821
 - Add, SortedList collection, 80
 - AddHandler, 108, 111–113
 - AddNodes, 946
 - AddOwnedForm(), 506
 - ApartmentState thread object method, 821
 - Append, StringBuilder class, 80
 - Assert, 334, 445
 - BeginExecuteNonQuery, 352
 - BeginExecuteReader, 352
 - BeginExecuteXmlReader, 352
 - BeginInvoke, 818
 - BeginRead, 816
 - CanDeserialize, 396
 - CBool(), 67
 - CByte(), 67
 - CChar(), 67
 - CDate(), 67
 - CDBl(), 67
 - CDec(), 67
 - Ch(), 62
 - Char(), 62
 - CheckAsset, 445
 - CheckDemand, 445
 - CheckDeny, 445
 - CheckPermitOnly, 446
 - Chr(), 62
 - ChrW(), 62
 - Clnt(), 67
 - ClearPool, SqlConnection class, 369
 - ClearPools, SqlConnection class, 369
 - CLng(), 67
 - Close, 333, 334
 - CObj(), 67
 - Collect, 221
 - Compare, 70, 184
 - CompareOrdinal, 70
 - Concat, 70
 - constructor methods, 114, 119–120
 - ContainsKey, Hashtable class, 103
 - Copy, 70, 446, 447
 - Create, 935
 - CreateEventSource, 331
 - CreateInstance, 236
 - CSng(), 67
 - CStr(), 67
 - CType(), 63, 68, 92–93, 218

methods (continued)

methods (continued)

- CurrentCulture, 299
- CurrentDirectory, 299
- CurrentUICulture, 299
- DataBind(), 857
- Delete, 331
- DeleteEventSource, 331
- Demand, 446, 447
- Deny, 446
- Deserialize, BinaryFormatter class, 988
- Dispose, 217
- EndExecuteNonQuery, 352
- EndExecuteReader, 352
- EndExecuteXmlReader, 352
- Equality, 71
- Equals, 70, 204, 209, 446, 447
- ExecSp, 382–384
- ExecSpOutputValues, 384–385
- ExecSpReturnDataReader, 380–381
- ExecSpReturnDataSet, 373–380
- ExecSpReturnXmlReader, 381–382
- ExecuteCommand, 916, 919
- ExecuteScalar, 783
- Exists, 331
- Fail, 334
- Fill(), 354, 377, 852
- Finalize, 90, 214–215, 222
- FindControl, 629
- Flush, 333, 334
- FromOADate, 63
- FromTypes, 396
- FromXml, 446, 447
- GetBaseException, 314, 326–327
- GetConfig, ConfigurationSettings class, 386
- GetData(), 852
- GetDataReader, 366
- GetDirectories, 947–948
- GetDirectoryEntries, 949
- GetEventLogs, 331
- GetExecutingAssembly, 208
- GetFiles, 947–948
- GetHashCode, 204, 446, 447
- GetMembers, 209
- GetObject, Activator class, 895
- GetRequestStream WebRequest, 935
- GetResponse WebRequest, 935
- GetType, 142, 204, 446, 447, 897
- GetTypes, 208
- GetValues, 194
- GetXml, 432
- GoBack(), 997
- GoForward(), 997
- GoHome(), 997
- Inequality, 71
- Intersect, 446, 447
- Invoke, 130
- IsNetworkDeployed, 299
- IsSubsetOf, 446, 447
- IsUnrestricted, 447
- Join thread object method, 821
- Load, 236, 366, 427
- LoadFrom, 208, 236
- MinValue, 66
- MoveToNextAttribute, 405
- Navigate, 992–993
- NewRow, DataTable class, 357
- nonvirtual, overriding, 157–161
- Now(), 63
- OpenForms(), 300
- overloaded, overriding, 155–156
- overloading, 116–120, 145–148
 - combining overloading and optional parameters, 118–119
 - constructor methods, 119–120
 - method signatures, 117–118
 - shared methods, 183–184
- overriding, 148–156
 - MyBase keyword, 150–152
 - nonvirtual methods, 157–161
 - overloaded methods, 155–156

- Overridable keyword, 148–149
- Overrides keyword, 149–150
- virtual methods, 152–155
- PadLeft and PadRight, String class, 71
- parameters of, 99–100
- PermitOnly, 446
- Priority, 821
- ProcessRequest, 938
- QueueUserWorkItem, ThreadPool class, 816
- Read, 816
- ReadEndElement, 411
- ReadLine, 949
- ReadXml, 366
- ReadXmlSchema, 366
- Refresh(), 916, 997
- RegisterWellKnownClientType, 889
- Remote Method Invocation (RMI), 837
- RemoveHandler, 111
- Resume thread object method, 821
- retired, 80–82
- RevertAll, 445
- RevertAssert, 445, 452
- RevertDeny, 445
- RevertPermitOnly, 445
- RMI (Remote Method Invocation), 837
- scope of, indicating, 99
- SetAbort(), ContextUtil class, 782
- SetComplete(), ContextUtil class, 782
- Show, MessageBox class, 36
- Sleep method, Thread class, 821
- SourceExists, 331
- Sqrt(), System.Math namespace, 9–10
- Start(), 916
- Stop(), 916, 997
- String(), 70–71
- SubString, 71
- Suspend method, Thread class, 821
- that return values, 98–99
- Today(), 63
- ToOADate, 63
- ToString, 67, 69, 166–168, 204, 314, 323, 446, 447, 453
- ToXml, 446, 447
- Transfer, 611
- Transform, 428
- Union, 446, 447
- Update, DataAdapter class, 358
- UrlEncode, 938
- UtcNow(), 63
- virtual, overriding, 152–155
- WaitForPendingFinalizers, 221
- Write, 333, 334
- WriteAttributeString, 403
- WriteComment, 403
- WriteElementString, 403
- WriteEndElement, 403
- WriteEntry, 301, 303, 331
- WriteExceptionEntry, 301
- Writeln, 334
- WriteLine, 333, 334
- WriteLineIf, 334
- WriteStartElement, 403
- WriteXml, 366
- WriteXmlSchema, 366
- Microsoft Clustering Services, 773**
- Microsoft Intermediate Language (MSIL), 7, 22, 198**
- Microsoft Message Queue (MSMQ), 773, 871**
- Microsoft .NET. See .NET**
- Microsoft Transaction Server (MTS), 773**
- Microsoft.CSharp namespace, 289**
- Microsoft.VisualBasic namespace, 287, 676**
- Microsoft.VisualBasic.Compatibility.VB6 namespace, 286**
- MinimumSize property, 499**
- MinValue method, 66**
- MissingMemberException class, 91**

Mod operator, 127
ModuleDependencies property, 707
modules, 198–199
ModuleSignature property, 707
Monitor property, 828
Mouse property, 304
MouseDown event, 565
MouseHover event, 565
MouseOver event, 608
MouseUp event, 565
MoveToNextAttribute method, 405
mscorlib assembly, 677
mscorlib.dll file, 209, 677
msiexec.exe tool, 724
MSIL (Microsoft Intermediate Language), 7, 22, 198
MSMQ (Microsoft Message Queue), 773, 871
MTS (Microsoft Transaction Server), 773
multidimensional arrays, 74–75
multilevel inheritance, 163–166
Multiline property, 261
multiple events, 107
multiple interfaces, 163, 187–195

- object interfaces, 187–189
- overview, 187
- polymorphism with, 233–235
- secondary interfaces, 189–195

multitasking, 805
multithreading, 805
MultiView control, 603
MustInherit keyword, 185, 186
MustOverride keyword, 186
Mutex class, 828
My keyword, 298–309

- My.Application namespace, 299–303
- My.Computer namespace, 303–307
- My.Forms namespace, 307
- My.Resources namespace, 308
- My.User namespace, 308

My.WebServices namespace, 308–309
overview, 298–299
My namespace, 283, 306
My Project display, Visual Studio .NET, 23–25
My.Application namespace, 299–303
MyBase keyword, 150–152, 169, 170–171
MyClass keyword, 171–172
My.Computer namespace, 303–307
My.Forms namespace, 307
My.Resources namespace, 308
My.User namespace, 308
My.WebServices namespace, 308–309

N

Name property, 33, 39, 102, 146, 167, 304, 407
Namespace command, 295
namespaces, 8, 283–309

- aliasing, 294–295
- Capture, 285
- CaptureCollection, 285
- common namespaces, 289–291
- COMPlus, 294
- creating, 295–298
- Decoder, 285
- Encoder, 285
- Encoding, 285
- GroupCollection, 285
- importing, 292–293
- MatchCollection, 285
- Microsoft.CSharp, 289
- Microsoft.VisualBasic, 287, 676
- Microsoft.VisualBasic.Compatibility.VB6, 286
- My, 283, 298–309
- My.Computer, 303–307
- My.Forms, 307
- My.Resources, 308
- My.User, 308

- My.WebServices, 308–309
- overview, 283–284
- and references, 287–289
- referencing in ASP.NET, 293–294
- RegEx, 285
- RegExCompilationInfo, 285
- RegularExpressions, 284
- Security.Permissions, 465
- System, 67, 269, 276, 297, 315, 894
- System.Collections, 10, 68, 289, 290
- System.Collections.Generic, 256, 260
- System.Collections.Specialized, 77–78
- System.Configuration, 387
- System.Configuration.Install.Installer, 902
- System.Data, 10, 286, 290, 297, 315, 619
- System.Data.SqlClient, 297, 358, 851
- System.Diagnostics, 10, 289, 290, 331
- System.DirectoryServices, 285
- System.Drawing, 25, 53, 248, 290, 293, 573
- System.Drawing.Imaging, 284
- System.Drawing.Text, 292
- System.EnterpriseServices, 290, 294, 780, 781, 790
- System.IO, 10, 284, 290
- System.Math, 9–10, 80
- System.Net, 955–963, 966, 970, 976, 1000. *See also* Web requests (and responses)
- System.Net.Sockets, 935, 1000
- System.Net.WebProxy, 966
- System.Reflection, 208, 235, 677, 687
- System.Runtime.Remoting, 882
- Systems.Collections, 76
- Systems.Collections.Specialized, 76
- System.Security, 10
- System.Security.Cryptography, 476, 484, 485
- System.Security.Cryptography
 - .X509Certificates, 491
- System.Security.Cryptography.Xml, 485
- System.Security.Permissions, 439, 442–449, 451
- System.ServiceProcess, 916
- System.ServiceProcess.ServiceBase, 902
- System.ServiceProcess.ServiceInstaller, 903
- System.ServiceProcess
 - .ServiceProcessInstaller, 902
- System.Text, 53, 72, 284, 285, 291
- System.Text.RegularExpressions, 284
- System.Threading, 291, 830
- System.Web, 288, 291, 938
- System.Web.Security, 478
- System.Web.Services, 288, 291, 858–861
- System.Web.Services.Description, 859–860
- System.Web.Services.Discovery, 860
- System.Web.Services.Protocols, 860–861
- System.Web.Services.Protocols n, 861
- System.Web.UI.HtmlControls, 601
- System.Web.UI.WebControls, 602
- System.Window.Forms, 291
- System.Windows.Forms, 25, 32, 35, 36, 38, 39, 502
- System.XML, 315
- System.Xml, 389, 437
- System.Xml.Query, 437
- System.Xml.Schema, 389
- System.Xml.Serialization, 389
- System.Xml.XPath, 389
- System.Xml.Xsl, 389, 424
- Text, 284
- what they are, 284–291
- NameTable property, 410**
- Narrowing keyword, 126**
- Navigate method, 992–993**
- Navigated event, WebBrowser control, 993**
- navigation, ASP.NET 2.0, 653–660**
 - Menu server control, 656–657
 - overview, 653–654
 - SiteMapPath server control, 654–655
 - TreeView server control, 657–660

Nested Try structures, 321–323

.NET, 1–17. See also COM (Component Object Model)

Common Language Runtime (CLR), 4–8
drives changes in Visual Basic, 14
exceptions in, 314–315
Framework overview, 3–4
future of, 16
how affects VB developers, 14–15
major differences in .NET 2.0, 16–17
NET Class Framework, 8–10
overview, 1
role of COM, 13
user and program interfaces, 10–12
what it is, 1–3
XML as .NET metalanguage, 12–13

.NET 2.0 changes, 16

.NET assemblies. See assemblies

.NET data providers. See data providers, ADO.NET

.NET framework classes, 902–905

Installation-Oriented classes, 904–905
multiple services within one executable, 905
ServiceBase class, 903–904
ServiceController class, 905

.NET Framework version 2.0, 20

/netcf option, 1006

Network News Transfer Protocol (NNTP), 931

network programming, 931–963. See also

System.Net namespace

addresses and names, 933–934
firewalls, 934
ports, 934

Network property, 304

NetworkStream class, 974

New Code window, Visual Studio .NET, 26–29

customizing Text Editor, 28–29
extended IntelliSense, 29
overview, 26–28
tabs versus MDI, 28

New constraint, 279

New keyword, 88

NewLineChars property, 402

NewLineOnAttributes property, 402

NewRow method, DataTable class, 357

Ngen.exe utility, 199

NNTP (Network News Transfer Protocol), 931

/noconfig option, 1013

NodeType property, 407

/nologo option, 1004

None option, 505

non-postback events, 608–609

nonvirtual methods, overriding, 157–161

NormalizeNewLines property, 402

Nothing permission set, 442

NotifyFilter property, FileSystemWatcher class, 923

NotifyIcon control, 553

NotInheritable keyword, 187

no-touch deployment, 733–734

Now() method, 63

/nowarn option, 1009

Nullable types, 16

O

obfuscator, 210

Object class, 51, 52, 68–70, 269, 276

Object datatype, 91

Object Linking and Embedding (OLE), 7

ObjectDataSource control, 642, 652, 854

objects, 83–135. See also binding; classes; delegates; methods; operators

composition of, 85–88

declaration and instantiation, 88–89

dereferencing, 90

object references, 90

object-oriented terminology, 84–88

overview, 83–84

Obsolete attribute, 206

- ODBC (Open DataBase Connectivity), 344**
- Office project type, 21**
- OLE (Object Linking and Embedding), 7**
- OLE DB .NET Data Provider, 359**
- OleDbConnection connection string, 345**
- OleDbDataAdapter object, 354**
- OmitXmlDeclaration property, 402**
- On Error construct, 312, 328**
- On_Click event handler, 34**
- OnClick attribute, 629**
- OnClosed event, 217**
- OnContinue event, ServiceBase class, 903**
- OnCustomCommand event, ServiceBase class, 903**
- One Touch Deployment, 24**
- OnLoad event, 217**
- OnOpen event, 217**
- OnPause event, ServiceBase class, 903**
- OnPowerEvent event, ServiceBase class, 903**
- OnSessionChange event, ServiceBase class, 903**
- OnShutdown event, ServiceBase class, 903**
- OnStart event, ServiceBase class, 903**
- OnStop event, ServiceBase class, 903**
- Opacity property, 507**
- Open DataBase Connectivity (ODBC), 344**
- OpenFileDialog control, 533–534**
- OpenForms() method, 300**
- OPENXML extension, 434**
- Operator keyword, 126**
- operators**
 - /, 127
 - \, 127
 - &, 127
 - *, 127
 - ^, 127
 - +, 127, 280–281
 - <, 127
 - <<, 127
 - <=, 127
 - <>, 127
 - =, 127
 - >, 127
 - >=, 127
 - >>, 127
 - AndAlso, 128
 - CType, 127
 - IsTrue, 127
 - Like, 127
 - Mod, 127
 - Operator, 126
 - Or, 127
 - OrElse, 128
 - overloading, 16, 125–128
 - TypeOf, 68
 - Xor, 127
- /optimize option, 1005**
- Option Compare setting, 65**
- Option Explicit setting, 41, 64**
- Option keyword, 29**
- Option Strict setting, 41, 64, 231**
- Optional keyword, 78, 116–117**
- /optioncompare option, 1011**
- /optionexplicit option, 1010**
- /optionstrict option, 1011**
- Or operator, 127**
- OrElse operator, 128**
- /out option, 1006**
- Output window, Visual Studio 2005, 45**
- Outputs primary output project property, 706**
- overloaded methods, overriding, 155–156**
- overloading methods, 116–120, 145–148**
 - combining overloading and optional parameters, 118–119
 - constructor methods, 119–120
 - method signatures, 117–118
 - shared methods, 183–184
- Overloads keyword, 145**
- Overridable keyword, 148–149**
- Overrides keyword, 149–150**

overriding methods, 148–156

MyBase keyword, 150–152
nonvirtual methods, 157–161
overloaded methods, 155–156
Overrideable keyword, 148–149
Overrides keyword, 149–150
virtual methods, 152–155

owned forms, 505–506

OwnedForms collection, 506

Owner property, 506

P

PackageAs property, 706

Padding property, **FlowLayoutPanel** control, 501, 518–520

PadLeft and **PadRight** methods, **String** class, 71

page titles, updating, 993–994

Panel container controls, 538–539

parameterized constructors, 114

parameterized properties, 102–104

parameters, 99–100

ByRef, 52, 100
ByVal, 52, 100
constructors with, 176
passing, 78
Variant, 15

Partial classes, 16

Partial keyword, 32, 592

Passive member, **FtpWebRequest** class, 942

Password property, **ServiceProcessInstaller** class, 904

Path property, **FileSystemWatcher** class, 923

performance counter, 912–915

Permanent primary output project property, 706

permdir.exe utility, 465–470

Permission tools, 470

permissions

managing code access permissions, 449–454
in **System.Security.Permissions** namespace, 442–449

PermissionSetAttribute class, 444

PermissionState property, 472

PermissionType property, 472

PermitOnly method, 446

PermitOnlySetInstance property, 472

PerView.exe utility, 440, 470

Peverify.exe, 470

PKCS (Public Key Cryptographic System), 473, 484–488

Point structure, **System.Drawing** namespace, 53

polymorphism, 83, 230–241

with inheritance, 238–240
through late binding, 231–233
method signatures, 230
with multiple interfaces, 233–235
overview, 230
through reflection, 235–238

port element, 842

ports, 934

Ports object, 304

portType element, 842

positioning, of Windows Forms controls, 513–517

postback event, 608–609, 628

PostBackUrl attribute, 629

precompile.axd file, 632

preemptive multitasking, 807

Prerequisites property, 744

Preserve keyword, **ReDim** statement, 75–76

preventing inheritance, 187

PreviousPage property, 631

PreviousPageType directive, 630

Primary deployment output, 700

primary thread, 804

primitive types, 54–63

- Boolean type, 55–58
- Byte type, 62
- DateTime, 63
- Decimal types, 60–62
- Integer types, 58–59
- overview, 54–55
- unsigned types, 60

PrincipalPermission class, 444**PrincipalPermissionAttribute class, 444****Printer Dialog controls, 535****Printers object, 304****printing, using WebBrowser control, 1000****PrintWorkingDirectory field, 942****Priority method, Thread class, 821****Private keyword, 85, 87, 97, 177****<probing> element, 686****ProcessRequest method, 938****Product attribute, 26****ProductCode property, 705****Profile object, 666****ProgID (programmatic identifier), 201, 283****program interfaces. See user and program interfaces****programmatic identifier (ProgID), 201, 283****properties, 100–106**

- Account, 904
- Action, 471
- AllowDrop, 536, 565
- AllowFullOpen, 534
- AllowPaging, 647
- AllowSorting, 647
- AllowWebBrowserDrop, 1000
- Anchor, 565
- Arguments, 728
- Audio, 303
- Author, 704, 707
- AutoCompleteCustomSource, 500
- AutoCompleteMode, 500
- AutoCompleteSource, 500
- AutoScaleDimensions, 33
- AutoScaleMode, 33
- AutoScroll, 509
- BackColor, 565
- BringToFront, 565
- CanFocus, 565
- CanStop, 916
- CausesValidation, 527–528, 565
- CheckCharacters, 401, 409
- ClientSize, 33
- Color, 534
- Command, 723
- Comments, 704
- ConformanceLevel, 401, 409
- Connection, 355
- ConnectionString, 371
- Contact Author, 704
- Controls property, 565
- CounterType, 914
- Credentials WebRequest, 935
- CustomActionData, 728
- DataRowCollection, 357
- DeclaringType, 209
- default property, 105–106
- DeleteCommand, 357
- Demanded, 471
- DenySetInstance, 471
- Dependencies, 706
- Description, 704, 707, 844
- DetectNewerInstalledVersion, 705
- DialogResult, 547–549
- DisplayName, 708, 905
- Dock, 565
- DoDragDrop, 565
- DtdValidate, 409
- Effect, 536
- Empty, 70
- Enabled, 565
- EnableRaisingEvents, 923
- EnableSession, 862–863

properties (continued)

properties (continued)

EncodeXmlBinary, 402
Encoding, 402
EntryPoint, 728
Exclude, 706
ExcludeFilter, 706
FailedAssemblyInfo, 471
Filename, 534
Files, 708
FileSystem, 304
Filter, 533, 924
FilterIndex, 534
FirstPermissionThatFailed, 471
FixedPitchOnly, 535
Focus, 565
Folder, 706
Font, 535, 565
ForeColor, 565
GrantedSet, 471
HashAlgorithm, 708
HelpLink, 314, 328
HelpText, 904
Hidden, 706
Hide, 565
IgnoreComments, 409
IgnoreInlineSchema, 409
IgnoreProcessing, 409
IgnoreSchema, 410
IgnoreValidation, 410
IgnoreWhitespace, 410
IncludeSubdirectories, 924
Indent, 402
IndentChars, 402
Info, 304
InitialDirectory, 533
InnerException, 314, 323–325
InsertCommand, 357
Install Mode, 743
Installation URL, 743
InstallerClass, 728
IsCrossPagePostBack, 632
Isolation, 774
IsPostBack, 631
Item, 270
Keyboard, 304
KeyOutput, 706
KeyState, 536
Keywords, 705
Language, 708
LanguageIds, 707
LineNumber, 410
LineNumberOffset, 410
LinePositionOffset, 410
Localization, 705
Location, 38, 565
Log, 299, 301, 332
MainForm, 299
Margin, 501, 518–520
MaximumSize, 499
MergeModuleProperties, 707
Message, 314, 323, 732
Method property, 471
Method WebRequest, 935
MinimumSize, 499
ModuleDependencies, 707
ModuleSignature, 707
Monitor, 828
Mouse, 304
Multiline, 261
Name, 33, 39, 102, 146, 167, 304
NameTable, 410
Network, 304
NewLineChars, 402
NewLineOnAttributes, 402
NodeType, 407
NormalizeNewLines, 402
NotifyFilter, 923
OmitXmlDeclaration, 402
Opacity, 507
Outputs, 706

Owner, 506
PackageAs, 706
Padding, 501, 518–520
parameterized, 102–104
Password, 904
Path, 923
Permanent, 706
PermissionState, 472
PermissionType, 472
PermitOnlySetInstance, 472
Prerequisites, 744
PreviousPage, 631
ProductCode, 705
Property, 100, 188, 731
Proxy WebRequest, 935
PublicKey, 708
PublicKeyToken, 708
Publish Version, 744
Publisher, 704
Publishing Location, 743
RawValue, 914
read-only, 104
ReadOnly, 104, 706
Refresh, 565
RefusedSet, 472
Region, 508
Register, 706
Registry, 304
RemotingFormat, 364
RemovePreviousVersion, 705
RestoreDirectory, 534
ResumeLayout, 33
Schemas, 410
Screen, 304
SearchPath, 705
SelectCommand, 354
SerializationFormat, 364
ServiceName, 905, 916
ServiceType, 917
shared, 123–124
SharedLegacy, 707
Show, 565
ShowCheckBox, 660
ShowColor, 535
ShowDialog, 534
ShowEffects, 535
Size, 565
Source, 314, 326, 332
SourceColumn, 356
SourcePath, 708, 728
SpParamXml, 371
SpParamXmlDoc, 371
StackTrace, 314, 326
StartType, 905
Status, 917
Subject, 705, 707
SupportPhone, 704
SupportUrl, 704
Suspend Layout, 33
SynchronizingObject, 820
System primary, 707
TabIndex, 39
TargetName, 708
TargetSite, 314, 323–325
Text, 29, 69
Timeout WebRequest, 935
Title, 705, 707
TopMost, 505
TraceError, 336
TraceInfo, 336
TraceVerbose, 336
TraceWarning, 336
Transitive, 707
TransparencyKey, 507–508
Update, 565
UpdateCommand, 357
UpgradeCode, 705
Url, 472
Username, 904

properties (continued)

- UseWaitCursor, 499
- Version, 704, 708
- Visible, 565
- Vital, 707
- write-only, 105
- XmlResolver, 427
- XmlSchemaSet, 410
- XsdValidate, 410
- Zone, 472
- z-order, 511
- Properties window, Visual Studio .NET, 29–30**
- Property keyword, 100, 188**
- Property property, 731**
- Protected Friend keyword, 97**
- Protected keyword, 85, 97, 177**
- protected scope, 177–179**
- protected variables, 178–179**
- ProVB.NET, running, 32**
- Provider keyword, 345**
- ProviderFactory class, 366**
- proxy, 873**
- Pub option, 462**
- Public key certificate, 491**
- Public Key Cryptographic System (PKCS), 473, 484–488**
- Public keyword, 85, 88, 97, 99, 177**
- PublicKey property, 708**
- .publickeytoken directive, 677–678**
- PublicKeyToken property, 708**
- Publish Version property, 744**
- Publisher property, 704**
- PublisherIdentityPermission class, 444**
- PublisherIdentityPermissionAttribute class, 444**
- Publishing Location property, 743**

Q

- QFE (Quick Fix Engineering), 201, 682**
- quantum, 807**
- Queue collection, 76**

- queued components, 793–801**
 - example of, 794–800
 - transactions with, 800–801
- QueueUserWorkItem method, ThreadPool class, 816**
- Quick Fix Engineering (QFE), 201, 682**
- /quiet option, 1009**

R

- RACE Integrity Primitives Evaluation (RIPEMD-160), 479**
- RAD (Rapid Application Development), 973**
- RadioButton control, 603**
- RadioButtonList control, 603**
- RaiseEvent keyword, 110**
- raising events, 108–110**
- RangeValidator control, 604**
- Rapid Application Development (RAD), 973**
- RawValue property, 914**
- RC2 encryption, 479**
- Read method, 816**
- ReadEndElement method, 411**
- ReaderWriterLock class, System.Threading namespace, 830**
- ReaderWriterLock object, 828**
- ReadLine method, 949**
- ReadOnly property, 706**
- ReadOnly Property, 104**
- read-only property, 104**
- ReadStartElement method, 411**
- ReadXml method, 366**
- ReadXmlSchema method, 366**
- Rebuild option, 43**
- Recover command, 458**
- /recurse option, 1013**
- ReDim statement, 75–76**
- Redirect method, Response class, 611**
- /reference option, 1008**
- reference types (classes), 68–78**
 - arrays, 73–76
 - collections, 76–78

- DBNull class and IsDBNull() function, 72–73
- Object class, 68–70
- overview, 68
- String class, 70–72
- referenced assemblies, 677–678**
 - .Locale directive, 678
 - overview, 677
 - .publickeytoken directive, 677–678
 - .Ver directive, 678
- references, and namespaces, 287–289**
- reflection, polymorphism through, 235–238**
- Reflection API, 208–209**
- ReflectionPermission class, 444**
- ReflectionPermissionAttribute class, 444**
- Refresh() method**
 - ServiceController control, 916
 - WebBrowser control, 997
- Refresh property, 565**
- RefusedSet property, 472**
- RegAsm tool, 769–772**
- regasm.exe utility, 769**
- RegEx namespace, 285**
- RegExCompilationInfo namespace, 285**
- Region property, 508**
- Register property, 706**
- RegisterWellKnownClientType method, 889**
- Registry Editor, 719–722**
 - adding value to registry key, 720–721
 - importing registry files, 721–722
 - overview, 719–720
- Registry property, 304**
- RegistryPermission class, 444**
- RegistryPermissionAttribute class, 444**
- regsvr32.exe tool, 751**
- RegularExpressions namespace, 284**
- RegularExpressionValidator control, 604**
- RemFullTrust command, 458**
- RemGroup command, 458**
- Remote Method Invocation (RMI), 837**
- remote object, 872**
- remoting, 871–898**
 - Activated objects, 877–878
 - interface-based design, 895–897
 - overview, 872–879
 - Serializable objects, 878–879
 - simple example, 879–890
 - SingleCall objects, 876
 - Singleton objects, 877
 - terminology, 872–875
 - using Activator.GetObject, 894–895
 - using generated proxies, 897–898
 - using IIS as remoting host, 890–894
- RemotingFormat property, DataTable class, 364**
- RemoveDirectory field, 942**
- RemoveHandler method, 110, 111**
- /removeintchecks option, 1009**
- RemovePreviousVersion property, 705**
- RemPSet command, 458**
- Repeater control, 603**
- Request for Comments (RFC), 933**
- RequestMinimum level, 464**
- RequestOptional level, 464**
- RequestRefused level, 464**
- RequiredFieldValidator control, 604, 612**
- <requiredRuntime> node, 685**
- Reset command, 455**
- resizing of Windows Forms controls, 513–517**
 - anchoring, 515–516
 - docking, 514–515
 - overview, 513
 - splitter control, 516–517
- ResolveGroup command, 455**
- ResolvePerm command, 455**
- /resource option, 1012**
- ResourcePermissionBase class, 444**
- ResourcePermissionBaseEntry class, 444**
- resources, in Visual Basic compiler, 1011–1012**
- ResponseHeaders member, WebClient class, 953**

- RestoreDirectory property, 534**
- Resume method, Thread class, 821**
- ResumeLayout property, 33**
- retired controls, 543**
- retired keywords and methods, 80–82**
- Return keyword, 98**
- RevertAll method, 445**
- RevertAssert method, 445, 452**
- RevertDeny method, 445**
- RevertPermitOnly method, 445**
- RFC (Request for Comments), 933**
- Rijndael encryption, 479**
- RIPMD-160 (RACE Integrity Primitives Evaluation), 479**
- RIPMD160Managed class, 476**
- RMI (Remote Method Invocation), 837**
- Roeder, Lutz, 209**
- role-based permissions, 446–449**
- <roleManager> element, 664**
- Roles attribute, 654**
- Rollback custom action, 727**
- /rootnamespace option, 1014**
- RSA encryption, 484**
- RSACryptoServiceProvider class, 484**
- RSAKeyValue class, 485**
- Rset function, 80**
- runat attribute, 600**
- runtime settings, 685–687**
 - defining location of an assembly, 686
 - loading particular version of an assembly, 685
 - providing search path, 686–687

S

- safemode attribute, 1002**
- sample application, Visual Basic 2005, 34–46**
 - adding control and event handler, 34–35
 - build configurations, 40–43
 - building applications, 43–46

- customizing code, 35–40
- overview, 34
- SaveFileDialog properties, 533–534**
- SByte primitive type, 54**
- Schemas property, 410**
- scope of methods, indicating, 99**
- Screen property, 304**
- scrollable forms, 509**
- ScrollableControl class, 509**
- /sdkpath option, 1014**
- SearchPath property, 705**
- secret key encryption, 479–484**
- Secure Sockets Layer (SSL), 493–495, 867**
- Secured Hashing Algorithm (SHA), 477–478**
- security, in .NET framework 2.0, 439–495.**
 - See also cryptography**
 - concepts and definitions, 440–442
 - dealing with exceptions using
 - SecurityException class, 471–473
 - figuring minimum permissions required for application, 465–470
 - managing code access permissions, 449–454
 - overview, 439–440
 - permissions in System.Security.Permissions namespace, 442–449
 - security tools, 470–471
- Security event log, 922**
- security in Web Services, 866–868**
- Security Setup Wizard, 661**
- SecurityAttribute class, 444**
- SecurityException class, 471–473**
- SecurityPermission class, 444**
- SecurityPermissionAttribute class, 445**
- Security.Permissions namespace, 465**
- Secutil.exe, 470**
- SelectCommand property, DataAdapter class, 354**
- SelectedIndexChanged event, ListView control, 949**
- self-describing components, 682**
- Serializable attribute, 206, 981**

- Serializable objects, 872, 878–879**
- serialization, 364–365**
- serialization, XML, 392–399**
 - overview, 392–397
 - Source Code Style attributes, 397–399
- SerializationFormat property, DataTable class, 364**
- serialize method overrides, 394**
- server controls, 598**
- server-side controls, 598–600**
- server-side events, 608**
- service element, 842**
- ServiceBase class, 903–904**
- ServiceController class, 905, 916–919**
- ServicedComponent class, System**
 - .EnterpriseServices namespace, 781
- ServiceName property, ServiceInstaller class, 905, 916**
- ServiceType property, 917**
- session events, 609**
- Set statement, 101**
- SetAbort() method, ContextUtil class, 782**
- SetComplete() method, ContextUtil class, 782**
- Setup Project template, 697**
- Setup Wizard, 698**
- SHA (Secured Hashing Algorithm), 477–478**
- SHA1CryptoServiceProvider class, 476**
- SHA256Managed class, 476**
- SHA384Managed class, 476**
- SHA512Managed class, 476**
- shadowing, 156–163**
 - overriding nonvirtual methods, 157–161
 - shadowing arbitrary elements, 161–163
 - shared methods, 184
- Shadows keyword, 157**
- shallow copy, 53**
- shared assemblies, 679–680**
- shared constructor, 125**
- shared events, 124–125, 185**
- Shared keyword, 32, 121, 122**
- shared methods, 122–123, 182–184**
 - overloading, 183–184
 - shadowing, 184
- shared properties, 123–124**
- shared variables, 121–122**
- SharedLegacy property, 707**
- Short primitive type, 8, 55, 59**
- Show method, MessageBox class, 36**
- Show property, 565**
- ShowCheckBox property, 660**
- ShowColor property, 535**
- ShowDialog property, 534**
- ShowEffects property, 535**
- ShowLines attribute, 659**
- side-by-side execution, 682, 694**
- side-by-side versioning, 201**
- Signcode.exe, 470**
- SignCode.exe utility, 440**
- Simple Mail Transfer Protocol (SMTP), 932**
- Simple Object Access Protocol (SOAP), 1, 835, 841–842**
- Single primitive type, 54–55, 60–61**
- SingleCall objects, 876**
- Singleton objects, 877**
- Site option, 462**
- .sitemap file, 655–659**
- SiteMapDataSource control, 642, 656**
- SiteMapPath server control, 654–655**
- Size property, 565**
- Sizeable option, 505**
- SizeableToolWindow option, 505**
- SkipVerif option, 463**
- SkipVerification permission set, 442**
- Sleep method, thread class, 821**
- smart client applications, 498**
- Smart Device CAB Project template, 698**
- Smart Device project type, 21**
- SMTP (Simple Mail Transfer Protocol), 932**
- Sn.exe tool, 470**
- SOAP (Simple Object Access Protocol), 1, 835, 841–842**

- SoapDocumentMethodAttribute class, System.Web.Services.Protocols namespace, 861**
- SoapFormatter class, 873, 893, 981**
- sockets, 969–990**
 - building application, 970–972
 - creating conversation windows, 972–980
 - creating Conversation form, 974–975
 - initiating connections, 975–979
 - receiving inbound connections, 979–980
 - sending messages, 980–986
 - shutting down application, 986–990
- SortedList collection, 76**
- Source Code Style attributes, 397–399**
- Source Files deployment output, 701**
- Source property, 314, 326, 332**
- SourceColumn property, SqlParameter class, 356**
- SourceExists method, 331**
- SourcePath property, 708, 728**
- SplashScreen, 300**
- Splitter control, 516–517**
- SpParamXml property, 371**
- SpParamXmlDoc property, 371**
- SQL Server .NET Data Provider, 358**
- SQL Server variables, 347**
- SqlCommand object, 351**
- SqlConnection class, 345**
- SqlDataReader class, 348**
- SqlDataSource control, 642, 643–648**
- SqlDbDataAdapter object, 354**
- Sqrt() method, System.Math namespace, 9–10**
- SSL (Secure Sockets Layer), 493–495, 867**
- Stack collection, 76**
- StackTrace property, 314, 326**
- Start member, HttpListener class, 955**
- Start method, Service Controller class, 916**
- StartType property, ServiceInstaller class, 905**
- startup settings, 685**
- <startup> node, 685**
- Status property, ServiceController class, 917**
- StatusStrip control, 501**
- Stop member, HttpListener class, 955**
- Stop method, ServiceController class, 916, 997**
- Storeadm.exe, 470**
- <StoredProcedureSettings> section, 387**
- StorePermission class, 445**
- StorePermissionAttribute class, 445**
- Stream class, 418**
- StreamReader class, 951**
- stream-style parsers, XML, 399–424**
 - Document Object Model (DOM), 418–424
 - overview, 418–419
 - traversing raw XML elements, 419–422
 - traversing XML attributes, 422–424
 - overview, 399–400
 - reading XML stream, 404–414
 - using MemoryStream object, 414–417
 - writing XML stream, 400–404
- StreamWriter class, 951**
- String() method, 70–71**
- String class, 70–72**
 - overview, 70
 - PadLeft and PadRight methods, 71
 - String() method, 70–71
 - Substring method, 71
- String datatype, 101, 125**
- String primitive type, 55, 274**
- StringBuilder class, System.Text namespace, 53, 72, 284, 285**
- StringCollection class, 76, 77**
- StringDictionary class, 76, 77**
- Strong option, 462**
- Structure constraint, 279**
- structured-exception-handling keywords in VB.NET, 315–328**
 - Exit Try statement, 320–321
 - GetBaseException method, 326–327

- HelpLink property, 328
- InnerException and TargetSite properties, 323–325
- Message property, 323
- Nested Try structures, 321–323
- overview, 315–316
- Source and StackTrace properties, 326
- Throw keyword, 318
- Try, Catch, and Finally keywords, 316–317
- structures, 274–275**
- structures (value types), 54–63. See also primitive types**
 - overview, 54
 - vs. reference types, 52–54
- stylesheet element, 424**
- Sub keyword, 98**
- Subject property, 705, 707**
- SubString() method, 71**
- Success audit log entry, 330**
- SupportPhone property, 704**
- SupportUrl property, 704**
- Suspend Layout property, 33**
- Suspend method, Thread class, 821**
- synchronization, 825–827**
- synchronization objects, 827–834**
 - exclusive locks and SyncLock statement, 828–833
 - overview, 827–828
- SynchronizingObject property, 820**
- SyncLock statement. See exclusive locks and SyncLock statement**
- System event log, 922**
- System namespace, 297, 315**
- System property, 707**
- System.Collections namespace, 10, 68, 289, 290**
- System.Collections.Generic namespace, 256, 260**
- System.Collections.Specialized namespace, 77–78**
- System.Configuration.Install.Installer namespace, 902**
- System.Data namespace, 10, 286, 290, 297, 315, 619**
- System.Data.SqlClient namespace, 297, 358, 851**
- System.Deployment namespace, 24**
- System.Diagnostics namespace, 10, 289, 290, 331**
- System.DirectoryServices namespace, 285**
- System.Drawing namespace, 25, 248, 290, 293, 573**
- System.Drawing.Text namespace, 292**
- System.EnterpriseServices namespace, 290, 294, 780**
- System.IO namespace, 10, 284, 290**
- System.Math namespace, 10, 80**
- System.Net namespace, 955–963. See also Web requests (and responses)**
- System.Net.Sockets namespace, 935, 1000**
- System.Reflection namespace, 10, 208, 235, 677, 687**
- System.Runtime.Remoting namespace, 882**
- Systems.Collections namespace, 76**
- Systems.Collections.Specialized namespace, 76**
- System.Security namespace, 10**
- System.Security.Cryptography namespace, 485**
- System.Security.Cryptography.X509Certificates namespace, 491**
- System.Security.Cryptography.Xml namespace, 485**
- System.Security.Permissions namespace, 439, 442–449**
- System.ServiceProcess namespace, 916**
- System.ServiceProcess.ServiceBase namespace, 902**
- System.ServiceProcess.ServiceInstaller namespace, 903**

System.ServiceProcess

.ServiceProcessInstaller namespace, 902

System.Text and System.Drawing.Text, 293

System.Text namespace, 285, 291

System.Text.RegularExpressions namespace, 284

System.Threading namespace, 291

System.Web namespace, 288, 291

System.Web.Services namespace, 288, 291, 858–861

System.Web.Services.Description namespace, 859–860

System.Web.Services.Discovery namespace, 860

System.Web.Services.Protocols namespace, 860–861

System.Web.UI.HtmlControls namespace, 601

System.Web.UI.WebControls namespace, 602

System.Window.Forms namespace, 291

System.Windows.Forms namespace, 25, 32, 35, 38, 502

System.Windows.Forms.Timer, 820

System.XML namespace, 315

System.Xml namespace, 389, 437

System.Xml.Query namespace, 437

System.Xml.Schema namespace, 389

System.Xml.Serialization namespace, 389

System.Xml.XPath namespace, 389

System.Xml.Xsl namespace, 389

T

TabIndex property, 39

Table control, 603

TableLayoutPanel control, 499, 500–501, 520

Tabular Data Stream (TDS), 358

/target option, 1006

TargetName property, 708

TargetSite property, 314, 323–325

tblimp.exe utility, 755

TcpClient class, System.Net namespace, 970

TcpListener class, System.Net namespace, 970

TDS (Tabular Data Stream), 358

template element, 424

templates

Cab Project, 697

Merge Module Project, 697

Setup Project, 697

Smart Device CAB Project, 698

template element, 424

Web Setup Project, 697

text boxes, autocompletion in, 500

Text Editor, customizing, 28–29

Text namespace, 284

Text property, 29, 69

TextBox control, 278, 602, 612

TextChanged event, 106

TextStream class, 211

TextWriter class, 418

This = statement, 73

thread pool, 815

thread priority, 808

threading, 803–834

avoid sharing data, 823–825

designing background task, 811

implementation overview, 812–815

interactive applications, 811–812

manually creating thread, 820–821

processes, AppDomains, and threads, 805–807

shared data, 822

sharing data with synchronization, 825–827

synchronization objects, 827–834

thread safety and thread affinity, 809

thread scheduling, 807–809

threading options, 815–820

when to use, 809–811

Throw keyword, 316, 318
Throw statement, 329
Timeout property, **WebRequest class**, 935
Timer class, 134, 820
TimeSpan primitive type, 54
Title attribute, 26, 654
Title property, 705, 707
TlbExp tool, 772
Today() method, 63
ToODate method, 63
Toolbars and ToolStrip control, 528–531

- allowing user to move Toolbar elements, 531
- altering Toolbar elements in Designer, 531
- creating standard set of Toolbar elements, 531
- creating ToolStrip and adding toolbar elements, 529–530
- overview, 528–529

ToolboxBitmap attribute, 579
ToolStripButton control, 528
ToolStripComboBox control, 528
ToolStripControlHost control, 528
ToolStripDropDownButton control, 529
ToolStripDropDownItem control, 529
ToolStripLabel control, 528
ToolStripMenuItem control, 529
ToolStripSeparator control, 528
ToolStripSplitButton control, 529
ToolStripTextBox control, 528
TopMost property, 505
ToString method, 67, 69, 166–168, 204, 314, 323, 446, 447, 453
ToXml method, 446, 447
Trace class, 335–339
trace files, writing to, 333–335
TraceError property, 336
TraceInfo property, 336
TraceVerbose property, 336
TraceWarning property, 336

Trademark attribute, 26
Transaction attribute, 801
TransactionAttribute attribute, **System**

- .EnterpriseServices namespace, 790

TransactionOption attribute, **System**

- .EnterpriseServices namespace, 790

transactions, 774–775

- example, 780–792
- just-in-time, 792
- object pooling, 793
- with queued components, 800–801 and Web Services, 868

Transfer method, **Server class**, 611
Transform method, 428
Transitive property, 707
TransparencyKey property, 507–508
transparent proxy, 873
TreeView control, 603, 657–660
Triple DES encryption, 479
Try block, 91
Try keyword, 315, 316–317
TryCast function, 94
Try-Catch statement, 472
Type Library Import, 755
TypeOf operator, 68
types, 200–201. *See also* value types (structures); variables

- explicit conversions, 63–68
- overview, 51–52

types element, 842

U

UBound function, 74
UDDI (Universal Description, Discovery, and Integration), 835, 865–866
UDT (User-Defined Type), 54
UInt16 primitive type, 58
UInt32 primitive type, 59
UInt64 primitive type, 59

- UIPermission class, 445**
- UIPermissionAttribute class, 445**
- UML (Universal Modeling Language), 138**
- UNC (Universal Naming Convention), 736**
- Unicode, 62**
- Uniform Resource Identifier (URI), 966**
- Uniform Resource Locator (URL), 736, 966**
- Uninstall custom action, 727**
- Union method, 446, 447**
- UniqueName field, 942**
- Universal Description, Discovery, and Integration (UDDI), 835, 865–866**
- Universal Modeling Language (UML), 138**
- Universal Naming Convention (UNC), 736**
- unsigned types, 60**
- Update method, DataAdapter class, 358**
- Update property, 565**
- UpdateCommand property, 357**
- Updater Application Block, 745–746**
- updating URLs and page titles, 993–994**
- UpgradeCode property, 705**
- UploadData member, WebClient class, 953**
- UploadFile field, 942**
- UploadFile member, WebClient class, 953**
- UploadFileWith field, 942**
- UploadString member, WebClient class, 953**
- UploadValues member, WebClient class, 953**
- URI (Uniform Resource Identifier), 966**
- URL (Uniform Resource Locator), 736, 966**
- Url attribute, 654**
- URL option, 463**
- Url property, 472**
- UrlEncode method, 938**
- URLs, updating, 993–994**
- user and program interfaces, 10–12**
 - console applications, 12
 - overview, 10
 - Web Forms, 11–12
 - Web Services, 12
 - Windows Forms, 11
- User Controls, 598, 605–606**

- User Interface Editor, 723–726**
 - adding dialog boxes, 725–726
 - customizing order of dialog boxes, 725
 - installation modes, 724–725
 - overview, 723–724
 - properties of dialog boxes, 726
- UserControl class, 565–566**
 - creating composite UserControl, 567–568
 - example, 569–572
 - exposing properties of subcontrols, 568–569
 - overview, 566–567
 - resize, how works, 568
 - setting minimum size, 568
- User-Defined Type (UDT), 54**
- Username property, ServiceProcessInstaller class, 904**
- UseWaitCursor property, 499**
- Using command, 214**
- Using keyword, 17, 218**
- using Tiblmp directly, 755–756**
- UtcNow() method, 63**
- /utf8output option, 1004**

V

- Validated event, 565**
- Validating event, 527, 565**
- Validation Controls, 598, 604–605**
- Value property, 407**
- value types (structures), 54–63. See also primitive types**
 - overview, 54
 - vs. reference types, 52–54
- value-of element, 424**
- variables. See also types**
 - instance variables, 87–88
 - protected, 178–179
 - shared variables, 121–122
- Variant parameter, 15**
- .vb extension, 95**
- vbc.exe.config file, 1001–1002**

vbc.rsp file, 1014–1015

VB.NET. See also structured-exception-handling keywords in VB.NET

.Ver directive, 678

/verbose option, 1004–1005

Version property, 704, 708

versioning, 201–202, 681–687

- application isolation, 681
- configuration files, 684–687
- overview, 681
- self-describing components, 682
- side-by-side execution, 682
- version policies, 682–687

virtual methods, overriding, 152–155

VirtualPath attribute, 630

Visible property, 565

Visual Basic

- creating Web Services with, 906–907
- resources, 1017–1018
- and System.Web.Services, 858–861

Visual Basic 2005, 31–33. See also Visual Studio 2005

- enhancing sample application, 34–46
- form properties set in code, 32–33
- overview, 31–32
- running ProVB.NET, 32

Visual Basic compiler, 1001–1015

- compilation, 1003–1004
- compiler output, 1004–1005
- debugging and error-checking, 1008–1010
- help features, 1010
- language options, 1010–1011
- .NET assemblies, 1006–1008
- optimization, 1005
- output files, 1005–1006
- preprocessor: /define, 1011
- resources, 1011–1012
- vbc.exe.config file, 1001–1002
- vbc.rsp file, 1014–1015

visual inheritance, 32

Visual Studio 2005, 2

- Command window, 47
- enhancing sample application, 34–46
- overview, 46
- recording and using macros, 49–50
- Server Explorer, 47–48
- Task List, 46–47

Visual Studio .NET, 21–31

- Assembly Information screen, 25–26
- deployment projects, 695–710
 - ASP.NET Web application example, 708–710
 - creating, 698
 - templates, 696–698
 - Windows application example, 698–708
- Dynamic Help, 30–31
- My Project display, 23–25
- New Code window, 26–29
- overview, 20–22
- Properties window, 29–30

Visual Studio .NET 2002, 2

Visual Studio .NET 2003, 2

Visual Studio .NET 2005, 2

Visual Studio Tools for Office (VSTO), 21

Visual Web Developer Web Server, 585

Vital primary output project property, 707

VSTO (Visual Studio Tools for Office), 21

W

WaitForPendingFinalizers method, 221

/warnaserror option, 1010

Warning log entry, 330

Watch windows, Visual Studio 2005, 46

Web applications, building, 583–625

- anatomy of Web form, 590–594
- controls available in Web forms, 598–606
 - ASP.NET server controls, 602–603
 - HTML server controls, 600–601
 - server-side, 598–600
 - User Controls, 605–606
 - Validation Controls, 604–605

Web applications, building (continued)

- events in Web forms, 606–609
- examples, 594–596, 611–625
- overview, 583
- processing flow of ASP.NET Web forms, 596–598
- transferring control among Web forms, 611
- Web forms vs. ASP, 609–610
- Web site in action, 583–590

Web forms, 9, 11–12

- vs. ASP, 609–610
- cleanup, 608
- configuration, 607
- controls, 598–606
- events in, 606–609
- processing flow of, 596–598
- transferring control among, 611

Web requests (and responses), 935–952

- example, 936–941
- simplifying common requests with WebClient, 952–955
- working with FileWebRequest and HttpWebRequest, 936
- working with FtpWebRequest, 941–952

Web Services. See XML Web Services

Web Services Description Language (WSDL), 835, 842–844

Web Setup Project template, 697

WebBrowser control, 500, 991

- printing using, 1000
- showing documents using, 998–1000

WebClient class, 935, 952, 953, 966

web.config file, 23, 294, 598, 891

WebMethod() attribute, 844

WebMethodAttribute, System.Web.Services namespace, 858

WebRequest class, 935

WebResponse class, 935

WebService() attribute, 844

WebService class, System.Web.Services namespace, 858

WebServiceAttribute class, System.Web.Services namespace, 858

WebServicesBindingAttribute class, System.Web.Services namespace, 858

web.sitemap file, 653

/win32icon option, 1012

/win32resource option, 1012

Windows API, 2

Windows applications, Internet deployment of. See Internet deployment of Windows applications

Windows Form controls, 510–549

- advanced capabilities for data entry, 523–526
- automatic resizing and positioning of, 513–517
- building from scratch, 572–579
- common dialogs, 533–535
- control arrays, 511–513
- control tab order, 511
- custom controls, adding additional logic to, 555–558
- custom controls, developing in .NET, 552–554
- dialog forms, 547–549
- drag and drop, 535–538
- embedding controls in other controls, 580–582
- extender provider controls, 520–523
- FlowLayoutPanel control, 517–520
- inheriting from existing controls, 554–564
- MDI example in VB.NET, 545–547
- MDI forms, 544–545
- menus, 531–533
- overview, 510
- Panel and GroupBox container controls, 538–539

- programming tips, 543–544
 - retired controls, 543
 - standard Windows.Forms controls, 539–543
 - TableLayoutPanel control, 520
 - Toolbars and ToolStrip control, 528–531
 - using ActiveX controls, 543
 - validating data entry, 526–528
 - Windows Forms, 2, 9, 11, 497–549, 551–582.**
 - See also Windows Form controls**
 - attaching an icon for Toolbox, 579–580
 - building control from scratch, 572
 - changes in version 2.0, 498–502
 - Control class, 564–565
 - form borders, 505
 - and HTML, 991–1000
 - importance of, 498
 - making transparent and translucent, 507–508
 - overview, 497, 551–552
 - owned forms, 505–506
 - packaging logic in visual controls, 552
 - at runtime, 509–510
 - scrollable forms, 509
 - setting startup form, 503–504
 - showing via Sub Main, 503
 - startup location, 504
 - System.Windows.Forms namespace, 502
 - TopMost property, 505
 - UserControl class, 565–572
 - visual inheritance, 508–509
 - Windows Installer, 694–695**
 - Windows project type, 21**
 - Windows Services**
 - characteristics of, 900–901
 - communicating with, 915–919
 - creating, 902–906
 - creating counter monitor service, 907–912
 - creating File Watcher, 922–926
 - custom commands, 919–921
 - debugging, 927–929
 - example, 899–900
 - interacting with, 901–902
 - monitoring performance counter, 912–915
 - passing strings to, 921
 - WindowsDefaultBounds value, 504**
 - WindowsDefaultLocation value, 504**
 - WinFX, 16**
 - WithEvents keyword, 38, 107–108, 110–111**
 - Wizard control, 603**
 - Write method, 333, 334**
 - WriteAttributeString method, 403**
 - WriteComment method, 403**
 - WriteElementString method, 403**
 - WriteEndElement method, 403**
 - WriteEntry method, 301, 303, 331**
 - WriteExceptionEntry method, 301**
 - Writelf method, 334**
 - WriteLine method, 333, 334**
 - WriteLineIF method, 334**
 - write-only property, 105**
 - WriteStartElement method, 403**
 - WriteXml method, 366**
 - WriteXmlSchema method, 366**
 - WSDL (Web Services Description Language), 835, 842–844**
- ## X
- X509 certificates, 491–493**
 - X509Certificate class, 493**
 - XCOPY deployment, 6, 11, 202, 694**
 - XML (Extensible Markup Language), 4, 20, 23, 25, 841. See also XML stream-style parsers**
 - adding XML comments, 35–36
 - and ADO.NET, 432–437
 - as .NET metalanguage, 12–13

XML (Extensible Markup Language)

(continued)

overview, 391–392

serialization, 392–399

System.Xml document support, 399

XML Serialization deployment output, 701

XML stream-style parsers, 399–424. See also Document Object Model (DOM)

overview, 399–400

reading an XML stream, 404–414

using MemoryStream object, 414–417

writing an XML stream, 400–404

XML Web Services, 835–870

architecting with Web Services, 861–866

building Web Service, 844–848

disadvantages, 868–869

early architectural designs, 837–844

example using Visual Studio 2005 to build, 848–858

overview, 835–837

security in, 866–868

and System.Web.Services, 858–861

XmlAttribute class, 419

XmlDataSource control, 642

XmlDocument class, 371–372, 418

XmlElement class, 419

XmlNameTable class, 400

XmlNode class, 372, 418

XmlReader class, 399, 437

XmlReaderSettings class, 409–410

XmlResolver class, 400

XmlResolver property, 427

XmlSchemaSet property, 410

XmlSerializer class, 416

XmlTextReader, traversing XML using, 411–414

XmlTextReader class, 434

XmlTextWriter class, 434

XmlWriter class, 399, 418, 437

XmlWriterSettings object, 401

Xor operator, 127

XsdValidate property, 410

XSLT transforms, 424–432

other classes and interfaces in

System.Xml.Xsl, 432

overview, 424–429

XSLT transforming between XML standards, 429–432

XsltArgumentList class, 432

XsltCompileException class, 432

XsltContext class, 432

XsltException class, 432

XslTransform class, System.Xml.Xsl namespace, 400, 424, 428–429

Z

-Zone option, 462

Zone property, 472

z-order property, 511



Take your library wherever you go

Now you can access more than 70 complete Wrox books online, wherever you happen to be! Every diagram, description, screen capture, and code sample is available with your subscription to the **Wrox Reference Library**. For answers when and where you need them, go to wrox.books24x7.com and subscribe today!

Find books on

- ASP
- C
- Databases
- .NET
- Java
- Macromedia
- Open Source
- Visual Basic and VBA
- Web Development
- XML

