

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

- About Photoshop option, 35
- Absolute color option, 371
- Absolute Colorimetric rendering intent, **335**
- ACE (Adobe Color Engine), 333
- ACIB option, 641
- Actions, **523–524**
 - applying, **525–526**, 525–526, **528**
 - batch processing for, **530–533**, 531
 - benefits of, **19**
 - conditional mode changes in, **537**, 537
 - Contact Sheet II for, **538**, 538
 - for cropping and straightening photos, **536–537**
 - droplets for, **533–534**, 534
 - editing, moving, and discarding, **530**
 - Fit Image for, **539**
 - for PDF presentations, **535–536**, 535–536
 - Picture Package for, **539–540**, 540–541
 - recording, **526–530**, 526–530
 - saving and loading, **529**
 - speed of, **529**
 - stops in, **528–529**, 529
 - undoing, **529**
 - unrecordable commands in, **530**
 - Web Photo Gallery for, **540–542**, 541
- Actions option, 524, 526
- Actions palette, **524–525**, 524
- activating
 - filters, **438**
 - layer masks, 503
- active color parameters, **190–193**, 192
- Actual Color setting, 351
- A** Actual Pixels option, 50
- Add Anchor Point tool, 159, 167
- Add Custom ImageReady Metadata option, 608, 610
- Add EXIF Metadata option, 610
- Add Metadata option, 607
- Add Noise filter, **449**, 449–450
- Add Open Files option, 535
- Add Space After Paragraph option, 137
- Add Space Before Paragraph option, 137
- Add To Channel option, 248
- Add To Selection option, 77
 - for Load Selection, 250
 - for Make Selection, 171
- Add Vector Mask option, 173
- Add XMP Metadata option, 610
- Additional Plug-Ins Folder option, 65
- additive color systems, 186, 323
- Adjustment dialog box, 374
- Adjustment layers
 - creating, **374**, 375–376
 - masking portions of, **375–376**
- Adjustment option for curves, 363
- adjustments, saving, **19**
- Adobe Bridge, **5–6**, 5
 - automation in, **542**, 543
 - for managing files, **21–24**, 23–24
 - settings for, **68–70**, 69–70
- Adobe Color Engine (ACE), 333
- Adobe Gamma utility, 319
 - for ink-jet printers, 341
 - for monitors, **73–74**, 73
- Adobe Online splash screen, 36
- Adobe Photoshop CS folder, 34
- Adobe RGB color working space, **325–326**
- Adobe Transient Witticisms (ATWs), 35
- ads, digital camera. *See* digital camera ad
- Advanced Blending options, **114–115**, 114
- Advanced settings for Bridge, 69, 70
- After First setting, 138
- AIGA (American Institute of Graphics Arts), 647
- Airbrush option, 200, 202
- airbrush tool (mechanical), 76
- Align Checked option, 419
- Align Unchecked option, 419
- Align With Layer setting, 218
- Aligned option
 - for Clone Stamp tool, 203
 - for Pattern Stamp tool, 203, 203
- alignment
 - clones, 203, 203, 419
 - image content, **50–51**
 - paths, **165–166**, 166
 - with Pattern Stamp tool, 203, 203
 - type, **126**, 130, **136–138**, 137
- Alignment option, 130
- All option for selections, 27
- All Caps option, 134
- All Channels View option, 348–349
- All Documents option, 21
- All Formats option, 21
- All Slices option, 588
- allocating memory, **55–56**
- Allow Continue option, 529
- Allow Non-Linear History option, 225, 227
- alpha channels
 - cleaning up, **261–262**, 262
 - for compositing, **631–633**, 632–633

- duplicating, **262**
 - editing, **251–252**, 251
 - and file size, 246
 - loading selections as, **250–251**
 - options for, **249–250**, 249
 - saving selections as, 28, **247–248**, 247–248, **261–262**
 - viewing, **248–249**, 248
 - Alpha Channels option, 28
 - Always Add Alt Attributes option, 578
 - Always Quote Attributes option, 578
 - American Institute of Graphics Arts (AIGA), 647
 - Amount setting
 - for Add Noise filter, 449
 - for Emboss filter, 467
 - for Unsharp Mask filter, 377, 452, 454
 - anchor buttons for canvas, 279
 - anchor points
 - for Bezier curves, 158, 158
 - for curved paths, 160–162
 - editing, **167**, 167
 - for lock-down curves, 367, 367
 - Angle setting
 - for brushes, 197
 - for Emboss filter, 467
 - for gradient fills, 210, 217
 - for Inner Shadow effect, 154
 - for Smart Sharpen filter, 452
 - for transformation operations, 285
 - Animation palette, 594–595, 595
 - animations, 592, **593**
 - in ImageReady program, **593–597**, 594–595, **615**, 615, **617**, 617
 - SWF, **595–597**, 597
 - annotations
 - creating, **46**, 46
 - saving, 28
 - Annotations option, 28
 - Anti-Alias option
 - for Illustrator files, 645
 - for Magic Eraser tool, 208
 - for shapes, 178
 - for type, 130, 133
 - anti-alias process, **78**, 78
 - for Color Replacement tool, 205
 - for converting selections, 171
 - for filling images, 216
 - for filling paths, 170
 - for Magic Eraser tool, 208
 - for shapes, 178
 - for type, 130, 133
 - Anti-Aliased option
 - for Color Replacement tool, 205
 - for Fill Path, 170
 - for Make Selection, 171
 - for Paint Bucket tool, 216
 - Append File Extension setting, **60–61**
 - Apple ColorSync system, 316
 - Apple RGB color working space, **326**
 - Apples.psd file, 550, 551
 - Applications folder, 34
 - Apply Image dialog box, **549–552**, 549
 - Apply Layer Comp option, 512
 - Arc option, 153
 - archives for restored photos, **427–428**, 428
 - Area setting, 206
 - Arrange option, 105
 - arranging layers, 105, **143–147**, 143–147
 - art
 - digital imaging as, **185**
 - websites for, 649
 - Art History Brush tool, **206**, 206, **228**
 - artifacts
 - in digitizing, **295–296**
 - in photo restoration, **431–432**, 433
 - Artistic filters, 468, 469
 - As A Copy option, 28
 - Ask Before Saving Layered TIFFs option, 61
 - Ask When Opening option, 331
 - Ask When Pasting option, 331
 - aspect ratio, **628–629**, 629
 - Assign Profile dialog box, **339**, 339
 - Assign Profile setting, 331–332
 - Assign Working RGB setting, 331
 - assigning profiles, 331, **339**
 - atmospheric perspectives, 100
 - .atn file extension, 529
 - Attempt To Automatically Arrange Source Images option, 307
 - Attributes Case setting, 578
 - ATWs (Adobe Transient Witticisms), 35
 - Audio Annotation tool, 46
 - Audio Notation dialog box, 46
 - author Web pages, **623**
 - Auto Adjustment setting, 298
 - Auto Color feature, **355**
 - Auto Contrast option, **355**
 - Auto Erase option, 202
 - Auto Leading setting, 138
 - Auto Levels features, **354**
 - Auto Resolution dialog box, **273**, 273
 - Auto Select option, 597
 - Auto-Update Open Documents option, 58
 - autofocus in digital photographs, 304
 - Automatically Create First Snapshot option, 225, 531
 - Automatically Create New Snapshot When Saving option, 225
 - Automatically Launch Bridge option, 59
 - automation
 - batch processing for, **530–533**, 531
 - in Bridge, **542**, 543
 - conditional mode changes in, **537**, 537
 - Contact Sheet II for, **538–539**, 538
 - cropping and straightening photos, **536–537**
 - droplets for, **533–534**, 534
 - Fit Image for, **539**
 - keyboard shortcuts, 543–544, **544**
 - new features in, **8–9**, 9
 - for PDF presentations, **535–536**, 535–536
 - Picture Package for, **539–540**, 540–541
 - Web Photo Gallery for, **540–542**, 541
 - axes, scaling on, 281–282
-
- B**
- background color
 - Color Picker for, 189
 - for fill patterns, 214
 - Swatches palette for, 194
 - in SWF animation, 596
 - Background Contents list, 26
 - Background Eraser tool, **207**

- Background From Layer option, 102
- Background layers, **101–102**
- Background settings
 - for printing, 343
 - for Web images, **579–580**
- Background Swatch option, 207
- Background Swatch samples, 205
- backgrounds
 - for HTML files, 576
 - in ImageReady, **612, 612**
 - margin-style, **561–563, 561–563**
 - in printing, 343
 - for Seahorse project, **239–244, 240–244**
 - seamless, **564–565, 564–566**
 - in Web images, **579–580**
- badges.psd file, 603, 603
- balancing color, **369**
 - Channel Mixer for, **372–373**
 - Color Balance for, **370, 371**
 - in photo retouching, **431**
 - Selective Color for, **371, 371**
- Band_Silhouettes.psd file, 640, 640–641
- Banners option, 542
- base color, **231, 232**
- Baseball_Player.ai file, 638, 639
- Baseline option, 569
- Baseline Optimized option, 569
- Baseline Shift option, 133
- baseline shifts in type, **128, 128, 133**
- Basic or Advanced option, 450
- Basic workspace, 42
- Batch dialog box, 530–532, 531
- batch processing, **530–533, 531**
 - error processing in, **533**
 - file naming in, **533**
- Batch Rename dialog box, 542, 543
- Beating_Heart.psd file, 593
- Beating_Heart_Animation.gif file, 596
- Beating_Heart_Animation.html file, 596
- Beating_Heart_Animation.swf file, 596
- Beating_Heart_Layers.psd file, 593
- Becky_1964.psd file, 526–527, 527
- Becky_1965.psd file, 528, 528
- Beep When Done option, 59
- Before Last setting, 138
- Beginner/Advanced scanner setting, 298
- Bend option, 153
- Best option, 446
- Bevel and Emboss style
 - for layers, **117–118, 117**
 - settings for, 154
- Bezier curves
 - for Pen tool, 14
 - for vector objects, 12, 12–13, 158, 158
- Bicubic resampling algorithm, 271
- Bicubic Sharper resampling algorithm, 272
- Bicubic Smoother resampling algorithm, 272
- big_bug.psd file, 251, 251, 256
- Big City Night image, **402, 403**
 - brightness curves for, **406, 406**
 - CMYK images for, **411**
 - color matching in, **409, 409–410**
 - color replacement in, **410**
 - color settings for, **404, 404**
 - cropping, **404**
 - level adjustments in, **405, 407**
 - noise in, **408, 409**
 - Photo Filter for, **407–408, 409**
 - Shadow/Highlight for, **407, 408**
 - sizing, **404–405, 405**
 - starting, **402–403, 403**
 - Unsharp Mask filter for, **410, 411**
- big_city_night.psd file, 402–403, 403
- Bilinear resampling algorithm, 271
- Bio_rollover.psd file, 597, 598
- Bio_Web_Site.psd file, 588–589, 590
- bit depth, 17
 - in digitizing, **296–297**
 - of image capture devices, 290
- Bitmap dialog box, 400
- bitmap mode, **187**
- bitmaps
 - characteristics of, **13–14, 13**
 - for halftones, 400, 402
 - in SWF animation, 597
- black_cat.psd file, 510–511, 510–511
- Black Clip field, 354
- Black option for fill patterns, 215
- Black Point Compensation rendering intent, **335**
- black points in tonality, 357, **359–362, 362**
- blast of wind effect, 467
- Bleed setting, 343
- Blend Clipped Layers as Group option, 114
- Blend If option, 115
- Blend Interior Effects as Group option, 114
- Blend RGB Colors Using Gamma setting, 336
- blending
 - colors, **336**
 - layers, **113–115, 113–114**
- Blending Mode setting, 220
- blending modes
 - in Apply Image, 550
 - for color, 201
 - for filling, 217
 - for layer-based compositing, 546
 - for stroking, 220
 - for USM filter, **379**
- Blending setting, 550
- Bloat tool, 475
- Blue channel in digital photographs, 300
- blue-yellow component in Lab color mode, 187
- Blues option for hue adjustments, 383
- Blur filter, 148, 149, 441
 - for highlighting, 233
 - purpose of, **208**
- blur filters, **441–448, 442–448**
- Blur More filter, 441
- BMP file format
 - characteristics of, **13–14, 13**
 - for halftones, 400, 402
 - in SWF animation, 597
- Border setting
 - for printing, 343
 - for selecting, 84, 84
- Bottom alignment option, 136
- Bottom Edges alignment option, 166
- bounding boxes
 - for layers, 148, 148, **151–152, 153**
 - for printing, 343
 - for type, **131, 131**
- Box Blur, **442, 442**

- Bridge, 5–6, 5
 - automation in, 542, 543
 - for managing files, 21–24, 23–24
 - settings for, 68–70, 69–70
- bright white in CMYK, 337
- brightness
 - in Color Picker, 190
 - for curves, 364
 - global adjustments to, 354
 - in Grayscale mode, 187
 - in HSB color model, 186
 - in selections, 82
- brightness bar, 364
- Brightness/Contrast dialog box, 354
- Brightness setting, 190
- Bring Forward option, 105
- Bring To Front option, 105
- browsing files, 21–24, 23–24
- Brush Name dialog box, 196, 197
- Brush Naming dialog box, 196
- Brush Preset Picker, 195, 196
- Brush Presets, 195, 196
- Brush Size setting, 494
- Brush Strokes filters, 468
- Brush Tip Shapes option, 196
- Brush tool, 45, 46, 201–202
 - for eyes, 239, 239
 - for Vanishing Point filter, 479, 480
- brushes, 195–196
 - creating, 196, 197
 - editing, 196–197, 197
 - for extractions, 494
 - options for, 198–200, 199–200
 - saving, 19, 197–198
- Brushes palette, 196, 197
- bubbles, creating, 243–244, 244
- Burn tool
 - purpose of, 209
 - for shading, 232, 233
- butterfly photograph
 - duplicating, 95–96, 95–96
 - scaling and rotating, 97, 97
 - selecting, 96–97
- B&W or Color setting, 298
- **C**
- Cache Level value, 349
- Cache Levels setting, 67
- caching
 - information on, 349
 - settings for, 67
- calculations
 - in combining images, 552–554, 553–554
 - GUI for, 36
- Calculations dialog box, 552–554, 553
- calibrating monitors, 71–74, 72–74, 318–322, 321–322
- calibration bars for printing, 344
- Calibration Bars setting, 344
- camera.psd file, 611
- Camera raw option, 309–310, 310–311
- camera selection in digital camera ad, 92, 92
- cameras, 267, 267
 - characteristics of, 292–293
 - digital camera ad. *See* digital camera ad
 - raw images from, 309–310, 310–311
- Cancel option
 - in dialog boxes, 40
 - for transformation operations, 285
 - for type, 130
- canvas
 - rotating, 280, 280
 - size of, 278–279, 279–280, 564–565, 565
- Canvas Size dialog box, 278–279, 279, 564–565, 565
- Captions setting, 344
- Cascade option, 41
- Case option, 134
- Case Sensitive option, 141
- casting shadows, 510–511, 510–511
- CCDs (charge-coupled devices), 292, 299–300
- Cell Size slider, 465
- Center option, 136
- center points on rotating, 283
- centering
 - images, 48
 - type, 136
- Change Text Orientation option, 134
- channel-based compositing, 549
- Channel Control option, 301
- Channel Mixer feature, 254–255, 372, 372
 - for optimal grayscales, 373–374
 - for swapping colors, 372–373
- Channel Options dialog box, 249–250, 249
- Channel setting
 - for Apply Image, 549
 - for Save Selection, 248
- channels, 14–15, 184, 245–246, 257
 - blending, 114
 - for brightness curves, 366
 - cleaning up, 261–262, 262
 - deleting, 253
 - in digital photographs, 299–300
 - duplicating, 253, 262
 - editing, 251–252, 251
 - and file size, 246
 - in Lab color mode, 187
 - loading selections as, 250–251
 - merging, 254
 - mixing, 254–255, 372–374, 372
 - Multichannels, 254
 - options for, 249–250, 249
 - in RGB color mode, 186
 - saving selections as, 28, 247–248, 247–248, 261–262
 - for selections, 486–488, 486–488
 - splitting, 253
 - spot color, 255
 - for tonality, 358–359
 - viewing, 248–249, 248
- Channels option, 15, 114, 246
- Channels palette, 15
 - information in, 246–247, 247
 - saving selections to, 247–248, 247–248
- Character option, 132
- Character palette, 132–135, 133
- Character/Paragraph option, 130
- charge-coupled devices (CCDs), 292, 299–300
- Check Spelling dialog box, 140–141, 141
- chiles.psd file, 492, 493
- chiles_CMYK.psd file, 492, 493
- chroma in HSB color model, 186
- CIE Lab color mode, 187
- CIE RGB color working space, 327

- Circle option, 179
- city graphic
 - channels in
 - duplicating, **262**
 - saving and cleaning up, **261–262, 262**
 - selections in
 - filtering and filling, **262–263, 263**
 - sky, **259–261, 259–261**
 - starting, **257, 258**
- city_street.psd file, 409
- cleaning up channels, **261–262, 262**
- Cleanup tool, **496**
- Clear Guides option, 52
- Clear History option, 227
- Clear setting for Diffuse Glow filter, 458
- Click option for rollovers, 599
- clients, communicating with, **19–20**
- Clipboard
 - creating documents from, **27**
 - setting for, 58
- clipping masks, **508–509, 508–509, 519–520, 520**
- Clipping Path dialog box, 174–175, 175
- clipping paths, **174–176, 174–176**
- clone_practice.psd file, 419, 419
- cloning and Clone Stamp tool
 - for photo restoration, **431–432, 433**
 - for photo retouching, **419–420, 419**
 - textures, **203, 203**
 - for Vanishing Point filter, **482–484, 483–484**
- Close All Tags option, 578
- closed-loop color, 316
- closing paths, **163**
- Clouds filter, **468–469**
- clusters, palette, **43**
- CLUTs (color lookup tables), 187
- CMOS (complementary metal-oxide semiconductor) chips, 292, 299
- CMYK color mode, **186**
- CMYK (cyan, magenta, yellow, or black) color system and images
 - brightness curves for, 364
 - converting, **338–340, 339–340, 411**
 - gamut limitations in, **191**
 - previewing, **336–337, 337**
 - specifying, **191**
- CMYK color working space, **328–329**
- CMYK setting, 351
- coffee_time.psd file, 504–505, 504–505
- color, **183**
 - balancing, **369**
 - Channel Mixer for, **372–373**
 - Color Balance for, **370, 371**
 - in photo retouching, **431, 432**
 - Selective Color for, **371, 371**
 - blending, 201, **336**
 - brushes for, **195–200, 196–197**
 - channels for. *See* channels choosing, **189**
 - color palettes for, **193–194, 193**
 - Color Picker for, **189, 190–193, 192**
 - custom, **192–193, 192**
 - in digital cameras, 267
 - editing tools for, **202–209, 203, 206**
 - excluding, **547–549, 548–549**
 - filling, **214–218, 215–216, 218**
 - gradients. *See* gradients
 - for grids, 52
 - for guides, 52
 - in halftone screens, 268
 - for Illustrator files, 644
 - managing. *See* color management
 - mapping. *See* color-mapping operations
 - models and modes, **184–188**
 - painting tools for, **201–202**
 - paths for, **170–171, 170–171**
 - patterns for, **214**
 - Photo Filter for, **368, 368, 407–408, 409**
 - in photos, 416, **431, 435–436, 436**
 - saving, **19**
 - with scanners, 298
 - stroking for, **219–220, 219–220**
 - in SWF animation, 596
 - and tonality. *See* tonality
 - trimming, **278, 279**
 - in Web design, **191–192, 192, 351, 563**
 - for Web images, 579
- Color and Tonal Correction workspace, 42
- Color Balance dialog box, **370, 371**
- Color Blending Modes setting, 201
- Color Channels In Color option, 15, 62, 248
- Color Dynamics setting, 199, 200
- Color Halftone filter, 465
- color lookup tables (CLUTs), 187
- color management, **315**
 - advanced controls, **335–336**
 - benefits of, **316**
 - blending colors, **336**
 - color working space for, **316–317**
 - converting files, **338–340, 339–340, 411**
 - display profiles in, **318–323**
 - Embedded Profile Mismatch dialog box, **331**
 - engines in, **333, 333**
 - gamma in, **324**
 - gamut chart for, **322–324**
 - missing profiles in, **331–332, 332**
 - monitor quality in, **317–318, 317**
 - out-of-gamut colors, **337–338**
 - policies in, **330**
 - previewing CMYK, **336–337, 337**
 - printing options for, **344**
 - rendering intent, **333–335, 333**
 - settings, **328, 329, 333–336**
 - viewing environment in, **320**
- color-mapping operations, **381**
 - color matching, **387–390, 388–390, 409, 409–410**
 - color rearranging, **393–399, 394–399**
 - color replacement, **390–393, 391–392, 410**
 - colorization, **385–387, 386**
 - halftones, **399–401, 400–402**
 - hue, **382, 383**
 - lightness, **384–385**
 - saturation, **384**

- color modes, **184–188**, 188
- Color Overlay style, 118
- Color palette, **193–194**, 193
- Color Picker, 57, 189, **190–193**, 192
- color profiles, 319
- Color Range dialog box
 - for image parts, **488–490**, 489–491
 - for out-of-gamut colors, **490–493**, 492–493
- Color Reduction Algorithm option, 572
- Color Replacement tool, **205**
- Color Sampler tool, **353**, 353
- color separation, 268
- Color setting
 - for stroking, 219
 - for type, 130, 133
- Color Settings dialog box, 328–336, 329
 - for Big City Night image, **404**, 404
 - for color working space, **74**, 74, 327
 - for dot gain, 340
- color stops, 211
- Color Table, 573
- color working space (CWS), **74**, 74, **316–317**
 - CMYK, **328–329**
 - RGB, **324–328**
- colored_building.psd file, 389–390
- colorimeters, **321–322**, 321–322
- colorization, **385–387**, 386
- Colorize option, 387
- ColorMatch RGB color working space, **326**
- Colors menu, 572
- ColorSync RGB color working space, **326**, 327
- Column Size setting, 64
- columns
 - selecting, 80
 - size of, 64
- combining
 - images, **545**
 - Apply Image for, **549–552**, 549–552
 - calculations in, **552–554**, 553–554
 - channel-based
 - compositing, **549**
 - excluding colors in, **547–549**, 548–549
 - layer-based compositing, **546–547**, 546
 - paths, **168**
 - Commit option, 130
 - communicating with clients, **19–20**
 - compatibility
 - platform, **31–32**
 - software, **32**
 - Web colors, **191–192**, 192, **563**
 - complementary metal-oxide semiconductor (CMOS) chips, 292, 299
 - composing text lines, **139**
 - composite channels, 246–247
 - compositing
 - alpha channels for, **631–633**, 632–633
 - channel-based, **549**
 - layer-based, **546–547**, 546
 - seamless, **507**, 507
 - Compound Shape option, 640
 - compression methods
 - GIF files, **569**
 - JPEG files, **568–569**, 569
 - PNG files, **570**
 - Compuserve GIF option, 569
 - Concavity option, 179
 - Conditional Mode Change dialog box, **537**, 537
 - conferences, **648–649**
 - Connection Forms option, 135
 - consolidating layers, **120–121**
 - Constant slider, 373
 - Constrain Proportions option, 272
 - constraining
 - proportions, **272–273**
 - in scaling, 281
 - constructive filters, **441**
 - blur, **441–448**, 442–448
 - miscellaneous, **456–457**, 456–457
 - noise, **449–452**, 449–451
 - sharpen, **452–456**, 453–455
 - Contact_Sheet folder, 538
 - Contact Sheet II dialog box, **538–539**, 538
 - Conte Crayon option, 459
 - context-sensitive palettes, 193
 - Contiguous option
 - for Background Eraser tool, 207
 - for Color Replacement tool, 205, 393
 - for Magic Eraser tool, 208
 - for Magic Wand tool, 83
 - Continuous option
 - for Background Eraser tool, 207
 - for Color Replacement tool, 205
 - continuous-tone images, 266
 - Contour Editor, 118, 118
 - Contour style, **117–118**, 118
 - Contract option, 507
 - contrast
 - Equalize for, **394**
 - global adjustments to, **354**
 - for Magnetic Pen, 164
 - in photo retouching, **424–426**, 425–427, **429–430**, 430–431
 - Contrast setting, 164
 - Control setting, 198
 - Conversion Options for color, 333
 - Convert Photoshop Layers to Objects option, 636–637
 - Convert Point tool, 159, 238
 - Convert To Paragraph Text option, 131
 - Convert To Point Text option, 131
 - Convert To Profile dialog box, 329, 338–339, 339
 - Convert To Working RGB/CMYK/Grayscale option, **330**
 - converting
 - anchor points, **167**, 167
 - backgrounds and layers, 102
 - with CMYK, 329, **338–340**, 339–340, **411**
 - paths, **171–172**
 - point and paragraph text, 131
 - through rendering intent, **333–335**, 333
 - Copy option
 - for clipboard, 27
 - for paths, 172
 - Copy Background Image When Saving option, 580

- copying
 - butterfly photograph, **95–96**, 95–96
 - channels, **253, 262**
 - with clipboard, 27
 - documents, **30**
 - from Illustrator to Photoshop, 642
 - image areas, 203
 - images to layers, **109, 109, 148, 148**
 - layers, **112**
 - paths, 165, 165, 172
 - for photo retouching, **422–423, 423–424**
 - selections, 87
 - copyrighted material, 473
 - corneas, 266
 - corner anchor points, 167, 167
 - Count value for tonality, 349
 - Cowboy_Sky.psd file, 553–554, 554
 - Cowpoke.psd file, 553–554, 553
 - Create a New Preset from This Pattern option, 218
 - Create A New Set icon, 146
 - Create Droplet dialog box, 533–534, 534
 - Create New Brush icon, 197
 - Create New Document From Current State icon, 226
 - Create Plane tool, 479, 479
 - Create Slices From Guides option, 588
 - Create Warped Text button, 153
 - crop marks, 344
 - Crop Marks setting, 344
 - Crop tool, **274–278**
 - cropping, **274–275, 275**
 - automation for, **536–537**
 - Big City Night image, **404**
 - digital camera ad, **98, 98**
 - perspective with, **278, 279**
 - in photo retouching, **429**
 - rotating with, **275–276, 277**
 - to size, **276–277, 278**
 - CRT monitors
 - calibrating, **318–322, 321–322**
 - vs. LCD, **319**
 - quality of, **317–318**
 - variability of, **318**
 - Crystallize filter, 465
 - Current Layer option, 225
 - Current Path option, 173
 - Current Size setting, 278
 - Current Tool option, 39
 - cursive fonts, 125, 125
 - cursor for tools, 44
 - Curve Fit option, 163
 - curves
 - brightness. *See* Curves dialog box
 - drawing, **160–163, 162**
 - for vector objects, 12, 12–13, 158, 158
 - Curves dialog box, **363–364, 363, 406, 407**
 - brightness bar in, **364**
 - for channels, **366**
 - color position in, **366–367, 367**
 - graph in, **364, 365**
 - graph tools in, **364, 366**
 - input and output values in, **365**
 - for lock-down curves, **366, 367**
 - saving and loading settings in, **367**
 - Custom Colors dialog box, 192–193, 192, 542
 - Custom Dot Gain dialog box, 340, 341
 - custom dot gain tables, 340, 340–341
 - custom gradients, **210–213, 212–213**
 - Custom option for rollovers, 599
 - Custom Pattern option, 401
 - Custom Pattern Picker, 234
 - Custom Proof Setup dialog box, 337, 337
 - Custom Shape Options feature, 178
 - Custom Shape tool, **180–181, 180–181**
 - Customize Proof Condition dialog box, 492, 492
 - customizing menus, **42**
 - cutting images to layers, **110, 110, 148, 148**
 - CWS (color working space), 74, 74, **316–317**
 - CMYK, **328–329**
 - RGB, **324–328**
 - cyan, magenta, yellow, or black system. *See* CMYK (cyan, magenta, yellow, or black) color system and images
 - Cyans option, 383
-
- ## D
- data sets, **600**
 - creating, **600–602, 600–602**
 - importing, **602–606, 603–606**
 - de-interlace filters, **629–630, 630**
 - deactivating
 - filters, **438**
 - layer masks, 503
 - Default Actions sets, 524
 - defaults for HTML files, 576
 - Define Brush option, 196
 - Define Custom Shape option, 181, 642
 - Define Pattern option, 214
 - Defined Proportions option, 180
 - Defined Size option, 180
 - Defringe dialog box, 488, 505, 505
 - Delete Anchor Point tool, 159, 167, 238
 - Delete Channel option, 253
 - Delete Current Channel icon, 253
 - Delete Layer option, 112
 - Delete Workspace option, 42
 - deleting
 - Actions, **530**
 - anchor points, **167**
 - channels, **253**
 - color swatches, 194
 - guides, 52
 - history states, **226–227**
 - keyboard shortcuts, 544
 - Layer Comps, **513**
 - layer masks, 504
 - layers, **112, 207**
 - paths, **169**
 - snapshots, **226**
 - workspaces, 42
 - depth
 - bit, 17, **296–297**
 - illusion of, **100–101, 100**
 - Depth Map option, 447

- Depth setting, 154
- Desaturate option, 384
- desaturating
 - images, 384
 - monitor colors, 335–336
- Descrreen/No Descrreen setting, 298
- Deselect option, 83
- design and production, new features in, 7–8, 7–8
- desktops, neutral gray, 73
- Destination setting, 421
- destructive filters, 458
 - Diffuse, 467
 - distort, 458–464, 459–464
 - Emboss, 467, 467
 - Find Edges, Glowing Edges, and Trace Contour, 466–467
 - Pixelate, 465
 - stylize, 465–466, 466
 - Wind, 467
- detectors in digital cameras, 299
- device independent color, 187
- dialog boxes, 39–40
- Diameter setting, 196
- diamond gradients, 210
- dice.psd file, 387, 388
- Difference Clouds filter, 468–469
- Diffuse filter, 467
- Diffuse Glow filter, 458
- Diffusion Dither option, 401, 402
- Digimarc filters, 473
- digital archives, 427–428, 428
- digital camera ad, 87–88
 - butterfly photograph in, 95–97, 95–97
 - camera selection in, 92, 92
 - cropping, 98, 98
 - drop shadows in, 93–94, 93–94
 - highlighting selections in, 91, 91
 - moving elements in, 90, 90–91
 - soft light effect in, 95, 95
 - starting, 88, 88–89
- digital cameras, 267, 267
 - characteristics of, 292–293
 - raw images from, 309–310, 310–311
- digital color, 184–188, 188
- digital images, 11
 - issues in, 294–297
 - raster images, 13–14, 13
 - vector graphics, 12–14, 12–13
- digital_moments.psd file, 611
- Digital Moments Studio page, 610, 611
 - animation in, 615, 615, 617, 617
 - backgrounds for, 612, 612
 - image maps in, 618, 618
 - images for, 611
 - logo in, 614–615, 614–615
 - optimization in, 622–623, 623
 - previewing in, 621, 622
 - publishing pages in, 623
 - rollovers in, 618–621, 619–621
 - slices in, 616, 616
 - starting, 611, 611
 - type in, 613, 613–614
- digital photographs, 299–300. *See also* photo retouching
 - hints for, 304, 305
 - panoramas, 306–308, 306–309
- Digital Stock profiles, 332
- digital video, 625
 - alpha channels in, 631–633, 632–633
 - aspect ratio in, 628–629, 629
 - formats in, 626–627, 627
 - new features in, 6–7
 - nonlinear editing in, 626
 - pixels in, 628, 628–629
 - preparing images for, 629–631, 630–631
 - title-safe areas for, 634, 634
- digitizer boards, 294
- Direct Selection tool, 159, 161, 166–167, 167
- direction handles
 - in Bezier curves, 158, 160
 - for paths, 167, 167
- direction of curved paths, 161–162, 162
- dirt removal from photos, 433, 434
- Discard Photoshop Settings dialog box, 54, 54
- Discontiguous option
 - for Background Eraser tool, 207
 - for Color Replacement tool, 205, 393
- Discretionary Ligatures option, 135
- Displace filter, 464
- displacement maps, 464
- Display & Cursors settings
 - for color channels, 15, 248
 - in Preferences dialog box, 62–63, 62
- Display Calibrator Assistant, 72, 72
- display fonts, 125, 125
- display modes, 50
- Display RGB color working space, 327
- disposable cameras, 293
- Distance setting, 154
- distort filters, 458–464, 459–464
- Distort option
 - for selections, 86
 - for shadows, 510, 511
 - for twirls, 149
- Distort and Perspective option, 272
- distorting images, 284, 285
- Distribute choices for path alignment, 166
- distributed color production model, 316
- Distribution option, 449
- Dither rendering intent, 335
- Dither setting, 218, 399
- Dither slider in Save For Web, 572
- dithering
 - for gradient fills, 218, 399
 - for indexed colors, 575
 - for Web images, 572–573
- Dithering Algorithm option, 572
- Divide Slice dialog box, 590, 590
- Document Dimensions option, 38
- Document Profile option, 38
- Document setting, 247
- documents
 - copying, 30
 - creating, 25–27, 25
 - information about, 38–39, 38
 - names for, 27–28
 - opening, 20–21, 20–21
 - viewing, 41
- Dodge tool
 - for highlighting, 232, 233
 - purpose of, 209
- dot gain in spot color, 340, 340–341
- Down option for rollovers, 599

dpi (dots per inch)
 for images, 266
 for scanners, 291
 drab_building.psd file, 389
 Draft option, 446
 dragging
 with layers, **110–111**
 with paths, 172
 drawing
 paths, **159**
 curved, **160–163**, 162
 Freeform Pen tool for,
163, 163
 Magnetic Pen option for,
163–164, 165
 Pen tool for, **158–160**, 160
 shapes, **178–181**, 179–181
 drivers for image capture
 devices, 290
 drop shadows
 in digital camera ad, **93–94**,
 93–94
 in layers, 150, 151
 for realistic images, 116
 Droplets, **533–534**, 534
 drum scanners, **291–292**
 Dual Brush setting, 199, 199
 duckybar.psd file, 357, 358
 Duotone mode, **188**
 Duplicate option, 30, 155
 Duplicate Channel option, 253
 Duplicate Current Frame icon,
 594–595
 Duplicate Layer dialog box, 112, 112
 Duplicate Merged Layers Only
 option, 30
 duplicate.psd file, 422, 423–424
 duplicating. *See also* copying
 channels, **253**, **262**
 layers, **112**
 dust, photo retouching for,
417–418, 418
 Dust & Scratches filter, **417–418**,
 418, 452
 dust_and_scratches.psd file, 418
 Dynamic Color Sliders option, 59
 Dynamic Locks setting, 200
 dynamic range for image capture
 devices, 290

dynamic sliders, 194
 dynamic Web elements, **591**
 animations, **593–597**,
 594–595, 597
 data sets, **600–606**, 600–606
 image maps, **592**, 592
 metadata, **607–610**, 607–609
 rollovers, **597–599**

Edge Contrast setting, 82
 Edge Highlighter tool, 494
 Edge Only option, 445
 Edge Touchup tool, **496**
 edges
 contours for, 117–118
 in extractions, 494, 496
 with Magnetic Lasso tool, 82
 with Smart Blur filter, 445
 Edit menu in Bridge, 23, 23
 Edit Plane tool, 479, 479
 editing
 Actions, **530**
 anchor points, **167**, 167
 brushes, **196–197**, 197
 channels, **251–252**, 251
 gradients, **211–212**
 history states, **226–228**
 Illustrator files, 637
 images, **300–302**, 301–303
 layers, **148–149**, 148–149
 nonlinear, **626**
 paths, **165–168**, 165–167
 Smart Objects, **502**, 502
 editing tools for color, **202–209**,
 203, 206
 effects
 filters for, **468**, 469–470
 for layers, **154–155**, 155
 efficiency, strategies for, **17–18**
 Efficiency option, 56
 Efficiency value, 39
 electric_telephone.psd file, 508–509,
 508–509
 Ellipse tool
 for eyes, 237
 options for, **179**
 Elliptical Marquee tool, **79–80**, 90

E

Email setting, 542
 Embed Color Profile option, 28
 Embed Fonts option, 597
 Embed ICC Profile option, 645
 Embed Watermark option, 473
 Embedded Profile Mismatch dialog
 box, **331**
 embedding metadata, **607–610**,
 607–609
 Emboss filter, **467**, 467
 employee_data_set.txt file, 604
 Empty Cells setting, 578–579
 empty layers, creating, **108–109**
 Emulsion Down setting, 344
 emulsions, 267
 Enable Dynamic Text option, 597
 Enable Large Document Format
 (.psb) option, 61
 Encoding option, 578
 engines, color, **333**, 333
 EPS (Encapsulated PostScript) file
 format
 for paths, 175–176, 176
 for platform compatibility, 32
 EPS Options dialog box, 175–176, 176
 Equalize command, **394**, 394
 Erase To History option, 228
 Eraser tool
 for history, 228
 operation of, **207**
 erasing modes, **207**
 errors in batch processing, **533**
 Eurostandard profile, 329
 Every-Line Composer method, 139
 excluding colors, **547–549**, 548–549
 Expand and Contract option, 85
 Export Clipboard option, 58
 Export Data Sets as Files dialog box,
 606, 606
 Export option for paths, 172
 exporting
 data sets, 606, 606
 to GIF format, **574–576**, 575
 to Illustrator, **636–638**, 636–638
 paths, 172
 Exposure dialog box, **368**, 369
 exposure in digital photographs, 304
 Extension setting, 542
 extensions, 20–21

Extract dialog box, **493–497**, 494
 extracting images, **493–495**
 refining, **496–497**
 viewing, **495**, 496
 Extrude filter, **466**, 466
 Eye-One colorimeter, **321–322**,
 321–322
 Eye-One Pro spectrophotometers, **341**
 Eyedropper tool
 for hue, 384
 for replacing color, 391–392
 for selections, 489
 for tonality, **352**
 for Vanishing Point filter, 479, 480
 eyedroppers for hue, **383–384**
 eyes
 human, **266**
 in Seahorse project, **237–239**,
 237–239

F

Face.psd file, 637–638, 637–638
 Facet filter, 465
 Fade option, 440–441
 faded photos, 416
 fading filters, **440–441**
 faux styles, 128, 134
 Feather setting, 78
 Feather Radius setting
 in converting paths, 171
 for selections, 78
 feathering in selections, **77–78**, 78
 Fibers filter, **470–471**, 470
 50% Gray option, 215
 50% Threshold option, **400–401**
 File Browser, **428**, 428
 File Compatibility settings, 61
 File Handling & Clipboard
 option, 641
 File Handling settings, 27, **60–62**, 60
 File Info dialog box, 607
 File menu in Bridge, 22, 22
 File Naming settings, **579–580**
 File Type Associations settings, 68
 Filename Compatibility settings, 579
 files
 browsing, **21–24**, 23–24
 finding, **20–21**
 formats for, **31**
 in automation, 532
 in Web design, **568–570**, 569
 names for
 in batch processing, **533**
 extensions for, 20–21
 for Web images, **579–580**
 saving, **27–30**, 27, 29,
 576–580, 577
 size of, **41**
 and channels, 246
 displaying, 38
 of documents, 26
 in ImageReady, **584**
 information field for, 38
 status bar menu for, 38–39
 Fill dialog box, 94, 94, 214–215, 215
 fill-flash, 304
 Fill from History option, 228
 Fill layers, **216**, 216
 gradient, **217–218**
 pattern, **218**
 solid color, **217**
 Fill Opacity option, 114
 Fill Path dialog box, 170, 170
 Fill Pixels feature, 178
 Fill setting, 494
 filling
 color, **214–218**, 215–216, 218
 extractions, 494
 paths, **170**, 170
 for water, **240**, 241, **242**, 243
 Filter Gallery dialog box, **439–440**,
 439–440
 Filter menu, 438
 filters, **437–438**
 activating and deactivating, **438**
 constructive, **441**
 blur, **441–448**, 442–448
 miscellaneous, **456–457**,
 456–457
 noise, **449–452**, 449–451
 sharpen, **452–456**, 453–455
 de-interlace, **629–630**, 630
 destructive, **458**
 Diffuse, **467**
 distort, **458–464**, 459–464
 Emboss, **467**, 467
 Find Edges, Glowing Edges,
 and Trace Contour,
 466–467
 Pixelate, **465**
 stylize, **465–466**, 466
 Wind, **467**
 Digimarc, **473**
 effects, **468**, 469–470
 fading, **440–441**
 Filter Gallery for, **439–440**,
 439–440
 Liquify tool, **474–477**, 474, 477
 NTSC Colors, **631**, 631
 Pattern Maker tool, **477–478**, 478
 previewing, **439**
 render, **468–472**, 469–472
 with scanners, 298
 selection, **262–263**, 263
 Vanishing Point, **478–484**,
 479–484
 video, **473**
 Find And Replace Text dialog box,
 141, 141
 Find Edges filter, 445, **466–467**
 Find Edges limits, 205
 Find Edges option, 207, 393
 Find function, 21
 finding
 files, **20–21**
 text, **141**, 141
 fine-art effects, 440
 Fit Image command, **539**
 Fit On Screen option, 50
 Fixed Aspect Ratio option, 79
 Fixed Size option
 for Custom Shape tool, 180
 for Elliptical Marquee tool, 79
 for Rectangle and Ellipse
 tools, 179
 flag.psd file, 399, 399
 Flat Image option, 645
 flatbed scanners, **291**
 flatness of clipping paths, 177
 Flatten Image option, 121, 155
 Flatten Photoshop Layers to a Single
 Image option, 636
 flattening images, **121**, 121, 155
 flesh-tone technique, **378–379**
 Flip Canvas Horizontal option, 280
 Flip Canvas Vertical option, 280
 Flip Horizontal option
 for selections, 86
 for transformations, 284

- Flip Vertical option
 - for selections, 86
 - for transformations, 284
 - Flip X setting, 196
 - Flip Y setting, 196
 - Flow setting, 202
 - Flying_Women_flat.psd file, 155
 - flying women graphic
 - layers in
 - arranging, **143–147**, *143–147*
 - creating, **148**, *148*
 - editing, **148–149**, *148–149*
 - effects for, **154–155**, *155*
 - grouping, **146–147**, *147*
 - merging, **155**, *155*
 - moving, **145**, *145–146*, **150**
 - naming, **146**
 - ordering, **147**
 - styles for, **150–151**, *151*
 - starting, **142**, *142–143*
 - text in
 - entering, **151–152**, *153*
 - warping, **153**, *153*
 - Flying_Women.psd file, **142**, *142*
 - Flying_Women_start.psd file, **142**, *142*
 - focal length in digital cameras, 293
 - Focus Spot setting, 472
 - Folder option for automation, 532
 - Folder setting, 542
 - Font setting, 130
 - Font Preview Size settings, 68
 - fonts, **125**, *125*, 130, 597
 - Force Foreground option, 495
 - foreground color
 - Color Picker for, 189
 - for fill patterns, 214
 - Swatches palette for, 194
 - Foreground Color setting, 214
 - Foreground To Transparent option, 210, 243, 244
 - Format options list, 21, *21*
 - formats, file, **31**
 - in automation, 532
 - in Web design, **568–570**, *569*
 - formats, video, **626–627**, *627*
 - Forward option, 141
 - Forward Warp tool, 475
 - 4-Up tab
 - in ImageReady, 582
 - in Save For Web, 571, 574, 575
 - Fractional Widths option, 134
 - Fractions option, 135
 - Fragment filter, 465
 - frame grabbers, 294
 - free-form selection tools, **81**
 - Lasso, **81**
 - Magic Wand, **82–83**, *82*
 - Magnetic Lasso, **81–82**
 - Polygonal Lasso, **81**
 - Free Transform option
 - in locking, 108
 - in resampling, 272
 - Free Transform tool, **286**
 - free transformations, **286**
 - Freeform Pen tool
 - drawing with, **163**, *163*
 - for paths, 159
 - Freeze Mask tool, 475
 - frequencies in halftone screens, 268
 - frequency modulated dot patterns, 268, 269, 400
 - Frequency setting
 - for Magnetic Lasso tool, 82
 - for Magnetic Pen tool, 164
 - From Center option
 - for Custom Shape tool, 180
 - for Rectangle and Ellipse tools, 179
 - full-color images, bit depth for, 17
 - Full Document option, 225
 - Full Screen display mode, 50
 - Full Screen with Menu Bars display mode, 50
 - Full Size Brush Tip option, 62–63
 - functionality of digital photographs, 300
 - Fuzziness slider
 - for replacing color, 391
 - for selections, 489
 - Gamma Wizard, **73–74**, *73*
 - gamut
 - chart for, **322–324**
 - of colors, 184
 - Gamut Warning
 - for CMYK colors, **191**, 337–338, 338, 491–492, 493
 - for Web colors, 192
 - Gamut Warning setting, 64
 - gamwarn1.tif file, 337
 - Gauss, Carl Friedrich, 442
 - Gaussian Blur filter
 - with Layer Comps, 511, *511*
 - for layers, 148, *149*
 - for noise reduction, 408, *409*
 - working with, **442–443**, *442–443*
 - Gaussian option, 449, *450*
 - ge_radio.psd file, 282–285, 282–283, 285
 - General Blending area, 113
 - General settings
 - for Bridge, 68, *69*
 - for history, 224
 - for PDF files, 536, *536*
 - in Preferences dialog box, **57–59**, *57*
 - Generate Again option, 478
 - Generate CSS option, 579
 - Generate HTML option, 596
 - Generate Table option, 578
 - Genuine Fractals plug-in, 272
 - Get Info window, 20
 - GIF (Graphics Interchange Format) file format
 - in ImageReady, **581**, *582*
 - for animation, **594–595**, *594–595*
 - transparent, **584–585**, *585*
 - in Web design
 - exporting to, **574–576**, *575*
 - working with, **569**
 - giraffe.psd file, 366
 - Glass filter, **458–459**
 - Glow setting, 458
 - Glowing Edges filter, **466–467**
 - Glyph Scaling setting, 138
 - golf poster graphic, **513**
 - clipping masks in, **519–520**, *520*
 - golfer in, **514–516**, *515*
-
- G**
- gamma
 - in color management, **324**
 - in ink-jet printers, 341
 - in monitors, **73–74**, *73*

- Layer Comps for, **520–521**, 520–521
- scripts for, 521
- shadows in, **516**, 516–517
- vector masks in, **517–519**, 517–518
- golfer.psd file, 514, 514
- Good option for Radial Blur filter, 446
- Gradient Editor, 210–212, 212
- Gradient Fill dialog box, 218, 218
- gradient fill layers, **217–218**
- Gradient Map dialog box, **399**, 399
- Gradient option, 217
- Gradient Overlay style, 118–119
- Gradient Picker panel, 210
- gradient swatch, 210
- gradients
 - applying, **213–214**
 - choosing, **210**, 210
 - color, **239–240**, 240, **398–399**, 399
 - creating, **210–213**, 212–213
- gradual_fade.psd file, 424, 425–427
- Graininess setting, 458
- graphical user interfaces (GUIs), **36–39**, 38
- Graphics Interchange Format (GIF) file format
 - in ImageReady, **581**, 582
 - for animation, **594–595**, 594–595
 - transparent, **584–585**, 585
- in Web design
 - exporting to, **574–576**, 575
 - working with, **569**
- grass.psd file, 435
- gray desktops, 73
- Grayscale images
 - bit depth for, 17
 - for halftones, 400
 - optimal, **373–374**
 - profiles for, **339**
- Grayscale mode, **187**, 188
- Grayscale setting, 351
- green-red component in Lab color mode, 187
- Greens option for hue adjustments, 383

- grids, **52**, 52, 65
- Group Into Smart Object option, 500
- Group Properties dialog box, 146
- Group Slice Into Table option, 589
- grouping layers, **106–107**, 107, **146–147**, 147
- Grow option, 85
- guides, **51–52**, 51
- Guides Grid & Slices settings, **65**, 65
- GUIs (graphical user interfaces), **36–39**, 38

- Halftone Screen option, 401, 402
- halftone screens, 266, **268**, 268, 274
- halftones, creating, **399–401**, 400–402
- Hand tool, 475
 - for scrolling, 47
 - toggling, 48
 - for Vanishing Point filter, 479, 480
- Hands_On_4_start.psd file, 257, 258
- hanging punctuation, 137
- Hard Light option, 508
- Hardness setting for brushes, 197
- hardware requirements, 4
- HDR (high dynamic range) editing, **302**, 302
- headshots.psd file, 600
- heal_me_patch_me.psd file, 420–421, 420–421
- Healing Brush tool, **204**, 205, **420**, 420, 432, 433
- Heavenly_Roses.psd file, 547–549, 548–549
- Height setting
 - for canvas, 279
 - for Crop tool, 277
 - for Emboss filter, 467
 - for Resize Image Assistant, 274
- help for image size, **273–274**, 273–274
- Help menu in Bridge, 24, 24
- Hide All option, 503
- Hide Preview option, 20
- Hide Selection Edges option, 84

H

- hiding
 - grids, 52
 - guides, 51
 - layers, 103, 503
 - selection borders, 84
 - thumbnails, 20
- high-bit images, 297
- high dynamic range (HDR) editing, **302**, 302
- high key images for tonality, 349, 350
- High Pass filter, **457**, 457
- highlight points in tonality, **359–360**
- Highlight setting, 494
- highlighting
 - adjusting, **368–369**, 369–370, 407, 408
 - for color balance, 370
 - for extractions, 494
 - for eyes, **239**, 239
 - for Seahorse project, **232–233**, 233
 - selections, **91**, 91
- Highlights option, 370
- histograms for tonality, **348–349**, 348–350
- history, **221**
 - logs for, **244**
 - options for, **225**
 - snapshots for, **225–226**, 225
 - states in, **223**, 223
 - changing, **224**
 - editing, **226–228**
 - increasing, **224**
- History Brush tool, **206**, **227**, 234
- History option, 215, 224
- History Options window, 225
- History palette, **224**, 224
- History States setting, 58, 224
- Horizontal Centers option, 166
- Horizontal Distortion option, 153
- horizontal scale for type, **127**, 127
- hotspots, 592
- HSB color model, **186**
- HSB setting, 351
- HTML And Images option, 583
- HTML files in Web design, **576–580**, 577
- HTML Only option, 583
- HTML settings, **578**

- hue
 - adjusting, **382–383**
 - changing, **382, 383**
 - in Color Picker, **189**
 - eyedroppers for, **383–384**
 - in HSB color model, 186
 - Hue/Saturation dialog box, 382, 382
 - for colorization, **385–387**
 - for hue
 - adjusting, **382–383**
 - changing, **382, 383**
 - eyedroppers for, **383–384**
 - for lightness, **384–385**
 - for matching colors, **387–390, 388**
 - for out-of-gamut colors, 493, 493
 - for saturation, **384**
 - Hue setting in Color Picker, **189**
 - Hue slider for colorization, 382, 387
 - Hyphen Limit setting, 138
 - Hyphenate Capitalized Words
 - option, 139
 - hyphenating text, **138–139, 138**
 - Hyphenation dialog box, 138, 138
 - Hyphenation Zone setting, 138
-
- ICC (International Color Consortium), 74, 316, 332
 - Ignore EXIF sRGB Tag option, 61
 - illusion of depth, **100–101, 100**
 - Illustrator program, **635**
 - exporting PSD files from, **643–645, 643–645**
 - moving objects from, **641–642, 641–643**
 - moving objects to, **640, 640–641**
 - opening files in, **636–638, 636–638**
 - paths to, 172, **638, 639**
 - Image Cache settings, **67**
 - Image Map palette, 592
 - image maps, **592, 592, 618, 618**
 - Image Options setting, 569
 - Image Previews setting, 60
 - Image Size dialog box, 270–271, 270
 - Image Size palette, 573
 - image window, 37, 38
 - ImageReady program, **558–559, 610, 611**
 - animation in, **593–597, 594–595, 615, 615, 617, 617**
 - background images in, **612, 612**
 - for data sets, **600–606, 600–606**
 - file size information in, **584**
 - for GIFs, **581, 582**
 - for animation, **594–595, 594–595**
 - transparent, **584–585, 585**
 - image maps in, **592, 592, 618, 618**
 - for JPEGs, **582–583, 583**
 - logo in, **614–615, 614–615**
 - matting in, **586–587, 586–587**
 - for metadata, **607–610, 607–609**
 - new features in, **10, 10**
 - object-based user interface in, **559–561, 560–561**
 - optimizing graphics in, **580–581, 580, 622–623, 623**
 - previewing in, 580, **621, 622**
 - publishing pages in, **623**
 - rollovers in, **597–599, 598, 618–621, 619–621**
 - slicing graphics in, **587–588, 588–590**
 - for SWF animation, **595–597, 597**
 - for tables, **589–590, 589–590**
 - transparency in, **584–586, 585**
 - type in, **613, 613–614**
- images
 - caching
 - information on, 349
 - settings for, **67**
 - combining. *See* combining
 - copying to layers, **109, 109, 148, 148**
 - cutting to layers, **110, 110, 148, 148**
 - displaying
 - Display modes for, **50**
 - navigation shortcuts, **48–49**
 - Navigator for, 49, 49
 - scrolling, **47–48**
 - View menu for, **50**
 - Zoom tool for, **47**
 - editing, **300–302, 301–303**
 - extracting, **493–497, 494**
 - flattening, **121, 121, 155**
 - scaling, **281–282, 282**
 - size of, **265**
 - and canvas, **278–279, 279–280**
 - cropping, **274–278, 276–278**
 - help for, **273–274, 273–274**
 - and resolution, **266–274, 267–274**
 - trimming, **278, 279**
 - in Web design, 573
 - slices of, **587–588, 588–590, 616, 616**
 - Images Only option, 583
 - Import option, 531
 - Import Hidden Layers option, 636
 - Import Image Maps option, 636
 - Import menu, 298
 - Import Slices option, 636
 - Import Variable Data Sets, 604, 604
 - importing
 - data sets, **602–606, 603–606**
 - from Illustrator, **643–645, 643–645**
 - paths, 172
 - scanned images, 25
 - Impressionist effects, 206, 228
 - in betweening, 595
 - Include All Subfolders option, 532
 - Include Comments setting, 578
 - Include Copyright option, 580
 - Include Reference to Source File
 - option, 610
 - Include Zero Margins on Body Tag
 - option, 578
 - Indent First Line option, 136
 - Indent Left Margin option, 136
 - Indent Right Margin option, 136
 - Indent setting, 578
 - Indent Sides By option, 179
 - indenting
 - HTML code, 578
 - paragraphs, **136**
 - Indexed Color dialog box, 569
 - Indexed color images
 - bit depth for, 17
 - in Web design, 569, 574

Indexed color mode, **187**

Info option, 387

Info palette

for color matching, 387

for tonality, **350–351**, 351

Info Palette Options dialog box, 351, 352

information about documents, **38–39**, 38

ink black in CMYK, **337**

ink-jet printers

printing from, **341–342**

resolution of, **268–269**, 269, 400

Inner Glow style, 117

Inner Shadow style, 116, 154, 155

Inner Title Safe Areas, 634

input levels for brightness curves, **364–365**

Insert Menu Item dialog box, 530, 530

Insert Stop option, 529

intent, rendering, **333–335**, 333

interface

GUIs, **36–39**, 38

for image capture devices, 290
in ImageReady program,

559–561, 560–561

interlaced images, 627, 627

Interlaced option, 573

interlacing Web images, 573

International Color Consortium (ICC), 74, 316, 332

interpolation and Interpolation setting

in digitizing, 296

for images, 57

for printing, 344

in resampling, 272

with scanners, 291

Intersect With Channel option, 248

Intersect With Selection option, 77

for Load Selection, 250

for Make Selection, 171

Inverse option, 84, 84

Invert option

for Apply Image, 549

for negatives, **394–395**, 395

for selections, 489

Iris option, 447

iris.psd file, 495, 496

ISO 3664 standard, 320

jaggies, 12

Japan Standard profile, 329

Jitter setting, 198

joining palettes, 43

JPEG (Joint Photographic Experts Group) file format

ImageReady for, **582–583**, 583

for platform compatibility, 32

in SWF animation, 597

in Web design, **568–569**, 569

JPEG Options dialog box, 568–569, 569

justifying type, **136–138**, 137

Kaleidoscope Tile option, **566–567**, 567

Kelvin unit, 326

Kerning, **127**, 127

guidelines for, 128

setting, 132

Kerning option, 132

keyboard shortcuts, **543–544**, 544

Keyboard Shortcuts and Menu dialog box, 543, 544

keyboards

for scrolling, 47–48

Windows vs. Macintosh, 32

keywords in File Browser, 24

Kloskowski, Matt, **10**

Knockout option, 114

knockouts for layer blending, 114

Lab color mode, **187**, **379**

Lab setting in Info palette, 351

labels for printing, 344

Labels menu in Bridge, 23, 23

Labels settings

for Bridge, 68

in printing, 344

Language option, 133

Large Images option, 542

larger objects in depth, 100

Lasso tool, **81**

launching Photoshop, **34–36**, 34–35

layer-based compositing, 546

layer-based image maps, 592

Layer Comps, **511–512**, 512–513

applying and viewing, **512**

deleting, **513**

for Illustrator files, 636

updating and restoring, **512–513**
working with, **520–521**, 520–521

Layer Comps To Files dialog box, 520, 521

Layer From Background option, 102

Layer Mask setting, 115, 248

layer masks

controlling, **503–504**

creating, **502–503**, 504–505

saving selections as, 248

Smart Objects for, **500–502**

Layer Properties dialog box, 109

layer sets, **106–107**

Layer setting for Apply Image, 549

Layer Style dialog box, 113, 114, 116, 116, 119, 154

Layer Via Copy option, 109, 109, 148

Layer Via Cut option, 110, 110

layers, **99**, **142**, **499**

arranging, 105, **143–147**, 143–147

background, **101–102**

blending, **113–115**, 113–114

for clipping masks, **519–520**, 520

consolidating, **120–121**

copying images to, **109**, 109, **148**, 148

creating, **108–111**, 109–111

cutting images to, **110**, 110, **148**, 148

deleting, **112**, 207

for depth, **100–101**, 100

dragging with, **110–111**

duplicating, 112

editing, **148–149**, 148–149

effects for, **154–155**, 155

fill, **216–218**, 216, 218

for golf poster graphic, **513–521**, 514–521

grouping, **106–107**, 107, **146–147**, 147

linking, **105–106**, 105

locking, 101, 107, **108**

merging, **120–121**, **155**, 155

moving, **145**, 145–146, **150**

- names for, **102, 146**
 - opacity of, **103–104, 104**
 - order of, **104–105, 105, 147**
 - saving, 28
 - for seamless compositing, **507, 507**
 - for shadows, **510–511, 510–511, 516, 516–517**
 - styles of, **115–119, 115–118, 150–151, 151**
 - transparency of, **103–104, 104**
 - Type, **120**
 - and vector masks, **517–519, 517–518**
 - viewing, **103, 103**
 - Layers option, 101
 - Layers palette, **101, 101**
 - Layers Palette Options dialog box, 103, 103
 - LCD (liquid crystal display) monitors, **319**
 - loading, **126**
 - guidelines for, 128
 - setting, 133
 - Leading option, 133
 - leaflesstree.psd file, 486–487, 486–487
 - learjet.psd file, 362, 362
 - Leave As Is setting, 331
 - Left alignment options, 136
 - Left Edges alignment options, 166
 - Legacy Photoshop Serial Number setting, 65
 - Length option for Line tool, 179
 - Lens Blur filter, **446–448, 448**
 - Lens Correction filter, **459**
 - Lens Flare filter, 470–471
 - lenses in digital cameras, 293
 - Letter Spacing setting, 138
 - Level value for tonality, 349
 - Levels tool
 - black and white points in, **359–362, 362**
 - highlight and shadow points in, **359–360**
 - saving and loading settings for, **362–363**
 - for tonality, **356–363, 358–360, 405, 406**
 - LFX_Dummy.psd file, 472, 472
 - Liberty.psd file, 582–584, 583, 585
 - libraries for Shape Blur filter, 444
 - ligatures
 - guidelines for, 129
 - setting, 135
 - Ligatures option, 135
 - light effect in digital camera ad, **95, 95**
 - Lighting Effects filter, **471–472, 471–472**
 - lightness, adjusting, **384–385**
 - lightness channel, 187
 - Lightness slider, 384–385
 - LightWave program, 631
 - Limits menu for color replacement, 393
 - Limits settings, 205
 - Line Endings setting, 578
 - line frequencies in halftone screens, 268
 - line segments in Bezier curves, 158
 - Line tool, **179, 180**
 - linear gradients, 210
 - Linear Light blending mode, 508
 - lines, creating, **176**
 - lines per inch (lpi) for halftone screens, 266
 - Link With Layer option
 - for gradient fills, 218
 - for textural style, 118
 - linked layers
 - linking, **105–106, 105**
 - moving, **145, 146**
 - liquid crystal display (LCD) monitors, **319**
 - Liquify tool, **474–477, 474, 477**
 - Listerine_halftone.psd file, 551–552, 552
 - Listerine_poster.psd file, 551, 552
 - little_monkey.psd file, 270–271
 - Live Preview feature, 580
 - Load Channel As Selection icon, 251
 - Load Selection dialog box, 250
 - Load Texture dialog, 458–459
 - loading
 - Actions, **529**
 - brightness curve settings, 367
 - Levels settings, 364
 - selections as alpha channels, **250–251**
 - swatch palettes, 194
 - textures, 458–459
 - Location setting for stroking, 219
 - Lock All option, 109
 - lock-down curves, **366, 367**
 - Lock Guides option, 52
 - Lock Image Pixels option, 109
 - Lock option for layers, 101
 - Lock Position option, 109
 - Lock Transparent Pixels option, 109
 - lockdown_curve.acv file, 366
 - locking
 - guides, 52
 - layers, 101, 107, **108**
 - Log Errors To File option, 533
 - Logo.psd file, 614, 614
 - logos in ImageReady program, **614–615, 614–615**
 - logs for History, **244**
 - Lossless-8 option, 597
 - Lossless-32 option, 597
 - lossless compression, 569
 - lossy compression, 568, 572
 - Lossy option, 572
 - low key images for tonality, 349, 350
 - lpi (lines per inch) for halftone screens, 266
 - luminance channel in Lab color mode, 187
 - luminosity in Grayscale mode, 187
-
- M**
- Macintosh vs. Windows, **31–32**
 - magazines, **648**
 - Magentas option for hue adjustments, 383
 - Magic Eraser tool, **208**
 - Magic Wand tool, **82–83, 82**
 - Magnetic Lasso tool, **81–82**
 - Magnetic Pen option, **163–164, 165**
 - Magnification Box in Navigator, 49
 - Make Selection dialog box, 171
 - Make Snapshot option, 228
 - Make Work Path option, 172
 - Make Work Path From Selection option, 172
 - mallard.psd file, 574–575, 575, 581, 582

- mandrill.psd file, 275–277, 276–278
 - maps
 - color. *See* color-mapping operations
 - gradient, **398–399**, 399
 - image, **592**, 592
 - marching ants border, 76
 - margin-style backgrounds, **561–563**, 561–563
 - margin_texture.psd file, 562
 - Marquee Plane tool, 479, 479
 - Mask option, 475–476, 550
 - Masked Areas option, 250
 - masks, **76**
 - for Adjustment layers, **375–376**
 - for brushes, 475
 - clipping, **519–520**, 520
 - in combining images, 550
 - layer
 - controlling, **503–504**
 - creating, **502–503**, 504–505
 - saving selections as, 248
 - Match Color dialog box, 389, 389
 - Match Zoom option, 41
 - matching colors, **387–390**, 388–390, **409**, 409–410
 - matte color, 569
 - matting
 - for composites, **507**
 - in ImageReady program, **586–587**, 586–587
 - Maximize PSD File Compatibility option, 61
 - Maximum Editability option, 645
 - Maximum filter, **456–457**
 - Maximum Used By Photoshop field, 55
 - Mean value for tonality, 349
 - Median filter, 452, 452–453
 - Median value for tonality, 349
 - megapixels in digital cameras, 292, 299
 - memory
 - allocating, **55–56**
 - for history, 224
 - purging, **67**
 - Memory & Image Cache preferences, 55, 56, **67**
 - Memory Usage setting, 67
 - menus
 - accessing, **39–40**, 40
 - customizing, **42**
 - Merced1.jpg file, 307
 - Merge Channels option, 254
 - Merge Down feature, **121**
 - Merge To HDR dialog box, **302**, 302
 - Merge Visible option, 121, 155
 - Merged Layers option, 225
 - merging
 - channels, **254**
 - to HDR, **302**, 302
 - layers, **120–121**, **155**, 155
 - metadata, **607**
 - for Bridge, 68, 69
 - in File Browser, 24, 25
 - output settings for, **610**
 - saving, **607–610**, 607–609
 - Mezzotint filter, 465
 - midpoints of gradients, 211
 - Midtones option, 370
 - Millions Of Colors option, 17
 - Minimize button for palettes, 43
 - Minimum filter, **456–457**
 - Minus Eyedropper tool
 - for hue, 384
 - for replacing color, 391
 - for selections, 489
 - Mirror tool, 475
 - missing elements, photo retouching
 - for, 416, **418–423**, 419–420, **434–435**, 435
 - missing profiles, **331–332**, 332
 - mixing channels, **254–255**, **372**, 372
 - for optimal grayscales, **373–374**
 - for swapping colors, **372–373**
 - Mode option, 178, 184, 205
 - modes and models
 - in automation, **537**, 537
 - blending. *See* blending modes
 - choosing, 26
 - color, **184–188**, 188
 - for Color Replacement tool, 205
 - display, **50**
 - erasing, **207**
 - in image capture devices, 290
 - information field for, 38
 - Modify option, 84–85
 - moire patterns, **297**, 297, 401
 - monitors
 - calibrating, **71–74**, 72–74, **318–322**, 321–322
 - desaturating colors on, **335–336**
 - profiles for, **318–323**
 - quality of, **317–318**, 317
 - resolution of, 266, **269**
 - variability of, **318**
 - Monochromatic option, 449
 - monotype characters, 125, 125
 - Mosaic filter, 465
 - Mosaic Tiles filter, 466
 - Motion Blur filter, 441, 445–446, 445, 447
 - Move option, 85
 - Move tool, **286–287**, 287
 - moving
 - Actions, **530**
 - digital camera ad elements, **90**, 90–91
 - guides, 52
 - image window, 37
 - layer masks, 504
 - layers, **145**, 145–146, **150**
 - objects from Illustrator, **641–642**, 641–643
 - objects to Illustrator, **640**, 640–641
 - selections, 85–87
 - vector masks, **518–519**, 519
 - Multichannel mode, **188**, 254
 - multilevel transparency, 570
 - multiple windows, 41
-
- N**
- names
 - for brushes, 196–197
 - for data sets, 606, 606
 - for documents, 27–28
 - for files
 - in batch processing, **533**
 - extensions for, 20–21
 - for Web images, **579–580**
 - for gradients, 213
 - for layers, **102**, **146**
 - for paths, 169
 - for swatch palettes, 194

- National Association of Photoshop Professionals (NAPP), 647
 - navigation, shortcuts for, **48–49**
 - Navigator palette, **49, 49**
 - Nearest Neighbor resampling algorithm, 271
 - Negative setting, 344
 - negatives
 - Invert for, **394–395, 395**
 - printing, 344
 - nesting layer sets, 107
 - neutral gray desktops, **73**
 - New Action option, 526
 - New Adjustment Layer option, 374–375
 - New Channel icon, 248, 253
 - New dialog box, 25–26, 25, 561, 561
 - New Document dialog box, 27, 611, 611
 - New Document Preset dialog box, 26–27, 27
 - New Document Preset Resolution setting, 64
 - new features, **3–10, 5, 7–10**
 - New Fill Layer option, 217–218
 - New Frame option, 595
 - New Group dialog box, 107, 107
 - New Guide option, 52
 - New Layer-Based Image Map Area, 592
 - New Layer dialog box
 - for Adjustment layers, 374
 - for Background layers, 102, 102
 - for empty layers, 108–109
 - for fill layers, 217–218
 - New Layer Comp dialog box, 512, 520, 520
 - New Layer icon, 112
 - New Layer Set dialog box, 107
 - New option for documents, 27
 - New Path icon, 169
 - New Selection option, 77
 - in converting paths, 171
 - for Load Selection, 251
 - New Set dialog box, 526, 526
 - New Size setting, 278
 - New Snapshot dialog box, 225
 - New Style option, 119
 - New Tool Preset dialog box, 45–46, 46
 - New Window option, 41
 - newsgroups, **652**
 - Nikon cameras, 310
 - 90 degree CCW option, 280
 - 90 degree CW option, 280
 - NLE (nonlinear editing) in digital video, **626**
 - No Break option, 134
 - noise
 - in Big City Night image, **408, 409**
 - in digital photographs, 300
 - in digitizing, **295**
 - noise filters, **449–452, 449–451**
 - noise gradients, **212–213, 213**
 - Noise option, 200, 200, 447
 - non-linear history states, **227**
 - nonlinear editing (NLE) in digital video, **626**
 - Normal blending mode, 201
 - Normal option, 79
 - North America General Purpose 2 setting, 328
 - Notes tool, **46, 46**
 - NTSC (North American Television Standards Committee) system, 473, 628
 - NTSC color working space, 327
 - NTSC Colors filters, **631, 631**
 - nudging selections, 87
-
- object-based user interface, **559–561, 560–561**
 - object-oriented software, 12–14
 - obliqueness of type, 126
 - Ocean Ripple filter, **460**
 - OCR (Optical Character Reading) software, 299
 - Offset filter, **456, 456**
 - Offset setting, 550
 - OK option in dialog boxes, 40
 - Old-Style Numerals option, 134
 - omni light effect type, 472
 - Once option, 207, 393
 - Once samples, 205
 - 180 degree option, 280
 - Only Web Color option, 192
 - opacity and Opacity setting
 - for Apply Image, 550
 - for Brush tool, 201–202
 - of filters, 441
 - in Info palette, 351
 - of layers, **103–104, 104**
 - for Magic Eraser tool, 208
 - for Paint Bucket tool, 215
 - for shadows, 511
 - for shapes, 178
 - for stroking, 220
 - Open dialog box, 20–21, 20–21
 - Opened Files option, 531
 - opening
 - documents, **20–21, 20–21**
 - Illustrator files, **636–638, 636–638**
 - raw images from digital cameras, **309–310, 310–311**
 - operating system requirements, 4
 - Optical Character Reading (OCR) software, 299
 - optical resolution of image capture devices, 291
 - optimal grayscales, **373–374**
 - optimization
 - in ImageReady, **580–581, 580, 622–623, 623**
 - strategies for, **17–18**
 - in Web design, **570**
 - Optimize palette, 581
 - Optimized File Format menu, 572
 - Optimized tab
 - in ImageReady, 582
 - in Save For Web, 571
 - Options bar, **45, 45**
 - for selections, **77–78, 77**
 - for shapes, **177–178, 178**
 - for Type tool, 130, 130
 - Options setting for Web Photo Gallery, 542
 - orange masks, 395
 - order of layers, **104–105, 105, 147**
 - Ordinals option, 135
 - orientation
 - of guides, 52
 - of type, 130, 134
 - Orientation option, 130

origin for measurements, 51
 Original tab, 571
 Ornaments option, 135
 Other Cursors setting, 63
 Other Dynamics setting, 199
 out-of-gamut colors
 Color Range for selecting, **490–493**, 492–493
 warnings for
 for CMYK colors, **191**, **337–338**, 491–492, 493
 for Web colors, 192
 Out option for rollovers, 599
 Outer Glow style, 117
 Outer Title Safe Areas, 634
 outline for Seahorse project, **236**, 236
 Output Channel option, 372–373
 output levels for brightness curves, **364–365**
 Output options for printing, **343–344**, 343
 Output Settings dialog box, 577–580, 577, 608, 608
 Over option, 599
 overexposure in digital
 photographs, 304
 overlap, color, 383
 Overlay Edge option, 445
 Override Action “Open” Commands option, 532
 Override Action “Save In” Commands option, 532

P

Page Setup dialog box, 38, **342**
 Paint Bucket tool, **215–216**
 painting
 for alpha channels, **251–252**, 251
 with snapshots, **228**
 Painting and Retouching workspace, 42
 Painting Cursors setting, 62
 painting tools for color, **201–202**
 PAL/SECAM color working space, 327
 PAL video format, 628
 Palette Dock, **43**
 Palette Options option, 103, 351

palettes
 clusters, **43**
 Notes tool, **46**, 46
 Options bar, **45**, 45
 organizing, **43**
 Tool, **44–45**, 44–46
 panoramas, **306–308**, 306–309
 PANTONE Matching System, 192
 paper white in CMYK, **337**
 Paragraph option, 136
 Paragraph palette, **135–139**
 paragraphs
 aligning and justifying type in, **136–138**, 137
 converting text in, 131
 indenting, **136**
 selecting, **136**
 space between, 137
 passes with image capture devices, 290
 Paste option
 for images, 27
 for paths, 172
 Paste in Illustrator option, 640
 Paste Options dialog box, 640, 640
 pasting
 from Illustrator to Photoshop, 642, 642–643
 images, 27
 paths, 172
 Patch tool, **204**, **421–422**, 422, 432, 434
 Path option, 642
 Path Selection tool, 159
 for aligning paths, **165–166**, 166
 for eyes, 238
 paths, **157–158**, 158
 aligning, **165–166**, 166
 anchor points for, **167**, 167
 clipping, **174–176**, 174–176
 closing, **163**
 combining, **168**
 converting, **171–172**
 deleting, **169**
 displaying, **169**
 drawing. *See* drawing
 editing, **165–168**, 165–167
 filling, **170**, 170
 for Illustrator, **638**, 639, 642
 importing and exporting, **172**
 reshaping, **167**, 167
 saving, **169**
 for Seahorse project, **237–239**, 237–239
 stroking, **170–171**, 170–171
 tools for, **159**, 159
 transforming, **167**
 type on, **131–132**, 131, **152–153**, 153
 vector masks for, **173**, 173
 Work Paths, **168**
 Paths feature, 178
 Paths option, 168
 Paths palette, **168–169**, 168
 Paths To Illustrator option, **30**, 172
 Pattern Dither option, 401, 402
 Pattern Fill dialog box, 218, 219
 pattern fill layers, **218**
 Pattern Maker tool, **477–478**, 478
 Pattern option, 218
 Pattern Overlay style, 119
 Pattern Stamp tool, **203**, 203
 patterns
 creating, **214**
 for fills, **218**
 for layers, 119
 Patch tool for, 421
 for water, **240**, **241**, **242**, 243
 Patterns option, 214
 PDF presentations, **535–536**, 535–536
 Pen Pressure setting, 82, **164**, 165, 198
 Pen Tilt option, 198
 Pen tool
 for eyes, 239, 239
 for paths, **158–160**, 160
 as vector tool, 14
 Pencil tool, **202**
 Per Channel tab, 450, 451
 percentage of full size information, 37
 Percentile value for tonality, 349
 perceptual rendering intent, **334**
 performance and history, 224
 perspective
 with cropping, **278**, 279
 transformations for, **284**, 287
 Vanishing Point filter for, **478–484**, 479–484

- perspective lines, 100
 - Perspective option
 - for Crop tool, 278
 - for selections, 86
 - perspectives, 100
 - Photo Filter dialog box, **368**, 368, **407–408**, 409
 - photo retouching, **415**
 - color adjustments for, **431**, **435–436**, 436
 - contrast adjustments in, **424–426**, 425–427, **429–430**, 430–431
 - cropping for, **429**
 - digital archives for, **427–428**, 428
 - dirt removal for, **433**, 434
 - dust and scratches, **417–418**, 418, **432**, 433–434
 - missing elements, **418–423**, 419–420, **434–435**, 435
 - problems encountered in, **416**, 416
 - scanning photos in, **417**
 - photography, **6–7**
 - Photomerge tool, 307–308, **307–308**
 - Photoshop Export Options dialog box, 644–645, 645
 - Photoshop folder, **34**, 34
 - Photoshop Import Options dialog box, 636–637, 636
 - PICT file format, 32
 - Picture Package dialog box, **539–540**, 540
 - Picture Package Edit Layout dialog box, 540, 541
 - Pin Light blending mode, 508
 - Pinch filter, 462, 462
 - Pixel Replacement option, 600
 - Pixelate filters, **465**
 - pixels
 - in copying from Illustrator to Photoshop, 642
 - in digital cameras, 267
 - in digital video, **628**, 628–629
 - in raster images, 13
 - in resolution, 269
 - Pixels option, 642
 - pixels per inch (ppi), 266
 - Pixels value for tonality, 349
 - Place in Photoshop option, 642
 - plant life, shapes for, **240–241**, 242
 - platform compatibility, **31–32**
 - Playback Options dialog box, 529, 529
 - player.psd file, 397, 398
 - playing annotations, 46
 - plug-ins, websites for, 649
 - Plug-Ins & Scratch Disks settings, **65–66**, 65
 - Plug-Ins folder
 - for filters, 438
 - for scanner software, 25
 - Plus Eyedropper tool
 - for hue, 384
 - for replacing color, 391
 - for selections, 489
 - PNG (Portable Network Graphic) file format, **570**
 - Point/Pica Size setting, 64
 - Point Sample option, 352
 - point text, converting to paragraph text, 131
 - Pointillize filter, 465
 - points, 126
 - points of origin in rotating, 282–283
 - Polar Coordinates filter, **463**, 463
 - policies in color management, **330**
 - Polygon tool, **179**, 179
 - Polygonal Lasso tool, **81**, 93
 - Portable Network Graphic (PNG) file format, **570**
 - position
 - on color curves, **366–367**, 367
 - in depth illusion, 100
 - information field for, 38
 - Posterize dialog box, **397–398**
 - PostScript errors with clipping paths, 177
 - PPA (Professional Photographers Association), 647
 - ppi (pixels per inch), 266
 - pre-color management, 330
 - preferences and Preferences dialog box, **54**, **56**
 - Bridge settings in, **68–70**, 69–70
 - for color channels, 15, 248
 - Display & Cursors settings in, **62–63**, 62
 - File Handling settings in, 27, **60–62**, 60
 - General settings in, **57–59**, 57
 - Guides & Grid settings in, 52
 - Guides Grid & Slices in, **65**, 65
 - for history, 224
 - in Illustrator, 641, 641
 - for memory, 55–56, 56
 - Memory & Image Cache settings in, **67**
 - in Output Settings, 577
 - Plug-Ins & Scratch Disks settings in, **65–66**, 65
 - restoring, **54**, 54
 - for rulers, **51**
 - Transparency & Gamut settings in, **63–64**, 63
 - Type settings in, **68**, 68
 - Units & Rulers settings in, 63, **64**
- Preferences folder, 54
- Preserve Appearance option, 596
- Preserve Appearance And Overprints option, 641
- Preserve Details option, 450
- Preserve Embedded Profiles option, **330**
- Preserve Luminosity option, 370
- Preserve Text Editability option, 645
- Preserve Transparency option
 - for Apply Image, 550
 - for stroking, 220
- Preset Manager
 - for gradients, 210
 - for palettes, **71**, 71
 - for patterns, 214
- Preset option for Web images, 572
- Preset Type option, 214
- presets
 - for tools, **45–46**, 45–46
 - for workspaces, **42**, 42
- Pressure setting, 208
- PressView monitors, 326
- Preview Document option, 602
- Preview menu, 571
- previewing and Preview option
 - brightness curves, 364
 - in CMYK, **336–337**, 337
 - filters, **439**

hyphenation, 139
 in Illustrator files, 636
 in ImageReady, 580, **621**, 622
 layer styles, 116
 Lens Blur filter, 447
 printing, **342–344**, 342–343
 scanner images, 298
 selections, 489
 text justification, 138
 tonality, 354
 in Web design, 571
 Print dialog box, 344–345, 345
 Print One Copy option, 344
 Print Size option, 269
 Print with Preview dialog box,
342–344, 342
 printer resolution, 266
 printing
 checklist for, **345–346**
 dialogs for, **342–345**, 342
 halftone screens for, **268**, 268
 from ink-jet printers, **268–269**,
 269, **341–342**
 previewing, **342–344**, 342–343
 professional organizations, **647**
 Professional Photographers
 Association (PPA), 647
 profiles
 assigning, 331, **339**
 converting, **338**
 display, **318–323**
 grayscale, **339**
 missing, **331–332**, 332
 spot color, **339–340**, 340
 progressive JPEG files, 569, 583
 Proof Colors option, 336, 491
 proof settings, 344
 Proof Setup dialog box, 336–337, 337
 proofing, 344
 Proportional option, 179
 proportions
 constraining, **272–273**
 setting, 179
 Protect Texture option, 200
 PSD files from Illustrator, **643–645**,
 643–645
 publishing Web pages, **623**
 Pucker tool, 475
 punctuation, hanging, 137

Purge option, 227
 purging
 history states, 226–227
 memory, **67**
 Push Left tool, 475
 Put Images In Folder option, 580

Q

Quadtones, 188
 quality
 with Auto resolution, 273
 of drop shadows, 116
 of monitors, **317–318**, 317
 with Resize Image Assistant, 274
 scanner setting for, 298
 Quality control, 116
 Quick Mask mode, **255–257**, 256,
259–261, 259–261
 Quick Mask Options dialog box,
256–257, 256, 260

R

Radial Blur filter, 441, **446**, 446–447
 radial gradients, 210
 Radius setting and slider
 for Box Blur, 442
 for Color Halftone filter, 465
 for Dust & Scratches filter, 418
 for High Pass filter, 457, 457
 for Median filter, 452
 for Minimum and Maximum
 filters, 456
 for Polygon tool, 179
 for Shadow/Highlight, **369**
 for Smart Blur filter, 444
 for Smart Sharpen filter, 452
 for Unsharp Mask filter, 377,
 454–455, 455
 random access memory (RAM)
 allocating, **55–56**
 for history, 224
 purging, **67**
 Randomize option, 461
 raster image processor (RIP), 177
 raster images
 characteristics of, **13–14**, 13
 for halftones, 400

Rasterize Generic EPS Format dialog
 box, 643, 643
 rasterizing
 for filters, 176
 for text layers, 120
 type, **140**, 140
 raw images from digital cameras,
309–310, 310–311
 Read Watermark option, 473
 rearranging colors
 Equalize for, **394**, 394
 gradients for, **398–399**, 399
 Invert for, **394–395**, 395
 Posterize for, **397–398**, 398
 Threshold for, **396–397**, 396
 rebecca.psd file, 448
 Recent File List Contains setting, 62
 Reconstruct tool, 475–476
 Record button for Actions, 526
 Record option, 526
 Record Stop dialog box, 529, 529
 recording Actions, **526–530**,
 526–530
 Rectangle tool, **179**
 rectangles, drawing, 90, 90
 Rectangular Marquee tool, **79**, 90, 90
 Red Eye tool, **206**
 Red_Woman.psd file, 150
 Redo option, 222
 Reds option for hue adjustments, 383
 Reduce Color Noise option, 450
 Reduce Noise filter, **450**, 450
 Referenced setting, 579
 reflected gradients, 210
 registration marks for printing, 344
 Relative color option, 371
 Relative Colorimetric rendering
 intent, **334**
 Relative option for canvas, 278
 remote rollovers, **618–621**, 619–621
 removable media, 66
 Remove option for Smart Sharpen
 filter, 452
 Remove Black Matte option, 507
 Remove Distortion setting, 458
 Remove White Matte option, 507
 removing. *See* deleting
 render filters, **468–472**, 469–472

- Rendering field for filling paths, 170
- rendering intent, conversions
 - through, **333–335**, 333
- Repeat Edge Pixels option, 456
- repeating tasks. *See* Actions
- Replace Color dialog box, 391–393, 391–392
- Replace Existing Data Sets option, 604
- replacing
 - color, **390–393**, 391–392, **410**
 - text, **141**, 141
- Resample Image option, 271
- resampling, resolution in, **270–272**, 270–272
- Reselect option, 84
- Reset option in dialog boxes, 40
- Reset All Warning Dialogs option, 59
- Reset Character option, 135
- Reset Palette Locations option, 43
- Reset Paragraph option, 139
- resetting swatch palettes, 194
- reshaping paths, **167**, 167
- Resize Image Assistant, **273–274**
- Resize Image option, 273
- Resize Image During Paste/Place option, 59
- Resize Tile To Fill Image option, 565
- resizing images, **273–274**, 273–274
- resolution
 - in digitizing, **296**
 - and display size, **49**
 - of documents, 26
 - for Illustrator files, 645
 - of image capture devices, 290
 - and image size, **266–274**, 267–274
 - of raster images, 14
 - with resampling, **270–272**, 270–272
 - scanning, **269–270**, 298, 417
- resolution-independent images, 12
- resources, **647**
 - magazines, **648**
 - newsgroups, **652**
 - professional organizations, **647**
 - training, conferences, and seminars, **648–649**
 - websites, **649–652**
- Restore Last Document State option, 513
- restoring
 - displays, 48
 - Layer Comps, **512–513**
 - photographs. *See* photo retouching
 - preferences, **54**, 54
- Restrict Colors option, 213
- retinas, 266
- Reveal All option, 503, 505
- Reverse setting, 218
- reversing gradient fills, 218, 399
- Revert option, **223**
- RGB color mode, **186**
- RGB color working space, **324–328**
- RGB colors
 - blending, **336**
 - Info palette setting for, 351
- Rhinoceros.psd file, 546
- rhinoroom.psd file, 279, 280
- Right alignment option, 136
- Right Edges alignment option, 166
- RIP (raster image processor), 177
- Ripple filter, 460, 461
- rollovers, **597–599**, 598, **618–621**, 619–621
- Roman Hanging Punctuation option, 137
- Rotate option, 86, 86, 282
- Rotate 90 degree CCW option, 284
- Rotate 90 degree CW option, 284
- Rotate 180 degree option, 284
- Rotate Canvas dialog box, 280, 280
- rotating
 - butterfly photograph, **97**, 97
 - canvas, **280**, 280
 - with cropping, **275–276**, 277
 - selections, 86, 86, **282–284**, 283
- Rough Pastels and Underpainting option, 459
- Roughness setting, 213
- Rounded Rectangle tool, **179**
- Roundness setting, 197
- rows, selecting, 80
- rulers
 - for measurement units, 64
 - preferences for, **51**
- Rulers setting, 51, **64**
- safe areas for digital video, **634**, 634
- Sample All Layers option, 83
- Sampled Colors for selections, **489–490**, 490–491
- Sampling menu, 393
- Sampling settings
 - for Background Eraser tool, 207
 - for Color Replacement tool, 205
- sans serif fonts, 125, 125
- Satin style, 118
- saturation
 - adjusting, **384**
 - in Color Picker, **190**
 - in colorization, 387
 - in HSB color model, 186
- saturation rendering intent, **334**
- Saturation setting, **190**
- Saturation slider
 - for colorization, 387
 - for intensity, 384
- Save Adobe PDF dialog box, 536, 536
- Save And Close option, 532
- Save As A Copy option, 27
- Save As dialog box, **27–29**, 27
- Save Brushes option, 198
- Save dialog box, 544, 544
- Save For Web dialog box, 29, 29
 - for optimizing images, 570
 - tabs and options in, **570–574**, 571–572
- Save Log Items To option, 59
- Save Metadata option, 610
- Save Optimized dialog box, 583
- Save Optimized As dialog box, 576
- Save Palette Locations option, 59
- Save Selection As Alpha Channel icon, 256, 261
- Save Selection dialog box, 247–248, 247–248
- Save Workspace option, 41
- saving
 - Actions, **529**
 - brightness curve settings, 367
 - brushes, **197–198**
 - files, **27–30**, 27, 29, **576–580**, 577
 - layer styles, **119**
 - Levels settings, **362–363**
 - metadata, **607–610**, 607–609

- paths, **169, 638, 639**
- selections as alpha channels, **28, 247–248, 247–248, 261–262**
- snapshots, **226**
- swatch palettes, **194**
- Web images, **29, 29, 568–574, 571–572**
- workspaces, **41**
- Saving Files settings, **579–580**
- Scale Styles option, **273**
- Scale To Fit Media option, **343**
- scaling and Scale setting
 - for Apply Image, **550**
 - butterfly photograph, **97, 97**
 - for gradient fills, **218**
 - for images, **281–282, 282**
 - for selections, **86, 86**
 - for type, **127, 127**
- scalloped paths, **161**
- Scan option for scanners, **299**
- scanners, **267, 267, 290–292**
- scanning and scanned images, **289**
 - importing, **25**
 - photos, **417**
 - resolution of, **269–270**
 - settings for, **298–299**
 - uses for, **299–300**
- scanning elements in image capture devices, **290**
- Scattering option, **198, 199**
- Scratch Disks settings, **66**
- Scratch Sizes option, **38–39**
- scratched photos, **416–418, 418, 432, 433–434**
- screen frequency for halftone screen value, **274**
- Screen setting for printing, **344**
- scripts. *See* Actions
- scroll bars, **37, 47**
- scrolling, commands for, **47–48**
- Seahorse_begin.psd file, **229**
- Seahorse_end.tif file, **229**
- Seahorse project
 - background for, **239–244, 240–244**
 - base color for, **231, 232**
 - eyes for, **237–239, 237–239**
 - outline for, **236, 236**
 - painting area for, **230–231, 231–232**
 - shading and highlighting for, **232–233, 233**
 - starting, **229, 230**
 - texture for, **234–235, 234–235**
- seamless background patterns, **564–565, 564–566**
- seamless compositing, **507, 507**
- Search All Layers option, **141**
- SECAM color working space, **327**
- Security option, **542**
- Select All option, **83**
- Select All Frames option, **595**
- Select menu, **83–85**
- Selected option for rollovers, **599**
- Selected Areas option, **250**
- Selection Edges option, **84**
- selections, **75, 485**
 - with channels, **486–488, 486–488**
 - with Color Range
 - for image parts, **488–490, 489–491**
 - for out-of-gamut colors, **490–493, 492–493**
 - converting with paths, **171–172**
 - in digital camera ad, **96–97**
 - extractions, **493–497, 494**
 - filtering, **262–263, 263**
 - highlighting, **91, 91**
 - from layer masks, **503**
 - masking in, **76**
 - miscellaneous techniques for, **86–87**
 - paragraphs, **136**
 - in Quick Mask mode, **259–261, 259–261**
 - rotating, **86, 86, 282–284, 283**
 - Select menu for, **83–85**
 - tools for, **76, 77**
 - free-form selection, **81–82, 82**
 - Options bar, **77–78, 78–79**
 - shape selection, **79–80**
 - transforming, **85–86, 86**
- Selective Color dialog box, **371, 371**
- seminars, **648–649**
- semitransparent layers, **103, 104**
- Send Backward option, **105**
- Send To Back option, **105**
- serif fonts, **125, 125**
- Set To Background option, **456**
- Set To Transparent option, **456**
- sets
 - Action, **524**
 - layer, **106–107, 148**
- settings. *See* preferences and Preferences dialog box
- shading for Seahorse project, **232–233, 233**
- Shadow/Highlight dialog box, **368–369, 369–370, 407, 408**
- shadow points, **359–360**
- shadows
 - adjusting, **368–369, 369–370, 407, 408**
 - in digital camera ad, **93–94, 93–94**
 - layers for, **150, 151, 510–511, 510–511, 516, 516–517**
 - for realistic images, **116**
- Shadows option for color balance, **370**
- Shape Blur filter, **444, 444**
- Shape Characteristics option, **178**
- Shape Dynamics option, **198, 199**
- Shape Dynamics tab, **199**
- Shape Layer option, **642**
- Shape layers feature, **178**
- Shape List option, **178**
- shape selection tools, **79**
 - Elliptical Marquee, **79–80**
 - Rectangular Marquee, **79**
 - Single Column Marquee, **80**
 - Single Row Marquee, **80**
- Shape tools as vector tools, **14**
- shapes
 - creating, **176**
 - drawing, **178–181, 179–181**
 - Options bar for, **177–178, 178**
 - in paths, **158**
 - for plant life, **240–241, 242**
- Sharpen Details option, **450**
- sharpen filters
 - Smart Sharpen filter, **452–453, 453–454**
 - Unsharp Mask (USM) filter. *See* Unsharp Mask (USM) filter

- Sharpen tool, **208**
- Shear filter, **463**, **463**
- Shield Color option, **275**
- Shift key for tools, **45**
- shortcuts, **18–19**, **45**
 - navigation, **48–49**
 - painting tool, **209**
- Show option
 - for grids, **52**
 - for guides, **51**
- Show Asian Text Options option, **68**
- Show Backdrop option, **476**
- Show Bounding Box option, **343**
- Show Channels In Color option, **349**
- Show Clipping option, **356**
- Show Crosshair in Brush Tip option, **63**
- Show Font Names In English option, **68**
- Show Info option, **349**
- Show Menu Colors option, **59**
- Show More Options option, **343**
- Show New Snapshot Dialog By Default option, **225**
- Show Preview option, **20**
- Show Swatches option, **397**
- Show Tool Tips option, **58**
- Show Transform Controls option, **148**
- Similar option, **85**
- Single Column Marquee tool, **80**
- single-lens reflex (SLR) digital cameras, **293**
- Single-Line Composer method, **139**
- Single Row Marquee tool, **80**
- 16-bit images, editing, **300–302**, **301–303**
- size and Size settings
 - for Big City Night image, **404–405**, **405**
 - of canvas, **278–279**, **279–280**, **564–565**, **565**
 - of columns, **64**
 - cropping to, **276–277**, **278**
 - of digital photographs, **299**
 - display, and resolution, **49**
 - of files, **41**
 - and channels, **246**
 - displaying, **38**
 - in ImageReady, **584**
 - information field for, **38**
 - of documents, **26**
 - status bar menu for, **38–39**
 - for image capture devices, **290**
 - of images. *See* images
 - of Inner Shadow effect, **154**
 - of Navigator palette, **49**
 - of type, **126**, **130**, **132**
 - Sketch filters, **468**
 - skew in selections, **86**, **284**, **285**
 - Skew option, **86**
 - sky for city graphic, **259–261**, **259–261**
 - slanting, **284**, **285**
 - Slice option, **588**
 - Slice palette, **589**
 - Slice tab, **588**, **589**
 - slices
 - in Ballet Bleu graphic, **616**, **616**
 - in ImageReady, **587–588**, **588–590**
 - settings for, **65**, **65**, **578–579**
 - SLR (single-lens reflex) digital cameras, **293**
 - Small Caps option, **134**
 - small-dose technique for USM filter, **378**
 - Smart Blur filter, **441**, **444–445**, **444–445**
 - Smart Highlighting option, **494**
 - smart_object_example.psd file, **500**, **501**
 - smart_object_example2.psd file, **502**, **502**
 - Smart Objects, **500**
 - in copying from Illustrator to Photoshop, **642**
 - creating, **500–501**
 - editing, **502**, **502**
 - Smart Sharpen filter, **452–453**, **453–454**
 - smooth anchor points, **167**, **167**
 - Smooth option, **85**, **85**
 - Smooth Corners option, **179**
 - Smooth Indents option, **179**
 - Smooth Skin snapshot, **234**, **235**
 - Smooth slider for extractions, **497**
 - Smoothing option, **200**
 - Smoothness setting, **477**
 - SMPTE-C color working space, **327**
 - Smudge tool, **208–209**
 - Snap To option
 - for grids, **52**
 - for guides, **51**
 - Snap to Origin option, **218**
 - Snap To Pixels option, **179**
 - snapshots, **225**
 - creating, **225**
 - deleting, **226**
 - painting with, **228**
 - saving, **226**
 - soft light effect, **95**, **95**
 - Soften setting, **154**
 - software compatibility, **32**
 - Solarize filter, **465**
 - Solid Color option, **217**
 - Source Channels slider, **372**
 - Source setting
 - for Apply Image, **549**
 - for Patch tool, **421**
 - space between paragraphs, **137**
 - Spacer Cells setting, **579**
 - Spacing setting for brushes, **197**
 - sparks.psd file, **489–490**, **490–491**
 - spectrophotometers, **341**
 - Specular Highlights option, **447**
 - speed
 - of Actions, **529**
 - of image capture devices, **290**
 - spell checker, **124**, **140–141**, **141**
 - Spherize filter, **462**, **462**
 - Spin option, **446**
 - splash screens, **34–35**, **35–36**
 - splicing in nonlinear editing, **626**
 - Split Channels option, **253**
 - splitting channels, **253**
 - Sponge tool
 - for highlighting, **233**
 - purpose of, **209**
 - spot colors
 - channels for, **255**
 - profiles for, **339–340**, **340**
 - saving, **28**
 - Spot Colors option, **28**
 - Spot Healing Brush tool, **204**, **420–421**

spotlight effect type, 472
 Square option, 179
 sRGB IEC61966-2.1 color
 working space, 325
 Stack Photos settings, 70, 70
 staggeringly strong wind effect, 467
 Stamp tool, 479, 479
 Standard Screen display mode, 50
 Standard Vertical Roman Alignment
 option, 134
 starship graphic
 alpha channels for, 631–633,
 632–633
 title-safe areas for, 634, 634
 starship.psd file, 631
 Start button for annotations, 46
 states in history, 223–224, 223
 changing, 224
 editing, 226–228
 increasing, 224
 status bar, 37–39
 Std Dev value for tonality, 349
 Step Backward option, 222
 Step Forward option, 222
 stitching panoramas, 306–307
 stochastic dot patterns, 268, 269, 400
 Stop button, 46
 Stop For Errors option, 533
 Stop Recording button, 527
 stops
 in Actions, 528–529, 529
 color, 211
 straight paths, 160, 160
 straightening photos, automation
 for, 536–537
 strategies, 16
 client communications, 19–20
 efficiency, 16
 optimization, 16
 shortcuts, 18–19
 Strength option, 450
 Strikethrough option, 134
 Stroke dialog box, 219–220, 220
 Stroke layer style, 119
 Stroke Path dialog box, 170, 171
 stroking
 for color, 219–220, 219–220
 paths, 170–171, 170–171
 Structure control, 116
 Style menu, 79

styles and Style setting
 for Art History Brush tool, 206
 for Bevel and Emboss style, 154
 for Elliptical Marquee tool, 79
 for gradient fills, 217
 for grids, 52
 for guides, 52
 for layers, 115–119, 115–118,
 150–151, 151
 for shapes, 178
 for type, 126, 133–134
 for Web Photo Gallery, 542
 Stylistic Alternates option, 135
 stylize filters, 465–466, 466
 Stylize option, 456
 subinterfaces, 570
 Subscript option, 134
 Subtract From Channel option, 248
 Subtract From Selection option, 77
 for Load Selection, 251
 for Make selection, 171
 subtractive color systems, 186, 323
 Superscript option, 134
 Suppress Color Profile Warnings
 option, 532
 Suppress File Open Options Dialogs
 option, 532
 Surface Blur filter, 445, 446
 swapping colors within channels,
 372–373
 Swash option, 135
 Swatch Name dialog box, 194
 Swatches option, 562
 Swatches palette, 193–194, 195
 SWF animations, creating,
 595–597, 597
 SWF Bgcolor option, 596
 Switch Between Free Transform And
 Warp Mode option, 286
 SWOP Coated gamut, 324
 SWOP profile, 328
 System Layout option, 134
 system requirements, 4

tables, ImageReady program for,
 589–590, 589–590
 Tagged Image File Format (TIFF), 32

Tags Case setting, 578
 Targa files, 631
 Target setting, 550
 targeting layers, 103, 103
 TD W&H setting, 579
 Technique setting, 154
 text. *See* type and text
 Texture filters, 468
 texture for Seahorse project,
 234–235, 234–235
 Texture option, 199, 199
 Texture style for layers, 118
 Textured Image option, 497
 textured photos, 416
 .tga files, 631
 Thaw Mask tool, 475
 This Layer slider, 549
 Threshold dialog box, 396–397
 Threshold setting
 for Dust & Scratches filter, 418,
 452
 for High Pass filter, 457, 457
 for Smart Blur filter, 444
 for Unsharp Mask filter, 377,
 454, 456
 thumbnails
 for layers, 103, 103
 for tonality, 355–356, 356
 for Web Photo Gallery, 542
 TIFF (Tagged Image File Format), 32
 Tile History area for Pattern
 Maker, 478
 Tile Maker dialog box, 565–566, 566
 Tile option, 41
 Tile.psd file, 565, 566, 586, 586
 tile size, 38
 Tiles filter, 466
 Timing option, 39
 title bar, 37
 title-safe areas, 634, 634
 Titling option, 135
 Toddler.psd file, 525–526, 525–526
 toggling tools, 48
 tolerance
 in converting paths, 172
 for Paint Bucket tool, 215
 Tolerance setting
 for Art History Brush tool, 206
 for Background Eraser tool, 207
 for Color Replacement tool, 205

- for Magic Eraser tool, 208
 - for Magic Wand tool, 82, 82
 - Tonal Width setting, 368
 - tonality, **347–348**
 - Adjustment layers for, **374–376**, 375–376
 - Auto Color for, **355**
 - Auto Contrast for, **355**
 - Auto Levels for, **354**
 - balancing color for, **369–374**, 370–372
 - Brightness/Contrast for, **354**
 - Color Sampler tool for, **353**, 353
 - curves for, **363–367**, 363, 365, **406**, 407
 - Exposure adjustment, **368**, 369
 - Eyedropper tool for, **352**
 - highlight and shadow points in, **359–360**
 - histograms for, **348–349**, 348–350
 - Info palette for, **350–351**, 351
 - Levels for, 349, **356–363**, 358–360, **405**, 406
 - Photo Filter for, **368**, 368, **407–408**, 409
 - Shadow/Highlight for, **368–369**, 369–370, **407**, 408
 - Unsharp Mask filter for, **376–379**, 378, **410**, 411
 - Variations for, **355–356**, 356
 - white and black points in, **359–362**, 362
 - Tool options for Liquify tool, 475
 - Tool palette, **44–46**, 44–46
 - Tool Preset menu, 46, 46
 - tool tips, 44
 - tools
 - for color
 - editing, **202–209**, 203, 206
 - painting, **201–202**
 - presets for, **45–46**, 45–46
 - for selecting, 76, 77
 - free-form selection, **81–82**, 82
 - Options bar, 77–78, 78–79
 - shape selection, **79–80**
 - shortcuts for, **19**
 - toggleing, 48
 - for type, **129–132**, 130–131
 - Tools menu in Bridge, 23, 23
 - Top alignment options
 - for paths, 166
 - for type, 136
 - Top Edges alignment option, 166
 - torn photos, 416
 - total ink coverage, 335
 - Total Ink setting, 351
 - Trace Contour filter, 445, **466–467**
 - tracking type, **127–128**, 127, 133
 - Traditional option, 64
 - training, **648–649**
 - Transfer setting, 344
 - Transform option, 86
 - Transform Selection option, 85–86
 - Transform submenu, 281, 281
 - Transform tool, 479, 480
 - transformation operations, **281**, 281
 - free, **286**
 - with Move, **286–287**, 287
 - paths, **167**
 - rotating, **282–284**, 283
 - scaling, **281–282**, 282
 - selections, **85–86**, 86
 - skewing, distorting, and perspective, **284**, 285
 - warping, **285–286**, 286
 - transparency
 - of gradients, **211–212**
 - in ImageReady program, **584–586**, 585
 - in layer blending, 115
 - of layer masks, 505, 505
 - of layers, **103–104**, 104
 - multilevel, 570
 - in Web images, 573
 - Transparency & Gamut settings, **63–64**, 63
 - Transparency option, 573
 - Transparency Dither Algorithm option, 573
 - Transparency/Reflective option, 299
 - transparent GIFs, **584–585**, 585
 - Transparent option, 421
 - tree.psd file, 440
 - Trim dialog box, 278, 279
 - trimming images, **278**, 279
 - Tritones, 188
 - Truck.psd file, 481–482, 481–482
 - True Color option, 17
 - Turbulence tool, 475
 - tweening, 595
 - Twirl Clockwise tool, 475
 - Twirl filter, 458, **464**, 464
 - Twirl option, 149, 149
 - 2-Up tab, 571
 - type and text, **123–125**, 124
 - aligning and justifying, **127**, **136–138**, 137
 - baseline shifts, **128**, 128, 133
 - Character palette for, **132–135**, 133
 - composing, **139**
 - conventions for, **128–129**
 - entering, **151–152**, 153
 - finding and replacing, **141**, 141
 - fonts, **125**
 - hyphenating, **138–139**, 138
 - in Illustrator files, 638, 638
 - in ImageReady program, **613**, 613–614
 - layers for, **120**
 - leading, **126**
 - with matting, 586, 586
 - Paragraph palette for, **135–139**
 - on paths, **131–132**, 131, **152–153**, 153
 - rasterizing, **140**, 140
 - scale, **127**, 127
 - scanning, 299
 - size, 126, 130, 132
 - spell checker for, **140–141**, 141
 - style, **126**, 133–134
 - tools for, **129–132**, 130–131
 - tracking and kerning, **127**, 127, 132
 - warping, **139**, 139–140, **153**, 153
 - Type settings, 64, **68**, 68, 298
 - Type tool, 14
-
- U**
- U.S. Web Coated (SWOP) v2 settings, 328
 - Unconstrained option
 - for Custom Shape tool, 180
 - for Rectangle and Ellipse tools, 179
 - underexposure in digital photographs, 304
 - Underline option, 134

- undoing operations, **222–223**
 - Actions, **529**
 - in dialog boxes, 40
 - transformation, 285
 - Uniform option, 449
 - uninvited_guest.psd file, 504
 - units
 - for canvas, 278
 - for ruler, 51, 64
 - for type, 133
 - Units & Rulers settings, 51, **63, 64**
 - unrecordable Action commands, **530**
 - Unsharp Mask (USM) filter,
 - 376–378, 378, 454–456, 454–455**
 - applying, **410, 411**
 - blending mode method for, **379**
 - flesh-tone technique for, **378–379**
 - lab-mode technique for, **379**
 - small-dose technique for, **378**
 - Up option for rollovers, 599
 - Update Layer Comp option, 512
 - updating Layer Comps, **512–513**
 - Use All Layers option
 - for Clone Stamp tool, 203
 - for Magic Eraser tool, 208
 - for Smudge tool, 209
 - Use Black Point Compensation option, 335
 - Use Dither option, 335
 - Use Filename As Caption option, 539
 - Use First Column For Data Set Names option, 604
 - Use History option, 228
 - Use Pattern option, 421
 - Use Pixel Doubling option, 62
 - Use Proof Setup option, 28
 - Use Shift Key For Tool Switch option, 59
 - Use Smart Quotes option, 68
 - Use Video Alpha setting, 64
 - User-Level Control settings, **581**
 - USM filter. *See* Unsharp Mask (USM) filter
 - Variations dialog box, **355–356, 356**
 - vector graphics, **12–14, 12–13**
 - Vector Mask Hides Effects option, 115
 - vector masks, **173, 173**
 - creating, **517–518, 518**
 - moving, **518–519, 519**
 - vector objects, paths as, 158
 - Version Cue features, **30**
 - versions, Layer Comps for, **511–513**
 - Vertical Centers option, 166
 - Vertical Distortion option, 153
 - Vertical/Horizontal Scale option, 133
 - vertical scale for type, **127, 127**
 - Vicky.psd file, 534, 535
 - video. *See* digital video
 - Video filter, **473**
 - View box in Navigator, 49
 - View Document As setting, 579
 - View menu, 23, 23, **50**
 - View options, 476
 - View PDF After Saving option, 536
 - viewing
 - channels, **248–249, 248**
 - documents, **41**
 - Layer Comps, **512**
 - layers, **103, 103, 143, 144**
 - viewing environment in color management, **320**
 - Vignette Action, 525–526, 526
 - violetta.psd file
 - color adjustments for, **431, 435–436, 436**
 - contrast adjustments for, **429–430, 433**
 - cropping, **429, 429**
 - dirt removal for, **433, 434**
 - missing elements in, **434–435, 435**
 - scratch removal for, **432, 433–434**
 - Virtual Reality for panoramas, 306
 - visibility for data sets, 600, **600–601**
 - visible layers, merging, **120–121, 155**
 - Visibone palette, 563
 - warping
 - objects, **285–286, 286**
 - text, **139, 139–140, 153, 153**
 - wasteland.psd file, 487
 - water, pattern fills for, **240, 241, 242, 243**
 - watermarks, 473
 - Wave filter, **461, 461**
 - wavelength setting, 461
 - Web_Colors.psd file, 564, **565–566**
 - Web Color Gamut Warning, 192
 - Web Color setting, 351
 - Web design and images, **557–558**
 - compatible color in, **191–192, 192, 563**
 - exporting to GIF, **574–576, 575**
 - file formats in, **568–570, 569**
 - in ImageReady. *See* ImageReady program
 - indexed color in, **574**
 - margin-style backgrounds in, **561–563, 561–563**
 - optimizing, **570**
 - Save For Web feature in, **570–574, 571–572**
 - saving as HTML files, **576–580, 577**
 - seamless background patterns for, **564–565, 564–566**
 - tile maker for, **565–566, 566**
 - Web Design workspace, 42
 - Web Hues palette, 563
 - Web Photo Gallery dialog box, **540–542, 541**
 - Web Safe Colors palette, 563
 - Web Safe Swatches palette, 71
 - Web Snap setting, 573
 - Web Spectrum palette, 563
 - websites, Photoshop-related, **649–652**
 - weight
 - of lines, 179
 - of type, 126
 - Wet Edges option, 200, **200**
 - white balance, 304
 - White Clip field, 354
 - White option for fill patterns, 215
 - white point in tonality, 357, **359–362, 362**
 - Whole Word Only option, 141
-
- V**

 - Vanishing Point filter, **478–484, 479–484**
 - variables for data sets, 600, **600, 603, 603–604**

W

 - wallpaper, **564–565, 564–566**
 - Warp Text dialog box, 130, 139, **139**
 - Warp tool, 475

Wide Gamut RGB color working space, 327
 widescreen video format, 628
 Width setting
 for canvas, 279
 for Crop tool, 277
 for Line tool, 179
 for Magnetic Lasso tool, 82
 for Magnetic Pen tool, 164
 for Resize Image Assistant, 274
 for stroking, 219
 Wind filter, **467**
 Windows menu in Bridge, 24, 24
 Windows vs. Macintosh, **31–32**
 Word Spacing setting, 138
 Words Longer Than setting, 138
 Work Paths, **168**
 Working CMYK option, 492

workspace, organizing, **41–42, 42**
 Wrap Around option, 456
 wrinkled photos, 416
 Write Layers option, 645
 Write Minimal Set of XMP option, 610
 Write XMP to Separate Files option, 610
 WYSIWYG font menu, 10

XHTML option, 576

Yellows option for hue adjustments, 383

Z
 zero points for measurements, 51
 Zig Zag filter, 460, 461
 Zoom In option
 in Navigator, 49
 in View, 50
 Zoom Out option
 in Navigator, 49
 in View, 50
 Zoom Resizes Windows option, 58
 Zoom Slider in Navigator, 49
 Zoom tool, 475
 for image displays, **47**
 toggling, 48
 for Vanishing Point filter, 479, 480
 Zoom With Scroll Wheel option, 59
 zooming in digital photographs, 304