

# Index

## C

circle of trust 106

## E

Extensible Markup Language. *See XML*

## F

Forum Nokia 124

Forum Nokia Pro 124

## I

ID-FF 104

architecture 108

Profiles 112

Protocols 109

Single Logout 110

Single Sign-On and Federation 109

ID-FF Bindings

definition 114

ID-FF Profiles

description 112

Identity Federation Termination  
Notification 113

Identity Provider Introduction 114

NameIdentifier Encryption 114

NameIdentifier Mapping 113

Register Name Identifier Profiles 113

Single Logout 113

Single Sign-On and Federation 112

ID-FF Protocols

description 109

Federation Termination Notification 110

Name Identifier Mapping 111

Name Registration Protocol 110

Single Logout 110

Single Sign-On and Federation 109

ID-SIS 104,122

description 122

Employee Profile Service 122

ID-WSF 104

Client Profiles 120

practical example 115

SOAP Binding 121

ID-WSF Service Specifications

Authentication Service 117

Authentication Service and Single Sign-On  
Service Specification 116

Data Services Template 121

Discovery Service 117

Interaction Service 117,118

Security Mechanisms 119

Single Sign-On Service 117

Identity

achieving direct authentication 83

and mobile Web services 82

and Web Services 81

Audit 89

authentication assertion 84

authentication context 85

Authentication of a mobile device 84

Authorization 89

circle of trust 106

client authentication 84

determining used authentication  
technique 84

discovery service 91

Employee Profile Service 122

End-to-End Web service client  
authentication 83

establishing 82

factors 82

federation 103,105

HTTP basic authentication 83

ID-FF 104

ID-SIS 104

ID-WSF 104

identity federation 88

legal statute 82

Liberty Alliance Identity Technologies 103

Liberty Discovery Service 91

peer authentication 83

Personal Profile Service 122

practical example 105

replay attacks 86

role of IDP 84

- SAML 2.0 85
- SAML token 84
- services using identity information 90
- service description 91
- Single Sign-On 87
- Single Sign-On Enabled Web Services 88
- SOAP Message Security 83
- SSL/TLS 83
- standards portfolio 103
- Web service authentication tokens 85
- X.509 certificate 83
- Identity Web Services
  - Connecting to 138
  - discovery 138
  - privacy considerations 138
  - SOA for S60 platform 138
  - steps taken when connecting 139

**L**

- Liberty Alliance
  - Achievements 276
  - Deliverables 275
  - Future Directions 278
  - Influence 278
  - Membership Base 271
  - Operating Model 272
  - Organization 272
  - role 271
  - Value Proposition 271
- Liberty Alliance Identity Technologies
  - circle of trust 106
  - ID-FF 104
  - ID-SIS 104
  - ID-WSF 104
  - Liberty Identity Federation Framework (ID-FF) 104
  - Liberty Identity Services Interface Specifications (ID-SIS) 104
  - Liberty Identity Web Services Framework (ID-WSF) 104
  - Liberty Identity Web Service Framework (ID-WSF) 115
    - major elements 104
    - practical example 105
    - rationale for 103
    - role in the Liberty architecture 115
- Liberty Identity Federation Framework. See ID-FF

- Liberty Identity Services Interface Specifications. See ID-SIS
- Liberty Identity Service Interface Specifications (ID-SIS) 122
- Liberty Identity Web Services Framework. See ID-WSF

**M**

- markup languages
  - usage 7
- Mobile devices
  - limitations of 125
  - operating systems 126
- mobile Web services
  - architecture 3
  - challenges 2
  - characteristics 101
  - major application areas 2
  - requirements 2
  - Software Development Environment 125

**N**

- Nokia Web Services Framework. See NWSF
- NWSF
  - Active Objects 127
  - API 166
  - availability 123
  - Client-Server Architecture 126
  - for Series 80 219
  - HTTP Stack 127
  - Java architecture 127
  - Java code to access the HelloWS Web service 134
  - Java support 123
  - XML Processing 127,168
  - NWSF C++ Client Development
    - adding IDPs to NWSF 240
    - and WSDL 224
    - Associating an Identity Provider with a Service 240
    - associating IDPs with services 239
    - Callbacks 248
    - Configuration 244
    - connecting to a Web service without a framework 238
    - Creating an XML handler 232
    - Creating a Query 250
    - deactivating frameworks 238

- Description of wsexample Client Code 246
- DOM interface 223
- errors 235
- Establishing a Service Connection 247
- frameworks 237
- framework identifier 237
- full SOAP envelopes 232
- HandleError() 235
- HandleMessage() 231
- Handling Callbacks 248
- HelloWS.wsdl document 225
- HelloWS main client code 228
- HelloWS messages 227
- Hello Web Service Example 226
- HTTP Basic Authentication 239,242
- Identity 239
- IDE Usage 223
- IDP-Based Authentication 241
- IDP identifier 240
- Linking a service provider with an IDP. 240
- MSenServiceConsumer Interface 230
- Nokia Service Development API 222
- parsing an incoming XML message 224
- PhonebookEx Example Application 252
- Policy 243
- Registering an Identity Provider 240
- registering credentials for HTTP Basic Authentication 247
- Registering Service Policy 244
- returning a full SOAP envelope 232
- sample applications 219
- SAX parsing 223
- selecting individual pieces of XML information 224
- self-authentication 239
- sending a message 230
- sending a query with a synchronous method 250
- SenIdentities.xml 245
- SENSERVCONN.lib 222
- SENSERVDESC.lib 222
- SenServDesc library 245
- SENSERVMGR.lib 222
- SenSessions.xml 245
- SENUTILS.lib 222
- SENXML.lib 222
- SENXMLINTERFACE.lib 222
- Service Connection 222
- service contract 240
- Service Database 239
- Service Description 222
- Service descriptions 239
- Service Description Library 238
- Service Development API 222
- Service Development API general package structure 222
- Service Manager 222,239
- Service Manager Library 238
- SetStatus() 236
- submitting messages synchronously 237
- Test Service Code 251
- Username Token 239,241
- using a framework to access a Web service 237
- Using HTTP Basic Authentication 242
- Using IDP-Based Authentication 241
- Using WS-Security Username Token 241
- using WSDL 224
- Utilities 222
- Utility Library 245
- WS-Security 239,241
- wsexample application 246
- WSDL-to-C++ transformation 226
- XML Library 223
- XML Processing 222
- NWSF for Java
  - NWSF API 166
  - Overview of architecture 166
- NWSF Java Client Development and identity 178
  - and identity providers 178
  - and IDP-based authentication 179
  - and security 178
  - and Self-Authentication 186
- associating Identity Providers with another services 178
- classes in the XML package 168
- com.nokia.mws.wsf.IdentityProvider 166
- com.nokia.mws.wsf.ServiceConnection 166
- com.nokia.mws.wsf.ServiceDescription 166
- com.nokia.mws.wsf.ServiceManager 166

- com.nokia.mws.wsf.WSFObjectFactory 167
- com.nokia.mws.wsf.xml 168
- com.nokia.mws.wsf.xml.Element 167
- Configuration of Service Development API 167
- Configuring framework plug-ins 176
- Connecting to Web Services 175
- connecting to Web services by using a framework 175
- Connecting to Web Services without Using a Framework 176
- Creating New XML Messages 169
- Development Tools 165
- Frameworks 176
- HelloWS.java 189
- HelloWS.java Test Service Servlets 193
- HelloWS Example 172
- HelloWS example message exchange 173
- HTTP Basic Authentication 186
- interfaces in the XML package 168
- linking an IDP with an SP 179
- NWSF API 166
- Parsing Incoming XML Messages 170
- Policy 189
- Prerequisites 164
- Registering an Identity Provider 178
- registering a service 177
- SenSessions.xml 167
- service database 177
- Username Token 185
- using a basic Web service 189
- using a Liberty-compliant Web service 189
- using HTTP Basic Authentication 189
- using IDP-based authentication 179
- Using the Service Database 177
- WS-Security 185
- XML handler implementation characteristics 169
- XML Processing 168

## O

### OASIS

- Achievements 264
- Deliverables 264
- Future Directions 266
- Influence 266

- Membership Base 263
- Operating Model 263
- Organization 263
- role 262
- Value Proposition 263

## P

### PAOS

- description 92
- policy
  - and SOA for S60 platform 148
  - authorization 72
  - definition 71
  - domain-specific 73
  - interoperability 74
  - types 72

## R

- Reverse HTTP Binding for SOAP 120

## S

### Security

- and Web services 94
- Audit 94
- Authentication 94
- Authorization 94
- Confidentiality 94
- cryptography 96
- Denial-of-service attack mitigation 94
- encryption 100
- HMAC 97
- Integrity 95
- Integrity protection 99
- mechanisms 95
- message confidentiality 100
- message digest 97
- message integrity 97,99
- mitigating Denial-of-Service attacks 101
- mitigating the risks 94
- protocol layer interactions 95
- Replay protection 95
- SAML token 148
- signature algorithms 96
- single-hop communication 96
- SSL/TLS 96
- Training 95
- WS-Security 99
- XML Encryption 95,100

- XML Signature 95
- Service-Oriented Architecture
  - benefits 26
  - Description 22
  - description 21
  - Discovery 22
  - interoperability 26
  - major components 22,23
  - Messaging 22
  - service consumer 21
  - service provider 21
  - with Web Services 23
- service description
  - explanation 22
  - WSDL 22
- service discovery
  - description 22
- service messaging
  - description 22
  - SOAP 22
- Simple Object Access Protocol. See SOAP
- Single Sign-On
  - and Web Services 88
  - description 87
- SOAP
  - actors 28
  - and XML Schema 29
  - application payload 28
  - attachments 32
  - binary content 27
  - body 27
  - description 27
  - document messaging model 29
  - envelope 27
  - envelope structure 27,28
  - example of an intermediary 31
  - example request and response 30
  - header 27
  - header blocks 28
  - header usage 28
  - initial SOAP sender 31
  - intermediaries 31
  - Message Security 83
  - Multipart-MIME 32
  - roles 28
  - RPC model 29
  - security header 28
  - SOAP over HTTP 34
  - transport 33
  - ultimate SOAP receiver 31
  - validating element types 29
  - validating the content structure 29
  - XML namespaces 27
- SOA for S60 platform
  - Active Objects 127
  - adding frameworks 130
  - and identity providers 136
  - and self-authentication 135
  - architecture 128
  - associating a service with a framework 132
  - asynchronous access to a Web service 133
  - authentication 135
  - Authentication Service client 130
  - availability 123
  - Choosing an XML Parsing Strategy 158
  - Client-Server Architecture 126
  - common framework for authentication 130
  - Connecting to an Identity Web Service 138
  - connecting to an identity Web service 139
  - Discovery Service client 130
  - establishing a service connection 131
  - Example message flow using an identity service 143
  - Frameworks 129
  - framework plug-in 130,149
  - framework plug-in availability 130
  - HelloWS example 131
  - HTTP Basic Authentication 135
  - HTTP Basic Auth example message flow 136
  - HTTP Stack 127
  - Identity Providers 146
  - Identity Web Services Support 138
  - Java architecture 127
  - Java support 123
  - Liberty ID-WSF framework plug-in 129
  - network endpoint 132
  - OASIS Web Services Username Token 135
  - pattern facets 147
  - Pluggable Architecture 149
  - pluggable interface 130

- Policies 148
- policy statements 132
- Quick Reference 283,313
- responsibilities of frameworks 130
- role of service database in connection creation 144
- schema contract 132
- Service Association 145
- Service Connection Library 284
- Service Database 144
- Service Database Service Association 145
- service description 132
- Service Description Library 286
- Service Manager 126,129,130
- Service Manager Library 285
- Service Matching 147
- Service Policies 148
- Service Providers 148
- SOAP/HTTP message flow example 133
- synchronous access to a Web service 133
- Utilities Library 294
- Web Service Consumer 129
- Web Service Provider 129
- Web Service Providers 148
- Writing Code for 158
- XML API 152
- XML Library 290
- XML Processing 127,150
- XML processing features 153

Standards Organizations

- Liberty Alliance 271
- OASIS 262
- W3C 257
- WS-I 267

## U

### UDDI

- bindingTemplate element 47
- businessEntity element 47
- businessService element 47
- classification 45
- data models 47
- description 45
- general characteristics 45
- identifiers 45
- Inquiry API 48
- inquiry patterns 48
- Programmers APIs 48

- Publication API 48
- publisherAssertion element 47
- Registry 46
- Registry Categorization 46
- Subscription API 48
- subscription element 48
- technical service information 46
- tModel element 47
- Universal Description, Discovery, and Integration. See UDDI

## W

Web Services Description Language.  
See WSDL

### WSDL

- Binding 41
- Description 35
- Document Structure 38
- Message 39
- Port 43
- PortType 40
- Technical Details 36
- Types 38

## X

### XML 232

- and Web services 7
- attributes 9
- attribute namespace qualification 12
- capabilities of DTD 13
- Choosing a Parsing Strategy 158
- CSenBaseElement 153
- CSenBaseFragment 156
- CSenDomFragment 154
- declaration 9
- default namespaces 11,12
- defining instance structure and syntax 14
- description 7
- Document Type Definition (DTD) 13
- DOM 153
- DOM interface 223
- DTD rules 13
- elements 8
- hierarchical data structures 8
- importing XML Schema files 19
- including XML Schema files 19
- incorporating external XML Schema data

- markup 8
- namespaces 9
  - namespace definition 11
  - namespace inheritance 11
  - namespace prefix 11
  - namespace usage scenarios 10
- node tree 153
- parsing XML 150,152
- practical usage 8
- qualifying locally declared elements and attributes 20
- rationale for namespaces 10
- SAX parsing 223
- SOA for S60 Platform 150
- specification 8
- specifying document structure 13
- specifying legal data types 13
- target namespace 18
- valid XML documents 13
- well-formed XML documents 13
- xmlns attribute 11
- XML namespaces 27
- XML Schema 14
  - XML Schema complex types 15,16
  - XML Schema model groups 15
  - XML Schema namespaces 17
  - XML Schema simple types 14
  - XML Schema types 14
- XML Schema
  - combining multiple documents 17
  - complex types 15
  - datatypes 14
  - features 14
  - importing XML Schema data 19
  - including XML Schema data 19
  - model groups 15
  - namespaces 18
  - number of element occurrences 16
  - occurrence of attributes 16
  - qualifying locally declared attributes 20
  - qualifying locally declared elements 20
  - Simple Types 14
  - target namespace 18
  - using a simple schema type 15

