

Contents

Preface	xi
List of figures	xiii
List of tables	xvii
1 Introduction	1
1.1 Statistics, forensic science and the law	1
1.2 The use of statistics in forensic DNA	1
1.3 Genetic basis of DNA profiling and typing technology	3
1.3.1 Genetic basis	3
1.3.2 Typing technology	4
1.4 About the book	5
2 Probability and statistics	7
2.1 Probability	7
2.2 Dependent events and conditional probability	9
2.3 Law of total probability	10
2.4 Bayes' Theorem	11
2.5 Binomial probability distribution	12
2.6 Multinomial distribution	13
2.7 Poisson distribution	14
2.8 Normal distribution	14
2.9 Likelihood ratio	16
2.10 Statistical inference	17
2.10.1 Test of hypothesis	17
2.10.2 Estimation and testing	19
2.11 Problems	20
3 Population genetics	23
3.1 Hardy–Weinberg equilibrium	23
3.2 Test for Hardy–Weinberg equilibrium	25
3.2.1 Observed and expected heterozygosities	25
3.2.2 Chi-square test	27
3.2.3 Fisher's exact test	29
3.2.4 Computer software	30

3.3	Other statistics for analysis of a population database	31
3.3.1	Linkage equilibrium	31
3.3.2	Power of discrimination	33
3.4	DNA profiling	35
3.5	Subpopulation models	37
3.6	Relatives	42
3.7	Problems	45
4	Parentage testing	47
4.1	Standard trio	47
4.1.1	Paternity index	47
4.1.2	An example	48
4.1.3	Posterior odds and probability of paternity	49
4.2	Paternity computer software	52
4.2.1	Steps in running the software	52
4.2.2	The software to deal with an incest case	52
4.3	A relative of the alleged father is the true father	54
4.4	Alleged father unavailable but his relative is	57
4.5	Motherless case	58
4.5.1	Paternity index	58
4.5.2	Computer software and example	59
4.6	Motherless case: relatives involved	60
4.6.1	A relative of the alleged father is the true father	60
4.6.2	Alleged father unavailable but his relative is	62
4.6.3	Computer software and example	62
4.7	Determination of both parents	63
4.8	Probability of excluding a random man from paternity	66
4.9	Power of exclusion	68
4.9.1	A random man case	68
4.9.2	A relative case	69
4.9.3	An elder brother case: mother available	71
4.10	Other issues	74
4.10.1	Reverse parentage	74
4.10.2	Mutation	75
4.11	Problems	76
5	Testing for kinship	79
5.1	Kinship testing of any two persons: HWE	79
5.2	Computer software	83
5.3	Kinship testing of two persons: subdivided populations	83
5.3.1	Joint genotype probability	83
5.3.2	Relatives involved	87
5.4	Examples with software	89
5.5	Three persons situation: HWE	91
5.6	Computer software and example	95
5.7	Three persons situation: subdivided populations	96
5.7.1	Standard trio	96

5.7.2	A relative of the alleged father is the true father	97
5.7.3	Alleged father unavailable but his relative is	99
5.7.4	Example	99
5.7.5	General method and computer software.	101
5.8	Complex kinship determinations: method and software	102
5.8.1	EasyPA_In_1_Minute software and the method	104
5.8.2	EasyPAnt_In_1_Minute	107
5.8.3	EasyIN_In_1_Minute	107
5.8.4	EasyMISS_In_1_Minute	108
5.8.5	Other considerations: probability of paternity and mutation.	110
5.9	Problems	111
6	Interpreting mixtures	113
6.1	An illustrative example	113
6.2	Some common cases and a case example.	115
6.2.1	One victim, one suspect and one unknown	115
6.2.2	One suspect and two unknowns	116
6.2.3	Two suspects and two unknowns	117
6.2.4	Case example.	118
6.2.5	Exclusion probability	119
6.3	A general approach	121
6.4	Population in Hardy–Weinberg equilibrium	122
6.5	Population with multiple ethnic groups	124
6.6	Subdivided population	128
6.6.1	Single ethnic group: simple cases.	128
6.6.2	Single ethnic group: general situations	128
6.6.3	Multiple ethnic groups	132
6.7	Computer software and example.	134
6.8	NRC II Recommendation 4.1	135
6.8.1	Single ethnic group.	135
6.8.2	Multiple ethnic groups	137
6.9	Proofs	141
6.9.1	The proof of Equation (6.6).	141
6.9.2	The proof of Equation (6.8)	142
6.9.3	The proof of Equation (6.9).	142
6.9.4	The proofs of Equations (6.11) and (6.12)	142
6.9.5	The proofs of Equations (6.14) and (6.15).	145
6.10	Problems	145
7	Interpreting mixtures in the presence of relatives	147
7.1	One pair of relatives: HWE	147
7.1.1	Motivating example	148
7.1.2	A probability formula	149
7.1.3	Tested suspect with an unknown relative	150
7.1.4	Unknown suspect with a tested relative.	151
7.1.5	Two related persons were unknown contributors.	152
7.1.6	An application	153

7.2	Two pairs of relatives: HWE	157
7.2.1	Two unknowns related respectively to two typed persons	159
7.2.2	One unknown is related to a typed person and two other unknowns are related.	160
7.2.3	Two pairs of related unknowns.	161
7.2.4	Examples.	161
7.2.5	Extension.	165
7.3	Related people from the same subdivided population	165
7.3.1	Introductory example	165
7.3.2	A simple case with one victim, one suspect and one relative	167
7.3.3	General formulas	167
7.3.4	An example analyzed by the software.	170
7.4	Proofs	172
7.4.1	Preliminary	172
7.4.2	The proof of Equation (7.5)	180
7.4.3	The proof of Equation (7.7)	180
7.4.4	The proof of Equation (7.9)	181
7.4.5	The proof of Equation (7.11)	181
7.4.6	The proof of Equation (7.13)	181
7.4.7	The proofs of Equations (7.18) and (7.20).	181
7.5	Problems	186
8	Other issues	187
8.1	Lineage markers	187
8.2	Haplotypic genetic markers for mixture	189
8.3	Bayesian network	191
8.4	Peak information.	194
8.5	Mass disaster	196
8.6	Database search	197
	Solutions to problems	201
	Appendix A: The standard normal distribution	225
	Appendix B: Upper 1% and 5% points of χ^2 distributions	227
	Bibliography	229
	Index	237