

Index

A

- a (HTML entity), 48**
- Abbr (HTML entity), 48**
- About page, 9–10, 204–205**
 - editing, 204–205
- absolute URLs, 48, 49, 53, 63, 67, 69, 101, 153**
- accounts (Facebook), 211, 212**
 - jailed, 211
 - test, 211–212
- acronym (HTML entity), 48**
- action (attribute), 72, 76**
- Action Confirmation page, 45**
- Action page**
 - error handling, 46
 - Hello World*, 41–45
 - notifications method, 46
- ActionScript, 18**
- Add Music button, 14**
- add_border, 53**
- adding/extending functionality. See functionality**
- address (HTML entity), 48**
- address (value), 60**
- Adobe Flash. See Flash**
- ads.html, 267**
- advertising banner, 266–267**
- advertising/marketing traits (in applications), 24**
- affiliations data structure, 132**
- aim (value), 59**
- Ajax, 100–104. See also FBJS; mock-Ajax**
 - calls, 108
 - libraries, 69, 85
 - object, 100–104
 - utilities, 37, 45
- ajaxidigg (example application), 101–104**
 - htdocs/index.php file, 101, 102
 - lib/AppConfig.class.php, 101
- album (attribute), 67**
- align (attribute), 53, 67, 68**
- allowScriptAccess, 68**
- allposters.com, 20**
- altruistic applications, 22**
- anonymous actions, Honesty Box, 21**
- anonymous edits, disabling, 233**
- anonymous fields, 108, 164, 165, 172**
- Apache, 5**
- API (Facebook), 4, 6, 109–162**
 - documentation, 209
 - error handling, 111–112
 - method requests, 109–111
 - responses, 111–112
- API key, 177, 178**
- API methods, 109, 113–162. See also specific API methods**
 - authentication, 113–114, 178
 - error codes. *See specific API methods*
 - events, 139–142
 - FQL, 121–122
 - friends, 122–125
 - groups, 143–146
 - Marketplace, 155–162
 - News Feed/Mini-Feed, 114–120
 - notifications, 125–128
 - photos, 146–152
 - profile, 128–130
 - replacement (FQL query), 174
 - request parameters, 110–111
 - requests, 109–111
 - user, 130–139
- API Test Console, 210**
- api_client_profile_setFBML(. . .), 37**
- api_key, 34**
- AppConfig class**
 - Hello World*, 34
 - configuration variables, 34
 - updated, 214–215
- app_id, 34**
- Application**
 - About page. *See About page*
 - Canvas. *See Canvas*
 - Description (option), 32
 - Directory, 12–13, 206, 207
 - ExampleApp, 16
 - home page. *See htdocs/index.php*
 - list view, 29
 - Profile Box. *See Profile Box*
 - Stats page, 208
 - Type (option), 32
- application authentication. See authentication**
- application configuration options/combinations, 178**

application control panel, 28, 199, 200–205

application creation/management. See My Applications page

Applications page

application development

best practices, 249–270

caveats, 263

external, 229–248

application Forum, 24

application ID, 178

'Application Info' section, 204, 205

application partnerships, 24

Application Programming Interface (Facebook).

See API

applications (Facebook)

altruistic, 22. *See also* Causes

anatomy, 7–10

audio/video/image files and, 86

automated jobs for, 249–257

building. *See* building applications

competitive, 22

content-oriented, 21, 22

creation. *See* example applications;

My Applications page

deletions of, 203–204

desktop, authentication of, 192–195

development. *See* application development

example. *See* example applications

external. *See* external applications

game. *See* Pirates vs. Ninjas; Scrabulous

granting permission to, 60, 61

Hello World. See Hello World

I Play WoW, 208

with icons, 51

internal, 230

invitations. *See* invitations

as modular plugins, 16

notifications/requests, 13–14

politically focused, 23. *See also* Election '08

request process, 16–17

parameters, 17

role of, 6–7

self-contained, 162

settings/configuration bits, 257–262

social, 28. *See also* Hello World

traffic/usage tracking, 74

traits. *See* traits

types, 19–23

validating request signature of, 18

viral. *See* viral applications

Visual Studio and, 18

as web application, 7

Yahoo Buzz Index. See Yahoo Buzz Index

array elements, 93

Art (application), 20

artist (attribute), 67

Attachment Callback URL, 33

attachments (message), 14–16

fb:attachment-preview, 80

Attachments (option), 33

attributes. See Boolean values; dynamic attributes; specific attributes

audio files (Facebook applications), 86

streaming, FLV media player and, 69

audio_src, 82

auth token, 179

auth_desktop application, 192–195

authentication, 6, 177–195

API methods, 113–114, 178

application authentication, 180–195

external, 184–191, 230

components, 177–180

forcing views, 183–184

tokens, 177. *See also* API key; secret key;

session keys

validating requests, 180–181

auth_external project, 185–191

AuthFacebook plug-in component, 234–245

automated jobs (creation of), 249–257. See also

Yahoo Buzz Index

AVI video, 69

B

b (HTML entity), 48

backurl (attribute), 74

banner, advertising, 266–267

base options, 31, 32

basic (value), 60

bdo (HTML entity), 48

Beacons (Facebook), 25

best practices, 249–270

application settings/configurations, 257–262

automated jobs, creation of, 249–257

Callback URLs

no HTTPS and SSL, 263

no redirection, 263

common goals, 249

Configurable example, 257–262

design patterns, 264–270

12-second rule, 263

user privacy, 262–263

Yahoo Buzz Index example, 249–257

beta entities (FBML), 47

big (HTML entity), 48

BIGINT type (MySQL), 33

blockquote (HTML entity), 48

blocks, FBML, 92–93

blogs (Facebook), 199, 207

bookmarks, del.icio.us, 22

Boolean comparisons

- nested, 172
- operators, 172

Boolean flags, 73, 74, 83, 100**Boolean values**

- attributes
 - fb:friend-selector, 75
 - fb:if-is-friends-with-viewer, 61
 - fb:iframe, 66
 - fb:multi-friend-input, 71
 - fb:name, 56, 57
 - fb:pronoun, 57, 58
 - fb:request-form, 72
 - fb:swf, 68
 - fb:time, 83
- clear, 139
- show_on_profile, 155
- status_includes_verb, 139

border_color (attribute), 71**br (HTML entity), 48****broadcasting messages**

- feeds, 12
- Pages, 14

bugs

- bug-tracker tool, 39, 199, 211
- fb:flv and, 69

Bugzilla installation, 211**building applications**

- best practices, 249–270
- developers resources, 199–212
- example applications. *See* example applications
- external application development, 229–248

building relationships, 19, 20, 24**business network, 25****business relationships, 25****Buzz Index project. *See* Yahoo Buzz Index****BuzzLog class, 251–252****C****cached include files, 92****Callback URLs, 16**

- caveats
 - no HTTPS and SSL, 263
 - no redirection, 263
- Hello World*, 30
- home page, 32. *See also* htdocs/index.php
- option, 32

callbacks, 6, 7**callbackurl (attribute), 74****Can Your Application Be Added on Facebook? (option), 32****candelele (attribute), 74****candidates, presidential. *See* Election '08****canpost (attribute), 73****canvas (query string parameter), 191****Canvas page, 7–8**

- default. *See* htdocs/index.php
- mobile, 81
- navigational units, 265–266
- request types, 17

capitalize (attribute), 57, 58**caption (HTML entity), 48****Cascading Style Sheet. *See* CSS****Causes (application), 21–22****caveats**

- application development, 263
- Callback URLs
 - redirection, 263
 - SSL and HTTPS, 263
- FQL queries, 166
- Include files, 92
- 12-second rule, 263

cell (value), 60**center (HTML entity), 48****character suffix, 99****cite (HTML entity), 48****class (attribute), 81****clickrewriteform (attribute), 85****clickrewriteid (attribute), 85****clickrewriteurl (attribute), 85****clickthrough (attribute), 85****clicktodisable (attribute), 86****clicktoenable (attribute), 86****clicktoggle (attribute), 84, 85****clicktohide (attribute), 84****clicktoshow (attribute), 84****client libraries, 18. *See also* PHP**

- Java, 209

client-side scripting, 87, 89. *See also* FBJS**CMS. *See* content management system****Cocoa, 18****code (HTML entity), 48****ColdFusion, 18****colors/styles (Facebook), 264–265****cols (attribute), 64****comments**

- applications and. *See* Honesty Box; Wall
- for entities, 74. *See also* fb:comments

common elements (Facebook), 264**comparison operators (Boolean), 172****comparisons, nested (Boolean), 172****competitive applications, 22****complex data structures**

- facebook.users.getInfo, 131–136
- fields with, 173

concat function, 172

conditional statements (FQL queries), 172, 173
Configurable (example application), 257–262
configuration bits/settings, for applications, 257–262
configuration variables, `AppConfig.class`, 34
contact (value), 59
content (attribute), 71
content management system (CMS), 6
content-oriented applications, 21, 22
contributions. *See* **Causes**
control panel (*My Applications* page), 28, 199, 200–205
Core Technologies
 Facebook, 5–6
 Platform, 6
cosmetic enhancements (applications), 25
 Art application, 20
courses (value), 59
Create button (on dashboard), 52
creating applications, 201–203. *See also*
 building applications; example applications;
 My Applications page
CRUD interface, 264, 265
CSS (**Cascading Style Sheet**), 68, 87, 92
 fb:ref and, 95
 Include files, 92
current_location data structure, 132–133

D

Dashboard widget, 264, 265–266
dashboards, 40, 264, 265, 266
data mining, with FQL, 163–175
data storage (FQL), 174–175
date (month/day), 78. *See also* fb:editor-date
dd (HTML entity), 48
debugging tools, 39, 199, 211
decoration (attribute), 53, 55
Default FBML (option), 32
Default Profile Box Column, 32
del (HTML entity), 48
deletion of applications, 203–204
del.icio.us (application), 22
deprecated entities (FBML), 47
design patterns (Facebook), 264–270
Desktop (sample application), 192–195
desktop applications, 192–195. *See also* **external applications**
developer discussion board, 18
Developer Mode (option), 32
Developer Test Accounts network (Facebook Platform), 212
Developers Application, 18–19, 27, 199–208
 download, 28

developers, resources for, 199–212. *See also*
 resources for developers
Developers Web Site, 209–210
 documentation, 209
 resources, 209
Development Center, 18–19
Dialog object, 104–105
Dialog widgets, 104–108
dialogs, 104–108, 264, 267–270
Dialogs (example application), 105–108, 267–270
direct relationships, 4
Directory, Application, 12–13, 206, 207
Discussion Board, 9, 28, 206–207
displaying advertisements, 266–267
div (HTML entity), 48
divider, horizontal, 78
DIY Ice Cream wiki, 230–248
 account creation, disabling, 233
 anonymous edits, disabling, 233
 AuthFacebook plug-in component, 234–245
 creation, 233–234
 extend/enhance, 248
 Facebook plug-in component, 245–247
 login link, removal, 233
 main page, 232
dl (HTML entity), 48
dnf (HTML entity), 48
Do It Yourself Ice Cream wiki. *See* **DIY Ice Cream** wiki
document object model. *See* **DOM**
documentation
 authentication, 209
 Facebook API, 209
 FBML, 209
 FQL, 209
document.createElement(. . .) method, 91
DOM (**document object model**), 69, 87, 100, 101
 FBJS and, 89
donations. *See* **Causes**
download source code (*wrox.com*), xxii
dt (HTML entity), 48
dynamic attributes (FBML), 84–86
 forms, 86
 mock-Ajax, 85–86
 visibility, 84–85

E

editing, of *About* page, 204–205
editor entities, 75–79
education (value), 60
education_history data structure, 133
Edwards, Phil, 20

Election '08, 23

element content, setting (FBJS), 91–92

element creation, FBJS, 91

else case, 49. *See also* **fb:else**

em (HTML entity), 48

email (value), 59

entities (FBML), 47–87

- beta, 47
- definition of, 48
- deprecated, 47
- editor, 75
- external content/media, 66–70
- fb:ref, nesting and, 84
- forms, 75–79
- HTML (list), 48–49
- information control, 58–62
- informational, 54–56
- media/external content, 66–70
- miscellaneous, 81–84
- navigational, 51–54
- notification/requests, 70–73
- operators, 49–51
- profile, 62–64
- requests/notifications, 70–73
- system, 80–81
- user and group, 56–58
- widget, 73–74

Epoch. *See* **UNIX Epoch**

error codes, API methods. *See specific API methods*

error handling. *See also* **bugs**

- API, 111–112
- Hello World* project, 46
- JSON-serialized facebook.fql.query error, 111
- rendering error, 80
- XML facebook.fql.query error, 112

error messages, 264. *See also* **fb:error**

event handling (FBJS), 99–100

event table, 170

event tracking, 220–222

event_member table, 170–171

events. * **API methods**, 139–142

- .get, 140–141
- .getMembers, 142

example applications

- ajaxidigg*, 101–104
- Configurable*, 257–262
- Desktop*, 192–195
- Dialogs*, 105–108, 267–270
- DIY IceCream* wiki, 230–248
- External*, 185–191
- Hello World*, 27–46, 213–228
- Signature*, 181–183
- Yahoo Buzz Index*, 249–257

exclude_ids (attribute), 71, 75, 83

excludes (attribute), 81

Extended Info (application), 20

extending/adding functionality. *See* **functionality**

Extensible Markup Language. *See* **XML**

External (sample application), 185–191

- database schema, 185
- lib/AppConfig.class.php, 186

external applications

- authentication, 184–191, 230
- creating, 230
- defined, 229–230
- desktop, 192–195
- development, 229–248
- MediaWiki, 230, 231
- installation, 231–233
- preparation, 230–231

external content/media entities, 66–70

F

Facebook

- API. *See* **API**
- Beacons, 25
- colors/styles, 264–265
- common elements, 264
- design patterns, 264–270
- Developers Application. *See* **Developers Application**
- Development Center, 18–19
- evolution, 3–4
- as gaming platform, 23
- Group, 57
- Marketplace. *See* **Marketplace**
- as modular CMS with authentication, 6
- open-source technologies, 5
- Pages. *See* **Pages**
- Platform. *See* **Facebook Platform**
- Platform Team, 28
- plug-in component, 245–247
- services, 4–5
- updates/service announcements, 207
- wizards on, 266

Facebook JavaScript. *See* **FBJS**

Facebook Markup Language. *See* **FBML**

Facebook Platform

- components, 6
- Core Technologies, 6
- Developer Test Accounts network, 212
- forms, special treatment of, 87. *See also* **forms**
- information sources
 - Developer Application, 18–19
 - Developer Center, 18–19
- main duties, 5–6
- multimedia-friendly, 86
- status section, 207

Facebook Query Language. See **FQL**

facebookapi_php5_restlib.php (code listing), 278–313

facebook.auth

.createToken, 113–114
.getSession, 114

facebook_desktop.php (code listing), 276–278

facebook.events

.get, 140–141
.getMembers, 142

facebook.fbml

.refreshImgSrc, 86, 153
.refreshRefUrl, 153–154
.setRefHandle, 84, 154–155

facebook.feed

.publishActionOfUser, 116–118
.publishStorytoUser, 114–116
.publishTemplatizedAction, 118–120

facebook.fql.query, 121–122, 163

error
JSON-serialized, 111
XML, 112

facebook.friends

.areFriends, 122–123
.get, 123–124
.getAppUsers, 124–125

facebook.groups

.get, 143–144
.getMembers, 145–146

facebook.marketplace

.createListing, 155–157
.getCategories, 158
.getListings, 159–160
.getSubCategories, 158–159
.removeListing, 160–161
.search, 161–162

facebook.notifications

.get, 125–126
.send, 126–127
.sendEmail, 127–128
.sendrequest (deprecated), 127

facebook.photos

.addtag, 151–152
.createAlbum, 147–148
.get, 148–149
.getAlbums, 150–151
.getTags, 152
.upload, 146–147

facebook.php (code listing), 271–276

facebook.profile

.getFBML, 129
.setFBML, 37, 129–130

facebook.users

.getInfo, 131–136

complex data structures, 131–136

.getLoggedInUser, 137
.hasAppAdded, 138
.hasAppPermission, 137–138
.isAppAdded, 130–131
.setStatus, 139

failures. See **error handling**

false/true values. See **Boolean values**

fb XML namespace, 48

fb:action, 52

fb:dashboard and, 52
fb:subtitle and, 52

fb:attachment-preview, 80

fb:comments, 73–74

restrictions for, 74

fb:create-button, 51–52

fb:dashboard, 40, 51

entities in, 51
fb:action and, 52
fb:create-button and, 52
fb:help and, 52

fb:default, 50

fb:dialog, 269

fb:dialogresponse, 270

fb:editor, 41, 44, 76

Hello World project, 45

fb:editor-button, 45, 79

fb:editor-buttonset, 78

fb:editor-cancel, 45, 79

fb:editor-custom, 45

fb:editor-date, 78

fb:editor-divider, 78

fb:editor-month, 77–78

fb:editor-textarea, 76–77

fb:editor-time, 77

fb:else, 41, 49–50

fb:error, 54–55

fb:explanation, 41, 43

example, 44

fb:fbml, 80

fb:fbmlversion, 80

fb:flv, 69

bug, 69

fb_force_mode parameter, 73

fb:friend-selector, 45, 75–76, 83

fb:multi-friend-input and, 71

fb:google-analytics, 73, 74

fb:grouplink, 57

fb:header, 53

fb:header-title, 54

fb:help, 52

fb:if, 49

fb:if-can-see, 59–60, 263

fb:if-can-see-photo, 60, 263

fb:if-is-app-user, 41, 60–61

- fb:if-is-friends-with-viewer**, 61
- fb:if-is-group-member**, 61
- fb:if-is-own-profile**, 62
- fb:if-is-user**, 62
- fb:iframe**, 66
 - advertising banner with, 266–267
- fb:if-user-has-added-app**, 62
- fb:is-in-network**, 59
- FBJS (Facebook JavaScript)**, 49, 89
 - Ajax and. See Ajax
 - dialogs. See dialogs
 - DOM and, 89
 - element content, setting, 91–92
 - element creation, 91
 - event handling, 99–100
 - FBML and, 89–108
 - JavaScript v., 89–90
 - methods/functions (list), 96–98
 - JavaScript replacements, 96–98
 - syntax/structure, 89
- fb:js-string FBML entity**, 91, 92, 105, 107
 - FBML blocks with, 92–93
- fb:mediaheader**, 54
- fb:message**, 43, 56
 - example, 44
- FBML (Facebook Markup Language)**, 6, 37, 46, 47–87, 89–108
 - advanced features, 89–108
 - blocks, 92–93
 - documentation, 209
 - dynamic attributes, 84–86
 - entities. See entities
 - event handling, 99–100
 - FBJS and, 89–108
 - HTML and, 47
 - importance/usefulness, 46, 89
 - operators, 49–51
 - refresh methods, 153–155
 - rendering engine. See rendering engine
 - revisions, 47
 - Test Console, 39, 40, 210
 - wiki, 209
- fbml. * API methods**
 - .refreshImgSrc, 86, 153
 - .refreshRefUrl, 153–154
 - .setRefHandle, 84, 154–155
- fb:mobile**, 81
- fb:mp3**, 67
- fb:multi-friend-input**, 71
 - fb:friend-selector and, 71
- fb:name**, 40–41, 56–57
- fb:narrow**, 63
- fb:notif-email**, 70
- fb:notif-page**, 70
- fb:notif-subject**, 70
- fb:owner-action**, 54
- fb:photo**, 66–67
- fb:profile-action**, 63
- fb:profile-pic**, 58
 - img and, 58
- fb:pronoun**, 57–58
- fb:random**, 50
- fb:random-option**, 50–51
- fb:redirect**, 80
- fb:ref**, 84
 - CSS and, 95
 - nesting and, 84
 - Yahoo Buzz Index*, 250
- fb:req-choice**, 70
- fb:request-form**, 71–73, 223, 224, 225, 226
- fb:request-form-submit**, 73
- fb:share-button**, 81–82
 - meta entities, 82
 - meta links, 82
- fb_sig**, 17, 68
- fb_sig_added**, 17, 68, 184
- fb_sig_api_key**, 17, 68
- fb_sig_expires**, 68
- fb_sig_friends**, 17
- fb_sig_in_canvas**, 17, 183
- fb_sig_in_iframe** query string parameter, 66
- fb_sig_profile**, 68
- fb_sig_profile_update_time**, 17
- fb_sig_session_key**, 17, 68
- fb_sig_time**, 17, 68
- fb_sig_user**, 17, 68, 184
- fb_sig_xid**, 74
- fb_sig_xid_action**, 74
- fb:silverlight**, 69–70
 - activation, 95
- fb:submit**, 79
- fb:subtitle**, 64
 - fb:action and, 52
- fb:success**, 55–56
- fb:swf**, 67–69
 - Flash v.9 and, 69
- fb:switch**, 50
- fb:tab-item**, 53
- fb:time**, 82–83
- fb:title**, 83
- fb:user**, 57
- fb:user-agent**, 81
- fb:user-item**, 64
- fb:user-table**, 64
- fb:visible-to-added-app-users**, 66
- fb:visible-to-apps-users**, 65
- fb:visible-to-friends**, 65
- fb:visible-to-owner**, 65
- fb:visible-to-user**, 65

fb:wide, 63

February 31 (on form), 78

feed (value), 59

feed. * API methods, 114-120

.publishActionOfUser, 116-118

.publishStorytoUser, 114-116

.publishTemplatizedAction, 118-120

feeds. See **Mini-Feed**; **News Feed**; **Yahoo**

Buzz Index

fieldset (HTML entity), 48

fields/tables (FQL queries), 167-172

complex data structures, 173

Firefox versions, 81

first_name data structure, 133-134

firstnameonly (attribute), 56

first_time method, 216, 220, 260

Flash

FLV media player, 69

MP3 player, 67

v.9, fb:swf entities and, 69

flashvars (attribute), 68

FLV media player, 69

font (HTML entity), 48

forced invites, 24

Form submission mechanism, JavaScript, 79

form_id (attribute), 79

forms (entities), 49, 75-79, 87, 264

February 31st on, 78

special treatment of, 87

Fortune Cookie (application), 21

Forum (application), 24

FQL (Facebook Query Language),
6, 163-175

API method, 121-122

documentation, 209

queries. See **queries**

responses, 164-165

JSON, 164-165

XML, 164

usage

data storage, 174-175

method replacement, 174

fql. * API methods, 121-122

fql_query_response, 113, 163, 164

frameborder (attribute), 66

Friend Greetings. See **Hello World**

friend table, 168

friends (value), 59

friends. * API methods, 122-125

.areFriends, 122-123

.get, 123-124

.getAppUsers, 124-125

functionality (adding/extending), 25

Extended Info application, 20

functions (FQL queries), 172

G

game applications. See also **Pirates vs.**

Ninjas; **Scrabulous**

multi-user, 23

single-player flash, 23

turn-based, 23

gaming platform, Facebook as, 23

generate_sig function, 180, 183

GET, 72. See also **POST**

get_db_conn method, 37

get_greetings method, 35

get_valid_fb_params class method, 183

gid (attribute), 57, 61

Google Analytics

account ID, 74

code, 73

granting permission, to application, 60, 61

Greetings table schema (Hello World), 33, 215

Gregorian calendar, 77

group and user entities, 56-58

Group, Facebook, 57. See also **fb:grouplink**

group table, 168-169

group_members table, 169

groups (value), 59

groups. * API methods, 143-146

.get, 143-144

.getMembers, 145-146

H

h1 through h6 (HTML entities), 48

handle (attribute), 84

header. See **fb:header**

height (attribute), 66, 67, 68, 69

Hello World (example application), 27-46, 213-228

Callback URL, 30

Canvas pages, 37-45

Action page, 41-45

home page (index page), 37-45

Canvas URL, 30

class overview, 34-37

configuration, 30-33

base options, 31, 32

installation options, 31, 32

integration points, 31, 33

creation, 28-30

error handling, 46

evaluating status, 45-46

event tracking, 220-222

functionality/features, 28

invitations, sending/tracking, 222-227

layout/structure, 34

notifications, 46

- preparation, 33, 214–215
 - profiles, improvements in, 215–219
 - statistics/metrics, 227–228
 - table schemas, 33
 - new, 215
 - writing, 33–46
 - help. See fb:help**
 - Help URL (option), 33**
 - hex-encoded value, 69**
 - hide_checkbox, 191**
 - home page, 38. See also htdocs/index.php page**
 - hometown_location data structure, 132–133**
 - Honesty Box, 21**
 - Wall v., 21
 - hooks, 6**
 - horizontal divider, 78**
 - hr (HTML entity), 48**
 - href (attribute), 51, 52, 53, 54, 79, 81**
 - hs_info data structure, 134**
 - htdocs/callback.php page, 191–192**
 - htdocs/goodbye.php Post-Remove Callback page, 221–222**
 - htdocs/index.php page**
 - ajaxidigg*, 102
 - Dialogs*, 268
 - External*, 189
 - Hello World*, 30, 38
 - public nature of, 218
 - Signature*, 181–182
 - Yahoo Buzz Index*, 253–255
 - htdocs/invite.php Canvas page, 223, 224**
 - htdocs/profile.php file**
 - Hello World*, 216–218
 - Yahoo Buzz Index*, 255–256
 - htdocs/welcome.php Canvas page, 219**
 - HTML**
 - entities (list), 48–49. *See also specific HTML entities*
 - special cases, 48–49
 - FBML and, 47
 - HTTP Form method, 72. See also GET; POST**
 - HTTPS, Callback URLs and, 263**
 - Hug action, 107**
 - hugs, 107, 108**
- I**
- i (HTML entity), 48**
 - I Play WoW (application), 208**
 - ice cream wiki. See DIY Ice Cream wiki**
 - icon (attribute), 53**
 - icons, applications with, 51**
 - idname (attribute), 75, 83**
 - ids (variable), 73**
 - ifcantsee (attribute), 56, 58**
 - iFrame, 32, 66, 73, 267**
 - fb:iframe, 66
 - advertising banner with, 266–267
 - if/then block, 49. See also fb:if**
 - iLike, 19–20**
 - images, 86**
 - sharing, 81
 - image_src, 82**
 - img tag (HTML entity), 49, 86**
 - fb:profile-pic and, 58
 - imgclass (attribute), 68, 69**
 - imgsrc (attribute), 67, 69**
 - imgstyle (attribute), 68, 69**
 - Include files, 92**
 - cached, 92
 - rules/caveats, 92
 - include_me (attribute), 71, 75, 83**
 - includes (attribute), 81**
 - includeself (attribute), 61**
 - index page. See htdocs/index.php page**
 - indirect relationships, 4**
 - infinite session keys, 179, 184, 191, 256**
 - information aggregates, 5. See also Mini-Feed; News Feed**
 - information control entities, 58–62**
 - informational messages, 264**
 - input (HTML entity), 48**
 - ins (HTML entity), 48**
 - installation options, 31, 32**
 - installed (query string parameter), 250, 254, 257, 258, 260**
 - integration points, 31, 33**
 - internal applications, 230**
 - invitation concentration, 226**
 - invitations, 222–227**
 - forced, 24
 - invite (attribute), 72**
 - Invite page, 225**
 - IP Addresses of Servers Making Requests (option), 32**
 - iTunes Music Store, 20**
- J**
- jailed accounts, 211**
 - Java, xxi, 18**
 - Client Library, 209
 - JavaScript, 49. See also FBJS**
 - FBJS v., 89–90
 - Form submission mechanism, 79
 - Include files, 92
 - methods/functions (list), 96–98
 - FBJS replacements, 96–98
 - syntax/structure, 89

JavaScript Object Notation. See JSON
JSON (JavaScript Object Notation), 37, 164–165

facebook.fql.query error, 111
FQL responses, 164–165
online info, 165
serialized responses, 113

K

kbd (HTML entity), 48
Kraft, Matt, 20

L

label (attribute), 70, 73, 76, 77, 78
label (HTML entity), 48
labelwidth (attribute), 76
landing page. See htdocs/index.php
last_name data structure, 133–134
lastnameonly (attribute), 56
legend (HTML entity), 48
li (HTML entity), 48
lib/AppConfig.class.php
 ajaxidigg, 101
 External, 186
 Signature, 181
 Yahoo Buzz Index, 256–257
libraries. See also PHP
 Ajax, 69, 85
 client, 18
 Java client, 209
 unofficial, 18
lib/SuperStore.class.php, 186–188
lib/update.php file, 256
linked (attribute), 56, 58
links, paid, 266–267
lists/menus, 266
login link, removal of, 233
loop (attribute), 68
lower (string) function, 172

M

mailbox (value), 60
main page. See htdocs/index.php
management/creation of applications.
 See My Applications page
marketing/advertising traits
 (in applications), 24
Marketplace (Facebook)
 API methods, 155–162
marketplace. * API methods

.createListing, 155–157
.getCategories, 158
.getListings, 159–160
.getSubCategories, 158–159
.removeListing, 160–161
.search, 161–162

markup languages

Extensible. *See XML*
Facebook. *See FBML*
HTML. *See HTML*

max (attribute), 71

maxlength (attribute), 76

MD5. See Message Digest 5

media header. See fb:mediaheader

media/external content entities, 66–70

MediaWiki, 230, 231

 configuration page, 232
 installation, 231–233

meeting_for data structure, 134

meeting_sex data structure, 134

memcached, 5

menus/lists, 266

message (attribute), 54, 55

Message Digest 5 (MD5), 18

message handling, 6

messages. See also notifications; requests

 attachments. *See attachments*

 broadcasting

 feeds, 12

 Pages, 14

 fb:explanation and, 55

 fb:message and, 43, 56

 example, 44

 fb:success and, 55–56

 informational entities and, 54–56

 success/error/informational, 264

 user-to-user, 5

messaging, 5, 13, 24

meta entities, 82

meta links, 82

method (attribute), 72

methods, API. See API methods

Microsoft Silverlight control, 69, 70

Microsoft Visual Studio. See Visual Studio

Mini-Feed, 5, 10–12, 24

 API methods, 114–120

 News Feed v., 10

miscellaneous entities (FBML), 81–84

mobile application Canvas pages, 81

mock-Ajax. See also Ajax

 dynamic attributes, 85–86

modular plugins, applications as, 16

month, of Gregorian calendar year, 77

MP3 player, Flash, 67

MPEG video, 69
multimedia-friendly platform (Facebook), 86
multi-user games, 23
music
 iLike application, 19–20
My Applications page (control panel), 28,
 199, 200–205
‘My Privacy’ page, 178
MySpace, 19
MySQL, xxi, 5
 BIGINT type, 33
 Greetings table schema, 33, 215
 shared/dedicated server, 27

N

name (attribute), 75, 76, 77, 79, 83
name data structure, 133–134
narrow form, 8
navigational entities (FBML), 51–54
navigational units (Canvas), 265–266
nested Boolean comparisons, 172
nesting, fb:ref entities and, 84
.NET, 18
network (attribute), 59
New Application form, 29
News blog (Facebook), 199, 207
News Feed, 5, 10–12, 24
 API methods, 114–120
 automated jobs. *See Yahoo Buzz Index*
 Mini-Feed v., 10
NewsVine, 23
next (query string parameter), 191
no_padding, 53, 55
normal (value), 58, 67
notes (value), 59
notifications, 5, 13–14. *See also requests*
 API methods, 125–128
 entities (FBML), 70–73
 fb:explanation and, 55
 fb:success and, 55–56
 Hello World project, 46
 informational entities and, 54–56
 method, 46
 requests v., 14
notifications. * API methods, 125–128
 .get, 125–126
 .send, 126–127
 .sendEmail, 127–128
 .sendrequest (deprecated), 127
not_limited (value), 59
now (function), 172
numposts, 74

O

objective (attribute), 57
object.setInnerFBML(token) method, 91
object.setTextValue(string) method, 91
ol (HTML entity), 48
onclick event, 268
online (value), 59
opaque (value), 68
open-source technologies, Facebook, 5
operating systems, web, 6
operators (FBML entities), 49–51
operators, Boolean comparison, 172
optgroup (HTML entity), 48
option (HTML entity), 48
Optional Fields, 30, 31, 202

P

p (HTML entity), 48
p2p.wrox.com, xxii–xxiii
page (attribute), 74
Pages (Facebook), 5, 14
paid links, 266–267
parameters (application request), 17,
 183–184, 221
parser. See FBJS
partnerships, application, 24
perfecting single idea (in applications),
 24–25
Perl, xxi, 18
permissions
 granting, to application, 60, 61
 viewing, information control entities
 and, 58–62
personal (value), 60
Philips, Trey, 20
phone (value), 60
photo table, 171
photos (Facebook). See fb:photo
photos. * API methods, 146–152
 .addtag, 151–152
 .createAlbum, 147–148
 .get, 148–149
 .getAlbums, 150–151
 .getTags, 152
 .upload, 146–147
photosofme (value), 59
photo_tag table, 171–172
PHP, xxi, 5
 Client Library, 27, 36, 209
 example applications. *See example*
 applications

PHP (continued)

- file reference, 271–313
 - facebookapi_php5_restlib.php, 278–313
 - facebook_desktop.php, 276–278
 - facebook.php, 271–276
 - shared/dedicated server, 27
 - versions, 18
- PhpEmbed, 5**
- Pic, 134**
- pic_big, 134**
- pick (attribute), 50**
- pic_small, 134**
- pic_square, 134**
- 'Picture' section, 204, 205**
- pid (attribute), 60, 66, 254**
- Pirates vs. Ninjas, 22–23**
- platform model, Facebook. See Facebook Platform Platform Status section, 207**
- Platform Team (Facebook), 28**
- plug-in components**
 - AuthFacebook, 234–245
 - Facebook, 245–247
- Poke action, 107**
- pokes, 54, 108, 125**
- politically focused applications, 23.**
 - See also **Election '08**
- popularity, user, 19, 24**
- popup, 191**
- possessive (attribute), 56**
- POST, 16, 18, 41, 43, 44, 71, 73, 74, 76, 78, 79, 163**
 - parameters, 17, 183–184, 221
- Post-Add Callback URL, 202, 218, 250, 254, 258**
- Post-Add URL (option), 32, 219, 220, 258**
- Post-Remove (option), 32**
- pre (HTML entity), 48**
- preposition (parameter), 83**
- presidential election candidates. See Election '08**
- previewing code, 39**
 - FBML Test Console, 39, 40, 210
- privacy (user), 47**
 - best practices, 262–263
 - fb:if-can-see, 59–60, 263
 - fb:if-can-see-photo, 60, 263
 - information control entities, 58–62
- Privacy URL (option), 33**
- Private Installation (option), 33**
- professional (value), 60**
- profile**
 - API methods, 128–130
 - enhancements (applications), 25
 - Art application, 20
 - entities (FBML), 62–64
 - real estate, 24

- profile (value), 59**
- profile. * API methods, 128–130**
 - .getFBML, 129
 - .setFBML, 37, 129–130
- Profile Box, 8–9**
- profile pages, 4**
 - content, entities for, 62–64
 - content visibility, entities for, 64–66
- profile visibility entities, 64–66**
- profile_setFBML, 36**
- pronoun. See fb:pronoun**
- publishActionOfUser v. publishStoryToUser, 118**
- Python, 18**

Q

- q (HTML entity), 48**
- quality (attribute), 68**
- queries (FQL), 163**
 - anonymous fields, 108, 164, 165, 172
 - caveats, 166
 - conditional statements, 172, 173
 - functions, 172, 173
 - syntax, 166
 - tables/fields, 167–172
- query string parameters**
 - installed, 250, 254, 257, 258, 260
 - login, 191
 - pid, 146
 - URL, 178

R

- real estate, user profile, 24**
- redirection, Callback URLs and, 263**
- reflexive (attribute), 56, 57**
- refresh methods (FBML), 153–155**
 - facebook.fbml.refreshImgSrc, 86, 153
 - facebook.fbml.refreshRefUrl, 153–154
- relationships**
 - building/strengthening, 19, 20, 24
 - business, 25
 - direct, 4
 - indirect, 4
 - user relationship management, 6
- relationship_status data structure, 135**
- rendering engine (FBML), 49, 73, 80, 83, 87**
 - API methods, 153–155
 - CSS and DOM, 87
 - img tag and, 86
 - prepositions and, 83
 - variables/functions and, 93
 - version, 80

rendering error, 80
replacement of API methods, 174
request interface, customization of, 72
request methods. See GET; POST
request parameters, API method, 110–111
request process (for applications), 16–18
 parameters, 17
request signature, validating, 18
request-form invitation/notification
 process, 72, 73
requests, 13–14. See also notifications; queries
 entities (FBML), 70–73
 FQL. *See* queries
 notifications v., 14
 12-second rule, 263
requirelogin (attribute), 85
resources for developers, 199–212
 Developers Application, 18–19, 27, 199–208
 download, 28
 Developers Web Site, 209–210
 wiki, 211
responses
 API (Facebook), 111–112
 FQL, 164–165
 JSON, 113
 XML, 113
role (attribute), 61
rows (attribute), 76
Ruby, xxi, 18
rules/caveats, Include files, 92. See
 also caveats

S

s (HTML entity), 48
salgn (attribute), 68
samp (HTML entity), 48
sample applications. See example applications
scheduled tasks, xix, 179, 257. See also
 automated jobs
Scrabulous, 23
script (HTML entity), 49, 90, 92
scripting, client-side, 87, 89. See also FBJS
scrolling (attribute), 66
search (value), 60
seasonal (value), 60
secret key, 17, 34, 101, 177, 178, 180,
 200, 235, 245
'See all' link, 64
seeallurl (attribute), 64
select (HTML entity), 48
selected (attribute), 53
self-contained applications, 162
serialized responses
 JSON, 113
 XML, 113
service announcements, updates
 (Facebook), 207
services (Facebook), 4–5
session keys, 177, 179
 infinite, 179, 184, 191, 256
sessions. See session keys
setInnerFBML method, 91
setStyle(. . .) method, 90, 98, 99
setTextView method, 91
setting element content (FBJS), 91–92
settings/configuration bits (for applications),
 257–262
'share | +' button, 81
Share button, 264
shared objects, 81–82
shorten (value), 53, 55
Side-Nav URL (option), 33, 250, 258, 267
Sidestep, 20
Signature (example project), 181–183
signatures, 178, 179–180
significant_other data structure, 135
Silverlight control, 69, 70
silverlightsrc (attribute), 69
single idea (in applications), 24–25
single-player flash games, 23
64-bit integers (for UIDs), 33
size (attribute), 58, 67
skipcookie, 191
Slide Inc., 19
small (value), 58, 67
small span (HTML entity), 48
smartsize (attribute), 66
social applications, 28, 199. See also
 Hello World
social graph, 4
 friends. * API methods, 122–125
social network, 3, 6
 business network v., 25
social platform, 3, 6
source code (download), xxii
spam, 19, 200, 226, 233
SpecialPages, 231, 236
SQL, 6, 163, 166. See also FQL
 calls, 220
square (value), 58, 67
src (attribute), 66, 67, 69, 86
SSL, Callback URLs and, 263
Stats, Application, 208
status data structure, 135–136
statusupdates (value), 59
storage of data (FQL), 174–175
strategies, application development.
 See best practices

- streaming video/audio files, 69**
- strengthening/building relationships, 19, 20, 24**
- strike (HTML entity), 48**
- strlen (string) function, 172**
- strong (HTML entity), 48**
- strpos (string1, string2), 173**
- style (attribute), 66**
- style (HTML entity), 48, 94**
- styles/colors (Facebook), 264–265**
- sub (HTML entity), 48**
- subjectid (attribute), 57**
- substr (string, start, length), 173**
- success messages, 264**
- suffix, character, 99**
- sup (HTML entity), 48**
- Support E-mail option, 32**
- swfbgcolor (attribute), 68, 69**
- swfsrc (attribute), 67**
- system entities (FBML), 80–81**

T

- t (parameter), 82**
- table (HTML entity), 48**
- tables/fields (FQL queries), 167–172**
 - complex data structures, 173
- Tabs (widget), 265**
- target_url, 82**
- tbody (HTML entity), 48**
- td (HTML entity), 48**
- test accounts, 211–212**
- Test Accounts network, Developer, 212**
- Test Console**
 - API, 210
 - FBML, 39, 40, 210
- textarea (HTML entity), 48**
- tfoot (HTML entity), 48**
- th (HTML entity), 48**
- thread (HTML entity), 48**
- Thrift, 5**
- thumb (value), 58, 67**
- time. See fb:time; UNIX Epoch**
- time intervals, rounded, 77. See also fb:editor-time**
- time stamp, 83**
- time zone, 83**
- Tips application, 20**
- title (attribute), 51, 52, 53, 67, 69**
- tokens, authentication, 177. See also API key; secret key; session keys**
- tools**
 - API Test Console, 210
 - debugging, 39, 199, 211
 - FBML Test Console, 39, 40, 210
- 'top 8' concept, 19**
- Top Friends, 19, 24**
- tr (HTML entity), 48**
- traffic/usage tracking, 74**
 - Application Stats, 208
- traits (application), 19–23**
 - adding/extending functionality, 20, 25
 - business relationships, 25
 - marketing/advertising, 24
 - overview, 23–25
 - perfecting single idea, 24–25
 - profile enhancements, 20, 25
- transparent (value), 68**
- true/false values. See Boolean values**
- tt (HTML entity), 48**
- turn-based games, 23**
- 12-second rule, 263**
- type (attribute), 71**
- typeahead (variable), 73**
- tz (parameter), 83**

U

- u (HTML entity), 48**
- uacct (attribute), 74**
- uid (attribute), 54, 56, 57, 58, 59, 60, 61, 62, 65, 67, 73, 75, 83**
- UIDs (user IDs), 17**
 - 64-bit integers, 33
- ul (HTML entity), 48**
- undefined uid, 83**
- underscore (_)**
 - FBML rendering engine and, 93, 94
 - XML and, 113
- unique (attribute), 50**
- UNIX Epoch, 17, 77**
 - seconds, t parameter and, 82
- UNIX time stamp, 68, 78**
- unofficial libraries, 18**
 - supported languages, 18
- update_profile method, 36, 37, 252**
 - updated, 216
- updates/service announcements (Facebook), 207**
- upper (function), 173**
- URL(s)**
 - absolute, 48, 49, 53, 63, 67, 69, 101, 153
 - Art, 20
 - Attachment Callback, 33
 - Callback. See Callback URLs
 - Causes, 22

del.icio.us (application), 22
 Developer Application, 28
 documentation, 209
 Election '08, 23
 Extended Info, 20
 fb XML namespace, 48
 FBML wiki, 209
 Fortune Cookie, 21
 Help (option), 33
 Honesty Box, 21
 iLike, 20
 JSON, 165
 MediaWiki, 231
 Pirates vs. Ninjas, 23
 Post-Add (option), 32, 219, 220, 258
 Post-Add Callback, 202, 218, 250, 254, 258
 Privacy (option), 33
 redirection to different, 80
 Scrabulous, 23
 Side-Nav (option), 33, 250, 258, 267
 source code, xxii
 Top Friends, 19

url (attribute), 63, 70, 80, 84
URL query string parameters, 178
usage/traffic tracking, 74
 Application Stats, 208

user
 API methods, 130–139
 enhancing experience of. *See*
 settings/configuration bits
 management, 6
 name. *See* fb:name
 popularity, 19, 24
 privacy. *See* privacy
 profile. *See* profile
 relationship management, 6
 warnings/errors to. *See* fb:error

user and group entities (FBML), 56–58
user IDs. *See* UIDs
user login credentials, 177–178
user table, 167–168
user-centric control element, 57
users. * API methods, 130–139
 .getInfo, 131–136
 complex data structures, 131–136
 .getLoggedInUser, 137
 .hasAppAdded, 138
 .hasAppPermission, 137–138
 .isAppAdded, 130–131
 .setStatus, 139

user-specific offline updates, 257
user-to-user messages, 5
usethy (attribute), 57
useyou (attribute), 56, 58

V

validating requests, 18, 180–181
value (attribute), 76, 77, 78, 79
var (HTML entity), 48
var (JavaScript variable), 92
VB.NET, 18
version (attribute), 80
video files (in Facebook applications), 86
 sharing, 81
 streaming, FLV media player and, 69

viewing permissions (information control entities), 58–62
viral applications, 19, 24
 Fortune Cookie, 21
 Pirates vs. Ninjas, 22
 tactics for, 24
 Top Friends, 19

viral marketing, 19, 24
visibility
 dynamic attributes, 84–85
 profile visibility entities, 64–66

Visual Studio
 Express Showcase, 18
 Facebook applications and, 18

W

waitforclick (attribute), 68
Wall, 9, 24
 fb:comments and, 74
 Honesty Box v., 21

wall (value), 59
warning, nesting fb:ref entities and, 84
warnings/errors. *See* fb:error
wave_hello method, 35
web applications, 7. *See also* applications
web development technologies, xxi. *See also* MySQL; PHP
web operating systems, 6
web sites, 6
weight (attribute), 50
Welcome page, 219
what (attribute), 59
 optional values, 59–60

wide form, 8
widgets, 73. *See also* dialogs
 Dashboard, 264, 265–266
 Dialog, 104–108
 entities for, 73–74
 FBML and, 89
 Tabs, 265

width (attribute), 66, 67, 69, 71, 76

wikis

- Developers, 211
- DIY Ice Cream*, 230–248
- as external applications, 184–185
- FBML, 209

window (value), 68

wizards (on Facebook), 266

wmode (attribute), 68

word-of-mouth recommendations, 24

work_history data structure, 136

wrox.com, xxii

- p2p.wrox.com, xxii–xxiii

X

xid (attribute), 73, 74

XML (Extensible Markup Language), 37, 47.

See also FBML

- facebook.fql.query error, 112

FQL responses, 164

serialized responses, 113

XML namespace, fb, 48

XMLNS declarations, 113

xsi XML namespace, 113

xsi:schemalocation, 113

Y

Yahoo Buzz Index (example project), 249–257

building, 251–257

creating, 250

defining, 250

htdocs/index.php Canvas page, 253–255

htdocs/profile.php, 255–256

lib/AppConfig.class.php, 256–257

lib/BuzzLog.class.php, 251–252

lib/update.php file, 256

user-specific offline updates, 257