

Index

Page references followed by *fig* indicate an illustration; followed by *t* indicate a table.

A

- Abidin, R. R., 109
- Ability to respond: constitutionally based neurological problems affecting, 30–31; difficult temperament or regulatory problems affecting, 30
- Abused children: domestic violence and, 255–256; substance-abusing mother and infant, 256–261. *See also* Sexually abused children; Traumatized children
- Achenbach, T. M., 87, 109, 206, 512
- Activities: ASD treatment, 322–323, 328–329, 337–340, 350–352, 354–357; building child's tolerance for interactions, 346–347, 380–383; calming, 365–366; checkup, 138, 420, 501–502, 515; developing mutuality and engagement, 420–422; developing proprioceptive sense regulation, 281–282; developing tactile sense regulation, 276–277; developing vestibular sense regulation, 279–280; enhancing claiming of child by family, 431–434; fear of running out of ideas for, 188–189; giving parent “homework,” 245–246, 380; greeting, 137–138; Group Theraplay, 500–502, 503, 505–508; using left-brain or right-brain, 378–380; making connection with adolescent through sports, 489–491; objectives of the, 139; offering choices to traumatized child, 378; to overcome passive resistance, 183–184; overcoming child's resistance to, 177, 182; planning session and sequence of, 138–140; Theraplay Parent Group, 250; for traumatized child, 378–380, 380–383; uncomfortable reactions to, 192. *See also* Games
- ADD (Attention Deficit Disorder): CASCAP-D assessment of, 95; Theraplay effects on, 95–96
- ADHD (Attention Deficit Hyperactivity Disorder): CASCAP-D assessment of, 95; socially inappropriate playing and, 82; Theraplay in Practice helping child with, 296–298
- Adolescent Theraplay dimensions: challenging adolescents, 465–466; engaging adolescents, 462–463, 467–468; nurturing adolescents, 468–470; structuring adolescents, 464–465
- Adolescent treatment issues: adapting to physical size of adolescent, 456; countertransference problems, 472–473; responding to greater self-consciousness and verbal sophistication, 457; taking sexual development into account, 457–462; using teamwork to deal with, 473
- Adolescents: adapting Theraplay dimensions for, 462–470; combining Theraplay with other modalities for, 489–493; example of Group Theraplay for, 449–452; handling resistance by, 466, 470–471; how Theraplay for children differs than for, 456–462; including parents in sessions with, 473–489; parent expectations of, 464; preparing for ending treatment, 471–472; Theraplay in Practice to nurture, 335–337; understanding special challenges in working with, 452–453; understanding what Theraplay can offer to, 453–456. *See also* Children
- Adopted child needs: basic questions related to, 447–448; to develop mutuality and engagement, 418–422; to experience attunement and regulation, 412–414; to feel claimed by family, 430–434; to feel competent and worthy, 427–430; to grieve loss of previous caregivers, 406–408; to receive and accept nurturing from parents, 422–427; to trust and accept parental structure, 415–418
- Adopted child Theraplay: assessment process, 409–411; considering length and nature of, 411–412; Group Theraplay approach to, 510–513; understanding general principles of, 408–409
- Adopted children: developing empathic parent understanding of, 434–435; exploring issues related to the adoption, 35; helping parents with attachment issues, 435–437; inner working models developed by, 208–209; internalizing problems of, 512–513; knowing history of, 366–367; respecting fears of, 373–375; Sara's Theraplay session, 9–19; Theraplay to facilitate adjustment of, 35, 408–412; treatment of traumatized, 366–389; understanding experiences of, 406–408;

- Adopted children (*continued*):
 understanding needs of, 412–434. *See also* Children
- Adoptive families: child's need to feel claimed by, 430–434; Theraplay to facilitate adjustment of, 35, 408–412. *See also* Families
- Adoptive parents: ability to claim child, 430–434; attunement and regulation issues of, 413–414; building empathy for child's experience by, 434–435; creating parental structure and trust issues of, 415–418; helping child to feel competent and worthy, 428–430; mutuality and engagement issues of, 419–422; receiving and accepting nurturing issues of, 423–427; Theraplay to support transition from foster to, 443–448; who have attachment issues of their own, 435–437. *See also* Caregivers; Parents
- Adult Attachment Interview, 207
- Adult Group Theraplay: for cognitively impaired adults, 518–519; for group with adults and children, 515–516; in a nursing home, 516–518
- Adult guidance: authoritative parenting and, 52–53; Circle of Security parallel to, 53–54; essential parenting tasks, 51–52; Group Theraplay and, 500–501; as Theraplay core concept, 27, 51; Theraplay in Practice providing, 54
- Affect regulation: activities developing tactile sense, 276–277; autism and downstream effects of early difficulties with, 309; avoiding eye contact used by child with autism for, 327–328; brain development, attachment, and, 267–268; complex trauma and impaired, 362; play used for, 80–83; processing sensory stimuli and, 269–270; right-brain development and, 67–69; Theraplay in Practice related to, 69–71, 282–285; traumatized brain impairment related to, 362. *See also* Emotions
- Affective synchrony, 80
- Ainsworth, M.D.S., 55
- Aitken, K. J., 46, 48
- Albert Einstein College of Medicine, 83
- Amygdala, 363
- Anger: chemical responses associated with, 361; countertransference acting out and, 192–193; handling adolescent aggression and, 463, 473; handling child's, 178–179, 271
- Anzalone, M., 73
- Arousal: ASD treatment structure creating optimal, 321–322; autistic children regulation of overwhelming, 327–328; countertransference and sexual, 193; engaging traumatized child using optimal, 377–380; eroticized perception and sexual, 170–171; Group Theraplay activities related to controlling, 507; nurturing touch co-regulating, 172–173
- ASD (Autism Spectrum Disorders): Child Behavior Checklist (CBCL) assessing, 87–89*fig*; day care options for child with, 315; description of, 303, 304–305; importance of early intervention in case of, 111–312; parent-child relationship affected by, 30–31; understanding the underlying problems of, 305–309
- ASD problems: deficit in sensory-affect-motor connections, 306–307; deficit of mirror neuron function, 307–308; deficits in motor planning, auditory and visual-spatial abilities, and sensory modulation, 308; difficulties in communicating, 308; difficulty establishing synchrony and consistency in interactions, 309; downstream effects of connecting, regulating, and relating, 309; overview of, 305–306; SIB (self-injurious behavior), 345; signs in infants, 309. *See also* Sensory processing difficulties
- ASD treatment: challenge: accomplishing mildly difficult activities, 338–339; therapist or parent role in, 338*t*; Theraplay in Practice introducing challenges, 339–340; tolerating new activities, 337
- ASD treatment: engagement: acknowledging child's reactions, 327; developing repertoire of play interactions, 331; encouraging communication, 330–331; encouraging engagement in school setting, 331–334; establishing joint attention, 328; focusing on and attending to therapist, 327–328; focusing on the child, 326–327; imitating the child, 329–330; responding to communication, 333; sharing positive affect, 328–329; taking turns, 330; therapist or parent role in, 325–326*t*
- ASD treatment: nurture: to calm an upset child with autism, 335; making nurture comfortable and pleasurable, 334–335; therapist or parent role in, 334*t*; Theraplay in Practice to nurture adolescent daughter, 335–337
- ASD treatment: structure: coping with transitions, 232; creating optimal arousal, 321–322; leading child through play sequences, 322–323; play space and positioning, 320–325; prolonging interactions, 323; therapist or parent role in, 320, 321*t*; Theraplay in Practice using, 324–325

- ASD treatment: activities and games using in, 322–323, 328–329, 337–340, 350–352, 354–357; assessing child needs prior to, 312; DesLauriers and Carlson's approach to, 303–304; Group Theraplay approach to, 349–357; guidelines for working with parents, 317–318; helping parents deal with sense of loss, 314–315; helping parents respond to child's needs, 316; impact of Theraplay approach to, 301–304; increasing time parents spend engaging child in, 318–320; multiple interventions to increase impact of, 340–349; preteen facilitators used in group, 354–357; relationship between autism problems and goals of, 4, 310–312; research validating Theraplay approach to, 92–94; supporting parental involvement during, 312–357; using Theraplay dimensions to meet child needs, 320–340; Theraplay in Practice examples of, 318–357; using Theraplay in the home as part of, 318–320, 343–344
- ASD treatment interventions: developing basic skills, 345–346; including family and therapeutic support staff in, 344; integrating Theraplay with communication training, 344; integrating Theraplay with functional behavioral assessment and teaching skills, 345; Picture Exchange Communication System (PECS), 343, 344, 348; using Theraplay for social/community integration and recreation, 346–347; using Theraplay in the home, 318–320, 343–344
- Asperger's Disorder, 305
- Assessment: of adopted or foster child, 409–411; B. family example of, 111–115, 119–131; elements of, 7; of needs of the child with autism, 312; of parent expectations, 110, 111, 112, 210; of parents' capacity for healthy relationships, 207–208; of regulatory disorders, 273–274; by therapists of children and families, 109–136. *See also* Therapists
- Assessment process: B. family's, 111–115, 119–131; conducting an intake interview, 110–115, 205–208; using MIM to observe, 115–131
- Assessment tools: Behavior Assessment System for Children, Second Edition (BASC-2), 477; Brazelton Neonatal Behavioral Assessment Scale, 77; Child Behavior Checklist (CBCL), 87–89*fig*, 91*t*, 109, 110, 512; Children's Apperception Test, 477; Clinical Assessment Scale for Child and Adolescent Psychopathology (CASCAP-D), 95; Culture-Free Self Esteem Inventory-III, 91–92*fig*; Emotional Intelligence Checklist, 92; Fels Scales, 86; GARS-2, 93; Kinship Questionnaire, 88–89; Marschak Interaction Method (MIM), 7; Parenting Stress Index (PSI), 93, 109; Randolph Attachment Disorder Questionnaire (RADQ), 89, 477; Sensory Profile, 93; SOF (scales of functioning), 347–348*t*; SRS (Social Responsiveness Scale), 353; Thematic Apperception Test (TAT), 492. *See also* Marschak Interaction Method (MIM)
- Association for Play Therapy, 389
- Attachment: brain development, regulation, and, 267–268; definition of, 267; description and formation of, 44; of foster child to primary caregiver, 437–438; haven of safety provision of, 26; infant behavior signals of, 44; Theraplay focus on, 39–40, 359–360
- Attachment problems: CBCL measuring gender differences in improvement, 89*fig*; “charming” the therapist response, 183; complex trauma and, 362; foster children and, 438–456; negative interaction of parent/child problems and, 32–33; of parents of adopted and foster children, 435–437; Theraplay treatment applied to, 86–89, 438–456
- Attachment process: communication problems affecting the, 30–31; difficult temperament or regulatory problems and, 30; giving feedback to the parents, 131–136; responsive parenting and, 55–56; right-brain development and, 27, 39
- Attachment theory, 39–40, 359–360
- Attachment therapies, 40
- “Attachment triggers,” 208
- Attunement: adopted and foster child need for, 412–414; description of, 58–59, 385; parent confusion over, 413; for repairing relationship breaks, 385–387; Theraplay in Practice use of, 59–60
- Auditory sense, 282
- Authoritarian parenting, 52, 174, 175
- Authoritative parenting, 52–53, 174
- Autism. *See* ASD (Autism Spectrum Disorders)
- Autistic Disorder, through Pervasive Developmental Disorder Not Otherwise Specified (PDD-NOS), 304–305
- Avoiding eye contact, 184, 327–328
- Ayres, J., 269

B

- Barnard, K. E., 77
 Barros, R., 83
 Bates, B., 93
 Baumrind, D., 52
 Behavior Assessment System for Children, Second Edition (BASC-2), 477
 Behavior. *See* Child behavior
 Belonging: cognitively impaired adults and increasing sense of, 518–519; enhancing child's feeling of, 431–434. *See also* Building closeness
 Benoit, D., 207
 Bentzen, A., 45
 Bibliotherapy, 402–403
 Biological impairment, 362
 Birth parents: preparing for reunification with, 254–255; Theraplay to structure visits with, 441–443
 Bligh, S., 86, 94
 Body image, 78
 Bondy, A., 344
 Booth, P. B., 8, 39, 117, 301
 Bostrom, J., 510
 Bowlby, J., 28, 39, 40, 41, 43, 44, 55, 56, 76
 Bradley, S. J., 30
 Brain: experience-dependent, 63–64; parasympathetic system of the, 361, 362; play impact on neural connections in the, 81; regulation, attachment, and development of the, 267–268; social-emotional, 64–67; understanding the traumatized, 361–366. *See also* Cognitive impairment; Neurological deficits; Right-brain development
 Brazelton Neonatal Behavioral Assessment Scale, 77
 Brazelton, T. B., 30, 75, 77
 Brown, S., 82
 Building closeness: Group Theraplay activities related to, 507; introducing nurturing and intimacy for, 381–383; with shut-down and touch-avoidant child, 381. *See also* Belonging
 Bundy-Myrow, S., 319, 352
 Busch, A. L., 43
- C**
 California State University at Fresno, 513
 Call, J., 8
 Calming activities, 365–366
 Caregivers: adopted/foster children's grief over loss of, 406–408; ASD and limited options for day care, 315; complex trauma inflicted by, 360–361; focusing parent observation on role as, 238–241; foster child attachment to primary, 437–438; inner working models developed by earlier inadequate, 208–209; intake interview about child's, 111–112; Theraplay engaging substitute, 439–440. *See also* Adoptive parents; Foster parents; Parents
 Carlson, C. F., 85, 304
 CASCAP-D (Clinical Assessment Scale for Child and Adolescent Psychopathology), 95
 Cautious/fearful child: acknowledging and respecting fears of, 373–375; allowing a dysregulated child to soothe, 384–385; description of, 271; Theraplay in Practice for, 286–287
 CBCL (Child Behavior Checklist), 87–89*fig*, 91*r*, 109, 110, 512
 Challenge dimension: challenging touch, 173; definition of, 21; focusing on parent needs related to, 244; Group Theraplay activities related to, 507; Group Theraplay have fun rule for, 500; for meeting autistic child's needs, 337–340; MIM analysis of parents' capacity related to, 210; resisting challenge, 187; Theraplay for adolescents, 465–466; Theraplay in Practice related to, 187–188; therapy replication of, 25–26; treating regulatory problems related to, 285
 Change. *See* Child behavior change
 Chaotic child down-regulating, 69–70
 “Charming” the therapist, 183
 Checkup activities: Group Theraplay ritual use of, 501–502; informally integrated into regular classroom, 515; mutuality and engagement by adoptive/foster parents in, 420; purpose of, 138
 Checkup visits: description and timing of, 9; Group Theraplay ritual use of, 501–502; held with parents, 103; informally integrated into regular classroom, 515; mutuality and engagement by adoptive/foster parents in, 420; structuring the, 156–158; Theraplay in Practice example of, 157–158
 Chess, S., 30
 Chicago Head Start program, 39
 Child behavior: complex trauma and impaired, 362; containing child to control, 179–181; dangerous acting-out, 33–34; fear-driven, 363–365; handling angry and out-of-control, 178–179; helping parents manage difficult, 233–236; how regulatory disorders impact, 265–266; innate drive toward relatedness affecting, 44; intake interview to learn about, 206–207; occurring outside of session, 232–233; PACE attitude toward, 233–234, 398, 486; responding to sexualized, 391–396; running away, 182–183; SIB

- (self-injurious behavior), 345; supporting parental insightfulness into, 313. *See also* Inner working models; Neurological deficits; Parent behavior
- Child behavior change: ASD treatment interventions for, 340–349; assumption about possibility of, 40–42; using noncongruent response to create, 50–51; research explaining Theraplay ability to create, 46
- Child Behavior Checklist (CBCL), 87–89 *fig.*, 91*t.*, 109, 110, 512
- Child behavioral patterns: fear-driven, 363–365; fearful/cautious child, 271; hyposensitive/underresponsive child, 272; negative/defiant child, 271; sensory stimulation seeking and, 272
- Child behavioral responses: crying due to illness, sadness, or fear, 170; dysregulation, 169–170, 217–220; eroticized perception, 170–171; monitoring during session, 168–172; request for enlightenment, 171; sharing an unhappy experience, 171–172. *See also* Emotions
- Child needs: of adopted or foster child, 406–408, 412–434; assessing prior to autism treatment, 312; helping parents respond to autistic, 316; intake interview to learn about, 206–207; keeping parents' expectations in line with, 229, 231, 236–237; “resistance” as self-protection, 372–373, 384–385; Theraplay dimensions for ASD to meet, 320–340; using touch to meet, 172–173. *See also* Parent needs; Safety
- Child Protective Services (CPS): ordered for substance-abusing mother and infant, 256–261; parent resentment of Theraplay ordered by, 251. *See also* Foster care
- Child resistance: general principles for handling, 176–181; handling adolescent, 466, 470–471; handling resistance related to each dimension, 181–184, 186–187; as self-protection by traumatized child, 372–373; treatment phase of, 163–164; understanding reasons for, 175–176
- Childhood Disintegrative Disorder, 304
- Children: authoritative parenting impact on, 52–53; containing, 179–181; dealing with countertransference acting out by, 190–194, 377; defiant/negative, 271, 287–290; developmental history of, 110–112; empathic parent understanding of their, 227–237, 367–389, 434–435; fearful/cautious, 271, 286–287, 373–375, 384–385; guiding through treatment phases, 159–167; handling resistance by, 175–188; Head Start program, 39–42, 304, 511–512; inner working models developed by, 56–58, 114; interaction between problems of parent and, 32–33; physically containing, 179; prolonged separations or death of parent affecting, 32; reason for referral of, 110, 113–114; reduced ability to respond, 30–31; request for enlightenment or information by, 171; resiliency of, 53; returning to parents after session, 140–141; running away by, 182–183; tailoring treatment to individual, 167–175; therapist assessment of, 109–136; understanding why Theraplay might be needed, 29–33. *See also* Adolescents; Adopted children; Foster children; Infants
- Children's Apperception Test, 477
- Christensen, G., 8
- Circle of Security, 53
- Claiming Narrative, 400
- Clinical Assessment Scale for Child and Adolescent Psychopathology (CASCAP-D), 95
- Closeness. *See* Building closeness
- Closing session, 140–141
- Cognitive impairment: complex trauma impact on, 362–363; Group Theraplay for adults with, 518–519. *See also* Brain; Neurological deficits
- Cohn, J. F., 48
- Coleman, R., 85, 93
- Communication: ASD treatment integrating Theraplay with training for, 344; child sharing an unhappy experience, 171–172; child's request for information, 171; engaging child with autism through, 330–331; engaging touch used for positive, 172. *See also* Social interactions
- Communication problems: autism and difficulties with, 308; child-parent relationship impacted by, 30–31; NVC (Nonviolent Communication) to improve, 518–519; Picture Exchange Communication System (PECS) to improve, 343, 344, 348
- Competent self-image, 427–430
- Complex trauma: description of, 360; elements of, 361; impact on brain due to, 361–366; inflicted by caregivers, 360–361; modifying Theraplay for children suffering, 366–389. *See also* Sexually abused children; Traumatized children
- Constantino, J. N., 353
- Containing child: angry and out-of-control behavior and, 179; handling situation when not an option, 179–180; understanding reasons for, 180–181

- Controlled Longitudinal Study (CLS), 94–96.
See also Multicenter Study (MCS)
- Cook, A., 360, 362
- Cooper, C., 53
- Cortisol hormone, 363
- Countertransference problem: becoming aware of the, 191; increasing your awareness of, 377; issues related to, 190–191; looking at your uncomfortable reactions to avoid, 192; overcoming acting out related to, 194; recognizing potential dangers related to, 192–193; understanding whose needs are being served to avoid, 191–192; when working with adolescents, 472–473. *See also* Therapists
- Criticism, 189
- Crying response, 170
- Cultural values, 173
- Culture-Free Self Esteem Inventory-III, 91–92*fig*
- D**
- Dangerous acting-out behaviors, 33–34
- Day care for ASD child, 315
- DC:0–3R: Capacities for Emotional and Social Functioning listed in, 268*t*–269, 283; Regulation Disorders of Sensory Processing, 269, 270; Theraplay for regulation using framework of, 285
- DDP (Dyadic Developmental Psychotherapy), 398–400
- Death of parent, 32
- Defiant/negative child: description of, 271; Theraplay in Practice for, 287–290
- Deficits. *See* Neurological deficits
- DeGangi, G., 30, 269
- Dependency, 193
- DesLauriers, A., 85, 303–305
- Developmental history, 110–112, 114
- Developmental Narrative, 400
- Developmental trauma, 360
- Diego, M., 77
- Dimensions. *See* Theraplay treatment dimensions
- Direct, here-and-now experience: description of, 27, 39, 48; noncongruent, 50–51; now-moments of, 49–50; primary intersubjectivity aspect of, 48–49
- Discrimination system, 274–275
- Disorganized attachment, 55, 56
- Dissociation, 362
- Domestic violence, 255–256
- Donne, J., 499
- Dozier, M., 435
- DSM-IV-TR (*Diagnostic and Statistical Manual of Mental Disorders*), Autism spectrum disorders described in the, 304–305, 341
- Dual diagnosis, 94–97
- Dyadic Developmental Psychotherapy (DDP), 398–400
- Dysregulation: soothing and comforting child experiencing, 384–385; therapist response to child's, 169–170; Theraplay in Practice example of, 217–220. *See also* Regulatory disorders
- E**
- Eating patterns, 112
- Elmhurst College (Illinois), 304
- EMDR (Eye Movement Desensitization and Reprocessing), 370, 401–402, 487
- Emotional Intelligence Checklist, 92
- Emotions: anger, 178–179, 192–193, 271, 361, 463; fear, 170, 188–189, 271, 286–287, 360, 363–365, 373–375; sadness, 170, 193, 214–217. *See also* Affect regulation; Child behavioral responses; Feelings of inadequacy
- Empathic parent understanding: of adopted or foster child, 434–435; child behavior occurring outside session and, 232–233; congruence of parents' expectations/child's needs for, 236–237; helping parents manage difficult behavior for, 233–236; parent observation to increase, 227–231; of traumatized child, 366–389
- Empathy: building parent, 228–239; development of, 60
- Ending phase: announcement of the, 166; Group Theraplay, 508; issues related to the, 165; parting component of the, 140, 166–167; preparation for the, 165; preparing adolescents for, 471–472
- Engagement dimension: adopted/foster child need for mutuality and engagement, 418–422; child resistance related to, 183–185; definition of, 21; focusing on parent needs related to, 243; Group Theraplay have fun rule for, 500; maintaining optimal arousal for traumatized child, 377–380; for meeting autistic child's needs, 325–334; MIM analysis of parents' capacity related to, 209; Theraplay for adolescents, 462–463, 467–468; Theraplay in Practice for engaging avoidant child, 379; Theraplay replication of, 22–24; treating regulatory problems related to, 284
- Eroticized perception, 170–171
- Ethnic values, 173
- Expectations. *See* Parent expectations

- Experience-dependent brain, 63–64
 Exploration phase, 162–163
 Eye contact: avoidance of, 184, 327–328;
 Group Theraplay activities related to, 507;
 minimizing stimulation associated with,
 378
 Eye Movement Desensitization and
 Reprocessing (EMDR), 370, 401–402, 487
- F**
- Fahlberg, V. I., 412, 430, 437
 Families: ASD in Theraplay session role of,
 344; domestic violence and, 255–256;
 ethnic and cultural values of, 173; Group
 Theraplay format involving whole, 513;
 legacy of poor parenting affecting, 32;
 lifestyle of, 174–175; parent experiences
 with their own, 112, 114, 207–208; Picture
 Exchange Communication System
 (PECS) training for, 343, 344, 348; reason
 for referral of, 110, 113–114; reunification
 of, 254–255; stressful circumstances of,
 31; therapist assessment of, 109–136;
 Theraplay in Practice on intake interview
 of, 111–115; traumatized child treatment
 inclusion of extended, 387–388. *See also*
 Adoptive families; Foster families; Siblings
- Family Attachment Narrative therapies,
 400–401
 Fanslow, C. A., 77
 Fathers. *See* Parents
 Fear: chemical responses associated with, 361;
 child's crying due to, 170; of running out
 of ideas, 188–189
 Fear-driven child, 363–365
 Fearful/cautious child: acknowledging and
 respecting fears of, 373–375; allowing a
 dysregulated child to soothe, 384–385;
 description of, 271; Theraplay in Practice
 for, 286–287
 Feedback from colleagues, 189
 Feedback sessions: example of beginning the,
 211–212; exploring parent behavior,
 220–221; to help parent understand the
 child, 214–220; highlighting positive
 interaction, 212–214; parent preparation
 through, 210–221; providing parents'
 assessment, 131–136. *See also* Marschak
 Interaction Method (MIM); Theraplay
 sessions
 Feelings of inadequacy: fear of running out of
 ideas, 188–189; handling criticism from
 others, 189. *See also* Emotions
 Fels Scales, 86
 Field, T., 77
 Fisher, S., 363
 Fonagy, P., 59, 60, 61
 Food share ritual, 502
 Foster care: engaging substitute caregivers in
 Theraplay, 439–440; using Theraplay in,
 438–439; Theraplay to structure visits
 with birth parents during, 441–443;
 Theraplay to support transition to
 adoptive mother from, 443–448; when
 caregiver is not available for Theraplay,
 440. *See also* Child Protective Services
 (CPS); Residential treatment center
 (RTC)
 Foster child needs: basic questions related to,
 447–448; to develop mutuality and
 engagement, 418–422; to experience
 attunement and regulation, 412–414; to
 feel claimed by family, 430–434; to feel
 competent and worthy, 427–430; to grieve
 loss of previous caregivers, 406–408; to
 receive and accept nurturing from
 parents, 422–427
 Foster child Theraplay: assessment process,
 409–411; considering length and nature
 of, 411–412; understanding general
 principles of, 408–409
 Foster children: attachment to primary
 caregiver by, 437–438; developing
 empathic parent understanding of,
 434–435; helping parents with attachment
 issues, 435–437; inner working models
 developed by, 208–209; knowing history
 of, 366–367; respecting fears of, 373–375;
 Theraplay to facilitate adjustment of, 35,
 408–412, 437–448; treatment of
 traumatized, 366–389; understanding
 experiences of, 406–408; understanding
 needs of, 412–434. *See also* Children
 Foster families: child's need to feel claimed by,
 430–434; Theraplay to facilitate
 adjustment of, 35, 408–412, 437–448. *See
 also* Families
 Foster parents: ability to claim child, 430–434;
 attunement and regulation issues of,
 413–414; building empathy for child's
 experience by, 434–435; creating parental
 structure and trust issues of, 415–418;
 helping child to feel competent and
 worthy, 428–430; mutuality and
 engagement issues of, 419–422; receiving
 and accepting nurturing issues of,
 423–427; who have attachment issues of
 their own, 435–437. *See also* Caregivers;
 Parents
 Franke, U., 94, 95
 Franklin, J., 93
 Frost, L., 344
 Fuller, W. S., 449
 Fun activities for children with ASD, 328–329
 Future Narrative, 400

G

Games: ASD treatment, 322–323, 328–329, 337–340, 350–352, 354–357; to encourage eye contact, 184; engaging child with autism using, 328, 331; fear of running out of ideas for, 188–189; guided by the adult in Group Theraplay, 500–501; paradoxical injunction, 177; promoting social integration for child with autism, 346–347; Theraplay in Practice practicing favorite, 380–381; Theraplay Parent Group, 250; for touch-avoidant child, 381; turning direct resistance into a, 177, 182. *See also* Activities

Gardner, B., 450

GARS-2, 93

George, C., 207

Gerhardt, S., 33, 64, 65, 361

Goldwin, R., 32

“Good Friends Group,” 514

Goodban, M., 86, 94

Grabe, P. V., 409

Grandin, T., 323

Gray, D. D., 35, 246

Greenspan, S. I., 269, 306, 309, 330

Greeting activities, 137–138

Grief work, 402

Grossman, K. E., 55

Grotberg, E. H., 53

Group Theraplay: for adolescents, 449–452; for adults, 515–519; advantages of using, 495–496; ASD treatment using, 349–357; designing the, 502–503; used in foster care, 439; Hong Kong Study on ASD, 353; informal use of, 514–515; informing and including parents with, 508–512; length and frequency of sessions, 504; New York report on ASD, 352–353; organizing your group, 502–504; planning sessions, 505–508; using preteen facilitators for ASD, 354–357; Sunshine Circles approach to, 513–514; Theraplay Parent Group, 249–250; understanding the framework of, 497–502; Whole Family Theraplay approach to, 513. *See also* Theraplay

Group Theraplay in Practice: adopted children with their parents, 510–511; with adults and children, 515–516; for children with internalizing problems, 512–513; increasing sense of belonging in cognitively impaired adults, 518–519; in a nursing home, 516–518; sample session of ongoing group, 496–497. *See also* Theraplay in Practice

Group Theraplay rituals: Checkups, 501–502; food share, 502

Group Theraplay rules: the adult is in charge, 500–501; have fun, 500; no hurts, 498–499; stick together, 499–500

Group Theraplay sessions: coleaders used for, 503–504; designing the, 502–503; informing and including parents in, 508–512; length and frequency of, 504; organizing your group, 502–504; planning for treatment phases of, 505–508; planning sequence within, 505; planning the, 505–508. *See also* Theraplay sessions

Growing and trusting phase, 164–165

Guidance by adult. *See* Adult guidance

Guilt (countertransference), 193

H

Harlow, H. F., 76

Hart, S., 45, 46, 50, 77, 80

Head Start children: DesLauriers’ approach used for, 304; dramatic changes observed in, 40–42; Group Theraplay parent observation of, 511–512; Theraplay use for, 39

Health problems: illness, 170; intake interview on, 111; of parents, 31–32; physical discomfort due to, 168–169

Healthy parent-infant relationship: assessing parents’ capacity for, 207–208; core concepts of Theraplay to replicate, 26–28; creating positive inner working models through, 28–29; description of, 19–20; ethnic and cultural values component of, 173; four dimensions of, 20–26; model of mother-infant interaction, 42–43; Theraplay replication of, 19–29. *See also* Infants; Parent-child relationship; Parent-infant relationship

Hernandez-Rief, M., 77

Hesse, E., 56, 361

High-risk parents: deciding when to begin Theraplay sessions, 254–255; domestic violence and, 255–256; mental illness and, 36; preparing for Theraplay, 253–254; Theraplay in Practice for, 256–261; understand what lies behind parents’ reluctance, 252–253; understanding parents’ difficulties, 251–252

Hoffman, K., 53

“Holding environment,” 51

“Home base,” 182

Home environment: adopted/foster child needs for structure in, 415–418; giving parent “homework” activities in, 245–246, 380; outside session child behavior in, 232–233; resiliency linked to structure of, 53; using Theraplay for child with autism in the, 318–320, 343–344. *See also* School setting

- Hong, J., 91
 Hong Kong ASD Group Therapy Study, 353
 Hopkins-Best, M., 419
 Hughes, D., 35, 206, 223, 233, 370, 398, 412, 423, 427, 486
 Hurst, T., 86
 Hypersensitive children: description of, 270–271; tactile sense of, 275–276; Theraplay in Practice helping, 286–290; vestibular sense of, 278–279; visual and auditory senses of, 282
 Hyposensitive children: description of, 271–272; tactile sense of, 276; Theraplay in Practice helping, 290–292; vestibular sense of, 279; visual and auditory senses of, 282
- I**
 ICDL-DMIC, 269
 Illness, 170
 Imitation ability: children with autism and, 329–330; innate responsiveness and, 45–46; Theraplay in Practice use of, 47. *See also* Mirroring
 Impairment: ASD neurological deficits, 306–309; complex trauma and developmental, 362–363
 Impulsive children: sensory stimulation seeking and, 272; teaching adolescent to follow the rules, 464–465; Theraplay in Practice to help, 292–296, 464–465; trauma and developmental impairment of, 362
 Indulgent parenting, 52, 174–175
 Infants: attachment behaviors signaled by, 44; experience-dependent brain of, 63–64; MIM observation of, 257–258; model of mother's interaction with, 42–43; primary intersubjectivity and, 48–49; resonance capacity of, 45–46, 47; rhythm and synchrony capacities of, 44–45, 47; signs of autism in, 309; substance-abusing mother and four-month-old, 256–261. *See also* Children; Healthy parent-infant relationship
 Innate responsiveness: imitation ability for, 45–46; resonance ability for, 45; rhythm and synchrony abilities for, 44–45
 Inner working models: autism and parental reorganizing their, 314–315; creating positive, 28–29; developed by earlier inadequate caregiving, 208–209; responsive parenting and, 56–58; teaching parents to understand child using, 206–207; of traumatized children, 371–372. *See also* Child behavior; Parent behavior
- Insecure Ambivalent attachment, 55
 Insecure Avoidant attachment, 55
 Insightfulness, 313
 Intake interview: assessing parents' capacity for healthy relationships, 207–208; components of the, 110–113; creating therapist-parent alliance during, 205–206; learning about child's needs and behavior during, 206–207; parent preparation through the, 205–208; Theraplay in Practice example of, 113–115
 Interactions. *See* Social interactions
 Internalizing problems, 512–513
 International Resiliency Project, 53
 Interpreting therapist (IT): building parent empathy for child role of, 228–239; discussion with Sara's father, 17–18; feedback session role of, 211–212; focusing parent observation on role as caregivers, 238–241. *See also* Therapists
 Interventions: increasing ASD treatment impact using multiple, 340–351; Theraplay in Practice for ASD using multiple, 341–349
 Interviews: Adult Attachment Interview, 207; intake interview, 110–115, 205–208; Working Model of the Child Interview, 207
 Intimacy: building closeness through nurturing and, 381–383; enhancing child's feeling of, 431–434; Group Theraplay activities related to, 507
 Introduction phase, 160–161
- J**
 James, B., 499
 Jernberg, A., 42, 86, 94, 406
 "Joy juice," 79
- K**
 Kamphaus, R. W., 477
 Kaplan, N., 207
 Keck, G. C., 35
 Kelly, V., 361, 363, 371, 392
 Kiermaier, A., 265
 Kinship Questionnaire, 88–89
 Klin, A., 307
 Kohut, H., 43
 Koller, T. J., 428, 468–469
 Kranowitz, C., 274, 278, 280
 Kupecky, R. M., 35
 Kupperman, P., 86, 94
 Kwon, E., 92
- L**
 La La Magnets (game), 82
 Lacher, D. B., 400
 LeDoux, J., 363

- Left-brain activities, 378–380
 Lender, D., 359, 398, 405
 Leslie, E., 249
 Lieberman, A. F., 43
 Lifestyle (family), 174–175
 Lindaman, S., 8, 39, 301, 405
 Lovaas, O. I., 303
 Lyman, C., 86
- M**
 Mahan, M., 88
 Main, M., 32, 56, 76, 207, 361
 Mäkelä, J., 41, 49, 51, 66–67, 68–69, 73, 78, 87, 90
 Marital conflicts, 250–251
 Marschak Interaction Method (MIM):
 assessment of adopted or foster child using, 409–411; assessment of child and family using, 110, 208–221; B. family's intake interview example of, 113–115; coordinating work of two therapists using, 106–109; observation sessions using the, 101, 102–103; as Theraplay treatment component, 7; Theraplay treatment for autism using, 93, 94. *See also* Assessment tools; Feedback sessions; Theraplay in Practice
 Marschak Interaction Method (MIM) procedures: choosing tasks for, 117, 119–121; evaluating interaction, 119; infant observation, 257–258; instructing the parents, 117–119; setting up the, 116–117; Theraplay in Practice example of, 121–130
 Marschak, M., 7, 8
 Marvin, R., 53
 May, J. C., 400
 Medical history, 111
 Mental coordination deficit, 307
 Mental illness: DC:0–3R classifications of, 268t–269, 270, 283; psychoses, 34; working with parents with, 36
 Meyer, L. A., 89
 Mignon, N., 249
 Miller, J. M., 359
MIM Manual (Booth), 117
 MIM (Marschak Interaction Method). *See* Marschak Interaction Method (MIM)
 “Mindsight,” 60
 Mirroring: attunement through, 58–60; children with autism, 329–330; deficit of mirror neuron function, 307–308; empathy development role of, 60. *See also* Imitation ability
 Montagu, A., 76
 Morgan, C., 90
 Mother-infant interaction model, 42–43
 Mothers. *See* Parents
 Motor patterns: fearful/cautious child, 271; hyposensitive/underresponsive children, 272; negative/defiant child, 271; sensory stimulation seeking and, 272
 Mroz Miller, J., 398, 405
 Multicenter Study (MCS), 96–97. *See also* Controlled Longitudinal Study (CLS)
 Multisensory concept: description of, 28, 73; positive touch, 75–78; stimulating the body senses, 73–74
 Muratori, F., 307, 308
 Mutuality need, 418–422
- N**
 Narrative therapies, 400–401
 National Child Traumatic Stress Network (NCTSN), 360, 362
 Needs. *See* Child needs; Parent needs
 Negative/defiant child: description of, 271; Theraplay in Practice for, 287–290
 Neurological deficits: downstream effects of early connecting, regulating, relating, 309; establishing synchrony/consistency in interactions, 309; mirror neuron function, 307–308; motor planning, auditory, visual-spatial abilities, sensory modulation, 308; sensory-affect-motor connections, 306–307; summary of autism related, 305–306. *See also* Brain; Child behavior; Cognitive impairment
 New York report on ASD Group Theraplay (2000), 352–353
 Nichols, T., 400
 No hurts rule, 498–499
 Noncongruent response: creating change using, 50–51; description of, 50
 Nonviolent Communication (NVC), 518–519
 Now-moments: description of, 49; “real meeting,” 448; Theraplay creating, 49–50, 514
 Nurture dimension: adopted/foster child need for nurturing, 422–427; definition of, 21; focusing on parent needs related to, 243; Group Theraplay no hurts rule for, 498–499; for meeting autistic child's needs, 334t–337; MIM analysis of parents' capacity related to, 209–210; resistance related to, 186–187; Theraplay for adolescents, 468–470; Theraplay replication of, 24–25; traumatized child and building closeness and intimacy, 381–383; treating regulatory problems related to, 285
 Nurturing touch: for co-regulation of arousal, 172–173; gradual introduction of intimacy and, 381–383
 NVC (Nonviolent Communication), 518–519

O

Object Relations Theory, 43
 Observation: arranging setting for, 102–103;
 assessment of families using MIM for,
 115–131; empathic parent understanding
 through parent, 227–231; Group
 Theraplay and parental, 511–512; having
 parents observe on their own, 108; MIM
 infant, 257–258; overcoming
 countertransference by using peer, 194;
 therapist focus on parents', 238–241;
 watching video of the session form of,
 108–109
 Observation-execution system, 308
 Open-door approach, 510
 Opening session, 137–138
 Oppenheim, D., 313, 314
 Oppositional Defiant Disorder: CASCAP-D
 assessment of, 95; Theraplay effects on, 96

P

PACE model of parenting, 233–234, 398, 486
 Panksepp, J., 82, 83
 Paradoxical injunction, 177
 Parasympathetic system, 361, 362
 Parent assessment: of capacity to form healthy
 relationships, 207–208; expectations and
 attitudes, 112; experiences with their own
 families, 112, 114, 207–208; MIM
 (Marschak Interaction Method) for,
 110–115, 208–210; relationship with each
 other, 112–113, 115
 Parent behavior: "attachment triggers," 208;
 encouraging PACE attitude for, 233–234,
 398, 486; exploring what lies behind,
 220–221; facilitating empathic
 understanding and, 227–237, 367–389,
 434–435; giving homework, 244–246;
 handling resistance, 239–241; working
 with high-risk, 251–261. *See also* Child
 behavior; Inner working models
 Parent expectations: for adolescents, 464;
 assessment of, 110, 111, 112, 210; autism
 and sense of loss, 314–315; babyish
 behavior used to avoid high, 187; changed
 in response to child's therapy, 91; child's
 inner working models developed through,
 56–57, 64; congruence of child needs and,
 229, 231, 236–237; developing realistic,
 25; infant development and normal
 increase of, 385; parent insights into their
 own, 16; realistic for newly adopted child,
 428
 Parent needs: of adopted and foster children,
 413, 415, 419, 423–424, 428, 430–431;
 autism and support of, 314–315; guiding
 parent session practice by focusing on,
 243–244; meeting unmet, 248–251;
 Theraplay Parent Groups to meet,
 249–250. *See also* Child needs
 Parent observations: empathic parent
 understanding through, 227–231; Group
 Theraplay observed by parents, 511–512;
 having parents observe on their own, 108;
 therapist focus on caregiver role guiding,
 238–241
 Parent preparation: agreeing to engage in
 treatment, 222–224; deciding to continue
 or discontinue, 221–222; experiencing
 Theraplay as part of, 224–227; feedback
 session as part of, 210–221; Group
 Theraplay, 509–512; guiding practice
 during sessions, 241–244; importance of
 taking the time for, 4–5, 204–205; intake
 interview as, 110–115, 205–208; MIM
 (Marschak Interaction Method) used for,
 110–115, 208–210; presenting treatment
 model to parents, 222; for reunification
 with child, 254–255; by therapist
 "playing" the parent role, 246–248; of
 vulnerable and high-risk parents,
 253–254. *See also* Theraplay sessions
 Parent-child relationship: ASD treatment
 activities promoting interaction, 346–347;
 assessing parents' capacity for healthy,
 207–208; assessment of, 7; attunement for
 repairing broken, 385–387; attunement
 impact on the, 59, 385; building
 traumatized child's tolerance for
 interactions, 380–385; facilitating
 empathy and understanding, 227–237,
 367–389, 434–435; measuring
 improvement in case of autism, 93–94;
 using MIM to observe, 115–131;
 Theraplay goal for, 4–5. *See also* Healthy
 parent-infant relationship; Relationships
 Parent-infant relationship: primary
 intersubjectivity of, 48–49;
 substance-abusing mother and
 four-month-old infant, 256–261;
 therapist assessment of, 109–136. *See also*
 Healthy parent-infant relationship
 Parental problems: determining seriousness
 prior to Theraplay, 35–36; inability to
 provide responsive care, 31–32;
 interaction between problems of child
 and, 32–33; marital conflicts and
 individual, 250–251; mental illness, 36;
 working with vulnerable and high-risk
 parents with, 251–261
 Parental tasks. *See* Tasks
 Parenting: authoritarian, 52, 174, 175;
 authoritative, 52–53, 174; indulgent, 52,
 174–175; parental conflicts over styles of,
 250–251; permissive, 174–175;
 responsive, 27, 54–62; uninvolved, 52

- Parenting difficulties: health problems leading to, 31–32; lack of good parenting of parents causing, 32; prolonged separation from child and, 32
- Parenting Stress Index (PSI), 93, 109
- Parents: adult guidance by, 27, 51–54; agreeing to engage in treatment, 222–224; complex trauma inflicted by, 360–361; creating alliance between therapist and, 205–206; death or prolonged separations from, 32; empathic understanding of child by, 227–237, 367–389, 434–435; experiences with their own families, 112, 114, 207–208; experiencing Theraplay themselves, 224–227; giving assessment feedback to the, 131–136; Group Theraplay involvement by, 508–512; inability to provide responsive care, 31–32; included in Theraplay sessions with adolescents, 473–489; leading them toward Theraplay approach competence, 237–248; MIM instructions for, 117–119; preparing for reunification with, 254–255; returning child to, 140–141; as session participants, 104–105, 167–168; supporting autism treatment involvement by, 312–357; supporting insightfulness by, 313; Theraplay Parent Groups for, 249–250; Theraplay preparation for, 4–5; working with high-risk, 251–261; working with one therapist, 108–109; working with parents of children with ASD, 317–318; working with two therapists, 106–108. *See also* Adoptive parents; Caregivers; Foster parents; Participants
- Parker-Pope, T., 83
- Participants: bringing extended family in as, 387–388; decision to include parents as, 104–105, 167–168; including parents as Group Theraplay, 508–512; overview of, 6; preparing parents to be active, 204–227; siblings as, 105; supporting autism treatment involvement by parents, 312–357. *See also* Parents
- Parting: ending phase, 166–167; therapists' approach to, 140
- Passive child up-regulating, 70–71
- Passive resistance, 183–184
- PDD-NOS (Autistic Disorder, through Pervasive Developmental Disorder Not Otherwise Specified), 304–305
- Peer observation, 194
- Permissive parenting, 174–175
- Perry, B. D., 72, 363, 365, 369, 384
- Personality: Culture-Free Self Esteem Inventory-III, 91–92; *fig*; early parent-child interaction setting stage for, 44; externalizing and internalizing features of, 90–92. *See also* Temperaments
- Physical discomfort, 168–169
- Picture Exchange Communication System (PECS), 343, 344, 348
- Play: engaging adolescents by using, 462–463; harmful effects of lack of, 82–83; joyful and positive effects of, 79–80; neural connections created through, 81; stress reduction and regulation using, 80–81; synchrony and healthy relationships role of, 80; as Theraplay core concept, 28, 79; Theraplay in Practice to calm child using, 81–82; used for traumatized child treatment, 371–372
- Play partner approach, 510
- Play with Them: Theraplay Groups in the Classroom* (Rubin and Tregay), 495
- Poor tactile discrimination, 276
- Positive affect, 328–329
- Positive touch: concerns over harmful touch barrier to, 76; nurturing, 172–173, 381–383; social development through, 76–77; Theraplay importance of, 75; Theraplay in Practice creating, 75; “three signal,” 485; traumatized children and use of, 379. *See also* Touch
- Powell, B., 53
- Predictability, 378
- Primary intersubjectivity, 48–49
- Process of Change Study Group, 49
- Proprioceptive sense, 280–282
- Protective/defensive system, 274–275
- Psychodrama, 402
- Psychological development, 77
- Psychoses, 34
- ## R
- Randolph Attachment Disorder Questionnaire (RADQ), 89, 477
- Randolph, E., 477
- “Real meeting” moments, 448
- Reason for referral, 110, 113–114
- Reflective function, 60–62
- Regulation: activities developing tactile sense, 276–277; adopted and foster child need for, 412–414; autism and downstream effects of early difficulties with, 309; avoiding eye contact used by child with autism for, 327–328; brain development, attachment, and, 267–268; complex trauma and impaired, 362; play used for affect, 80–83; processing sensory stimuli and, 269–270; right-brain development and affect, 67–69; Theraplay in Practice related to affect, 69–71, 282–285; traumatized brain impairment related to affect, 362

- Regulatory disorder responses: to proprioceptive sense stimuli, 280–282; to tactile sense stimuli, 274–277; to vestibular sense stimuli, 278–280; to visual and auditory senses stimuli, 282
- Regulatory disorders: assessment of, 273–274; example of how they impact behavior, 265–266; how Theraplay can improve, 69–71, 282–285; hypersensitivity, 270–271; of hyposensitive/underresponsive children, 271–272; monitoring child during session for, 169; reduced ability to respond due to, 30; sensory stimulation seeking, 272; Theraplay in Practice treatment examples on, 285–298. *See also* Dysregulation
- “Regulatory Rollercoaster,” 283–284
- Regulatory-Sensory Processing Disorders, 269
- Reitz, M., 409, 415
- Relational trauma, 360
- Relationships: behavior driven by innate drive toward, 44; healthy parent-infant, 19–29, 42–43, 168–169, 173, 207–208; parent-infant, 48–49, 109–136, 256–261; resiliency and trusting, 53. *See also* Parent-child relationship; Social interactions
- Request for enlightenment, 171
- Rescorla, L. A., 109
- Research supporting Theraplay core concepts: on central role of affect regulation, 67–69; on change as possible, 41; on now-moments, 49–50; on positive touch, 76–78; on primary intersubjectivity, 48–49; on responsive parenting and attachment, 55–56. *See also* Theraplay research
- Residential treatment center (RTC): adolescent placement in, 476; Theraplay in Practice to return adolescent home from, 476–489. *See also* Foster care
- Resiliency factors, 53
- Resistance: description of the phase, 163–164; general principles for handling, 176–181; handling adolescents during, 466, 470–471; handling parents’, 239–241; handling resistance related to each dimension, 181–184, 186–187; Theraplay in Practice for handling, 184–185, 187–188; traumatized child and, 372–373, 384–385; understanding, 175–176, 372–373, 384–385. *See also* Theraplay treatment phases
- Resisting challenges: techniques for overcoming, 187; Theraplay in Practice for overcoming, 187–188
- Resonance capacity, 45
- Responsive care capacity, 31–32
- Responsive parenting: attunement role in, 58–60; child’s empathy developed through, 60; description of, 55–56; inner working models developed by, 56–58; reflective functioning developed through, 60–62; Theraplay core concept of, 27, 54–55
- Rett’s Disorder, 305
- Reunification preparation: of adolescent from residential placement, 476–489; helping parents to complete requirements, 254–255
- Reynolds, C. R., 477
- Rhythm capacity: innate responsiveness and, 44–45; Theraplay in Practice use of, 47
- Ricks, M., 48
- Right-brain activities, 378–380
- Right-brain development: affect regulation role of, 67–71; experience-dependent brain and, 63–64; nature of social-emotional brain and, 64–66; Theraplay geared to, 27, 39, 62–63; Theraplay in Practice using language of, 66–67; Theraplay treatment guided by, 72–73. *See also* Brain; Social-emotional brain
- Role models, 53
- Rubin, P. B., 359, 398, 405, 495, 504
- Running away behavior, 182–183
- S**
- Sadness: child’s crying due to, 170; discomfort with child’s, 193; Sam’s Sad Drawing, 214–217
- Safety: EMDR used to promote feeling of, 370, 401–402; as provision of attachment, 26; therapist-parent alliance creating, 205–206; Theraplay facilitates feeling of, 360; traumatized child’s resistance as need for, 372–373, 384–385; treating traumatized child by establishing, 368–370. *See also* Child needs
- Scales of functioning (SOF), 347–348
- Schieffer, K., 513
- School setting: encouraging engagement of child with autism in, 331–332; Theraplay in Practice for engagement of child with autism, 332–334. *See also* Home environment
- Schore, A. N., 69, 71, 72, 267, 360, 361
- Schore, J. R., 71, 72
- Searcy, K., 317
- Secure attachment, 55
- Self: affect regulation pattern core of, 67–71; awareness of, 60–62; traumatized child and impaired sense of, 363
- Self Psychology Theory, 43

- Self-concept: of adopted and foster children, 427–430; of traumatized child, 363
- Self-regulation. *See* Affect regulation
- Self-worth image, 427–430
- Sensory processing difficulties: hypersensitive children with, 270–271, 286–290; hyposensitive/underresponsive children with, 271–272, 290–292; sensory stimulation seeking as, 272, 292–296. *See also* ASD problems
- Sensory processing patterns: autism impact on, 305–309; negative/defiant child, 271
- Sensory Profile, 93
- Sensory reactivity patterns: hyposensitive/underresponsive children, 272; sensory stimulation seeking and, 272
- Sensory stimulation seeking: description of, 272; *Theraplay in Practice* for helping, 292–296
- Sensory stimuli regulation: early studies on, 269–270; processing difficulties with, 270–272; proprioceptive sense, 280–282; tactile sense, 274–277; vestibular sense, 278–280; visual and auditory senses, 282
- Sensory-affect-motor connections, 306–307
- Sessions. *See* Group *Theraplay* sessions; *Theraplay* sessions
- Setting. *See* *Theraplay* setting
- Sexual arousal: countertransference and, 193; during *Theraplay* activities, 170–171
- Sexual development: of adolescents, 457–458; *Theraplay* used with sexualized adolescent, 458–462
- Sexually abused child treatment: clarifying your intentions for, 390–391; having someone with you in sessions, 390; responding to sexualized behaviors during, 391–396; setting boundaries for, 391
- Sexually abused children: eroticized perception response by, 170–171; *Theraplay* modified for working with, 389–396; *Theraplay* recommended for, 34–35. *See also* Abused children; Complex trauma; Traumatized children
- Shahmoon-Shanok, R., 30, 43
- Shapiro, F., 370
- SIB (self-injurious behavior), 345
- Siblings: assessing child's relationship with, 112; as session participants, 105. *See also* Families
- Siegel, D. J., 45, 59, 60, 267
- Signs of Autism in Infants conference, 309
- Simulating body senses, 73–74
- Siu, A., 91, 353
- Slade, A., 60, 61, 62
- Sleeping patterns, 112
- Social interactions: ASD treatment structure prolonging, 323; autism and difficulty establishing, 309; building child's tolerance for child-parent, 380–385; innate responsiveness leading to, 44–46; model of mother-infant, 42–43; positive touch to create, 75; promoting between parent and traumatized child, 371; *Theraplay* engagement of therapist and child with autism, 327–328; *Theraplay in Practice* for creating, 47; *Theraplay* treatment reliance on elements of, 46. *See also* Communication; Relationships
- Social Responsiveness Scale (SRS), 353
- Social-emotional brain: nature of the, 64–66; *Theraplay in Practice* using language of, 66–67. *See also* Right-brain development
- Social-emotional development: affect regulation and, 67–72; of emotional and social capacities, 268–269, 283; experience-dependent brain and, 63–64; nature of social-emotional brain and, 64–66; positive touch impact on, 76–77; *Theraplay* geared toward, 62–63; *Theraplay in Practice* approach to, 66–67, 72–73
- SOF (scales of functioning), 347–348
- SOS Children's Villages (Finland), 86–87
- Speech therapy techniques, 86, 94
- Spickelmier, M., 450
- Spitz, R. A., 32
- Sroufe, L. A., 26, 41, 51, 52, 55
- Stern, D. N., 41, 43, 58, 59, 60, 68, 79
- Still Face paradigm, 48
- Stress: child's organized strategies for responding to, 55–56; cortisol released in response to, 361
- Stress management: play for stress reduction and, 80–81; positive touch impact on, 77–78
- Structure dimension: adopted/foster child need for parental structure, 415–418; definition of, 21; establishing "home base," 182; focusing on parent needs related to, 243; Group *Theraplay* stick together rule for, 499–500; Group *Theraplay* the adult is in charge rule for, 500–501; handling child resistance related to, 181–183; increasing predictability for traumatized child, 378; for meeting needs of child with autism, 320–325; MIM analysis of parents' capacity related to, 209; *Theraplay* for adolescents, 464–465; as *Theraplay* replication of structure, 21–22; using touch in a structuring way, 172; treating regulatory problems related to, 284

- Structuring Theraplay treatment: arranging the setting, 102–105; checkup visits, 156–158; organizing the therapist roles, 105–109; planning sequence of session, 136–141; sessions five to ten, 151–156; sessions one to four, 141–151; therapist assessment of problem, 109–136. *See also* Theraplay treatment
- Substance-abusing mother, 256–261
- Sunderland, M., 64, 79, 80
- Sunshine Circles, 513–514
- Supervised role playing, 194
- Synchrony capacity: innate responsiveness and, 44–45; Theraplay in Practice use of, 47
- T**
- Tactile defensiveness: positive touch and, 75–78; simulating body senses in case of, 73–74
- Tactile sense: activities developing regulation of, 276–277; hypersensitive child and, 275–276; poor tactile discrimination, 276; two components of the, 274–275
- Talen, M. R., 511
- Tasks: choosing the MIM, 117, 119–121; essential parental, 52; father's response to leave the room, 220–221; overcoming child's resistance to, 177–178; parent "homework" activities and, 245–246
- Temperaments: mismatch between child and parent, 33; reduced ability to respond due to, 30. *See also* Personality
- Tentative acceptance phase, 163
- Texas Christian University, 93
- Thematic Apperception Test (TAT), 492
- Theories: attachment, 39–40, 359–360; Object Relations, 43; Self Psychology, 43
- Therapeutic relationship: attunement impact on the, 59; countertransference problem and, 190–194, 377, 472–473; discomfort with taking charge, 189–190; guidelines for the, 195–200; handling feelings of inadequacy by therapist, 188–189; therapist-parent agreement to engage in, 222–224; therapist-parent alliance as part of, 205–206; touch for creating, 172–173; working with parents of children with ASD, 317–318; working with vulnerable, high-risk parents, 251–261
- Therapeutic support staff (TSS): ASD treatment Theraplay session role of, 344, 346; Picture Exchange Communication System (PECS) training for, 343, 344, 348
- Therapies: adding Theraplay to family therapy sessions, 454–458; combining Theraplay and speech, 86, 94; combining Theraplay for adolescents with other, 489–493; combining Theraplay with other trauma-focused, 34, 396–403; comparing Theraplay and attachment, 40; DDP (Dyadic Developmental Psychotherapy), 398–400; EMDR (Eye Movement Desensitization and Reprocessing), 370, 401–402, 487; family attachment narrative, 400–401; time lines, psychodrama, grief work, and bibliotherapy, 401–403
- Therapist difficulties: dealing with countertransference, 190–194, 377, 472–473; discomfort with taking charge, 189–190; feelings of inadequacy by, 188–189
- Therapists: agreeing with parents to engage in treatment, 222–224; containing a child, 179–181; coordinating the work of two, 106–108; creating alliance between parents and, 205–206; deciding whether Theraplay should be used, 33–36; facilitating empathic understanding of parents, 227–237, 367–389, 434–435; giving assessment feedback to parents, 131–136; giving homework for parents, 244–246; guiding parent practice during sessions, 241–244; handling resistance by adolescents, 470–471; handling resistance by children, 181–188, 186–187; leading parents toward Theraplay competence, 237–248; meeting unmet needs of parents, 248–251; obtaining consultation for traumatized child issues, 389; organizing session roles of, 105–109; parting from child by, 140, 166–167; personal psychotherapy recommended for, 194; promoting interactions between parent and traumatized child, 371; returning child to parents, 140–141; role playing the parent session role, 246–248; treatment guidelines for, 195–200; understanding why Theraplay might be needed, 29–33; Web site information on Theraplay, 99; working alone, 108–109; working as a team, 473; working with high-risk parents, 251–261; working with sexually abused child, 390–396. *See also* Assessment; Countertransference problem; Interpreting therapist (IT)
- Theraplay: attachment theory incorporation into, 39–40, 359–360; benefits of, 5–6; change is possible assumption of, 40–42; decisions leading to use of, 33–36; description of, 3; early theory and format of, 85–86; goal of, 4–5; integrating other therapies with, 34, 86, 94, 396–403,

- Theraplay (*continued*):
 454–458, 487, 489–493; parent-child relationship focus of, 4–5; similarities and differences to other therapies, 40; taking ethnic and cultural values into account, 173; understanding reasons requiring, 29–33. *See also* Group Theraplay; Theraplay treatment
- Theraplay core concepts: change is possible, 40–42; direct, here-and-now experience, 26–27, 48–51; geared to right-brain development, 27, 39, 62–73; guided by the adult, 27, 51–54; interactive and relationship based, 26, 42–47; multisensory, 28, 73–78; playful, 28, 79–83; responsive, attuned, empathic, and reflective, 27, 54–62
- Theraplay in Practice: Adam with his parents example of, 152–156; Adam's treatment example of, 142–152; adding Theraplay to family therapy sessions, 454–458; allowing dysregulated child to soothe, 384–385; attuning to anxious and reactive child, 375–376; attuning to child's level of arousal, 59–60; B. family's example of, 111–115, 119–130; beginning the feedback session, 211–212; bringing extended family into, 387–388; challenging a child who acts helpless, 187–188; challenging resistant adolescents, 466; checkup visit, 157–158; choosing MIM tasks/MIM sessions for, 119–130; creating social interactions, 47, 75; emotional impact of playing, 81–82; engaging a frightened and resistant child, 184–185; engaging a newly adopted child, 421–422; engaging angry adolescent, 463; engaging child with autism in school, 332–334; engaging reluctant adolescent, 467–468; engaging school staff and peers with child with autism, 332–334; exploring parents' behavior, 221–222; father's response to leave the room task, 220–221; finding ways to make nurture acceptable, 469–470; group using preteen facilitators for ASD, 354–357; helping child accept nurture and intimacy from parents, 426–427; helping child with ADHD, 296–298; helping hypersensitive, fearful/cautious child, 286–287; helping hyposensitive/underresponsive child, 290–292; helping impulsive, sensory-stimulation-seeking child, 292–296; helping older child accept nurture, 425–426; helping parent with attachment issues of her own, 436–437; helping parents understand child's behavior, 214–220; highlighting a positive interaction, 212–214; increasing a sense of competence and worth, 429–430; intake interview, 111–115; integrating Theraplay and DDP, 398–400; integrating Theraplay and narratives, 401; introducing ASD treatment challenges, 339–340; introducing nurturing and intimacy with independent child, 382–383; keeping an avoidant child engaged, 379; using language of right-brain development, 66–67; learning to follow rules for adolescent, 464–465; making connection through sports, 489–491; using multiple interventions for ASD, 341–349; nurturing adolescent daughter, 335–337; parent experiences Theraplay, 224–227; practicing favorite game, 380–381; practicing the parent role, 246–248; preparing adolescent to return home from placement, 476–489; providing adult-guided experience, 54; respecting traumatized child's fears, 373–375; responding to sexually triggered child, 392–396; Sam's Sad Drawing, 214–217; with a sexualized adolescent, 457–462; using structure for ASD treatment, 324–325; structuring visits between birth mother and children, 441–443; substance-abusing mother and four-month-old infant, 256–261; using Theraplay at home for child with autism, 318–320; Theraplay Parent Groups, 249–250; using Theraplay strategically for adolescents, 491–493; transition from temporary caregiver to preadoptive parent, 443–447; using warm structure with controlling child, 416–418. *See also* Group Theraplay in Practice; Marschak Interaction Method (MIM)
- Theraplay Institute, 99, 304, 513
- Theraplay* (Jernberg), 42
- “Theraplay moments.” *See* Now-moments
- Theraplay Parent Groups, 249–250
- Theraplay research: on autism treatment, 86–89*fig*, 92–94; on dual diagnosis, 94–97; on effectiveness of Group Theraplay for ASD, 352–357; on personality variables, 90–92. *See also* Research supporting Theraplay core concepts
- Theraplay sequence: assessment, 7–8; checkup sessions, 9, 103; the closing, 140–141; the opening, 137–138; planning the, 136–141; the session proper, 138–139; Theraplay in Practice examples of, 142–156; treatment, 8–9
- Theraplay sessions: checkup, 9, 103, 156–158, 420, 501–502, 515; guiding parent practice during, 241–244; held in the

- home for child with autism, 318–320, 343–344; including parents with adolescents in, 473–489; number and timing of, 7; overcoming countertransference by planning, 194; participants in, 6; planning sequence of, 136–141; responding to child's behavior during, 168–172; sequence of five to ten, 151–156; sequence of one to four, 141–151; setting of, 7, 102–105; Theraplay in Practice examples of, 9–19, 142–156. *See also* Feedback sessions; Group Theraplay sessions; Parent preparation
- Theraplay setting: arranging for observation, 102–103; deciding on participants, 104–105; description of ideal, 7; determining treatment timing, frequency, and length, 103–104; setting up the room, 102; therapist–parent alliance creating safety in, 205–206
- Theraplay treatment: giving parents an experience with, 224–227; guiding the child through phases of, 159–167; leading parents toward competence in, 237–248; overview of four dimensions used to plan, 20–26; parent–infant relationship replicated during, 19–29; parent–therapist agreement to engage in, 222–224; preparing parents for active involvement in, 204–227; tailoring to the individual child, 167–175; taking ethnic and cultural values into account, 173; taking family lifestyle into account, 174–175; using touch to meet child's needs during, 172–173. *See also* Structuring Theraplay treatment; Theraplay
- Theraplay treatment applications: for adolescents, 449–493; for adopted or foster children, 35, 405–448; for children with Autism Spectrum Disorders, 4, 301–304, 310–357; for children with regulation disorders, 69–71, 282–298; for sexually abused children, 34–35, 170–171, 389–396; for traumatized children, 34, 366–403
- Theraplay treatment dimensions: adapted for working with adolescents, 462–470; introduction to challenge, 21, 25–26; introduction to engagement, 21, 22–24; introduction to nurture, 21, 24–26; introduction to structure, 21–22; overview of, 20–21. *See also specific dimension*
- Theraplay treatment phases: ending, 140, 165–167, 471–472, 508; exploration, 162–163; Group Theraplay, 505–508; growing and trusting, 164–165; introduction or beginning, 160–162; overview of, 159–160; tentative acceptance, 163. *See also* Resistance
- Theraplay treatment process: logistics of, 6–7; overview of the, 8–9; preparing parents for the, 4–5, 110–115, 204–254; sequence of, 7–9
- Thomas, A., 30
- “Three signal” touches, 485
- Time lines, 402
- Touch: Association for Play Therapy's paper on, 389; challenging, 173; engaging, 172; Group Theraplay activities related to, 507; nurturing, 172–173, 381–383; sexual stimulation associated with, 170–171; structuring, 172; “three signal,” 485; traumatized child and use of nonthreatening, 377; treating traumatized child avoiding, 381. *See also* Positive touch
- Trauma Narrative, 400
- Trauma-focused therapies: combining Theraplay with other, 34, 396–403; DDP (Dyadic Developmental Psychotherapy), 398–400; EMDR (Eye Movement Desensitization and Reprocessing), 370, 401–402; Family Attachment Narrative, 400–401; time lines, psychodrama, grief work, and bibliotherapy, 401–403
- Traumatized brain: calming trauma reactions of the, 365–366; developmental impairment of the, 362–363; impact of complex trauma on, 361–362; long-term effects of trauma on, 363
- Traumatized child treatment: acknowledging and respecting fears of child, 373–375; attunements for repairing relationship breaks, 385–387; bringing extended family into, 387–388; building child's tolerance for interactions with parents, 380–385; building trust as part of, 369, 382–383; educating parents as part of, 367–368; establishing safety as part of, 368–370; explaining purpose of play to child, 371–372; goals of, 368–370; integrating Theraplay with other therapies for, 34, 396–403; knowing child's history role in, 366–367; maintaining optimal arousal for engagement, 377–380; obtaining consultation for, 389; parental involvement in, 370–371; therapist role in parent–child interaction, 371; understanding “resistance” as child's self-protection, 372–373, 384–385
- Traumatized children: acknowledging and respecting fears of, 373–375; characteristic behaviors of fear-driven, 363–365;

- Traumatized children (*continued*):
 internal working models of, 372–373;
 knowing history of, 366–367; modifying
 Theraplay for complex trauma cases,
 366–389; using nonthreatening touch
 with, 377; Theraplay recommended for,
 34, 359–360; understanding diagnostic
 issues of, 360–361; understanding the
 traumatized brain of, 361–366. *See also*
 Abused children; Complex trauma;
 Sexually abused children
- Tregay, J., 495, 504
- Trevarthen, C., 46, 48
- Tronick, E. Z., 48, 49, 77
- Trust: adopted and foster child need to,
 415–418; Theraplay growing and trusting
 phase, 164–165; treating traumatized
 child by developing, 369, 382–383
- Twin autism studies, 88
- U**
- Underresponsive children: description of,
 271–272; Theraplay in Practice helping,
 290–292
- Uninvolved parenting, 52
- V**
- van der Kolk, B., 360, 363, 365
- Vestibular sense: activities to develop
 regulation of, 279–280; description of,
 278; hypersensitive children and,
 278–279; hyposensitive children
 and, 279
- Vierikko, I., 87, 90
- Visual sense, 282
- “Vitality affects,” 58
- Vulnerable parents: deciding when to begin
 Theraplay sessions, 254–255; domestic
 violence and, 255–256; mental illness and,
 36; preparing for Theraplay, 253–254;
 Theraplay in Practice for, 256–261;
 understanding parents’ difficulties,
 251–252; understanding what lies behind
 parents’ reluctance, 252–253
- W**
- Walters, C., 86
- Wardrop, J. L., 89
- Warfield, J. R., 511
- Watson, K. W., 409, 415
- Web sites, Theraplay, 99
- Weber, P., 450
- Weininger, O., 234
- Weir, K., 513
- Weiss, S. J., 78
- Wettig, H., 94, 95
- The White Paper on Complex Trauma*, 362
- Whole Family Theraplay, 513
- Wieder, S., 269, 306, 309
- Wiedow, K., 514
- Williams, D., 304, 306
- Williamson, G. G., 73
- Wilson-Gamble, S., 307, 309
- Winnicott, D. W., 43, 51, 58
- Working Model of the Child Interview, 207
- Wylie, M. S., 365
- Y**
- York Center for Children, Youth, and Families
 (Ontario), 90–92
- Your Child Is Asleep: Early Infantile Autism,
 Etiology, Treatment, Parental Influences*
 (Deslauriers and Carlson), 85, 303–304
- Z**
- Zeanah, C. H., 207