

INDEX

- Absorbance (UV), mobile phase, 82–83
ACD/LC Simulator, 109
Acetone test. *See* System performance tests
Adsorptive carryover, 204
Air
 bubbles. *See* Bubbles, Degassing
 leaks, 211
 peaks, 186–187, 225
Anion exchange chromatography. *See also*
 Ion-exchange chromatography
 columns, 34
Anthraquinone separation, 6
APCI. *See* Atmospheric pressure
 chemical ionization
Area reproducibility problems, 223
Artifacts. *See* Separation artifacts
Artifact peaks. *See* Ghost peaks
Assay procedure, routine, 77
“At-column dilution”, 300–301
Atmospheric pressure chemical
 ionization, interface, 326–327
Autosamplers, 140
 pressure bypass, 207
 problems, 207, 212, 223–224
 reproducibility, 151
 test failure, 212
 wear, 190

Background peaks. *See* ghost peaks
Back-pressure, 136, 211. *See also* Pressure
 restrictor
Bacterial growth, 184
Ballistic gradients, 75. *See also* Gradient
 separation, Fast
Band. *See also* Peak
Band migration, gradient elution, 11–13
Band migration, isocratic elution, 10–11

Baseline drift. *See* Drift (baseline)
Baseline noise. *See* Noise (baseline)
Baseline resolution. *See* Resolution,
 baseline
Beat frequency, 180
Bioanalytical LC-MS, 332
Biomolecules, gradient separation
 of, 248–271
Blank gradient, 121, 158
 drift, 158
 peaks, 158, 182–185, 225
 test, 217–221
Blockage
 problems, 223–224
 solvent inlet-frit, 207, 210
“Break through” of
 macromolecules, 273–274
Broadening. *See* Peak shape or Peak width
Bubbles
 autosampler, 212
 injection, 186–187
 problems, 206–207, 209–211,
 223–225
 removing from pump, 197
Buffers, 84
 constant buffer-strength gradients, 139
 contamination, 218
 flushing, 159
 good practice, 161
 peptide and protein separations, 252
 phosphate problems, 161
 precipitation, 139, 161
 solubility test, 161
 sources compared, 217–218

Calibrators, 160
Carbohydrates. *See* Biomolecules
Carboxylic acids, IEC separation of, 6–7

- Carryover, 187, 225
 gradient, 174
 isolation, 203–204
- Case studies, 180–182, 213–222
- Cation exchange chromatography
 columns, 349. *See also* Ion-exchange chromatography
- Centrifugation, 190
- Cereal storage protein, 256–260
- Change one thing at a time, 205
- Check-valves
 cleaning, 199
 failure, 212, 221–223
 problems, 209, 211, 224
 replacement, 216
 sonication, 214
- Chemical composition
 distribution, 275–278
- Chromsword, 109
- Cleaning glassware, 200
- Cleanliness, 159
- Coefficient of variation. *See* CV
- Column
 anion-exchange, 349
 capacity. *See* Column, saturation capacity
 cation-exchange, 349
 characterization of, 416–433
 chemistry change, 225
 cleaning, 161, 187, 204
 comparing two, 419
 dead-volume V_m , 53, 90, 393
 dedicated, 159
 effect of change in size, 169
 efficiency. *See* Plate number N
 equilibration. *See* Equilibration
 equivalent, 157, 419–433
 frictional heating, 170
 LC-MS, 328
 ovens, 170
 overload, 225, 283
 pH stability, 161
 plate number N . *See* Plate number N
 pre-heating, 170
 pressure drop. *See* Pressure
 saturation capacity, 289–292, 439
 selecting reasonable mobile
 phase, 161–162
 selection, 160–161, 416–433
 selectivity, 419–433
 slow equilibration, 159–160. *See also*
 Equilibration
 surface area, 289–290, 439
 temperature, 169–170. *See also*
 Temperature
 temperature problems, 224
 variability, 122, 157
 void, 226
 volume, effect on separation,
 123–124
- Column conditions, 29
 effect of diameter on gradient
 separation, 51–55. *See also*
 Column, Volume
 effect of length on gradient
 separation, 51–55
 effect on gradient separation, 102–106
 effect on isocratic separation, 28–31
- Column equilibration. *See* Equilibration
- Column length. *See* Column conditions
- Column-mobile phase equilibration. *See*
 Equilibration
- Column switching, 3–4, 347–348. *See*
also Sample preparation
- Complex samples, 89–90
- Component failures. *See* Specific
 components
- Compressibility-compensation
 errors, 211–212. *See also* Flow rate,
 errors
- Compression, gradient. *See* Gradient
 compression
- Computer simulation, 18, 80, 108–120.
See also Resolution maps
 accuracy of, 119, 399. *See also*
 Linear-solvent-strength (LSS)
 model
 column conditions, 112–114
 designated peaks, 117–118, 259–260
 for peptides and proteins, 254
 gradient optimization, 111–112
 isocratic predictions, 115–117
 LC-MS, 347
 options, 116
 resolution maps, 109–111, 110, 113,
 116, 118, 258, 260
 segmented gradients, 117–119
 “two-run” procedures, 119
- Conditions, effect on gradient
 separation, 49–72

- Conformation of macromolecules, 236–238, 272–273
- Convergent case, in preparative separation, 315
- “Corresponding” separations, 34–37, 285, 301–302, 373, 374–376
- Critical elution behavior, 245–247
- Critical mobile phase composition, 278
- Critical pair. *See* Resolution, critical
- Critical resolution. *See* Resolution, critical
- Crossing isotherms, 313
- CV vs signal-to-noise, 213
- Data systems, 141–142
 problems, 225
 sampling rate, 141, 190
- Dead-volume. *See* Column dead-volume
- Decomposition, sample, 193–194, 225, 236–238
- Degassing, 136, 159, 187, 214, 221
 air peaks, 186–187
 and baseline noise, 182
 helium sparging, 136
 membrane degasser, 136
 problems, 211, 219
 sample, 187
- Degradation. *See* Decomposition, sample
- Delay, gradient. *See* Gradient delay
- Denaturation. *See* Conformation of macromolecules
- Designated peaks. *See* Peaks, designated
- Detection, UV absorbance of mobile phase, 82–83
- Detectors, 141
 cell, 141, 142
 noise filter, 141
 time constant, 141, 190
- “Displacement” effect, 301–302, 304, 318–320
- Dissolved air, 186–187. *See also* Degassing
- Divergent case, in preparative separation, 315
- Divide-and-conquer strategy, 196, 204–205, 218, 223
- Double peaks, 226
- Drift (baseline), 176–179, 225
 acetonitrile, 176
 ammonium acetate, 177–178
 ammonium carbonate, 178
 and wavelength, 176
 compensating for, 178
 equimolar buffers, 178
 methanol, 176
 negative, 177
 phosphate, 176–177
 tetrahydrofuran, 176–177
 trifluoroacetic acid and ACN, 179
- DryLab[®] software, 18, 109, 112. *See also* Computer simulation
- Dwell time. *See* Dwell volume
- Dwell volume, 33, 151, 158, 393–394
 adjustment of initial %B, 165–168
 and equilibration, 171–174
 and gradient volume, 151, 169, 343
 compensating for differences, 163–168
 differences, 151, 155, 225
 during method development, 122
 effect of small k_0 , 376–378
 effect on separation, 66–67
 high- vs low-pressure mixing, 136–137
 injection delay, 163–164
 isocratic hold, 164–165
 LC-MS, 342
 maximum-dwell-volume methods, 165
 measurement of, 147
 method transfer, 163–168
 typical values, 136
- Early elution, 88
- Easy vs powerful troubleshooting technique, 205
- Eigen peaks. *See* Ghost peaks
- Electrospray ionization (ESI) interface, 326–327
- Elution strength gradients, 365–366
- Epimer sample, 193–194
- Equilibration, 80, 106, 122, 159, 162, 170–175, 386–391
 addition of propanol, 174
 and dwell volume, 174
 effect on blank gradient, 217–218
 incomplete, 169, 172–174, 225
 inter-run, 169
 ion-pair chromatography, 174, 391
 normal-phase chromatography, 174, 391
 practical considerations, 174–175
 primary effects, 171–173

- reducing, 174
- routine analysis, 174
- slow, 173
- time, 172
- volume, 171
- Equipment. *See also* System
 - bias, 156
 - checkout, 157–163
 - comparison of, 135
 - design, 133–142
 - manufacturers, 143
 - “non-ideal”, 393–396
 - preparative separations, 285–286
 - repair service, 144
 - selection, 142–145
 - special applications, 144
- Errors, in linear-solvent-strength
 - model, 397–400
- ESI interface. *See* Electrospray ionization
- Extra peaks, 225. *See also* Ghost peaks,
 - Late peaks, t_0 peaks
 - in samples, 185–187. *See also*
 - Decomposition, sample
- Extra-column effects, 189, 225
 - peak broadening, 396
- Extra-column volume, 142
- Fatty acid esters, 114–116
- Filter, in-line, 190
- Filtration
 - mobile phase, 190
 - problems, 218–219
 - sample, 190
- Fingerprint procedure, 77
- Flow programming, 3–4
- Flow rate. *See also* Column conditions
 - effect on gradient separation, 55–58
 - errors, 137–139, 396
 - measurement, 149–150
 - problems, 210–212
- Flow test failure, 224
- Frit blockage, 190, 197, 207, 210, 226
- Fronting peaks, 225
- Garbage peak. *See* t_0 peaks
- General elution problem, 1–3
- Generic separations, 5, 77, 334
 - macromolecules, 248
- Ghost peaks, 225
 - and equilibration time, 183
 - blank gradient, 182–185
 - isolating, 182–185
 - organic solvents, 184
 - sources, 185
 - water, 182
- Glassware
 - cleaning, 200
 - contamination, 218–219
- GLP. *See* Good Laboratory Practice
- Glycophospholipids, 345
- Goals of separation, 75–78
- Good Laboratory Practice (GLP),
 - 145, 157
- GPV. *See* Gradient-proportioning-valve
- Gradient
 - blank. *See* Blank gradient
 - compression, 38, 380–383
 - linearity failure, 206, 209
 - peak width. *See* Peak width, gradient
 - performance. *See* System
 - performance
 - performance test failure, 223–224
 - program, 9–10
 - rounding, 147, 206, 394–396
 - test failures, 205–213
 - testing. *See* System performance
 - “trimming”. *See* Gradient range
- Gradient carryover, 174
- Gradient conditions, 49
- Gradient conditions, effect on
 - separation, 49–72
- Gradient delay, 7–8
 - effect on separation, 63–66. *See also*
 - Dwell volume
- Gradient distortion, 172, 174, 394–396
- LC-MS, 342–343
- Gradient elution. *See also* Gradient
 - separation
 - basics. *See* Gradient elution, theory
 - compared to isocratic elution, 2,
 - 10–13, 34–37, 39–42,
 - 304–306, 316–317. *See also*
 - “corresponding” separations
 - compared to stepwise elution, 2
 - history, 3
 - reasons for, 4–7
 - theory, 13–18, 31–72,
 - 370–411
 - theory for macromolecules,
 - 242–248

- Gradient equilibration. *See* Equilibration
- Gradient problems, 88–90, 225–226, 394–396
- causes, 225–226
 - solutions, 225–226
 - symptoms, 225–226
- Gradient range, 8
- adjusting, 87–88
 - effect on separation, 58–63
 - optimization of, 95–96
- Gradient retention, 32–34, 372–378
- compared with isocratic, 374–376
 - optimization of, 92
- Gradient retention factor k^* , 13, 33–34, 90–91, 370–374
- effect on selectivity, 96–100
- Gradient selectivity
- effect of k^* on, 96–100
 - optimization of, 92–95
- Gradient separation
- effect of final percent-B on, 60–63
 - effect of gradient time, 33–34
 - effect of initial percent-B, 376–378
 - effect of initial percent-B, 58–60
 - fast, 106–108, 274
 - initial experiment, 76, 79, 80–87, 249–253
 - method development, 74–130
 - prediction. *See* Computer simulation
 - second-order effects, 386–396
- Gradient shape, 7–10
- concave, 8
 - convex, 8
 - curved, 7, 240–241
 - effect on separation, 67–71
 - linear, 7–9
 - nonlinear, 67–71
 - segmented, 7–9, 69–71, 100–102, 114, 117–119, 259–260
- Gradient steepness
- effect of conditions on, 50–58
 - intrinsic (b), 17, 32–33
- Gradient step-test. *See* Step-test
- Gradient time t_G , 7
- effect on separation, 50–51
- Gradient volume, and dwell volume, 151, 343
- Gradient-proportioning-valve (GPV)
- test, 148–149
 - failure, 208–210
- Gradients
- elution strength, 365–366
 - selectivity, 365–367
 - ternary-solvent, 365–368
 - quaternary-solvent, 365–368
- Guidelines, avoiding problems, 154–157
- Headache = non-linear gradients
- Heating. *See also* Column, oven, temperature
- High-molecular-weight samples. *See also* Macromolecules
- problem, 221
- High-pressure mixing, 133–134
- History of gradient elution, 3
- Homo-oligomers, 238–242
- Hydrophilic interaction chromatography (HILIC), 266–267, 361–365
- method development, 364–365
- Hydrophobic interaction chromatography (HIC), 262–264
- Impurities at t_0 , 225
- Incomplete elution, 204
- Induced peaks. *See* Ghost peaks
- Initial gradient run. *See* Gradient separation, initial experiment
- Injection
- delay, 163–164
 - disturbance. *See* t_0 peaks
 - duplicate, 161–162
 - effect of equilibration, 173
 - effect on peak shape, 190–193
 - effect on sample retention, 190–193
 - of air, 186–187
 - priming, 159–160
 - problems, 225
 - sample volume, 190–193, 292, 312
 - solvent strength, 190–193
- Injection peak. *See* t_0 peaks
- Injectors. *See* Autosamplers
- In-line filter. *See* Filter, inline
- Installation Qualification (IQ), 157–158
- Integration, 141
- Interfering peaks. *See* Peaks, designated
- Intrinsic gradient steepness b , 17, 32–33
- Ion exchange chromatography (IEC), 264–266, 349–358
- effect of gradient conditions, 356
 - method development, 356–358

- mobile phases, 349
- retention process, 350–353
- Ion suppression, LC-MS, 343–345
- Ion trap MS, 328–330
- Ion-pair
 - equilibration, 174
 - gradient elution of nucleic acid fragments, 261
- “Irregular” sample. *See* Sample, “irregular”
- IQ. *See* Installation Qualification
- Isocratic elution, 1, 10–11, 23–31
 - compared to gradient elution. *See* Gradient elution, compared to isocratic elution
- Isocratic hold. *See* Gradient delay
- Isocratic retention, 23–24, 27–28
 - prediction from a gradient run, 45–47, 416–417
- k*. *See* Isocratic retention
- k**. *See* Gradient retention factor
- Knox equation, 404–405
- “Large” molecules. *See* Macromolecules
- Late elution, 88–89, 187, 204, 225
 - column washing, 161
- LC-MS, 324–348
 - applications, 325
 - buffers, 332, 335
 - challenges, 341–348
 - co-eluting compounds, 345–346
 - column conditions, 341
 - column selection, 328, 330, 340
 - column switching, 347–348
 - computer simulation, 347
 - dwell volume requirements, 342
 - equilibration requirements, 341
 - generic methods, 334
 - gradient distortion, 342–343
 - infusion experiments, 343–344
 - initial runs, 339
 - interface, 326–327
 - internal standards, 334–335, 346
 - ion suppression, 343–346
 - ion trap, 328–330
 - isocratic methods, 347
 - isotopic standards, 330, 335
 - lipid problems, 345
 - matrix problems, 341
 - method development, 332–341
 - minimum retention, 339, 340
 - mobile phase selection, 330, 335
 - multiplexing, 347–348
 - MUX interface, 348
 - parallel columns, 347–348
 - plasma problems, 341
 - precision and accuracy, 326, 341
 - principles, 326–330
 - removing contaminants, 340–341
 - requirements, 325–326
 - resolution, 326, 330, 346
 - sample preparation, 335–339. *See also* Sample preparation
 - sample throughput, 347–348
 - scouting runs, 339
 - segmented gradients, 340–341
 - separation goals, 332–334
 - single ion monitoring, 344
 - single stage, 324
 - solvent selection, 340
 - specificity, 346
 - stable-label standards, 335
 - tandem, 328–330
 - temperature, 340
 - trifluoroacetic acid, 345
 - vs LC-MS/MS, 324
 - vs LC-UV, 330–332
- Leaks, 200, 211–212, 223
- Linearity test problems, 206, 224
- Linear-solvent-strength (LSS)
 - gradient, 15
- Linear-solvent-strength (LSS)
 - model, 13–18, 370–386
 - accuracy of, 397–400
 - failure of, 393
 - measurement of parameters, 400
- Linear-solvent-strength behavior,
 - advantages of, 385–386
- Lipids, and LC-MS, 345
- Liquid chromatography under critical conditions, 245
 - (*See also* “pseudo-critical conditions”)
- log *k* vs %B plot, 36, 40, 44
- log *k** vs *t*_G plot, 37, 41, 44
- Low-pressure mixing, 133–134
- Lysozyme variants, 263
- Macromolecules
 - conformation of. *See* Conformation of macromolecules

- Macromolecules (*Continued*)
quaternary structure, 236
separation of, 228–278
separation problems of, 271–274
tertiary structure, 236
theory of gradient separation,
242–248
values of *N*, 235–236
values of *S*, 229–235
- Mass selective detector, 324
- Mass spectrometric
detection. *See* LC-MS
- Method development, 74–130. *See also*
Gradient separation
avoiding problems, 160–163
gradient preparative
separations, 306–315
guidelines, 160–163
hydrophilic interaction
chromatography, 364–365
ion-exchange chromatography,
356–358
isocratic preparative separations,
292–302
normal-phase chromatography,
360–361
preparative separation, 292–302,
306–315, 317–318
summary, 75, 78
- Method instructions, 170
- Method transfer
gradient rounding, 169
gradient shape, 169
problems, 163–170
segmented gradient, 169
- Microbial growth, 184
- Micromixer, 136, 152
- Mixing
accuracy, 137
designs, 133–140, 144, 152
high-pressure. *See* High-pressure mixing
low-pressure. *See* Low-pressure
mixing
premixing mobile phase, 181
problems, 224
- Mixing volume. *See* Dwell volume
- Mobile phase. *See also* Solvent
absorbance (UV), 82–83
buffers, 84
composition change, 225
contamination, 225
filtration, 190
pH selection, 161
premixing, 181, 197–199, 216
selecting reasonable, 161–162
viscosity, 435
- Module substitution troubleshooting
strategy, 196–197, 205
- Molecular weight
distribution, 275–278
sample, 229–235
- MS. *See* LC-MS
- MS/MS. *See* Tandem MS
- Myoglobin digest, 56–57
- Native proteins, 236
- New column test, 223
- Noise (baseline), 225
absorbance matching, 178, 181
and mixing, 179–180
beat frequency, 180
case study, 180–182
degassing mobile phase, 182
premixing mobile phase, 181
- Non-linear gradients, 206. *See also*
Gradient shape, segmented
- Non-overloaded separation, 283
- Normal-phase chromatography (NPC),
359–365
dried solvents, 174
equilibration, 174
polar solvent addition, 174
method development, 360–361
relay gradient elution, 360–361
- Nucleic acids. *See also* Biomolecules
- Oligomers. *See* Homo-oligomers
- Oligonucleotides. *See* Biomolecules
- “On-off” elution, 234–235, 244
of viruses, 268
- Operational Qualification (OQ), 146,
157–158
- Optimized separation, 75
- OQ. *See* Operational qualification
- Orthogonal separation. *See* Separation,
orthogonal
- Osiris, 109
- Outgassing, 211. *See also* Degassing
- Ovens, column, 170
- Overload, 225

- Paclitaxel, 344
- Parallel case, in preparative separation, 314
- Parallel chromatography, 347–348
- Particle size. *See* Column conditions
- Particulate matter, 190
- Peak, distortion, 226
- Peak area reproducibility problems, 212–213, 224
- Peak asymmetry factor, 188, 418–419
- Peak broadening, 142
- Peak capacity, 47–49
 required (PC_{req}), 49
 sample (PC^{**}), 49
- Peak matching, 94–95
- Peak shape
 and injection conditions, 190–193
 broadening, 188–190
 fronting, 188
 in preparative separation, 286–287, 303–304
 measuring, 188, 418–419
 problems, 188–194, 225
 sample decomposition, 193–194
 sample overload, 188
 split peaks, 190
 tailing, 188, 225
 temperature effects, 170
- Peak splitting, 190, 226, 386
- Peak tailing, 88, 418–419
 isocratic vs gradient, 6–7
- Peak tailing factor, 418–419
- Peak tracking, 119–120
- Peak width
 and plate number, 189
 broad peaks, 225
 data sampling rate, 190
 extra-column effects, 189
 gradient, 38–39, 378–383, 399–400
 isocratic, 24–25
 preparative separations, 287–288, 441–443
 synthetic polymers, 241
- Peak width change
 and plate number, 189
 and resolution, 189
- Peaks
 designated, 117–118, 259–260
 extra, 225
- PEEK fittings, 200
- Peptide sample, 220–222
- Peptides
 gradient separation of, 248–260
 initial experiment, 249–253
 “irregularity” of, 249–250
 method development, 253–256
 preparative separation, 318–320
 reversed-phase columns for, 252–253, 271
 rhGH digest, 249, 253–256
 separation problems, 215–217, 271
 values of S , 249–250
- Perchlorate, for peptide and protein separations, 252
- Performance Qualification (PQ), 157–158
- Performance. *See* System performance
- Performance test failures, 205–213
- pH
 adjustment problems, 218–219
 mobile phase, 125–127
 probe contamination, 219
- Phenylurea sample, 62
- Plate number N , 404–411
 for macromolecules, 235–236
 in gradient elution, 38
 isocratic, 25
 maximum achievable values, 407, 410
 optimization of, 102–106, 404–411
 preparative separation, 289, 320, 437–439
 vs change in peak width, 189
- Polymers, synthetic, 241, 275–278
 chemical composition
 distribution, 277–278
 molecular weight distribution, 277
- Polystyrenes, 68, 198, 231, 239, 275–277
- PQ. *See* Performance Qualification
- Precipitation chromatography, 243–244
- Precision vs peak size, 213
- Prediction of isocratic separation, 85–87, 115–117
- Pre-elution, theory, 376–378
- Premixing mobile phase, 197–199, 216, 220, 225
 for improved precision, 216–217
- Preopt-W, 109

- Preparative separation, 283–321,
436–444
column overload, 283
column saturation capacity,
289–292, 439
convergent case, 315
“corresponding” separations, 285,
304–306, 316–317
crossing isotherms, 313
“displacement” effect, 301–302, 304,
318–320
divergent case, 315
effect of α , 289
effect of k , 289
equipment, 285–286
gradient, 302–321, 441–444
gradient method
development, 306–315
initial isocratic conditions,
292–295
isocratic, 286–302, 436–441
isocratic method
development, 292–302
isocratic vs gradient, 285, 304–306,
316–317
method development, 292–302,
306–315, 317–318
non-overloaded separation, 283
parallel case, 314
peak shape, 286–287, 303–304
peak width, 287–288, 441–443
peptides, 318–320
plate number N , 289, 320
problems, 300–301, 312–315
production scale, 320–321
proteins, 318–320
resolution goal, 296–297
sample displacement, 318–320
sample solubility, 300–301
sample volume, 292, 312
sample weight, 286–287, 297–300
scale-up, 298–300
severe overload, 284–285, 301–302,
315–321
step gradients, 311–312
“tag-along” effect, 301–302,
304, 317
touching-peak separation, 283,
287–289, 306–315, 444
unequal S values, 314–315
- Pressure, 76
as a function of conditions, 406
bleed-down test failure, 212, 224
decay test, 150
effect of column conditions, 103, 105
effect on plate number N , 47,
404–411
problems, 223
restrictor, 211
- Pressure drop. *See* Pressure
- Priming injections, 159–160
- “Primitive grid search”, 254
- Problem isolation
flowchart, 195
strategy, 195–197
- Problem solving. *See* Troubleshooting
- Problems
guidelines to avoid problems,
154–157
use of diagnostic chromatograms, 156
macromolecule separations,
271–274
preparative separation, 300–301,
312–315
- Production scale separation, 320–321
- Proline residues, effect on
conformation, 238
- Proportioning problems, 224
- Proportioning valve
calibration, 214
failure, 207, 214
problems, 224
timing, 180
- Proteins. *See also* Biomolecules
cereal storage, 256–260
denaturation of, 248–249, 252
gradient separation of, 248–260
hydrophobic, 272–273
initial experiment, 249–253
“irregularity” of, 249–250
lysozyme variants, 263
method development for, 256–260
native, 236
preparative separation, 318–320
reversed-phase columns for, 252–253,
271
ribosomal, 249, 256–258
sample loss during separation, 272
separation problems of, 271–274
values of S , 249–250

- Pseudo peaks. *See* Ghost peaks
- “Pseudo-critical” conditions, 278
- Pump. *See also* High-pressure or low-pressure mixing
- flushing, 139
 - maintenance, 216
 - piston cleaning, inspection and replacement, 200
 - purging, 139
 - quaternary, 139
 - removing air, 197
 - seal problems, 209, 211–212, 223–224,
 - seal replacement, 199–200, 216
 - seal wear, 190
 - ternary, 139
- Put-it-back troubleshooting rule, 205
- Quadrupole MS, 328–330
- Quaternary structure of macromolecules, 236
- Quaternary-solvent gradients, 365–368
- Reagent
- blank, 185
 - contamination, 217–220
 - quality, 159
- Reduced parameters, 405
- Reference conditions, 162
- Refractive index effect, 185
- “Regular” sample. *See also* Sample, “regular”
- computer simulation of, 114–115
 - homo-oligomers, 238–242
- Regulatory recommendations, isocratic separation, 27
- Relay gradient elution, 360–361
- Repeatable separation. *See* Reproducible separation
- Reproducibility, 205
- Reproducibility test, retention, 150–151
- Reproducible separation, 79–80, 109–110, 120–124
- duplicate runs, 121
 - during method development, 121–122
 - during routine analysis, 122–123
 - method robustness, 121
- Reservoir, cleanliness, 183–184
- Resolution
- baseline, 25
 - critical, 25–26, 109
 - effect of temperature, 28, 109–111
 - equations, 25, 26, 91
 - gradient, 39–47
 - isocratic, 25–27
 - LC-MS, 346
- Resolution maps, 109–111. *See also*
- Computer simulation,
 - Resolution maps
 - robust separation, 109–110
- Restrictor, back-pressure, 136
- Retention. *See also* Gradient retention
- gradient, 397–399
 - isocratic, 23–24, 27–28. *See also*
 - Isocratic retention
 - isocratic, effect of percent-B, 28
 - isocratic, prediction from gradient run, 85–87, 115–117
 - reproducibility, 150–151, 162
 - reproducibility problems, 206, 212, 223
 - reproducibility test, 150–151
 - reproducibility test failure, 224
 - test conditions, 150–151
 - variation, 213–217, 220, 225
- Retention factor, gradient. *See* Gradient retention factor
- Reversed-phase chromatography, assumed unless noted otherwise
- rhGH peptides, 253–256
- Ribosomal proteins, 256–260
- Rounding, gradient. *See* Gradient rounding
- Routine applications, suggestions, 158–160
- Rule of One (troubleshooting), 205
- Rule of Two (troubleshooting), 205
- Run time, shortening, 30, 103–108
- S ($d[\log k]/d\phi$), 28, 401–404
- as a function of sample molecular weight, 230
 - effect on gradient separation, 42–45, 96–100, 414–415
 - macromolecules, 229–235, 247–248
 - measurement of from gradient data, 400
 - peptides and proteins, 249–250
 - unequal values in preparative separation, 314–315

Sample

- anilines plus carboxylic acids (“irregular”), 15
- assessment, 76
- “break through”, 273–274
- classification of, 19–21
- cleanliness, 162
- complex, 47–49, 119
- decomposition, 193–194, 225
- displacement, 318–320
- effect of ionization on saturation capacity, 290–292
- effect on separation, 78–79
- herbicides (“regular”), 1, 15
- “irregular”, 19–21
- “irregular”, effect of gradient conditions, 92–100
- molecular weight effects, 229–235
- “regular”, 19–21
- solubility, 300–301
- Sample preparation, 6, 80, 336–339
 - column switching, 337–338, 348
 - dilution, 336
 - liquid-liquid extraction, 337
 - on-line cleanup, 337
 - protein precipitation, 336
 - recovery, 337
 - solid phase extraction, 336–337
 - virus, 447–448
- Sample pretreatment blank, 185
- Sample volume overload, preparative separations, 292, 312
- Sample weight, effect on separation, 286–287
- Sampling rate, data, 190
- Saturation capacity. *See* Column, saturation capacity
- Scale-up, 298–300
- Schlieren effect, 185
- Second-order effects in gradient elution, 386–396
- Segmented gradients. *See* Gradient shape, segmented
- Selectivity, 124–127. *See also* Gradient selectivity
 - effect of different conditions compared, 126
 - isocratic, 28
 - gradients, 365–367

Separation

- isocratic. *See* Isocratic separation
- orthogonal, 127–130
- two-dimensional, 128–130
- Separation artifacts, 175–194
- Separation conditions. *See* Conditions
- Separation factor α , 26–27. *See also* Selectivity, Gradient selectivity
- Separation goals, 75–78
- Severe overload, 284–285, 301–302, 315–321
- Shallow gradients
 - premixing, 197–199
 - problems, 197–199
- Shape. *See* Gradient shape, Peak shape
- Signal-to-noise vs CV, 213
- Silanol interactions, 225
- Siphon test, 197
- Size-exclusion chromatography, 244
- Solvent. *See also* Mobile phase
 - compressibility, 137–139
 - contamination, 225
 - demixing, 391–393
 - demixing for normal-phase chromatography, 392
 - premixing, 216
 - purity, 182–185
 - siphon test, 197
 - uses of several, 139
 - viscosity, 137–139. *See also* Mobile phase, viscosity
 - volume changes, 137–139
- Solvent composition change, 225
- Solvent front. *See* t_0 peaks
- Solvent inlet-frit blockage, 207, 210
- Solvent proportioning, 135–136. *See also* Mixing
 - errors, 136
- Sonication, check-valve, 199
- Split peaks, 190, 226
- Spurious peaks. *See* Ghost peaks
- Standards, 160, 334–335, 346
- Stationary phase diffusion, 383
- Step gradients, for preparative separation, 311–312
- Step-test, 247–248
 - failure, 206–210, 214, 221–222, 224
- Stepwise elution, 1–2, 8
- Substitution, module (troubleshooting), 205

- Switching valves, 337–338
- Synthetic polymers. *See* Polymers, Synthetic
- System. *See also* Equipment
- System cleanliness, 159
- System peaks. *See* Ghost peaks
- System performance
- acceptance criteria, 145, 148, 149
 - acetone test, 146
 - dwelt volume. *See* Dwell volume
 - flow rate check, 149
 - gradient linearity, 146–147
 - gradient rounding, 147
 - gradient tests, 146–149
 - measuring, 145–151
 - peak area reproducibility, 151, 212–213
 - pressure bleed-down, 150, 212
 - retention reproducibility, 150–151, 212–213
 - step-test, 147–148
 - step-test failure, 206–208
 - test failures, 205–213, 224
 - typical parameters, 145
- System suitability, 155, 160, 196, 223
- failure, 220
- System tests. *See* System performance
- t_0 peaks, 185–186
- “Tag-along” effect, 301–302, 304, 317
- Tailing peaks. *See* Peak tailing or peak shape
- Tandem MS, 328–330
- Temperature. *See also* Column temperature
- bias, 169–170
 - effect on peptide separation, 253–256
 - effect on protein recovery, 272
 - effect on protein separation, 256–260
 - effect on selectivity, 92–94
 - equilibration, 169–170
 - frictional heating, 170
 - inadequate control, 155–156, 225
 - isocratic, 28–29
 - peak shape, 170
 - problems, 224, 226
 - programming, 3–4
- Ternary-solvent gradients, 365–368
- Tertiary structure of macromolecules, 236
- Test failures, 205–213, 224. *See also* System performance
- Tetrahydrofuran, 125
- TFA. *See* Trifluoroacetic acid
- Time constant, detector, 190, 225
- Touching-peak separation, 283, 287–289, 306–315, 444
- Transfer, method. *See* Method transfer
- Trifluoroacetic acid (TFA)
- degradation, 201
 - for peptide and protein separations, 252
 - suggestions for use, 201
- Troubleshooting. *See also* Specific problems and Chapter 5
- case studies, 213–222
 - emergency instructions, 194–195
 - rules of thumb, 204–205
 - strategy, 195–197
 - suggestions, 197–205
- Tubing, 142
- minimizing length, 189
- Two-dimensional separation, 128–130
- of peptides and proteins, 274
- “Two-run” procedures, 119
- Unretained peaks. *See* t_0 peaks
- UPLC, 141, 144
- USP tailing factor, 188, 418–419
- UV absorbance of mobile phase, 82–83
- Vacancy peaks. *See* Ghost peaks
- Virus. *See also* Biomolecules chromatography, 448–449
- sample preparation, 447–448
 - separations, 267–271
 - structure, 445–447
- Viscosity changes, 223
- Viscous fingering, 383
- Water
- cleanup, 201–203
 - purity, 201–203
 - scrubber column, 201–203
- Xanax separation, 345