

# Contents

<b>Preface</b>	<b>vii</b>
<b>Introduction</b>	<b>xix</b>
<b>Chapter 1: Introducing the Site</b>	<b>1</b>
<b>Problems with HTML</b>	<b>2</b>
<b>Design</b>	<b>3</b>
Clarifying terminology	4
A Little Background to HTML	5
Browser issues	8
Lessons from the mobile world	9
Accessibility	10
Separating style from content	11
Putting the “X” in XHTML	12
<b>The Story Behind CSS</b>	<b>13</b>
<b>Using Style Sheets</b>	<b>14</b>
<b>Introducing the Sample Site</b>	<b>16</b>
Home page	19
Product list pages	27
Product details page	30
Site structure	34
Updating the site	35
<b>Summary</b>	<b>37</b>
<b>Chapter 2: Moving from HTML to XHTML</b>	<b>39</b>
<b>Problem</b>	<b>40</b>
<b>Design</b>	<b>40</b>
Strict XHTML	41
Transitional XHTML	42
Frameset XHTML	42
An example XHTML document	43
Writing documents using XML syntax	44
Why XML?	53
Differences between Transitional and Strict XHTML 1.0	56
XHTML compliance in authoring tools	62
Validation	63

# Contents

---

<b>Solution</b>	<b>67</b>
Home page	68
Product list page	77
Product details page	81
Validation	84
<b>Summary</b>	<b>84</b>
<b>Chapter 3: Using CSS to Style Documents</b>	<b>87</b>
<b>Problem</b>	<b>88</b>
<b>Design</b>	<b>88</b>
How CSS works	88
A closer look at adding CSS rules	94
Selectors	99
Fonts	103
Text properties	110
Text pseudo-elements	116
Understanding the box model	118
The <div> and <span> elements	121
Box properties	123
Dimensions	130
Color and background	134
<b>Solution</b>	<b>143</b>
The home page	143
The product list pages	153
The product details pages	155
<b>Summary</b>	<b>158</b>
<b>Chapter 4: Adding More Style with CSS</b>	<b>159</b>
<b>Problem</b>	<b>160</b>
<b>Design</b>	<b>160</b>
Pseudo-classes and pseudo-elements	160
Lists	175
Table properties	178
Visibility of elements	182
Multiple style sheets and @import	185
Precedence of rules	187
Validating CSS	188
<b>Solution</b>	<b>189</b>
Improving the look of links	189
Product pages table borders	190
<b>Summary</b>	<b>194</b>

---

<b>Chapter 5: Using CSS for Layout</b>	<b>195</b>
<b>Problem</b>	<b>195</b>
<b>Design</b>	<b>196</b>
CSS positioning schemes	196
Overlapping layers	212
Common layouts	215
Choices for layout	231
<b>Solution</b>	<b>232</b>
<b>Summary</b>	<b>241</b>
<b>Chapter 6: Understanding Accessibility</b>	<b>243</b>
<b>Problem</b>	<b>244</b>
<b>Design</b>	<b>244</b>
Assistive technology	245
Additional accessibility benefits	246
Introducing the guidelines	247
Creating accessible Web pages	249
<b>Solution</b>	<b>279</b>
Providing nontext items with text equivalents	280
Checking for dynamic content, color, and contrast issues	281
Adding links to skip repetitive navigation	281
<b>Summary</b>	<b>283</b>
<b>Chapter 7: Creating Accessible Tables and Forms and Testing Your Site</b>	<b>285</b>
<b>Problem</b>	<b>286</b>
<b>Design</b>	<b>286</b>
Tables	287
Forms	299
Accessibility issues for deaf people	313
Accessible frames	314
Text only — the last resort	317
Testing your site for accessibility	317
<b>Solution</b>	<b>320</b>
Product details pages	320
Testing with Bobby	322
Testing with LIFT	323
<b>Summary</b>	<b>323</b>

## **Chapter 8: Looking to the Future** **325**

---

<b>Problem</b>	<b>326</b>
<b>Design</b>	<b>326</b>
The situation today	326
The new devices	327
Lessons from the mobile world	328
The abstract modules of XHTML	329
XHTML 1.1	330
XHTML Basic	336
Hybrid documents	338
XHTML on different devices	344
<b>Solution</b>	<b>350</b>
<b>Summary</b>	<b>354</b>

## **Appendix A: Final Example Code** **357**

---

<b>Home Page</b>	<b>358</b>
<b>Product List Page</b>	<b>360</b>
<b>Product Details Page</b>	<b>363</b>
<b>CSS Style Sheet</b>	<b>365</b>

## **Appendix B: XHTML Element Reference** **371**

---

<b>Core Attributes</b>	<b>372</b>
<b>&lt;a&gt; (all)</b>	<b>373</b>
<b>&lt;abbr&gt; (IE 4+, N 6+)</b>	<b>373</b>
<b>&lt;acronym&gt; (IE 4+ N 6+)</b>	<b>373</b>
<b>&lt;address&gt; (all)</b>	<b>373</b>
<b>&lt;applet&gt; Deprecated (all)</b>	<b>374</b>
<b>&lt;area&gt; (all)</b>	<b>374</b>
<b>&lt;b&gt; (all)</b>	<b>375</b>
<b>&lt;base&gt;</b>	<b>375</b>
<b>&lt;basefont&gt; Deprecated (all)</b>	<b>375</b>
<b>&lt;bdo&gt; (IE 5+, N 6+)</b>	<b>376</b>
<b>&lt;bgsound&gt; (IE only — IE 3+)</b>	<b>376</b>
<b>&lt;big&gt; (IE 4+, N 4+)</b>	<b>376</b>
<b>&lt;blink&gt; (Netscape only — N 3+)</b>	<b>376</b>
<b>&lt;blockquote&gt; (all)</b>	<b>377</b>
<b>&lt;body&gt; (all)</b>	<b>377</b>
<b>&lt;br /&gt; (all)</b>	<b>377</b>
<b>&lt;button&gt; (IE 4+, N 3+)</b>	<b>378</b>
<b>&lt;caption&gt; (all)</b>	<b>378</b>

<b>&lt;center&gt; Deprecated (all)</b>	<b>378</b>
<b>&lt;cite&gt; (all)</b>	<b>378</b>
<b>&lt;code&gt; (all)</b>	<b>378</b>
<b>&lt;col&gt; (IE 3+, N 6+)</b>	<b>379</b>
<b>&lt;colgroup&gt; (IE 3+, N 6+)</b>	<b>379</b>
<b>&lt;dd&gt; (all)</b>	<b>379</b>
<b>&lt;del&gt; (IE 4+, N 6+)</b>	<b>380</b>
<b>&lt;dfn&gt; (all)</b>	<b>380</b>
<b>&lt;dir&gt; Deprecated (all)</b>	<b>380</b>
<b>&lt;div&gt; (all)</b>	<b>380</b>
<b>&lt;dl&gt; (all)</b>	<b>380</b>
<b>&lt;dt&gt; (all)</b>	<b>380</b>
<b>&lt;em&gt; (all)</b>	<b>380</b>
<b>&lt;embed&gt; (all) *</b>	<b>381</b>
<b>&lt;fieldset&gt; (IE 4+, N 6+)</b>	<b>381</b>
<b>&lt;font&gt; Deprecated (all)</b>	<b>382</b>
<b>&lt;form&gt; (all)</b>	<b>382</b>
<b>&lt;frame&gt; (all)</b>	<b>382</b>
<b>&lt;frameset&gt; (all)</b>	<b>383</b>
<b>&lt;head&gt; (all)</b>	<b>383</b>
<b>&lt;hn&gt; (all)</b>	<b>384</b>
<b>&lt;hr /&gt; (all)</b>	<b>384</b>
<b>&lt;html&gt; (all)</b>	<b>384</b>
<b>&lt;i&gt; (all)</b>	<b>385</b>
<b>&lt;iframe&gt; (IE 3+, N 6+)</b>	<b>385</b>
<b>&lt;img&gt; (all)</b>	<b>386</b>
<b>&lt;input type="button"&gt; (all)</b>	<b>386</b>
<b>&lt;input type="checkbox"&gt; (all)</b>	<b>387</b>
<b>&lt;input type="file"&gt; (all)</b>	<b>387</b>
<b>&lt;input type="hidden"&gt; (all)</b>	<b>388</b>
<b>&lt;input type="image"&gt; (all)</b>	<b>388</b>
<b>&lt;input type="password"&gt; (all)</b>	<b>389</b>
<b>&lt;input type="radio"&gt; (all)</b>	<b>389</b>
<b>&lt;input type="reset"&gt; (all)</b>	<b>390</b>
<b>&lt;input type="submit"&gt; (all)</b>	<b>390</b>
<b>&lt;input type="text"&gt; (all)</b>	<b>391</b>
<b>&lt;ins&gt; (IE 4+, N 6+)</b>	<b>391</b>
<b>&lt;isindex&gt; Deprecated (all)</b>	<b>391</b>
<b>&lt;kbd&gt; (all)</b>	<b>392</b>
<b>&lt;label&gt; (IE 4+, N 6+)</b>	<b>392</b>
<b>&lt;layer&gt; (Netscape only, N 4+)</b>	<b>392</b>
<b>&lt;legend&gt; (IE 4+, N 6+)</b>	<b>393</b>

# Contents

---

<b>&lt;li&gt; (all)</b>	<b>393</b>
<b>&lt;link&gt; (all)</b>	<b>394</b>
<b>&lt;map&gt; (all)</b>	<b>394</b>
<b>&lt;menu&gt; Deprecated (all)</b>	<b>394</b>
<b>&lt;meta&gt; (all)</b>	<b>394</b>
<b>&lt;noembed&gt; (N 2+)</b>	<b>395</b>
<b>&lt;noframes&gt; (all)</b>	<b>395</b>
<b>&lt;nolayer&gt; (N 4+ only)</b>	<b>395</b>
<b>&lt;noscript&gt; (all)</b>	<b>395</b>
<b>&lt;object&gt; (IE 3+, N 6+)</b>	<b>395</b>
<b>&lt;ol&gt;</b>	<b>396</b>
<b>&lt;optgroup&gt; (IE 6+, N 6+)</b>	<b>396</b>
<b>&lt;option&gt; (all)</b>	<b>397</b>
<b>&lt;p&gt; (all)</b>	<b>397</b>
<b>&lt;param&gt; (IE 3+, N 6+)</b>	<b>397</b>
<b>&lt;pre&gt; (all)</b>	<b>398</b>
<b>&lt;q&gt; (IE 4+, N 6+)</b>	<b>398</b>
<b>&lt;s&gt; Deprecated (all)</b>	<b>398</b>
<b>&lt;samp&gt; (all)</b>	<b>398</b>
<b>&lt;script&gt; (all)</b>	<b>398</b>
<b>&lt;select&gt; (all)</b>	<b>399</b>
<b>&lt;small&gt; (all)</b>	<b>399</b>
<b>&lt;span&gt; (all)</b>	<b>399</b>
<b>&lt;strike&gt; Deprecated (all)</b>	<b>399</b>
<b>&lt;strong&gt; (all)</b>	<b>399</b>
<b>&lt;style&gt; (IE 3+, N 4+)</b>	<b>400</b>
<b>&lt;sub&gt; (all)</b>	<b>400</b>
<b>&lt;sup&gt; (all)</b>	<b>400</b>
<b>&lt;table&gt; (all)</b>	<b>400</b>
<b>&lt;tbody&gt; (IE 3+, N 6+)</b>	<b>401</b>
<b>&lt;td&gt; (all)</b>	<b>401</b>
<b>&lt;textarea&gt; (all)</b>	<b>402</b>
<b>&lt;tfoot&gt; (IE 3+, N 6+)</b>	<b>403</b>
<b>&lt;th&gt; (all)</b>	<b>403</b>
<b>&lt;thead&gt; (IE 3+, N 6+)</b>	<b>404</b>
<b>&lt;title&gt; (all)</b>	<b>404</b>
<b>&lt;tr&gt; (all)</b>	<b>404</b>
<b>&lt;tt&gt; (all)</b>	<b>405</b>
<b>&lt;u&gt; (all)</b>	<b>405</b>
<b>&lt;ul&gt; (all)</b>	<b>405</b>
<b>&lt;var&gt; (IE 3+, N 6+)</b>	<b>405</b>

---

<b>Appendix C: CSS Properties</b>	<b>407</b>
<b>Font Properties</b>	<b>407</b>
font	407
font-family	408
font-size	408
font-size-adjust	409
font-stretch	409
font-style	410
font-variant	410
font-weight	410
<b>Text Properties</b>	<b>411</b>
letter-spacing	411
text-align	411
text-decoration	411
text-indent	412
text-shadow	412
text-transform	412
white-space	413
word-spacing	413
<b>Color and Background Properties</b>	<b>414</b>
background	414
background-attachment	414
background-color	414
background-image	415
background-position	415
background-positionX	416
background-positionY	416
background-repeat	416
<b>Border Properties</b>	<b>416</b>
border (border-bottom, border-left, border-top, border-right)	416
border-style (border-bottom-style, border-left-style, border-top-style, border-right-style)	417
border-width (border-bottom-width, border-left-width, border-top-width, border-right-width)	417
border-color (border-bottom-color, border-left-color, border-top-color, border-right-color)	418
<b>Dimensions</b>	<b>418</b>
height	418
width	418
line-height	419
max-height	419
max-width	420

# Contents

---

min-height	420
min-width	420
<b>Margin Properties</b>	<b>421</b>
margin (margin-bottom, margin-left, margin-top, margin-right)	421
<b>Padding Properties</b>	<b>421</b>
padding (padding-bottom, padding-left, padding-right, padding-top)	421
<b>List Properties</b>	<b>422</b>
list-style	422
list-style-position	422
list-style-type	422
marker-offset	423
<b>Positioning Properties</b>	<b>423</b>
position	423
top	424
left	424
bottom	425
right	425
vertical-align	425
z-index	426
clip	426
overflow	427
overflow-x	427
overflow-y	427
<b>Outline Properties</b>	<b>427</b>
Outline (outline-color, outline-style, outline-width)	427
<b>Table Properties</b>	<b>427</b>
border-collapse	428
border-spacing	428
caption-side	429
empty-cells	429
table-layout	429
<b>Classification Properties</b>	<b>430</b>
clear	430
display	430
float	430
visibility	431
<b>Internationalization Properties</b>	<b>431</b>
direction	431
unicode-bidi	432
<b>Lengths</b>	<b>432</b>
Absolute Lengths	432
Relative Lengths	432

---

<b>Appendix D: Escape Characters</b>	<b>433</b>
<b>Built-In XML Character Entities</b>	<b>434</b>
<b>XHTML Character Entities</b>	<b>434</b>
Currency	434
Trade Symbols	434
Math and Measurement	435
Punctuation	435
Miscellaneous	436
<b>Appendix E: MIME Types</b>	<b>437</b>
<b>text</b>	<b>438</b>
<b>image</b>	<b>438</b>
<b>multipart</b>	<b>438</b>
<b>audio</b>	<b>438</b>
<b>video</b>	<b>439</b>
<b>application</b>	<b>439</b>
<b>Index</b>	<b>441</b>

