

Index

Note: page numbers in italics refer to figures.

- Absorption defined 208–9
- African violet 61
- Agronomic applications 43–5, 289–91, 304–6
 - see also* Food analysis techniques;
 - Quality inspection (agricultural products)
- Alternating least squares 120–1
- Animal feed 296
 - contamination in 302–4
- Arbitrary factor models 102–4
- Aspirin/polyethylene mixture 193–200
- Aspirin/sugar mixture 71, 80
- ATR-FTIR imaging 251–4
- Autoregressive moving average 234

- Banana 291
- Bandwidth 206–7
- Binning 228
- 'Blind' segmentation 155, 159, 165, 179
- Brain scans
 - MRI 261–88
 - PET 313–33
- Brushing 24–6

- Calibration 132–5, 203–20
 - basic need for 203–5
 - data calibration defined 128
 - image size 205, 206
 - InGaAs camera 213–19
 - spectroscopic definitions
 - absorption 208
 - calibration image 208
 - pseudoabsorbance 209
 - reflectance image 208
 - transmittance 207–8
 - standards 209–13
 - geometric 209–10, 211
 - NIST wavelength 213
 - reflectance 210, 211, 212–13
 - validation issues 156–8
- Cereals 149–50, 294–5
 - defects and contamination 301–4
- Cheese 146–9
- Chemical contrast 350–4
- Chemical imaging, *see* Near infrared chemical imaging
- Cholesky factorization 103
- Class coloring 62–3, 65
- Classical least squares models 181–202, 227
 - advantages of 181–2
 - extended least squares 181, 187–8
 - generalized least squares 182, 189–92
- Raman spectra analysis 192–3
 - classification 196–7
 - detection 194–6
 - quantification 197–9
- theoretical background to CLS 183–7

- Clustering 230–1, 232
 - fuzzy c-means 46–9
 - cluster size insensitive 49–51, 64
 - spatially guided 52–4
 - and near infrared chemical imaging 352
- Clutter 186
 - extended least squares model 187–8
 - generalized least squares model 189–92
- Color imaging 2–3, 9, 10
 - class coloring 62–3, 65
- Color-slice contouring 24
- Component analysis, *see under* Count data analysis
- Compound feed, *see* Animal feed
- Compression
 - all variables simultaneously 235–7
 - space dimensions 227–31
 - spectra 224–7
 - time dimensions 231–5
- Conditioning, *see* Data conditioning
- Contaminant detection
 - cereals 301–2
 - compound feed 302–4
 - fruit 298–301
 - meat products 297–8
 - NIR chemical imaging 348–9
- Correlogram 234
- Count data analysis 89–123
 - background to spectral analysis 90–5
 - component analysis 95–6
 - maximum likelihood approaches 113–24
 - method performance comparisons 121–5
 - orthogonal matrix factorization 96–113
 - example datasets and simulations 92–5
 - related spectroscopic techniques 90
- Cross-validation
 - defined 157
 - model test set 131
 - multivariate analysis/regression 158–60
 - two-way chemometrics 156–8, 178–80
 - see also* Representative segmentation
- D-metric 139–40, 146, 148
- Data conditioning 132–8
 - data clean-up 137–8
 - reflectance
 - transformations/standardization 133–5
 - spectral transformations 135–7
 - standard reference materials 133, 134
 - standardization defined 128
 - transformation defined 128
- Data pre-processing 127, 135–6, 320–2
- Data quality 127–8, 150
- DECRA (NMR imaging) 261–88
 - algorithm 269–70
 - approach 264–9
 - background to MRI 261–4
 - brain scan image 373
 - T_1 series 281–2
 - T_2 series 278–80
 - ^1H relaxation 270
 - image acquisitions 271–3
 - phantom test image 271–2
 - T_1 series 277–8
 - T_2 series 273–6
 - regression analysis 282–5
 - transformation T_1 271
- Diffusion, *see* Solvent diffusion
- Digital images 1–3
- Direct exponential curve resolution
 - algorithm, *see* DECRA (NMR imaging)
- Drug studies
 - chemical heterogeneity/homogeneity 336–7, 358–9
 - dissolution 241–5, 249–54
 - distribution of time-release beads 357
- Eigenanalysis 97–8
 - spectral variance and noise 109–13
- Energy dispersive X-ray spectrometer 92
- Extended least squares model 181, 187–8
- Factor analysis 96–7
- FCM, *see* Fuzzy c-means techniques
- Feed mixtures 296
 - contamination in 302–4
- Feedback multivariate model selection (FEMOS) 56–7
 - multispectral image of pine and spruce 58–60
 - as unsupervised clustering technique 60–2
- Fick's laws 238–40
- Field of view 134, 348
- Focal plane scanning 8
- Food analysis techniques 291–304
 - animal feed mixtures 296, 302–4
 - cheese 146–9
 - fruit and vegetables 50, 54, 291–4, 298–301

- kernels/cereals 294–5, 301–2
- meat products 51, 297–8
- see also* Quality inspection (agricultural products)
- Fruit and vegetable analysis 291–4
 - defects and contaminants 50, 54, 298–301
- FTIR studies
 - drug release 249–54
 - polymer dissolution 246–9
 - reflectance data of aspirin/sugar mixture 71, 80
 - transmission data of polymer laminate 70–1, 75–9
- Fuzzy c-means techniques 46–8, 64
 - cluster size insensitive 49–51, 64
 - conditional 48–9
 - spatially guided 51–4, 64
- Generalized least squares model 182, 189
- Generalized rank annihilation method 263, 265, 268
- Geometric standards 209–10, 211
- Grayscale 211
- Grayvalues 2–3, 206
- Guided random sampling, *see under* Representative segmentation
- Histograms
 - colour-slice contouring 24
 - of pixel intensities 355–6
- Hotelling's T^2 statistic 184, 185, 189
- Hyperspectral image
 - defined 5
 - generation of 5–9
- Image acquisition 55
 - camera configurations 6–9, 349
 - InGaAs camera with LCTF filter 213–19
 - magnetic resonance imaging 271–3
- Image cross-validation, *see* Cross-validation
- Image regression, *see* Multivariate image regression
- Image subclasses 27–8
- InGaAs camera 213–19
- Intensity
 - calibration 204
 - grayvalues 2–3, 206
- Interference 181, 186
 - extended least squares model 187–8
 - generalized least squares model 181, 189–92
- Internal reference standards 127
- Inverse least squares 181, 226
- Iteratively weighted least squares 117–18
- Joint normal distribution 26–7
- Kernels/cereals analysis 294–5, 301–2
- Kubelka–Munk transform 136, 183
- Least squares
 - alternating 120–1
 - extended 181, 187–8
 - generalized 182, 189–92
 - iteratively weighted 117–19
 - partial 129–30, 138–40, 181
 - see also* Classical least squares models
- Leave-one-out-cross-validation 179
- Line scanning 7–8
 - Raman spectroscopy 245–6
- Liquid crystal tunable filter 213–14
- Local modeling 27–8
- Magnetic resonance imaging, *see* DECRA (NMR imaging)
- Maltese cross segmentation 163, 164, 165–8, 171, 173, 177–8
- Matlab 95
 - function 103–4
- Maximum likelihood analysis 113–21
 - maximum likelihood PCA 104–5
 - method performance comparisons 121–4
- Meat products 51
 - defects and contaminants 297–8
- Mixing class concept 33–8
- Montmorency Forest data set 18–21, 160–77
 - multivariate image analysis 21–4
 - representative segmentation 160–77
- MRI, *see* DECRA (NMR imaging)
- Multiplicative scatter correction 128, 136, 146
- Multiplicative signal correction 137
- Multivariate curve resolution 186
- Multivariate image
 - defined 3–4
 - relationship to hyperspectral image 5, 181

- Multivariate image analysis, principles of
 17–42
 basics illustrated 9–14
 brushing 24–6
 colour-slice contouring 24
 local modeling and image subclasses
 27–8
 mixing class concept 33–8
 primary classes 32–3
 scene space
 iteration with score space 32–3
 sampling in score space 39–40
 score space and score cross-plot 21–4
 synopsis 18, 40–1
 topographic map analogy 28–31
 validation issues 158–9
see also Count data analysis
- Multivariate image regression, *see*
 Regression analysis
- Multivariate movies 207, 221–60
 applications (diffusion/drug studies)
 237–55
 background discussion 237–42
 drug release (FTIR/ARC) 249–54
 line imaging 245–6
 MIR solvent intake studies 246–9
 optical and NMR studies
 242–5
 background to 121–2
 data structure and compression 223–4
 all variables simultaneously 235–7
 space dimensions 227–31
 spectra 224–7
 time dimension 231–5
- Near infrared chemical imaging 335–61
 acquisition schemes/ measurement modes
 341–2
 background and scope 335–8, 343–4
 chemical contrast and classification
 procedures 350–4
 data analysis
 spatial and spectral unmixing 346–8
 underlying data structure 344–6
 histograms of pixel intensities 355–6
 instrumentation and data collection
 338–40
 sample
 heterogeneity and type 340–1
 performance/behavior correlations
 359–60
 spatial dimensions 348–50
 spectral data
 homogeneity measurement 358–9
 statistics and spatial relationships
 357–8
 NIST wavelength standards 213
 NMR
 multivariate movies 242–5
see also DECRA (NMR imaging)
- Noise
 Poisson 92, 95, 99–102, 107, 120
 pre-normalization for PET images
 321–2
see also Interference
- Non-negative matrix factorization 118–20
- Nuclear magnetic resonance
 biological imaging, *see* DECRA (NMR
 imaging)
 multivariate movies 242–5
- Nuclear medicine, *see* Positron emission
 tomography
- Orthogonal matrix factorization 96–113
- Outliers 137
- Palmitic/stearic acid mixture 71–3, 80–5
- Parafac model 236
- Partial least squares 129–30, 181
 data subset selection 138–9
 and NIR chemical imaging 353–4
 pseudorank determination 139–40
- Particle tracking 231, 233
- Pepper images 54
- PET, *see* Positron emission tomography
- Pharmaceuticals, *see* Drug studies
- Piecewise multiplicative scatter correction
 137, 146
- Pixels
 dead/bad 137, 184
 defined 2
 histograms of intensities 355–6
 size 205–6
- Point scanning 6–7, 349
- Poisson distribution 91–2
- Poisson noise 92, 95, 99–102, 107, 120
- Poisson non-negative matrix factorization
 114–17, 120
- Polyethylene/aspirin mixture 193–200
- Polymers
 laminate 70–1, 75–9, 75–80
 solvent diffusion in 237–41, 245–9
- Positron emission tomography 313–34
 background to imaging 313–15
 basic principles 315–17

- data and image analysis methods 318–19
- data pre-processing
 - noise-prenormalization 321–2
 - scaling and mean-centring 320–1
- dynamic and static scanning modes 317
- masked volume wise PCA 326, 331
- masking procedure 327–8
 - sinogram domain application 328–30
- PCA basics 319–20, 322–3
- slice wise/sinogram wise PCA 323, 331
 - contrast/kinetic normalization 325–6
 - noise pre-normalization 323–4
 - outlining reference region 324–5
 - volume wise PCA 326
- Potato images 47, 50
- Poultry 298
- Pre-processing, *see* Data pre-processing
- Prediction performance 131, 156–7
- Principal component analysis 10, 97, 226–7, 319–20
 - application to PET studies 314, 320–32
 - arbitrary factor models 102–4
 - data scaling and mean-centring 20–1
 - definition 319–20
 - and eigenanalysis 97–8
 - history of 319
 - maximum likelihood PCA 104–5
 - and near infrared chemical imaging 351–2
 - principal factor analysis 107–8
 - selecting the number of components 108–13
 - and singular value decomposition 97–8
 - training set selection 55–6
 - weighted PCA 105–7
 - see also* Multivariate image analysis, principles of
- Principal factor analysis 107–8
- Proton spin relaxation 270
- Pseudoabsorbance 209
- Pseudocolors 4, 10, 11, 62–3
- Pseudorank 139
- Pulsed-gradient spin echo data 263, 264–9

- Quality inspection (agricultural products) 43–67
 - class coloring and pseudo color 62–3, 65
 - consumer perceptions of quality 43–4
 - image clustering/classification supervised (FEMOS) 55–7
 - unsupervised (fuzzy c-means) 46–54
 - techniques reviewed 44–5
 - cereals 301–2
 - compound feed 302–4
 - fruit 298–301
 - meat products 297–8
 - see also* Food analysis techniques
- Raman spectroscopy
 - aspirin/polyethylene mixture 193–200
 - line imaging 245–6
- Reflectance
 - defined 208
 - specular on chemical images 342
 - standards 210–13
 - transformations 133–5
- Regression analysis
 - calibration 128–31
 - image *versus* normal 132
 - and cross-validation 158–60
 - diagnostics 130–2
 - example datasets 140–2, 151–2
 - cheese samples 146–9
 - citric acid/salicylic acid/sugar mixture 142–6
 - and interference 181
 - MRI images 282–5
 - and NIR chemical imaging 353
 - partial least squares 129–30
 - data subset selection 138–9
 - pseudorank determination 139
 - wheat straw wax 149–50
- Remote sensing 222, 289, 290, 304–7
- Representative segmentation
 - 'blind' approaches 155, 159, 165, 179
 - guided random sampling (case study) 160–3
 - critical segmentation issues 165–8
 - data structure and sampling 173–7
 - full Y-image 163–5
 - Y-composite 168–73
- Root mean square error
 - of calibration 131
 - of prediction 131, 156

- Satellite systems 222, 289, 290, 304–7
- Scanning electron microscopy 92–5
- Scene space 17, 18, 31
 - defined 10
 - sampling in score space 39–40
 - and score space iteration 32
- Score plot 10–11, 12, 13, 18, 21–4, 30

- Score space 10, 18, 21–4, 30, 39–40
 and scene space iteration 32
 scene space sampling in 39–40
- Secondary ion mass spectrometry
 palmitic/stearic acid mixture 71–3,
 80–5
- TOF-SIMS of plated copper grid 92–5
- Segmentation, *see* Representative
 segmentation
- Self-modeling image analysis (SIMPLISMA)
 69–87
- FTIR data
 reflectance (aspirin/sugar) 71, 80
 transmission (polymer laminate)
 70–1, 75–9
- SIMS of palmitic/stearic acid mixture
 71–3, 80–5
- theoretical background 70, 73–5
- Singular value decomposition 97–8
- Size of image 205, 206
- Solvent diffusion
 drug release studies 241–5, 249–54
 in polymers 237–41, 245–9
- Spatial heterogeneity 340
- Spatially guided FCM 51–4, 64
- Spectral resolution 206–7
- Spectral transformations 135–7
- Spectralon 133–5, 210, 212
- Spectrophotometer 5–6
- Spectroscopic analysis 90, 183
 NIR spectral data 305–9
see also Count data analysis
- Spin-lattice/spin-spin relaxation times
 261–4
 and DECRA 269, 270–1
- Standard normal variate transform 137
- Standardization 128
- reference materials 133, 134
see also Calibration
- Stearic/palmitic acid mixture 71–3, 80–5
- Sugar/aspirin mixture 71, 80
- Supervised classification 17, 54–6, 353–4
- Templar cross, *see* Maltese cross
 segmentation
- Temporal images, *see* Multivariate movies
- Test set
 selection 55–6
 validation 157, 180
- Time resolved images, *see* Multivariate
 movies
- Time series analysis 231–5
- Tissue samples 261–4
- TOF-SIMS of plated copper grid 92–5
- Training set selection 55–6
- Transformation 128, 133–7
- Transmittance defined 207–8
- Tucker3 model 236
- Two-way cross-validation 156–8, 178–80
- Unsupervised classification 17, 46–53,
 350–2
- User-delineated segmentation 155
- Validation 131, 156–8
- Vegetables, *see* Fruit and vegetable analysis
- Voxel 2, 206
- Wavelength resolution 206–7
- Weighted PCA 105–7
- Wheat straw wax 149–50
- Wood images 59