

Index

- abdominal fat, 14–15, 30, 150
- aerobics classes, 158, 207
- African Americans, 27–28
- age
- appearance concerns and, 26, 90, 109
 - muscle mass distribution and, 82
 - weight gain and, 70, 71, 72–73, 205
 - as weight-loss factor, 64, 109
- Agriculture Department, U.S., 123, 130
- alcoholic beverages, 130, 137
- American Heart Association, 18
- American Journal of Physiology*, 80
- anxiety, 38, 72
- appearance
- language describing, 51–52, 66, 67
 - psychological factors and, 25–28, 30
 - societal definitions of, 11–12, 35
 - as weight-loss trigger, 89–90, 103, 109
- apple-shaped bodies, 15, 150
- avoidance, 137
- back problems, 91
- beauty, 11–12, 25–26, 28, 35, 95
- Behavioral Risk Factor Surveillance System, 44
- beverages
- alcohol, 130, 137
 - soft drinks, 123, 124, 127, 139
 - water, 122–123, 127, 128–129
- bicycling, 148, 151, 207
- blood pressure, 22, 189. *See also*
- high blood pressure
- blood sugar, 148, 189
- BMI. *See* body mass index
- body composition, 3–4, 70, 80, 82–83, 205
- body fat. *See* fat (body)
- body image, 11, 25–28, 30, 89, 95
- body mass index, 4, 29–30, 31
- body fat and, 13, 14, 16
 - calculation of, 12
 - children and, 195, 198
 - couples and, 184
 - gout risk and, 21

- body mass index (*continued*)
 healthy range of, 11, 12
 medical weight-loss triggers and, 204
 type 2 diabetes and, 13, 17–18
 waist circumference and, 14–15, 30, 31
 weight classifications and, 11, 12–13
 weight status perception and, 36
- bones, 3–4, 82–83, 156, 160
- books, as support source, 167, 169, 178, 179
- brain function, 5
- breakfast, 129, 131, 207
- breast cancer, 21, 156
- breathing rate, 148
- BRFSS. *See* Behavioral Risk Factor Surveillance System
- calories
 burning of, 80–81, 82, 84, 145–146, 156, 157
 counting of, 128
 eating strategies and, 128–131, 139–140
 food choices and, 122–127, 139
 as weight loss key, 3, 5, 75–76, 77, 81, 102, 121–141, 144–148, 151, 152, 156, 190
 weight maintenance and, 205, 206
- cancer, 21, 107, 156, 160
- candy, 124, 129, 136
- carbohydrates, 125
- cardiovascular disease, 13, 14, 189
- Centers for Disease Control and Prevention, 44, 198
- childbirth, 184–185. *See also* pregnancy
- children, 34, 183, 191, 195–198, 199
- cholesterol, 17, 18–19, 156, 189, 204
- clothing, 38, 90, 103, 168
- coffee, 127
- colon cancer, 156
- comfort foods, 136
- compliments, 53–54, 101, 104, 168, 170, 177
- cookies, 129, 136
- coping strategies, 208
- couples, weight loss by, 181–200, 203, 208, 212
- coworkers, 167, 170, 178, 179, 212
- cravings, 56, 132, 136
- culture, 27–28, 195
- dancing, 148
- death, premature, 156, 160
- depression, 11, 26, 27, 38, 39, 72
 obesity and, 92
 overeating and, 136, 140
- desserts, 124
- diabetes, 21, 107. *See also* type 2 diabetes
- diaries, food, 128, 147
- diet, connotations of, 57. *See also* eating plans; weight loss
- dietary fat. *See* fat (dietary)
- diet soft drinks, 124, 139
- digestive problems, 91
- dinner, families and, 197
- discrimination, 25
- disgust, 38, 53
- doctors, 91, 167, 186
- DVDs, exercise, 150
- eating disorders, 95, 197
- eating plans, 128, 130, 140
- Economic Research Service (USDA), 123
- education level, 36
- emotional eating, 76, 84, 136–138, 140
- emotional rescue, 137

- emotions
 - eating less and, 132, 136–138, 140
 - gender differences in, 4–5
 - responses to weight and, 38, 47, 91–92, 100–101, 104
- empathy, 186
- energy drinks, 127
- environment, shared, 184, 185, 199
- erectile dysfunction, 20
- exercise, 20
 - benefits of, 156–158, 159, 160
 - calorie reduction and, 145–148, 151, 152, 156, 160, 190
 - children and, 183, 196
 - couples and, 185, 188–189
 - definitions of physical activity and, 148
 - time required for, 146–147, 156–157, 159, 207
 - videos/DVDs, 150
 - weight loss and, 64, 75, 77, 81–82, 102, 128, 139, 143–161, 190
 - weight maintenance and, 156, 160, 206–207, 208
 - word connotations, 57
- families, 167, 183, 191, 195–198, 199
- Family Power: 5 Simple Rules for a Healthy-Weight Home* (book), 198
- fat (body), 35, 81
 - abdominal, 14–15, 30, 150
 - body composition and, 3–4, 82–83, 205
 - body mass index and, 13, 14, 16
 - overweight/obesity and, 4
 - recommended ranges of, 4
- fat (dietary), 123
 - food swaps and, 125
 - weight loss and, 94, 124, 125–126, 130, 139
 - weight maintenance and, 206
- fat-free food products, 124, 126, 139
- feedback
 - men and, 165
 - women and, 66, 100–101, 104, 170, 176
- Feireisel, Brian and Brandi, 78–79
- fertility drugs, 19
- “fit or fat” concept, 66–67
- flavored waters, 127
- food choices, 93, 185
 - children and, 195–196, 197
 - portion sizes and, 128, 130, 131
 - social eating and, 136–137
 - travel and, 131–132
 - weight loss and, 94, 121–127, 129, 139
 - weight maintenance and, 206, 208
- See also* overeating
- food diaries, 128, 147
- friends, 167, 169, 170, 178, 179
- fruit juice, 127
- fruits, 128, 195–196
- gender
 - body composition and, 3–4, 82–83
 - body mass index and, 13, 14, 16
 - overweight/obesity definitions and, 4
 - psychological makeup and, 4–5
 - weight and health link and, 9–31
 - weight gain/loss differences and, 69–84
 - weight-loss language and, 5, 49–68, 167, 170, 189–190
 - weight-loss research and, 2–3
 - weight status perception and, 33–47
- See also* men; women
- genetics, 184, 187, 195
- gestational diabetes, 21
- gout, 21
- Gray, John, 4–5

- group support, 27, 74, 167, 171–172, 178, 212
- guilt, 75, 136
- happiness, 76, 136
- health
 - couples' weight loss and, 189
 - importance of lifestyle to, 201–212
 - as weight-loss trigger, 89, 90–91, 100, 103, 109, 204
 - See also* weight and health connection
- heart disease, 11, 18–19, 20, 30, 107
 - abdominal fat and, 14, 15, 150
 - benefits of exercise and, 156, 160
- heart rate, 148
- high blood pressure, 11, 19, 20, 30, 91, 156, 204
- high-protein diets, 129–130
- Hispanics, 27, 28
- hormones, 2, 15, 19, 72
- hypertension. *See* high blood pressure
- income, 36
- infertility, 11, 19–20, 21, 30
- Institute of Medicine, 167
- insulin, 148
- Internet, 96, 167, 178
- Jansen, Martin and Lydia, 209–211
- jogging, 148
- joints, 91, 156, 160
- Jones, Randy and Regina, 41–43
- Journal of the American Medical Association*, 171
- kidney disease, 107
- language, weight-loss-related, 5, 49–68, 167, 170, 189–190
- lawn mowing, 148
- lean body mass, 80, 82–83, 84, 205
- lean muscle mass, 4, 80, 82, 84, 205
- lifestyle, healthy living and, 201–212
- lipid profile, 22, 91
- market research, 6, 51
- marriage, 181–200, 203, 208, 212. *See also* spouse
- McGill University, 136
- meal replacements/shakes, 128
- meal skipping, 129
- media
 - female images and, 25, 35, 94–95
 - health information and, 17, 94, 95
 - male images and, 65
 - nutritional information and, 94, 95, 103
 - as support source, 167, 169, 178, 179
- medical research, 2
- medications, weight-loss, 128
- men
 - appearance concerns of, 52, 90, 103, 109
 - average annual weight gain for, 70
 - body composition and, 3–4, 70, 80, 82–83
 - body fat and, 4, 13, 14, 15, 81, 150
 - body image and, 26, 28, 30
 - body mass index and, 13, 14, 16
 - calories burned and, 80, 81, 84, 145–146, 156
 - emotional eating and, 76, 84, 136, 138, 140
 - erectile dysfunction and, 20
 - evolution in weight-loss views and, 60, 64–66, 67
 - exercise and, 144–148, 150, 151–152, 156, 158, 160, 190
 - exercise gadgets and, 152

- expert advice and, 95, 107, 112, 113, 120, 170, 172, 176, 179, 186, 190
 fitness as focus of, 51, 52, 65
 food choices and, 122–127, 139
 gout and, 21
 health awareness and, 17, 90–91, 95, 103, 109
 healthy vs. attractive weight and, 12
 heart disease and, 11, 18, 150
 high blood pressure and, 11, 91, 204
 infertility and, 11, 20
 lean muscle mass and, 4, 80, 82, 84
 lifestyle changes and, 205–206
 medical research on, 2
 metabolism of, 80
 nutrition-related knowledge, 93, 94, 95, 103, 112, 176
 overweight/obesity definition and, 4
 overweight/obesity incidence among, 34–35, 46
 overweight status recognition by, 44–45
 prostate cancer and, 21
 psychological issues for, 26–27
 semen quality/sperm count and, 20
 sports terminology use by, 53, 67
 support needs of, 77, 165, 167, 168, 169, 170–172, 176–179
 type 2 diabetes and, 11, 18, 91, 150
 waist circumference and, 14, 150
 weight concerns of, 38–39, 47
 weight gain and, 70–71, 72–73, 75, 76, 84, 184–185
 weight-loss advantage for, 4, 45, 69–70, 80, 84, 100, 186
 weight-loss efforts of, 107–108, 109
 weight-loss goals and, 45–46, 47, 52, 59
 weight-loss language and, 50–59, 65–66, 167, 189–190
 weight-loss research and, 2–3
 weight-loss strategies for, 64, 75, 106–107, 111–112, 116, 117–119, 128–131, 139–140
 weight-loss triggers/motivations for, 89, 90–91, 92, 100, 102, 103, 104, 204
 weight loss with partner by, 181–200
 weight maintenance by, 203–204
 weight status perception and, 35–37, 47
Men Are from Mars, Women Are from Venus (Gray), 4–5
 menopause, 15, 71, 72, 84
 menstruation, 19
 mental health, 17, 25–29, 156, 160
 metabolism, 80, 147
 Mexican Americans, 196
 miscarriage, 20
 moderate-intensity physical activity, 148, 156, 157, 207
 mood, 27, 31, 95, 136, 137
 muscles
 body composition and, 3–4, 80, 82–83, 205
 exercise and, 156, 160
 National Health and Nutrition Examination Surveys, 123, 125
 National Institutes of Health, 108
 National Weight Control Registry, 27, 129, 156, 204, 206, 207, 208
 neurotransmitters, 5
 “never-again” perspective, 58–59
 NHANES. *See* National Health and Nutrition Examination Surveys
 nighttime eating, 138–139

- nutritional knowledge, 93–95, 103, 112, 176. *See also* food choices
 NWCR. *See* National Weight Control Registry
- obesity, 123, 206
 African Americans and, 27
 BMI ranges and, 11, 12–13
 cancer and, 21
 children and, 191, 195
 definitions of, 4
 depression and, 92
 discrimination and, 25
 emotional eating and, 138
 heart disease and, 18
 Hispanics and, 28
 incidence of, 1, 34, 46, 191
 infertility and, 19, 20, 21
 language related to, 51
 marriage's link to, 184
 media-promoted female images and, 95
 polycystic ovary syndrome and, 21
 type 2 diabetes and, 18
- overeating, 166
 alcohol consumption and, 130, 137
 children and, 197
 emotions and, 53, 76, 84, 132, 136–138, 140
 meal skipping and, 129
 portion sizes and, 128, 130, 131
- overweight
 African Americans and, 27
 BMI ranges and, 11, 12–13
 children and, 191, 195
 definitions of, 4
 heart disease and, 18
 incidence of, 1, 34–35, 46, 107, 191
 infertility and, 19, 20
 type 2 diabetes and, 17
- ovulation, 20
- parental role models, 183, 191, 195–198, 199
- Parker, Norm and Audrey, 97–99
- pear-shaped bodies, 15
- Pennington Biomedical Research Center, 36
- Penn State University, 126
- physical activity, 148, 205. *See also* exercise
- physicals/checkups, 17, 186
- physicians. *See* doctors
- phytonutrients, 126
- polycystic ovary syndrome, 21
- portion sizes, 128, 130, 131
- pregnancy
 childbirth and, 184–185
 gestational diabetes and, 21
 infertility concerns, 19–20, 21
 weight gain and, 71–72, 73–74, 184
- premature death, 156, 160
- prostate cancer, 21
- protein, 129–130
- quality of life, 27, 29
- race, 27–28, 36
- reduced-fat food products, 124, 125–126, 139
- reframing, 40, 169
- regular physical activity, 148
- remorse, 53
- resistance training, 82, 205
- resting metabolic rate, 80
- Rogers, Bruce and Nancy, 133–135
- Rogers, Catherine, 134–135
- sabotage, weight-loss, 53, 57, 170
- salad dressings, 126, 139
- salads, 126
- saturated fat, 124

- Schmitt, Ed, 61–63
- Schmitt, Jennifer, 61–63
- self-blame, 75
- self-confidence, 27, 38, 75–76
- self-esteem, 26, 89, 95
- self-image, 38, 39
- self-worth, 27
- semen quality, 20
- sexual function, 20
- shared environment, 184, 185, 199
- sleep apnea, 91
- sleep deprivation, 139
- Smith, Cliff and Mary Evelyn,
173–175
- smoking, 20, 71, 73, 189
- snack foods, 123, 129
- snacking, 130, 138
- social eating, 136–137
- soft drinks, 123, 127
diet, 124, 139
- soup, 126
- special events, 38
as weight-loss trigger, 90, 103
- sperm count, 20
- spouse
as support source, 167–172,
176–179, 186, 188, 190, 199, 208,
212
weight loss as team with, 181–200,
203, 208, 212
- Stanford University, 158
- Steinke, Allen, 114–115
- Steinke, Shirley, 114–115
- stereotyping, 25
- Stice, Gary and Dorothy, 153–155
- stress, 25, 156, 160
management of, 208
- stroke, 107
- Suarez, Sam and Lisa, 23–24
- sugar, 22, 123–124, 127, 130, 139
- sugar-free products, 124, 139
- supersizing, 130
- support
active physical, 167, 178, 179
group-oriented, 27, 74, 167,
171–172, 178, 212
need for, 59–60, 66, 112, 163–179
spouses/partners as, 167–172,
176–179, 186, 188, 190, 199, 208,
212
timing of, 172, 176–177, 179
verbal, 165, 167, 168, 176–177, 178,
179, 186, 190
weight maintenance and, 208, 212
word connotations, 57–58
- Surgeon General’s Report on Physi-
cal Activity and Health, 156
- Suronen, Matt and Martha, 192–194
- swimming, 148, 207
- “thin,” connotations of, 58, 67
- thinness
as beauty standard, 11–12, 25–26,
35, 95
as weight-loss goal, 52
- thyroid, 147
- time management, 208
- travel, 131–132
- type 2 diabetes, 11, 30, 91
abdominal fat and, 14, 15, 150
benefits of exercise for, 156, 160
body mass index and, 13, 17–18
- underweight, 11, 12, 35
- University of Florida in Gainesville,
44
- University of Pennsylvania School of
Medicine, 72
- University of Pittsburgh School of
Medicine, 146
- USDA (U.S. Agriculture Depart-
ment), 123, 130
- vegetables, 128, 195–196

- vegetarian diets, 129
- videos, exercise, 150
- vigorous-intensity physical activity, 148
- vitamins, 17

- waist circumference, 14–15, 30, 31, 72, 150
- walking, 148, 149, 151, 207
- water, 122–123, 128–129
 - flavored, 127
- water aerobics, 150
- weight
 - gendered perceptions of, 33–47
 - genetic factor in, 184, 187, 195
 - healthy vs. attractive, 11–13, 29
 - monitoring of, 207
 - See also* obesity; overweight
- weight and health connection, 9–31
 - body fat and, 13, 14
 - body mass index and, 12–16, 21, 29–30, 31
 - disease risks and, 11, 13, 14, 15, 17–21, 30, 31
 - psychological issues and, 25–29, 30
 - waist circumference and, 14–15, 30, 31, 150
 - yo-yo dieting and, 22
- weight gain, 70–76
 - accepting responsibility for, 74–75
 - age factor in, 70, 71, 72–73, 205
 - couples and, 184–185, 188, 190–191, 199
 - menopause and, 71, 72, 84
 - nighttime eating and, 138–139
 - pregnancy and, 71–72, 73–74, 184
 - smoking cessation and, 71, 73
 - triggers for, 71, 76, 84, 167
- weight loss
 - accurate information about, 95–96
 - blood pressure and, 19, 20, 22
 - calories and, 3, 5, 75–76, 77, 80, 81, 102, 121–141, 144–148, 151, 152, 156, 190
 - cancer risks and, 21
 - cardiovascular risks and, 18–19, 20
 - children and, 183, 191, 195–198, 199
 - couples and, 181–200, 203, 208, 212
 - diabetes and, 18, 20
 - eating on the road and, 131–132
 - eating strategies and, 64, 128–131, 139–140
 - erectile dysfunction reduction and, 20
 - etiquette concerns and, 168–169
 - exercise and, 64, 75, 77, 81–82, 102, 128, 139, 143–161, 190
 - families and, 183, 191, 195–198, 199
 - fertility restoration and, 19, 20, 21
 - food choices and, 94, 121–127, 129, 139
 - gendered views of, 60, 64–66, 67
 - goals related to, 45–46, 47, 52, 59, 186
 - language related to, 5, 49–68, 167, 170, 189–190
 - lifestyle changes and, 205–206
 - male advantage in, 4, 45, 69–70, 80, 84, 100, 186
 - mental aspects of, 5
 - motivating triggers for, 87–104, 109, 204
 - motivation maintenance for, 100–103, 104, 199
 - new mothers and, 73–74
 - percentages of people attempting, 44, 47
 - portion sizes and, 128, 130, 131
 - rapid, 46
 - research on, 2–3, 6

- sabotage and, 53, 57, 170
- spousal encouragement about, 37, 77, 92–93, 109–110, 168, 177–178, 185–186
- strategies for, 3, 64, 75–76, 81, 105–120, 128–131, 139–140
- success definition for, 203–204
- success factors for, 166, 167
- support's importance to, 163–179
- water consumption and, 122–123, 128–129
- willpower and, 101
- yo-yo dieting and, 22
- weight-loss plans, 101, 116–118, 120
 - children and, 196
 - eating plans and, 128, 130, 140
- weight maintenance, 203–212
 - exercise and, 156, 160, 206–207, 208
- weight management, 109, 157
 - newlyweds and, 190–191, 199
 - women and, 70–71
- weight-management programs, 179
 - group support and, 27, 74, 167, 171–172, 178, 212
 - weekly meetings and, 212
- WeightWatchers.com, 66, 74, 119, 175
- Weight Watchers Online, 96
- Weight Watchers *POINTS* Weight-Loss System, 24
- willpower, 101
- women
 - appearance concerns of, 89–90, 103
 - average annual weight gain for, 70
 - body composition of, 4, 82–83
 - body fat and, 4, 14, 15, 35
 - body image and, 11, 25–28, 30, 89, 95
 - body mass index and, 13, 14, 16
 - breast cancer and, 21, 156
 - calories burned by, 80–81, 145–146, 156
 - cravings and, 56, 136
 - depression and, 11, 26, 27, 38, 39, 72, 92, 136
 - emotional eating and, 76, 84, 136–137, 140
 - evolution in weight-loss views of, 64, 67
 - exercise and, 144–147, 149, 150–151, 156, 157–158, 160
 - exercise gadgets and, 152
 - feedback's importance to, 66, 100–101, 104, 170, 176
 - food choices and, 122–127, 139
 - gestational diabetes and, 21
 - guilt feelings and, 75, 136
 - health awareness and, 17, 91, 94–95, 103
 - healthy vs. attractive weight and, 11–12
 - heart disease and, 15, 18
 - hormones and, 2, 15, 19, 72
 - infertility and, 19–20, 21
 - medical research and, 2
 - menopause and, 15, 71, 72, 84
 - menstruation and, 19
 - metabolism of, 80, 147
 - miscarriage and, 20
 - “never-again” perspective and, 58–59
 - nutritional knowledge and, 93–95, 103, 112, 176
 - overweight/obesity definition and, 4
 - overweight/obesity incidence and, 34–35, 46
 - overweight status recognition by, 44–45
 - polycystic ovary syndrome and, 21
 - postmenopause and, 21

- women (*continued*)
pregnancy and, 19–20, 21, 71–72, 73–74, 184
premenopause and, 18
psychological issues for, 11, 25–26, 27
self-esteem of, 26
self-image of, 38, 39
social eating and, 136–137
support needs of, 165, 167, 168, 169–171, 176–179, 186
type 2 diabetes and, 15, 17–18
waist circumference and, 14, 72
weight gain and, 70–72, 73–75, 84, 184–185
weight-loss efforts by, 107–109
weight-loss language and, 50–59, 65–66, 167, 170, 189–190
weight-loss research and, 2–3
weight-loss strategies for, 75–76, 81, 106, 111, 112, 116–119, 128–130, 139–140
weight-loss triggers/motivations for, 89–90, 91–92, 100–102, 103, 104
weight loss with partner by, 181–200
weight maintenance and, 203, 204
weight management and, 70–71
weight status perception and, 35, 47
weight thought/feelings of, 38–40, 47
yo-yo dieting, 22

