

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

-
- A**
- Academy Flat aspect ratio, 20
 - Academy Standard aspect ratio, 20
 - Accuracy setting, **497**, 498
 - Active attribute, 520, 525
 - active rigid bodies
 - animating, **525–528**, 526–527
 - creating, **518–521**, 519, 521
 - acts in narrative films, 24
 - Add Attribute window, 400, 400, 542, 543
 - Add Attributes For Current Render Type option, 538
 - Add Divisions tool, **118**, 118, 144
 - additive color, **17–18**
 - aim constraints, **395–396**, 396
 - Aim Vector setting, 395
 - alien hands
 - fingers, **247–248**, 247–248
 - lattices for, **244–246**, 244–246
 - Alpha Channel (Mask) option, 454
 - alpha channels, 16, 453–454, 459, 460
 - Alpha Contrast setting, 475
 - Ambient Color attribute, **272**
 - Ambient lights, **418**, 418
 - ambient occlusion
 - red rocket model, **512–514**, 512–515
 - rendering pass, **488–495**, 488–494
 - Ambient Shade settings, 418, 418
 - Anamorphic Ratio aspect ratio, 20
 - angles
 - camera shutter, 469
 - Spot lights, 420, 420
 - animation, **4**, **71**, **313**
 - axe throwing. *See* throwing axe
 - basic concepts, **25–28**, 27
 - bouncing ball. *See* bouncing ball
 - catapult
 - deformers for, **353–357**, 353–356
 - winch in, **351–352**, 352–353
 - flying text, **343–347**, 343–347
 - through lattices, **248–252**, 249–251
 - lights, **446–447**, 447
 - particle effects, **540–547**, 540–547
 - pool table. *See* pool table animation
 - relationships in
 - constraints, **393–398**, 394–397
 - set driven keys, **398–401**, 400–401
 - replacing objects in, **341–342**, 343
 - rigging. *See* rigging
 - rigid bodies, **525–528**, 526–527
 - skeletons. *See* skeletons
 - solar system. *See* solar system animation
 - summary, 357, **409–410**
 - in work flow, **11**
 - Animation menu set, 65
 - Animation Preferences window, 32, 320
 - Anisotropic Shader, **270**
 - ankle joints, 360–361, 360, 366–367, 388–390
 - antagonists, 24
 - anti-aliasing
 - in Maya Software rendering method, 456
 - in mental ray rendering, 475–476, 476–477
 - for shaders, 276
 - anticipation
 - in animation, 30
 - in axe throwing, **328–329**, 331
 - Arc and Cone End Radius attribute, 422
 - Arc Angle option, 113
 - architectural modeling, **10**
 - Area lights, **421**, 421
 - areas in vector images, 14
 - art
 - embracing, **2**
 - suggested reading, 29
 - Artisan module, **234–236**, 234–235
 - aspect ratio, **20**, 455, 467, 472
 - assembling scenes, 7
 - Assign Material to Selection option, 85, 277, 545
 - Assign New Material option, 282
 - Attach to Motion Path option, 339, 345
 - attaching
 - NURBS surfaces, **215**, 216
 - skeleton geometry, **366–367**, 366–367, 378
 - attributes and Attribute Editor, 32, 39
 - cameras, **466–468**, 466–467
 - creating, **399–400**

- emitters, 534–536, 534–535
 - image planes, 171, 171
 - keyframes for, 84
 - lifespan, 537
 - lighting, 416–417, 416–417
 - mental ray lighting, 431–432
 - metal shaders, 278
 - Paint Effects, 550–552
 - particles, 536–539, 537–538, 542–544, 543
 - Ramp shader, 271, 271
 - raytraced shadows, 427
 - rendering, 537–538, 538, 544–547, 545–547
 - rigid bodies, 522, 527–528
 - shaders, 272–275, 272–274
 - shadow maps, 426, 426
 - spheres, 54–56, 55–56
 - texture nodes, 291, 291
 - windows for, 44
 - wood material, 283–284, 283, 285
 - wood texture, 279–281, 280
 - Auto Keyframe feature, 32
 - axe throwing, 329–330, 332
 - bouncing ball, 315
 - planets, 92
 - Auto Load option, 474
 - Automatically Fit Bevel To Object option, 110
 - AVI movie format, 16–17
 - axe model
 - deformers for, 240–243, 241–243
 - edges, 324, 325
 - handles, 279–282, 279–282, 324, 324
 - head, 276–279, 277–279
 - metal spike, 282–286, 283–285
 - textures, 276
 - throwing. *See* throwing axe
 - axes, 20–21, 21
 - axles
 - red rocket model, 201, 201
 - steam locomotive, 150–151, 150–151
-
- B**
- back lights, 25, 414–415, 415
 - back wheels
 - connections, 213–214, 213–214
 - rigging, 407–408, 407–408
 - background lights, 415
 - baking
 - history, 382
 - simulations, 528–530, 529–530
 - texture projections, 287
 - balance, 22–23
 - balls
 - bouncing. *See* bouncing ball
 - pool table animation, 522–525, 523–525
 - relationship with cones, 398, 398
 - banding, color, 15
 - Batch Render Frame dialog box, 469, 469
 - batch rendering
 - process, 469–470, 469
 - with render layers, 487, 487
 - wine bottle, 473–474
 - bend deformers
 - axe modeling, 238–240, 238–240
 - catapult animation, 353–356, 353–356
 - Bevel Plus surfaces, 162
 - bevel surfaces, 162, 163
 - Bevel tool, 110, 110, 162
 - Bezier curves, 100–101, 101
 - Bezier splines, 334–335
 - Bind Skin option, 381
 - binding skeletons, 378–382, 379, 381
 - rigid binds, 382–386, 383–385
 - smooth binds, 385–388, 387–388
 - bitmapped images, 13, 13
 - bitmapped textures, 286
 - Blinn shaders, 270
 - in projections, 289
 - red rocket model, 298, 298
 - Blinn surfaces, 270
 - block man
 - attaching elements to, 366–367, 366–367
 - Forward Kinematics, 362–363, 362
 - leg rigging, 388–390, 389–390
 - skeletons, 363–365, 363–364
 - walk cycle
 - Forward Kinematics, 367–373, 369–373
 - Inverse Kinematics, 391–393, 391–392
 - blocking, 315
 - blowing grass and flowers, 548–550, 549–550
 - blue color, 17–18
 - blur, motion, 468–469
 - Blur by Frame attribute, 468
 - Blur Length attribute, 468
 - bodies, red rocket model, 174–178, 175–178, 303–305, 304–305
 - boiler engine, 127–128, 128–129
 - caps
 - end, 223–226, 224–227
 - front, 129–133, 130–133
 - topside, 142, 142
 - chimneys, 139–140, 140–141
 - details, 131–133, 131–133
 - finishing, 139–140, 140–141
 - undercarriage, 133–138, 134–138

- bolts, boiler cap, 131–132, 131
 - bones
 - creating, 364
 - in skeleton hierarchy, 360–361, 360
 - bottle rendering, 470–474, 471–474
 - bounce in mental ray, 458
 - Bounciness attribute, 522, 526–527
 - bouncing ball
 - animating, 315–316
 - creating, 314–315, 314
 - Graph Editor for, 316–318, 317–319
 - playing back, 320
 - rigid bodies for, 519–520, 519
 - squash and stretch in, 322, 323–324
 - timing for, 320–322, 320–321
 - boundary surfaces, 163–164, 164
 - Bowling Lane scene, 528
 - box modeling, 105
 - Break Connection option, 295
 - Break Tangents icon, 335
 - brightness in HSV channels, 18
 - Brush Profile attribute, 551
 - Brush Width attribute, 551
 - Bulge texture, 292
 - Bump Maps, 268, 273
 - buttons
 - mouse, 33
 - red rocket model Control panel, 201, 201–202
 - By Frame attribute, 452–453
-
- C**
- cabin in steam locomotive, 144–146, 144–146
 - caching particles, 539–540
 - cages, polygon, 254
 - Camera, Aim, and Up cameras, 464
 - Camera and Aim cameras, 464
 - cameras, 464–465, 465
 - attributes, 466–468, 466–467
 - creating, 464
 - motion blur, 468–469
 - red rocket model rendering, 504–505, 504–505
 - in rendering, 453–454, 454
 - types, 464–465
 - wine bottle rendering, 471–474, 472–473
 - caps in steam locomotive
 - end, 223–226, 224–227
 - front, 129–133, 130–133
 - topside, 142, 142
 - Cartesian coordinate system, 20–21
 - Casts Shadows option, 428, 440–441
 - catapult animation
 - deformers for, 353–357, 353–356
 - winch in, 351–352, 352–353
 - Caustic Photons attribute, 432
 - caustics, 431–432, 458
 - CCIR 601/Quantel NTSC resolution, 455
 - center of balance, 325, 325
 - Center of Mass attribute, 528
 - Center Pivot option, 149
 - Center zone, hotbox, 64, 64
 - CGI (Computer Graphics Industry), 2
 - chains, IK, 393, 393
 - Channel Box, 32, 39, 41–42, 42, 55, 446
 - channels in rendering, 453–454, 454
 - character modeling, 9–10
 - Character Set menu, 32, 43
 - Checker texture, 292
 - child nodes, 67–68, 68, 95
 - chimneys for steam locomotive, 139–140, 140–141
 - Choose a Folder dialog box, 74
 - Chord Height Ratio option, 218
 - Circle option, 161, 161
 - circles, NURBS, 179–181, 179–181
 - clipping in global illumination, 434
 - clipping planes, 466
 - Closest Distance option, 380–381
 - Closest Joint option, 380
 - Closest On Hierarchy option, 380
 - Closest Point option, 380
 - Cloth texture, 292
 - Cloud particle type, 538–539, 542–547, 544–547
 - clusters in binding, 378
 - CMYK (Cyan, Magenta, Yellow, and Black) color space, 18
 - collisions, 518–519, 522, 526–527, 533
 - color, 17
 - additive and subtractive, 17–18
 - CMYK, 18
 - defined, 18
 - in design, 24
 - joints, 386
 - for layers, 42
 - in ramp textures, 271
 - shaders, 83
 - volumetric lighting, 437
 - Color attribute
 - lighting, 417
 - shaders, 272
 - Color Balance attributes, 291
 - color banding, 15
 - color channels, 16
 - Color Chooser window, 83, 83, 441

- color depth, **15–16**
- Color Joints option, 380
- Color Range attribute, 422
- color wheels, 17
- Color1 and Color2 attributes, 551
- Combine tool, **120–124**, *121–123*
- combining NURBS techniques, **164–165**
- Command line, **43**, *43*, 62
- Common tab for rendering, 451
- complementary colors, 24
- complex objects. *See* steam locomotive
- Component Mode icon, 36
- compositing
 - Ambient Occlusion results, **493–495**, *493–494*
 - in postproduction, 7
- composition in design, 22
- computer graphics (CG), **2–3**, **12**
 - 3D coordinate space and axes, **20–21**, *21*
 - color, **17–18**
 - image output, **15–17**
 - raster images, **13**, *13*
 - resolution, aspect ratio, and frame rate, **19–20**
 - suggested reading, 29
 - vector images, **14**, *14*
- Computer Graphics Industry (CGI), 2
- conceptuals, 5–6
- Cone Angle setting
 - shadow maps, 428
 - spot lights, 420
- cones
 - creating, **289**, *289*
 - relationship with balls, 398, 398
- Connection Editor, **62–63**, 63, 402–403, 403
- connections
 - attribute, **62–63**, 63
 - caps to cylinder, 226
 - input and output, **38**
 - NURBS curves, 155
 - wheel control, 402–403, 403
- Constant attribute, 537
- constraints, animation, **393–398**, *394–397*
- construction history, 38
- contrast, **23–24**, 23
- Contrast Threshold settings, **475–476**
- Control panel, red rocket model, **191–192**, 192, **201**, *201–202*
- control vertices (CVs)
 - attaching to skeletons, 378
 - in NURBS, 100–101, *101–102*, 173, *173–174*
 - profile curves, 182–183
 - snapping to, 37
- Controls attribute, 466
- converting
 - NURBS to polygons, **219–220**, 220
 - polygons to subdivision surfaces, **254–256**, *254–256*, **262–264**
 - subdivision surfaces to polygons, **265–266**, 265
- cool colors, 18
- coordinates
 - 3D, **20–21**, *21*
 - UV, **308–311**, *308–312*
- copying polygon faces, 124
- core concepts, **12**
 - animation, **25–28**, 27
 - computer graphics. *See* computer graphics (CG)
 - design, **22–24**
 - film, **24–25**
- Cosine Power attribute, 275
- Coverage setting, 291
- cowcatcher, **135–137**, *137*
- Create Active Rigid Body option, 519, 525
- Create/Bins panel, **59–60**
- Create Emitter option, 534, 540
- Create Flexor option, 383
- Create Lattice option, 244–245, 248
- Create menu, 35
- Create Motion Trail option, 337
- Create Particle Disk Cache option, 540
- Create Passive Rigid Body option, 519, 525
- Create PSD Network option, 294
- Create Ramp option, 543
- Create Render Node window, 546
- creation nodes, 66
- cubes
 - for axe, 323–324
 - subdividing, 144
 - for targets, 326
- current frame, 42
- current time indicator, 42
- Curvature Tolerance setting, 501
- curvature with bend deformers, 239, **353–356**, *353–356*
- Curve Degree setting, 139
- curves
 - for axe throwing, **330–333**, *330–331*
 - for flying text, **343–347**, *343–347*
 - in Graph Editor, **316–318**, *317–319*, 531–532, *531–532*
 - NURBS. *See* NURBS (Non-Uniform Rational B-Splines) modeling and surfaces
 - in pool table animation, **531–533**, *531–532*
 - projecting, **215**
 - on surfaces, **206–208**, *207–208*

customizing shelf, **40**
 Cut Faces tool, **124**, *124*
 cuts in shots, **24**
 CV Curve tool, **102**, **139**, **182–183**, **207**, **339**
 CVs (control vertices)
 attaching to skeletons, **378**
 in NURBS, **100–101**, *101–102*, **173**, *173–174*
 profile curves, **182–183**
 snapping to, **37**
 Cyan, Magenta, Yellow, and Black (CMYK) color space, **18**
 cylinders
 for axe, **323–324**
 bend deformers for, **238–240**, *238–240*
 for boiler engine, **127–128**, *128–129*
 handlebars, **196**, *196*
 for pump, **221–222**, *221–222*
 for targets, **326–327**
 Cylindrical Mapping option, **310**

D

DAG nodes, **66**
 dailies, **452**
 Damping attribute, **522**
 decals, **300–307**, *300–307*
 Decay Rate attribute
 Point lights, **419**, *419*
 Spot lights, **419**
 decays, bounce, **320**, *320*
 Default Color attribute, **291**
 deformers, **237–238**
 axe model, **240–243**, *241–243*
 bend, **238–240**, *238–240*
 catapult animation, **353–357**, *353–356*
 flame, **241–242**, *242*
 history for, **243**
 lattices. *See* lattices
 wave, **396**
 Delete Unused Notes option, **284**, *287*
 denormalizing views, **331**
 Density attribute, **437**
 depth
 color, **15–16**
 in space, **21**
 Depth Channel (Z Depth) setting, **454**
 Depth Map shadows, **425**
 Descartes, Rene, **21**
 design concepts, **22**
 balance and symmetry, **22–23**, *23*
 color, **24**
 contrast, **23–24**, *23*
 form, space, and composition, **22**
 suggested reading, **29**
 Detach Skin option, **382**
 detaching
 NURBS surfaces, **178**, **216**, *216*
 skeletons, **382**
 details
 boiler engine, **131–133**, *131–133*
 characters, **10**
 environment, **10**
 in models, **98**, *98*
 poly meshes, **117–118**, *118*
 teakettle model, **265**
 Device Aspect Ratio attribute, **455**
 Dice scene, **528**
 Diffuse attribute, **273**
 diffuse lighting, **417**, *417*
 diffusion, **269**
 Direction attributes, **541**
 Directional emitters, **534**, **535**, *540*
 Directional lights, **418**, *419*
 Disable Implicit Control option, **529**
 disconnecting textures, **295**
 disk space for projects, **74–75**
 Display Alpha Channel option, **459**, *460*
 Display Film Gate attribute, **468**, *472*
 Display Level options, **255**
 Display menu, **35**
 Display Options for cameras, **467**, *472*
 Display Real Size option, **459**, *460*
 Display Resolution attribute, **468**
 Display RGB Channels option, **459**, *460*
 dome light, **495**, *495*
 donuts
 red rocket model body, **176–178**, *176–178*
 for rings, **79–80**
 drive mechanism, steam locomotive, **151**, *151*
 Dropoff setting, **420**
 Dropoff Rate setting, **381**
 Duplicate Face tool, **124**
 Duplicate Special option, **128**
 Dynamic Friction setting, **522**
 Dynamic Relationships window, **520–521**, *521*
 dynamics and dynamics engine, **517**
 baking out simulations, **528–530**, *529–530*
 overview, **518**
 particles. *See* particles and particle dynamics
 pool table. *See* pool table animation
 rigid bodies, **518–521**, *519*, *521*
 summary, **552**
 Dynamics menu set, **65**

Earth

- animating, **89–90**, 90
- grouping with moon, **91**
- ease-in, 28, 318, 318
- ease-out, 28, 317, 317
- East zone, hotbox, 64, 64
- Edge Split tool, 128, 128
- edges
 - axe, 324, 325
 - polygon, 99, 100
- Edit menu, 34
- Edit Ramp option, 543
- Edit Rigid Skin option, 383
- editing, 7
 - NURBS surfaces, **215**
 - rigid binds, **382–386**, 383–385
 - smooth binds, **386–388**, 387–388
 - surfaces, **210–211**, 211
 - vector programs, 14
- effects
 - lighting
 - lens flare, **438–439**, 438–439
 - shader glows, **440–441**, 440–441
 - volumetric lighting, **427–438**, 438
 - Paint Effects, **517**
 - attributes, **550–552**
 - working with, **548–550**, 549–550
 - for texture nodes, 291
- Effects attributes, 291
- 8-bit image files, 15
- Emit Diffuse option, 417
- Emit Photons attribute, 431–432
- Emit Specular option, 417
- emitters, 533–534
 - attributes, **534–536**, 534–535
 - emitting process, **540–542**, 540–542
- Enable Default Light option, 496
- end caps, **223–226**, 224–227
- End Frame attribute, 452
- End Sweep attribute, 495
- engines, rendering, 450–451
 - Maya Hardware, **457–458**, 457
 - Maya Software, **455–456**, 457
 - Maya Vector, **458–459**, 458–459
 - mental ray for Maya, **458**
- engines, steam locomotive. *See* boiler engine
- Env Chrome texture, 278–279
- Envelope attribute, 354
- Environment section for cameras, 468
- environment textures, 295
- environmental modeling, **10**
- Erase option, 235

E

- exaggerating object weight, 30
- Exponent attribute, 432, 434
- .ext format, 451
- extensions, filename, 451
- Extract tool, **125**
- Extrude option, 107–108
- extruded faces
 - polygons, **107–109**, 108
 - subdivision surfaces, 258–259
- extruded surfaces, **158–160**, 159
- extrusion tools, **107–109**, 108

F

- faces
 - extruded
 - polygons, **107–109**, 108
 - subdivision surfaces, 258–259
 - polygon, 99, 100, **109**, 109
- Far Clip Plane attribute, 466
- FCheck frame viewer, 473–474, 474
- feedback history
 - command, 43
 - Script Editor, 62
- FG (Final Gather)
 - process, **495–498**, 496–498
 - red rocket model, **502–506**, 503–506
- fields of blowing grass and flowers, **548–550**, 549–550
- fields with dynamic bodies, 518
- file formats, **16**
- File menu, 34
- file name prefix setting, 451
- file nodes for textures, **293–295**
- filenames, **451**
- fill light, 25, **414–415**
- Fill Options option, 459
- Film Back attribute, **467**
- film concepts, **24**
 - lighting, 25
 - production planning, **24–25**
 - suggested reading, 30
- film gate, 472
- Film Gate attribute, 467
- Filter Size setting, 476
- filtering for mental ray rendering, **476**
- Final Gather (FG)
 - process, **495–498**, 496–498
 - red rocket model, **502–506**, 503–506
- Final Gather Rays setting, 497–498
- fingers
 - creating, **112–116**, 112–117
 - lattices for, **247–248**, 247–248
- fins, rocket, **188–190**, 188–191, **305–307**, 306–307

Fit Resolution Gate attribute, 467
 FK (Forward Kinematics), **361**, 361
 for block man, **362–363**, 362
 walk cycle, **367–373**, 369–373
 flame deformers, 241–242, 242
 flexors, 383–385, 383–385
 floating menus, 35
 Flow Path Object option, 346
 flowers and grass, **548–550**, 549–550
 fluid dynamics, 518
 flying text, **343–347**, 343–347
 Focal Length attribute, **466**, 467
 Fog Intensity setting, 437
 Fog Spread setting, 437, 438
 Foley sound, 8
 Follow feature, 339
 follow-through
 animation, 30
 axe throwing, **333–335**, 334–335
 form in design, 22
 Forward Kinematics (FK), **361**, 361
 for block man, **362–363**, 362
 walk cycle, **367–373**, 369–373
 fps (frames per second), 20
 Fractal texture, 292
 Fractional Tolerance option
 NURBS from polygons, 220
 polygons from NURBS surfaces, 218
 Frame All option, 50
 Frame/Animation Ext attribute, 451–452
 frame numbers
 displaying, 337–338
 in filenames, 451
 Frame Padding attribute, 453, 453
 frame ranges in rendering, **452–453**, 453
 frame rate, **20**
 Frame Selection option, 50
 Frame setting, 291
 frames, 4, **25–26**, 27
 frames per second (fps), 20
 framing, 24
 framing in thirds, 23, 23
 Freeform Layout option, 363, 363
 freezing transformations, 221, 221–222, 315, 337
 friction of rigid bodies, 522
 Front Axis setting, 345
 front caps, **129–133**, 130–133
 front wheel covers, **212–213**, 212

General Tessellation Method option, 218
 geometry, 10
 attaching, **366–367**, 366–367, 378
 constraints, **396–397**, 397
 Get Brush option, 548
 ghosting, **341**
 Global Illum Photons attribute, 432, 436
 Global Illumination (GI)
 with Ambient Occlusion, 489
 lighting with, **432–436**, 433–437
 with mental ray, 458, 476
 Glow Color attribute, 439
 Glow Intensity attribute
 lens flare, 439
 shaders, 274, 441
 Glow Radial Noise attribute
 lens flare, 438–439, 439
 shader glows, 441
 Glow Type attribute, 439
 glowing effect, **440–441**, 440–441
 Go to Bind Pose option, 382–383
 gradients, 271–272, **292**, 292, 543
 Graph Editor, **60–61**, 60
 for animation curves, 531–532, 531–532
 for axe throwing, 330–333, 330–331
 for bouncing ball, **316–323**, 317–321
 for walk cycle, 371–372, 372–373
 graphics. *See* computer graphics (CG)
 grass and flowers, **548–550**, 549–550
 grass brush, 548
 gravity
 in animation, 28, 525
 in dynamics, 520–521
 grayscale channel, 454
 grayscale images, 15
 green color, 18
 grid display, 48
 grid snaps, **78**
 Grid texture, 292
 gross animation, 315
 grouping
 Earth and moon, **91**
 Mercury, **88–89**, 88
 objects, **56–57**, 57, **94–95**
 Growth attribute, 551

H

Game of Marbles scene, 528
 General tab in Multilister, 58

G

hair, 518
 Hair Tube shader, 269
 Halo Type attribute, 439
 handlebars
 importing, **200**
 red rocket model, **196–200**, 196–200

handles

axe

creating, **279–282**, 279–282

head on, 324, 324

tangents, 335, 335

teakettle, 258–259, 259, 262, 262

hands, **373–374**, 374

block man, 362

fingers, **247–248**, 247–248

joints for, 374–375, 375

lattices for, **244–246**, 244–246

polygons for, **111–117**, 111–117

rigging, **374–376**, 375–377

set driven keys for, **399–401**, 400–401

hardware particles, 537

HDRI (High Dynamic Range Imagery), **16**

HDTV (High Definition TV) resolution, 19

heads, axe, **276–279**, 277–279

height

in aspect ratio, 20

image planes, 171

in resolution, 454

in space, 21

Height Ratio attribute, 80

Height setting in rendering setup, 454

Help line, 44

Help menu, 35

hierarchies

objects, **67–68**, 68

Outliner, **92–94**, 92, 94

skeletons, **360–361**, 360

hierarchy mode

description, 36

for Earth and moon, 91

High Bound attribute, 240, 240, 354

High Color images, 15

High Definition TV (HDTV) resolution, 19

High Dynamic Range Imagery (HDRI), **16**

Highlight Size attribute, 275

highlights, lighting for, 412

hip joints, 360–361, 360

history

baking, 382

for deformers, 243

NURBS surfaces, **166–167**, 166

hot keys, Graph Editor, 330

hotbox, **63–65**, 63–64

HSV (hue, saturation, and value) channels, 18

HSV Color Noise attributes, 292

hubcaps, **184–186**, 184–185

Hue/Sat/Value Rand attribute, 551

hulls

CVs, 100

handlebars, 196–199, 197–199

humpback name style, 76

Hypergraph, **57**, 57

freeform layout, 363, 363

object hierarchy, 68, 68

Hypershade and Hypershade window, **59–60**, 59, 268

vs. Multilister, **278**

for shaders, 276–277, 277

for solar system animation, 82–85, 82, 85

IFF (Image File Format) format, 16, 452, 454

IK (Inverse Kinematics), 361, **388**

rigging legs, **388–390**, 389–390

walk cycle, **391–393**, 391–392

IK Handle Size option, 390

IK handles, 361, 362

IK solvers, 361

IK Spline Handle tool, 393

Illuminates by Default option, 417

illumination. *See* lightingimage channels, **453–454**, 454

Image File Format (IFF) format, 16, 452, 454

image mattes, **275**, 453

image planes

cameras, 468

red rocket model, **168–172**, 169–172

images

importing as textures, **293**, 293

output, **15**

color, **17**

color channels, **16**

color depth, **15–16**

formats, **16**, **452–455**

movie files, **16–17**

in rendering, **452–455**, 453, 460

in textures, **308–311**, 308–312

Images folder, 73

importing

handlebars, **200**

image files as textures, **293**, 293

image planes, **168–170**, 169, 468

Impulse Position attribute, 527

in-between frames, 26

Incandescence attributes

Paint Effects, 551

shaders, **272**

Incremental Save feature, **79**

indirect lighting, 431, 434, 434

infinity of curves, 318
 Information Readout, 460, 460
 inherited nodes, 95
 Initial Spin attribute, 527
 Initial Velocity attribute, 527
 input connections, 38
 Insert Edge Loop tool, 119, 119, 128, 146, 260, 261
 Insert Keys tool, 340
 inserting isoparms, 190, 190, 192, 192, 217, 217
 Intensity attribute, 417
 intents, 5
 Interactive Photorealistic Renderer (IPR), 281, 461, 461
 interface, 31
 Attribute Editor, 54–56, 55–56
 Connection Editor, 62–63, 63
 Graph Editor, 60–61, 60
 hotbox, 63–65, 63–64
 Hypergraph, 57, 57
 Hypershade, 59–60, 59
 manipulators, 51–54, 51–54
 marking menus, 64
 menu sets, 65
 Multilister, 58–59, 58
 navigating, 32
 objects, 66–68, 68
 Outliner, 56–57, 57
 perspective/orthographic windows, 45–50, 45, 49
 screen components. *See* screen components
 Script Editor, 61–62, 62
 summary, 69
 interpenetration, 250, 525
 interpolation
 for ramp texture, 284, 292
 in timing, 321
 Interpolation setting, 284, 292
 Inverse Kinematics (IK), 361, 388
 rigging legs, 388–390, 389–390
 walk cycle, 391–393, 391–392
 IPR (Interactive Photorealistic Renderer), 281, 461, 461
 isoparms
 for end caps, 223–226, 224–227
 inserting, 190, 190, 192, 192, 217, 217
 in lofting, 164–165, 165
 NURBS surfaces, 101, 101, 215
 red rocket model, 175
 selecting, 173–174, 173, 177–178, 177, 217
 spans, 104

Jitter setting, 476
 joint clusters, 378

Joint Photographic Experts Groups (JPEG) format,
 16, 452
 Joint tool, 364
 joints
 attaching, 366–367, 366–367
 in binding, 378–382, 379, 381
 bones between, 364
 for hands, 374–375, 375
 keyframes for, 368
 moving, 375–377, 376
 rotating, 361, 362
 for skeletons, 360–361, 360–361
 JPEG (Joint Photographic Experts Group) format,
 16, 452

K

Keep Faces Together option, 147, 258–260, 259
 Keep Image option, 460–461
 Keep Unbaked Keys option, 529
 kettle model
 base polygon model, 257–260, 257–261
 converting polygons to subdivision surfaces,
 262–264, 262–264
 converting subdivision surfaces to polygons,
 265–266, 265
 details for, 265
 key lights, 25, 414, 414–415
 Key Selected option, 446
 keyboard shortcuts
 capital letters with, 50
 for viewing, 47
 keyframes, 26, 27, 41
 for attributes, 84
 for axe throwing, 327–335, 334–335
 in bouncing ball animation. *See* bouncing ball
 for joints, 368
 in pool table animation, 530
 for rigid bodies, 526
 setting, 84
 for timing, 321
 for walk cycle, 368–372, 369–373
 keys, moving, 320–322, 320
 kinematics, 360
 FK, 361
 for block man, 362–363, 362
 walk cycle, 367–373, 369–373
 IK, 361, 388
 rigging legs, 388–390, 389–390
 walk cycle, 391–393, 391–392
 knee joints
 rigging, 390
 skeletons, 360–361, 360

knuckles

- creating, **114–116**
- flexors for, **383–385**, **383–385**

Lambert shaders

- diffusion with, **269**
- for solar system animation, **82**

Lattice Point option, **193**lattices, **193–195**, **194**, **244**

- animation through, **248–252**, **249–251**
- for binds, **383**
- for fingers, **247–248**, **247–248**
- for flying text, **346–347**, **346–347**
- for hands, **244–246**, **244–246**
- for subdivision surfaces, **260**, **260**
- summary, **266**

laws of motion, **28**Layer Editor, **32**, **39**, **41–42**, **42**Layered shader, **270–271**, **282–284**, **283**

layers

- creating, **42**
- render, **478–482**, **479–482**
 - batch rendering for, **487**, **487**
 - shadow passes for, **484–486**, **485–486**
 - testing, **482–484**, **483–484**

learning to see, **412**

legs

- moving. *See* kinematics
- rigging, **388–390**, **389–390**

lemon, rendering, **478–482**, **479–482**

- batch rendering for, **487**, **487**
- shadow passes for, **484–486**, **485–486**
- testing, **482–484**, **483–484**

Length Min/Max attribute, **551**lens flare, **438–439**, **438–439**lids, teakettle, **257–258**, **262**, **262**Life Transparency attribute, **546**lifespan, particles, **537**, **537**Lifespan attribute, **545**, **545**Lifespan Mode attribute, **542**Lifespan Random attribute, **537**, **545**lifespanPP Only attribute, **537**Light Fog attribute, **437**light glow effect, **438–439**, **438–439**Light Shape attribute, **422**lighted mode, **50**lightFog node, **437**lighting, **9**, **411**

- animating, **446–447**, **447**

attributes, **416–417**, **416–417**concepts, **412**

effects

- lens flare, **438–439**, **438–439**
- shader glows, **440–441**, **440–441**
- volumetric lighting, **427–438**, **438**

in film, **25**in Final Gather, **496**learning to see for, **412**light types, **417–423**, **418–422**linking, **423**, **423–424**mental ray, **430**, **430**attributes, **431–432**caustics, **431–432**global illumination, **432–436**, **433–437**need for, **412–413**, **413**practical, **416**practice for, **445–446**red rocket model, **442–445**, **442–445**in shading, **269**shadows, **412**, **424–430**, **424–429**summary, **448**three-point, **25**, **413–416**, **414–415**in work flow, **11–12**lining up red rocket model, **193–195**, **193–195**linking light, **423**, **423–424**lip-synch, **8**Live Forever attribute, **537**

living room

Ambient Occlusion rendering, **488–495**, **488–494**global illumination, **432–436**, **433–437**rendering settings, **476–478**, **476–477**Loaded option for mental ray rendering, **474**loading images, **460**

Local Axis

axe throwing, **329**rotating, **21**Local Translate attribute, **112**, **114**locking cameras, **473**locomotive. *See* steam locomotivelofted surfaces, connecting, **164–165**, **165**

lofting method

for connecting caps to cylinder, **226**for NURBS, **156–157**, **156–157**for shapes, **209**, **209–210**

logos

flying, **343–347**, **343–347**red rocket model, **305–307**, **306–307**Look at Selection option, **50**Low Bound attribute, **240**, **354**low-count poly models, **99**

-
- Macintosh keys, 46
- main menu bar, 34–35
- Make The Selected Object Live option, 206, 208
- manipulators, 51–54, 51–54
- for lights, 447, 447
 - pivot point, 90, 90
 - for projections, 290, 290
- maps
- Bump, 268, 273
 - reflection, 455–456
 - shadow, 425–430, 426–429
 - UV mapping, 288
- marking menus, 63–64, 63
- masks, selection, 36
- mass
- in animation, 28
 - of rigid bodies, 522
- Mass attribute, 522
- matchmoving process, 168
- material nodes, 268, 277
- materials
- for shaders, 277
 - for solar system animation, 85
- Matte Opacity Mode and slider, 274
- mattes, 275, 453
- Max Distance attribute, 542, 546
- Max Influences setting, 381
- Max Sample setting, 475
- Maya Embedded Language (MEL), 43, 61–62, 62
- Maya Hardware rendering method, 457–458, 457
- Maya Image File Format (IFF) format, 16, 452, 454
- Maya Software rendering method, 455–456, 457
- Maya Vector tab, 459, 459
- MEL (Maya Embedded Language), 43, 61–62, 62
- memory caching of particles, 539
- mental ray rendering, 458
- attributes, 275
 - Final Gather, 495–498, 496–498
 - lighting, 430, 430
 - attributes, 431–432
 - caustics, 431–432
 - global illumination, 432–436, 433–437
 - red rocket model, 501, 501
 - ambient occlusion, 512–514, 512–515
 - final gather, 502–506, 503–506
 - raytracing, 502, 502–503
 - rim light trick, 510–511, 510–511
 - tweaking, 507–509, 507–509
 - settings, 474–478, 475–477
 - shadow maps, 428–430, 428–429
- menus, 34–35
- M**
- hot box for, 63–64, 64
 - menu sets, 65
- Mercury
- creating, 77–78, 78
 - grouping, 88–89, 88
 - rotation of, 87–88
- Merge tool, 120–124, 121–123
- metal axe head, 276–279, 277–279
- metal spike, 282–286, 283–285
- Min and Max Distance setting for emitters, 536, 536
- Min Distance attribute, 542
- Min Sample setting, 475
- Mirror U setting, 291
- Mirror V setting, 291
- models, 9–10
- complex objects. *See* steam locomotive
 - with NURBS. *See* NURBS (Non-Uniform Rational B-Splines) modeling and surfaces
 - planning, 98–99, 98
 - with polygons. *See* polygons
- Modify menu, 34
- momentum
- in axe throwing, 336
 - description, 28–29
- moons
- creating, 81, 81
 - Earth, 89–92, 90
- motion
- animation. *See* animation
 - laws of, 28
 - simulating. *See* dynamics and dynamics engine
 - in vector programs, 14
- motion blur, 468–469
- motion studies, 327–328
- motion trails, 337–338, 337–338, 345, 345
- Mountain texture, 292
- mouse controls, 33
- Move Pivot tool, 376
- Move tool, 51, 208, 208
- for hands, 376
 - working with, 51–52, 51
- movie files, 16–17
- moving
- joints, 375–377, 376
 - keys, 320–322, 320
 - objects, 51–52, 51
 - rigid bodies, 521–522
- multi-pixel filtering, 476
- Multilister, 58–59, 58, 278
- multiple versions, saving, 79
- music, 8

names

- layers, 42
- nodes, 83
- objects, 39, 56, **73**, 76

narrative films, 24

National Television Standards Committee (NTSC)

- resolutions, 19, 455

navigating, **32**

Near Clip Plane attribute, 466

negative space, 22

nested object hierarchy, 67

New Project window, 73, 74–75

New Scene option, 36, 75

Newton, Isaac, 28

nodes

- inherited, 95
- objects, **66–67**
- renaming, 83
- shader, 268
- textures, **290–295**, 291–295

Noise attribute, 292

Noise Frequency attribute, 292

Noise texture, 292

Non-Uniform Rational B-Splines. *See* NURBS (Non-Uniform Rational B-Splines) modeling and surfacesnormal constraints, **396–397**, 398

Normalize option, 310

normalized skin weights, 387

normalizing views, 331, 331

North zone, hotbox, 64, 64

nose section, **172–174**, 173–174, **204–205**, 204–205

NTSC (National Television Standards Committee)

- resolutions, 19, 455

null node, 95

Number of Samples setting, 458, **475–476**

Number U setting, 162

Number V setting, 162

NURBS (Non-Uniform Rational B-Splines) modeling and surfaces, **100–102**, 101–102, **155**

- Artisan module for, **234–236**, 234–235

- attaching, **215**, 216

- for axes. *See* axe model

- bevel, **162**, 163

- boundary, **163–164**, 164

- circles, 179–181, 179–181

- combining techniques for, **164–165**

- cones, **289**, 289

- converting to polygons, **219–220**, 220

- creating, **156**

- curve projections on, **215**

- cylinders, 196, 196

N

detaching, 178, **216**, 216

editing, **215**

for end caps, **223–226**, 224–227

extruded, **158–160**, 159

history, **166–167**, 166

isoparms, 101, 101, 215, 217

lofting method, **156–157**, 156–157

objects, 48, 49

patch modeling, **221–233**, 221–223

planar, **160–162**, 160–162

for polygons, **218–219**

pump, **221–222**, 221–223

revolved, **157–158**, 157

spheres

- creating, **290**, 290

- lattices for, **248–252**, 249–251

- red rocket model, 172–174, 173–174

stitching and tangency, **227–233**, 228–233

summary, 236

tessellation, **499–501**, 499–501

tools for, 40

trimming and untrimming, **215**

O

Object Mode icon, 36

objects, **66**

- grouping, **56–57**, 57, **94–95**

- names, **73**, 76

- nodes for, **66–67**

- parents and children, **67–68**, 68

- replacing, **341–342**, 343

occlusion, ambient

- red rocket model, **512–514**, 512–515

- rendering pass, **488–495**, 488–494

Offset Edge Loop tool, **119–120**, 120

Offset values

- aim constraints, 395

- orient constraints, 394

Omni emitters, 534, 534

opacity

- in Artisan, 235

- matte, 274

Open Image option, 460

Open Render Settings window, 459, 460

Open Scene icon, 36

OpticalFX node, 439

option boxes, 34

organic characters, 10

orient constraints, **394–395**, 395

origins, 21

orthographic windows, **45–50**, 45, 49

Out Color attribute, 490
 Outliner, 56
 objects in, 56–57, 57, 68, 68
 for solar system animation, 92–94, 92, 94
 output connections, 38
 overlighting, 412, 413
 Overscan setting, 467–468

padding frames, 453, 453
 Paint Effects, 517
 attributes, 550–552
 working with, 548–550, 549–550
 Paint Effects to Polygons option, 551
 Paint Skin Weights tool, 386–387
 painting skin weights, 385–388, 387–388
 PAL (Phase Alternation Line) resolution, 19
 panel layouts, 45, 47–48
 panels, 32
 parametric modeling, 80
 parent constraints, 398
 parent nodes, 67–68, 68, 93, 95
 Particle Render Type menu, 538, 538
 particles and particle dynamics, 518, 533
 animating, 540–547, 540–547
 attributes, 536–539, 537–538, 542–544, 543
 caching, 539–540
 emitting, 533–536, 534–535, 540–542, 540–542
 Partition Set option, 380
 passive rigid bodies, 518–521, 519, 521
 patch modeling, 206, 220
 patches, NURBS, 100, 155, 221–233, 221–223
 paths in axe throwing
 animation on, 339–340, 339
 of motion, 337–338, 337–338
 pears, creating, 308–311, 308–312
 pelvis
 Inverse Kinematics for, 390–392
 for root, 364
 Penumbra attribute, 422
 Penumbra Angle attribute
 shader glows, 440
 shadow maps, 428
 spot lights, 420, 420
 Per Particle (Array) attributes, 538–539, 538
 perception of mass, 28
 periodicals, 29–30
 perspective view, 45–50, 45, 49, 464
 Phase Alternation Line (PAL) resolution, 19
 Phong E shaders, 270
 Phong E surfaces, 270

P

Phong shading, 269, 269
 Photon Color attribute, 432
 Photon Intensity attribute, 432
 Photoshop files, 293–295, 294
 physics
 in motion simulation, 518
 overview, 28–29
 pipelines, 4
 piping in steam locomotive, 143, 143
 pivots and pivot points
 block man, 362
 center of balance as, 86
 Earth and moon, 90, 90
 joints, 360, 361
 Mercury, 88, 88
 in rigging, 348–349
 Pixel Aspect Ratio attribute, 455
 pixelated raster images, 13
 Place2dTexture nodes, 291, 291
 planar surfaces, 160–162, 160–162
 planets
 Earth, 89–90, 90
 grouping, 88–89, 88, 91
 Mercury, 77–78, 78
 Pluto, 93–94
 rotation, 87–88
 Saturn, 79–80, 80
 Venus, 89
 planning
 models, 98–99, 98
 production, 24–25
 solar system animation, 72
 Play Every Frame option, 520, 534
 playing back
 axe throwing animation, 332–333
 bouncing ball, 320
 wine bottle rendering, 473–474
 Pluto, 93–94, 94
 pocket holes for pool table, 523, 523
 point constraints, 393–394, 393–394
 Point lights, 418–419, 419
 point of view (POV) in films, 24
 Poke Face tool, 109, 109, 116, 116
 pole vector constraints, 398
 Poly_Hand project, 111–117, 111–117
 poly meshes, details on, 117–118, 118
 polygon proxies, 254
 Polygon tool, 105–107, 106
 polygons, 97
 basics, 105, 106
 for complex objects. *See* steam locomotive
 components, 99–101, 100

- converting
 - NURBS to, **219–220**, 220
 - to subdivision surfaces, **254–256**, 254–256, **262–264**, 262–264
 - subdivision surfaces to, **265–266**, 265
- for hand, **111–117**, 111–117
- NURBS surfaces for, **218–219**
- poly meshes, **117–118**, 118
- subdivision surfaces, **102–103**
- suggestions, **153**
- summary, **153**
- textures for, **308–311**, 308–312
- tools for
 - Add Divisions, **118**, 118
 - Bevel, **110**, 110
 - Combine and Merge, **120–124**, 121–123
 - Cut Faces, **124**, 124
 - Duplicate Face, 124
 - Extract, **125**
 - extrusion, **107–109**, 108
 - Insert Edge Loop, **119**, 119
 - Offset Edge Loop, **119–120**, 120
 - Poke Face, **109**, 109
 - Polygon, **105–107**, 106
 - Sculpt Geometry, **125**, 125
 - Smooth, **125**
 - Split Polygon, **118–119**, 119
 - Wedge Face, **109**, 109
- Polygons menu set, 65
- pool table animation, **522**
 - baking out, **528–530**, 529–530
 - curves, **531–533**, 531–532
 - momentum, 336
 - rigid bodies, **525–528**, 526–527
 - table and balls, **522–525**, 523–525
- pose animation, 368
- positive space, 22
- post processes, Paint Effects for, 551
- postproduction stage, **6–8**
- POV (point of view) in films, 24
- practical lighting, **416**
- precision in animation, 324
- prefixes, filename, 451
- preproduction stage, **5–6**, **72–73**
- previewing rendering, **459–460**, 460
- previsualization, 10
- primary colors, 17
- Primary Visibility option, 497
- primitives
 - shape nodes for, 66
 - working with, **103–104**, 104
- procedural textures, 286
- procedures, MEL, 61

- production stages, **4–5**
 - combining, **8**
 - planning, **24–25**
 - postproduction, **6–8**
 - preproduction, **5–6**
 - production, **6**
 - steam locomotive, **127**, 127
- profile curves
 - creating, **182–183**, 182–183
 - revolved surfaces, 157–158, 157–159
- project folders, 73
- projections
 - baking, **287**
 - on surfaces
 - curves, **215**
 - textures, **288–290**, 290
- projects
 - creating, **73–75**, 74–75
 - saving, **80–81**
- proportions in animation, 324
- Props modeling, **10**
- protagonists, 24
- proxy objects, **341**
- PSD file node, **293–295**, 294
- pull brushes, 235
- pumps, steam locomotive
 - creating, 150–151, 151
 - NURBS, **221–222**, 221–223
 - pump arm rigging, **406–407**, 406–407
- push brushes, 234

Q

- quality
 - in Maya Software rendering method, **456–457**, 457
 - of particles, 545
- Quality setting, 545
- Queue setting, 87
- QuickTime movie format, 16–17

R

- Radial Frequency attribute, 439
- radiosity, 458
- Radius attribute
 - particles, 538–539, 542
 - spheres, 56, 67
 - torus, 80
- radiusPP attribute, 539, 542–543, 547
- Ramp shader, **271**, 271
- ramp textures, 271
 - color transitions, **292**, 292
 - particles, 543–544

- random noise patterns, 292
- random particle speed, 536, 542
- Random Range attribute, 537
- Range Slider, 32, **42–43**, 43
- ranges, frame, **452–453**, 453
- raster images, **13**, 13
- rasterization, 14
- Rate attribute
 - emitters, 535
 - particles, 545, 547
- Raytrace Options attributes, 274
- raytracing, 425, 425
 - in Maya Software rendering method, **455–456**
 - red rocket model, **502**, 502–503
 - for reflections, **462–463**, 462
 - with shaders, 274
 - for shadows, **425–430**, 426–429
- Receive Shadows option, 428
- red, green, blue (RGB) color wheel, 18
- red color, 17–18
- red rocket model, **167**
 - axles, **201**, 201
 - back wheel connection, **213–214**, 213–214
 - body, **174–178**, 175–178, **303–305**, 304–305
 - conclusion, **214**, 216
 - Control panel, **191–192**, 192, **201**, 201–202
 - handlebars, **196–200**, 196–200
 - image planes for, **168–172**, 169–172
 - lighting, **442–445**, 442–445
 - lining up, **193–195**, 193–195
 - nose section, **172–174**, 173–174, **204–205**, 204–205
 - rendering, **498–499**, 499
 - ambient occlusion, **512–514**, 512–515
 - final gather, **502–506**, 503–506
 - mental ray, **501–514**, 501–515
 - NURBS tessellation, **499–501**, 499–501
 - raytracing, **502**, 502–503
 - rim light trick, **510–511**, 510–511
 - tweaking, **507–509**, 507–509
 - wrapup, 515
 - seat, **202–203**, 202–203
 - side view, **193–195**, 193–195
 - starting, **167**
 - texturing, **296**, 296
 - decals, **300–307**, 300–307
 - shader assignment, **296–299**, 297–299
 - thrusters, **179–181**, 179–181
 - wheel covers, **206–213**, 206–212
 - wheel wells, **300–303**, 300–303
 - wheels, **182–188**, 182–187
 - wings, **188–190**, 188–191, **305–307**, 306–307
- Redo Previous Render option, 459, 460
- Refine Selected option, 256
- Reflected Color attribute, 275, 278, 279
- Reflected Color map option, 462
- reflection maps, 455–456, 462
- reflections, 269
 - in rendering, **455–456**, **462–463**, 462
 - with shaders, 275, 278, 279
- Reflections attribute, 462, 462
- Reflectivity attribute, 275, 462
- Reflectivity slider, 278
- refractions in rendering, **456**, **463**, 463
- refractive index, 463, 463
- relationship editors for light linking
 - Light Linking window, 521
 - Relationship Editor, 423, 423–424
- relationships in animation
 - constraints, **393–398**, 394–397
 - set driven keys, **398–401**, 400–401
- relative sizes in animation, 324
- Remove Image option, 460–461
- renaming
 - nodes, 83
 - objects, 56
- Render Globals window, 450
- render node display area, **59–60**
- Render Region option, 459, 460
- Render Settings window, 450
 - batch rendering, 469
 - mental ray lighting, 430
 - reflections, 462
 - tabs in, 451
 - vector rendering, 459, 459
 - wine bottle, 469, 470–471
- Render View window, 454, **459–460**, 460
- rendering, 3, **6**, **449**
 - Ambient Occlusion, **488–495**, 488–494
 - attributes, **537–538**, 538, **544–547**, 545–547
 - batch, **469–470**, 469, **473–474**
 - cameras in. *See* cameras
 - controls for, **38**
 - engine selection, 450–451
 - Maya Hardware, **457–458**, 457
 - Maya Software, **455–456**, 457
 - Maya Vector rendering method, **458–459**, 458–459
 - mental ray for Maya, **458**
 - filenames for, **451**
 - final gathering, **495–498**, 496–498
 - frame ranges in, **452–453**, 453
 - image channels in, **453–454**, 454
 - image formats for, **452–455**
 - IPR, **461**, 461

- lighting, 417, 417
 - mental ray for Maya, 474–478, 475–477
 - motion blur, 468–469
 - previewing, 459–460, 460
 - red rocket model, 498–499, 499
 - ambient occlusion, 512–514, 512–515
 - final gather, 502–506, 503–506
 - mental ray for Maya, 501–514, 501–515
 - NURBS tessellation, 499–501, 499–501
 - raytracing, 502, 502–503
 - rim light trick, 510–511, 510–511
 - tweaking, 507–509, 507–509
 - wrapup, 515
 - reflections, 462–463, 462
 - refractions, 462, 463
 - render layers, 478–482, 479–482
 - batch rendering for, 487, 487
 - shadow passes for, 484–486, 485–486
 - testing, 482–484, 483–484
 - resolution, 454–455
 - saving and loading images, 460
 - setup, 450–451, 450
 - summary, 516
 - wine bottle, 470–474, 471–474
 - in work flow, 12
 - Rendering menu set, 65
 - Repeat UV setting, 291
 - replacing objects, 341–342, 343
 - resolution, 19–20
 - raster images, 13
 - in rendering, 454–455, 472
 - subdivision surfaces, 254
 - Resolution setting
 - shader glows, 440
 - shadow map shadows, 426, 426, 428
 - volumetric lighting, 437
 - revolved surfaces, 157–158, 157, 184–188, 184–187
 - RGB (red, green, blue) color wheel, 18
 - RGB Channel (Color) option, 454
 - rigging
 - skeletons
 - hands, 374–376, 375–377
 - legs, 388–390, 389–390
 - steam locomotive, 401, 402
 - back wheel, 407–408, 407–408
 - finishing, 408–409, 409
 - pump arm, 406–407, 406–407
 - scene setup, 348–349, 348–349
 - selection handles for, 350, 350
 - wheel arms, 404–406, 404–405
 - wheel control, 402–404, 403
 - rigid binds, 378, 379
 - creating, 378–380, 381
 - editing, 382–386, 383–385
 - rigid bodies, 518
 - active and passive, 518–521, 519, 521
 - animating, 525–528, 526–527
 - attributes, 522, 527–528
 - moving, 521–522
 - for pool table animation, 525–528, 526–527
 - rim light, 25
 - purpose, 415
 - red rocket model, 510–511, 510–511
 - rings for Saturn, 79–80, 80
 - roofs in steam locomotive, 145–146, 145
 - root joints, 360–362, 360
 - Rotate Frame setting, 291
 - Rotate tool, 51–52
 - rotating and Rotate attributes
 - animation curves, 531–532
 - axe throwing, 332–336, 334–335
 - baking out simulations, 529
 - constraints, 394–395
 - joints, 361, 362
 - keyframe, 316, 332–336, 334–335
 - lens flare, 439
 - Local Axis, 21
 - particles, 536
 - planets, 87–88
 - set driven keys, 399
 - wheel control, 403–404
 - Rotation attributes, 394–395, 439
 - Roughness attribute, 275
 - roundness for bevels, 110
-
- S**
- S Divisions attribute, 245, 260
 - Sample By setting, 530
 - Sample Lock setting, 476
 - Samples setting, 428–429
 - Sampling setting, 530–531
 - saturation in HSV channels, 18
 - Saturn, 79–80, 80
 - Save Scene icon, 36
 - saving
 - images, 460
 - multiple versions, 79
 - projects, 80–81
 - Scale channels, 76
 - Scale keyframe, 316
 - scale manipulator, 76
 - Scale mental ray rendering, 498

- Scale tool, **51–52**
- scaling and Scale attributes
 - bouncing ball, 316, 322
 - constraints, **395**, 395
 - particles, 536
 - raster images, 13
 - spheres, 55, 67
 - sun, 76
 - vector graphics, 14, 14
- Scene File Icons, 36
- scenes, 24
 - assembling, 7
 - saving, 79
- Scenes folder, 73
- scenics, 10
- screen components, **32**, 33
 - Channel Box/Layer Editor, **41–42**, 43
 - Command line, **43**, 43
 - main menu bar, **34–35**
 - shelf, **40**, 40
 - Status line, **35–40**, 35
 - Time Slider and Range Slider, **42–43**, 43
 - Tool Box, **41**, 41
- Script Editor, 43, **61–62**, 62
- scripts, 5, 43, 61
- scroll wheel, 46
- scrubbing Timeline, 42, 87
- Sculpt Geometry tool, **125**, 125
- Sculpt Surfaces tool, 234, 234–235
- SDKs (set driven keys), **398**
 - creating, **398–399**, 399
 - for hands, **399–401**, 400–401
- seat for red rocket model, **202–203**, 202–203
- secondary motion
 - animation, 334
 - axe throwing, **336–337**, 337
- sections for primitives, 104
- segments for bevels, 110
- Select a Renderer option, 459
- Select Camera option, 464
- Selected Color attribute, 284
- Selected Joints option, 380
- selecting isoparms, 217
- selection handles
 - for axe, 328
 - in rigging, **350**, 350
- selection masks, **36**
- selection modes, **36–37**
- Separate option, 124
- Separate Extracted Faces option, 125
- separator bar, 57
- sequences in acts, 24
- Set Active Key option, 526
- set driven keys (SDKs), **398**
 - creating, **398–399**, 399
 - for hands, **399–401**, 400–401
- Set Key Options dialog box, 84, 84
- Set Passive Key option, 525
- setup for animation, 11
- SGI (Silicon Graphics Image) files, 452
- shaded mode, 48–50, 49
- shader glows, **440–441**, 440–441
- shading and shaders, 10, **267–268**
 - attributes for, **272–275**, 272–274
 - axe metal spike, **282–286**, 283–285
 - axe wooden handle, **279–282**, 279–282
 - Paint Effects, 551
 - red rocket model, **296–299**, 297–299
 - solar system animation, **82–85**, 82–86
 - types, **268–271**
- Shading attribute, 551
- shadow maps, **425–430**, 426–429
- shadow passes for render layers, **484–486**, 485–486
- shadows, **424**, 424
 - creating, **425–430**, 426–429
 - lighting for, 412
 - per object, **428**
 - shadow map, 426
- Shake and After Effects program, 7
- shape nodes, 66
- shapes
 - lofting, **209**, 209–210
 - primitives, 66, **103–104**, 104
 - in vector images, 14
- shelf, 32, **40**, 40
- shortcuts, keyboard
 - capital letters with, 50
 - for viewing, **47**
- shots, 24
- Show Frame Numbers option, 337
- Show Manipulator tool, 447, 447
- Shutter Angle attribute, 469
- sibling nodes, 95
- side view, red rocket model, **193–195**, 193–195
- Silicon Graphics Image (SGI) files, 452
- Simple Tessellation settings, 500, 500
- Simplify Method setting, 531
- simulations
 - baking out, **528–530**, 529–530
 - motion, 518
- single-node cameras, 464
- 16-bit image files, 15
- size
 - in animation, 324
 - windows, 47

- skeletons, **360**
 - attaching geometry to, **366–367**, 366–367, 378
 - binding, **378–382**, 379, 381
 - rigid binds, **382–386**, 383–385
 - smooth binds, **385–388**, 387–388
 - creating, **363–365**, 363–364
 - detaching, **382**
 - Forward Kinematics for, **362–363**, 362
 - hands for. *See* hands
 - hierarchical system, **360–361**, 360
 - Inverse Kinematics for, **388–393**, 389–392
 - walk cycle for
 - Forward Kinematics, **367–373**, 369–373
 - Inverse Kinematics, **391–393**, 391–392
- skin weights, painting, **385–388**, 387–388
- skinning, 378
- smooth binds, 378, 379
 - creating, **380–381**, 381
 - editing, **385–388**, 387–388
- Smooth option, 235
- Smooth tool, 105, **125**
- snaps, **37–38**, **78**
- soft bodies, 518
- Soft Modification tool, 52–53
- Softness setting, 428
- software particles, 538
- solar system animation, **71**
 - creating, **86–92**, 88, 90
 - moons, **81**, 81
 - Outliner for, **92–94**, 92, 94
 - overview, **72**
 - planets, **77–78**, 78
 - planning, **72–73**
 - project for, **73–75**, 74–75
 - Saturn rings, **79–80**, 80
 - saving, **80–81**
 - shaders for, **82–85**, 82–86
 - summary, **95**
 - sun, **75–77**, 78
- sound design, **8**
- sound effects, 8
- South zone, hotbox, 64, 64
- space
 - 3D coordinate, **20–21**, 21
 - in design, 22
- spans and spanning
 - curves, 155
 - primitives, 104
 - red rocket model body, 174, 175
 - surfaces, 101, 164, 165
- Sparse Curve Bake option, 529–530
- Special Manipulator tool, 290, 290
- Specular Color attribute, 275
- specular highlight, 269
- specular lighting, 417, 417
- Speed attribute, 535, 542
- Speed Random attribute, 536, 542
- spheres
 - attributes, **54–56**, 55–56
 - creating, **290**, 290
 - lattices for, **248–252**, 249–251
 - in solar system animation. *See* solar system animation
 - transform nodes for, 67
- spike, axe, **282–286**, 283–285
- Spin Impulse attribute, 528
- spline IK chains, 393, 393
- Split Polygon tool, 114, **118–119**, 119, 252–253
- spokes, wheel, 147, 148
- Spot lights, **419–420**, 420
- spout, teakettle, **262–264**, 264
- Spread attribute
 - lens flare, 439
 - particles, 541, 541
- squash
 - in animation, 28
 - in bouncing ball, 322, **323–324**
- standard resolutions, 20
- Star Points attribute, 439
- starfish model, **252–256**, 253–256
- Start Frame attribute, 452
- Static Friction setting, 522
- status line, 32, **35–40**, 35
- steam, animating, **540–547**, 540–547
- steam locomotive, **126**
 - animating, **540–547**, 540–547
 - axles, **150–151**, 150–151
 - boiler caps
 - end, **223–226**, 224–227
 - front, **129–133**, 130–133
 - topside, 142, 142
 - boiler engine. *See* boiler engine
 - cabin, **144–146**, 144–146
 - chimneys, **139–140**, 140–141
 - cowcatcher, **135–137**, 137
 - drive mechanism, 151, 151
 - pipng and tanks, 143, 143
 - production process, **127**, 127
 - pumps
 - creating, 150–151, 151
 - NURBS, **221–222**, 221–223
 - pump arm rigging, **406–407**, 406–407
 - rigging. *See* rigging
 - stitching and tangency, 220, **227–233**, 228–233

- undercarriage, **133–138**, *134–138*
- wheels, **146–149**, *146–149*
- still life, rendering, **478–482**, *479–482*
 - batch rendering for, **487**, *487*
 - shadow passes for, **484–486**, *485–486*
 - testing, **482–484**, *483–484*
- stitching, **220**, **227–233**, *228–233*
- storyboards, **5**, *9*
- stretch
 - in animation, **28**
 - in bouncing ball, **322**, **323–324**
- stripes for decals, **300–303**, *300–303*
- strokes, Paint Effects, **548**
- subdividing cubes, **144**
- subdivision surfaces, **102–103**, *105*, **252**
 - converting
 - to polygons, **265–266**, *265*
 - polygons to, **254–256**, *254–256*, **262–264**, *262–264*
 - summary, **266**
 - teakettle base polygon model, **257–260**, *257–261*
- Subdivisions Height setting, **239**, *240*
- subtractive color, **17–18**
- suggested reading, **29–30**
- sun, **75–77**, *78*
- Surface Shading attribute, **538**
- surfaces
 - curves on, **206–208**, *207–208*
 - editing, **210–211**, *211*
 - NURBS. *See* NURBS (Non-Uniform Rational B-Splines) modeling and surfaces
 - projections for, **288–290**, *290*
 - revolved, **157–158**, *157*, **184–188**, *184–187*
 - subdivision. *See* subdivision surfaces
 - texture nodes for, **290–295**, *291–295*
 - UV mapping, **288**
- Surfaces menu set, **65**
- symmetrical objects, **22–23**, *23*

T

- T Divisions attribute, **245**, *260*
- table, creating, **522–525**, *523–525*
- Tagged Image File Format (TIFF) files, **16**
 - for rendering, **452**
 - for textures, **311**, *311*
- tangency
 - constraints, **398**
 - handles for, **317**, *317*
 - in patch modeling, **227–233**, *228–233*
- tangent handles, **335**, *335*
- tanks in steam locomotive, **143**, *143*
- tapers, handlebar, **197**, *197*

- Targa format, **16**, *452*
- targets for axe throwing, **326–327**, *326–327*
- teakettle model
 - base polygon model, **257–260**, *257–261*
 - converting polygons to subdivision surfaces, **262–264**, *262–264*
 - converting subdivision surfaces to polygons, **265–266**, *265*
 - details for, **265**
- tessellation
 - boiler, **140**
 - NURBS surface, **218–219**
 - red rocket model, **499–501**, *499–501*
- text, flying, **343–347**, *343–347*
- texture shaded mode, **49**
- texturing and textures, **267–268**
 - 3D, **295**
 - for axe, **276**
 - metal head, **276–279**, *277–279*
 - metal spike, **282–286**, *283–285*
 - wooden handle, **279–281**, *280*
 - importing image files as, **293**, *293*
 - in lighting, **11**
 - mapping, **268**
 - nodes, **290–295**, *291–295*
 - projections for, **287–290**, *290*
 - red rocket model, **296**, *296*
 - decals, **300–307**, *300–307*
 - shader assignment, **296–299**, *297–299*
 - summary, **312**
 - types of, **286**
 - UV coordinates, polygons, and images in, **308–311**, *308–312*
 - UV mapping, **288**
 - in work flow, **10–11**
- three-button mouse, **33**
- three-node cameras, **464–465**
- three-point lighting, **25**, **413–416**, *414–415*
- 3D artists, **2**
- 3D objects and space, **20–21**, *21*
 - animation, **4**
 - blur process, **468**
 - creation process, **3–4**
 - polygons for. *See* polygons
 - textures, **295**
- 3dplacement node, **287**
- Threshold attribute, **538**
- throwing axe, **323**
 - animation curves, **330–333**, *330–331*
 - anticipation, **328–329**, *331*
 - follow-through, **333–335**, *334–335*
 - keyframes for, **327–335**, *334–335*
 - motion trails, **337–338**, *337–338*

- path animation, **339–340**, 339
- playing back, **332–333**
- preproduction process, **323**
- replacing axe, **341**
- scene setup, **323–327**, 324–325
- secondary motion, **336–337**, 337
- summary, **341**
- targets, **326–327**, 326–327
- thrusters, red rocket model, **179–181**, 179–181
- thumbs, **114**, 114
- TIFF (Tagged Image File Format) files, 16
 - for rendering, 452
 - for textures, 311, 311
- TIFF16 files, 16
- time indicator, 42
- Time Range setting, 531
- Time Slider, 32, **42–43**, 43
- Time Snap icon, 331
- Time Tolerance setting, 531
- Timeline scrubbing, 42, 87
- timing for bouncing ball, **320–322**, 320–321
- tint in HSV channels, 18
- toe joints, 360, 360
- Tool Box, 32, **41**, 41
- Tool Options window, 39
- torus
 - red rocket model body, 176–178, 176–178
 - for rings, 79–80
- train. *See* steam locomotive
- transferring animation, **342–343**, 343
- transform nodes, 66–67
- transformations, freezing, 221, 221–222, 315, 337
- Translate Frame setting, 291
- Translate keyframes
 - axe throwing, 329–333, 336
 - bouncing ball, 316
- translations and Translate attributes
 - axe throwing, 336–338
 - baking out simulations, 529
 - bouncing ball, 315, 317
 - IK walk cycle, 391
 - particles, 536
 - point constraints, 393
 - set driven keys, 399
 - spheres, 55–56, 67
- Translucence attribute, 274
- Translucence Focus attribute, 274
- Transparency attributes
 - Paint Effects, 551
 - particles, 546
 - shaders, **272**
 - wood texture, 284
- Triangulate option, 107

- Trim option, 344
- trimmed surfaces, 160, 160, **215**
- troubleshooting, **329**
- True Color images, 15
- true reflections, **456**
- Tube Shading attribute, 551
- Tube Width1 and Width2 attribute, 551
- Tubes per Step attribute, 551
- tweaking red rocket model, **507–509**, 507–509
- two-node cameras, 464–465
- 2D blur process, 468
- 2D texture placement, **291**, 291
- 24-bit color images, 15
- Type menu for lighting, 417
- Type setting
 - ramp gradients, 292
 - text, 344

U

- U Divisions attribute, 245, 260
- U Wave attribute, 292
- undercarriage, boiler engine, **133–138**, 134–138
- underlighting, 412, 413
- Universal Manipulator tool, **52**
- untrimming NURBS surfaces, **215**
- Up Axis setting, 345
- Up Vector setting, 395
- Use Background shader, 269
- Use Depth Map Shadows option, 425
- Use Mental Ray Shadow Map Overrides option, 428
- Use Particle Disk Cache option, 540
- Use Ray Trace Shadows option, 427
- UV coordinates, **308–311**, 308–312
- UV mapping, **288**
- UV Snapshot option, 310
- UV Texture Editor, 310
- UVSnapShot layer, 294

V

- V Wave attribute, 292
- Value Tolerance setting, 531
- vector images, **14**, 14
- vector math, 10
- vector rendering, **458–459**, 458–459
- Venus, 89
- versions, saving, **79**
- vertices
 - attaching to skeletons, 378
 - in NURBS, 100–101, 101–102
 - polygon, 99, 100
 - snapping to, 37
 - for subdivision surfaces, 256

VGA (Video Graphics Array) resolution, 19
 View Compass, 46
 views
 keyboard shortcuts for, 47
 normalizing and denormalizing, 331, 331
 Visor window, 548, 549
 volume, emitter, 535, 535
 Volume Light Dir attribute, 422
 Volume lights, 422, 422
 volumes in vector images, 14
 volumetric lighting, 427–438, 438

W

walk cycles
 Forward Kinematics, 367–373, 369–373
 Inverse Kinematics, 391–393, 391–392
 warm colors, 18, 24
 Water texture, 292
 wave deformers, 396
 websites, suggested, 30
 Wedge Face tool, 109, 109, 113, 113, 135
 wedges for undercarriage, 135
 weight
 in animation, 26–28, 327
 in axe throwing, 333
 weights, painting, 386–388, 387–388
 weld plates, 132
 West zone, hotbox, 64, 64
 wheel arms
 creating, 149, 149
 rigging, 404–406, 404–405
 wheels
 red rocket model, 182–188, 182–187
 connections, 213–214, 213–214
 covers, 206–213, 206–212
 wells, 300–303, 300–303
 steam locomotive
 back, 407–408, 407–408
 creating, 146–149, 146–149
 rigging, 348–349, 348–350, 402–404, 403
 Whiteness attribute, 275
 Widescreen aspect ratio, 20

width
 aspect ratio, 20
 image planes, 171
 resolution, 454
 space, 21
 winch for catapult, 351–352, 352–353
 Window menu, 35
 wine bottle rendering, 470–474, 471–474
 wings, 188–190, 188–191, 305–307, 306–307
 wireframe mode, 48–50
 Wireframe On Shaded option, 135
 wireframes
 for undercarriage, 135
 in vector programs, 14
 wood material, 283–284, 283, 285
 Wood texture, 280
 wooden axe handles, 279–282, 279–282
 work area, Hypershade, 59–60
 work flow, 8–9
 animation, 11
 lighting, 11–12
 modeling, 9–10
 rendering, 12
 texturing, 10–11
 workspace, 32
 World Axis, 21, 21
 World Space, 21
 Wrap U option, 291
 Wrap V option, 291

X

XYZ coordinate space, 21

Y

Y-Axis Rotation setting, 92
 Y Translation keyframes, 316

Z

zones, hotbox, 64, 64