

# Index

## Symbols and Numerics

- (•) bullet, 159, 366
- { } curly braces, 274
- (-) dash, 366
- (|) vertical line, 366
- 404 File Not Found page, creating, 588, 589–590
- 401 Unauthorized Access page, creating, 587–590
- 14–15-inch monitor, 130
- 19 inch monitor, 130
- 96 ppi, setting resolution to, 181
- 17 inch monitor, 130
- 17–19-inch monitor, 130
- 30-inch monitor, 130
- 301 redirect, 213
- 24-inch monitor, 130
- 20-inch monitor, 130
- 20-inch+ monitor, 130

## A

- About page, deciding whether to use, 64
- above the fold, designing, 160–163
- accessibility
  - coding for, 245–247
  - with CSS (Cascading Style Sheets), 272
  - described, 135
  - HTML Site Map, 613–615
  - in layouts, creating, 334
  - standards
    - overview, 503–504
    - Section 508, 504–508
- accesskey attribute, 247–248
- Actionscript, 364
- activating your registered domain name, 555

- active hyperlinks, 293
- Adobe Fireworks CS4 How-Tos: 100 Essential Techniques* (Babbage), 186
- advanced combinators, 293
- A-heads. *See* header graphics
- align attribute, 228–229
- alignment
  - of contents in table cell, 257
  - of graphics, 228–229
  - of tables, 256
  - of text HTML, 222–223
- all media type, 279
- alt attribute, 226–227, 246
- anchor links, 241–243
- <a> anchor tag, 230
- antialiasing, 164–165
- <applet> tag, 218
- Arial fonts, 141
- artists, hiring freelance, 76–77
- artwork for image of site, 15–16
- attributes
  - accesskey, 247, 248
  - align, 228–229
  - alt, 226–227, 246
  - alternate text attribute in an image tag, 245
  - border, 225, 227
  - cellpadding, 258–260
  - cellspacing, 258–260
  - href, 230
  - id, 243–244, 246, 254
  - nowrap, 260
  - overview, 96–97
  - tabindex, 248
  - table title attributes, 246
  - target, 231–232, 247
  - title, 246
- aural media type, 279

## B

- Babbage, Jim (*Adobe Fireworks CS4 How-Tos: 100 Essential Techniques*), 186
- background color for tables, 261–263
- background images, 173
- background style (CSS), 307–310
- <basefont> tag, 218
- BBEdit, 93
- behaviors, 377
- Berners-Lee, Tim (W3C), 485
- biography, 20
- Birley, Shane (*Blogging For Dummies*), 33
- bit depth, 46
- block boxes, 302
- block style (CSS), 310–312
- blocking out parts of the page in mock-ups, 157–160
- blogger, 33
- Blogging For Dummies* (Gardner & Birley), 33
- BlogHarbor, 34
- blogosphere, 33
- blogs
  - advantages of, 36–37
  - content-relevant ads on, 37
  - disadvantages of, 36–37
  - including a blog on your Web site, 25–26
  - overview, 32–33
  - profile, adding a, 35–36
  - tools for creating, 34
  - used to attract visitors, 32–37
- <body> tag, 97–98, 208–209
- bold text, 221–222
- border attribute, 225, 227

- border color for tables, 261–263
- border style (CSS), 314–315
- borders
  - graphics, 225, 227
  - tables, 257–258
- Box model (CSS)
  - absolute positioning for
    - block elements, 304
  - block boxes, 302
  - customizing, 303–304
  - floating position for block elements, 304
  - inline boxes, 303
  - normal position for block elements, 304
  - overview, 301–302
  - positioning blocks, 304
- box style (CSS), 313–314
- Braille media type, 279
- brand
  - above the fold location for, 161
  - described, 148
  - information, providing, 69
  - positioning, 148–149
- Bravenet Site Search, 22
- brochureware Web sites, 12
- Browser Compatibility tool (Dreamweaver), 527–528
- browsers
  - compatibility, checking, 527–528
  - interface component used for FTP (File Transfer Protocol), 574
- building phase
  - described, 10
  - performing code cleanup during, 516
- building Web sites
  - with SSIs (Server-Side Includes), 469–480
  - with templates, 460–468

## C

- Cascading Style Sheets. *See* CSS
- cellpadding attribute, 258–260
- cellspacing attribute, 258–260
- <center> tag, 218
- CGI (Common Gateway Interface), 398
- check box fields in Web forms, 409–410
- Clean Up HTML/XHTML command (Dreamweaver), 520–521
- Clean Up Word feature (Dreamweaver), 518–519
- cleaning up your code, 515–524
- clear property, 313
- ClickTracks, 48
- client
  - preferences of, suggesting the opposite of, 128
  - working with client to make design choices, 125–126
  - writing, getting the client's approval in, 170, 463
- Clients page, deciding whether to use a, 65
- clip property, 320–321
- CMS (Content Management System), 120
- CMYK (Cyan, Magenta, Yellow, and Black) colors, 177–178
- code
  - cleaning up your code
    - building phase, performing code cleanup during, 516

- DTD, converting syntax by, 521–524
- finding and replacing errors, 516–517
- formatting, removing unwanted, 518–519
- HTML syntax, applying consistent, 520–521
- overview, 515–516
- source formatting, applying, 521
- spelling, checking the, 517–518
- XHTML syntax, applying consistent, 520–521
- fixing common code errors
  - browser compatibility, checking, 527–528
  - with built-in testing tools and reports, 525–526
  - links, verifying internal and external, 529–530
  - meta tags, checking, 525
  - overview, 524–526
  - page titles, checking, 525
  - site reports, generating, 530–531
  - validating your markup, 526–527
- hand coding, 214–216, 217
- HTML and CSS markup validation
  - direct input, validation by, 533
  - failing acceptably, 538–539
  - with free online validation tools, 532–536
- icons, adding validation, 540–541
- noncompliant code, fixing, 536–538
- overview, 531
- proof of validation, obtaining, 540–541

- retesting, 538
- upload, validation by, 532
- URL, validation by, 532
- with W3C Markup validator, 533–536
- meta tags, 83
- overview, 217–219
- validation process
  - advantages of using, 510
  - cleaning up your code, 515–524
  - fixing common code errors, 524–531
  - HTML and CSS markup validation, 531–541
  - overview, 510
- code editors, 93–94
- CoffeeCup Free FTP, 574
- collecting and using visitor data, 26
- color
  - CMYK (Cyan, Magenta, Yellow, and Black) colors, 177–178
  - contrasting foreground and background colors, 247
  - conversion tools, 111
  - hexadecimal, 110–114
  - matte, 199, 200, 201
  - in mock-ups, 160
  - mode for Web graphics, 177–178
  - out of gamut, 178–180
  - palette, choosing a, 138–140
  - Pantone color, finding hexadecimal equivalent of, 111–114
  - reduction algorithm for optimization of Web graphics, 197
  - RGB (Red, Green, and Blue) colors, 110, 177–178
  - values for custom hyperlinks, 293–294
  - Web-safe, 108–109
- Color Cache, 140
- color gamut warnings, 178–180
- Color Picker, 179–180
- Color Wheel Pro, 140
- comments
  - adding, 389
  - tags in Dreamweaver templates, 467
- Common Gateway Interface (CGI), 398
- compound styles, 292–294
- contact information, 17
- Contact page, what to include on, 64–65
- content
  - added to cells, 252–253
  - described, 61
  - gathering, 62–63
  - graphics
    - artists, hiring freelance, 76–77
    - copyright issues, 78
    - overview, 73–75
    - stock images, licensing, 77–80
  - lists, 268–269
  - meta-tag data, choosing, 80–84
  - page titles, choosing, 80–82
  - requirements for, defining, 62–70
  - text
    - copywriter, hiring a, 75–76
    - overview, 73–75
  - vision for the site, questions to help determine, 62–70
  - wireframes
    - for every page element, 70
    - for a particular page element, 71
- Content - Language meta tag, 212
- Content - Type meta tag, 213
- Content Management System (CMS), 26, 120
- content of site
  - determining, 16–24
  - marketing and sales content, 18–24
  - minimum requirements to include on a site, 16–18
  - overview, 16
- content-relevant ads on blogs, 29
- contests and sweepstakes
  - used for attracting visitors, 40–41
- contract phase, 10, 43
- conversion rate, 594
- conversion tools, 111
- Convert Syntax command (Dreamweaver), 522
- cookies, 17–18
- copyright issues for graphics, 78
- creativity in navigation systems, 147
- cross-platform fonts, 141, 142
- CS4 Web Premium (Adobe), 105
- CSS Beauty, 331
- CSS (Cascading Style Sheets)
  - accessibility with, 272
  - advantages of, 271–272
  - anatomy of a style, 273–274
  - background style, 307–310
  - block style, 310–312
  - border style, 314–315
  - box model, 301–304
  - box style, 313–314

- CSS (Cascading Style Sheets) (*continued*)
    - combining different types of, 276–277
    - comments, adding, 389
    - compliance information, 23
    - declarations, 274
    - descendant selector style, 343
    - Dreamweaver, linking CSS with, 284–286
    - extension style, 321–322
    - external, 276
    - faster page download time with, 272
    - footers, styling, 322–324
    - formatting
      - advantages of, 500–501
      - examples of, 501–503
      - HTML formatting compared with, 499–500
      - overview, 498–499
    - headers, styling, 322
    - images, styling, 327–328
    - inline, 275
    - internal, 275
    - labeling content for CSS markup, 243–245
    - layers, styling, 329
    - layers-based layout
      - creating, 340–344
      - Dreamweaver templates for, 356–358
      - styling, 344–349
    - linked style sheets, 276
    - linking external CSS to a page, 277–279
    - list menus, 364
    - list navigation menus
      - creating, 385–390
      - overview, 383–385
    - list style, 315–317, 324–326
    - markup, labeling content for, 243–245
    - markup validation
      - direct input, validation by, 533
      - failing acceptably, 538–539
      - with free online validation tools, 532–536
      - icons, adding validation, 540–541
      - noncompliant code, fixing, 536–538
      - overview, 531
      - proof of validation, obtaining, 540–541
      - retesting, 538
      - upload, validation by, 532
      - URL, validation by, 532
      - validation process, 531–541
      - with W3C Markup validator, 533–536
    - master CSS file
      - creating, 295–300
      - overview, 294
    - media types, 279–284
    - online resources for, 329–331
    - overview, 271–272
    - paragraphs, styling, 322
    - positioning style, 317–321
    - print media CSS, adding, 182
  - selectors
    - advanced combinators, 293
    - compound styles, 292–294
    - custom class styles, 286–288
    - custom hyperlinks, 292–294
    - ID style, 290–292
    - multiple selectors, 292
    - overview, 274
    - tag redefine style, 288–290
    - types of, 286
    - site maintenance with, 272
    - style management with, 272
    - tables, styling, 324, 326–327
    - type style, 305–307
    - as Web standard, 272–273
    - .css file extension, 276
  - CSS Vault, 331
  - CSS Zen Garden, 330–331, 501–503
  - { } curly braces, 274
  - cursor property, 321
  - custom class styles, 286–288
  - custom hyperlinks
    - color values for, 293–294
    - overview, 292
  - custom server-based
    - search tool, 21
  - customer service
    - of hosting plans, 557
    - overview, 23
  - CuteFTP, 574
  - Cyan, Magenta, Yellow, and Black (CMYK) colors, 177–178
  - Cyberduck, 574
- 

## D

- daily blog entries, 457
- daily interactive content, 452–457
- daily tip or news item, 452–456
- daily word game, 457
- data encryption, 396–398
- data transfer and page views, 559

- database
    - described, 24
    - need for, determining, 26–27
    - uses for, 24–25
  - Davidson, Mike (sIFR fonts), 143
  - declarations
    - CSS (Cascading Style Sheets), 274
    - DOCTYPEs (DTDs), 490
  - dedicated IP address, 559
  - deep menus, 362–363
  - definition (DTDs), 490
  - Delorie, 514
  - dependent files, transferring, 582
  - deprecated tags, 218–219
  - descendant selector style (CSS), 343
  - Description meta tag, 212, 601
  - design phase, 10
  - design theme, 125–129
  - “Designer’s Guide to Photoshop DVD” (Jenkins), 186
  - DHTML (Dynamic HyperText Markup Language), 365
  - DHTML menus, 365
  - Diallo, Amadou (photographer), 147
  - <dir> tag, 218
  - direct input, validation by, 533
  - display property, 311–312
  - display resolution, 46
  - dithering, 198–199
  - DNS transfer, 555
  - DOCTYPEs (DTDs)
    - adding, 209–211
    - choosing, 210
    - converting syntax by, 521–524
    - included in Web code, 485
    - overview, 209–210, 489
  - document relative paths, 477
  - domain names
    - availability of, checking, 550–553
    - finding a domain name for your client, 549
    - overview, 545–547
    - registering
      - activating your registered domain name, 555
      - with domain registrar, 553–554
      - with host provider, 554–555
    - overview, 553
    - selecting, 546–553
    - using domain name generators, 549–550
  - domain pointer, 560
  - DomainsBot, 552–553
  - dots per inch (dpi), 180
  - downloading files, 582
  - Dreamweaver (Adobe)
    - behaviors, 377
    - Browser Compatibility tool, 527–528
    - Clean Up HTML/XHTML command, 520–521
    - Clean Up Word feature, 518–519
    - Convert Syntax command, 522
    - DOCTYPE, adding, 493–495
    - image maps added to graphics, 440–441
    - Link Checker tool, 529–530
    - linking CSS with, 284–286
    - multimedia files, adding, 444–447
    - multipart rollover effects, creating, 427–432
    - overview, 95
    - remote FTP connection, setting up a, 576–579
    - rollovers in, 377–379
    - sound, adding, 450–452
    - Spry Menu Bar widget, 379–380
    - templates
      - comment tags in, 467
      - creating, 464–465
      - creating a template with editable regions, 465–467
      - preparing a page to become a template, 462–463
      - template-based page, creating a, 467–468
      - used to transfer files, 582–585
  - Dreamweaver CS4 All-in-One For Dummies* (Jenkins), 462
  - DTDs. *See* DOCTYPEs
  - duplicate page
    - submissions, avoiding, 597
  - Dynamic HyperText Markup Language (DHTML), 365
- 
- ## E
- 
- e-commerce component, deciding whether to use a, 66
  - <em> tag, 97, 221–222
  - e-mail
    - HTML e-mail or newsletter, building a, 351–356
    - hyperlinks for, 237–238
    - spam, protecting your e-mail addresses from, 238–239
  - embossed media type, 279

- e-newsletters used for attracting visitors, 28–30
- errors, finding and replacing, 516–517
- ethical techniques for Search Engine Optimization (SEO), 595–597
- Evans, Brian (form-processing script creator), 398
- event handler scripts, 372
- Events page, deciding whether to use a, 66
- expandable layout, 132–137
- Expression Web (Microsoft), 95
- eXtensible HyperText Markup Language. *See* XHTML
- eXtensible Markup Language (XML), 489
- extension style (CSS), 321–322

## F

---

- failing acceptably, 538–539
- FAQs (frequently asked questions), 21
- faster page download time with CSS, 272
- federal privacy laws for Web forms, 392
- Fetch, 574
- file extensions, 100–101
- file formats for Web graphics
  - choosing, 195–196
  - comparison of, 192
  - GIF (Graphic Interchange Format), 193–196
  - JPG (Joint Photographic Experts Group) format, 194–196
  - overview, 191–193
  - PNG (Portable Network Graphics) format, 195–196
  - file size for Web graphics, 182
- File Transfer Protocol. *See* FTP
- filenames, choosing, 100–101
- FileZilla, 574
- filter property, 321–322
- final site testing, performing, 585–587
- FindLegalForms Privacy Policy, 17–18
- Terms of Use Agreement, 22
- finishing the project, 619–620
- Fireworks (Adobe)
  - for optimization of Web graphics, 184
  - outputting rollovers in, 374–377
  - overview, 105
  - slicing Web graphics, 187–191
- 508 compliance information, 23
- fixed-width layout, 132–137
- Flash menus, 364–365
- FlashFXP, 574
- fluid design, 132
- font sets, 141–142
- <font> tag, 218
- font-family property, 305
- fonts
  - Arial, 141
  - cross-platform, 141, 142
  - Georgia, 141
  - graphics containing text, fonts in, 140–141
  - layout and design decisions, 140–142
  - list of safe-to-use HTML fonts, 141
  - Macintosh computers used to view, 142
  - in mock-ups, 159
  - sIFR, 143
  - text, 140–142
  - Verdana, 141
- font-size property, 306
- font-style property, 306
- font-variant property, 307
- font-weight property, 306
- footer
  - accessibility coding, 247
  - overview, 18
  - styling, 322–324
- form input tag labels, 248
- <form> tags, 400
- formatting HTML (HyperText Markup Language), 96–97
- lists, 268–269
- removing unwanted, 518–519
- tables
  - alignment of contents in table cell, 257
  - alignment of table, 256
  - background color, 261–263
  - border color, 261–263
  - borders, 257–258
  - cellpadding attribute, 258–260
  - cellspacing attribute, 258–260
  - headers, 260
  - height of table, 254
  - id attribute, adding, 254
  - nesting tables, 264
  - nowrap attribute, 260
  - overview, 253
  - splitting and merging table cells, 260–261

- tiling background
    - images, 263
    - width of table, 254–256
  - forms
    - check box fields in, 409–410
    - creating, 401–412
    - deciding what visitor information to collect on, 392–394
    - federal privacy laws for, 392
    - graphics used in place of buttons in, 412
    - hidden fields in, 405
    - individual form fields, adding, 406–412
    - list/menu fields in, 407–408
    - overview, 392–394
    - radio button fields in, 410–411
    - relevant information, collecting only, 393
    - security issues
      - data encryption, using, 396–398
      - overview, 394
      - shared SSL, using, 396
      - SSL digital security certificates, using, 394–396
      - third-party services used for credit card processing, 396
    - simplifying collection of information on, 393–394
    - Spry validation
      - adding Spry validation fields to a form, 417–419
      - overview, 416
      - widgets for, 416–417
    - structure of
      - creating, 401–405
      - overview, 400–401
    - text fields in, 406–407
    - Thank You page, 397–399
    - validating
      - adding a Validate Form behavior to an existing form, 413–416
      - overview, 412–413
      - Spry validation, 416–419
      - testing the validation, 416, 419–421
  - 404 File Not Found page, creating, 588–590
  - 401 Unauthorized Access page, creating, 587–590
  - 14–15-inch monitor, 130
  - The Free Dictionary Web site, 457
  - freeware
    - code editors, 93
    - color picker, 111
    - graphics software applications, 105
    - online image map editor, 439
    - online validation tools, 532–536
    - for optimization of Web graphics, 184
  - frequently asked questions (FAQs), 21
  - FTP Client, 574
  - FTP (File Transfer Protocol)
    - browser interface component used for, 574
    - choosing program for, 572–574
    - dependent files, transferring, 582
    - downloading files, 582
    - Dreamweaver used to transfer files, 582–585
    - integrated software program for, 573
    - Internet control panel used for, 573
    - overview, 572
    - putting files on the remote server, 582
    - remote connection, setting up a, 575–579
    - stand-alone software program for, 572–574
    - uploading files, 582
  - Fugu SFTP, 574
  - FusionBot Free Package, 22
- 
- G
- Gardner, Susannah (*Blogging For Dummies*), 33
  - general site navigation element of wireframes, 70
  - general steps for organizing site content, 85–86
  - general usability of navigation system, 361
  - Georgia fonts, 141
  - GIF settings, 197–200
  - global hyperlinks, 230–231
  - “Going to Print” (Meyer), 182
  - GoLive (Adobe), 95
  - Google AdWords, 594, 595
  - Google Analytics, 48
  - Google Checkout, 116
  - Google Site Search, 21–22, 453
  - graphics
    - above the fold location for information about products/services/benefits, 161
    - additional Web graphics, creating, 171–173

- graphics (*continued*)
    - CMYK (Cyan, Magenta, Yellow, and Black) colors, 177–178
    - color gamut warnings, 178–180
    - color mode for, 177–178
    - containing text, 140–141
    - copyright, 78
    - dithering, 198–199
    - elements to appear on every page, determining, 68–69
    - file formats for
      - choosing, 195–196
      - comparison of, 192
      - GIF (Graphic Interchange Format), 193–196
      - JPG (Joint Photographic Experts Group) format, 194–196
      - overview, 191–193
      - PNG (Portable Network Graphics) format, 195–196
    - file size for, 182
    - fonts in, 140–141
    - gathering
      - artists, hiring freelance, 76–77
      - copyright issues, 78
      - overview, 73–75
      - stock images, licensing, 77–80
    - HTML, 223–229
    - hyperlinks, 234–237
    - ICC profile, 201
    - image maps, adding, 440–441
    - Internet connection speeds and, 198
    - jaggies, 201
    - lossy compression format, 198
    - matte color, 199–201
    - optimization of
      - color reduction
        - algorithm for, 197
      - Fireworks used for, 184
      - freeware for, 184
      - GIF settings, 197–200
      - guidelines for, 197
      - ImageReady used for, 184
      - JPG settings, 200–201
      - naming conventions for, 202
      - output options for, 201–204
      - overview, 183
      - PNG-8 settings, 197–200
      - PNG-24 settings, 200
      - previewing, 187
      - program for, choosing, 107, 183–184
      - Save for Web & Devices (Photoshop & Illustrator) used for, 184–186
        - settings for, 196–201
    - overview, 176–182, 223–224
    - page size for, 182
    - print graphics, 176–177
    - printable, 181–182
    - programs, 102–107
    - raster programs for, 176
    - resolution, 180–182
    - RGB (Red, Green, and Blue) colors, 177–178
    - slicing
      - drag and release used for, 187
      - in Fireworks, 187–191
      - guides, creating slices from, 187–189
      - in Illustrator, 187–191
      - in ImageReady, 187–191
      - overview, 186–187
      - in Photoshop, 187–191
      - Slice tool used for, 187–189
    - styling, 327–328
    - transparency settings, 199, 200
    - unit of measure for, 182
    - used in place of buttons in Web forms, 412
    - vector programs for, 176
  - graphics software
    - applications
      - cost comparison chart for, 106–107
      - freeware, 105
      - graphics programs, 102–107
      - overview, 102
      - raster (bitmap) programs, 102–107
      - shareware, 105
      - vector programs, 102–107
      - Web graphic optimization programs, 107
    - greeked text, 71–72
    - grid system, designing layouts using, 150–151
    - Grigg, Kurt (Comet Trail script), 425
    - GUI (graphical user interface), 148–152
    - guides, creating slices from, 187–189
- 
- ## H
- <h1> tag, 220–221
  - <h2> tag, 220–221
  - <h3> tag, 220–221
  - <h4> tag, 220–221
  - <h5> tag, 220–221
  - <h6> tag, 220–221
  - hand coding your pages, 214–217
  - handheld media type, 279
  - hand-submitting the URL to search engines, 605–608
  - hard drive space, 559

- Harris, Andy (*HTML, XHTML, and CSS All-in-One Desk Reference For Dummies*), 182
- <head> tag, 97, 208–209
- header graphics, 171–172, 220–221, 260, 322
- heading tags, 220–221
- height of table, 254
- height property
- box style (CSS), 313
  - positioning style (CSS), 318
- hexadecimal values for colors, 110–114
- hidden fields in Web forms, 405
- hidden text, avoiding, 596
- home page
- information on, 16–17
  - keywords on, 17
  - mock-ups for, 157
  - naming, 101
- host provider, registering
- domain names with, 554–555
- hosting plans
- cancellation policy of, 557
  - customer service of, 557
  - data transfer and page views, 559
  - dedicated IP address, 559
  - domain pointer, 560
  - evaluating hosting plan packages, 557–560
  - features of, 558–560
  - hard drive space, 559
  - overview, 555
  - referrals for, 557
  - researching, 555–557
  - site access of, 557
  - uptime, 559
  - user accounts, 559
  - Web-based statistics, 559
- hotspots, 442–443
- hover hyperlinks, 293
- href attribute, 230
- .htaccess file, editing, 590–591
- HTML (HyperText Markup Language). *See also* HTML tags
- accessibility coding
- access keys, 247
  - alternate text attribute in an image tag, 245
  - contrasting foreground and background colors, 247
- footer links, 247
- form input tag labels, 248
- hyperlink targets, 247
- link tags, 246
- long description, 246
- object labels, 246
- overview, 245
- site map page, 247
- tab index, 248
- table title attributes, 246
- title attribute for
- hyperlinks, 246
  - title tag, 245
- attributes, 96–97, 217
- basic HTML, setting up
- <body> tag, 208–209
  - coding pages by hand, 214–216
  - DOCTYPE, adding a, 209–211
  - <head> tag, 208–209
  - <html> tag, 208–209
  - meta tags, adding, 211–214
  - overview, 208–209
  - page title, adding a, 209
- building a Web page, 98–100
- coding your pages
- by hand, 214–217
  - overview, 217–219
  - using code editor, 217
- compliance information, 23
- CSS markup, labeling
- content for, 243–245
  - deprecated tags, 218–219
  - described, 92
  - DOCTYPEs (DTDs), 491–492
- e-mail or newsletter, building a, 351–356
- file extensions, 100–101
- files, adding media-dependent style sheets to your, 282–284
- formatting, 96–97
- graphics
- alignment, 228–229
  - alternative text used for, 226–227
  - borders for, 225, 227
  - organizing, 223
  - overview, 223–224
  - padding, 227–228
  - sizing, 225
  - textual description of, 224
- <head> tag, 97
- hyperlinks
- for e-mail, 237–238
  - (frames only) window or parent, opening link in, 233
  - global, 230–231
  - for graphics, 234–237
  - image map links, 239–240
  - local, 230–231
  - locations for opening, 231–233
  - named anchor links, 241–243
  - named window or frame, opening link in, 232
  - new window, opening link in, 232
  - overview, 229–230
  - same window, opening link in, 232

- HTML (HyperText Markup Language) (*continued*)
    - list of safe-to-use HTML fonts, 141
    - marking text as, 140
    - markup validation
      - direct input, validation by, 533
      - failing acceptably, 538–539
      - with free online validation tools, 532–536
    - icons, adding validation, 540–541
    - noncompliant code, fixing, 536–538
    - overview, 531
    - proof of validation, obtaining, 540–541
    - retesting, 538
    - upload, validation by, 532
    - URL, validation by, 532
    - validation process, 531–541
    - with W3C Markup validator, 533–536
  - page content
    - graphics, adding, 223–229
    - overview, 219
    - text, adding, 219–223
  - rules for, 497–498
  - semantics, 217–218
  - structure of, 95–97
  - syntax, applying
    - consistent, 520–521
  - text
    - adding, 219–223
    - alignment, 222–223
    - bold, 221–222
    - headings, 220–221
    - italic, 221–222
    - title tag, 98
    - writing semantic, 495–498
  - XHTML compared, 95–96, 497–498
  - HTML Site Map
    - accessibility, 613–615
    - creating, 611–613
    - what to include on, 609–610
  - HTML tags
    - <a> tag, 230
    - <applet> tag, 218
    - <basefont> tag, 218
    - <body> tag, 97–98, 208–209
    - <center> tag, 218
    - deprecated tags, 218–219
    - <dir> tag, 218
    - <em> tag, 97, 221–222
    - <font> tag, 218
    - <form> tags, 400
    - <h1> tag, 220–221
    - <h2> tag, 220–221
    - <h3> tag, 220–221
    - <h4> tag, 220–221
    - <h5> tag, 220–221
    - <h6> tag, 220–221
    - <head> tag, 97, 208–209
    - heading tags, 220–221
    - <html> tag, 208–209
    - <img> tag, 223–224
    - <isindex> tag, 218
    - <menu> tag, 218
    - overview, 96–97
    - <p> tag, 97
    - <s> tag, 218
    - <strike> tag, 218
    - <strong> tag, 97, 221–222
    - <title> tag, 98
    - <u> tag, 218
  - HTML, XHTML, and CSS All-in-One Desk Reference For Dummies* (Harris & McCulloh), 182
  - hyperlinks
    - accessibility coding, 247
    - active, 293
    - custom
      - color values for, 293–294
      - overview, 292
    - for e-mail, 237–238
    - (frames only) window or parent, opening link in, 233
    - global, 230–231
    - for graphics, 234–237
    - hover, 293
    - image map links, 239–240
    - local, 230–231
    - locations for opening, 231–233
    - named anchor links, 241–243
    - named window or frame, opening link in, 232
    - new window, opening link in, 232
    - normal, 293
    - null links, 437
    - overview, 229–230
    - same window, opening link in, 232
    - Search Engine Optimization (SEO), 600
    - verifying internal and external, 529–530
    - visited, 293
  - HyperText Markup Language. *See* HTML
- 
- 1
- ICC profile, 201
  - icons, adding validation, 540–541
  - id attribute, 243–244, 246, 254
  - ID style selectors (CSS), 290–292

ideal site visitor, 52–55  
 Illustrator (Adobe)  
   overview, 102–103  
   slicing Web graphics, 187–191  
 image maps  
   complex image maps, building, 441–443  
   free online image map editor, 439  
   graphic, adding an image map to a, 440–441  
   hotspots, 442–443  
   hyperlinks, 239–240  
   overview, 439  
 image of site, 15–16  
 image padding, avoiding, 596  
 ImageReady (Adobe)  
   overview, 107  
   slicing Web graphics, 187–191  
   used for optimization of Web graphics, 184  
 <img> tag, 223–224  
 industry-specific pages, deciding whether to use, 67  
 inline boxes, 303  
 inline CSS (Cascading Style Sheets), 275  
 Inman, Shaun (IFR font system), 143  
 intentionally adding an error to mock-ups, 169  
 interactivity  
   daily interactive content, 452–457  
   Google Site Search, 453  
   image maps, 439–443  
   with JavaScript, 424–426  
   multimedia files, 444–452  
   with multipart rollover effects, 426–432  
   new browser window, 432–439

internal CSS (Cascading Style Sheets), 275  
 Internet usage statistics, 45–48  
 intranet, 132  
 <isindex> tag, 218  
 italic text, 221–222

---

## J

jaggies, 201  
 Java applets menus, 365  
 JavaScript  
   converting a daily tip JavaScript into an external .js file, 455–456  
   described, 47  
   free resources for, 425  
   interactivity with, 424–426  
   multitier menus, 364  
   percentage of Internet users leaving JavaScript enabled in their browsers, checking, 47  
   W3Schools tutorial for, 426  
 Jenkins, Sue  
   “Designer’s Guide to Photoshop DVD,” 186  
   *Dreamweaver CS4 All-in-One For Dummies*, 462  
 JPG settings, 200–201

---

## K

keyword spamming, 600  
 keywords  
   described, 17  
   on home page, 17  
   limited power of, 83  
   meta tags for, 83

Search Engine  
   Optimization (SEO)  
   described, 598  
   maximizing, 598–600  
   meta tags for, adding, 601–603  
   searches for similar companies, performing, 48–51  
 Keywords meta tag, 212, 601

---

## L

languages, deciding if text needs to appear in multiple, 67–68  
 layers  
   overview, 337–338  
   styling, 329  
 layouts  
   accessible layouts, creating, 333  
   checklist, 150–151  
   design decisions  
     color palette, choosing a, 138–140  
     expandable layout, 132–137  
     fixed-width layout, 132–137  
     fonts, choosing, 140–142  
     overview, 129–130  
     printing the layout, choosing a method for, 137  
     size for site, choosing, 130–132  
 layers-based layouts  
   adding a layer to a page, 338–339  
   advantages of, 336  
   CSS layers-based layout, creating, 340–344  
   CSS layers-based layout, Dreamweaver templates for, 356–358

layouts (*continued*)

- CSS layers-based layout, styling, 344–349
- online resources for, 356–358
- overview, 336, 338
- tables-based layouts compared, 336
- options for text navigation menus, 366–367
- standards-compliant layouts, creating, 333–334
- tables-based layouts
  - advantages of, 349–350
  - HTML e-mail or newsletter, building a, 351–356
  - overview, 349–351
- LCD monitors, resolutions for, 130
- Link Checker tool (Dreamweaver), 529–530
- links. *See* hyperlinks
- liquid design, 132
- list/menu fields in Web forms, 407–408
- lists
  - content, adding, 268–269
  - creating, 266–268
  - formatting, 268–269
  - nested, 266–268
  - ordered, 264–265
  - overview, 264
  - styling, 324–326
  - types of, 264–265
  - unordered, 264–265
- local hyperlinks, 230–231
- lossy compression format, 195, 198
- LZW (Lempel-Ziv-Welch) lossless compression, 193

## M

- Macintosh computers used to view fonts, 142
- MailChimp Resource Center, 30, 356
- marketing and sales
  - content of site
    - biography, 20
    - company information, 19
  - CSS compliance information, 23
  - customer service (help), 23
  - 508 compliance information, 23
  - frequently asked questions (FAQs), 21
  - HTML compliance information, 23
  - news and press information, 20
  - overview, 118–19
  - portfolio, 21
  - product/service information, 20
  - RSS feeds, 24
  - shopping cart, 22–23
  - site credits, 23
  - site search, 21–22
  - terms of service, 22
  - video and podcasts, 20–21
  - XHTML compliance information, 23
- markup language, 92. *See also* HTML
- Mascheck, Adam (free online image map editor), 439–440
- master CSS file, 294–300
- matte color, 199–201
- Max Design, 331
- Max Design Web Standards Checklist, 488

- McCulloh, Chris (*HTML, XHTML, and CSS All-in-One Desk Reference For Dummies*), 182
- media types (CSS), 279–284
- <menu> tag, 218
- merchant account, 118
- meta tags
  - adding, 211–214, 601–603
  - checking, 525
  - coding, 83
  - Content - Language meta tag, 212
  - Content - Type meta tag, 213
  - data, choosing, 80–81, 82–84
  - for description, 82–83
  - Description meta tag, 212
  - for keywords, 83
  - Keywords meta tag, 212
  - location for, 211
  - overview, 82, 84, 211
  - refresh meta tag, 213
  - revised meta tag, 213
  - robots meta tag, 212
  - using, 213–214
  - viewing, 49
- Meyer, Eric (“Going to Print”), 182
- minimum requirements to include on a site, 16–18
- mock-ups
  - above the fold, designing, 160–163
  - additional Web graphics, creating, 171–173
  - background images in, 173
  - blocking out parts of the page, 157–160
  - changes, making, 170
  - checklist for, 167
  - color in, 160
  - creating, 157–166
  - described, 157

design unification as  
 reason for creating, 154  
 easy modification as  
 reason for creating, 154  
 fonts in, 159  
 header graphics in,  
 171–172  
 for home page, 157  
 including navigation links  
 in rollover state,  
 167–168  
 intentionally adding an  
 error to, 169  
 navigation links in, 159  
 presentation of, 169–171  
 reasons for creating,  
 154–155  
 reviewing, 166–167  
 revisions, limiting number  
 of, 155  
 rollover graphics in, 172  
 satisfaction as reason for  
 creating, 155  
 site map as starting point  
 for, 155–156  
 squint test for, 165  
 subnavigation, showing,  
 167–168  
 tips for designing, 162  
 unifying the layout with  
 design elements,  
 163–166  
 visual representation as  
 reason for creating, 154  
 written client approval on  
 design, importance of,  
 170  
 monthly processing fees,  
 118  
 Morris, Tee (*Podcasting For  
 Dummies*), 21  
 mouseover state, 167  
 multimedia files, 444–452  
 multipart rollover effects,  
 426–432  
 multitier menus, 363

## N

named anchor links,  
 241–243  
 named window or frame,  
 opening link in, 232  
 naming home page, 101  
 navigation system  
 assessing the navigational  
 needs of your site,  
 360–361  
 choosing, 364–366  
 creativity in, 147  
 CSS list navigation menus,  
 383–390  
 deep menus, 362–363  
 DHTML menus, 365  
 examples of, 144  
 expandability of, 361  
 Flash menus, 364–365  
 forms (jump) menus, 364  
 general usability of, 361  
 Java applets menus, 365  
 JavaScript multitier  
 menus, 364  
 location of, 145  
 main navigation links, 360  
 multitier menus, 363  
 multitier Spry menus in  
 Dreamweaver  
 creating, 380–383  
 overview, 379–380  
 non-navigational links,  
 360  
 overview, 142–144, 361  
 researching, 145  
 rollover button graphic  
 navigation menus  
 building rollovers,  
 372–373  
 Dreamweaver, creating  
 rollovers in, 377–379  
 event handler scripts in,  
 372  
 Fireworks, outputting  
 rollovers in, 374–377  
 overview, 371  
 preload scripts in, 372  
 rollover scripts in, 372  
 rollover menus, 364  
 single-tier menus, 363  
 source code for, 145  
 style of, 145  
 submenus in, 146  
 subnavigation links, 360  
 target audience of, 361  
 text navigation menus,  
 366–371  
 text-only menus, 364  
 tree-style menus, 365  
 usability of, 142  
 Web application menus,  
 365  
 wide menus, 362  
 nested lists, 266–268  
 nested templates, 461  
 nesting tables, 264  
 netiquette, 29, 31  
 Network Solutions, 550–551  
 new browser window  
 Dreamweaver used to add  
 pop-up window,  
 436–439  
 hand-coding script to  
 launch pop-up window,  
 434–436  
 launching, 432–439  
 when to launch, 432–434  
 new content, regularly  
 adding, 617–619  
 new window, opening link  
 in, 232  
 news and press information  
 overview, 12  
 releases page, deciding  
 whether to use a  
 news/press, 66  
 19-inch monitor, 130  
 96 ppi, setting resolution  
 to, 181

noncompliant code, fixing, 536–538  
non-navigational links, 360  
nowrap attribute, 260  
null links, 437

### O

---

object descriptions, embedding, 600–601  
object labels, 246  
offline site updates, 616–617  
“Online Contest or Illegal Lottery?” (Rothkin), 40–41  
online resources  
  for CSS (Cascading Style Sheets), 329–331  
  for Internet usage statistics, 45–47  
  for layers-based layouts, 356–358  
online site updates, 616  
ordered lists, 264–265  
output options for optimization of Web graphics, 201–204  
overflow property, 320  
oversubmitting, avoiding, 597

### P

---

<p> tag, 97  
padding graphics, 227–228  
padding property, 313  
page content (HTML), 223–229  
page headers. *See* header graphics  
page layout programs, 103–104  
page titles  
  adding, 209

  checking, 525  
  choosing, 80–82  
page-break-before/-after property, 321  
Pantone color, finding hexadecimal equivalent of, 111–114  
paragraphs, styling, 322  
parsing, 470  
paths  
  adjusting paths in an SSI file from document relative to site-root relative, 478–479  
  document relative, 477  
  edited to work with SSIs, 478–479  
  site-root relative, 477–478  
PayPal, 22, 115–116  
pay-per-click Internet advertising, 594  
perspective of visitors, 58–59  
phases of a Web project, 10–11  
Photoshop (Adobe)  
  overview, 102–103  
  slicing Web graphics, 187–191  
pixels per inch (ppi), 180–181  
placeholder page  
  customization of creating the page, 563–566  
  overview, 562  
  styling the page, 566–568  
described, 545  
  overview, 560–562  
  uploading, 568–570  
placement (left, top, right, bottom) property  
  positioning style (CSS), 320  
planning phase, 10

PNG-8 format, 195, 197–200  
PNG-24 format, 195, 200  
*Podcasting For Dummies* (Morris, Tomasi, & Terra), 21  
podcasts, 20–21  
polls and calculators used for attracting visitors, 37–40  
position property, 317–318  
positioning blocks, 304  
positioning style (CSS), 317–321  
prelaunch testing  
  on multiple browsers, 511–514  
  on multiple platforms, 511–514  
  overview, 510–511  
  testing a page, 514–515  
  with third-party testing tools, 515  
  Web-testing checklist, 511  
print graphics, 176–177  
print media type, 280  
printable Web graphics, 181–182  
printing the layout, choosing a method for, 137  
privacy policy, 17–18  
Products page, deciding whether to use a, 65–66  
products/services Web site database, 18  
professional portfolio, purpose of site as, 12  
profile, adding a, 35–36  
programmers  
  dynamic content needs determining the hiring of, 119–120  
  finding, 121–122  
  when to hire, 119–121

projection media type, 280

publishing your site

- final site testing, performing, 585–587
- 404 File Not Found page, creating, 588–590
- 401 Unauthorized Access page, creating, 587–590

FTP (File Transfer Protocol)

- browser interface component used for, 574
- choosing program for, 572–574
- dependent files, transferring, 582
- downloading files, 582
- Dreamweaver used to transfer files, 582–585
- integrated software program for, 573
- Internet control panel used for, 573
- overview, 572
- putting files on the remote server, 582
- remote connection, setting up a, 575–579
- stand-alone software program for, 572–574
- uploading files, 582
- .htaccess file, editing, 590–591
- overview, 591–592
- test directory
  - creating, 580–581
  - deleting, 591–592
  - overview, 579–580
- purpose of site, 11–14

---

## Q

---

questions

- for determining vision for the site, 62–70
- to help define ideal site visitor, 53–55

QuickMenu, 145

QuickTime Player, 450, 451

---

## R

---

radio button fields in Web forms, 410–411

raster (bitmap) programs. *See also* Photoshop (Adobe)

- overview, 102–107
- for Web graphics, 176

RealPlayer, 450–451

referrals for hosting plans, 557

refresh meta tag, 213

registering domain names

- activating your registered domain name, 555
- with domain registrar, 553–554
- with host provider, 554–555
- overview, 553

relevancy of site, 616–619

remote connection, setting up a, 575–579

repeating regions in templates, 461

research on your competition

- evaluating competitors' sites, 51–52
- industry-related associations and organizations as source for, 52

keyword searches for similar companies, performing, 48–51

meta tags, viewing, 49

overview, 48

search engine used for, 49–51

summary of facts, writing out a, 52

resolution

- for LCD monitors, 130
- 96 ppi, setting resolution to, 181
- Web graphics, 180–182

resources

- for JavaScript, 425
- online resources
  - for CSS (Cascading Style Sheets), 329–331
  - for Internet usage statistics, 45–47
  - for layers-based layouts, 356–358
  - for Web standards, 488
- revised meta tag, 213

revisions, limiting number of, 155

RGB (Red, Green, and Blue) colors, 110, 177–178

rights-managed (RM) images, 77–80

robots, 597

robots meta tag, 212

rollover button graphic navigation menus, 371–379

rollover buttons, 47

rollover graphics, 172

rollover menus, 364

rollover scripts, 372

rollover state, 167

rollover text-based navigation bar, creating a, 367–371

Rothkin, Ira (“Online Contest or Illegal Lottery?”), 40–41  
 royalty-free (rf) images, 77–80  
 RSS feeds, 24, 67

## S

<s> tag, 218  
 same window, opening link in, 232  
 Save for Web & Devices (Photoshop & Illustrator) used for optimization of Web graphics, 184–186  
 saving Web files, 100–101  
 Scalable Inman Flash Replacement (sIFR) fonts, 143  
 scheduling site updates, 617  
 screen media type, 280  
 Search Engine Optimization (SEO)  
   cheating, avoiding, 597  
   conversion rate, 594  
   descriptive text, including, 600  
   duplicate page submissions, avoiding, 597  
   ethical techniques for, 595–597  
   hidden text, avoiding, 596  
   hyperlinks, including, 600  
   image descriptions, embedding, 600–601  
   image padding, avoiding, 596  
   keywords  
   described, 598  
   maximizing, 598–600  
   meta tags for, adding, 601–603

meta tags, adding  
   keyword and description, 601–603  
 object descriptions, embedding, 600–601  
 oversubmitting, avoiding, 597  
 overview, 594  
 robots, 597  
 spiders, 597  
 submitting a site to search engines  
   hand-submitting the URL, 605–608  
   overview, 605  
   tools for, 606  
   waiting for site to be listed, 608  
 tag padding, avoiding, 596  
 titles, updating bland page, 603–605  
 traffic, 594  
 searching with Google, 453  
 Section 508, 504–508  
 Secure Sockets Layer. *See* SSL  
 security  
   shopping cart transactions, 118–119  
   spam, protecting your e-mail addresses from, 238–239  
 SSL (Secure Sockets Layer), 118–119  
 Web forms  
   data encryption, using, 396–398  
   overview, 394  
   shared SSL, using, 396  
   SSL digital security certificates, using, 394–396  
 third-party services used for credit card processing, 396

selectors (CSS)  
   advanced combinators, 293  
   compound styles, 292–294  
   custom class styles, 286–288  
   custom hyperlinks, 292–294  
   ID style, 290–292  
   multiple selectors, 292  
   overview, 274  
   tag redefine style, 288–290  
   types of, 286  
 selling products, purpose of site as, 12  
 semantics, 217–218  
 SEO. *See* Search Engine Optimization  
 separate CSS files for different media types, creating, 280–282  
 Server-Side Includes. *See* SSIs  
 Services page, deciding whether to use a, 66  
 services, purpose of site to market, 12  
 setup and application fees, 118  
 17-inch monitor, 130  
 17–19-inch monitor, 130  
 SGML (Standard Generalized Markup Language), 489  
 shared SSL, using, 396  
 shareware, 105  
 Shea, Dave (CSS Zen Garden), 330  
 shopping carts, 22–23, 114–119  
 sIFR fonts, 143  
 Simple Mail Transfer Protocol (SMTP), 399  
 site credits, 23  
 site launch phase, 10

- site maintenance
    - with CSS (Cascading Style Sheets), 272
    - performing, 616–617
  - site maps
    - accessibility coding, 247
    - building, 87–90
    - HTML Site Map
      - accessibility, 613–615
      - creating, 611–613
      - what to include on, 609–610
    - overview, 18, 87–88, 608–609
    - reviewing, 90
    - as starting point for mock-ups, 155–156
    - steps for creating, 88–90
    - working from a, 155–156
  - site reports, generating, 530–531
  - site search, 21–22
  - site-root relative paths, 477–478
  - Slice tool, 187–189
  - slicing, 186–191
  - slide shows, creating, 447–450
  - small- to medium-sized
    - business, statement of purpose for, 14
  - smaller Web site projects, organizing site content for, 86
  - SmartFTP, 574
  - SMTP (Simple Mail Transfer Protocol), 399
  - sound, adding, 450–452
  - source code for navigation systems, 145
  - source formatting, applying, 521
  - sources for stock images, 78–80
  - spam, protecting your
    - e-mail addresses from, 238–239
  - spelling, checking the, 517–518
  - spiders, 597
  - splitting and merging table cells, 260–261
  - Spry Menu Bar widget (Dreamweaver), 379–380
  - Spry validation
    - adding Spry validation fields to a form, 417–419
    - overview, 416
    - widgets for, 416–417
  - squint test for mock-ups, 165
  - SSIs (Server-Side Includes)
    - creating SSIs, 472–475
    - editing an SSI file, 471
    - “file” used in SSI link, 475
    - guidelines for using SSIs, 471–472
    - including an SSI file inside a page, 469–470
    - including SSIs, 472–475
    - overview, 469
    - paths edited to work with SSIs, 478–479
    - templates compared, 479–480
    - testing SSIs, 475
    - “virtual” used in SSI link, 472, 475
    - when to use, 480
  - SSL (Secure Sockets Layer)
    - overview, 118–119
    - in Web forms, 394–396
  - Standard Generalized Markup Language (SGML), 489
  - standards-compliant code, importance of writing, 484–485
  - standards-compliant
    - layouts, creating, 333–334
  - statement of purpose, 13–14
  - stickiness of Web site, 21, 33
  - stock images, 77–80
  - `<strike>` tag, 218
  - `<strong>` tag, 97, 221–222
  - style management with CSS (Cascading Style Sheets), 272
  - style property, 314
  - submenus in navigation systems, 146
  - submitting a site to search engines
    - overview, 605
    - Search Engine Optimization (SEO)
      - hand-submitting the URL, 605–608
      - overview, 605
      - tools for, 606
      - waiting for site to be listed, 608
  - subnavigation in mock-ups, showing, 167–168
  - subnavigation links, 360
  - summary of facts, writing out a, 52
  - sweepstakes used for attracting visitors, 32–33
  - SWOP (standard Web offset press), 178
- 
- ## T
- tab index, 248
  - tabindex attribute, 248
  - table cells layout option for text navigation menus, 367
  - table title attributes, 246

- tables
  - content added to cells, 252–253
  - formatting
    - alignment of contents in table cell, 257
    - alignment of table, 256
    - background color, 261–263
    - border color, 261–263
    - borders, 257–258
    - cellpadding attribute, 258–260
    - cellspacing attribute, 258–260
    - headers, 260
    - height of table, 254
    - id attribute, adding, 254
    - nesting tables, 264
    - nowrap attribute, 260
    - overview, 253
    - splitting and merging table cells, 260–261
    - tiling background images, 263
    - width of table, 254–256
  - overview, 249–252
  - structure of, 251–252
  - styling, 324, 326–327
- tables-based layouts
  - advantages of, 349–350
  - HTML e-mail or newsletter, building a, 351–356
  - layers-based layouts
    - compared with, 336
    - overview, 349–351
- tag pairs, 96
- tags in HTML. *See* HTML tags
- target attribute, 231–232, 247
- target audience
  - defining
    - competition, researching your, 48–52
    - Internet usage statistics, gathering, 45–48
    - market research, performing informal, 44–45
    - overview, 44
    - described, 44
    - of navigation system, 361
    - visual profile, 55
- templates
  - building Web sites with
    - creating a template, 464–465
    - creating a template with editable regions, 465–467
  - Dreamweaver templates, 461–462
  - nested templates, 461
  - optional editable regions, 461
  - overview, 460–461
  - preparing a page to become a template, 462–463
  - repeating regions, 461
  - SSIs compared, 479–480
  - template-based page, creating a, 467–468
  - when to use, 480
  - overview, 460–461
- terms of service, 22
- Terra, Evo (*Podcasting For Dummies*), 21
- test directory
  - creating, 580–581
  - deleting, 591–592
  - overview, 579–580
- testing
  - prelaunch
    - on multiple browsers, 511–514
    - on multiple platforms, 511–514
    - overview, 510–511
    - testing a page, 514–515
    - with third-party testing tools, 515
  - Web-testing checklist, 511
  - SSIs (Server-Side Includes), 475
  - validation, 416, 419–421
- testing phase, 10
- text
  - above the fold location for information about products/services/benefits, 161
  - alternative text used for graphics, 226–227
  - antialiasing, 164–165
  - bold text, 221–222
  - elements to appear on every page, determining, 68–69
  - fields in Web forms, 406–407
  - fonts, choosing, 140–142
  - gathering content
    - copywriter, hiring a, 75–76
    - overview, 73–75
  - graphics containing, 140–141
  - greeked, 71–72
- HTML
  - adding, 219–223
  - alignment, 222–223
  - bold, 221–222
  - headings, 220–221
  - italic, 221–222
  - marking text as, 140
- text navigation menus
  - horizontal list layout
    - option for, 366
  - layout options for, 366–367
  - overview, 366
  - rollover text-based
    - navigation bar, creating a, 367–371

table cells layout option  
for, 367

vertical list layout option  
for, 366

text-align property, 311

Thank You page, 397–399

third-party  
prelaunch testing with  
third-party testing  
tools, 515

services used for credit-  
card processing, 396

shopping carts, 116–117

30-inch monitor, 130

301 redirect, 213

tiling background images,  
263

title attribute, 246

<title> tag, 98, 245

titles, updating bland page,  
603–605

Tomasi, Chuck (*Podcasting  
For Dummies*), 21

traffic, 594

transparency settings,  
199–200

tree-style menus, 365

tty media type, 280

tv media type, 280

24-inch monitor, 130

20-inch monitor, 130

20-inch+ monitor, 130

type style (CSS), 305–307

TypePad, 34

---

## U

<u> tag, 218

unordered lists, 264–265

updating content, 18

uptime, 559

URL, validation by, 532

usability of navigation  
systems, 142

user accounts, 559

---

## V

validating  
Web forms  
adding a Validate Form  
behavior to an existing  
form, 413–416

overview, 412–413

Spry validation, 416–419

testing the validation,  
416, 419–421

your markup, 526–527

validation process  
advantages of using, 510

cleaning up your code,  
515–524

fixing common code  
errors, 524–531

HTML and CSS markup  
validation, 531–541

overview, 510

Validator (Dreamweaver),  
526–527

vector programs. *See also*  
Illustrator (Adobe)

overview, 102–107

for Web graphics, 176

Verdana fonts, 141

VeriSign, 119

(!) vertical line, 366

vertical-align property, 311

video and podcasts, 12–13

visibility property, 318–319

vision for the site, 62–70

visited hyperlinks, 293

visitors  
attracting  
blogs used for, 32–37

contests and  
sweepstakes used for,  
40–41

e-newsletters used for,  
28–30

free tips and articles  
used for, 31–32

overview, 27–28

polls and calculators  
used for, 37–40

data on  
collecting and using, 26

deciding what visitor  
information to collect  
on Web forms, 392–394

visual editors, 94–95

---

## W

Wabi Sabi aesthetic, 147

waiting for site to be listed,  
608

W3C Markup validator,  
533–536

W3C Tutorial, 330

W3C Web site, 486–488

W3C (World Wide Web  
Consortium), 243, 272,  
333, 485–486, 485–488

W3C's CSS, 330

Web address  
domain name section of,  
547

extension section of,  
547–548

parts of, 547

protocol section of, 547

www section of, 547

Web application menus,  
365

Web editors  
building a Web page,  
98–100

code editors, 93–94

HTML structure,  
understanding, 95–97

overview, 92

saving Web files, 100–101

selecting, 93–95

visual editors, 94–95

Web page structure, 97–98

Web sites, building. *See*  
building Web sites

- Web standards
  - accessibility standards
    - overview, 503–504
    - Section 508, 504–508
  - CSS (Cascading Style Sheets) as, 272–273
  - CSS formatting
    - advantages of, 500–501
    - examples of, 501–503
  - HTML formatting
    - compared with, 499–500
  - overview, 498–499
  - presentation separate from content in, 500
- DOCTYPEs (DTDs)
  - declaration, 490
  - definition, 490
  - Dreamweaver, adding a DOCTYPE in, 493–495
  - HTML DOCTYPEs, 491–492
  - included in Web code, 485
  - overview, 489
  - selecting, 489–493
  - XHTML DOCTYPEs, 492–493
- HTML, writing semantic, 495–498
- Max Design Web Standards Checklist, 488
- overview, 484
- resources for, 488
- standards-compliant code, importance of writing, 484–485
- uniform methods of coding HTML and XHTML, 485
- W3C recommendations
  - for, 485–486
- XHTML, writing semantic, 495–498
- Web-safe color, 108–109
- Weinman, Lynda (Web-safe color palette), 108
- What We Do page, deciding whether to use a, 66
- white-space property, 311
- width of table, 254–256
- width property
  - border style (CSS), 314
  - box style (CSS), 313
  - positioning style (CSS), 318
- Windows Media Player, 450, 452
- wireframes
  - advantages of, 72
  - content for a particular page element, 71
  - content that appears on every page element, 70
  - creating, 70–73
  - dynamic functionality element of, 71
  - educating client on use of, 72
  - general site navigation element of, 70
  - interactive components element of, 70
  - overview, 70–71
- WordPress, 34, 36
- word-spacing property, 310
- World Wide Web Consortium (W3C), 243, 272, 333, 485–488
- Wright, Matt (form-processing script creator), 398
- writing, getting the client's approval in, 170, 463
- W3Schools, 45, 47
- W3Schools Tutorial, 330
- WS\_FTP, 574
- www section of Web address, 547
- WYSIWYG (what you see is what you get), 94

---

## X

- XHTML (eXtensible HyperText Markup Language)
  - compliance information, 23
  - described, 95–96
  - DOCTYPEs, 492–493
  - HTML compared, 95–96, 497–498
  - rules for, 497–498
  - syntax, applying
    - consistent, 520–521
    - writing semantic, 495–498
- XML (eXtensible Markup Language), 489

---

## Y

- Yummy FTP, 574

---

## Z

- Zeldman, Jeffrey (Web site), 488–489
- Z-index property, 319