

Index

- 3GPP, 13, 14, 19, 20, 25, 37, 38, **50**, 56, 68, 76, 97, 100, 101, 105, 111, 149, 183, 190, 195–197, 200–203, 208, 210, 221, 231
 - QoS architecture, **96**, 105, 106
- 3NF, 37
- 5NF, 37

- ABE, *see* Aggregate Business Entity
- Abstract pattern, **119**, 121, 128, 142
- Abstract service, **133**, 134–136, 151, 160, 200–202, 208–210
- Access broker, 75
- Access independence, 60, 69
- Access network, 16, 25, 44, 51, 75, 142, 169, 189
- Access Point Name (APN), 14, 38, 100, 106, 190, 195, 196, 203, 204, 208, 210
- Access provider, 16, 21, 75, 128, **215**, 224, 226, 227
- Access right, 10, 70, 159, 191, 192, 194
- Access technology, 15, 17, 22, 69, 73, 98, 99, 101, 104, 105, 108, 137, 138, 143, 169, 183, 189, 209, 215–217
- Action, 34, 40, 130, 148, 149
- Actor, 7, 66, 69, 70, 73, 82, 155, 157, 209, 210, 222
- Actual service quality level, 17, 99, 146, 147, 159, 173, 174, 180, 197
- Ad hoc network, 23, 75, 76, 151, 152, 154, 213–217, 220, 221, 223, 228

- ADSL, *see* Asynchronous Digital Subscriber Line
- AF, *see* Assured Forwarding
- Aggregate Business Entity (ABE), 53
- Aggregate service, 5, 72, 78, 97, 98, **100**, 101, 105, 109, 116, 118, 138, 139, 147, 168, 169, 176, 186, 189, 216
- Aggregate subscriber, 72, 129
- Aggregation, 32–34, 54, 66, 67, 74, 77, 97–99, 103, 104, **121**, 134, 142, 157, 167, 168, 172, 173, 181, 195, 198, 220, 221
- Aggregator, 8, 73, 74, 78, 185
- Agility, 18, 20, 69
- Agreement, 4, 16, 21, 30, 50, 52, 56, 58, 72, 73, 78, 85, 86, 89, 90, 92, 100, 105, 110, **126**, 127, 129, 167, 168, 180, 184–186, 215
- AI, *see* Artificial Intelligence
- Always-on access, 12
- API, *see* Application Programming Interface
- APN, *see* Access Point Name
- Application Programming Interface (API), 31, 48, 61
- Application Specific Integrated Circuit (ASIC), 34
- Architecture, 13, 14, 19, 20, 23, 24, 29, 35, 37–39, 44, 45, 47–52, 57, 59, 60, 67, 68, 71, 72, 77, 82, 96, 106, 133, 149, 160, 201, 213
- Architecture design, **37**

- Artificial Intelligence (AI), 34
- ASIC, *see* Application Specific Integrated Circuit
- Association class, 45
- Assured Forwarding (AF), 168, 169, 172, 182
- Asynchronous Digital Subscriber Line (ADSL), 11, 12, 16, 76, 131
- Attribute, 33, 37, 50, 51, 67, 96, 116, 120
- Augmented telephony, 165, 167, 174, 175
- Authentication, 17, 51, 77, 106–108, 116
- Authorisation, 106–108, 116, 173, 190
- Automation, 21, 23, 48, 49, 78, 128, 191
- Availability, 17, 77, 94, 100, 113–115, 171, 173, 185, 187, 204, 211, 217
- B3G, *see* Beyond 3G
- Backbone network, 75, 152
- Background data transfer, 110, **111**, 113, 116, 172, 173, 185, 221
- Background downloading, 111
- Bandwidth, 13, 17, 69, 171, 172
- Bandwidth broker, 59
- Base Station Controller (BSC), 202
- Base Transceiver Station (BTS), 202
- BCP, *see* Best Current Practice
- Bearer, 13, 14, 50, 51, 76, 85, 96, **149**, 187, 190, 192, 193, 196, 200–203, 208, 210, 211, 221
- connection-oriented, 50, 150
 - connectionless, 50, 150
 - endpoint control of, 51
 - mapping, 96
 - negotiation, 105
- Best Current Practice (BCP), 19, 51, 60
- Beyond 3G (B3G), 23, 43
- Bit rate, 96, 114, 171, 195
- BPEL, *see* Business Process Execution Language
- BPMI, *see* Business Process Management Initiative
- BPMN, *see* Business Process Management Notation
- BPSM, *see* Business Process Semantic Model
- Broadcast segments, 106
- Broadcasting, 20
- Broker, 22, 44, 47, 59, 72, 73, 75, 128, 148, 213, 214
- Browsing, 12, 56, 97, 103, 182, 185, 188, 190–195, 198, 204, 206, 208
- BSC, *see* Base Station Controller
- BSS, *see* Business Support System
- BTS, *see* Base Transceiver Station
- Business
- analysis, 9
 - logic, 15, 19, 35, 52, 68
 - management, 10, 18, 52, 81, 82, 92
 - Model, 16, **21**
 - model, 3, 8, 12, 16, 25, 26, 40, 46, 67, 68, 71, 163
 - need, 6
 - requirements, 9, 30, 87
- Business Process Execution Language (BPEL), 49
- Business Process Management Initiative (BPMI), 49
- Business Process Management Notation (BPMN), 49
- Business Process Semantic Model (BPSM), 49
- Business Support System (BSS), 15
- Business-to-business, 8, 99, 176
- Business-to-customer, 8, 176
- C++, 32, 33, 44, 47, 177
- CADENUS, 58, 73, 78
- Capability augmentation, 24
- Capacity, 5, 16, 84, 96, 99, 120, 123, 128, 150, 168, 171, 178, 181, 211, 221, 227
- management, 82, **85**, 92, 106
- Carrier-grade systems, 115, 122
- CBE, *see* Common Business Entity, *see* Component-based Engineering
- CFS, *see* Customer Facing Service
- Characteristics, 13, 15, 21, 22, 63, 76, 93, 95–105, 107–115, 127, 133, 146, 148, 150, 151, 158, 159, 167, 169–171, 187–194, 216–220

- Charging, 16, 121, 134, **142**, 143, 144, 165, 167, 168, 174, 178, 179, 181, 182, 185, 186, 188, 190, 196, 206, 207, 209, 211
 - mode, 143, 144, 178, 191, 192, 206
 - scheme, 143
- Chat, 68, 113, 114, 165, 167, 169–172, 175, 177–179
- Choreography, 49, 57, 61, 70, **148**, 214
- CIM, *see* Computation-independent Model
- Circuit-switched network, 11, 17, 94, 95
- Classification, 7, 8, 18, 51–53, 77, 82, 95, 102, 108, 111, 135, 140, 142, 152, 195, 196, 200, 208, 220
- Client/server application, 13
- Cluster, 122, **123**, 124, 159
- Co-opetition, 21
- Cognitive aspects, 28, 47
- Commercial Off-The Shelf (COTS), 31
- Common Business Entity (CBE), 53
- Common Object Request Broker
 - Architecture (CORBA), 44, 45, **47**, 61, 135
- Community participation, 23
- Compensation, 74, 127, 215
- Component-Based Engineering (CBE), 31
- Computation Independent Model (CIM), 46, 61
- Concept model, 40
- Concern, 4, 31, 37–39, 46, 65, 67, 71, 72, 74, 76, 77, 79, 232
- Conferencing, 111, **114**, 115, 116
 - bridge, 165, 167
- Confidentiality, 106–108, 111, 116, 140
- Configuration, 9, 38, 40, 86, 91, 92, 105, 106, 112, 113, 126, 128, 132, 134, **141**, 166, 180, 186, 194, 196, 205, 208, 209, 222, 225, 226, 231
 - data, 87
- Connectivity, 12, 16, 48, 51, 73–77, 79, 86, 136, 137, 148, 151–155, 160, 167, 175, 180, 183–188, 190, 201, 203, 208, 210, 211, 213, 215, 216, 221, 223, 226, 227, 231, 232
 - builder, 89, 121
 - provider, 71–73, **75**, 76, 78, 79, 89, 90, 94, 115, 120, 121, 152, 153, 166–169, 174, 176, 180–184, 213, 215, 221
 - service, 13, 134, 135, 176, 183, 185, 186, 188, 203, 208, 226
- Containment, 67, 122
- Content, 11, 15, 20, 22, 95, 111–114, 140, 142, 145, 167, 171, 193, 205
 - provider, 59, 73, 184–186
 - service, 183
- Context, 22, 24, 38, 101, 138, **144**, 145, 160, 187, 188, 209, 226, 233
 - broker, 213, 214
 - demographical, 100
 - evaluation, 145
 - geographical, 100, 159, 181, 187, 188, 209
 - provider, 77, 215, 217, 218, 222, 224, 226, 227
- Contract, 4, 16, 32, 58, 72, 78, 107, 126, 166, 186, 188
- Convenience of use, 24
- Convergence, 14, 17, 20, 51, 116
 - layer, 14, 15, 60, 106
- Conversion, 10
- CORBA, *see* Common Object Request Broker Architecture
- Core network, 25, 150, 181
- COTS, *see* Commercial, Off-the-shelf
- Criterion, 96, 103, 140, 172, 173, 195, 220, 221
- CRM, *see* Customer Relationship Management
- Cryptography, 107
- Customer, 4–8, 10, 29–31, 49, 50, 53, 56, 58, 59, 61, 65, 74, 84, 89, 90, 93, 95, 109, 110, 115, 116, 120, 126, 127, **129**, 130, 132, 133, 146, 159, 165–168, 173, 176, 182, 184–186, 190, 207–209, 214, 215, 226
 - viewpoint, 4
- Customer Facing Service (CFS), 53, 133
- Customer Relationship Management (CRM), 84
- Customer-facing process, 84

- Data ownership, 6, 91
- Data transfer, 13, 106, 110–113, 116, 134, 135, 171–173, 175, 177, 178, 185, 195, 220, 221
- Database, 29, **36**, 37, 39, 226
- DEN, *see* Directory-Enabled Networking
- Denial of Service (DOS), 107, 180
- Dependence, 6, 7, 32, 66, 122, 151
- Design, 9, 13, 19, 24, 28–32, 34–39, 44–46, 52, 61, 78, 84, 85, 88, 91, 94, 95, 105, 110, 115, 135, 141, 149, 157, 159, 177, 210, 218
 - by contract, 32
- Designed service quality, 96, 102, 111, 170, 171, 193, 194, 204, 217–220
- Development, 6, 12, 18, 28–34, 36, 38–40, 52, 82, 84–87, 91, 94, 104, 115, 181, 210, 227, 231
- Device management, 59
- Diagram, 8, 46, 47, 53, 66, 77, 87, 118, 119, 208, 225
- DiffServ, 22, 58, 69, 96, 97, 105, 127, 163, 165–169, 172, 174–184, 186, 189, 196, 197, 204–206, 208, 232
- DiffServ Code Point (DSCP), 103, 167, 168
- Digital services, 3, 5, 12, 15
- Digital Video Broadcasting for Handhelds (DVB-H), 20, 110
- Directory Enabled Networking (DEN), 53
- Distributed architecture, 47, 48, 52, 60, 68, 160
- Distributed Management Task Force (DMTF), 53
- Distributed service, 32, 51, 68, 70, 76, 98, 105, 109, 136, 137, 148, 151, 155, 160, 223
- Distribution, 20, 68, 73, 74, 83, 148, **151**, 154, 223–225
- DMTF, *see* Distributed Management Task Force
- DNS, *see* Domain Name Server
- Domain Name Server (DNS), 133
- Domain of knowledge, 34, 35
- DoS, *see* Denial of Service
- DSCP, *see* DiffServ Code Point
- DVB-H, *see* Digital Video Broadcasting for Handheld
- Dynamic composition, 24, 36, 68, 125, 148, 213
- Dynamic provisioning, 14, 51, 69, 76
- Dynamic view, 66, 179, 206, 207, 224
- EDW, *see* Enterprise Data Warehousing
- EF, *see* Expedited Forwarding
- E-mail, 12, 15, 111, 113, 185
- Element management, 82
- Element provider, 8, 73, 78
- Emerging Technologies, **22**
- Emerging technologies, 11, 21, 22
- Enabler, 7, 117, 137, 154, 155, 232
 - provider, 71, 72, **76**, 77–79, 89, 90
- Encryption, 57, 94, 107–109, 140, 169
- End-to-end security, 94, 109
- End-to-end service quality, 96, 111, 158, 182, 204–206, 211
- End-user, 165, 166, 168, 169, 173, 174, 176, 182–187, 189, 196, 197, 199, 201, 203, 207, 208, 213, 225, 226, 231–233
 - segment, 40, 104, 109
 - service, 15, 19, 20, 25, 35, 58, 63, 75, 93, 95, 97, 98, 100, 102, 105, **110**, 111–113, 115, 116, 133–135, 146, 158, 165, 166, 169, 170, 173–175, 180, 181, 184–189, 197–200, 211, 221, 226, 232, 233
- Enhanced Telecom Operations Map (eTOM), 52–56, 68, 81–84, 90, 119
- Enterprise Data Warehousing (EDW), 40
- Entertainment, 11
- Ethernet, 12, 106
- eTOM, *see* Enhanced Telecom Operations Map
- EU, *see* European Union
- European Union (EU), 22, 25
- Event-based charging, 143, 144, 178
- Execution environment, 59, 136, 137, 151, 167, 210
- Expedited Forwarding (EF), 168, 172, 173, 182

- Expert systems, 29, **34**, 35, 39
Explicit agreement, 89, 128, 129, 167
Extreme Programming (XP), 31, 40
- Facilitator, 7, 211
Failover, 122, 123
FCC, *see* Federal Communications Commission
Feasibility analysis, 84, 210
Federal Communications Commission (FCC), 22
Federation, 57, 58, 77, 107, 108
Fifth Normal Form, 37
Fixed network, 11, 12, 14, 16, 17, 54, 68, 69, 163, 185
Fixed–Mobile Convergence (FMC), 14, 68
Flat rate charging, 144, 198–200, 206
Flow, 9, 10, 52, 66, 97, 98, 101–105, 111, 112, 115, 168, 195, 210, 221
FMC, *see* Fixed–Mobile Convergence
Framework, 7, 13, 19, 21–23, 25, 37, 49, 51–54, 57, 58, 60, 63, 65, 69, 71, 75, **81**, **84**, 85, 86, 90, **93**, **95**, 96, 97, **99**, 104, 105, **106**, **108**, 109, **117**, 146, **159**, 166–168, 186, 215, 232
- GAA, *see* Generic Authentication Architecture
Gateway GPRS Support Node (GGSN), 38, 106, 190, 196, 201, 202, 208
General Packet Radio Service (GPRS), 11–13, 17, 96, 97, 101, 102, 106, 145, 184, 185, 190, 201–203, 209, 221
Generalisation, 32, 33, 56, 66, 105, 142
Generic Authentication Architecture (GAA), 51, 77
GGSN, *see* Gateway GPRS Support Node
Global information infrastructure, 11
GNU, *see* GNU's not UNIX(tm)
GNU's Not UNIX(tm) (GNU), 30, 31
Gödel, Kurt, 47
Goods, 3, 4
GPRS, *see* General Packet Radio Service
Graphical User Interface (GUI), 38
Grid computing, 232
Group chat, 113, 165, 167, 169, 170, **171**, 172, 175, 177–179
Group service, 135, 175, 213–216
Guarantee, 13, 69, 75, 94, 152, 158, 168, 195, 216, 220
GUI, *see* Graphical User Interface
- Hashing, 107
Header, 106, 140, 141, 168, 172
High-Speed Downlink Packet Access (HSDPA), 12
High-Speed Packet Access (HSPA), 12
High-Speed Uplink Packet Access (HSUPA), 12
HLR, *see* Home Location Register
Home Location Register (HLR), 101, 106, 183, 190, 195–197, 221
Hot swap, 77
Hotspot, 12, 15, 16, 69
HSDA, *see* High-Speed Packet Access
HSDPA, *see* High-Speed Downlink Packet Access
HSUPA, *see* High-Speed Uplink Packet Access
HTTP, *see* Hypertext Transfer Protocol
Hurdle, 25, 26, 68
Hypertext Transfer Protocol (HTTP), 43, 102, 112, 139, 171
- Identity, 57, 106, 122, 191
 provider, 77, 107
IEEE, *see* Institute for Electrical and Electronics Engineers
IETF, *see* Internet Engineering Task Force
IM, *see* Instant Messaging
Impedance mismatch, 37
Implementation, 6, 9, 10, 19, 20, 30, 32–35, 37, 43, 47, 49, 52, 53, 56, 65, 68, 78, 82, 86, 88, 104, 105, 108, 109, 159, 196
Implementer, 89, 121
Implicit agreement, 89, 128, 129, 167
IMS, *see* IP Multimedia Subsystem
Industry initiatives, **43**, 60, 61, 231

- Industry trends, 3, 11, **17**
- Information
 - management, **10**, 19, 22, 45, 209
 - model, 15, 19, 33, 36, 40, 44, 53, 60, 70, 159
 - modelling, 3, 18, 31, 33, 36, 39, 44, 52, 53, 61, 70, 231, 232
 - ownership, 54, 70
 - representation of, 36, 39, 61
 - storage of, 36
 - structure, 69
 - structuring of, 70, 139
- Information Technology (IT), 16
- Infrastructure, 5, 10, 11, 37, 40, 52, 56, 84, 220, 223, 231
- Inherent service quality requirement, 13, 15, 20, 96, 102, 111, 115, 171, 193
- Instance, 7, 9, 29, 39, 94, 96–100, 105, 109, 110, 122, 128, 135
- Instant Messaging (IM), 12
- Institute for Electrical and Electronics Engineers (IEEE), 30, 37, 38, 160, 168, 232
- Intangible commodity, 4
- Integrity, 36, 106, 108, 111, 116
- Interaction, 3, 24, 33, 35, 45, 47, 70, 102, 227, 232
 - view, 33
- Interactive data transfer, 110, **112**, 113, 116, 178, 195
- Interface, 19, 20, 23, 28, 31–39, 47, 48, 52, 56, 59, 61, 70, 74, 120, 127, 129, 133, 135, 156, 167, 207, 209, 210, 214
- Interface Description Language (IDL), 44, 45, 48
- International Telecommunications Union (ITU), 11, **49**, 50, 52, 53, 95, 146, 149
- Internet, 11–13, 16, 17, 20, 21, 23, 37, 56, 94, 95, 103, 106, 107, 111, 128, 140, 141, 155, 185, 203, 208, 215
- Internet Engineering Task Force (IETF), 13
- Internet Protocol, 17, 50, 57, 61, 76, 94, 106, 140, 142
- Internet Protocol (IP), 14
- Internet Protocol version 4 (IPv4), 140
- Internet Protocol version 6 (IPv6), 140
- Interoperability, 45, 48, 56, 57, 59, 60
- IntServ, 96
- IP, *see* Internet Protocol
- IP Multimedia Subsystem (IMS), 13, 14, 20, 25, 51, 68, 75, 96, 101, 173, 183–185, 188, 189, 191, 192, 198, 200, 208, 210
- IPv4, *see* Internet Protocol Version 4
- IPv6, *see* Internet Protocol Version 6
- IT, *see* Information Technology
- IT Infrastructure Library (ITIL), 52, 56, 68
- IT Service Management Forum (itSMF), **56**
- ITIL, *see* IT Infrastructure Library
- itSMF, *see* IT Service Management Forum
- ITU, *see* International Telecommunications Union
- Java(TM), 47, 53, 191
- Key, 106, 107
- Key Performance Indicator, 181
- Key Performance Indicator (KPI), 52, 86
- Key Quality Indicator (KQI), 52, 86
- KPI, *see* Key Performance Indicator
- KQI, *see* Key Quality Indicator
- LAN, *see* Local Area Network
- Latency, 13, 95, 97, 114, 158, 168, 172
- Law of Demeter, 38
- LBS, *see* Location-based Service
- Lean processes, 18, 69
- Leased line, 120
- Liberty alliance, **57**, 77, 107
- Licensed frequencies, 13, 22, 43, 50, 76, 220, 221
- Life cycle, 24, 39, 60, 74, 77, 84
 - management, 83, 86
 - of applications, 45
 - of components, 87
 - of objects, 48
 - of products, 40, 87, 117, 210

- of resources, 87
- of services, 24, 25, 44, 54, 59, 81, 86, 87, 91, 93, 105, 109, 117, 133, 231, 232
- Linkage, 53, 54, 67, 86, 87, 117, 132, 157, 159, 181, 182, 209
- Linux(TM), 30, 31
- Load balancing, 123
- Local Area Network (LAN), 106, 167, 168, 173, 181, 182
- Location technologies, 59
- Location-Based Service (LBS), 107, 145
- Logical model, 40
- Managed service, 68, 69, 73, 74, 79, 136, 141, 146, 151, 154, 167, 213, 215, 227
- Management framework, 3, 68, 69, 74, **81**, 83, **84**, 85, 88–91, 93, 104, 109, 117, 141, 159, 232
- Mandatory constituent, 122
- Mapping, 21, 38, 39, 44, 46, 52, 56, 67, 69–71, 88, 96, 98, 104, 105, 109, 122, 158, 169, 172–174, 177, 179, 180, 182, 196, 197, 203
- Market-based mechanism, 22
- Maslow hierarchy, 24
- Mass-market product, 132
- MDA, *see* Model Driven Architecture
- Mediator, 58
- Messaging, 12, 48, 59, 61, 68, 111, **113**, 116, 167
- Meta-meta-model, 45
- Meta-model, 29, 39, 45–47
- Meta-modelling, 29, 40, 44–46, 70, 119
- Meta-modelling Object Facility (MOF), 44, **45**, 46
- Metadata, 22, 44, 45, 57, 118, **125**, 126, 134, 148, 214, 226
- Middleware, 44, 94
- Miscellaneous patterns, 119, **142**
- Mobile network, 7, 11, 12, 14, 16, 17, 21, 68, 69, 76, 82, 94, 97, 107, 108, 142, 149, 163, 183–187, 196–198, 201, 204–207, 211, 232
- Mobile Virtual Network Operator (MVNO), 16, 183–188, 190
- MobiLife, **24**, 25, 36, 60, 68, 71, 73, 87, 119, 135, 145, 148, 160, 213
- Model
 - instantiation of, 10, 119, 122, 157
 - rendering of, 28
- Model-Driven Architecture (MDA), 44, **45**, 46, 160
- Modelling, 3, 4, 6, 9–11, 18, 19, 25–**27**, 28, 29, 32, 33, 38–41, 43, 46, 47, 49–53, 55, 56, 59–61, 63, 65, 66, 69–72, 78, 79, 81, 83, 84, 86, 90, 91, 95–99, 104, 107, 108, 117, 119–123, 128–130, 133, 136, 142, 145, 148, 149, 159, 160, 163, 173–177, 182, 183, 195, 196, 200, 203, 206, 208, 209, 211, 221, 224, 227, 231, 232
 - framework, 70, **117**, 118, 157
 - paradigm, 29, 40, 67
 - pattern, 55, 93, 160
 - patterns, 91, **117**, **119**, 129, 152, 157, 232
- MOF, *see* Metamodelling Object Facility
- Monolithic service, 68, 136, 137
- MPLS, *see* Multi-protocol Label Switching
- Multi-Protocol Label Switching (MPLS), 54, 168, 196
- Multi-provider environment, 10
- Multi-service network, 75, 95, 97, 183, 185, 221
- Multi-vendor system, 15, 19, 51, 56
- Multimedia session, 14, 97, 137
- Music, 111, 114, 143
- MVNO, *see* Mobile Virtual Network Operator
- NAT, *see* Network Address Translation
- Near-Field Communications (NFC), 75
- Network Address Translation (NAT), 140
- Network management, 31, 50, 82, 92
- New Generation Operations Support Systems (NGOSS), 51–53, 55, 61, 82, 119

- Next-Generation Networks (NGN), 56
 NFC, *see* Near-Field Communications
 NGN, *see* Next-Generation Networks
 NGOSS, *see* New Generation Operations Support System
 Non-managed bearer, 76
 Non-managed component, 225
 Non-managed connectivity, 75, 152, 153
 Non-managed platform, 73
 Non-managed service, 67, 68, 73, 74, 79, 136, 147, 151, 154, 155, 213, 215
 Non-repudiation, 106–108, 116
 Normal form, 37
 Normalisation, 36
 Notation, 47, 49, **65**, 66, 67, 78, 119, 121
- OASIS, 49, 57**
 Object Constraint Language (OCL), 47
 Object Management Group (OMG), **44**, 45, 48, 60, 61, 160, 232
 Object Request Broker (ORB), 47
 Object-Oriented Modelling, **32, 34**
 Object-Oriented Modelling (OOM), 29, 32, 33, 37
 Object-Oriented Programming (OOP), 32, 33
 OBSAI, *see* Open Base Station Architecture Initiative
 Occam (Ockham, William of), 28
 OCL, *see* Object Constraint Language
 OMA, *see* Open Mobile Alliance
 OMA Service Environment (OSE), 59
 OMA Service Provider Environment (OSPE), 59, 77, 86, 87, 232
 OMG, *see* Object Management Group
 Ontology, 53, 57, 59, 117, 125, 126, 148, 214, 215
 OOM, *see* Object Oriented Modelling
 OOP, *see* Object Oriented Programming
 Open Base Station Architecture Initiative (OBSAI), 19
 Open Mobile Alliance (OMA), 19, 25, 58, **59**, 61, 86, 87, 136, 231
 Open-source software, 29
 Operational management, 9, 118
- Operations, 7, 18, 36, 37, 49, 52, 53, 59, 74, 82–86, 88, 90, 91, 96, 104, 107, 125, 133, 141, 180, 191, 207, 232
 Operations Support System (OSS), 15, 18
 Optimisation, 19, 82, 84, **85**, 86, 87, 91, 109, 110, 159
 Optional constituent, 122
 ORB, *see* Object Request Broker
 OSE, *see* OMA Service Environment
 OSPE, *see* OMA Service Provider Environment
 OSS, *see* Operations Support System
 OSS through Java (OSS/J), 53, 57
 OSS/J, *see* OSS through Java
 Outsourced policy mode, 104
 Over-provisioning, 96
 Overlay networks, 75, 76
 OWL, *see* Web Ontology Language
- Packet loss, 102, 111, 112, 114, 158, 170, 171, 193, 194, 218–220
 Packet-based services, 7, 9, **11**, 11–13, 15–17, 19, 22–24, 26, 40, 44, 60, 115, 137, 140, 231
 Parameterisation, 86, 87
 Partner-related processes, 84, 85, 93, 115
 Partnering, 85, 109, 210
 Party, 4, 16, 40, 72, 73, 75, 93, 106, 107, 127, 142, 166, 179, 183, 184, 186
 Pattern, 9, 32–34, 38, 39, 46, 54–56, 60, 61, 63, 78, 91, 93, 101–103, 112, 113, 115, 117, **119**, 120, 122–124, 128, 142, 152, 157, 159, 160, 163, 170, 171, 181, 187, 193, 194, 204, 218–221, 232
 Payload, 140, 141
 PBM, *see* Policy-Based Management
 PDB, *see* Per-Domain Behaviour
 PDF, *see* Policy Decision Function
 PDM, *see* Product Data Management
 Peer-to-peer service, 20, 24, 68, 69, 73–76, 79, 128, 130, 133, 136, 147, 151, **152**, 154, 155, 213, 227
 Per-Domain Behaviour (PDB), 58, 127, 165, 168, 169, 173, 174, 180, 182, 204–206

- Per-Hop Behaviour (PHB), 168, 169, 172, 173, 180, 182, 196
- Performance, 7, 12, 13, 56, 73–75, 85, 86, 95, 97, 98, 105, 110, 118, 148, 150, 152, 159, 169, 172, 180, 186, 190–192, 216
- degradation, 181
 - level, 15, 86, 87, 180
 - target, 192
- Personal, 22
- Personal Identification Number (PIN), 17
- Personal information management, 22
- Personal preferences, 22, 73, 108, 109
- Personalisation, 24
- PHB, *see* Per-hop Behaviour
- Physical, 40
- Physical model, 40
- Physical network provider, 16
- PIM, *see* Platform-Independent Model
- PIN, *see* Personal Identification Number
- Planned service quality level, 95, 99, 110, 146
- Platform Independent Model (PIM), 46, 61
- Platform Specific Model (PSM), 46, 61
- PLM, *see* Product Lifecycle Management
- Point of presence, 168
- Policy, 57, 83, 96, 100, 101, **103**, 104, **130**, 131, 138, 139, 141, 142, 152, 153, 155, 157, 172
- overriding, 130
- Policy Decision Function (PDF), 101
- Policy-Based Management (PBM), 39, 40, 71
- Portal, 15, 183–185, 187, **190**, 191–193, 197, 198, 200, 206, 208–211
- Preference, 22, 73, 108, 109, 118, 129, 131, 152, 155–157, 184, 227
- Presence, 12, 59, 184–189, **191**, 192, 194, 198, 200, 203, 208, 210
- Pricing, 4
- Privacy, 24, 57, 61, 72, 106, **107**, 108, 109, 112–114, 116, 118, 131, 140, **155**, 156, 214
- Process, **8**
- business, 21, 35, 40, 48, 49, 52, 149
 - control, 9, 48, 60
 - flow, 10, 52
 - framework, 52
 - layer, 35
 - management, 9, 48, 49
 - map, 52
 - modelling, 3, 19, 39, 90, 91, 149, 231, 232
- Product, 5, 52–54, 60, 65, 72–74, 82–87, 93, **132**
- configuration, 141
 - creation, **84**, 85, 86, 90, 109, 117
 - definition, 99
 - design, 105
 - development, 115
 - management, 181, 210, 227
 - offering, 132
 - package, 181, 208
 - packaging, 210
 - policy, 131, 142
 - saleable, 52, 133
 - software, 31, 40
 - tailoring, 74
 - variant, 74, 132, 138, 142, 143
- Product Data Management (PDM), 40
- Product Lifecycle Management (PLM), 40
- Product-facing service, 133–137, 151, 160, 175, 181, 200, 203, 204, 208–210
- Proprietary implementation, 15, 43
- Provider
- connectivity, 71–73, **75**, 76, 84, 89, 94, 115, 120, 121, 152, 153, 166, 167, 169, 174, 175, 180–184, 213, 215, 221
 - content, 20, 59, 185, 186
 - context, 215, 217, 222, 224, 226, 227
 - element, 8
 - enabler, 71, 72, **76**, 77, 89
 - identity, 57, 107
 - network, 13, 15, 16
 - policy, 131, 142, 153
 - service, 4, 7, 8, 15–18, 20, 21, 52, 54, 57, 59, 60, 70–**73**, 74, 75, 78, 84, 86, 88, 89, 94, 98, 104, 107, 136, 142, 152, 156, 159, 165–167, 169, 174–176, 180–182, 184,

- Provider (*continued*)
 185, 196–198, 200, 204–206,
 208–211, 213, 215–218, 224,
 226, 227, 232
- Provisioning, 8, 9, 13, 23, 25, 38, 50, 51,
 56, 68, 73, 76, 86, 100, 105, 106,
 156, 158, 196, 203, 204, 206–208,
 221, 231
 dynamic, 14, 51, 69, 76
 static, 14, 69, 76, 96
- Pseudonym, 107, 113
- PSM, *see* Platform-Specific Model
- PSTN, *see* Public Switched Telephony
 Network
- Public Switched Telephone System
 (PSTN), 11, 12, 115, 150
- Push mail, 12
- Push-to-talk, 13, 59, 113
- QoS
 architecture, 50
 attribute, 96
 framework, 96, 106, 111
 management, 197
 parameters, 101, 190, 196, 203
 profile, 14, 51, 100, 106, 190, 197, 203,
 221, 226
- Quality of Service (QoS), 50, 95
- Radio Network Controller (RNC), 202
- RDF, *see* Resource Description
 Framework
- Reachability, 14, 185
- Real-Time Control Protocol (RTCP),
 181
- Real-time media, 114
- Reconfigurability, 23, 25
- Relational database, 36
- Release 6 (R6), 51
- Reliability, 94
- Remote Method Invocation (RMI), 48
- Remuneration, 127, 133
- Reply, 103, 112, 139, 194, 208, 219,
 225
- Repository, 7, 165, 167, 169, 170, 175,
 209, 215, 226, 227
- Request, 103, 107, 112, 123, 139, 170,
 193, 194, 208, 221
- Requirements, 63, 65
- Resilience, 94, **122**, 123, 128, 157, 159,
 167
- Resource, 4–7, 10, 13, 18, 22, 23, 30,
 53–56, 65, 66, 82–92, 94, 96, 97,
 99, 104, 106, 109, 110, 115, 117,
 118, 120–122, 125, 126, **128**, 129,
 133–135, 141, 153, 159, 160, 179,
 182, 184, 188, 202–204, 208, 209,
 231
 configuration, 142
 control, 173
 development, 6, 85, 87, 98, 181, **210**,
227
 inventory, 124
 management, 83, 180
 mediator, 59
 policy, 131, 142
- Resource Description Framework (RDF),
 57
- Resource-Facing Service (RFS), 53,
 133–135, 151, 160, 200, 201, 203,
 209, 210
- Responsiveness, 112, 114, 115, 216
- Reuse, 32, 35, 39, 87, 196, 231
- RFS, *see* Resource Facing Service
- RMI, *see* Remote Method Invocation
- RNC, *see* Radio Network Controller
- Role, 11, 33, 34, 54, 55, 69, 73, 74, 77,
 86, 88–92, 105, 106, 117, 118, **120**,
 121, 124, 128, 129, 132, 134, 138,
 146, 152, 154–156, 166, 173,
 175–178, 182, 184–186, 196, 199,
 200, 203, 206, 208, 210, 211, 214,
 224, 232
- Roll-back, 9
- RosettaNet, **49**
- Router, 96, 106, 121, 165, 166, 168, 180,
 181
- RTCP, *see* Real-time Control Protocol
- Rule-based programming, 34
- Rules of usage, 4

- SAP, *see* Service Access Point
- Schema, 29, 57
- SDO, *see* Standardisation Organisation
- SDP, *see* Session Description Protocol
- SDR, *see* Software Defined Radio
- Security, 24, 57, 59, 93–95, 106, 107, 110, 111, 113, 115, 126, 138, 139, 155, 168, 169
- control, 68
 - framework, **106**, 107, **108**, 109, 110
 - level, 94, 136, 139, 158
 - management, 56
 - mechanism, 95
 - parameters, 109
 - policy, 139
- Semantic Web, 23, 36, 56–58, 60, 125
- Service, **4**, 53, 54, **133**
- abstract, 133, 135, 151
 - aggregate, 97, **100**, 105, 109, 118
 - aggregator, 73, 78, 185
 - architecture, 23, 24, 68, 149, 160
 - assurance, 56, 110, 159, 180, 209, 226
 - broker, 73
 - characteristics of, 95
 - class of, 13
 - communication, 51
 - component, 69, 74, 77, 86, 118
 - composition, 36, 68, 74, 105, 151, 213
 - configuration, 86, 142, 180, 208, 225
 - connectivity, 175, 183, 185, 188
 - content, 183
 - context-based, 22
 - creation, 9, 16, 19, 54, 86, 91
 - definition, 109
 - description, 60
 - design, 105
 - developer, 118
 - development, 29, 104
 - digital, 3, 5
 - distributed, 68, 70, 76, 136, 137, 155
 - distribution, 73
 - distribution of, 61
 - elementary, 118
 - enabler, 7, 19, 59, 77, 137, 154
 - end-to-end, 15, 186
 - end-user, 15, 19, 20, 25, 63, 95, 97, 98, 110, 113, 115, 133, 135, 165, 198
 - engineering, 31, 40
 - environment, 105
 - event, 97, 101, **102**, 105, 109, 126
 - event type, 97, **103**, 104, 105, 109
 - execution environment, 59, 151
 - framework, 19, **54**, 70, 78, 90, 91, **93**, 98, 103–107, 109, 115, 117, 120, 126, 163, 168, 186, 215, 232
 - functionality, 148, 151, 152, 154
 - group, 175, 213
 - impact, 152
 - implementation, 104, 109
 - instance, 94, 100, 105, 157
 - instantiation, 51, 101, 112–114, 135
 - inventory, 19
 - launch, 180
 - layer, 35
 - level, 75, 105, 123, 127
 - level definition, 136, **146**, 147–151, 153, 168, 174, 182, 204
 - level guarantee, 158
 - level impact, 148, 151
 - level management, 232
 - level target, 151
 - life cycle, 24, 25, 44, 54, 81, 84, **86**, 91, 117, 159, 232
 - managed, 74, 136, 154, 167, 213
 - management, 8–10, 15, 18, 22–25, 35, 39, 40, 54–56, 61, 62, 68–71, 81, 83, 87, 91, 95, 97, 106, 115, 117, 118, 132, 135, 163, 208, 225, 231, 232
 - management framework, 68, 69, 74
 - management role, 88, 91, 105, 121, 124
 - mass-market, 74, 132
 - mediator, 59
 - model requirements, 65
 - modelling, **3**, 6, 8, 10, 11, 25–27, 35, 39–41, 43, 44, 49, 58–61, 63, 70–72, 78, 81, 83, 84, 86–88, 90,

- Service, **4**, 53, 54, **133** (*continued*)
 91, 93, 95, 96, 98, 108, 117, 142,
 157, 159, 160, 163, 173, 174,
 196, 221, 231
 news, 185
 non-managed, 74, 136, 154, 213
 operation, 86, 87
 optimisation, 15, 84, 86, 109, **110**
 orchestration, 72, 74
 packet-based, 7, **11**
 paradigm, 32
 parameter, 134
 performance, 13, 74, 86, 87, 95, 98
 platform, 13, 25, 40, 59, 61, 68, 135
 policy, 103, 131, 138, 139, 142
 portal, 184, 187, 190
 portfolio, 87
 portfolio management, 181, 209, 226
 profile, 59
 provider, 4, 7, 8, 15–18, 20, 21, 52, 54,
 57, 60, 70–**73**, 75, 76, 84, 86, 89,
 94, 104, 107, 131, 142, 152, 165,
 167, 215
 provisioning, 13, 14, 23, 25, 38, 40, 50,
 56, 68, 156, 158, 163, 231
 quality, 89, 93
 repository, 215
 requirements of, 57
 retirement, 86, 87
 session-based, 96, 101, 115
 subcontracted, 198
 technical, 6
 topology, **6**–8, 10, 90, 91, 141, 181,
 182
 transport, 5, 8
 type, 96
 usability, 73
 usability of, 58
 usage, 16, 17, 23, 73, 87, 93, 99–101,
 105, 142, 155, 169, 179, 232
 variant, 97–100, **101**, 102, 104, 105,
 109, 135, 137, 138, 145, 158,
 169
- Service Access Point (SAP), 13, 50
 Service Framework Team (SFT), 54
 Service Level Agreement (SLA), 52, 56,
 58, 73, 100
 Service Level Objective (SLO), 149
 Service Level Specification (SLS), 58, 100
 Service Modelling Framework (SMF), 65
 Service oriented Architecture (SoA), 29,
35, 82
 Service quality, 13, 17, 21, 28, 50, 58, 72,
 74, 75, 85, 93
 allocation, 69, 76, 96, 97
 characteristics, 100–103, 127
 classification, 95
 control, 68, 69
 end-to-end, 111, 204
 framework, 51, 93, **95**, 96–98, 105,
 109, 111
 guarantee, 94
 level, 17, 50, 58, 93, 96, 99, 105, 160,
 203
 management, 58, 82, 94, 100, 104
 maximum, 96
 negotiation, 50, 99
 parameter, 13, 21, 94, 99, 103
 policy, 101, 104
 preference, 131, 157
 provisioning, 13, 105
 range, 14
 requirement, 13, 15, 100–103, 115
 requirements, 96, 97
 signalling, 96
 support, 12, 13, 58, 69, 82, 93, 96, 97,
 101, 103, 105, 165
 support instantiation, 51, 76, 96, 99,
 158
 support mechanism, 105, 158, 167, 168
 support parameters, 85, 100
 support provisioning, 203
- Service-oriented Architecture (SoA), 19,
 67
 Serving GPRS Support Node (SGSN),
 202, 203
 Session, 13, 14, 17, 21, 73, 76, 93, 97,
 106, 112–115, 126, **137**, 139, 193,
 195, 204, 214
 based charging, 143, 185
 based QoS parameter, 203

- based service, 96, 101, 115, 137, 140, 190
- control, 75, 114, 179
- controller, 179
- creation, 167, 222
- level policy, 138
- management, 14, 113, 169, 170, 172, 177
- participant, 179
- properties, 51
- specific parameter, 101
- termination, 222
- Session Description Protocol (SDP), 96
- Session Initiation Protocol (SIP), 13
- SFT, *see* Service Framework Team
- SGSN, *see* Serving GPRS Support Node
- Shared Information/Data (SID), 53–55, 71, 91, 119, 120, 122, 124, 126, 128, 129, 133, 160
- SID, *see* Shared Information/Data Model
- Silence period, 114
- Simple Object Access Protocol (SOAP), 49, 57
- Single Sign-On (SSO), 107
- SIP, *see* Session Initiation Protocol
- SLA, *see* Service Level Agreement
- SLO, *see* Service Level Objective
- SLS, *see* Service Level Specification
- SMF, *see* Service Modelling Framework
- SoA, *see* Service oriented Architecture
- SOAP, *see* Simple Object Access Protocol
- Software, 29
 - open-source, 29, 31
- Software Defined Radio (SDR), 22
- Software design, 34, 157
- Software development, 28–30, 32–34, 36, 39, 40, 231
- Software engineering, 29, 31
- Software Service Engineering (SSE), 31
- Solution, 29, 87, 105, 159, 210
- Solution design, 210
- Solution designer, 88
- Solution specification, 86
- SSE, *see* Software Service Engineering
- SSO, *see* Single Sign-on
- Stakeholder, 6, 7, 8, 10, 17, 19, 24, 35, 37, 58, 61, 63, 65, 67–70, 71, 163, 166, 184, 213, 214, 232
 - class, 71
 - interrelationship, 77
- Standardisation, 19, 21, 231
- Standardisation Organisation (SDO), 43
- Static
 - aggregation, 122
 - composition, 36, 125, 148, 151
 - information, 76, 231
 - policy, 102–104
 - provisioning, 14, 38, 51, 69, 76, 203
 - service provisioning, 13
 - service quality level, 105
 - service quality provisioning, 13, 182, 196
 - service quality support provisioning, 204
 - SLA, 165
 - view, 33, 66, 68, 174, 197, 223
- Statistical service quality guarantee, 168
- Streaming, 69, 96, 103, 111, 114, 115, 116, 140, 185, 190, 193, 196, 203–205
 - non-session based, 190, 195
- Subcontracting, 15, 70, 109
- Subscriber, 7, 16, 71, 72, 78, 89, 121, 129, 132, 142, 166, 168, 175, 176, 180, 183, 187, 198
 - adding of, 180
 - aggregate, 129
 - profile, 13, 100
 - provisioning, 207
 - role, 199
- Tailored product, 132
- Talk spurt, 114
- Tangible goods, 3
- TCA, *see* Traffic Conditioning Agreement
- TCP, *see* Transfer Control Protocol
- TCS, *see* Traffic Conditioning Specification
- Technology-Neutral Architecture (TNA), 52

- TeleManagement Forum (TMF), 19, 44, **51**, 53–58, 61, 70, 82, 90, 119, 120, 122, 124, 126, 128, 129, 133, 160
- Telephony, 94, 97, 165, 167, 169, 170, 173, 175, 177, 178, 182
- Template, 109, **124**, 125, 135, 156, 157, 181, 198, 210
- Temporal context, 100, 181
- Temporal correlation, 103, 112–114, 218–220
- Temporal ordering, 10, 33, 70
- Temporal view, 29
- Terminal management, 77, 208
- Terms of delivery, 4, 5, 58
- Third Generation Partnership Project (3GPP), 13, 14, 19, 20, 25, 37, 38, **50**, 51, 56, 68, 76, 96, 97, 100, 101, 105, 111, 149, 183, 190, 195–197, 200–203, 208, 210, 221, 231
- Third Normal Form (3NF), 37
- Throughput, 12, 17, 21, 97, 102, 112, 114, 138, 168–171, 177, 181, 187, 188, 195, 218–220
- Time-based charging, 143, 144, 178
- TMF, *see* TeleManagement Forum
- TNA, *see* Technology-Neutral Architecture
- Token bucket, 102, 171, 172, 188, 191, 192
- Token bucket size, 171
- Token rate, 171, 172
- Traffic
 - aggregate, 165, 167, 168, 210
 - characterisation, 97
 - class, 96, 111, 116, 131, 195, 210, 221
 - conditioning, 121, 127, 165, 167, 168, 171, 221
 - descriptor, 97
 - engineering, 168
 - modelling, 97
 - pattern, 102, 103, 170, 171
 - profile, 82
 - volume, 186
- Traffic Conditioning Agreement (TCA), 58, 100
- Traffic Conditioning Specification (TCS), 58, 100
- Transfer Control Protocol (TCP), 43, 102, 111
- Trust, 57, 61, 106, **107**, 108, 109, 116, 214
- UCD, *see* User-Centred Design
- UDDI, *see* Universal Description, Discovery, and Integration
- Ultra-Wide Band (UWB), 75
- UMA, *see* Unlicensed Mobile Access
- UML, *see* Unified Modelling Language
- UMTS, *see* Universal Mobile Telephony System
- Unified Modelling Language (UML), 45, **46**, 47, 53, 65, 66, 91, 98, 118, 119, 121, 122, 149, 232
- Universal Description, Discovery, and Integration (UDDI), 36, 49, 57
- Universal Mobile Telephony System (UMTS), 11–13, 50, 75, 184, 185, 190
- Unlicensed Mobile Access (UMA), 43
- Unlinkability, 107
- Untraceability, 107
- User-Centred Design (UCD), 31
- Utility computing, 213–217, 219, 222, 232
- UWB, *see* Ultra-Wide Band
- Value net, 15, 16, 23, 25, 40, 57, 58, 67, 68, 83, 84, 163, 183, 231
- Video, 22, 69, 103, 114, 115, 143, 185, 190–193, 195, 204–206, 208
- Virtual Private Network (VPN), 15, 54, 133, 140
- Visualisation, 47, 61
- Voice over IP (VoIP), 12, 13, 20, 115, 131, 140, 173–182
- Voice quality, 97
- VoIP, *see* Voice over IP
- Volume-based charging, 143, 144, 178
- VPN, *see* Virtual Private Network

- W3C, *see* World Wide Web Consortium
- WAP, *see* Wireless Application Protocol
- Waterfall model, 30, 31, 39
- WCDMA, *see* Wideband Code Division Multiple Access
- Web Ontology Language (OWL), 57, 59, 60
- Web services, 20, 31, 35, 36, 49, 56, 59–61, 71, 82, 83, 86
- Web Services Description Language (WSDL), 49, 57
- Web Services Interface (WSI), 20, 23, 24, 61
- Web Services Interoperability Organisation (WS-I), 57
- Web Services Interoperability Organisation (WS-I), 57, 61
- Web Services Modelling Framework (WSMF), 60
- WfMC, *see* Workflow Management Coalition
- White-boarding, 102, 106, 114, 115, 145
- Wide area connectivity, 154, 155, 209, 213, 214, 216, 220–224, 226, 227
- Wideband Code Division Multiple Access (WCDMA), 12, 50, 201–203, 209, 221
- WiFi, 16
- WINNER, 22
- Wireless Application Protocol (WAP), 11, 102, 191, 193, 194
- Wireless LAN (WLAN), 12, 15, 20, 50, 69, 75, 76, 97, 101
- Wireless Service Measurement Team (WSMT), 52
- Wireless World Initiative (WWI), 23–26, 44, 60
- Wireless World Research Forum (WWRF), 23–25, 43, 60, 61, 68, 135, 148, 160, 232
- WLAN, *see* Wireless LAN
- Workflow, 48, 70, 177
- Workflow Management Coalition (WfMC), 48
- Workflow management system, 48
- World Wide Web Consortium (W3C), 49, 57
- WSDL, *see* Web Services Description Language
- WSI, *see* Web Services Interface
- WS-I, *see* Web Services Interoperability Organisation
- WSMF, *see* Web Services Modelling Framework
- WSMT, *see* Wireless Service Measurement Team
- I, *see* Wireless World InitiativeD
- RF, *see* Wireless World Research ForumD
- XMI, *see* XML Metadata Interchange
- XML Metadata Interchange (XMI), 44, 118
- XP, *see* Extreme Programming

