

Index

- algorithm
 - Bayesian classification 117
 - for boundary kernel selection 139
 - of density estimation based on adaptive transformation 128
 - of density estimation based on fixed transformation 125
 - of double bootstrap 12
 - of sequential procedure 12
- asymptotical mean integrated squared error 115
- bandwidth of kernel 70
- Bartlett's formula 44
- Bayesian risk of misclassification 155
- bin width of histogram 76
- BISDN 208
- bivariate quantile curve 55
- bootstrap
 - classical 10, 369
 - estimate of renewal function 228
 - non-classical 369
 - re-sample 9, 229
- boundary effect of kernel estimates 73
- censoring 94
- characteristic number 192
- classifier 152
 - Bayesian 152
 - empirical Bayesian 152
- component-wise maxima 50
- condition
 - Cramér's 5, 225
 - Hall's 8
 - Hölder (or Lipschitz) 68, 190
 - mixing 42
 - von Mises 180
- confidence interval
 - of group estimate 18
 - of high quantile 172
 - of renewal function 226, 227, 228
- consistency
 - strong 73
 - weak 73
- convex hull 50
- copula 33, 49
- cross-validation 74, 77
 - for dependent data 91
 - integrated squared error 78, 115
 - weighted integrated squared error 115
- density estimation approach
 - L_1 62
 - L_2 63
 - χ^2 63
- dependence
 - index sequence 86
 - long range 45, 86, 89
 - short range 45, 89
- distribution
 - bivariate extreme value 49
 - exponential 234

distribution (*Continued*)

extreme value xiii
 fitted 119, 129
 Fréchet 23
 function 2
 gamma 234
 generalized extreme value 3, 54
 generalized hyperbolic 92
 generalized Pareto xiii, 14, 129
 heavy-tailed 3
 interarrival-time 220
 isosceles triangular 118
 light-tailed 3
 normal inverse Gaussian 92
 Pareto 239, 241
 Poisson 208
 regularly varying 4, 168, 227
 stable 18
 subexponential 3
 target 119, 129
 Weibull 172, 188, 234
 dose–effect dependence 204
 eigenfunction 192
 equation
 Fredholm’s 66
 Volterra’s 185, 198, 211
 estimate
 maximum likelihood 167
 re-transformed 118
 estimator
 Barron 112
 based on exponential regression model
 14
 combined parametric-nonparametric
 101, 165
 EVI kernel 13
 Frees’ 223, 233
 group 19
 Hill’s 6
 histogram-type of renewal function
 224
 intensity of nonhomogeneous Poisson
 process 209
 Kaplan–Meier 206
 modified Weissman’s 166
 moment 13
 on-line 20

Parzen–Rosenblatt kernel 68, 70
 Pickands’ 13
 polygram 76, 126, 131
 POT 14, 165
 projection 63, 74
 ratio 7
 smoothed projection 69
 UH 13
 variable bandwidth kernel 113
 weighted quantile 164
 Weissman’s 165
 Euler’s constant 231
 expected shortfall 92
 failure time 181, 199
 Fourier coefficients 193
 frailty 201, 202
 function
 autocorrelation 43
 auto-covariance 45
 covariance 42
 empirical distribution 67
 empirical mean excess 8, 28
 hazard rate 180
 Laplace’s 25
 leave-out- l cross-validation 91
 mean excess 28
 moment generating 5, 225
 Pickands dependence 49
 ratio of the hazard rates 181, 198
 renewal 220, 221
 sample autocorrelation 43
 sample heavy-tailed autocorrelation 43
 slowly varying 4
 survival 94, 181
 functional
 regularization 68
 stabilizing 67
 high quantile 163
 Hill plot 39
 hormesis 200
 independent random
 variables 2
 index
 extreme value 3
 tail 3

- inequality
 - Hoeffding's 260, 262, 266
 - Hölder 269
- intensity of nonhomogeneous Poisson process 208
- inter-arrival times 221
- kernel
 - boundary 132
 - Epanechnikov's 71
 - Gaussian 71
 - modified bi-weight 136
 - triangular 132
- Kullback's metric 62
- Laplace–Stieltjes transform 221
- leave-out sequence 91
- lemma
 - Borel–Cantelli 256, 258, 261, 266, 286, 287, 289
 - of inverse operator 183
- lifetime 181
- likelihood ratio 198
- maximum domain of attraction 3
- mean integrated squared error 135
- mean risk 104
- mean squared error 9, 72, 88
- method
 - block maxima xiii
 - D 82, 127
 - discrepancy 80, 115, 119, 127
 - elemental percentile 15, 167
 - exponent 64
 - Lagrange 183
 - least-squares 81
 - maximum likelihood 53, 62, 167
 - of mismatch 184
 - of moments 15
 - POT xiii, 176
 - of probability-weighted moments 15, 54, 167
 - regularization 67, 183
 - structural risk-minimization 104
 - Xie's RS 234
 - ω^2 82, 127, 147
- model
 - Gilbert–Elliott Markov 210
 - Pareto-type 165
 - retrial 213
 - semi-Markov 182, 193
- Monte-Carlo study 23
- mortality
 - risk 94, 180
 - table 94
- operator
 - adjoint 184
 - self-adjoint (Hermitian) 192
- operator equation 182
- orbit 212
- order of kernel 70
- order statistics 6
- orthonormalized system 192
- outliers xii, 117
- over-smoothing bandwidth selector 77
- parameter
 - Hurst 45
 - smoothing 76
- Parseval equality 277, 278
- pattern recognition 151
- plot of histogram-type estimate 232
- probability
 - density function 2
 - of misclassification 152
 - space 1, 182
- problem
 - correct by Hadamard 67
 - ill-posed 67, 182
 - inverse 181
- process
 - ARMA 43
 - exactly second-order self similar 47
 - GARCH 44
 - log-return 91
 - MA 45
 - second order stationary 45
- QQ plot 28, 165
- quantile 163
- random variable 2
- regularization parameter
 - 67, 183

- representation
 - Jenkinson–von Mises 3
 - Karamata of slowly varying function 227
 - Rényi 272
- retrial call
 - definition A 213
 - definition B 213
- retrial queues 212
- right endpoint of distribution 5, 28

- scheme
 - Fisher's 62
 - transform–retransform 117, 128
- second-order asymptotic relation 18
- selection of k in Hill's estimate
 - bootstrap 9
 - double bootstrap 12
 - exceedance plot 8
 - Hill's plot 8
 - sequential procedure 12
- space
 - Hölder 190
 - Sobolev 65
- statistic
 - Kolmogorov–Smirnov 80
 - Mises–Smirnov 80, 148
 - Rényi 191
- Stieltjes convolution 221

- Taylor's expansion 255
- TCP-flow 55
- theorem
 - Glivenko–Cantelli 198, 211
 - Lebesgue's 61
 - Pickands' 5
 - Scheffé's 63
 - Sklar's 33, 49
 - Smith's 221
- total variation 63
- transformation
 - adaptive 128
 - fixed 118, 124
 - function 117
- transmission control protocol 30

- u-statistic 223

- value at risk 92
- Vapnik–Chervonenkis dimension 104

- warranty control 221
- wavelet basis 75
- Web prefetching 161
- Web traffic 30

