

Index

- 2D SDS-PAGE 36–9
3D ion trap 128–9
- Accuracy 8–9, 12, 21, 26–7, 37, 51, 82,
85–6, 91, 93, 97, 101–2, 115, 129–32,
136–7, 166, 171, 184, 193, 204–5, 221,
239–40, 249–53
- Accurate mass 9
- Adduct ion 69, 82
- Affinity chromatography 58
- Aldente 104–5
- Allele 17
- Alpha carbon 5
- ALS-PAGE 249
- Alternative splicing 4, 17
- Amide bond 5, 142
- Amino acid composition 11, 14, 99, 108–9
- Amino group 5, 11, 141
- Amino-terminal 5
- Ammonia loss 121, 162, 204
- Amu 8
- Analyte 31–2, 54, 57–8, 60, 70, 235, 241, 257
- Antibody 16, 38
- Antisymmetric path 188
- Antisymmetric 188, 222, 225–6
- API 125, 131
- Apparent mass 9, 98
- Asymmetry factor 60, 63
- Atomic mass unit 8
- Attribute 5–14, 15, 19, 25–7, 32, 146–7,
217–19, 247
- Average mass 9, 15, 73, 92, 100
- Avogadro's number 9
- Backbone 5, 49–50, 69, 88, 142, 180, 227,
251
- Backbone fragment 120–1, 182, 252
- Band 33–4, 36, 54–5, 58–60, 236
- Base peak 88
- Baseline 55, 59–60, 88, 90, 146
resolution 60
width 59–60
- Basis type 182, 184, 189
- Bayesian classifier 219
- Bias 26–7, 108–10, 143, 149, 206, 218, 220,
230, 257
- Biemann nomenclature 255, 257
- Binary decision tree 147
- Biological process 1–2, 99
- Biphasic columns 216
- BLAST 195, 197
- Blind PTM identification 156
- Blind search 172
- Bottom-up proteomics 19, 20, 253
- C-terminal 5, 11, 21, 46–7, 50, 86, 121, 133,
142, 146–50, 180, 182
- CAD, *see* Collisionally activated dissociation
(CAD)
- Calibrant 25, 240, 256
- Calibration 25–6, 27, 39, 62, 82, 91–2, 97,
103, 104, 241
- Capacity factor 58

- Capillary LC column 54
 Carboxy-terminal 5
 Carboxyl group 5, 11
 Catalytic site 46
 Cation 56, 57
 Cellular component 1, 2, 4, 6, 99
 Charge-directed fragmentation 142
 Charge estimation 138
 Charge-remote fragmentation 142
 Chemical cleavage 50
 Chemical ionization 71
 Chromatogram 54–5, 59–60, 63
 Chromatography 53, 55, 60
 affinity 58
 column 53
 gas 53–4, 235
 HI 57
 NP 57
 Chymotrypsin 47, 48, 49
 CID 123–4, 126, 128, 130, 133–4, 182,
 189–90, 251–2
 CIDentify 195, 197
 Cleavage
 activator 47
 point 46–7, 108
 preventor 47
 semi-specific 100
 site 23, 46–7, 49–51, 100, 244
 specificity 47–8
 Clique 223
 Codiagonal 175
 Codon bias 230
 COFRADIC 211, 212, 215, 219
 Collision cell 123–4, 131
 Collision-induced dissociation 123–4
 Collisionally activated dissociation (CAD)
 124
 Column chromatography 53
 Competitive ionization 81
 Complementary masses 134, 169–70, 223
 Complete linkage 223
 Complete spectrum 154, 159, 172, 189
 Contamination 45, 82, 88
 Contextual property 6
 Controlled vocabulary 1, 257, 262
 Cross-correlation 161–2, 163, 172
 Crystallization 70
 CV 1, 181, 226, 257
 Cyclotron 124, 130
 Da 6–10, 15, 19, 67, 69, 73, 75–6, 82, 85, 99,
 104, 107, 112, 115, 121, 130, 156, 170,
 172–4, 184, 193–4, 196, 205, 207, 214,
 222, 226, 237–9, 251
 Dalton 8–9, 81, 104
 Data dependent acquisition 216
 Daughter ion 120, 125
 DE 84
 De novo sequencing 153, 179–92, 193–4,
 203, 207, 225, 227, 252
 Dead time 58, 61
 Decision tree 146–7, 168, 219
 Deconvolution 135, 183
 Deisotoping 92, 135, 183
 Delayed extraction 84, 92
 Delta-value 219
 Derived sequence 153, 162, 179, 181, 186,
 189, 193–201, 203, 225, 227
 Detector 54–5, 58, 61, 67, 72, 77, 83–5, 116,
 124, 127–31, 240, 257
 Differential In-Gel Electrophoresis (DIGE)
 40, 236
 DIGE, *see* Differential In-Gel Electrophoresis
 (DIGE)
 Digestion 20, 22–3, 100, 116, 196, 244, 249
 Dimer 2, 3
 Discriminant function 164
 Dissociation constant 10–12
 DTA 261
 Dye 33–4, 36, 38, 40
 Dye-front 34
 Dynamic exclusion 212
 Dynamic range 38, 129, 132, 240

 E-value 111, 114, 197
 ECD, *see* Electron capture dissociation (ECD)
 Edge 180, 185–9, 204, 207
 Edit distance 200
 Edman degradation 8
 Electron capture dissociation (ECD) 124,
 130, 189–90, 251–2
 Electron transfer dissociation (ETD) 124,
 129, 251
 Electronic noise 55, 88
 Electrospray ionization (ESI) 56, 70–1, 82,
 123, 125–6, 128–9, 131–2, 137, 146, 149,
 216, 249–50
 Eluate 54, 56–7, 61, 70
 Eluent 54
 ESI, *see* Electrospray ionization (ESI)

- ETD, *see* Electron transfer dissociation (ETD)
Exact mass 8
Experimental mass 20–1, 44–5, 92, 100,
102–4, 106–7, 109, 111, 115–16
External standard 25–6
- FAB, *see* Fast atom bombardment ionization
(FAB)
Fast atom bombardment ionization (FAB) 71
FASTA 195, 255, 259
FASTS 195
Feature table 17, 99
FFE, *see* Free Flow Electrophoresis (FFE)
Filtering 39, 99, 101, 147, 153, 156, 194, 227
Filtering function 39
FIR, *see* Fragmentation, intensity ratio
Fold changes 229, 240–1
Forbidden pair 188, 191
Fourier transformation 89, 130, 162
Fraction 21, 23–4, 77, 112, 147, 206, 212–14,
244–5, 249
Fractional mass 75, 91
Fractionating 21
Fragment
 type 144, 159–60, 185
 type probability 159
Fragmentation 69, 119, 123, 144
 charge-directed 142
 charge-remote 142
 environment class 144–5
 environment 144–8
 intensity ratio 145–6
 model 141–50
 site 144–50, 159, 180, 182, 184, 185–6,
 189, 204
Fragmentation techniques 123–4
FT-ICR 124, 130–1, 132, 139, 251, 253
FT-MS 131
FT spectra 159–60
Full-scan mode 125
FWHM 77, 79, 251
- Gas chromatography (GC) 53–4, 235
GC, *see* Gas chromatography (GC)
Gel electrophoresis 9, 31–40, 49–50, 81, 249,
260
Gene Ontology Consortium (GO) 1–2
Genetic algorithm 191
GO, *see* Gene Ontology Consortium (GO)
Gradient 35, 56, 61–2, 216
Gradient delay time 61–2
Graph 180, 188
GRAVY score 14
GutenTag 203–4
- Half-heightwidth 59–60
Hard ionization 70
Heteroscedastic noise 240
High-energy CID 124
High pressure liquid chromatography (HPLC)
54–5
HPLC, *see* High pressure liquid
 chromatography (HPLC)
HSP 195, 197–8
Hydrophilic 13, 62
Hydrophobic 13–14, 20, 32, 37, 56–7, 62,
149, 215
Hydrophobicity 13–14
Hydrophobicity scale 13
- ICAT 238
ICPL 238
Identification approach 20–1
IEF, *see* Isoelectric focusing (IEF)
Immobilized pH gradient 35
Immonium fragment 121
Immonium ion 121, 163
In silico digestion 20, 43–5, 50–1, 99–101,
111–12, 159
In source decay (ISD) 123
In-space analyzer 125
In-time analyzer 125, 139
Inclusion list 132
Incomplete spectrum 189
Injection 58
InspeCT 203–6
Intensity normalization 90–1, 143, 146, 217,
231
Internal fragment 121
Internal standard 25–6, 39, 231, 241
International Protein Index (IPI) 17–18
Intrinsic property 6
Inversed spectrum 136–7, 174, 181, 222
Ion exchange chromatography 57
Ion gate 126
Ion probability 185
Ion trap (IT) 124–5, 128–30, 131–2, 139,
147, 149, 251–2
Ion type 124, 134, 145, 147, 159, 167, 173,
179, 182, 185, 202

- Ionization
 electrospray 56, 70–1
 fast atom bombardment 71
 hard 70
 MALDI 70
 soft 70, 123
 source 67, 69–71, 120, 124–5, 126, 249
 IPG strips 35
 IPI, *see* International Protein Index (IPI)
 IRMPD 251
 ISD, *see* In source decay (ISD)
 Isoelectric focusing 35–6
 Isoelectric point 10–13, 23, 32, 35–7, 57, 62, 99, 147, 244
 Isotope 8–9, 14, 19, 72–3, 76, 78–9, 92, 132, 135–6, 237–8, 250
 Isotopic envelope 73, 76, 78, 92, 135–6, 237
 Isotopic label 14
 Isotopic resolution 78–9
 IT, *see* Ion trap (IT)
 iTRAQ 238–9
- KEGG, *see* Kyoto Encyclopedia of Genes and Genomes (KEGG)
 Kyoto Encyclopedia of Genes and Genomes (KEGG) 2
- Label-based quantification 236–40
 Label-free quantification 232–6
 Laboratory Information Management Systems (LIMS) 227
 Lane 33
 Laser-induced dissociation (LID) 123
 LC, *see* Liquid chromatography (LC)
 Least squares approximation 25
 LID, *see* Laser-induced dissociation (LID)
 LIMS, *see* Laboratory Information Management Systems (LIMS)
 Linear ion trap (LIT) 129, 132
 Liquid chromatography (LC) 31, 53, 54–5, 235, 236, 249, 261
 LIT, *see* Linear ion trap (LIT)
- m/z, *see* Mass-over-charge (m/z)
 MALDI, *see* Matrix assisted laser desorption ionization (MALDI)
 MALDI-TOF 81–94, 233, 234
 MALDI-TOF/TOF 126, 132
 Marker ion 238–9
- Mass
 accurate 9
 analyzer 67, 70–1, 72, 119, 120, 128, 131, 253
 apparent 9, 98
 average 9, 15, 73, 92, 100
 defect 9
 detector 67
 excess 9
 experimental 20, 21, 44–5, 92, 100, 102, 103, 104, 106, 107, 109, 111, 115–16
 filtering 156
 fractional 73–6, 91, 92
 gate 126
 molecular 8–10, 17, 32, 34
 monoisotopic 8, 9, 15, 20, 73, 115
 nominal 9, 19, 20, 67, 69, 75–6, 99, 133, 170, 172, 173, 177
 number 9
 spectrometer 15, 19, 21, 23, 37, 43, 45, 48–9, 54, 56–7, 67, 69, 82, 89, 101, 104, 106, 112, 120, 123, 124–5, 131, 212, 216, 218, 221, 227, 230, 235, 238, 240, 241, 249, 251, 253, 257–8, 260, 262
 spectrum 43, 45, 67, 73, 77, 128, 222, 237, 250
 theoretical 20–1, 43–4, 99, 100, 101, 102, 103, 104, 107, 112, 116, 166, 167
 Mass-over-charge (m/z) 19, 72
 Mass profile fingerprinting 21
 Master gel 39
 Matrix 70, 75, 81–3, 86, 97, 115, 174–5, 195–9, 201, 225
 Matrix assisted laser desorption ionization (MALDI) 49, 70, 72, 81–2, 84, 88, 92–3, 123, 125–6, 129, 131, 132, 137, 249
 Metastable ion 123
 MGF 261
 MIAPE, *see* Minimal Information About a Proteomics Experiment (MIAPE)
 Micro LC column 54
 Milli unit 9
 Minimal Information About a Proteomics Experiment (MIAPE) 260
 Missed cleavage 23, 44–5, 48–51, 100, 102, 106, 108, 111, 112, 114–15, 147, 244, 247
 Mmu 9
 Mobile peptide 142, 144, 149
 Mobile phase 53, 54–5, 56–8, 61
 Mobile proton model (MPM) 142

- Modification
 fixed 100
 mass 15, 171, 252
 position 15
 site 15
 variable 100
- Mole 9
- Molecular function 1–2, 4
- Molecular mass 8–10, 17, 32, 34
- Molecular weight (MW) 8, 17
- Monoisotopic mass 8, 9, 15, 20, 73, 115
- Monoisotoping 92
- MPM, *see* Mobile proton model (MPM)
- MRM, *see* Multiple reaction monitoring (MRM)
- MS BLAST 195, 197
- MS instrument 21, 54, 81, 83, 91, 97, 101, 115, 123, 143, 235, 261
- MSA 103
- MS/MS instrument 54, 123, 143
- MS/MS mode 125, 129, 233, 238–9
- MS/MS spectrum 119–20, 123, 125, 132, 135–7, 139, 141–2, 156, 179, 186, 200, 205, 216, 224, 239, 252
- MS/MS-fragmentation 125
- MSⁿ 21
- MSⁿ-spectrum 128, 139
- MS-Seq 209
- MS-Tag 209
- Mu 9
- MudPIT 215–16
- Multiple reaction monitoring (MRM) 131–2, 139
- MW, *see* Molecular weight (MW)
- MzXML 93, 262
- N-terminal 5, 8, 11, 46–7, 51, 62, 120, 133, 146, 148, 182, 185, 215, 219
- Nano LC 54
- NCBI non-redundant database 17
- NCBI nr 17–18
- Neural network 61, 219
- Neutral loss 15, 120, 123–4, 138, 183, 194, 221
- Node 147–8, 168, 180, 182–91, 197, 204, 206–7, 222
- Noise 39, 45, 55, 77, 81, 86–8, 89, 90, 93, 102, 139, 159, 165, 171, 185, 218, 220, 233, 240
- Noise level 88–9
- Nominal mass 9, 19–20, 67, 69, 75–6, 99, 133, 170, 172–3
- Noninterleaved 188
- Non-mobile peptide 144, 149
- Normal ion 123
- Normal phase 57
- Normalization 91, 206, 231–2
 intensity 90–1, 143, 146, 217, 231
- OBO, *see* Open Biological Ontologies (OBO)
- ¹⁶O/¹⁸O labelling 238
- OLAV 108, 166–8
- Ontology 15, 257–8, 262
- Open Biological Ontologies (OBO) 2
- OpenSea 198–200
- Orbitrap 129–30, 131
- P-value 111–13, 197, 206
- Packing 54
- PAGE, *see* PolyAcrylamide Gel Electrophoresis (PAGE)
- Paraclique 223
- Parent ion 120, 134
- Part per million (ppm) 9, 104, 108, 251
- Partially mobile peptide 144
- Paul trap 128
- Peak
 area 63, 89–90, 230
 detection 89–90, 135, 233–4
 height 59–60, 63, 77, 230
 list 77, 86, 90, 92–4, 97–9, 115, 233, 261–2
 size 60, 63
 width 59, 77–8, 89
- Peptide 6, 23
 bond 5, 11, 14, 54, 82, 144–5, 189
 fragment 120–3
 mass fingerprinting (PMF) 21, 22–3, 45, 261
 mass maps 21
 sequence tag (PST) 201–6
- Peptide-centric proteomics 23, 49, 246
- PH gradient 11, 35, 36, 37
- Photoionization 71
- PIR, *see* Protein Information Resource (PIR)
- pK value 7, 11–12, 16
- PKL 261
- Plate number 60, 63
- PMF, *see* Peptide, mass fingerprinting (PMF)

- PolyAcrylamide Gel Electrophoresis (PAGE) 9, 32–5, 36–40, 215, 249
- Polypeptide 3, 5, 8, 10, 12, 13, 241
- PoPS 46
- Post source decay (PSD) 123
- Posttranslational modification (PTM) 2, 4–5, 6, 14–16, 49, 88, 94, 97, 102, 108, 109, 115, 179, 198, 262
- Ppm, *see* Part per million (ppm)
- Precision 26–7, 37, 79, 97, 160, 166–7, 185, 233
- Precursor 17, 21, 120, 122–4, 126, 131, 133, 135–9, 143, 148, 153, 156, 162–4, 166–71, 182–3, 187, 190, 194, 201, 218, 221, 223–4, 238, 243, 247, 252, 255, 261
- Precursor ion 120, 123, 125, 129
- Primary run 212–13
- Primary structure 7
- PRM spectrum 222, 226
- Product ion 120, 123–4, 129, 138–9, 183, 252
- Product matrix 225
- Propeptide 99
- Proper graph 188
- Property 6, 21, 31, 62, 139
- Protease 20, 23, 43, 45–50, 61, 75, 91, 93, 100–1, 114, 156, 171, 196, 205
- Protein 1–27
- form 3, 5
 - identification 2, 6, 16, 18, 26, 50, 60, 93, 97–116, 119, 141, 153, 243, 246, 249, 252, 262
 - identity 3–4, 243
 - isoform 5
 - quantification 2, 230
 - sample comparison 3
 - sequencing 8
 - variant 4–5, 32
- Protein Information Resource (PIR) 16
- Proteolytic cleavage 4–5, 243
- Proteome 1–27, 211, 253
- Proteomics 1–27
- Proteomics data standards 257–8
- Proteomics Standards Initiative (PSI) 93, 260
- Mass Spectrometry Working Group 260, 262
 - Modifications Working Group 260, 262
 - Proteomics Informatics Working Group 260, 262
- Protonated site 141
- PSD, *see* Post source decay (PSD)
- PSI, *see* Proteomics Standards Initiative (PSI)
- PSI-Mod 260, 262
- PSI-MS 260, 262
- PSI-PI 260, 262
- PST, *see* Peptide, sequence tag (PST)
- PTM, *see* Posttranslational modification (PTM)
- Q-TOF 131–2
- Q-TRAP 131–2
- QIT 128
- Quadratic discriminant analysis 219
- Quadrupole 126–8, 131
- Quadrupole ion trap 124–5, 128, 252
- Quantification
- absolute 229, 238, 241–2
 - relative 229, 241
- Quantitative proteomics 229–30
- Quasi-molecular ion 70
- Radio frequency field (RF) 127
- Random cleavage 49–50
- Random spectrum 114
- Reactive intermediates 142
- Recalibration 103
- Reflectron 84, 92, 126
- RefSeq 17, 18
- RefSeq NP 17
- RefSeq XP 18
- Relative retention 59
- Repeatability 26
- Reporter ions 238
- Representative spectrum 224, 227
- Reproducibility 26, 36, 37, 39, 40, 56, 60, 143, 235
- Residue 5
- Resolution 22, 36, 45, 56, 58, 60, 77–9, 82–4, 89, 97, 129–32, 137, 238, 249–53
- baseline 60
 - in chromatography 60
- Resolving power 77–9, 132, 251
- Retention
- coefficient 61–4
 - factor 58
 - time 53–5, 58–63, 213–14, 235–6
- Reverse COFRADIC 215
- Reverse phase 93, 213, 249
- Reverse spectrum, *see* Inversed spectrum
- RF, *see* Radio frequency field (RF)
- RP-chromatography 56–7
- RT spectra 160

- S/N, *see* Signal-to-noise (S/N)
- Sample archiving 82
- Sample coverage 21, 23, 212, 215, 238
- Scissile bond 46
- SCOPE 165
- Score components 106–7
- SCX-chromatography 57, 60
- SDS, *see* Sodium Dodecyl Sulfate (SDS)
- Secondary run 213–14
- Segment 139
- SELDI 234, 236
- SELDI chip 234
- Selective fragmentation 150
- Semi-specific cleavage 100
- Sensitivity 20, 36, 38, 82–3, 93, 129, 132, 251
- Separation 21–2
- Separator factor 59
- Sequence
- coverage 21, 45, 49, 86, 106, 108–9, 115, 211–12, 251
 - filtering 156
 - spectrum 181–6
 - tag 156, 198–9, 202–5, 252
 - tag hit 203–5
- Sequence Ontology Project (SO) 2
- Sequential comparison 179–92
- SEQUEST 147, 162–4, 168, 192, 218, 262
- Shotgun proteomics 211
- Sibling spectra 220–1, 223–4, 227
- Side chain fragments 121
- Sigmoid function 221
- Signal-to-noise (S/N) 55, 85, 88, 129, 131, 139, 143, 189
- SILAC 237–8
- Single linkage 223
- Size exclusion 58
- SO, *see* Sequence Ontology Project (SO)
- Sodium Dodecyl Sulfate (SDS) 32, 36, 249
- Soft ionization 70, 123
- Soft ionization source 70
- Solute 54
- Solvent 54, 71
- SpecAlign 233
- Spectral
- alignment 172, 173–6, 225
 - comparison 159–76, 252
 - contrast angle 161, 162, 221
 - convolution 172–3
 - pair 225
 - subset 144
- Spectrometer 67, 78
- Spectrum graph 180–3, 184
- SPIDER 200–1
- Splice variant 4, 5, 17–18, 252
- SSRC 61–2
- Staining 14, 36, 38, 50, 94
- Standard 25
- creation mechanisms 255
- Standards
- design 256
 - dimensional 256
 - formatting 256–7, 262
 - measurement 256
 - proteomics
 - data standards 257–8
 - test standards 256
- terminology 256–7
- test 256
- Stationary phase 53, 54, 56–8, 61–2
- Strong cation exchange 56, 57
- Subsite 46–7
- Substrate 46–7
- Subtraction method 111
- Subunit 3
- Suffix tree 206, 207
- Support 37, 184, 185, 227, 259, 260
- Support vector machine 219
- Swiss-Prot 10, 16–17, 45, 99, 115, 214–15
- Swiss-Prot Varsplic 17
- Systems biology 2
- Tailing factor 60
- Tandem 119–39
- Term 257
- Test samples 256–7
- Th, *see* Thomson
- Theoretical mass 20, 99–104, 107, 112, 116, 166–7
- Thomson (Th) 67
- Threaded comparison 154
- TIC, *see* Total ion count (TIC)
- Time-of-flight (TOF) 72, 82–5, 257
- Timed ion selector (TIS) 126
- TIS, *see* Timed ion selector (TIS)
- TOF, *see* Time-of-flight (TOF)
- TOF/TOF 126
- Top-down proteomics 20, 249–53
- Total ion count (TIC) 91

- Total retention time 58, 61
Training set 61, 108–10, 143–4, 218, 219
Transit peptide 99
Translated EMBL (TrEMBL) 16
TrEMBL, *see* Translated EMBL (TrEMBL)
Trimer 3
Triple quadrupole 126–8, 131
Trypsin 48–9
Two-dimensional SDS-PAGE 36
- u, *see* Unified atomic mass unit (u)
U-graph 185
Unified atomic mass unit (u) 8
UniParc 16
UniProt archive 16
- UniProt KB 16–17
UniProt Knowledgebase 16–17
UniRef 16
UT spectra 159–60
- Valid value 27
Value 6
- Water loss 121
Well 33
Western blotting 38
- Z 19
Zone scoring 169–71
Zone searching 169–71