

Index

- ^{13}C -NMR spectrum, features of, 328–329
 ^1H -NMR spectrum, of 2,6-dinitrotoluene, 325
- A**
- Absorbance
in atomic spectroscopy, 225, 230
calibration curve, 18
linear range, 216
of solvents in HPLC, 263
in UV-VIS, 201, 204–206, 214
- Absorption spectroscopy
cold vapor AA, 166, 230
spectral interference, 166, 236
in SW-846, 102
- Absorption, of radiation, 192
- Accelerated solvent extraction, *see*
Pressured fluid extraction
- Accuracy, 16–17
- Acetone wash, 128
- Acid bath, *see* Acid wash
- Acid digestion, 140
principles, procedures and
tips, 161–164
standard methods, 109
for total As and Se, 167–168
- Acid fraction, semi-volatile organic
compounds, 113, 180
- Acid solutions, preparation of, 131
- Acid wash, 129
- Acidity
method principles, 142–143
standard methods, 104, 111, 137
- Activity, of ions, 292, 297–299
- Acylation, 182. *See also* Derivatization
- Adsorbent tubes, 82
- Aggregate organic analytes,
methods of, 104, 112
- Aggregate organic constituents, 104
- Air sampling, 49
blanks, 117
filter media, 82–83
OSHA/NIOSH methods, 105
sampling equipment, 81–82
- Alcohol(s), 14–15
by IR method, 215
response to ECD, 270
sample preparation for, 182–185
- Aldehyde, 14–15, 185, 278
- Alkaline solutions, preparation of, 131
- Alkalinity, 74, 137, 300
analytical procedures, 348–352
method principles, 143–144
standard methods, 104, 111
- Alkylation, 182. *See also* Derivatization
- Alumina column, 180. *See also* Cleanup
- Ambient air
air quality standard, 36
sampling, 81–82, 99
test methods, 99
- Amide(s), 14–15, 182
- Amine(s), 14–15, 165
analysis by IC, 279
derivatization of, 182
SPE made of, 172
- Ammonia
by colorimetric method, 209
by distillation/titration, 137, 152–153
- Ammonium, *see* Ammonia
- Amperometric titration, for
chlorine, 302–303
- Analysis of variance, 24, 341
- Analytical errors, 2, 4, 26
- Anion exchange column, 264
- ANNIE, 30
- Anode, 234, 271, 291, 295–305

Anodic stripping voltammetry, 303–305
 ANOVA, *see* Analysis of variance
 Antibody, 334
 Antibonding orbital, 195, 197
 Antigen, 334
 Aqua regia, 129, 140
 Aquifer, 31–34
 confined, 34
 unconfined aquifer, 34, 86
 Arsenic
 colorimetric analysis, 209
 digestion of total arsenic, 166–167
 species measurement, 166–167
 Atmospheric pressure chemical ionization, 114, 315–317
 Atomic absorption spectroscopy.
 See also Absorption spectroscopy
 acids preferred, 163
 Beer's law in, 225
 chemistry of calcium in, 222
 first commercial AA, 8
 interferences, 236–238
 Atomic emission spectrometry, 222, 226
 Atomic fluorescence spectrometry, 221
 Atomic force microscopes, 334
 Atomic mass spectrometry, 310
 Atomic spectroscopic techniques,
 comparisons of
 detection limits and working range, 235–236
 interference, 236–238
 sample throughput, 239
 system cost, 239
 Atomization, 221, 227
 in flame and flameless AA, 223–224
 interferences, 237–238
 Automated Soxhlet extraction, 110, 175–176
 Autosampler, 259, 261, 281
 Avogadro's constant, 13
 Azeotropic distillation, 102–103, 111, 185

B

Background samples, 117–118
 Bailer, for groundwater sampling, 77
 Base peak, 318, 319
 Base/neutral fraction (B/N), 16, 180
 Baseline problems, 283
 Batch(es), of samples, 19, 121–122, 240
 Beer's law, *see* Beer-Lambert's law
 Beer-Lambert's law, 204, 362, 224–225
 causes of nonlinearity, 205
 Benzene, 14, 15, *See also* BTEX
 IR spectrum vs. UV spectrum, 202
 Biochemical oxygen demand (BOD), 73, 112, 147, 357
 Biological examination, methods
 of, 104, 112
 Biological hazards, 134
 Biological sampling
 for residual analysis, 81
 for toxicological testing, 92
 Boiling point (BP), 16, 183–186, 260
 of organic contaminants, 407–416
 of HPLC solvents, 262
 Boltzmann equation, 223–224
 Bond energy, 195
 Bond length, 195
 Boron, 74, 209
 Boundary potential, 297–298
 BTEX, 14–16, 185
 analysis by GC-MS, 396–401

C

Calibration blank, 121, 241
 Calibration curve, 18–19, 121, 281, 362
 causes of nonlinearity 205
 Calibration sensitivity, 18
 Calibration verification standard (CVS), 121
 Capillary column, 184, 248, 253, 257, 260
 Capillary fringe, 31
 Carrier gas, 258–259, 267, 269
 Casings, of groundwater wells, 33, 87–89
 Cathode, 228, 269, 291, 295–305
 Cathodic stripping voltammetry, 303–304
 Cationic exchange column, 264

- Censored data, 28–29
 Central tendency, 20, 341
 Centrifugation, 138–139
 CERCLA, 37
 Chain-of-Custody, 3, 84
 Chemical hazards, 134
 Chemical interference, 237
 Chemical ionization, 114,
 271, 315–316
 Chemical oxygen demand (COD)
 analytical procedures, 357–361
 maximum holding time for, 73
 method principles, 147–148
 standard method, 112
 Chemical reagents, purity
 of, 131–132
 Chemical shift, 325–327
 Chloride, measurement of, 137
 by Argentometric method
 (Mohr method), 152
 by colorimetric method, 209
 by mercuric nitrate method, 152
 Chlorine, isotopic ratio of, 319
 Chlorine, residual in drinking water
 by amperometric titration,
 302–303
 by volumetric titration,
 137, 149–151
 Chlorobenzene, measurement by
 GC-MS, 396–401
 Chloroethylene, measurement of
 by GC-ECD, 390–392
 by GC-FID, 386–390
 Chromatogram(s)
 characteristics of, 254
 to diagnose problems, 282–284
 for qualitative and quantitative
 analysis, 258
 Chromatographic method
 development of, 280–281
 GC-based EPA methods, 277
 HPLC-based EPA methods, 278
 Chromatography
 definition of, 9
 types of, 247
 Chromic acid wash, 129
 Chromium, 209, 212
 alkaline digestion, 165
 measurement of, 370–374
 Chromophores, 197–198
 Clark oxygen sensor, 301
 Classical methods, 7–8. *See also*
 Wet chemical methods
 Clean Air Act, 36
 Clean Water Act, 36
 Cleanup, from sample matrix
 by acid-base partition, 180
 EPA recommended methods,
 102, 181
 principles of, 179–181
 by sulfur cleanup, 181
 by sulfuric acid/permanganate, 181
 Code of Federal Regulations, 35, 100
 Coefficient of variation, 17
 Cold vapor atomic absorption
 (CVAA), 166, 230–231
 Coliwasa, for hazardous waste
 sampling, 80
 Collocated samples, 117–118
 Column bleeding, 260, 283
 Column efficiency, 256
 Column internal diameter, 252–253
 Column length, 253
 Columns, chromatographic
 megabore/widebore, 253
 open tubular/wall-coated, 248
 Comparability, 17
 Completeness, 17, 115
 Composite sampling, 57, 89
 Concentration units, conversions
 of, 11–13
 Conductance, equivalent, 274–275
 Conductivity, 274–275,
 294–295, 344–345
 Conductometry, 294–295
 Confidence interval, 23, 61
 Confidence level, 17, 18, 23, 25
 Contaminant candidate list, 113
 Contract Laboratory Program
 (CLP), 37
 Control, 3
 Core sampler, for sediment
 samples, 80
 Cost
 comparison of sample preparation
 techniques, 179
 of instruments, 238, 280, 289, 309
 related to sampling, 48, 55, 57

Coulomb(s), 292–293
Coulometry, 292
Counter electrode, 293
Criteria pollutants, 36, 99, 341
Critical values
 for Dixon's test, 28
 for *F*-test, 419
 for Grubbs' test, 27
Cross-contamination, 70, 77, 86, 116
Custody, *see* Control
Cuvette(s), 207, 215–216
Cyanide, measurement
 colorimetric method, 137,
 153–154
 wet chemical method, 209, 212

D

Data
 acquisition, 4–5
 quality, 2, 45, 49, 73–74
 variation, 20
Data quality indicators, 17, 49
Data Quality Objectives
 (DQOs), 45–46
Decontamination, 70, 76,
 84, 91, 116
Degassing unit, in HPLC, 260–261
Degree of freedom, 17, 23, 27
Density, of solvents, 169, 387
Deposition potential, 305
Derivatization, 101, 182,
 278–279, 321
Descriptive statistics, 20–21, 341
Detection limit(s)
 comparison of, 235
 data below detection limit, 20, 29
 definition of, 17
 of GFAA, ICP, XRF,
 224, 233, 234
Detector(s)
 for IR, 213
 for GC, 267–272
 for HPLC, 272–274
 for IC, 274–275
 for UV-VIS, 207
Detergent wash, 129
Determinate errors, 4
Deuterium lamp, 206
Diamagnetic shielding, 326

Dichloroethylene, 387
Dienes, (un)conjugated,
 198
Dipole moment, 199, 376
Dirty dozen, 14
Dispersion, *see* Data, variation
Dissolved oxygen
 membrane electric method,
 300–302
 solubility, temperature/salinity
 effects, 353
 Winkler method, 145–147
 Winkler method, modified, 354
Dissolved solids, *see* Solids
Distillation, 139
 Azeotropic and vacuum, 185–186
Distribution constant, 255
Documentation, 3
Domain, time vs. frequency,
 of FTIR signals, 211
Doublet, 328
Downfield, 327
Dynamic headspace extraction,
 183. *See also* Purge-and-trap
Dynodes, 312

E

Ekman dredge, 79–81
Electrochemical cells
 characteristics of 290–292
 notations of, 295
Electrode potential, 291
Electrolysis, 294
Electrolytic cell, 291–293
Electrolytic conductivity detector,
 see Hall detector
Electromagnetic spectrum, 191
Electromotive force, *see*
 Electrode potential
Electron capture detector, 269–270
 analysis of chloroethylene, 390–392
Electron excitation, 193
Electron multiplier, 311–312
Electronic state, 198
Electronic transition, 196–198
Electrospray ionization,
 114, 315–316
Emergency response, 1
Emergency, first aid kit, 134–136

- Emerging contaminants, methods of, 113–114
- Environmental analysis, uniqueness of, 7
- Environmental regulations, relevant to sampling and analysis, 35–37
- Environmental sampling objectives of, 1–2 scopes of, 6
- Environmental statistics, 20–30
- Enzyme immunoassay, 335
- Equal allocation, 55
- Equipment blank(s), 116, 118
- Equipotential line, 86
- Equivalent point of titration, 300
- Errors, Types I and Types II, 25–26
- Ester, 14–15
- Esterification, 182. *See also* Derivatization
- Ether, 14–15, 183
- Ethylbenzene, 14–15, 396–401
- Excel, Microsoft, 18, 21, 24, 341–343
- Excitation of Ca atoms in flame and flameless furnace, 222–223 of UV chromophores, 198 in X-ray fluorescence, 227, 234
- Explosive compounds formation during acid digestion, 163 measurement by HPLC, 382–386
- Extractability, 16
- Extraction efficiency, 170–171 method comparisons, 179
- F**
- False positive/negative, 25–26
- Faraday constant, 292
- Faraday's law, 293
- Far-infrared (FIR), 202–203
- F*-distribution, 23–25
- Field blank(s), 117–118
- Field duplicates, *see* Split samples
- Filament heated resistor in TCD, 267 tungsten, 206
- Film thickness, of stationary phase, 252–253
- Filtration, 138
- Fire extinguishers, 136
- Fish(es) sample collection, 81, 422 toxicity testing methods, 112 USGS methods of sampling, 106
- Flame atomic absorption spectroscopy, components of, 227–229
- Flame emission spectroscopy, 222, 225
- Flame ionization detector (FID), 268–269, 386–390
- Flame photometric detector, 270
- Flame, thermal reactions in, 222–223
- Florisil column, 180. *See also* Cleanup
- Flow measurement groundwater flow, 31–32, 86–87 in stream, 30
- Fluorescence detector, 273
- Fluorescence radiation, 193
- Fluoride electrode, 299
- Fluoride, measurement of by colorimetric method, 209 by fluoride electrode, 299, 392–396
- Fourier transform infrared spectrometers, 211–213
- Fragmentation, 316 pattern of methanol, 319
- Frequency, 191
- F*-test, 24, 341
- G**
- Galvanic cell, 291, 300
- Gamma scintillation spectrometry, 333
- Gas chromatography (GC) advantages of, 280 common detectors of, 266–270 components of, 258–260 comparison of detectors, 270–271 EPA methods, 276–278 maintenance of, 282
- Gas-flow proportional counter, 333
- GC maintenance, 282, 283
- Geiger-Muller counter, 332–333

Gel permeation chromatography, *see*
 Cleanup
 Geo-EAS, 29
 Geology, 30
 Ghost peaks, 283
 Global positioning system, 84, 344
 Global warming, 199, 374–375
 gas, measurement by FTIR, 374–377
 potential, 375
 Golar equation, 252
 Good Laboratory Practice (GLP), 2, 37
 Gradient, of solvents in HPLC, 262
 Grain size, of gravel, sand, clay,
 and silt, 31
 Graphite furnace, 227–229
 Gravimetric methods, 8, 137.
 See also Wet chemistry
 measurement of solids, 348–352
 Greenhouse gases, *see*
 Global warming
 Ground state, 192, 221–225
 Groundwater flow direction, 86–87
 Groundwater sampling, 86–89
 Groundwater wells, schematic of, 32–33
 Guard column, 261–262, 281
 Gyromagnetic ratio, of selected
 nucleus, 324

H

Half-cell(s), 291, 295
 Hall detector, 270
 Hanging mercury drop
 electrode, 305
 Haphazard sampling, 53
 Haptens, 335
 Hard ionization, 315
 Hardness, measurement of
 by ion selective electrode, 298
 by titration, 137, 144–145
 Hazardous air pollutants (HAPs),
 in Clean Air Act, 36, 407–416
 EPA air test methods, 99
 Hazardous wastes
 characteristics of, 102
 definition by TCLP, 103
 EPA waste test methods, 101–103
 sampling from drums, lab packs,
 or tanks, 90
 sampling tools, 80–81

HAZWOPER training, 37, 91
 Headspace for volatiles
 dynamic extraction using, 183–184
 sample storage without
 headspace, 72, 75
 static extraction using, 184–185
 Health hazards
 in laboratory, 134–134
 of radioactive nuclides, 332
 Heavy metals, 16
 Henry's law constant, with related
 to volatility, 170
 High performance liquid
 chromatography (HPLC)
 advantages of, 280
 common detectors of, 272–274
 comparisons of detectors, 275–276
 components of, 260–262
 EPA methods, 278
 maintenance of, 281
 Hollow cathode lamp, 228
 Hybrid orbital, 196
 Hydraulic gradient, 86
 Hydraulic head, 86
 Hydride generation atomic
 absorption (HGAA), 231–232
 Hydrology, 30
 Hypothesis testing, 25–26

I

ICP-AES, *see* ICP-OES
 ICP-MS system
 analytical benefit, 312
 applications, 320–321
 principles of, 310–313
 schematic diagram, 311
 ICP-OES, axial or radial
 configuration, 233
 comparison with other atomic
 spectroscopic techniques,
 235–240
 experiment for metal
 analysis, 378–382
 instrument schematic, 232–233
 ionization process in plasma, 225
 for multi-element analysis, 226
 Immunoassay, EPA screening
 methods by, 102–103,
 334–335

- Impinger, 82–83
 Indeterminate errors, *see* Random errors
 Indicator electrode, 291–297
 Indoor air, 92, 99, 104
 Infrared (IR) spectrum
 of benzene, 202
 of CO₂, 200
 Infrared instrument
 applications for pollutants in air, 215
 applications for pollutants
 in water, 215
 dispersive, 213–214
 in industrial hygiene
 monitoring, 214
 nondispersive, 214
 sample preparation for, 216–217
 Infrared-active gases, 375
 Inorganic nonmetallic,
 methods of, 104
 Instrument blank(s), 120
 Instruments, first commercially
 available, 8
 Integral, of NMR spectrum, 327
 Interface analysis, 333–334
 Interface, of hyphenated methods
 for GC-MS and LC-MS,
 314–315
 for ICP-MS, 311
 Interferogram, 213
 Internal standardization, *see*
 Internal standards
 Internal standards, 121, 237–238,
 242, 258
 Ionization energy, 225–226
 Ion-selective electrodes (ISEs),
 environmental applications,
 298–299
 Isocratic flow, 26
 Isotope dilution, 313
 Isotope ratio, 312
 Isotopic cluster, in mass spectrum,
 320
- J**
 Judgmental sampling, 52–53, 58, 61
- K**
 K-D concentrator, 139–140, 160
 Kemmerer bottle, 76
 Ketone, 14–15
 Kuderna-Danish, *see* K-D
 concentrator
 Kyoto Protocol, 375
- L**
 Laboratory duplicates, 120
 LC-MS
 applications, 114, 321, 322
 first commercial LC-MS, 8
 interface, 314–315
 ionization methods, 315–318
 Legal defensibility, 3
 Limiting current, 294
 Liquid scintillation counters, 333
 Liquid-liquid extraction
 EPA methods for SVOCs and
 non-VOCs, 110
 separatory funnel and continuous
 devices, 168–169
 Log-normal distribution, 22
- M**
 Macroinvertebrate samples, 81
 Magnetic field, 232, 237
 in NMR, 322–327
 Magnetic resonance spectroscopy
 Mass filter, 311, 312. *See also*
 Quadrupole
 magnetic sector, 314
 Mass spectrometry
 high resolution, 277, 314, 322
 ion trap, 314
 tandem, 314
 time-of-flight, 8, 114, 314
 Mass spectrum
 of 1,4-dichlororoluene, 320
 of methanol, 319
 Mass-to-charge ratio (*m/z*), 310
 Material safety data sheet
 (MSDS), 134
 Matrix spike duplicate(s), 120
 Matrix spike(s), 119–120
 Maximum holding times,
 73–74, 420–421
 Mean, arithmetic/geometric, 20
 Median, 20
 Membrane electrode, 295–296,
 298

- Mercury (Hg), analysis of
 cold vapor atomic absorption
 analysis, 229–234
 cross-reference methods, 108
 digestion methods, 166
- Mercury film electrode, 305
- Metal analysis
 by ICP-OES, 378–382
 moisture correction, 240
 practical tips, 240–243
 run sequence and QA/QC, 240–241
- Metalloid, 14, 16
 analysis by hydride generation
 atomic absorption
 spectrometry
 digestion methods for As and
 Se, 166–168
 ionization in plasma of
 ICP-OES, 225–226
- Metals
 apparatus in acid digestion
 for, 162–163
 digestion methods for, 109
 dissolved, and suspended, 162
 sequential extraction for the
 species analysis of, 162
 total recoverable vs. total
 dissolved, 109, 162
- Method blank(s), 120, 241
- Method detection limit, *see*
 Detection limit(s)
- Michelson interferometer, 211, 213
- Microbiological examination,
 methods of, 104
- Mid-infrared (MIR), 201–202
- Misconducts, 3
- Mobile phase, 247, 259
 effects on separation, 252
 selection criteria in HPLC,
 262–264
- Mode, 20
- Moisture content, measurement,
 12, 90, 240
- Molar absorptivity, 204
- Molecular ions, 318
- Molecular mass spectrometry,
 313
 ionization methods, types
 of, 315
- Molecular weight, of chemicals,
 407–416
- Monitoring
 techniques, modern vs. classical,
 7–8
 wells, for groundwater,
 33–34, 52, 88
- Monochromator,
 in atomic absorption
 spectrometers, 229
 in fluorescence detector, 273
 in IR spectrometer, 214
 in UV-VIS spectrometers,
 206–207
- Multielement analysis, 320
- Multiplicity, 328
- N**
- National Priority List (NPL), 37
- Near-infrared (NIR), 201
- Nebulization, 221, 224
- Nebulizer, 228, 381
- Nernst equation, 291–292, 295, 305
- Neyman allocation, 55
- Nitrate, measurement of
 by colorimetric method,
 209, 362–366
 by nitrate electrode, 299
- Nitric oxide (NO), analysis
 of, 210–211
- Nitrile, 15
- Nitrite, measurement by colorimetric
 method, 209, 362–366
- Nitrogen dioxide (NO₂), analysis
 of, 210–211
- Nitrogen-phosphorous detector,
 270
- Nitrosamine, 15
 cleanup for the analysis of, 181
- NMR, in environmental
 applications, 329
- Non-bonding orbital, 196
- Normal (Gaussian) distribution,
 22, 254
- Normal phase HPLC, 251, 263
- Notebooks, as legal documents, 4
- Nuclides, common
 half-life of, 320
 natural abundance of, 330

O

Occupational Safety and Health Act (OSHA), 35, 37, 105

Ohm's law, 295

Oil and grease
by IR method, 215
by partition-gravimetric method, 137, 148–149
sampling precautions, 75

Optimal allocation, 55

Orbital hybridization, 196

Orbital theories, 193

Orbitals, relative energy of, 195

Organic compounds
functional groups, 14–15
structures of, 407–416

Outliers
causes and remedies, 26
detection by Dixon test, 27–28
detection by Grubbs test, 27
detection by z -test, 26

Oxidation number (state), 146, 148

Oxidation, 291

Oxidation-reduction reactions, 290–291

Ozone
data analysis by Excel spreadsheet, 340–343
measurement by colorimetric method, 209
measurement by IR method, 215

P

Packed column(s), 248, 257, 260
used for inorganic gas analysis, 268

Paper chromatography, 9

Partition coefficients, 170, 174, 184

Pauli exclusion principle, 194, 323

Peak problems, in chromatography, 283

Performance based measurement system (PBMS), 109

Persistent organic pollutants (POPs), 14

Personal protection equipment (PPE), 135

Personal sampling pumps, 81–82

Petersen dredge, 80–81

pH electrode(s), combination, 296, 345
practical tips, 297–298

Phenanthrene, 15

Phenol(s), 14, 15, 209
as acid fraction, 113
by colorimetric analysis, 209, 212

Phenol, 14–16

Phosphate, colorimetric analysis of, 209, 212

Photo ionization detector, 270

Photodiode array detector, 272, 383

Photomultiplier, 207, 333

Physical and aggregate properties, methods of, 103

Physical hazards, 134

Physical interference, 238

Piezometer, 33

Pipets, volumetric vs. measuring, 133
calibration of volumetric pipets, 134

Planck constant, 191

Planck's law, 191

Plasma, inductively coupled
degree of ionization in, 226
temperature of, 225, 378–379

Plate numbers, 257

PM-10 sampler, 81

PMT detector, for atomic absorption spectroscopy, 229

Polarity index, of solvents in HPLC, 262–263

Polychlorinated biphenyls (PCBs), 14–15
cleanup for the analysis of, 181
by immunoassay, 103, 335
sampling container and holding time, 74–75, 421

Polyurethane foam (PUF), 81–83

Ponar dredge, 79–80

Pond sampler (grab sampler), 76

Potential function, 294

Potentiometric surface, 33–34

Potentiometric titration, 299–300

Potentiometry, 292, 299–300

Practical quantitation limit, 17

Precision, 16–17

- Preparation blank(s), *see also*
 Method blanks, 120
- Preservation methods of samples
 general guidelines for, 71–72
 for specific compound, 420–422
- Pressured fluid extraction, 177, 179
- Priority pollutants, 14, 36
 structures and properties
 of, 407–416
- Probability, 22
- Probably-based sampling, 53
- Programmed temperature profile in
 graphite furnace, 223
- Proportional allocation, 55
- Protons, chemically equivalent, 326
- PS-1 sampler, 81–83
- Pump, for groundwater sampling
 air-lifter pump, 78
 bladder, 77–78
 peristaltic, 77
 submersible, 78
 suction, 78
- Purge-and-trap
 devices of, 183–184
 EPA methods, 103, 111, 277
- Pyrene, 15
 cross-reference methods
 for, 108
- Q**
- QA/QC samples
 for sample preparation, 118–119
 number of, 118, 121–122
- QA/QC samples, types of
 in the field, 116–118
 in the lab, 119–121
- QC check standards, 121
- Quadrupole, 310–311, 313–315
- Quality assurance project plan, 115
- Quality assurance, definition of,
 5, 115
- Quality control, definition of, 5, 115
- Quantum number, 194, 323
- Quartet, 328
- R**
- Radiation
 absorption of, 192
 alpha/beta/gamma, 331
 fluorescence, 193
 microwave, 192
- Radio frequency generator, 232
- Radio frequency, 322
- Radioactivity
 sampling and instrumentation
 methods, 331–333
 standard methods, 101, 104
- Radiochemical analysis, 329
- Random error, 4
- Random number generation, 60
- Random sampling, *see* Simple
 random sampling
- Range, 21
- Reagent blank(s), 120
- Reagent water spike(s), 120
- Recovery, analytical, 16
- Reduction, 291
- Reference electrodes, 292–293,
 295, 297
- Reference materials, 120–121, 132
- Reference samples, 118
- Reflux, COD analysis, 137, 139,
 357–361
- Refractive index detector, 274
- Refractive index, for solvents in
 HPLC, 262–263
- Regeneration, of ion exchange
 columns, 265
- Regression analysis, 18
- Regulatory compliance testing, 93
- Relative percent difference, 17,
 120, 241
- Relative standard deviation, 17
- Remediation investigation/
 feasibility, 46
- Representativeness, 17, 49–50
 air samples, 50
 biological samples, 51
 groundwater samples, 51
 solid samples, 50
 water samples, 50
- Residual chlorine, *see* Chlorine
- Resistance, in conductivity cell, 295
- Resolution, chromatographic, 256
 factors affecting resolution, 252
- Resonance frequency, 324
- Resource Conservation and
 Recovery Act (RCRA), 36

- Retention factor, 255
- Retention time problems, in chromatography, 283–284
- Reverse phase HPLC, 251, 263
- Rinsate blank(s), *see* Equipment blanks
- Rosner test, 28
- Rotary evaporator (rotavap), 139–140, 160
- Rotational transitions, 198
- S**
- Safe Drinking Water Act, 36
- Salinity
 - stratification of salinity in estuaries, 85
 - unit of, 13, 345
- Salt bridge, 291
- Sample amount, for water, soil, sediment, air, toxicity testing, 70–71
- Sample containers, selection of, 74–75
- Sample number, estimation of, 61–63
- Sample preparation
 - for liquid and solids samples, 168–179
 - for metals and metalloids, 162–168
 - purposes of, 160–161
 - types of, 161–162
 - for VOCs and gas, 183–187
- Sample preservation and storage, 71–74, 420–422
- Sample storage, *see* Sample preservation and storage
- Sample's life, 5–6
- Sampling and analysis
 - personnel involved, 45–46
 - sampling error vs. analytical error, 4–5
- Sampling approaches, 52–58
 - comparison of, 58
 - probability-based, 53
- Sampling equipment, selection of, 76–83
- Sampling errors, 4, 26
- Sampling plan, selection criteria of, 48–49
- Sampling techniques, of various media
 - air and stack emission, 92–93
 - biological samples, 92
 - groundwater, 86–89
 - hazardous wastes, 90–91
 - soil and sediment, 89–90
 - surface water and wastewater, 84–85
- Sampling tools, *see* Sampling equipment
- Saturated calomel electrode, 295, 393
- Scan mode, in mass spectrometry, 312
- Scanning electron microscopes, 334
- Scanning tunneling microscopes, 334
- Scientific reliability, 2–3
- Search sampling, 57
- Sediment sampling equipment, 79–80
- Selected ion monitoring (SIM), 312
- Selenium analysis
 - digestion of total selenium, 166–167
 - species measurement, 166–167
- Semiconductor detector, for XRF, 234
- Semi-volatile organic compounds (SVOCs), 16
 - analytical standard methods for, 113
 - extraction methods for, 168–178
- Separation factor, 255–256
- Separation, chromatographic
 - parameters affecting separation, 251–253
 - types of separation columns and stationary phases, 247–251
- Septum
 - for GC sample injection and maintenance, 259, 282–283
 - sample containers with Teflon-lined, 75, 421–422
- Sigma bond, 195
- Silica gel column, 180. *See also* Cleanup
- Silica, octyl/octadecyl bonded (C₈/C₁₈), 171–172
- Silver/silver chloride electrode, 295
- Silylation, 182. *See also* Derivatization
- Simple random sampling, 53–54
- Singlet, 328
- Sludge volume index, 142
- Soft ionization, 316

- Soil sampling
 - techniques and practical tips of, 89–90
 - tools (augers and split-spoon sampler), 78–79
- Soil sieving, 31
- Solid phase extraction, 110, 171–173
- Solid phase microextraction (SPME), 173–174
- Solids, in water, wastewater, sludge, 137, 141–142
 - analysis of, 348–352
 - filtration of, 138
- Solubility
 - of organic pollutants, 407–416
 - of oxygen in water, 353
- Solutions, preparation of
 - acid/alkaline, 131
- Solvents, density and miscibility
 - chart of, 169
- Sonication, *see* Ultrasonic extraction
- Sorbent tubes, *see* Adsorbent tubes
- Soxhlet extraction, 110, 174–175
- Spatial data, 29
- Species analysis
 - for As and Se, 166–168
 - for chromium, 165, 370–374
 - by IC, IC-ICP, and ICP-MS, 279
 - sequential extractions procedures for metals, 162
- Spectral interference, 236–237
- Spectrophotometer, components of
 - infrared (IR), 211–214
 - visible and ultraviolet (UV-VIS), 206–207
- Spectroscopy, *see* specific types
- Spectrum (Spectra)
 - infrared (IR) spectrum, 203
 - mass spectrum, 310
 - NMR spectrum, 325
 - for structural identification, 201
 - visible spectrum, 191, 201
- Spin, of selected nuclei, 323–324
- Spin-spin coupling, 328
- Split sample(s), 117
- Split/splitless injector, 260
- Stack emission, sampling, 71, 81, 92
- Standard addition calibration, 242
- Standard addition, 237, 242, 392–396
- Standard deviation, 16, 21
- Standard error of the mean (SEM), 23
- Standard hydrogen electrode, 295
- Standard methods, *see also* Test methods
 - components of, 98
 - regulatory vs. consensus, 98
 - selection of, 108–115
 - by various agencies/organizations, 108
- Standard normal distribution, 22
- Standard operating procedure (SOP), 46
- Standard potential, 291–292
- Standard reference materials (SRM), 132
- Standard, primary/secondary, 132
- Static headspace extraction, 184, 386
- Stationary phase
 - for GC column, 249–250
 - for HPLC column, 250–251
- Stockholm convention, 14
- Strata, temporal/spatial, 54
- Stratifications, in oceans and lakes, 51, 85
- Stratified random sampling, 54–55
- Stretching, (a)symmetric, 199
- Structures, of organic pollutants, 407–416
- Student's *t* distribution, 23
 - percentiles of, 418
- Sulfide, measurement, 137, 154–155
- Sulfur dioxide, EPA reference method for, 208
- SUMMA canister, 82–83
- Supercritical fluid chromatography, 265
- Supercritical fluid extraction (SCF), 110, 177–178
- Superfund Act, 37
- Superfund site investigation, 49, 73, 87, 118
- Suppressor column, 264–265
- Surface analysis, 333–334
- Surface sampling, wipe/chip/dust, 91

Surface water sampling
 field measurement of water
 quality parameters,
 344–348
 practical approaches and
 tips, 84–85
 representative samples for, 50–51
 sampling equipment, 76
 Surfactant, measurement of,
 209, 366–370
 Surrogate spike(s), 119
 Suspended solids, *see* Solids
 SW-846, EPA test methods for wastes, 36
 digestion methods for metals,
 109–110
 extraction methods for SVOCs
 and non-VOCs, 110
 method structure, 101–103
 sample preparation for VOCs, 111
 Systematic errors, *see*
 Determinate errors
 Systematic grid sampling, 56–57
 Systematic random sampling, 56–57
 Systematic sampling, 56–57

T

t-Distribution, percentiles, 418
 Tedlar bag, 82
 Temperature control, in GC oven,
 253, 259–260
 Temporal data, 29
 Test methods, *see also* Standard
 methods
 by APHA, OASH, ASTM,
 NIOSH, USGS, 103–108
 by EPA for air, water and
 wastes, 99–103
 index of, 99
 Tetrachloroethylene, 14–15,
 386–387
 Theoretical plates, 256–257
 Thermal conductivity detector,
 267–268
 Thief (grain sampler), 81
 Thin-layer chromatography, 9
 Time series data, 29–30
 Titrimetric methods, 137
 list of chemicals using, 137
 procedures for alkalinity, 348–352

procedures for dissolved oxygen,
 352–357
 Toluene, 14–15, 262, 397, 401
 Total ion chromatogram, 318
 Total ionic strength adjust buffer
 (TISAB), 299, 394
 Total Kjeldahl nitrogen, 73, 209
 Total solids, *see* Solids
 Total suspended solids, 142
 Toxicity characteristic leaching
 procedure (TCLP), 103
 Toxicity testing, 71, 104, 112
 Traceability, 3
 Transducers, *see* Detector(s)
 Transect sampling, 57
 Transmittance, 204
 Travel blank(s), *see* Trip blanks
 Trichloroethylene, 15, 386–387
 Trier, for sampling, 81
 Trip blank(s), 117–118
 Triplet, 328
 Troubleshooting, GC and HPLC,
 282–284
 TSP sampler, 81

U

Ultrasonic extraction, 110
 Unsaturated zone, 31
 Upfield, 327
 UV cutoff, of solvent in
 HPLC, 262
 UV detector, 272–273
 UV-VIS spectroscopy
 instrument components,
 206–207
 methods for atmospheric
 pollutants, 208–211
 methods for pollutants in
 water, 209, 211
 practical tips, 215–216

V

Vadose zone, 31
 Valence shell, 196
 van Deemeter equation, 252
 van Dorn sampler, for estuary
 sampling, 76
 Variance, population/sample, 21
 Vegetation samples, 81

- Vibration
 - bending, 200
 - characteristic bands of IR, 203
 - Vibrational transitions, 198
 - Vinyl chloride, 15
 - Viscosity, of solvents in
 - HPLC, 262
 - Volatile organic compounds (VOCs), 16
 - extraction and distillation methods for, 183–187
 - standard analytical methods for, 112–113
 - Volatile solids, *see* Solids
 - Volatility
 - by boiling point, 16
 - by Henry's law constant, 170
 - Voltaic cell. *See* Galvanic cell
 - Voltammetry, 293–294
 - environmental applications, 300–305
 - Voltammogram, 294
- W**
- Waste handling and disposal, 136
 - Waste impoundments, sampling from, 90
 - Waste piles, sampling from, 91
 - Wastewater, 36
 - sampling techniques, 84–85
 - test methods, 100–101
 - Water sampling, *see also*
 - Groundwater sampling
 - sampling tools for groundwater, 77–78
 - sampling tools for surface water, 76–77
 - Water, ASTM water purity specifications, 130
 - Wave number, 201
 - Wavelength, 191
 - Weighted bottled sampler, 76
 - Well(s)
 - purging, volume of, 87
 - schematics of a monitoring well, 33
 - types of, 34
 - water level, measurement of, 34
 - Wet chemical methods, *see also*
 - Classical methods
 - analytical principles for common, 141–155
 - in environmental applications, 137
 - Wet chemistry, *see* Wet chemical methods
 - Winkler method, for analysis of dissolved oxygen
 - chemical principles, 145–147
 - procedures of, 352–357
 - Workplace environment, 37
- X**
- X-ray fluorescence (XRF)
 - environmental applications of, 234
 - three types of, 233
 - of titanium atom, 227
 - Xylene, 14–15, 397–401
- Z**
- Zeeman background correction, 237