

INDEX

A

- AAQG (American Aerospace Quality Group), 622
- ABI/INFORM, 771
- Abrasives, 215–216
- Abrasive barrel finishing, 280
- Abrasive belt finishing, 280
- Abrasive flow machining (AFM), 220, 224
- Abrasive jet machining (AJM), 220, 224
- Abrasive machining, 215–219
 - abrasives used in, 215–216
 - buffing, 219
 - defined, 215
 - electropolishing, 219
 - grinding fluids for, 218
 - machines for, 218, 219
 - surface finishing, 219
 - temperatures for, 218
 - ultrasonic, 226
 - ultrasonic machining, 219
- Abstracts, 778–779
- AC, *see* Adaptive control
- Accelerated depreciation, 520–522
- Acceptance quality level (AQL), 326
- Acceptance sampling, 325–326
 - DOD acceptance sampling by variables, 326
 - double, 325–326
 - multiple, 326
 - sequential, 326
- Accident prevention, 679–680
- Accountants, information needs of, 508
- Accounting. *See also* Finance and accounting
 - accrual vs. cash-basis, 512
 - defined, 505
- Accreditation, 617. *See also* Registration, certification, and accreditation programs/bodies
- Accrual accounting, 512
- ACF, *see* Annual cash flow
- Acquisition costs, initial, 535–537
- Activity relationship chart (material handling), 368, 373
- Actual authority, 705
- Adaptability, 464
- Adaptive control (AC), 336–337
- Ad-Aware, 765
- ADLI model, 629
- AED training, *see* Automated external defibrillator training
- AEM, *see* Automated electrified monorails
- AEROSPACE database, 769
- Aerospace standard (AS 9100), 622
- Affinity diagram, 603
- AFM, *see* Abrasive flow machining
- Agency (legal), 705–706
- Aggregate production planning (AP), 131–134
 - approaches to, 132–133
 - costs in, 131–132
 - difficulties with, 134
 - levels of aggregation/disaggregation in, 133–134
 - strategies in, 131
- AGVS, *see* Automated guided vehicle system
- AIAG (Automotive Industry Advisory Group), 620
- AIP (American Institute of Physics), 773
- Air quality, 670
- AJM, *see* Abrasive jet machining
- Allocated stock (MRP schedule), 136
- Allowance, tolerance vs., 315
- ALUMINUM database, 769
- Aluminum Industry Abstracts*, 769
- Aluminum oxide, 215
- American Aerospace Quality Group (AAQG), 622
- American Health Care Association Quality Award, 636
- American Institute of Physics (AIP), 773
- American National Accreditation Program (NAP), 619
- American National Standards Institute (ANSI), 619, 620, 623, 780
- American Society for Quality (ASQ), 619, 628
- American Society for Testing and Materials (ASTM), 781

- American Society of Mechanical Engineers (ASME), 367, 780–782
- America's Best Plants Award, 636, 637
- Analysis, as engineering skill, 553
- Analysis phase (DMAIC process), 585, 603–607
 - affinity diagram, 603
 - cause and effect diagram, 603–604
 - data sampling and charts, 604
 - design of experiments, 604–607
- Angle bending, 262
- Annual Book of Standards*, 781
- Annual cash flow (ACF), 579–580
- Anodizing, 283
- ANSI, *see* American National Standards Institute
- A-1 matrix (QFD), 592–595
- AOQ (average outgoing quality), 325
- AOQL (average outgoing quality limit), 325
- AP, *see* Aggregate production planning
- AP News database, 771
- Apparent authority, 705–706
- Appearance ratio control, 160
- Apron conveyors, 356
- AQL (acceptance quality level), 326
- Arc evaporation, 401–403
- Arithmetic mean, 316
- Arrow diagrams, 552
- AS 9100 Aerospace standard, 622
- ASMDATA, 768–769
- ASME, *see* American Society of Mechanical Engineers
- ASME Boiler and Pressure Vessel Code, 781
- ASME Boiler Code Committee, 781
- ASME Standardization Committee on Pipe and Pipe Threads, 781
- ASN (average sample number), 326
- ASQ, *see* American Society for Quality
- AS/RS, *see* Automated storage and retrieval system
- Assemblies:
 - design-allowable stress, 302
 - joining, 287–290
- Assembly activities, cost estimating for, 555–557
- Assembly chart (material handling), 367, 369
- Assembly line balancing, 156–163
 - designing assembly line, 158
 - mixed-model assembly lines, 159–162
 - parallel line balancing, 162, 163
 - structure of problem, 157, 158
 - techniques for, 158–159
- Assets:
 - current, 510–511
 - depreciation of, 513–514, 519
 - fixed, 510, 513–514
 - intangible, 510
 - return on, 517
 - total, 517
 - understanding condition of, 509
- Asset to sales ratio, 518
- Asset turnover ratio, 518
- Associated Press (AP) News database, 771
- Assumption of risk (as legal defense), 719–721
- ASTM (American Society for Testing and Materials), 781
- Asymmetric bipolar pulsed dc power, 405
- “Atkins” report, 775
- AT&T Power Systems, 627
- Attribute characteristics of parts, 25
- AT&T Western Electric, 611
- A-12 aircraft program, 470–473
- Authority (legal), 705–706
- AutoCAD, 336
- Auto Industry standard (ISO/TS), 620–621
- Automated electrified monorails (AEM), 383, 386
- Automated external defibrillator (AED) training, 687–688
- Automated guided vehicle system (AGVS), 387, 388, 390
- Automated storage and retrieval system (AS/RS), 390–392
- Automation, 329, 330
- Automatization, 329–330
- Automotive Industry Advisory Group (AIAG), 620
- Availability of materials, 88
- Available units (MRP schedule), 137, 139
- AV-8B Harrier aircraft project, 473–476
- Average cost of capital, 518
- Average outgoing quality (AOQ), 325
- Average outgoing quality limit (AOQL), 325
- Average sample number (ASN), 326
- Awards, 627–637
 - Baldrige National Quality Award, 627–630
 - Deming Prize, 626–627
 - industry-specific, 636, 637
 - Shingo Prize for Excellence in Manufacturing, 630, 635
 - from U.S. states, 630–634
 - worldwide, 634–636

B

- Back pitch, 294
- Bags (material packaging), 361, 362
- Balance sheet, 509–516
 - accrual accounting, 512
 - current assets, 510–511
 - current liabilities, 511–512
 - current ratio, 513
 - fixed assets, 513–514
 - interest-bearing current liabilities, 512
 - net working capital, 512–513
 - second year comparison, 515–516
 - total capital, 514
- Baldrige, Malcolm, 627
- Baldrige National Quality Award (BNQA), 586, 588, 589, 616, 618, 619, 625, 627–630
- Barrel finishing, 280
- Basic producer industries, 330
- Basic shape code, 74, 75
- Batch production, 331
- B/C (benefit-cost ratio), 581
- Beam PVD processes, 410–411
- Bearing-type connections, strength of, 296–300
- BEES (Building for Environmental and Economic Sustainability), 422
- Beliefs, management, 457–458
- Belt conveyors, 351, 352, 354, 355
- Benchmarking, 18, 19, 489, 498
- Bending, of bolts, 313
- Bending process, 260–263
- Benefit-cost ratio (B/C), 581
- Best practices, 489
- Better Designs in Half the Time* (Bob King), 592
- Bias (GR&R), 613
- Bill of material (BOM), 8
- Bin storage, 360, 393
- Biodesign products, 421–422
- Bipolar pulsed dc power, 405
- Bitstring representation, 73
- Blank diameters, for metal shells, 254
- Blanking, 263, 264
- Blasting, 280
- BL (burdened assembly labor cost), 4
- Blow molding, 276
- BNQA, *see* Baldrige National Quality Award
- Boeing, 286–287
- Bolt and rivet fastening, 292–313
 - clamping force upper limits, 302–303
 - complex butt joint, 296–300
 - design-allowable bolt stress/assembly stress, 302
 - design for cyclical tension loads, 312–313
 - efficiency of joints, 295
 - fatigue failure, 312
 - friction-type connections, 300–302
 - joint types, 293–295
 - simple lap joint, 295–298
 - slip characteristics, 308, 309
 - theoretical behavior under tensile loads, 304–307
 - torque and turn at same time
 - tightening, 309, 310
 - torsional stress factor, 302
 - turn of nut bolt tightening, 308, 309
 - ultrasonic measurement of bolt stretch/tension, 310–311
- Bolting paradigm, 287
- BOM (bill of material), 8
- Bonding materials, 215
- Books, online, 763
- Boxes (material packaging), 361, 363
- Box plots, 598
- Brainstorming:
 - improvement phase (DMAIC), 607
 - in new product development, 19
 - for team building, 502
- Breached duty, 703
- Breach of contract, 708
- Broaching, 209–212
- Brundtland Commission, 424
- Bucket elevators, 352, 355–357
- Budgets, comparing current results with, 523–526
- Buffing, 219, 280
- Building for Environmental and Economic Sustainability (BEES), 422
- Bulk materials:
 - handling of, 350–359
 - belt conveyors, 351, 352, 354, 355
 - bucket elevators, 352, 355–357
 - continuous-flow conveyors, 356, 358
 - conveying equipment selection, 350–352
 - oscillating conveyors, 355
 - pneumatic conveyors, 356, 358, 359
 - screw conveyors, 351, 353
 - vibrating conveyors, 355, 358
 - storage of, 360–365
 - bins/silos/hoppers, 360
 - flow-assisting devices and feeders, 361
 - open-yard, 360
 - packaging of materials, 361–364
 - transportation of materials, 363, 365
- Bulk solids handling, 350

Burden costs, 532, 533, 538
 Burdened assembly labor cost (BL), 4
 Burden rates, 317
 Bureau of Labor Statistics, 576
 Burnishing, 260
The Burwell World Directory of Information Brokers, 783
 Business environment, 448–450, 486
 Business liabilities, 707–710
 Butt joints, 294–300
 Butt welding, 257

C

CAA, *see* Clean Air Act of 1990
 CAD, *see* Computer-aided design
 CAD/CAM part programming, 336
 Cadkey, 336
 CAI, *see* Computer-aided inspection
 Calcium sulfate, 274
 CAM, *see* Computer-aided manufacturing
 Cambridge Scientific Abstracts (CSA), 767
 Canada, filing patents in, 755
 Canada Institute for Scientific and Technical Information (CISTI), 774
 Cannot produce parts at design target condition (correlation charts), 49–51
 Capability index (Cpk), 601–603
 Capability limits, 319–321
 Capability Maturity Model Integration (CMMI), 617, 622–624
 Capital:
 average cost of, 518
 invested, return on, 517, 518
 net working, 512–513
 optimizing utilization of, 95, 96
 total, 514, 518
 total cost of, 523
 Capital expenditures, 523, 564–565
 Capital funds allocation, 570–573
 Capital-intensive businesses/industries, 518
 Capital stock, 514
 CAPP, *see* Computer-aided process planning; Computer-aided production planning
 Carnegie Mellon University, 622
 Carousel systems, 391–393
 Cartesian coordinate system, 334
 Cartons, storage, 363
 CASE (computer-aided software engineering), 559
 Cash-basis accounting, 512

Cash flow(s), 518–523
 annual, 579–580
 discounted, 566, 567
 establishment of, 575–577
 multiple, 568–570
 and time value of money, 566
 Cash flow statement, 518
 CASPA (Complaint About State Program Administration), 648
 Casting and molding:
 metal, 268–275
 centrifugal casting, 269–272
 investment casting, 274–275
 permanent-mold casting, 272–273
 plaster-mold casting, 274
 sand casting, 268–270
 plastic, 275–277
 Catalogs, online, 762–763
 Catastrophe analysis, 649
 “Catchball,” 461
 Cause and effect, in manufacturing
 process flow diagrams, 24–26
 Cause and effect diagram, 603–604
 Cause and effect relationships, 22, 453
 Cause of action, 703
 C control charts, 323–325
 Central limit theorem, 612
 Central Limit Theory, 317
 Central tendency, measure of, 316
 Centrifugal casting, 269–272
 Ceramic process (casting), 274
 CERCLA, *see* Comprehensive Environmental Response, Compensation, and Liability Act of 1980
 Certification, 617. *See also* Registration, certification, and accreditation programs/bodies
 Certification and Registration standard (ISO 9001), 618–620
 Chain-driven conveyors, 379, 380
 Challenges, motivation and, 491–492, 501
 Channel bending, 262
Chemical Abstracts, 779
 Chemical blanking, 241
 Chemical conversions, 283–284
 Chemical machining (CHM), 241
 Chemical milling, 241
 Chemical oxide coatings, 284
 Chemical properties of materials, 87, 88
 Chemical vapor deposition (CVD), 396
 Chesapeake Paper Products, 709–710
 CHM (chemical machining), 241
 Chromate coatings, 283–284
 Chutes, 376

- CIMS, *see* Computer-integrated manufacturing systems
- CISTI (Canada Institute for Scientific and Technical Information), 774
- Clamping force upper limits, 302–303
- Classification systems, 68–109
 - Engineering Materials Taxonomy, 77, 81–90
 - availability of materials, 88, 89
 - material classification systems, 81–83
 - material code, 83–86
 - material properties, 84–88
 - processability ratings for materials, 88, 90
 - fabrication equipment classification, 95–103
 - code number for equipment, 99–100
 - customization of, 99
 - equipment classification, 97–99
 - equipment specification sheets, 100–103
 - standard vs. special equipment, 97
 - Fabrication Process Taxonomy, 89–96
 - basis of classification, 92–93
 - capabilities of processes, 94–96
 - primary objectives for, 90–91
 - process code, 93–94
 - process divisions, 91–92
 - purpose of, 89, 90
 - fabrication tool classification and coding, 103–109
 - standard vs. special tooling, 104–106
 - tool code, 106–107
 - tooling taxonomy, 105, 106
 - tool specification sheets, 107–109
 - Part Family Classification and Coding, 68–80
 - applications for, 69–71
 - basic shapes, 74, 75
 - code format and length, 74
 - history of, 68–69
 - material code, 76–80
 - name or function code, 74, 75
 - precision class code, 76, 77
 - purpose of, 73–74
 - size code, 75, 76
 - special features, 75, 76
 - tailoring, 77
 - theory underlying, 71–73
 - tailoring of, 69
- Clousing, Donald, 592
- Clean Air Act (CAA) of 1990, 642, 644–645
- Cleaning, surface, 278–281
- Clean Water Act (CWA) of 1970, 642–643
- Closed-belt conveyors, 356
- CMMI, *see* Capability Maturity Model Integration
- CNC machine tools, 341
- CNC systems, DNC systems vs., 341, 342
- Coatings, 281–283
- Codes, resources for, 780–781
- Coding, of parts, 344. *See also* Classification systems
- Coining, 260
- Coinjection molding, 275
- Cold-chamber die casting, 273
- Cold drawing, 265–266
- Cold-roll forming, 262
- Cold rolling, 259
- Cold spinning, 266
- Cold working processes, 258–268
 - bending, 260–263
 - classification of operations, 258
 - drawing, 265–268
 - shearing, 263–265
 - squeezing, 259–260
- Collaboration, 465–466, 488, 775
- Collaborative Research Institute for Sustainable Products (CRISP), 425
- Combined loads, 303
- Combustion machining, 242
- Commercial databases, 768–771
- Commitment, 462, 488, 502
- Common cause variation, 609
- Communication, 461–462
 - developing channels of, 501
 - management of, 488
 - of organizational goals and objectives, 502
 - on use of personal protective equipment, 677
- Comparative negligence, 719
- Compendex, 769, 777, 779
- Competitive benchmarking, 18, 19
- Complaint About State Program Administration (CASPA), 648
- Complex butt joints, 296–300
- Compliant features, 289, 290
- Composite Index of CRC Handbooks*, 780
- Composite labor rate, 533
- Compositions of matter (as statutory class for patents), 730
- Compounding period (interest), 567
- Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980, 642, 655

- Computer-aided design (CAD), 328, 329, 336
 - Computer-aided inspection (CAI), 328, 329
 - Computer-aided manufacturing (CAM), 328, 329, 336
 - Computer-aided process planning (CAPP), 347, 348
 - Computer-aided production planning (CAPP), 328, 329
 - Computer-aided software engineering (CASE), 559
 - Computer-integrated manufacturing systems (CIMS), 328–348
 - and automation, 329–330
 - CNC vs. DNC systems, 341, 342
 - elements of, 328–329
 - flexible manufacturing systems, 343
 - group technology, 343–348
 - computer-aided process planning, 347, 348
 - machine cell designs, 347
 - part family formation, 343–344
 - parts classification and coding, 344–346
 - production flow analysis, 345, 347, 348
 - hierarchical computer control, 340–342
 - industrial robots, 337–340
 - applications, 340
 - configuration, 338–339
 - control and programming, 340
 - manufacturing cells, 342
 - and manufacturing cycle, 330–331
 - numerical control (NC), 334–338
 - adaptive control, 336–337
 - CAD/CAM part programming, 336
 - coordinate system, 334–335
 - definition of numerical control, 334
 - machinability data prediction, 337
 - programming by scanning/digitizing, 336
 - selection of parts for machining, 335–336
 - production operations, 330
 - and production operations models, 332–333
 - and production plant classifications, 331–332
- Computer software, detailed cost estimating for, 559
 - Concept phase (new product development), 7
 - Concurrent engineering, 486
 - Conditioned water, 278
 - Conference proceedings, 778
 - Conflict management, 502
 - Consideration, contractual, 708
 - Constant demand (inventory), 122
 - Constraining critical conditions (correlation charts), 43–49
 - constraint table, 49
 - imperfect correlation, 44–47
 - operating limits, 47
 - operating range, 47–48
 - operating target, 47–48
 - Constructive conflict, 464
 - Continuation application (patents), 748
 - Continuation controls, 161
 - Continuation-in-part application (patents), 748
 - Continuing duty to warn, 721–723
 - Continuous-bucket elevators, 355
 - Continuous-flow conveyors, 356, 358
 - Continuous improvement, *see* DMAIC process
 - Continuous interest, 567–568
 - Continuous-path (contouring) NC systems, 334, 335
 - Continuous-path robots, 340
 - Contouring robots, 340
 - Contractual obligations, 707–708
 - Contributory negligence, 719
 - Controls, engineering, *see* Engineering controls
 - Control charts, 317–325
 - c* and *u*, 323–325
 - in DMAIC control phase, 609, 611–612
 - p* and *np*, 322–325
 - Control limits, 317–321, 612
 - Control phase (DMAIC process), 585, 609, 611–614
 - control charts, 609, 611–612
 - control plans, 612–613
 - data sampling and charts, 613
 - GR&R analysis, 613–614
 - Control plans, 612–613
 - Control processes, management system failure and, 466
 - Control variables:
 - complex interactions between, 28, 29
 - manufacturing process flow diagrams, 23, 24
 - number of, 26–27
 - response to changes in, 27, 28
 - simple interactions between, 28, 29
 - Converter industries, 330
 - Conveyors, 376–386
 - belt, 351, 352, 354, 355
 - chain-driven, 379, 380

- continuous-flow, 356, 358
 - gravity, 376, 378–379
 - oscillating, 355
 - pneumatic, 356, 358, 359
 - power-and-free, 380, 381
 - powered, 377, 379
 - screw, 351, 353
 - selection of, 350–352
 - sortation, 380, 382
 - vibrating, 355, 358
 - Conveyor systems, 351
 - Coordinate system (NC), 334–335
 - Corpedia Education, 478–479
 - Correlation charts (TRA):
 - adding design information to, 41
 - generating, 39–41
 - generating input data for, 36–38
 - Corrosion:
 - of bolts, 313
 - crevice, 293
 - temporary protection against, 283
 - Costs:
 - direct, 536, 537
 - estimating, *see* Detailed cost estimating
 - fixed, 536, 537
 - indirect, 536, 537
 - initial acquisition, 535–537
 - nonrecurring, 536, 537
 - opportunity, 565
 - recurring, 536, 537
 - variable, 536, 537
 - Cost growth allowance, 562
 - Cost of money, 565
 - Cost of production, 519
 - Cost of product shipped, 516–519
 - Cost of sales, 516, 519
 - Cpk, *see* Capability index; Process capability
 - Cranes, 382, 384, 387
 - The CRC Handbook of Chemistry and Physics*, 780
 - CRC Handbook of Energy Efficiency*, 780
 - Crevice corrosion, 293
 - CRISP (Collaborative Research Institute for Sustainable Products), 425
 - Critical dimensions, 25, 41
 - Critical path bar charts, 552
 - Critical to quality (CTQ), 591
 - in improvement phase, 607–608
 - tree diagram for, 594, 608
 - Cross-belt sorters, 381, 382, 385
 - CSA (Cambridge Scientific Abstracts), 767
 - CTQ, *see* Critical to quality
 - Cubic boron nitride, 215
 - Culture, organizational, 456, 486, 502
 - Current assets, 510–511
 - Current liabilities, 511–512, 517, 518
 - Current ratio, 513
 - Customer surveys, 112
 - Cutoff operations, 265
 - Cutoff rate of return, 572
 - Cutting force, 264
 - Cutting-off processes, 213–214
 - Cutting-tool materials, 185–188
 - CVD (chemical vapor deposition), 396
 - CWA, *see* Clean Water Act of 1970
 - Cyclical tension loads, design for, 312–313
 - Cyclical time series movements, 117
 - Cylindrical coordinate robots, 338, 339
- ## D
- DaimlerChrysler, 416, 620
 - Dangerous Properties of Industrial Materials*, 780
 - Databases:
 - commercial, 768–771
 - engineering, 763, 768–769
 - Database services, 765–768
 - Data collection:
 - in measure phase, 597–598
 - for unit material handling, 366–373
 - Data sampling and charts:
 - in analysis phase, 604
 - in control phase, 613
 - in improvement phase, 607
 - DCC (direct computer control), 334
 - dc diode sputtering, 404
 - Debt financing, 564
 - Debt percent to debt plus equity ratio, 518
 - Debt to total capital ratio, 518
 - Deburring:
 - electrochemical, 228–229
 - thermal, 242
 - Decision analysis, 650
 - Deep drawing, 266
 - Defects-fixes needed condition (correlation charts), 49, 50
 - Defendant, 703
 - Deferred income taxes, 514
 - Define phase (DMAIC process), 585, 591–597
 - CTQ tree, 594
 - process flow diagram, 594–596
 - quality function deployment, 592–594
 - SIPOC chart, 596–597
 - voice of the customer, 591–592

- Delphi method, 112
- Demand, 121, 131
- Deming Prize, 625–627
- Department of Commerce, 628
- Department of Defense (DOD):
 - acceptance sampling by variables, 326
 - and CMMI, 622, 623
 - and quality of goods/services, 583–584
 - and quality standard revision, 616–617
- Department of Energy (DoE), 415, 416
- Dependent alternatives, 574, 577, 578
- Depreciation, 513–514
 - accelerated, 520–522
 - meaning of term, 513
 - reserve for, 519
- Deseasonalization, 117
- Deseasonalized forecast, 118, 119
- Design:
 - classification systems in, 69, 70
 - as engineering skill, 553
 - safety engineering, 670–675
 - hardware, 670–671
 - hazardous material classification system, 672–674
 - Material Safety Data Sheets, 674–675
 - process, 671–672
 - safety design requirements, 675
- Design-build processes, 486
- Design flaws, 713–714
- Design for assembly (DFA), 5
 - in new product development, 18
 - principles for, 18–19
- Design for Environment Software, 422
- Design for Manufacturing and Assembly (DFM&A), 3–21
 - defined, 4
 - design for assembly, 5
 - design for manufacturing, 5
 - goal of, 5
 - ideal process for applying, 7–8
 - methodology for, 14, 16–19
 - metrics for, 19–21
 - motor drive assembly case study, 8–16
 - upper management support for, 12–14
- Design for manufacturing (DFM), 5, 19
- Design for the Environment program, 415
- Design growth allowance, 562
- Design hierarchy, 716–717
- Design of experiments (DOE), 26, 604–607
 - analysis phase, 604–607
 - improvement phase, 608
 - TRA use of data from, 36–37
 - usefulness of, 29
- Design patents, 726
- Design phase (new product development), 7, 8
- Design process, documentation of, 723–724
- Design retrieval, 69, 70
- Design target, changing, 53
- Design tolerances, changing, 50–53
- Detailed cost estimating, 531–563
 - burden costs, 538
 - computer software, 559
 - direct charges, 562–563
 - direct costs, 536
 - direct management, 562–563
 - distinctions between types of costs, 535–536
 - earnings, 538–539
 - engineering activities, 552–554
 - fees, 538–539
 - fixed costs, 536
 - general and administrative costs, 538
 - indirect costs, 536, 538
 - initial acquisition costs, 535–537
 - in-process inspection, 558
 - labor, 560–562
 - labor-hours, 536–538
 - labor rates/factors, 538
 - manufacturing/production and assembly activities, 555–557
 - manufacturing/production engineering activities, 554–555
 - materials, 538
 - methods used in, 545–552
 - detailed resource estimating, 546
 - direct estimating, 546
 - estimating by analogy, 546
 - firm quotes, 546–547
 - handbook estimating, 547
 - labor-loading methods, 548, 551
 - learning curve, 547–550
 - rules of thumb, 546
 - statistical/parametric estimates, 548, 551–552
 - nonrecurring costs, 536
 - overhead, 538
 - process for developing, 539
 - profits, 538–539
 - questions for developing, 539–541
 - recurring costs, 536
 - schedule elements in, 552
 - subcontract dollars, 538
 - supervision, 562–563
 - testing, 558–559
 - time/skills/labor-hours required for, 533–535

- use of “factors” in, 563
- variable costs, 536
- work breakdown structure, 541–545
 - functional elements of, 542–543
 - hierarchical relationship of, 541–542
 - interrelationships in, 544–545
 - physical elements of, 543–544
 - recurring vs. nonrecurring activities in, 544
- Detailed resource estimating, 546
- Deterministic inventory models, 122
- Development phase (new product development), 7
- Development testing, 558
- Devices, safeguarding, 664, 666–667
- DFA, *see* Design for assembly
- DFM, *see* Design for manufacturing
- DFM&A, *see* Design for Manufacturing and Assembly
- Diagonal pitch, 294
- DIALINDEX, 767–678
- Dialog, 766–768
- Diamond-like carbon (DLC) films, 410–411
- Diamonds, 215
- DIBS (dual ion beam sputtering), 409
- Die casting, 272, 273
- DIF (duty, insurance, and freight), 4
- Digitizing, programming by, 336
- Dimensions, 315
- Dinking, 265
- Direct charges, estimating, 562–563
- Direct computer control (DCC), 334
- Direct costs, 536, 537
- Direct diverters, 380, 382
- Direct estimating, 546
- Direction:
 - and attitude/commitment of employees, 503
 - as management requirement, 488
- Direct judgment technique (cost estimating), 536, 537
- Direct management cost, estimating, 562–563
- Direct-numerical-control (DNC) systems, 341, 342
- Discounted cash flow, 566, 567
- Discounted inventory model, 128
- Discrete interest, 567–568
- Dispersion, measure of, 316
- Distribution logistics, 167–168
- Diverters:
 - direct, 380, 382
 - pop-up, 381, 393
- Dividends, 518, 523
- Divisional application (patents), 748
- DLC films, *see* Diamond-like carbon films
- DMAIC process, 585–614
 - analysis phase, 603–607
 - affinity diagram, 603
 - cause and effect diagram, 603–604
 - data sampling and charts, 604
 - design of experiments, 604–607
 - benefits of, 586–589
 - control phase, 609, 611–614
 - control charts, 609, 611–612
 - control plans, 612–613
 - data sampling and charts, 613
 - GR&R analysis, 613–614
- define phase, 591–597
 - CTQ tree, 594
 - process flow diagram, 594–596
 - quality function deployment, 592–594
 - SIPOC chart, 596–597
 - voice of the customer, 591–592
- and definitions of quality, 586
- engineer’s role with, 588, 590
- improvement (and innovation) phase, 607–610
 - brainstorming, 607
 - CTQ analysis, 607–608
 - data sampling and charts, 607
 - design of experiments, 608
 - Gantt charts, 609
 - network diagrams, 609, 610
 - process capability analysis, 609
- measure phase, 597–603
 - data collection plan and forms, 597–598
 - GR&R analysis, 599
 - Pareto charts, 599
 - plots, 599
 - prioritization matrix, 599, 600
 - process capability analysis, 600–603
 - and TQM/SS as career aid, 590–591
- DNC systems, *see* Direct-numerical-control systems
- Documentation:
 - of design process, 723–724
 - as engineering skill, 553
 - of patents, 749
 - of process capabilities, 90
- Document delivery options, 773–774
- DOD, *see* Department of Defense
- DOE, *see* Design of experiments
- DoE, *see* Department of Energy
- Double declining balance (depreciation), 520–522
- Double-patenting rejections, 747–748

- Drafting, as engineering skill, 553
 Drawer cabinets, modular, 393–394
 Drawing:
 cold working, 265–268
 hot working, 253–255
 Drilling machines, 192–200
 accuracy of holes, 197–200
 drill geometry, 193
 Drivers, training for, 688
 Drums, storage, 364
 Dry sand molds, 268
 DSpace initiative, 774
 Dual accountability, 494
 Dual ion beam sputtering (DIBS), 409
Dudley Sports Co. v. Schmitt, 718
 Due date (job sequencing), 145
 Duty, freight, and insurance (DFI), 4
 Duty (legal), 703
 of agents, 705
 of candor (patents), 744
 continuing duty to warn, 721–723
 Dynamic programming, 132
- ## E
- Earliest due date (EDD), 152
 Earned surplus, 514
 Earnings, detailed cost estimating for, 538–539
 EBM (electron-beam machining), 235
 ECD, *see* Electrochemical deburring
 ECDG (electrochemical discharge grinding), 229
 ECG, *see* Electrochemical grinding
 ECH, *see* Electrochemical honing
 ECM, *see* Electrochemical machining
 Eco-efficient products, 421–422
 Economic equivalence, 566
 Economic viability, 717–718
 ECP (electrochemical polishing), 232
 ECS, *see* Electrochemical sharpening
 ECT (electrochemical turning), 233
 EDD (earliest due date), 152
 EDG, *see* Electrical discharge grinding
 Edge bending, 261, 262
 EDM, *see* Electrical discharge machining
 EDS (electrical discharge sawing), 237
 EDWC, *see* Electrical discharge wire cutting
 EFQM (European Foundation for Quality Management), 635
 EIA (Electronic Industries Association), 334
 EI Engineering Meetings online, 769
 80-20 rule, 599
 Elastic compliant features, 290
 Elastic limit, 300
 Elastic region, 300
 Electrical discharge grinding (EDG), 235, 236
 Electrical discharge machining (EDM), 236–237
 Electrical discharge sawing (EDS), 237
 Electrical discharge wire cutting (EDWC), 237, 238
 Electrochemical deburring (ECD), 228–229
 Electrochemical discharge grinding (ECDG), 229
 Electrochemical grinding (ECG), 229, 230
 Electrochemical honing (ECH), 229, 230
 Electrochemical machining (ECM), 231–232
 Electrochemical polishing (ECP), 232
 Electrochemical sharpening (ECS), 232, 233
 Electrochemical turning (ECT), 233
 Electromechanical machining (EMM), 222
 Electron beam evaporation, 401–402
 Electron-beam machining (EBM), 235
 Electronic Industries Association (EIA), 334
 Electroplating, 283
 Electropolishing (ELP), 219, 232, 241, 242, 281
 Electro-stream (ES), 233, 234
 ELP, *see* Electropolishing
 Embossing, 267
 EMM (electromechanical machining), 222
 Employees:
 attitude/commitment of, 503
 cross-training for, 165
 professional liabilities of, 702–707
 safety needs and expectations of, 640–641
 Employer-employee relationship, 705
 Employment agreements, 706
 Empowerment, 496
 EMS, *see* Environmental Management System
 Enamel, 282
The Encyclopedia of Polymer Science and Engineering, 780
 Encyclopedias, 778–780
 End-of-life options, 421
 Energy, 428–429
 consumption of, 419, 431–432
 process classification based on, 92
 for producing materials, 81
Energy Management Handbook, 780

- Energy-transfer analysis, 649
- Engineers:
 - DMAIC process role of, 588, 590
 - financial tools for, 528–530
 - liability insurance for, 708–709
 - TQM/SS role of, 588, 590
- Engineering, 330
- Engineering activities, detailed cost estimating for, 552–555
- Engineering change allowance, 561
- Engineering controls:
 - alternatives to, 664, 669–670
 - isolation, 669
 - substitution, 669, 670
 - ventilation, 670
 - for machine tools, 660–663
 - danger sources, 663
 - general requirements, 662–663
- Engineering databases, 768–769
- Engineering documentation, as engineering skill, 553
- Engineering drawing, as engineering skill, 553
- Engineering Index*, 769, 777, 779
- Engineering Information, Inc., 771
- Engineering management, 484–486, 500–503
- Engineering Materials Taxonomy, 77, 81–90
 - availability of materials, 88, 89
 - basis of classification, 82
 - chemical properties of materials, 87, 88
 - customization of, 83
 - families of materials in, 84
 - material classification systems, 81–83
 - material code, 83–86
 - material condition code, 84, 85
 - material properties, 84–88
 - mechanical properties of materials, 85–87
 - objectives of, 81–82
 - physical properties of materials, 87
 - processability ratings for materials, 88, 90
 - raw material condition, 84, 86
- Engineering prototype allowance, 562
- Engineering safety factor, 702–703
- Engineering societies, 781–782
- Engineering Village 2, 771–772
- Enterprise quality management (EQM), 33
- Enterprise resource planning (ERP), 144
- Environmental impact, as sustainability measure, 430, 432, 433
- Environmental intensity, 458–459
- Environmental Management standard (ISO 14000), 623–625
- Environmental Management System (EMS), 619, 620
- Environmental performance indicator (EPI), 422
- Environmental Protection Agency (EPA), 415–416, 430, 642–645
- Environmental risk training, 688–691
- EPA, *see* Environmental Protection Agency
- EPC (European Patent Convention), 757
- EPI (environmental performance indicator), 422
- EPO (European Patent Office), 757
- EQA, *see* European Quality Award
- EQM (enterprise quality management), 33
- Equipment. *See also* Production processes and equipment
- Equipment code (fabrication equipment), 99–100
- Equipment maintenance time (in cost estimating), 561
- Equipment selection, 96–97
- Equipment specification sheets, 100–103
- Equity, 517
- Equity, return on, 518
- Equity financing, 564–565
- Ergonomics, *see* Human factors engineering/ergonomics
- ERP (enterprise resource planning), 144
- Error analysis (forecasting), 120
- ES, *see* Electro-stream
- Espoused values, 457
- Estimating, *see* Detailed cost estimating
- Estimating by analogy, 546
- Estimating relationship, 551
- E-trees, 72
- Europe:
 - automation in, 330
 - sustainability challenge in, 418, 419
 - value added ratio use in, 517
- European Foundation for Quality Management (EFQM), 635
- European Patent Convention (EPC), 757
- European Patent Office (EPO), 757
- European Quality Award (EQA), 625, 635
- European Trading Community, 618
- European Union, 418
- Evaporative PVD processes, 400–403
- Expandable-bead molding, 275–276
- Ex parte Jepsen*, 739
- Expected outcome approach, 650
- Experience exchanges, 502

- Experimental design, *see* Design of experiments
 - Experimentation, random, 605
 - Explicit grading (sustainability), 438
 - Exponential smoothing, 113–115
 - Express warranties, 711, 712
 - External environment, 452, 458–461
 - External tensile load (fasteners), 304–307
 - Extrusion:
 - cold, 259–260
 - hot working, 251–252
 - of plastic, 276
 - Extrusion-type blow molding, 276
- F**
- Fabrication equipment classification, 95–103
 - code number for equipment, 99–100
 - equipment classification, 97–99
 - equipment specification sheets, 100–103
 - standard vs. special equipment, 97
 - Fabrication Process Taxonomy, 89–96
 - basis of classification, 92–93
 - capabilities of processes, 94–96
 - primary objectives for, 90–91
 - process code, 93–94
 - process divisions, 91–92
 - purpose of, 89, 90
 - Fabrication tool classification and coding, 103–109
 - standard vs. special tooling, 104–106
 - tool code, 106–107
 - tooling taxonomy, 105, 106
 - tool specification sheets, 107–109
 - Fabricator industries, 330
 - Failure modes and effects (FME), 649, 650
 - Failure stress, 301
 - Fastening, 286–313
 - assembly features/functions for, 287–290
 - with bolts and rivets, 292–313
 - clamping force upper limits, 302–303
 - complex butt joint, 296–300
 - design-allowable bolt stress and assembly stress, 302
 - design for cyclical tension loads, 312–313
 - efficiency of joints, 295
 - fatigue failure, 312
 - friction-type connections, 300–302
 - joint types, 293–295
 - simple lap joint, 295–298
 - slip characteristics, 308, 309
 - theoretical behavior under tensile loads, 304–307
 - torque and turn at same time tightening, 309, 310
 - torsional stress factor, 302
 - turn of nut bolt tightening, 308, 309
 - ultrasonic measurement of bolt stretch/tension, 310–311
 - defined, 287
 - nesting strategy for, 290–291
 - three-part assembly, 291, 292
 - Fatigue failure, 312
 - Fault-tree analysis, 649–652
 - FC (first to customer for existing products), 166
 - FCFS, *see* First come-first served
 - Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) of 1996, 642, 645
 - Fees, detailed cost estimating for, 538–539
 - Feedback, 458
 - Feeding and ejection methods, safeguards with, 664, 668
 - FIFRA, *see* Federal Insecticide, Fungicide, and Rodenticide Act of 1996
 - Fillets, 312
 - Film formation and growth (PVD), 400
 - Finance and accounting, 505–530
 - accelerated depreciation, 520–522
 - accrual accounting, 512
 - balance sheet, 509–516
 - accrual accounting, 512
 - current assets, 510–511
 - current liabilities, 511–512
 - current ratio, 513
 - fixed assets, 513–514
 - interest-bearing current liabilities, 512
 - net working capital, 512–513
 - second year comparison, 515–516
 - total capital, 514
 - cash flow, 518–523
 - comparing current results with budgets/forecasts, 523–526
 - defined, 505
 - detailed cost estimating, 531–563
 - basic questions for developing, 539–541
 - burden costs, 538
 - for computer software, 559
 - for direct charges, 562–563
 - direct costs, 536

- for direct management, 562–563
- distinctions between types of costs, 535–536
- earnings, 538–539
- for engineering activities, 552–554
- fees, 538–539
- fixed costs, 536
- general and administrative costs, 538
- indirect costs, 536, 538
- initial acquisition costs, 535–537
- for in-process inspection, 558
- for labor, 560–562
- labor-hours, 536–538
- labor rates/factors, 538
- for manufacturing/production and assembly activities, 555–557
- for manufacturing/production engineering activities, 554–555
- materials, 538
- methods used in, 545–552
- nonrecurring costs, 536
- overhead, 538
- process for developing, 539
- profits, 538–539
- recurring costs, 536
- schedule elements in, 552
- subcontract dollars, 538
- for supervision, 562–563
- for testing, 558–559
- time/skills/labor-hours required for, 533–535
- use of “factors” in, 563
- variable costs, 536
- work breakdown structure, 541–545
- identifying problems/solutions, 525–527
- information needs of groups, 506–508
- initiating action, 527–529
- investment analysis, 564–582
 - analysis period for, 574–575
 - annual cash flow, 579–580
 - benefit-cost ratio, 581
 - capital funds allocation, 570–573
 - cash flows establishment, 575–577
 - classification of alternatives, 573–574
 - discounted cash flow, 566, 567
 - interest calculation, 566–572
 - interest factors, 568–572
 - multiple cash flows manipulation, 568–570
 - nominal interest rates, 567
 - payback period, 582
 - present worth, 577–579
 - rate of return, 580–581
 - sources of capital expenditures funding, 564–565
 - time value of money, 565–566
- models for, 508–509
- profit and loss statement, 516–519
- tools for independent professional engineers, 528–530
- Financial ratios, 517–518
- Financial rewards, 485, 494
- Fine, William T., 656
- Finishing, 215. *See also* Surface finishing
- Finite replenishment model with infinite storage costs, 126
- Finite replenishment rate model with finite shortage costs, 127
- Fire protection training, 691, 692
- Firewalls, 764
- Firm quotes, 546–547
- First-aid training, 692
- First come-first served (FCFS), 152, 153
- First to customer for existing products (FC), 166
- First to market for new products (FM), 166
- Fisher, Ronald, 606
- 5S principles, 682–685
- Fixed assets, 510, 513–514
- Fixed costs, 536, 537
- Fixed-position plant layout, 331
- Fixtures, modifications of, 30–31
- Flammability hazard levels, 673
- Flange rotation, 303
- Flanging, 263
- Flattening, 263
- Flexible manufacturing systems (FMS), 341–343
- Flight conveyors, 356
- Florida Power and Light, 627
- Flow-assisting devices and feeders, 361
- Flow diagrams:
 - manufacturing process, 23
 - material handling, 368, 371
- Flow process chart (material handling), 367, 370
- Flow shops, 148–151
- Fluid Engineering Abstracts*, 769
- FLUIDEX, 769
- Fluidizing pneumatic conveyor systems, 356, 358
- Fluid pressure, for forming, 266–267
- FME, *see* Failure modes and effects
- FM (first to market for new products), 166
- FMS, *see* Flexible manufacturing systems
- Focus-team sessions, 502

Ford Motor Company, 416, 620
 Forecasts, financial, comparing current results with, 523–526
 Forecasting, production, 111–120
 accuracy of, 120
 causal methods, 115–117
 cost of, 120
 error analysis, 120
 methods for analysis of time series, 117–119
 qualitative, 112–115
 selecting method for, 111–112
 Foreign filing of patents, 731, 755–757
 Forest Stewardship Council Certified Wood Standards, 415
 Forged-plastic parts, 276–277
 Forging:
 cold, 259
 hot working, 249–251
 Forklift, 385, 388
 Formal management systems, 455
 Form code (parts classification), 345
 Form features, 75
 Forming, storming, norming, and performing, 499
 Four-stage team development model, 498–500
 Fractional factorial design, 605
 Friction-type connections, 300–302
 “From-to” chart (material handling), 368, 372
 Full factorial design, 605
 Full integration stage (teams), 498, 499
 Full-mold casting, 274–275
 Function code, 74, 75
 Funnel flow (storage bins), 360

G

Gantt charts, 609
 Gasket crush, 303
 Gear manufacturing, 203–207
 gear finishing, 205, 206
 machining methods, 204–207
Gemba, 591
 Geneen, Harold, 505
 General and administrative costs, estimating, 538
 General Motors, 416, 620
 Generative design, classification systems in, 71
 Geographical factors (in cost estimating), 541
 Geological Survey, 781

Global climate change, 420, 421
 Global Sullivan Principles, 415
 Goals:
 communication of, 502
 external influences on meeting, 467–468
 motivation and probability of reaching, 491
 of technology-oriented professionals, 489
 unrealistic, 491
 Goals-coordinating method, 160
 Goal alignment, 451–452, 461–462, 465, 477
 Goal chasing method, 160
 Goal programming models, 132
 Goal setting, 467, 476–477
 Goodwill, 514
 Government Printing Office, 781
 Government publications, 781
Graham v. John Deere, 735
 Graphic products, Inc., 674
 G-ratio (grinding ratio), 217
 Gravity conveyors, 376, 378–379
 Green sand molds, 268
 Grinding, 215–219
 abrasives used in, 215–216
 buffing, 219
 defined, 215
 electrical discharge, 235, 236
 electrochemical, 229, 230
 electrochemical discharge, 229
 electropolishing, 219
 grinding fluids for, 218
 low-stress, 220, 225
 machines for, 218, 219
 surface finishing, 219
 temperatures for, 218
 ultrasonic machining, 219
 Grinding fluids, 218
 Grinding ratio (G-ratio), 217
 Grinding wheels, 216–217
 Gross-hazard analysis, 649
 Gross margin, 317
 Gross National Product Implicit Price Deflator, 576
 Gross plant and equipment, 513, 514
 Gross requirements (MRP schedule), 137–139
 Gross sales, 516
 Group technology, 343–348
 computer-aided process planning, 347, 348
 machine cell designs, 347

part family formation, 343–344
 parts classification and coding, 344–346
 production flow analysis, 345, 347, 348
 GR&R analysis:
 control phase, 613–614
 measure phase, 599
 Guards, machine, 664, 665
 Gypsum, 274
 Gyrating devices, 361

H

Handbooks, 778–780
 Handbook estimating, 536, 538, 547
Handbook of Human Factors and Ergonomics, 780
 Hardware, safety engineering for, 670–671
 Hazard analysis, 714–716
 Hazard classification, 649, 685
 Hazard Communication Standard (HCS), 675
 Hazard-criticality ranking, 649
 Hazard Index, 716
 Hazardous-duty pay, 538
 Hazardous material classification system, 672–674
 Hazard recognition, 692
 HAZWOPER training, 692–693
 HCD (hollow cathode discharge) PVD process, 401
 HCS (Hazard Communication Standard), 675
 HDM, *see* Hydrodynamic machining
 Health hazard levels, 673
 Heat Index, 688–689
 Heat treatments, 75, 91–92
 HERF, *see* High-energy-rate forming
 Hewlett-Packard, 774
 Hierarchical classification, 69
 Hierarchical computer control, 340–342
 High-energy-rate forming (HERF), 267–268
 High-performing teams, 497–500
 Hobbing, 260
 Hoists, 382
 Holding costs, 121–122
 Hollow cathode discharge (HCD) PVD process, 401
 Honing, 219
 electrochemical, 229, 230
 liquid, 280
 Hoppers, storage, 360, 361
 Hopper trucks, 365
 Hot-chamber die casting, 272, 273

Hot-dip plating, 282–283
 Hot rolling, 247–249
 Hot working processes, 246–258
 classification of processes, 247
 defined, 246
 drawing, 253–255
 extrusion, 251–252
 forging, 249–251
 piercing, 257–258
 pipe welding, 257
 rolling, 247–249
 spinning, 256
 House of Quality, 593
 Human-error analysis, 650
Human Factors Design Handbook, 780
 Human factors engineering/ergonomics, 657–660
 general population expectations, 659–660
 human-machine relationships, 657–658
 principles of, 658–659
 Human-machine relationships, 657–658
 Hydrodynamic machining (HDM), 220, 225
 Hydrostatic extrusion, 259, 260

I

IAAR (Independent Association of Accredited Registrars), 622
 IAC, *see* Ion assisted coating
 IBAD, *see* Ion beam-assisted deposition
 IBM (ion beam mixing), 408
 Ideas, patenting, 730
 IEC (International Electrotechnical Commission), 617
 IHS database, *see* Information Handling Services database
 II (ion implantation), 408
 Image building, 502
 IMOBILITY, 770
 Impact extrusion, 259
 Impact machining, 226
 Implicit grading (sustainability), 438
 Impression-die drop forging, 250, 251
 Improvement, culture supporting, 502
 Improvement (and innovation) phase (DMAIC process), 585, 607–610
 brainstorming, 607
 CTQ analysis, 607–608
 data sampling and charts, 607
 design of experiments, 608
 Gantt charts, 609
 network diagrams, 609, 610
 process capability analysis, 609

- Income tax:
 - deferred, 514
 - on P&L statement, 317
- Independent alternatives, 573, 578
- Independent Association of Accredited Registrars (IAAR), 622
- Independent professional engineers, financial tools for, 528–530
- Indexes, 778–779
- Index numbers (time series analysis), 118
- Indirect costs, 536–538
- Inducement-contribution model, 489, 491
- Industrial engineering, 331
- Industrial robots, 337–340, 671–672
 - applications, 340
 - configuration, 338–339
 - control and programming, 340
 - palletizing, 373
- Industrial trucks, 385, 387–389
- Industry-specific awards, 636, 637
- Industry Week*, 636, 637
- Inelastic compliant features, 290
- Infinite replenishment rate model:
 - with finite shortage costs, 124
 - with infinite storage cost, 124
- Inflation, 565–566
- Informal management systems, 455–456, 459
- Information brokers, 783
- Information Handling Services (IHS)
 - database, 769–770, 781
- Information Industry Market Place*, 779
- Information management, 487–488
- Information personalization, 775
- Information resources, 777–783
 - abstracts, 778–779
 - codes, 780–781
 - encyclopedias, 779–780
 - engineering societies, 781–782
 - government publications, 781
 - handbooks, 779–780
 - indexes, 778–779
 - information brokers, 783
 - libraries, 782–783
 - online resources, 758–776
 - access options for mechanical engineers, 762–763
 - commercial databases, 768–771
 - database services, 765–768
 - document delivery options, 773–774
 - future of, 774–775
 - options for using, 775–776
 - security issues, 763–765
 - terms related to, 759–762
 - primary literature, 777–778
 - specifications, 780–781
 - standards, 780–781
- Infotrieve, 774
- Infrastructure, management system failure and, 466
- Ingenta, 774
- Initial acquisition costs, 535–537
- Injection blow molding, 276
- Injection-molded carbon-fiber composites, 275
- Injection molding, 275
- Innovate phase (DMAIC), *see* Improvement (and innovation) phase
- Innovation-based sustainability, 416, 419
- In-process inspection, cost estimating for, 558
- Inputs:
 - manufacturing process flow diagrams, 23
 - for TRA processing, 36–38
- INSPEC, 770
- Inspections:
 - computer-aided, 328, 329
 - in-process, cost estimating for, 558
 - shipping and receiving, 31
 - visual, 344
- Instability hazard levels, 673
- Institute for Market Transformation to Sustainability (MTS), 415
- Instructions, product, 714
- Insurance, liability, 708–709
- Intangible assets, 510
- Integrated Performance Index, 502
- Integrated product and process development team (IPT), 588
- Intellectual property, 706–707
- Intelligent agents, 775
- Interaction (on teams), 477
- Interest:
 - calculation of, 566–572
 - continuous vs. discrete, 567–568
 - interest factors, 568–572
 - nominal interest rates, 567
- Interest-bearing current liabilities, 512
- Interest-bearing debt, 517
- Interest expense, 317
- Interest factors, 568–572
- Interfaces, organizational, 501
- Interferences (patent contention), 754
- Intermediate pitch, 294
- Internal environment, 452, 453, 461–464, 468
- Internal rate of return, 580. *See also* Rate of return
- International Aerospace Abstracts*, 769

- International Electrotechnical Commission (IEC), 617
- International Federation of the National Standardizing Associations (ISA), 617
- International Organization for Standardization (ISO), 618
- International standards, 617–618
- International Standard Serial Number (ISSN), 778
- Internet, 758–759
 - engineering resources on, 758–776
 - access options for mechanical engineers, 762–763
 - commercial databases, 768–771
 - database services, 765–768
 - document delivery options, 773–774
 - future of, 774–775
 - options for using, 775–776
 - security issues, 763–765
 - terms related to, 759–762
 - project management modules on, 478–479
 - terminology related to, 759–762
- Interorganizational influences, 453, 464–466
- Interorganizational teams, 450–469
 - leadership for, 450, 476–477
 - makeup and boundaries of, 450
 - management coordination system for, 451–466
 - achieving goal alignment, 451–452
 - components of management systems for success, 453–458
 - external environment, 458–461
 - internal environment, 461–464
 - interorganizational influences, 464–466
 - performance, 458
 - success and failures of, 466–469
- Interval controls, 161
- Inventions, defined, 729–730. *See also* Patenting
- Inventories:
 - as current assets, 511
 - and net working capital, 513
 - on P&L statement, 516
- Inventory control, 331
- Inventory costs, 132
- Inventory models, 120–130
 - approach for, 123–130
 - types of, 122
- Invested capital, return on, 517, 518
- Investment analysis, 564–582
 - analysis period for, 574–575
 - annual cash flow, 579–580
 - benefit-cost ratio, 581
 - capital funds allocation, 570–573
 - cash flows establishment, 575–577
 - classification of alternatives, 573–574
 - discounted cash flow, 566, 567
 - interest calculation, 566–572
 - continuous vs. discrete, 567–568
 - interest factors, 568–572
 - nominal interest rates, 567
 - multiple cash flows manipulation, 568–570
 - payback period, 582
 - present worth, 577–579
 - rate of return, 580–581
 - sources of capital expenditures funding, 564–565
 - time value of money, 565–566
- Investment casting, 274–275
- Investors, finance and accounting needs of, 506
- Ion assisted coating (IAC), 408, 410
- Ion beam-assisted deposition (IBAD), 409, 410
- Ion beam mixing (IBM), 408, 410
- Ion beam PVD techniques, 408, 409
- Ion implantation (II), 408
- Ionization efficiency, 398
- Ion plating, 398
- Ion stitching (IS), 408
- IPT (integrated product and process development team), 588
- Ironing, 267
- Irregular time series movements, 117
- ISA (International Federation of the National Standardizing Associations), 617
- Ishikawa, Kaoru, 603
- Ishikawa diagrams, 603
- IS (ion stitching), 408
- ISO (International Organization for Standardization), 618. *See also* ISO standards
- Isolation (as safeguard), 669
- ISO standards, 617
 - ISO 14001, 426
 - ISO 9001 Certification and Registration, 618–620
 - ISO 14000 Environmental Management standard, 623–625
 - ISO 13485 Medical Devices standard, 621
 - ISO 9001 Quality Management System standard, 618, 619

ISO standards (*continued*)
 ISO 9000 Quality System Standards,
 616, 618, 619
 ISO 14000 standards, 430
 ISO/TS 16949 Auto Industry standard,
 620–621
 Isothermal rolling, 247–249
 ISSN (International Standard Serial
 Number), 778
 Item code (MRP schedule), 136
 Item cost, 121

J

Japan:
 automation in, 330
 quality function deployment in, 592
 sustainability challenge in, 418, 419
 and voice of customer, 591
 Japanese manufacturing philosophy, 162–
 166
 just-in-time/kanban, 162–165
 time-based competition, 165–166
 Japanese Union of Scientists and
 Engineers (JUSE), 626, 627
 Japan Productivity Center for Socio-
 Economic Development (JPC-SED),
 635
 Japan Quality Award (JQA) program, 635,
 636
 Jepson-type claims, 740
 Jib cranes, 384
 JIT, *see* Just-in-time
 Job descriptions, 501
 Job hazard analysis, 695–697
 Job sequencing and scheduling, 144–163
 assembly line balancing, 156–163
 designing assembly line, 158
 line balancing techniques, 158–159
 mixed-model assembly lines, 159–
 162
 parallel line balancing, 162, 163
 structure of problem, 157, 158
 flow shops, 148–151
 heuristics/priority dispatching rules,
 152–156
 job shops, 150–152
 single machine problem, 146–148
 structure of sequencing problems, 145–
 146
 Job shops, 150–152, 331
 John Crerar Library, 782
 Johnson's sequencing algorithm, 149, 150

Joining. *See also* Fastening
 assembly features/functions for, 287–
 290
 defined, 287
 processes for, 91
 Joints:
 bolted and riveted, 292–313
 clamping force upper limits, 302–303
 complex butt joint, 296–300
 design-allowable bolt stress and
 assembly stress, 302
 design for cyclical tension loads,
 312–313
 efficiency of joints, 295
 fatigue failure, 312
 friction-type connections, 300–302
 joint types, 293–295
 simple lap joint, 295–298
 slip characteristics, 308, 309
 theoretical behavior of joint under
 tensile loads, 304–307
 torque and turn at same time
 tightening, 309, 310
 torsional stress factor, 302
 turn of nut bolt tightening, 308, 309
 ultrasonic measurement of bolt
 stretch/tension, 310–311
 butt, 294–300
 efficiency of, 295
 lap, 295–298
 slip-resistant, 308, 309
 under tensile loads, theoretical behavior
 of, 304–307
 types of, 293–295
 Joint diagram, 304, 305
 Jointed-arm robots, 229
 Joint inventorship, 731
 Journals, online, 763
 JPC-SED (Japan Productivity Center for
 Socio-Economic Development), 635
 JQA, *see* Japan Quality Award program
 Juran, Joseph, 599
 JUSE, *see* Japanese Union of Scientists
 and Engineers
 Just-in-time (JIT), 160, 162–165

K

Kanban mechanism, 163–165, 168–169
 Kemper Auditorium (Kansas City), 302
Kewanee Oil v. Bicron Corp., 730
 Keywords (classification systems), 73
 King, Bob, 592

Kirk-Othmer Encyclopedia of Chemical Technology, 769

Knovel, 772–773

Knowledge management, 487

Known demand (inventory), 121

Known-sigma plans, 326

L

Labor-hours:

 detailed cost estimating, 534–538, 560–562

 variance from, 561

Labor-loading methods, 536, 537, 548, 551

Labor rates/factors, 533, 538

Lacquers, 282

Lagrangian techniques, 132

Lancing, 265

Lap joints, 295–298

Lapping, 219

Lap welding, 257

Laser-beam machining (LBM), 238–239

Laser-beam torch (LBT), 239–240

Laszlo, Chris, 416

LBM, *see* Laser-beam machining

LBT, *see* Laser-beam torch

LDR (linear decision rule), 132

Leadership:

 and attitude/commitment of employees, 503

 for high-performing teams, 499

 of interorganizational teams, 450, 476–477

 management system failure and style of, 466

 managerial, 486–488

 situational, 500–501

Leadership system, 454–455, 476

Lead time (MRP schedule), 136

Lean strategies (LS), 33, 34, 594

Learning curve, 547–550

Least amount of work remaining (LWKR), 152–153

Legal issues for engineers, 701–724

 documentation of design process, 723–724

 and modeling for the real world, 701–702

 product defects, 712–713

 design flaws, 713–714

 design hierarchy for, 716–717

 hazard analysis, 714–716

 Hazard Index, 716

 instructions and warnings, 714

 production or manufacturing flaws, 712–713

 recalls, retrofits, and continuing duty to warn, 721–723

 uncovering, 714–717

product liability, 710–712

 express warranties, 711, 712

 misrepresentation, 711, 712

 negligence, 710–711

 strict liability, 711

product liability defenses, 717–721

 assumption of risk, 719–721

 contributory/comparative negligence, 719

 safety standards, 718–719

 state of the art, 717–718

professional liability, 702–710

 business liabilities, 707–710

 employee liabilities, 702–707

 and safety factor in engineering, 702–703

Le Journal des Scavans, 778

Lenders, finance and accounting needs of, 506

Level code (MRP schedule), 136

Leverage, measure of, 518

LFL (lot for lot), 132

Liabilities (accounting):

 current, 511–512, 517, 518

 interest-bearing, 512

Liability (legal):

 product, 710–712

 defenses against, 717–721

 express warranties, 711, 712

 misrepresentation, 711, 712

 negligence, 710–711

 strict liability, 711

 professional, 702–710

 business liabilities, 707–710

 employee liabilities, 702–707

Libraries, engineering, 782–783

Library of Congress, 782

Life-cycle analysis, 574–575

Lift trucks, 385, 387

Linda Hall Library, 782

Linear decision rule (LDR), 132

Linear programming models, 132

Line managers, finance and accounting needs of, 507–508

Liquid honing, 280

Liquidity requirements, 575

Liquid solvents, 278

Locators (joining), 288

Locks, 290
 Lockout box training, 693
 Logistics:
 distribution, 167–168
 supply chain management in, 167
 Long pitch, 294
 Long-term debt, 512, 514
 Long-term time series movements, 117
 Lost-wax casting process, 274
 Lot for lot (LFL), 132
 Lot size:
 in JIT systems, 165
 models for, 132
 on MRP schedule, 136
 techniques for determining, 139, 143
 Low-stress grinding (LSG), 220, 225
 LS, *see* Lean strategies
 LSG, *see* Low-stress grinding
 Lumpy demand (inventory), 121, 122
 LWKR, *see* Least amount of work
 remaining

M

McAffee, 764
 Machinability data, 337
 Machine (as statutory class for patents),
 730
 Machine cell designs, 347
 Machine control unit (MCU), 334
 Machine guards, 693–694
 Machine safeguarding methods, 663–668
 general classification of, 663–664
 guards, devices, and feeding and
 ejection methods, 664–668
 Machine tools, engineering controls for,
 660–663
 Machining:
 abrasive flow machining, 220, 224
 abrasive jet machining, 220, 224
 chemical blanking, 241
 chemical machining, 241
 chemical milling, 241
 cost of, as sustainability measure, 432
 electrical discharge grinding, 235, 236
 electrical discharge machining, 236–237
 electrical discharge sawing, 237
 electrical discharge wire cutting, 237,
 238
 electrochemical deburring, 228–229
 electrochemical discharge grinding, 229
 electrochemical grinding, 229, 230
 electrochemical honing, 229, 230
 electrochemical machining, 231–232
 electrochemical polishing, 232
 electrochemical sharpening, 232, 233
 electrochemical turning, 233
 electromechanical machining, 222
 electron-beam machining, 235
 electropolishing, 241, 242
 electro-stream, 233, 234
 hydrodynamic machining, 220, 225
 laser-beam machining, 238–239
 laser-beam torch, 239–240
 low-stress grinding, 220, 225
 NC, selection of parts for, 335–336
 new part lot setup process, 613
 nontraditional forms of, 219–243
 photochemical machining, 241
 plasma-beam machining, 240
 rapid prototyping, 242, 243
 rapid tooling, 243
 for sand-cast metals, 269
 selective laser sintering, 243
 shaped-tube electrolytic machining,
 234–235
 and sustainability:
 assessment of process sustainability,
 438–439
 optimized operating parameters, 435–
 438
 performance measures contributing to
 sustainability, 434–435
 thermally assisted machining, 222, 226
 thermochemical machining, 242, 243
 total form machining, 222, 225, 226
 types of operations for, 558
 ultrasonic machining, 225–227
 water-jet machining, 227–228
 Machining power and cutting forces, 178–
 181
 MAD (mean absolute deviation), 120
 Magnetron sputtering, 406–409
 Maintenance-hazard analysis, 650
 Makespan, 149–151
 Management:
 of people, 484–503
 changing roles in, 486–488
 in engineering and technology, 484–
 486
 motivation, 488–493
 power spectrum in, 493–495
 recommendations for, 500–503
 salary and financial rewards, 485,
 494
 teams, 495–500
 project management, 447–478
 Corpedia Internet modules
 framework for, 478–479

- and current business environment, 448–450
- failed example of, 470–473
- interorganizational teams, 450–469
- management coordination systems model, 451–466
- reference materials for, 480–483
- successful example of, 473–476
- of safety function, 678–687
 - accident prevention elements, 679–680
 - elimination of unsafe conditions, 681–686
 - management principles, 680–682
 - supervisor's role, 678–679
 - unsafe conditions involving mechanical or physical facilities, 685–687
- support for DFM&A by, 12–14
- systems I and II styles of, 494
- tools and techniques for, 486
- Management coefficient models (MCM), 132, 133
- Management coordination systems (MCS), 451–466
 - achieving goal alignment, 451–452
 - components of management systems for success, 453–458
 - external environment, 458–461
 - internal environment, 461–464
 - interorganizational influences, 464–466
 - for interorganizational teams, 452–466
 - performance, 458
- Management oversight and risk tree (MORT), 650
- Management systems:
 - failures of, 466–468
 - formal, 455
 - informal, 455–456, 459
 - interactions between, 456–457
- Managers:
 - finance and accounting needs of, 506–508
 - TQM/SS role of, 590
- Managerial power, 493–495
- Man-hour estimates, 532–533
- Manual spinning, 256
- Manufacturer code, 100
- Manufactures (as statutory class for patents), 730
- Manufacturing, 331
 - computer-aided, 328, 329
 - detailed cost estimating for, 554–557
- Manufacturing cells:
 - concept of, 342
 - DNC systems vs., 341
- Manufacturing costs:
 - in design phase, 5
 - as sustainability measures, 429–430
- Manufacturing cycle, 330–331
- Manufacturing engineering, 97, 331
- Manufacturing lead time, 332, 333
- Manufacturing model:
 - with shortage permitted, 127
 - with shortage prohibited, 126
- Manufacturing operations, sustainability measures for, 426–431
 - energy consumption, 428–429
 - environmental impact, 430
 - manufacturing costs, 429–430
 - operational safety, 430
 - personnel health, 430
 - waste management, 431
- Manufacturing processes:
 - fabrication equipment classification, 95–103
 - code number for equipment, 99–100
 - equipment classification, 97–99
 - equipment specification sheets, 100–103
 - standard vs. special equipment, 97
 - Fabrication Process Taxonomy, 89–96
 - basis of classification, 92–93
 - capabilities of processes, 94–96
 - primary objectives for, 90–91
 - process code, 93–94
 - process divisions, 91–92
 - purpose of, 89, 90
 - fabrication tool classification and coding, 103–109
 - standard vs. special tooling, 104–106
 - tool code, 106–107
 - tooling taxonomy, 105, 106
 - tool specification sheets, 107–109
 - nonshaping, 91–92
 - shaping, 91
- Manufacturing process flow diagrams, 23
 - causes and effects, 24–26
 - control variables, 23, 24
 - inputs to, 23
 - noise variables, 24
 - output variables, 24, 25
- Manufacturing-process model, 332, 333
- Manufacturing process sustainability index, 438
- MAP, *see* Mission Assurance Provisions
- Marketing, 330, 508
- Market value of equipment, 514
- Masking, 241
- Mass-conserving processes, 91

- Mass flow (storage bins), 360
- Mass-increasing processes, 91
- Mass production, 331
- Mass-reducing processes, 91
- Mastercam, 336
- Master production schedule, 135–136
- Material characteristics of parts, 25
- Material code, 76–80
- Material cost (MC), 4
- Material handling, 331, 349–395
 - bulk materials handling, 350–359
 - belt conveyors, 351, 352, 354, 355
 - bucket elevators, 352, 355–357
 - continuous-flow conveyors, 356, 358
 - conveying equipment selection, 350–352
 - open-yard, 360
 - oscillating conveyors, 355
 - pneumatic conveyors, 356, 358, 359
 - screw conveyors, 351, 353
 - vibrating conveyors, 355, 358
 - bulk materials storage, 360–365
 - bins/silos/hoppers, 360
 - flow-assisting devices and feeders, 361
 - packaging of materials, 361–364
 - transportation of materials, 363, 365
 - defined, 349
 - implementing solutions for, 394, 395
 - unit material handling, 365–395
 - analysis of systems for, 365–366
 - automated guided vehicle system, 387, 388, 390
 - automated storage and retrieval system, 390–392
 - bin storage, 393
 - carousel systems, 391–393
 - conveyors, 376–386
 - cranes, 382, 384, 387
 - data collection, 366–373
 - developing plan for, 375
 - hoists, 382
 - identifying/defining problems, 366–368
 - industrial trucks, 385, 387–389
 - modular drawer cabinets, 393–394
 - monorails, 382–383
 - pallet racks, 394, 395
 - shelving, 393
 - unitizing loads, 372–377
- Material properties, 84–88
 - chemical, 87, 88
 - mechanical, 85–87
 - physical, 87
- Materials:
 - detailed cost estimating for, 538
 - energy required in producing, 81
 - Engineering Materials Taxonomy, 77, 81–90
 - availability of materials, 88, 89
 - basis of classification, 82
 - chemical properties of materials, 87, 88
 - customization of, 83
 - families of materials in, 84
 - material classification systems, 81–83
 - material code, 83–86
 - material condition code in, 84, 85
 - material properties, 84–88
 - mechanical properties of materials, 85–87
 - objectives of, 81–82
 - physical properties of materials, 87
 - processability ratings for materials, 88, 90
 - raw material condition, 84, 86
 - in JIT systems, 164
 - process classification based on types of, 92
 - shortages of, 81
 - varieties of, 77–81
- Material Safety Data Sheets (MSDSs), 674–675
- Material selection (TRA), 54–56
- Materials Handling Institute (MHI), 349, 366
- Materials requirements planning (MRP), 135–144
 - lot sizing techniques, 139, 143
 - master production schedule, 135–136
 - MRP schedule, 136–143
- Mathematical models:
 - for production, 332
 - in system safety, 650
- Matrix concept, 486
- Maximum shortage, 121
- MCM, *see* Management coefficient models
- MC (material cost), 4
- MCS, *see* Management coordination systems
- MCU (machine control unit), 334
- MDA (Missile Defense Agency), 622
- Mean absolute deviation (MAD), 120
- Mean square of error (MSE), 120
- Measurement, improving accuracy of, 54
- Measurement systems analysis (MSA), 585, 597, 614

- Measure phase (DMAIC process), 585, 597–603
 - data collection plan and forms, 597–598
 - GR&R analysis, 599
 - Pareto charts, 599
 - plots, 599
 - prioritization matrix, 599, 600
 - process capability analysis, 600–603
- Mechanical Assembly* (Daniel Whitney), 287
- Mechanical engineers:
 - database networks for, 766–767
 - online search strategies for, 767–768
 - TQM/SS role of, 588, 590
- Mechanical fasteners, *see* Fastening
- Mechanical hazards, 685–687. *See also* Safety engineering
- Mechanical properties of materials, 85–87
- Mechanical & Transport Engineering Abstracts, 770
- Medical Devices standard (ISO 13485), 621
- METADEX, 769, 770
- Metals Abstracts*, 779
- Metals Handbook*, 780
- Metal casting and molding, 268–275
 - centrifugal casting, 269–272
 - investment casting, 274–275
 - permanent-mold casting, 272–273
 - plaster-mold casting, 274
 - powder metallurgy, 277–278
 - sand casting, 268–270
- Metal-cutting:
 - economics of, 182, 184–185
 - principles of, 174–178
- Metal-forming processes, 245–268
 - cold working, 258–268
 - bending, 260–263
 - classification of operations, 258
 - drawing, 265–268
 - shearing, 263–265
 - squeezing, 259–260
 - hot working, 246–258
 - classification of processes, 247
 - drawing, 253–255
 - extrusion, 251–252
 - forging, 249–251
 - piercing, 257–258
 - pipe welding, 257
 - rolling, 247–249
 - spinning, 256
- Metal Institute Classification System (MICLASS), 345
- Metallizing, 282
- Methods, time, and measurement (MTM) techniques, 536–538
- Metrics, for DFM&A, 19–21
- Metric Standards for Engineers*, 780
- MHI, *see* Materials Handling Institute
- MICLASS (Metal Institute Classification System), 345
- Micromanagement, 462–464
- Middle managers, finance and accounting needs of, 507–508
- Milling, chemical, 241
- Milling machines, 200–204
- Miniload AS/R systems, 391, 392
- Minimum attractive rate of return, 572
- MIRA, 770
- Misdesignation of inventorship, 732
- Misjoinder of inventors, 732
- Misrepresentation, 711, 712
- Missile Defense Agency (MDA), 622
- Mission assurance, 622
- Mission Assurance Provisions (MAP), 617, 622
- MIT Libraries, 774
- Mitsubishi Heavy Industries, 592
- Mixed-model assembly line balancing, 159–162
- MMPC (multipolar magnetic plasma confinement), 408
- Model number, equipment, 100
- Modular drawer cabinets, 393–394
- Molds, 30–31. *See also* Casting and molding
- Money, cost of, 565
- Monocode concept, 69
- Monographs, 778
- Monorails, 382–383
- MORT (management oversight and risk tree), 650
- Motivation, 488–493
 - differences in, 462
 - as function of risks and challenges, 491–492
 - intrinsic, 453, 454
 - performance implications of, 489–491
 - and power spectrum, 493–495
 - success as function of, 492
 - of technology-oriented professionals, 492–493
 - understanding needs for, 500
- Motor drive assembly case study (DFM&A), 8–16
- Motor Industry Research*, 770
- Motorola, 585
- Moving averages, 112–113
- MRP, *see* Materials requirements planning

MRP-II, 135, 144
 MRP schedule, 136–143
 MSA, *see* Measurement systems analysis
 MSDSs, *see* Material Safety Data Sheets
 MSE (mean square of error), 120
 MTM techniques, *see* Methods, time, and measurement techniques
 MTS (Institute for Market Transformation to Sustainability), 415
 Multicavity die, 272
 Multidisciplinary teams, 17
 Multi-life-cycle approach, 421, 423–424
 Multiple acceptance sampling, 326
 Multiple cash flows, 568–570
 Multipolar magnetic plasma confinement (MMPC), 408
 Multiunit processes, traditional approach to, 27, 28
 Mutual assent, 708
 Mutually-exclusive alternatives, 573–574, 577

N

Name code, 74, 75
 NAP (American National Accreditation Program), 619
 National Aeronautics and Space Administration (NASA), 622
 National Environmental Policy Act (NEPA) of 1969, 642
 National Fire Protection Association (NFPA), 672, 674
 National Housing Quality (NHQ) Award, 636
 National Institute for Occupational Safety and Health (NIOSH), 430
 National Institute of Standards and Technology (NIST), 422, 588, 628, 630, 635, 781
 National Oceanic and Atmospheric Administration, 781
 National Research Council (NRC), 416
 National Society of Professional Engineers, 552–553
 National standards, 617–618
 National Technical Information Service (NTIS), 770, 781
 NC, *see* Numerical control
 “Negative right” (patents), 728–729
 Negligence, 703–704
 contributory/comparative, 719
 and product liability, 710–711
 for services, 707

NEPA (National Environmental Policy Act) of 1969, 642
 Nesting strategy (fastening), 290–291
 Net plant and equipment, 513, 514
 Net profits after tax, 518
 Net requirements (MRP schedule), 138, 139
 Net sales, 516
 Network diagrams, 609, 610
 Networking, 459
 Net working capital, 512–513
 Net worth, 514
 New product development:
 DFM&A checklist for, 20
 goal of, 3
 phases of, 7
 New York Public Library—Science, Industry and Business Library, 782
 NFPA, *see* National Fire Protection Association
 NHQ (National Housing Quality) Award, 636
 Nibbling, 265
 NIOSH (National Institute for Occupational Safety and Health), 430
 NIST, *see* National Institute of Standards and Technology
 Noise hazards, 662
 Noise variables, 24
 Nominal group techniques, 112
 Nominal interest rates, 567
 Noncash expenses, 518, 519
 Noncompetition provisions, 706
 Nonconstraining critical condition (correlation charts), 42, 43
 Nonjoinder of inventors, 732
 Nonlinear responses, 29, 30
 Nonoperation elements (production), 332
 Nonrecurring activities (in work breakdown structure), 544
 Nonrecurring costs, 536, 537
 Nonshaping equipment, 99
 Nonshaping processes, 91–92
 Non-value-added activities, 595–596
 Normal variation, 609
 Notching, 263, 265
 Np control charts, 322–325
 NRC (National Research Council), 416
 NSF Advisory Panel on Infrastructure, 775
 N-squared chart, 501
 NTIS, *see* National Technical Information Service
 NTIS database, 770
 N-tree, 72, 73, 75

Number of parts and assemblies metric, 19
 Number of separate assembly operations metric, 19
 Numerical control (NC), 334–338
 adaptive control, 336–337
 CAD/CAM part programming, 336
 coordinate system, 334–335
 definition of numerical control, 334
 machinability data prediction, 337
 programming by scanning/digitizing, 336
 selection of parts for machining, 335–336

O

Objectives, communication of, 502
 Obsolescence, 575
 Occupational Safety and Health Act (OSHA) of 1970, 640, 642, 645–647
 Occupational Safety and Health Administration (OSHA), 430, 642, 645–648, 675
 OC curve, *see* Operation characteristic curve
 OCLC (Online Computer Library Center), 769
 OFAAT approach, *see* One-factor-at-a-time approach
 Ohno, Taiichi, 630
 Oil Pollution Act (OPA) of 1990, 642, 645
 One-factor-at-a-time (OFAAT) approach, 604–605
 On hand (MRP schedule), 136
 Online catalogs, 762–763
 Online Computer Library Center (OCLC), 769
 Online resources, 758–776
 access options for mechanical engineers, 762–763
 commercial databases, 768–771
 database services, 765–768
 document delivery options, 773–774
 future of, 774–775
 options for using, 775–776
 security issues, 763–765
 terms related to, 759–762
 OPA, *see* Oil Pollution Act of 1990
 Open-die hammer forging, 250
 OpenURL, 763, 774
 Open-yard storage, 360
 Operating cash requirements, 523

Operating point:
 defined, 36
 Tuszynski's relational algorithm and adjustments to, 36
 Operating profit, 317
 Operations process chart (material handling), 367, 369
 Operational safety, as sustainability measure, 430, 433
 Operation characteristic (OC) curve, 322, 323
 Operation elements (production), 332
 Opitz coding system, 345, 346
 Opportunity cost, 565
 Oral contracts, 708
 Ordering cost, 122
 Organic coatings, 281
 Organizational culture, 456, 486, 502
 Organizational interfaces, 501
 Oscillating conveyors, 355
 OSHA, *see* Occupational Safety and Health Administration
 OSHA, *see* Occupational Safety and Health Act of 1970
 Output variables, 24, 25
 Overhead costs, 317, 532, 533, 538
 Overhead material handling systems, 382–385
 Overlapping stress concentrations, 312
 Owners, finance and accounting needs of, 506

P

Packaging of materials, 361–364
 PAC (plasma-arc cutting), 240
 Paints, 281–282
 Palletizer machines/robots, 373
 Pallet-loading patterns, 373, 375
 Pallet racks, 394, 395
 Pan stock, 563
 PAPVD, *see* Plasma-assisted PVD
 Parallel assembly line balancing, 162, 163
 Parametric design, classification systems in, 71
 Parametric estimates, 548, 551–552
 Parametric part programming, classification systems in, 71
 Pareto, Vilfredo, 599
 Pareto charts, 599
 Parts classification and coding, 344–346
 Part characteristics, 25, 26
 for multi-unit process, 39, 40
 number of, 27
 for single-unit process, 39

- Part families, formation of, 343–344
- Part Family Classification and Coding, 68–80
 - applications for, 69–71
 - basic shapes, 74, 75
 - code format and length, 74
 - history of, 68–69
 - material code, 76–80
 - name or function code, 74, 75
 - precision class code, 76, 77
 - purpose of, 73–74
 - size code, 75, 76
 - special features, 75, 76
 - tailoring, 77
 - theory underlying, 71–73
- Partial integration stage (teams), 498, 499
- Patents, 706, 725–757
 - applying for, 736–742
 - attorney’s understanding of character of invention, 736–737
 - benefit of small entity status, 741–742
 - best mode requirement, 738
 - claim format, 739–740
 - description requirement, 738–739
 - distinctness requirement, 739
 - enablement requirement, 738
 - executing application, 740
 - express mail filing, 742
 - patentability search, 736
 - preparing application, 737–738
 - product-by-process claims, 739
 - USPTO fees, 741
 - databases for, 771
 - design, 726, 727
 - enforcing against infringement of, 751–754
 - “negative right” granted by, 728–729
 - plant, 726, 727
 - prosecuting pending applications, 742–750
 - continuation application, 748
 - continuation-in-part application, 748
 - divisional application, 748
 - double-patenting rejections, 747–748
 - duty of candor, 744
 - initial review of application, 744–745
 - interviewing examiners, 747
 - issuance of patent, 749
 - maintaining chain of pending applications, 748–749
 - patent pending status, 742–743
 - publication of pending applications, 743–744
 - reconsideration in view of filing of response, 746–747
 - reexamination, 750
 - reissue, 749–750
 - response to office action, 745–746
 - restriction and election requirements, 747
 - safeguarding original patent document, 749
 - protection outside of United States, 755–757
 - provisional, 727–728, 741
 - requirements for, 729–736
 - ideas, 729–730
 - inventions, 729–730
 - nonobviousness, 734–735
 - novelty, 732–734
 - originality of inventorship, 731–732
 - patentable inventions, 729–730
 - statutory bar requirements, 735–736
 - statutory subject matter, 730–731
 - utility, 734
 - terms and expiration for, 726–727
 - utility, 726, 727, 741
 - Patent Cooperation Treaty (PCT), 756–757
 - Patent pending status, 742–743
 - Payback period, 582
 - PBMA (Process Based Mission Assurance), 622
 - PBM (plasma-beam machining), 240
 - PCM (photochemical machining), 241
 - P* control charts, 322–325
 - PCT, *see* Patent Cooperation Treaty
 - Peening, 260
 - People management, 484–503
 - changing roles in, 486–488
 - in engineering and technology, 484–488
 - motivation, 488–493
 - as function of risks and challenges, 491–492
 - performance implications of, 489–491
 - success as function of, 492
 - of technology-oriented professionals, 492–493
 - power spectrum in, 493–495
 - recommendations for, 500–503
 - salary and financial rewards, 485, 494
 - teams, 495–500
 - four-stage team development model, 498–500
 - high-performing, building, 497–500
 - project team performance measurement, 497

- self-directed, 496, 498
- virtual, 496–497
- Perforating, 265
- Performance:
 - benchmarking, 498
 - disconnect between rewards and, 467
 - implications of motivation for, 489–491
 - meeting goals for, 458
 - and power spectrum, 493–495
 - of project team, measuring, 497
 - TQM/SS as predictor of, 586–589
- Performance awards, *see* Awards
- Performance characteristics of parts, 25
- Performance criteria, in job sequencing, 145–146
- Performance measures, sustainability and, 434–435
- Periodicals, 778
- Periodic order quantity (POQ), 143
- Permanent-mold casting, 272–273
- Perpendicularity (bolts), 312
- Perpetual life products, 423–424
- Persona, use of, 592
- Personal, fatigue, and delay (PFD) time, 561
- Personalization, information, 775
- Personal protective equipment (PPE), 675–678
 - for physical protection, 694–695
 - training in use of, 694–695
- Personnel factors (in cost estimating), 540
- Personnel health, as sustainability measure, 430, 433
- Personnel safety, 430
- PERT (program evaluation and review techniques), 552
- Petroleum solvents, 278
- PFA, *see* Production flow analysis
- PFD (personal, fatigue, and delay) time, 561
- Philosophical Transactions* (Royal Society, London), 778
- Phosphate coatings, 284
- Photochemical machining (PCM), 241
- Physical hazards, 685–687. *See also* Safety engineering
- Physical properties of materials, 87
- Physical vapor deposition (PVD), 396–411
 - beam processes, 410–411
 - evaporative processes, 400–403
 - film formation and growth, 400
 - plasma-assisted, 397–399
 - sputter deposition processes, 402, 404–409
 - dc diode sputtering, 404
 - magnetron sputtering, 406–409
 - pulsed power sputtering, 405
 - rf diode sputtering, 404–405
 - triode sputtering, 405–406
- Pickling, 279
- Piercing:
 - cold, 263, 265
 - hot working, 257–258
- “Pin-in-hole” feature (fastening), 289
- Pipe welding, 257
- PIT, *see* Process improvement team
- Pitch, 294
- Plaintiff, 703
- Planing, 210, 213
- Planned order receipts (MRP schedule), 138, 139
- Planned order releases (MRP schedule), 138, 139
- Planning:
 - computer-aided process planning, 347, 348
 - computer-aided production planning, 328, 329
 - and management system failure, 466
 - for new technology programs, 501
 - process:
 - classification systems in, 71
 - equipment classification use in, 98
 - production, 110–169
 - aggregate planning, 131–134
 - computer-aided, 328, 329
 - forecasting, 111–120
 - inventory models, 120–130
 - Japanese manufacturing philosophy, 162–166
 - job sequencing and scheduling, 144–163
 - materials requirements planning, 135–144
 - supply chain management, 166–169
 - schedule, 552
- Plant patents, 726, 727
- Plasma-arc cutting (PAC), 240
- Plasma-assisted (PA) PVD, 397–399, 410
- Plasma-beam machining (PBM), 240
- Plaster-mold casting, 274
- Plastics machining, 214–215
- Plastic deformation, 300
- Plastic-molding processes, 275–277
- Plots, 598, 599
- P&L statement, *see* Profit and loss statement
- P/M, *see* Powder metallurgy
- PMBOK*, 478

- PMI (Project Management Institute), 478
- Pneumatic conveyors, 356, 358, 359
- Point-to-point NC machine tools, 334, 335
- Point-to-point robot systems, 340
- Polishing, 280
 - electrochemical, 232
 - electropolishing, 241, 242
- Pollution Protection Act (PPA) of 1990, 642, 645
- Polycode concept, 69
- Pop-up diverters, 381, 393
- POQ (periodic order quantity), 143
- Porcelain enamel, 282
- Powder metallurgy (P/M), 277–278
- Power-and-free conveyors, 380, 381
- Powered conveyors, 377, 379
- Power spectrum (in people management), 493–495
- Power spinning, 256
- PPA, *see* Pollution Protection Act of 1990
- PPE, *see* Personal protective equipment
- Ppk, *see* Process capability
- Precedence and dependency networks, 552
- Precision-casting process, 274
- Precision class code, 76, 77
- Predictor dimension (correlation charts), 41, 42. *See also* Relationship conditions
- Predictor (TRA), 37, 39–40
- Preferred stocks, 514
- Preload (fasteners), 300, 304–307, 313
- Preprints, 778
- Present worth, 577–579
- Press forging, 250
- Pressure joints, 294
- Pressure pneumatic conveyor systems, 356, 358
- Pressure/vacuum pneumatic conveyor systems, 356, 358
- Price, cash flows and changes in, 576
- Price index, 576
- Primary literature, 777–778
- Primary management systems, 452, 459, 466–468
- Prioritization matrix, 599, 600
- Priority dispatching rules, 152–156
- Priority image, 502
- Probabilistic inventory models, 122
- Processes:
 - changing, to achieve goals, 600–603
 - safety engineering for, 671–672
 - as statutory class for patents, 730
 - for sustainability, 426–431
 - product manufacture in machining operations (case study), 431–434
 - selection of manufacturing operations measures, 426–431
- Processability ratings, 88, 90
- Process Based Mission Assurance (PBMA), 622
- Process capability analysis:
 - improvement phase, 609
 - measure phase, 600–603
- Process capability (Cpk, Ppk):
 - assessment of, 91
 - in Fabrication Process Taxonomy, 94–96
 - studies of, 31
- Process code:
 - for equipment, 99
 - in Fabrication Process Taxonomy, 93–94
- Process control (TRA), 56, 58
- Process flow chart, 56, 57, 332, 594
- Process flow diagram, 594–596
- Process improvement team (PIT), 585, 588
- Processing time (job sequencing), 145
- Process maps, 594
- Process Patent Amendments Act of 1988, 751
- Process planning:
 - classification systems in, 71
 - equipment classification use in, 98
- Process plant layout, 331
- Process settings, modifications and, 30–31
- Process sustainability, assessment of, 438–439
- Process technology, 22–60
 - historical development of, 22–23
 - traditional approach to, 23–32
 - inefficiencies with, 31
 - problems with, 26–31
 - Tuszynski's process law, 60–63
 - Tuszynski's relational algorithm, 32–61
 - adding design information to correlation charts, 41
 - computation software for, 60
 - defined, 33
 - early use of, 56, 58
 - effective use of, 33
 - fixes, 50–55
 - foundation of, 33
 - generating correlation charts, 39–41
 - generating input data, 36–38
 - graphical illustration of, 33, 35

- historical evolution of contributions
 - by, 58–61
 - material selection, 54–56
 - operating point adjustments, 36
 - and process control, 56, 58
 - process flowchart, 56, 57
 - region of conformance, 41, 42
 - relationship conditions, 41–51
 - selecting predictor, 37, 39–40
 - simulation benefits, 56, 58, 59
 - single degree-of-freedom system, 35–36
 - what TRA is not, 32–33
- Procurement quantity, 121
- Producibility window, 29, 30, 54, 55
- Product concepts, 5
- Product defects, 712–713
 - design flaws, 713–714
 - design hierarchy for, 716–717
 - hazard analysis, 714–716
 - Hazard Index, 716
 - instructions and warnings, 714
 - production or manufacturing flaws, 712–713
 - recalls, retrofits, and continuing duty to warn, 721–723
 - uncovering, 714–717
- Product design, 330
 - Design for Manufacturing and Assembly, 3–21
 - defined, 4
 - design for assembly, 5
 - design for manufacturing, 5
 - goal of, 5
 - ideal process for applying, 7–8
 - methodology for, 14, 16–19
 - metrics for, 19–21
 - motor drive assembly case study, 8–16
 - upper management support for, 12–14
 - for sustainability, 421–427
 - assessment of product sustainability, 424, 425
 - measurement of product sustainability, 422–423
 - multi-life-cycles/perpetual-life products, 423–424
 - product sustainability index, 425–426
- Product development process, 3–4. *See also* Design for Manufacturing and Assembly
- Product development team, 12–14, 17. *See also* Design for Manufacturing and Assembly
- Product-flow plant layout, 332
- Production:
 - detailed cost estimating for, 554–557
 - supply chain management in, 167
- Production acceptance testing, 558
- Production costs, 131–132
- Production estimating, classification
 - systems in, 71
- Production factors (in cost estimating), 540
- Production flow analysis (PFA), 344, 345, 347, 348
- Production kanban, 164
- Production operations:
 - computer-integrated manufacturing for, 330, 332–333
 - models for, 332–333
- Production phase (new product development), 7
- Production planning, 110–169
 - aggregate planning, 131–134
 - approaches to, 132–133
 - costs in, 131–132
 - difficulties with, 134
 - levels of aggregation/disaggregation in, 133–134
 - strategies in, 131
 - computer-aided, 328, 329
 - forecasting, 111–120
 - causal methods, 115–117
 - error analysis, 120
 - methods for analysis of time series, 117–119
 - qualitative, 112–115
 - selecting method for, 111–112
 - inventory models, 120–130
 - approach for, 123–130
 - types of, 122
- Japanese manufacturing philosophy, 162–166
 - just-in-time/kanban, 162–165
 - time-based competition, 165–166
- job sequencing and scheduling, 144–163
 - assembly line balancing, 156–163
 - flow shops, 148–151
 - heuristics/priority dispatching rules, 152–156
 - job shops, 150–152
 - single machine problem, 146–148
 - structure of sequencing problems, 145–146
- materials requirements planning, 135–144
 - lot sizing techniques, 139, 143

- Production planning (*continued*)
 - master production schedule, 135–136
 - MRP schedule, 136–143
 - supply chain management, 166–169
 - applications of kanban to, 168–169
 - distribution logistics, 167–168
- Production planning and control, 331
- Production plants, classifications of, 331–332
- Production processes and equipment, 173–243
 - broaching, 209–212
 - cutting-tool materials, 185–188
 - drilling machines, 192–200
 - accuracy of holes, 197–200
 - drill geometry, 193
 - gear manufacturing, 203–207
 - gear finishing, 205, 206
 - machining methods, 204–207
 - grinding/abrasive machining/finishing, 215–219
 - abrasives used in, 215–216
 - buffing, 219
 - electropolishing, 219
 - grinding fluids for, 218
 - machines for, 218, 219
 - surface finishing, 219
 - temperatures for, 218
 - ultrasonic machining, 219
 - machining power and cutting forces, 178–181
 - metal-cutting:
 - economics of, 182, 184–185
 - principles of, 174–178
 - milling machines, 200–204
 - nontraditional machining, 219–243
 - abrasive flow machining, 220, 224
 - abrasive jet machining, 220, 224
 - chemical blanking, 241
 - chemical machining, 241
 - chemical milling, 241
 - electrical discharge grinding, 235, 236
 - electrical discharge machining, 236–237
 - electrical discharge sawing, 237
 - electrical discharge wire cutting, 237, 238
 - electrochemical deburring, 228–229
 - electrochemical discharge grinding, 229
 - electrochemical grinding, 229, 230
 - electrochemical honing, 229, 230
 - electrochemical machining, 231–232
 - electrochemical polishing, 232
 - electrochemical sharpening, 232, 233
 - electrochemical turning, 233
 - electromechanical machining, 222
 - electron-beam machining, 235
 - electropolishing, 241, 242
 - electro-stream, 233, 234
 - hydrodynamic machining, 220, 225
 - laser-beam machining, 238–239
 - laser-beam torch, 239–240
 - low-stress grinding, 220, 225
 - photochemical machining, 241
 - plasma-beam machining, 240
 - rapid prototyping, 242, 243
 - rapid tooling, 243
 - selective laser sintering, 243
 - shaped-tube electrolytic machining, 234–235
 - thermally assisted machining, 222, 226
 - thermochemical machining, 242, 243
 - total form machining, 222, 225, 226
 - ultrasonic machining, 225–227
 - water-jet machining, 227–228
 - plastics machining, 214–215
 - sawing/shearing/cutting off, 213–214
 - shaping/planing/slotting, 210, 213
 - thread cutting and forming, 206–208
 - tool life, 180–182
 - turning machines, 188–193
 - break-even conditions, 191, 192
 - lathe size, 191
- Production rate changes, costs of, 132
- Production switching heuristics (PSH), 132
- Product liability, 710–712
 - defenses against, 717–721
 - assumption of risk, 719–721
 - contributory/comparative negligence, 719
 - safety standards, 718–719
 - state of the art, 717–718
 - express warranties, 711, 712
 - misrepresentation, 711, 712
 - negligence, 710–711
 - strict liability, 711
- Product management, 486
- Product Stewardship program, 415
- Product Sustainability Index (PSI), 425–426
- Professional liability, 702–710
 - business liabilities, 707–710
 - employee liabilities, 702–707
- Professional satisfaction, 489–491
- Profits, 514
 - estimating, 538–539

operating, 317
 Profit and loss (P&L) statement, 516–519
 Program evaluation and review techniques (PERT), 552
 Programming:
 of robots, 340
 by scanning/digitizing, 336
 Project charter, 501
 Project concept, 486
 Project interface chart, 501
 Project management, 447–478
 Corpedia Internet modules framework for, 478–479
 and current business environment, 448–450
 failed example of, 470–473
 interorganizational teams, 450–469
 applications for leading, 476–477
 leadership for, 450
 makeup and boundaries of, 450
 management coordination system for, 451–466
 success and failures of, 466–469
 management coordination systems model, 451–466
 achieving goal alignment, 451–452
 components of management systems for success, 453–458
 external environment, 458–461
 internal environment, 461–464
 interorganizational influences, 464–466
 for interorganizational teams, 452–466
 performance, 458
 reference materials for, 480–483
 successful example of, 473–476
 Project Management Institute (PMI), 478
 Project managers, 449–450
 Project maturity model, 502
 Project organizations, virtual, 496
 Project organization chart, 501
 Project teams:
 high-performing, 495–496
 interorganizational, *see*
 Interorganizational teams
 measuring performance of, 497
 subcultures of, 456
 superstars on, 457
 Provisional patents, 727–728, 741
 PSH (production switching heuristics), 132, 133
 PSI, *see* Product Sustainability Index
 Pulsed power sputtering, 405
 Pulse-echo instrument, 310

Purchase discounts, models for, 127–130
 discounts with fixed holding cost, 127–128
 discounts with variable holding cost, 128–130
 Purchase model:
 with shortage permitted, 125–126
 with shortage prohibited, 124–125
 Purchasing, supply chain management in, 166
 PVD, *see* Physical vapor deposition
 Pygmalion effect, 491

Q

QFD, *see* Quality function deployment
 QFD (quality function deployment), 422
 QMS, *see* Quality Management System
 QOS (quality operating systems), 33
 Quadratic regression analysis, 117
 Qualification testing, 558
 Qualitative forecasting, 112–115
 Quality, definitions of, 586
 Quality assurance, equipment classification use in, 97
 Quality awards, *see* Awards
 Quality control, 316, 331. *See also*
 Statistical quality control
 Quality Excellence for Suppliers of Telecommunications (QuEST) Forum, 621
 Quality function deployment (QFD), 422, 592–594
 Quality loss function, 606
 Quality Management System (QMS), 619, 620
 Quality Management System standard (ISO 9001), 618, 619
 Quality operating systems (QOS), 33
 Quality standards, 616–617
 Quality System Standards (ISO 9000), 616, 618, 619
 Quantity discounted model with variable holding cost, 128–130
 QuEST (Quality Excellence for Suppliers of Telecommunications) Forum, 621
 Queueing, 132
 QUICKEN software, 529

R

RAB, *see* Registrar Accreditation Board
 Railroad hopper cars, 365
 Randomization, 606–607
 Random walk experimentation, 605
 Range, 317

- Ranked positional weight (RPW)
 - technique, 162
- Rapid prototyping, 242, 243
- Rapid tooling, 243
- Rate of return, 580–581
 - cutoff/required, 572
 - minimum attractive, 572
- Rattling, 280
- R charts, 609, 611, 612
- RCRA, *see* Resource Conservation and Recovery Act of 1976
- Reaming, 293
- Reasonableness, test of, 710–711
- Recalls, 721–723
- Receiving inspection, 558
- Record keeping:
 - financial, 529–530
 - safety files, 680
- Recurring activities (in work breakdown structure), 544
- Recurring costs, 536, 537
- Recycled materials, energy required for, 81
- Recycling, 415, 416
- Reducing waste, 416
- Region of conformance (correlation charts), 41, 42
- Registrar Accreditation Board (RAB), 617, 619, 623
- Registration, certification, and accreditation programs/bodies, 616–625
 - AS 9100 Aerospace standard, 622
 - CMMI, 622–624
 - ISO 14000 Environmental Management standard, 623–625
 - ISO 13485 Medical Devices standard, 621
 - ISO 9001 Quality Management System standard, 618–620
 - ISO 9000 Quality System Standards, 618, 619
 - ISO/TS 16949 Auto Industry standard, 620–621
 - and mission assurance, 622
 - national and international standards, 617–618
 - TL 9000 Telecommunication standard, 621
- Regression analysis:
 - basic, 115–117
 - quadratic, 117
- Regression line, shifting, 53–55
- Reinforced-plastic molding, 276
- Relationship conditions (correlation charts), 41–51
 - cannot produce parts at design target, 49–51
 - constraining critical, 43–49
 - constraint table, 49
 - imperfect correlation, 44–47
 - operating limits, 47
 - operating range, 47–48
 - operating target, 47–48
 - defects-fixes needed, 49, 50
 - nonconstraining critical, 42, 43
 - robust critical, 41, 42, 46
- Remanufacturing, 415
- Remanufacturing Vision Statement—2020 and Roadmaps, 416
- Repair time (in cost estimating), 561
- Repeatability (GR&R), 613
- Repeating sections, 294
- Reproducibility (GR&R), 613–614
- Request for quotation (RFQ), 547
- Required rate of return, 572
- Reseasonalized forecast, 118, 119
- Resource Conservation and Recovery Act (RCRA) of 1976, 642, 643, 692
- Responsibility matrix, 501
- Retained earnings, 514
- Retrofits, 721–723
- Returns to value added ratio, 517
- Return on assets, 517
- Return on equity, 518
- Return on invested capital, 517, 518
- Return on investment (ROI), 32
- Return on sales, 517
- Reuse, 415, 416
- Rewards:
 - creating systems of, 502
 - disconnect between performance and, 467
 - financial, 485, 494
- Rework time (in cost estimating), 561
- rf diode sputtering, 404–405
- RFQ (request for quotation), 547
- Risk:
 - assumption of, as legal issue, 719–721
 - motivation as function of, 491–492
 - and time value of money, 566
- Risk assessment process, 656–657
- Risk score, 656–657
- Ritter, Donald, 586
- Rivet capacity, 298
- Rivet fastening, *see* Bolt and rivet fastening
- Riveting, 260
- Robots, *see* Industrial robots

Robot institute of America, 337
 Robust critical condition (correlation charts), 41, 42, 46
 Robust design, 606
 ROI (return on investment), 32
 Roles, management system failure and, 466
 Role models, 501
 Roll bending, 262
 Roller conveyors, 376
 Roller leveling, 263
 Roll forging, 251
 Rolling, 280
 cold, 259
 hot, 247–249
 Roll straightening, 263
 Rotary ultrasonic machining (RUM), 226, 227
 Rotomolding, 275
 RPW (ranked positional weight) technique, 162
 Rubber, in forming, 266–267
 Rubber Handbook, 780
 Rules of thumb, 535, 546
 RUM, *see* Rotary ultrasonic machining
 Run times, 558
 Rupture stress, 301

S

SAE (Society of Automotive Engineers), 622
 SAE Store, 773
 Safety engineering, 639–698
 alternatives to engineering controls, 664, 669–670
 isolation, 669
 substitution, 669, 670
 ventilation, 670
 design and redesign, 670–675
 hardware, 670–671
 hazardous material classification system, 672–674
 Material Safety Data Sheets, 674–675
 process, 671–672
 safety design requirements, 675
 employee needs and expectations for, 640–641
 engineering controls for machine tools, 660–663
 danger sources, 663
 general requirements, 662–663
 government regulatory requirements, 642–648
 Environmental Protection Agency, 642–645
 Occupational Safety and Health Administration, 645–647
 state-operated compliance programs, 647–648
 human factors engineering/ergonomics, 657–660
 general population expectations, 659–660
 human-machine relationships, 657–658
 principles of, 658–659
 machine safeguarding methods, 663–668
 general classification of, 663–664
 guards, devices, and feeding and ejection methods, 664–668
 management of safety function, 678–687
 accident prevention elements, 679–680
 elimination of unsafe conditions, 681–686
 management principles, 680–682
 supervisor's role, 678–679
 unsafe conditions involving
 mechanical or physical facilities, 685–687
 personal protective equipment, 675–678
 safety training, 687–698
 system safety, 649–657
 fault-tree technique, 650–652
 methods of analysis, 649–650
 preparation/review criteria, 651, 653–656
 risk assessment process, 656–657
 training:
 automated external defibrillator, 687–688
 drivers, 688
 environmental risks, 688–691
 fire protection, 691, 692
 first-aid, 692
 hazard recognition, 692
 HAZWOPER, 692–693
 job hazard analysis, 695–697
 lockout box, 693
 machine guards, 693–694
 management's overview of, 697–698
 materials for, 698
 personal protective equipment/
 physical protection, 694–695
 Safety factor in engineering, 702–703
 Safety stock (MRP schedule), 136

- Safety training, 687–698
 - automated external defibrillator, 687–688
 - drivers, 688
 - environmental risks, 688–691
 - fire protection, 691, 692
 - first-aid, 692
 - hazard recognition, 692
 - HAZWOPER, 692–693
 - job hazard analysis, 695–697
 - lockout box, 693
 - machine guards, 693–694
 - management's overview of, 697–698
 - materials for, 698
 - personal protective equipment/physical protection, 694–695
- Salary, 485, 494
- Sales:
 - asset to sales ratio, 518
 - cost of, 519
 - on P&L statement, 516
 - return on, 517
- Sales and marketing, 330
- Sand casting, 268–270
- Sanitation, 678
- SARA, *see* Superfund Amendments and Reauthorization Act of 1986
- Sawing, 213–214, 237
- Sayings of Chairman Hal* (Harold Geneen), 505
- SCAMPI (Standard CMMI Appraisal Method for Process Improvement), 623
- Scanning, programming by, 336
- SCC (Standards Council of Canada), 617
- Scheduled receipts (MRP schedule), 137, 139
- Schedule elements, in cost estimating, 552
- Schedule planning techniques, 552
- Scheduling:
 - in JIT systems, 165
 - job, 145. *See also* Job sequencing and scheduling
- Science Abstracts*, 779
- Scitation, 773
- SCM, *see* Supply chain management
- Screw conveyors, 351, 353
- Seaming, 262, 263
- Search techniques (ST), 132
- Seasonal forecasts, 118–119
- Seasonal time series movements, 117
- Secondary code (parts classification), 345
- Second year comparison (balance sheet), 515–516
- Security issues (Internet), 763–765
- SEI, *see* Software Engineering Institute
- Selective laser sintering (SLS), 243
- Self-directed teams, 496, 498
- Self-fulfillment prophecies, 491
- Sequencing, job, 145. *See also* Job sequencing and scheduling
- Sequential acceptance sampling, 326
- Setup cost, 122
- Setup time, 558
 - in JIT systems, 165
 - in job sequencing, 145
- Shallow drawing, 266
- Shape classification, 72, 74
- Shaped-tube electrolytic machining (STEM), 234–235
- Shaping, 210, 213
- Shaping equipment, 99
- Shaping processes, 91
- Sharpening, electrochemical, 232, 233
- Shaving, 263, 265
- Shearing, 213–214, 263–265
- Shear spinning, 256
- Shell drawing, 266
- Shelving, 393
- Shewhart, Walter, 609, 611
- Shibboleth initiative, 775
- Shift premiums, 538
- Shingo, Shigeo, 630
- Shingo Prize for Excellence in Manufacturing, 625, 630, 635
- Shipping and receiving, 331
- Shipping and receiving inspections, 31
- Shortage, maximum, 121
- Shortage cost, 122
- Shortest processing time (SPT), 146–147, 152, 153, 155
- Short pitch, 294
- Short-term borrowing, 512
- Shot peening, 280
- Silicon carbide, 215
- Silos, storage, 360
- Simulation, TRA, 56, 58, 59
- Simulation models (SM), 132–133
- Single degree-of-freedom system, 35–36
- Single machine problem, 146–148
- Sintering, 277
- SIPOC (supplier-input-process-output-customers) chart, 596–597
- Six Sigma (SS), 502, 585
 - and capability index, 602
 - Tuszynski's relational algorithm with, 33, 34
- Size code, 75, 76
- Sizing, 259
- Skelp, 257

- Skills:
 - in detailed cost estimating, 533, 534
 - motivation and development of, 493
- Skill levels:
 - for engineers, 552–553
 - in estimates, 545
- Skill matrix (in work breakdown structure), 545
- Slack time to remaining operations (STOP), 152, 155
- Slat sorters, 381
- Slides, 376
- Sliding shoe sorters, 381, 384
- Slip-resistant joints, 308, 309
- Slotting, 210, 213
- SLS (selective laser sintering), 243
- SM, *see* Simulation models
- Small entity status (patents), 741–742
- Soaking, 247
- Social gatherings, 502
- Society of Automotive Engineers (SAE), 622
- Society of Automotive Engineers (SAE) Store, 773
- Software Engineering Institute (SEI), 622, 623
- Sortation conveyors, 380, 382
- Source and application of funds, 518. *See also* Cash flow
- Spaced-bucket centrifugal-discharge elevator, 355
- Spaced-bucket positive-discharge elevator, 355
- SPC, *see* Statistical process control
- Special cause variation, 609, 611
- Special fabrication equipment, 97
- Special features code, 75, 76
- Special hazard levels, 674
- Special tools:
 - classification of, 104–106
 - in cost estimating, 559
- Specifications, information resources for, 780–781
- Spherical coordinate robots, 229
- Spinning:
 - cold, 266
 - hot working, 256
- SPT, *see* Shortest processing time
- Sputter deposition PVD processes, 396, 402, 404–409
 - dc diode sputtering, 404
 - magnetron sputtering, 406–409
 - pulsed power sputtering, 405
 - rf diode sputtering, 404–405
 - triode sputtering, 405–406
- Spyware, 764–765
- Spyware Search and Destroy, 765
- SQC, *see* Statistical quality control
- Square-end punches and dies, 264
- Squeezing, 259–260
- SS, *see* Six Sigma
- Staffing technique, 536, 537
- Stage-gate, 486
- Staking, 260
- Standards:
 - AS 9100 Aerospace, 622
 - CMMI, 622–624
 - in cost estimating, 556
 - information resources for, 780–781
 - international, 617–618
 - ISO 14000 Environmental Management, 623–625
 - ISO 13485 Medical Devices, 621
 - ISO 9001 Quality Management System, 618–620
 - ISO 9000 Quality System, 618, 619
 - ISO/TS 16949 Auto Industry, 620–621
 - national, 617–618
 - OSHA, 646
 - for process sustainability, 426
 - and product liability, 718–719
 - for product sustainability, 415, 417
 - quality, 616–617
 - TL 9000 Telecommunication, 621
- Standards Council of Canada (SCC), 617
- Standard burden rates, 317
- Standard CMMI Appraisal Method for Process Improvement (SCAMPI), 623
- Standard deviation, 316, 317
- Standard error of the forecast (S_{xy}), 120
- Standard fabrication equipment, 97
- Standard Handbook of Engineering Calculations*, 780
- Standard of care, 703
- Standard times (in cost estimating), 560
- Standard tools:
 - classification of, 104–106
 - in cost estimating, 559
- State of the art (as liability defense), 717–718
- State-operated safety compliance programs, 647–648
- Statistical estimates, 548, 551–552
- Statistical process control (SPC):
 - in DMAIC control phase, 609, 611–613
 - studies using, 31
 - Tuszynski's relational algorithm with, 36

- Statistical quality control (SQC), 315–326, 612
 - acceptance sampling, 325–326
 - control charts for attributes, 322–325
 - dimensions and tolerance, 315
 - DOD acceptance sampling by variables, 326
 - interrelationship of tolerances of
 - assembled products, 321–322
 - mass inspection vs., 316
 - operation characteristic curve, 322, 323
 - steps in, 316–321
- Statutory bars (patents), 735
- STEM, *see* Shaped-tube electrolytic machining
- STM (sustainability target method), 422
- STN, 766
- Stone & Webster Engineering, 709–710
- STOP, *see* Slack time to remaining operations
- “Stop” feature (fastening), 288–289
- Straightening, 263
- Straight-line depreciation, 520–522
- Stress, 671
 - design-allowable (bolts and assemblies), 302
 - torsional stress factor, 302
- Stress cracking, 303
- Stretcher leveling, 263
- Stretch forming, 266
- Stretch wrap equipment, 373, 376
- Strict liability, 711
- ST (search techniques), 132
- Subcontract dollars, estimating, 538
- Subgroups (SPC charts), 609, 611, 612
- Substandard condition (products), 710
- Substitution (as safeguard), 669, 670
- Success, as function of motivation, 492
- Sum of the digits (depreciation), 520–522
- Super-capacity continuous-bucket elevators, 355
- Superfinishing, 219
- Superfund, 642, 644
- Superfund Amendments and Reauthorization Act (SARA) of 1986, 642, 644
- “Superstars,” 457
- Supervision, cost estimating for, 562–563
- Supervisors, safety function of, 678–679
- Supervisory computer control, 342
- Supplementary code (parts classification), 345
- Supplier-input-process-output-customers (SIPOC) chart, 596–597
- Supply chain management (SCM), 144, 166–169
 - applications of kanban to, 168–169
 - distribution logistics, 167–168
- Supportiveness, 467, 477, 488, 502
- Surface finishing, 215–219, 278–284
 - abrasives used in, 215–216
 - buffing, 219
 - chemical conversions, 283–284
 - cleaning, 278–281
 - coatings, 281–283
 - electropolishing, 219
 - grinding fluids for, 218
 - machines for, 218, 219
 - as special feature in design, 75
 - surface finishing, 219
 - temperatures for, 218
 - ultrasonic machining, 219
- Surface finishing processes, 92
- Surface-modification processes, 92
- Surface treatments, fatigue life and, 313
- Sustainability, 414–439
 - defined, 424
 - future directions in, 439
 - global challenge of, 418
 - and machining:
 - assessment of process sustainability, 438–439
 - optimized operating parameters, 435–438
 - performance measures contributing to sustainability, 434–435
 - need for, 420, 421
 - processes for, 426–431
 - product manufacture in machining operations (case study), 431–434
 - selection of manufacturing operations measures, 426–431
 - product design for, 421–427
 - assessment of product sustainability, 424, 425
 - measurement of product sustainability, 422–423
 - multi-life-cycles/perpetual-life products, 423–424
 - product sustainability index, 425–426
 - significance of, 416–420
 - visionary manufacturing challenges, 416
- Sustainability target method (STM), 422
- Sustainable Design Program (DoE), 416
- Sustainable Industries Partnership program, 415
- Sustainable manufacture, 419, 420

- Sustainable Textile Standards, 415
- Swaging:
 cold, 259
 hot, 251
- S_{xy} (standard error of the forecast), 120
- Symantec, 764
- Symmetric bipolar pulsed dc power, 405
- System II management style, 494
- System I management style, 494
- System safety, 649–657
 fault-tree technique, 650–652
 methods of analysis, 649–650
 preparation/review criteria, 651, 653–656
 risk assessment process, 656–657
- System-subsystem integration, 649
- ## T
- Taguchi, Genichi, 606
- Talent management, 487
- TAM, *see* Thermally assisted machining
- Targets, 54
 cannot produce parts at design target condition (correlation charts), 49–51
 changing design target, 53
 operating target, 47–48
 target cost establishment, 19
 unit manufacturing cost, 3–4
- Task roster, 501
- TA (tooling amortization cost), 4
- Taxes:
 deferred, 514
 and depreciation provisions, 522
 with patents, 755–756
- TBC, *see* Time-based competition
- TCM, *see* Thermochemical machining
- Teams, 495–500
 defining structure of, 501
 effective management of, 489
 four-stage team development model, 498–500
 high-performing, 497–500
 motivation and management of, 492
 project team performance measurement, 497
 self-directed, 496, 498
 virtual, 496–497
- Team building, 502
- Team formation stage, 498, 499
- Team start-up stage, 498, 499
- Tearing capacity, 298–299
- Technical expertise, building, 501
- Technical work content, management of, 487
- Technique for human error prediction (THERP), 650
- Technology, *see* Process technology
- Technology-oriented professionals:
 management of, 484, 487–488
 motivation of, 492–493
 needs of, 489, 490
- Telecommunication standard (TL 9000), 621
- Temperatures:
 for abrasive machining/grinding/finishing, 218
 process classification based on, 92
- TEM (thermal energy method), 242
- “The Ten Principles of Material Handling” (MHI), 366, 368, 372
- Tension loads:
 cyclical, 312–313
 ultrasonic measurement of, 310–311
- Tension nuts, 313
- Test equipment, in cost estimating, 559
- Testing, cost estimating for, 558–559
- Texas Instruments (TI), 450, 451, 455, 456, 460, 461, 466, 468–469
- Textbooks, 778
- TFM, *see* Total form machining
- Thermal deburring, 242
- Thermal energy method (TEM), 242
- Thermally assisted machining (TAM), 222, 226
- Thermochemical machining (TCM), 242, 243
- Thermoforming, 276
- THERP (technique for human error prediction), 650
- Thornton zone diagram, 400
- Threads:
 cutting and forming, 206–208
 rolling, 260, 312
 run-out of, 313
 stress distribution, 313
- Three-part assembly (fastening), 291, 292
- Threshold competency, 487
- TI, *see* Texas Instruments
- Tightening:
 torque and turn at same time, 309, 310
 turn of nut bolt, 308, 309
- Tilt-tray sorters, 381, 384
- Time, in detailed cost estimating, 533–535
- Time-based competition (TBC), 165–166
- Time lags, 457

- Time series:
 - analysis of, 117–119
 - movements of, 117
- Time value of money, 565–566. *See also* Interest
- TL 9000 Telecommunication standard, 621
- Tolerances, 315
 - design, 50–53
 - interrelationship of, 321–322
 - relaxation of, 30
- Tolerance limits, 319–321
- Tolerance stack-up, 289, 290
- Tools:
 - costs of, 103
 - design of:
 - classification systems in, 71
 - equipment classification use in, 98
 - fabrication, classification and coding for, 103–109
 - standard vs. special tooling, 104–106
 - tool code, 106–107
 - tooling taxonomy, 105, 106
 - tool specification sheets, 107–109
- Tool code (fabrication equipment), 106–107
- Tool control system, 103–104
- Tooling, modifications of, 30–31
- Tooling amortization cost (TA), 4
- Tooling maintenance time (in cost estimating), 561
- Tool life, 180–182
- Tool specification sheets, 107–109
- Torch, laser-beam, 239–240
- Torque-turn tightening, 309, 310
- Torquing factor, 302
- Torsional stress factor, 302
- Tort liability, 705
- Total assembly time metric, 19, 21
- Total assets, 517
- Total capital, 514, 518
- Total cost of capital, 523
- Total form machining (TFM), 222, 225, 226
- Total material cost metric, 21
- Total quality management and maintenance, 165
- Total Quality Management (TQM), 583–585, 626
- Toxic Substances Control Act (TSCA) of 1976, 642, 643
- Toyota Production Systems, 630
- TQM, *see* Total Quality Management
- TQM/SS approach, 585–591. *See also* DMAIC process
- TRA, *see* Tuszynski's relational algorithm
- Trade secrets, 706–707
- Traditional approach to process technology, 23–32
 - inefficiencies with, 31
 - problems with, 26–31
- Training:
 - employee cross-training, 165
 - safety, 687–698
 - automated external defibrillator, 687–688
 - drivers, 688
 - environmental risks, 688–691
 - fire protection, 691, 692
 - first-aid, 692
 - hazard recognition, 692
 - HAZWOPER, 692–693
 - job hazard analysis, 695–697
 - lockout box, 693
 - machine guards, 693–694
 - management's overview of, 697–698
 - materials for, 698
 - personal protective equipment, 677, 694–695
 - physical protection, 694–695
 - Transit time instrument, 310
- Transportation-hazard analysis, 650
- Transportation of materials, 363, 365
- Traveling wire EDM, 237
- Treasury stock, 514
- Trend time series movements, 117
- Trimming, 263, 265
- Triode sputtering, 405–406
- Trucks, industrial, 385, 387–389
- Trust, 462, 477
- TSCA, *see* Toxic Substances Control Act of 1976
- Tube spinning, 256
- Tumbling, 280
- Turning, electrochemical, 233
- Turning machines, 188–193
 - break-even conditions, 191, 192
 - lathe size, 191
- Turn-of-nut tightening, 308, 309
- Tuszynski's process law, 60–63
- Tuszynski's relational algorithm (TRA), 32–61
 - adding design information to correlation charts, 41
 - approved applications of, 32n.
 - computation software for, 60
 - defined, 33
 - early use of, 56, 58
 - effective use of, 33
 - fixes, 50–55

- foundation of, 33
 - generating correlation charts, 39–41
 - generating input data, 36–38
 - graphical illustration of, 33, 35
 - historical evolution of contributions by, 58–61
 - material selection, 54–56
 - operating point adjustments, 36
 - process control, 56, 58
 - and process control, 56, 58
 - process flowchart, 56, 57
 - region of conformance, 41, 42
 - relationship conditions, 41–51
 - selecting predictor, 37, 39–40
 - simulation benefits, 56, 58, 59
 - single degree-of-freedom system, 35–36
 - what TRA is not, 32–33
- U**
- UAM (ultrasonic abrasive machining), 226
 - U bending, 262
 - UBM (unbalanced magnetron) effect, 406
 - U control charts, 323–325
 - UKAS (United Kingdom Accreditation Service), 617
 - Ulrich's International Periodical Directory*, 779
 - Ultimate tensile strength (UTS), 301, 303
 - Ultrasonic abrasive machining (UAM), 226
 - Ultrasonic bolt stretch/tension measurement, 310–311
 - Ultrasonic machining (USM), 219, 225–227
 - UMC target, *see* Unit manufacturing cost target
 - Unbalanced magnetron (UBM) effect, 406
 - United Kingdom Accreditation Service (UKAS), 617
 - United States:
 - automation in, 330
 - state awards for quality and performance, 630–634
 - sustainability challenge in, 418–419
 - U.S. Patent and Trademark Office (USPTO), 727, 731, 734–736, 741–750, 773
 - United States Council for Automotive Research (USCAR), 416
 - Unit loads, 350, 372–377
 - Unit manufacturing cost (UMC) target, 3–4
 - Unit material handling, 350, 365–395
 - analysis of systems for, 365–366
 - automated guided vehicle system, 387, 388, 390
 - automated storage and retrieval system, 390–392
 - bin storage, 393
 - carousel systems, 391–393
 - conveyors, 376–386
 - cranes, 382, 384, 387
 - hoists, 382
 - industrial trucks, 385, 387–389
 - modular drawer cabinets, 393–394
 - monorails, 382–383
 - pallet racks, 394, 395
 - shelving, 393
 - unitizing loads, 372–377
 - Unit size principle, 372
 - University of Kentucky (Lexington), 425
 - Unknown demand (inventory), 121
 - Unknown-sigma plans, 326
 - Unsafe conditions:
 - elimination of, 681–686
 - involving mechanical or physical facilities, 685–687
 - Upset forging, 251
 - USCAR (United States Council for Automotive Research), 416
 - USM, *see* Ultrasonic machining
 - USPTO, *see* U.S. Patent and Trademark Office
 - Utility patents, 726, 727, 741
 - UTS, *see* Ultimate tensile strength
- V**
- Vacuum metallizing, 282
 - Vacuum pneumatic conveyor systems, 356, 358
 - Values:
 - sharing, 465
 - true vs. espoused, 457
 - Value added, 517
 - Value-added flow chart, 595
 - Value Added Tax (VAT), 517
 - Vapor solvents, 278
 - Variable characteristics of parts, 25
 - Variable costs, 536, 537
 - Varnish, 282
 - VAT (Value Added Tax), 517
 - V bending, 261, 262
 - V-bucket elevators, 355
 - Vehicle recycling, 418–419, 421
 - Ventilation (as safeguard), 670
 - Vibrating conveyors, 355, 358

Vibrating hoppers, 361
 Vibration hazard, 662
 Virtual project organizations, 496
 Virtual teams, 496–497
 Virus protection, 764
 “Visionary Manufacturing Challenges for 2020” (NRC), 416
 Visual inspection, 344
 Vitreous enamels, 282
 Voice of the customer (VOC), 585, 591–592

W

Wage rates, 538
 Warnings, product, 714, 717, 722
 Warranties, express, 711, 712
 Waste Electrical and Electronic Equipment (WEEE) Directive, 418
 Waste management, as sustainability measure, 431, 433–434
 Water-jet machining (WJM), 227–228
 Water slurries, 280
 “Wedge-in-slot” feature (fastening), 289
 WEEE (Waste Electrical and Electronic Equipment) Directive, 418
 Weighted moving average, 113, 114
 Weighted shortest processing, 147–148
 Welding, pipe, 257
 WELDSEARCH, 771
 Whirlpool devices, 361
 Whitney, Daniel, 287
 Wholesale Price Index, 576
 Wind Chill Index, 690–691
 Wire brushing, 280

Wire cutting, electrical discharge, 237, 238
 Withdrawal kanban, 164
 WJM, *see* Water-jet machining
 Work, engineering-oriented, 485
 Work assignments, motivation and management of, 492
 Work breakdown structure, 541–545
 functional elements of, 542–543
 hierarchical relationship of, 541–542
 interrelationships in, 544–545
 physical elements of, 543–544
 recurring vs. nonrecurring activities in, 544
 Work challenges, 501
 Work descriptions (in cost estimating), 540
 “Worker Attitudes and Perceptions of Safety” (ReVelle and Boulton), 640
 Work force, costs related to, 132
 Work processes:
 defining, 501
 engineering, 486
 Work safety, 430

X

X-bar charts, 609, 611, 612

Y

Yield point, 300–301

Z

Zinc coatings, 283–284