

# Index

---

## A

- Accelerated thermal cycling (ATC) test, 199
- ACGIH. *See* American Conference of Governmental Industrial Hygienists
- Action
  - cycle. *See* Plan, do, check and act phase, 84
- Active disassembly, 225–227
- Active Disassembly using Smart Materials (ADSM), 225–227
- Activity-based costing (ABC), 72
- Activity-based management (ABM), 72
- Actual emissions, 299
- Actual Value Precedence (AVP), 215, 216
- Acute poisoning, 154
- Additional Disassembly Time, 250
- Adhesives, usage, 189
- Administrative actions, 311
- Administrative costs, 272
- ADSM. *See* Active Disassembly using Smart Materials
- AEHA. *See* Association Electric Home Appliances
- Aerosols
  - composition, 152–153
  - definitions, 149–150
  - harm, 165
  - sampling/analysis instrumentation, 153
- Aging substrates, experimental results, 203
- Agricola, 48
- Airborne particles
  - origin, 156–161
  - standards, OSHA publication, 155–156
- Airborne particulate, production, 146–147
- Air compressors
  - intake, 287
  - usage, 287–288
- Air emissions, 133
  - inventory, 303
- Air-jet systems, usage, 106
- Air leaks, repair. *See* Compressed air leaks
- AirMaster+, 268
- Air permits, control authority, 299
- Air quality. *See* Manufacturing health effects/regulations, 153–156
  - introduction, 145–148
  - references, 172–178
  - regulations. *See* Workplace air quality regulations
    - trends, 156
  - standards, trends, 156
- American Conference of Governmental Industrial Hygienists (ACGIH), 156
- American National Standards Institute (ANSI), 149
  - definitions. *See* Dust; Fumes; Mists
- American Society of Mechanical Engineers, examination. *See* Products
- Ammonia-based mixture, replacement, 188
- AND/OR charts
  - methodology, 248
  - usage, 247
- AND/OR graph
  - basis. *See* Disassembly process layout model, 231
- Annotation, 250
- ANSI. *See* American National Standards Institute
- Anti-degradation policies, 303
- AP-42 handbook, 302
- API. *See* Application programming interface
- Application programming interface (API), 252
- AR. *See* Assessment recommendation
- ARC. *See* Assessment Recommendation Code
- Arc-welding processes, 17–18
  - environmental impacts, 18
- Area array packages, manufacture, 194
- Art of War, The* (Tzu), 49
- Asbestosis, 154
- ASHRAE Handbook, usage, 287
- Assemblies, 197–198
- AssemblyDoc, 254
- Assessment
  - planning, 87–88

Assessment (*Continued*)  
 synopsis, 91  
 two-way communication, 92  
 usage, 86–92  
 Assessment recommendation (AR), 92  
 Assessment Recommendation Code (ARC), 277–278  
 Associate (employee/worker synonym), 50  
 Association Electric Home Appliances (AEHA), 229  
 ATC. *See* Accelerated thermal cycling  
 Automatic disassembly, 227  
 Automatic flow controls, installation, 139  
 AVP. *See* Actual Value Precedence

## B

Backlog, limitation, 71  
 Baldrige, Malcolm, 54  
 Ball grid array (BGA), 200. *See also*  
   Plastic ball grid array  
   assembly, 199  
 Barrel-plating operations, 125  
 BAT. *See* Best available technology  
   economically feasible  
 BDAT. *See* Best demonstrated available  
   technology  
 Bearing outer shell, disassembling  
   operation method, 257–258  
   tool (usage), 257–258  
 BEIs. *See* Biological exposure indices  
 Ben & Jerry's, principles, 65  
 Best available technology economically  
   feasible (BAT), 304  
 Best demonstrated available technology  
   (BDAT), 311  
 BestPractices, 267  
   tools, 280  
 Best Value Precedence (BVP), 214,  
   215–216  
 BGA. *See* Ball grid array  
 Bill of materials (BOM), 254  
   tree, 224  
 Bioaerosols, 170–171  
 Biochemical oxygen demand (BOD),  
   100. *See also* Metalworking fluids  
   loadings, 109  
   removal, 108  
 Biocides, 117  
 Biological exposure indices (BEIs), 156  
 Biological inhibition, 117–118  
 Biomimcry, 65  
 Bipartite directed graph, 223  
 BOD. *See* Biochemical oxygen demand

Boeing, specialization, 68  
 Boilers  
   air-fuel ratio adjustment, 281–282  
   bare surfaces, insulation, 280–281  
   combustion air, preheating (hot flue  
     gas usage), 281  
   energy efficiency measures, 280–283  
   waste heat recovery, 281  
 Branding, 31  
 Brazing, 20  
 Building-block design, 218  
 Build-to-order process, 68  
 BVP. *See* Best Value Precedence

## C

CAA. *See* Clean Air Act  
 CAAA. *See* Clean Air Act  
 CAD. *See* Computer-assisted design  
 Cadmium plating, 128  
 CAM. *See* Computer-aided machining  
 Canadian runner modeling, 23  
 Capacity planning, usage, 82  
 Carbon arc welding (CAW), 157  
 Carbon black (CB)  
   manufacturing, 160  
   usage, 160–161  
 Carbon monoxide, pollutant, 302  
 Carbon nanotubes (CNTs), exposure,  
   168–170  
   assessment, 169–170  
 Carburizing flame, production, 17  
 Case hardening, 126  
 Casting, 159–160. *See also* Die casting  
   surface quality, 11  
 Casting Emissions Reduction Program  
   (CERP), 160  
 Categorical pretreatment standards, 304  
 Cavity block, 22  
 CAW. *See* Carbon arc welding  
 CBD. *See* Carbon black; Chronic  
   beryllium disease  
 Centrifugation, 111–113  
 Ceramic process, 12  
 CERCLA. *See* Comprehensive  
   Environmental Response,  
   Compensation, and Liability Act  
 CERP. *See* Casting Emissions Reduction  
   Program  
 CESQGs. *See* Conditionally exempt  
   small quantity generators  
 CFCs. *See* Chlorofluorocarbons  
 CFEST. *See* Cutting Fluid Evaluation  
   Software Testbed  
 Change, stimulation, 54–57

- Check  
 cycle. *See* Plan, do, check and act phase, 83–84, 86–87
- Chemical conversion, 125–126
- Chemical recovery, 141
- Chemicals manufacturing, energy  
 efficiency case studies, 290–291
- Chemical treatment, 163–164
- Chillers, usage, 286
- Chip scale packages (CSPs), 200
- Chlorofluorocarbons (CFCs), 134  
 elimination, 190  
 material substitution, 167
- CHP. *See* Combined heat and power
- Chromating, 125
- Chromium, usage, 187–188
- Chromium plating, 129
- Chronic beryllium disease (CBD), 154
- Chronic obstructive pulmonary disease (COPD), 154
- Chronic poisoning, 154
- Cladding process, 126
- Clean Air Act (CAA), 134, 298–303  
 amendment (1990) (CAAA), 133–134  
 regulation, 7
- Cleaners, usage, 132
- Cleaning chemicals, usage, 188
- Cleaning processes, 190
- Clean Water Act (CWA), 134–135,  
 303–304  
 regulation, 7
- Closed-loop process, 118
- CNTs. *See* Carbon nanotubes
- Coalescers, 110–111
- Coastal Zone Management Act (CZMA),  
 304, 317
- Coefficient of thermal expansion (CTE),  
 204
- Cold-chamber die casting, 11
- Collected MWF mist, returning, 162
- Combined heat and power (CHP), 288
- Commons, concept, 65
- Communications  
 facilitation, 57  
 laws, 315–316
- Company bottom-line, energy efficiency  
 (importance), 268–269
- Component companies, lead-free  
 technology change (reaction), 191
- Components  
 production/supply, 40–41  
 reclamation, 212
- Comprehensive Environmental Response,  
 Compensation, and Liability Act  
 (CERCLA), 305, 312–313, 315
- Compressed air leaks, repair, 287–288
- Computer-aided machining (CAM), 23
- Computer-assisted design (CAD), 231,  
 233  
 set, 252
- COM-supported programming language,  
 252
- Conditionally exempt small quantity  
 generators (CESQGs), 136, 309
- Conductive adhesives, 204–205
- Consciousness, superior levels  
 (acquisition), 55
- Conservation, 66
- Consumer/customer charges, 272
- Consumers, habits, 29
- Control authority. *See* Air permits
- Control systems, 83
- Control technologies, 161–164
- Conversion coatings, 129
- COPD. *See* Chronic obstructive  
 pulmonary disease
- Core preparation/setting, 6
- Corporate image, improvement, 85
- Corrosivity, definition, 308
- Cost-performance benefits, 63
- Cost savings, IAC recommendation, 279
- Cradle-to-grave regulatory system, 306
- Creative destructions, 52
- Creative process, usage, 59–61
- Criteria pollutants, 302
- Cross-disciplinary teams, 51
- Cross-flow filtration, 114
- Cross-flow membrane filtration, 115–117
- Cross-training  
 inhibition, 50  
 needs, 71
- Crown jewels, 67
- CSPs. *See* Chip scale packages
- CTE. *See* Coefficient of thermal  
 expansion
- Customer charges, 276
- Customer delight, speed, 67
- Customer demand, 27
- Cutting Fluid Evaluation Software  
 Testbed (CFEST), 104–105
- Cutting fluids  
 roles, 4  
 use, 4
- CWA. *See* Clean Water Act
- Cyanide-based plating, 128
- CZMA. *See* Coastal Zone Management  
 Act

## D

- Das, tool bag (employment), 214
- Data analysis, 91

- Data collection, 87–90
- DD. *See* Disassemblability degree; Disassembly direction
- Dead-end filters, contrast, 115
- Dead-end filtration, 114–115
- Decision-making degrees of freedom, 166
- Decisions
  - macro level, 86
  - micro level, 86
- De-gating, 23
- DEI. *See* Disassembly effort index
- Dell, integration, 68
- Dell, Michael, 68
- Demand charges, 272–273
- Deming, W. Edwards, 49
  - ideas, 61–62
- De Morbis Artificum Diatriba* (Ramazzini), 153
- De Re Metallica*, 48
- Derived from rule, 308
- Designated use goal, 303
- Design complexity, 247
  - procedure simplification, 236
- Design engineers, questions, 190
- Design for Assembly (DfA) analysis, 249
- Design for disassembly (DfD), 35
- Design for ease of disassembly (DfD), 34, 39
- Design for recycling (DfR), 32, 35
- Design for reliability, 202
- Design for the environment (DfE)
  - application, 34–36
  - applying, 37–40
  - axioms, lists, 34
  - checklist, modules, 36
  - cooperative program, 320
  - introduction, 29–36
  - LCA, 27
  - methods/instruments, 33
  - necessity, 29–32
  - perspective, 33
  - proactive approach, 181
  - procedures, LCA (inclusion), 34
  - products, philosophy, 36
  - reading, 44
  - references, 42–44
  - software, 42
  - structure, 32–33
  - summary, 42
  - tools, selection, 37, 38
  - web sites, 44
    - usefulness, 40–42
- Design for topics (DfX), 35
- Design improvement suggestions, providing, 237
- Desired Value Precedence (DVP), 214, 215
- DfA. *See* Design for Assembly
- DfD. *See* Design for disassembly; Design for ease of disassembly
- DFD system, SolidWorks (application), 253–255
- DfE. *See* Design for the environment
- DfR. *See* Design for recycling
- DfX. *See* Design for topics
- Die casting, 10–12. *See also*
  - Cold-chamber die casting;
  - Hot-chamber die casting
  - advantages/limitations, 11
- Digital business (e-business), 67
- Dilution prohibition, 311
- Dip/galvanized coatings, application, 126
- Directed graph model, 233–234
- Directional graphs, basis. *See* Disassembly process
- Direction of Disassembly, 249
- Direct productivity enhancements, 278
- Disassemblability degree (DD), 247–252
- Disassembling
  - models, 231–236
  - system, composition, 236–237
  - techniques, 229–231
- Disassembly. *See* Active disassembly; Automatic disassembly; End-of-life electromechanical products
  - analysis, 237
  - assessment, 237
  - design
    - complexity, 247
    - system, composition, 236–237
  - direction, 245–247
  - equipment, maintenance, 228–229
  - estimation method, 247–252
  - evaluation, 237–238
    - chart, 248–250
    - chart, categories, 248–250
    - method proposal, 214–218
  - expense, 239
  - families, concept, 227
  - objective aspects, relative index, 238–244
  - objects, determination, 230
  - optimization relationship, 220
  - process
    - energy consumption, 240–243
    - environment, impact, 243–244
  - programming, 224–225
  - research, shortfalls, 229
  - sequence, formation, 220
  - standardization, degree (measurement). *See* Products

- strategy, establishment, 230–231
  - subjective aspects, target correlations, 244–247
  - system control, 228–229
  - three-dimensional environment, development, 252–255
  - time, 239–240
    - calculation, 240
  - tool, 228
    - study, 255–260
  - Disassembly direction (DD) scope, 246
  - Disassembly effort index (DEI), 214
  - Disassembly Petri Net (DPN), 221
  - Disassembly Precedence Matrix (DPM), 221
  - Disassembly process, 220
    - directional graphs, basis, 223
    - graphs, basis, 224
    - multiple graphs, basis, 223–224
    - Touzanne proposal, 224
  - Disassembly process layout, 218–224
    - AND/OR graph, basis, 222
    - nondirected graph basis, 218–221
    - Petri Net, basis, 221–222
  - Disassembly Process Plan (DPP), 221
  - Disassembly Tools, 249
  - Disk-stack centrifuge, operation, 112
  - Dismantling
    - occurrence, 213
    - product design, nonsuitability, 212
  - Disposal prohibition, 311
  - Distribution, 41
  - Do
    - cycle. *See* Plan, do, check and act phase, 83
  - Document access, 88
  - Down-sizing, phrase, 62
  - DPM. *See* Disassembly Precedence Matrix
  - DPN. *See* Disassembly Petri Net
  - DPP. *See* Disassembly Process Plan
  - Drag-out, 131–132
    - composition, 141
  - Drawing, 15–16
  - Dry machining, 105–106, 158
  - Due diligence, 318
  - Dust, ANSI definitions, 149
  - DVP. *See* Desired Value Precedence
- E**
- Early manufacturing involvement (EMI), 53
  - E-business. *See* Digital business
  - ECD. *See* Environmentally conscious design
  - ECDM. *See* Environmentally conscious design and manufacturing
  - ECM. *See* Electrochemical machining; Environmental conscious manufacturing; Environmentally conscious manufacturing
  - ECO. *See* Energy Conservation Opportunities
  - Ecodesign, 32
    - rules, 35
  - Edge-opposing punch, usage, 15
  - EDM. *See* Electrical discharge machining
  - Education programs, 70–71
  - EEE. *See* Electrical and electronic equipment
  - EEM. *See* Energy efficiency measures
  - EEO. *See* Energy efficiency opportunities
  - E&E products. *See* Electrical and electronic products
  - EERE. *See* Office of Energy Efficiency and Renewable Energy
  - Effluent Guidelines and Standards for Electroplating, 135
  - Effluent Guidelines and Standards for Metal Finishing, 135
  - EHS. *See* Extremely hazardous substances
  - EIS. *See* Environmental impact statement
  - Electrical and electronic (E&E) products, 24
  - Electrical and electronic equipment (EEE), 182–184
  - Electrical discharge machining (EDM), 4–5, 23
    - cutting material suitability, 5
  - Electric furnaces, energy requirements, 8
  - Electric Household Appliance Recycling Law, 184
  - Electricity cost calculation, example, 274–275
  - Electricity energy bills, components, 271–272
  - Electrochemical conversion, 125–126
  - Electrochemical machining (ECM), 23
  - Electroless plating, 125
  - Electron-beam welding, 19–20
  - Electronic ballasts/reflectors, usage, 285
  - Electronic products, making (green approach), 211–212
  - Electroplating, 123–124
    - process, 124–125
    - references, 143
    - shop, conductivity control system, 140
    - standards, 135
  - Electropolishing, 127
  - Electroslag welding (ESW), 157

- Elegance, subjective measure, 54
- Emergency Planning and Community Right-to-Know Act (EPCRA), 315, 316
- EMI. *See* Early manufacturing involvement
- Emissions
  - cap, 302
  - reduction, 280
  - reports, 89
- Employee commitment, organization structure/development. *See* General Motors Saturn Project
- Empowerment, 62. *See also* Workers
- EMS. *See* Environmental management system; Environmental Management Systems
- Endangered Species Act (ESA), 316–317
- End-of-life, concept, 64
- End-of-life cycle, 26
- End-of-life electromechanical products, disassembly
  - disassembly study,
    - research/methodologies, 229–260
  - introduction, 211–214
  - product disassembly, 214–229
  - references, 260–263
  - research activities/overview, 214–229
- End-of-pipe waste treatments, 179–180
- End points, determination, 230–231
- Energy
  - benchmarking. *See* Industrial energy bills, 89, 90
  - charges, 272
  - consuming equipment, energy efficiency measures, 280–288
  - consumption. *See* Disassembly module, 36
  - cost, 81
    - savings calculation, example, 275–276
  - management, 278
  - reduction, 80
  - resources, conversion effectiveness, 270
  - savings, 279
- Energy Auditor's Handbook, 269
- Energy Conservation Opportunities (ECO), 289
- Energy efficiency. *See* Industrial energy efficiency
  - DOE initiatives, 267–268
  - economics, 268–269
  - environmental benefits, 269
  - importance. *See* Company bottom-line measures
    - case studies, 288–291
    - data analysis, 271–280
    - term, 270
- Energy efficiency measures (EEM), 267
- Energy efficiency opportunities (EEO), 267
- Energy expenditure per unit delivery, 3
- Engineer, compliance tools, 319–320
- Engineering Institute of Canada, climate change conference, 32
- Enterprises, manufacturing systems, 69
- Environment
  - repercussion, 230
  - term, 202
- Environmental conscious manufacturing (ECM), 79
  - decisions, best indicators, 86
  - defects, indicators, 90
  - influence, 85–86
  - objectives, 86–87
  - system effects, 84–85
- Environmental consciousness, 64–67
- Environmental design
  - strategies/methodologies, categories, 32
- Environmental hot spots, identification, 37. *See also* Product life cycle
- Environmental image, concern, 31
- Environmental impact, minimization, 4
- Environmental impact statement (EIS), 298
- Environmental laws, impact, 298–312
- Environmentally benign manufacturing (EBM)
  - introduction, 1
  - issue, 2
  - manufactured product, 26–27
  - movement, 1–2
  - principle, inclusion, 34
  - processes, 3–26
  - references, 27–28
  - supply chain, relationship, 2–3
- Environmentally conscious design and manufacturing (ECDM), 32
- Environmentally conscious design (ECD), 32
  - principles, 66–67
- Environmentally conscious electronic manufacturing
  - assemblies, 197–198
  - boards, 191
  - case studies, 187–204
  - components, 191–194
  - federal initiatives, 185
  - future plans, 204–205
  - history, 183–185

- introduction, 179–180
  - LCA, usage, 185–186
  - legislation/regulation, 183–185
  - materials, usage, 187–189
  - processes, 189–191
  - products, 198–199
  - references, 206–209
  - reliability/performance, 202–203
  - solders, 195–197
  - state initiative, 185
  - summary, 205
  - terms, definitions, 180–182
  - testing/qualification, 199–202
  - tin whisker formation, 203–204
  - tools, 185–187
  - Environmentally conscious
    - manufacturing (ECM), 3, 182–183
    - components, 80–81
    - incremental practices, 138–139
    - practices, 137–140
    - techniques, innovation, 140–142
    - vendor roles, 142
  - Environmentally conscious process
    - planning, model categories, 102–104
  - Environmentally responsible particulate
    - mitigation/elimination, 164–167
  - Environmentally safe recycling, 185
  - Environmental management, stages, 38
  - Environmental management system
    - (EMS), 318–319
  - Environmental Management Systems
    - (EMS), 187, 320
  - Environmental pollutants, loadings, 109
  - Environmental regulations
    - approaches, 318–319
    - introduction, 295–296
  - EPA. *See* U.S. Environmental Protection Agency
  - EPCRA. *See* Emergency Planning and Community Right-to-Know Act
  - 3EPlus, 268
  - EPS. *See* Expanded polystyrene
  - Equipment, requirement, 57
  - Equivalent to new (ETN) product, 66
  - ERM approach, 165–166
  - ESA. *See* Endangered Species Act
  - 1E Series Electric Motor, disassembly
    - mandrel design, 259–260
    - sleeve design, 259
    - tool design, 258–260
  - Estimation method, 247–252. *See also* Disassembly
  - ESW. *See* Electroslag welding
  - Etchants, 132
  - ETN. *See* Equivalent to new
  - European Union RoHS, 184–185
  - Exemplary plant practices, 91, 92
  - Expanded polystyrene (EPS), 160
  - Expert systems, 32
  - Exposure time. *See* Manufacturers
  - Extremely hazardous substances (EHS), 315
  - Extrusion, 15
- F**
- FAHP. *See* Fuzzy Analytic Hierarchy Process
  - Fat, oil, and grease (FOG), 100
    - loadings, 109
    - removal, 108
  - FCA. *See* Fuel cost adjustment
  - Federal environmental laws, impact, 316–317
  - Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), 314–315
  - Federal Mine Safety and Health Amendments Act of 1977, 155
  - Federal regulations, 296–297
    - information/communication laws, 315–316
    - overview, 297–317
  - Feedback loop, 181–182
  - Feedback sensors, 227
  - Feed system, 23
  - Fiber structure, production, 14
  - FIFRA. *See* Federal Insecticide, Fungicide and Rodenticide Act
  - File sharing, 253
  - Filler materials, absence, 20
  - Filtration, 114–117
    - occurrence, 114
  - Final report, timeliness, 92
  - Finishing process. *See* Metal finishing
  - Fire/explosion, creation, 134
  - Fishbone diagrams, 60
  - Flotation, 111
  - Flow restrictors, installation, 139
  - Fluxes
    - absence, 20
    - usage, 189
  - FOG. *See* Fat, oil, and grease
  - Fog sprays, installation, 139
  - FOIA. *See* Freedom of Information Act
  - Force block, 22
  - Ford, Henry, 50
  - Forecasting, usage, 82
  - Forging, 14–15
    - processes, 14–15
  - Foundry solid wastes, spent sand
    - (percentage), 9
  - Freedom of Information Act (FOIA), 316

*From the American System to Mass Production* (Hounshell), 49  
 Front block, 22  
 Fuel cost adjustment (FCA), 273–275  
 Fuel-fired furnaces, energy requirements, 8  
 Full-mold casting, 12  
 Fumes, ANSI definitions, 149  
 Furnaces  
   air-fuel ratio adjustment, 281–282  
   bare surfaces, insulation, 280–281  
   energy efficiency measures, 280–283  
   preheating (hot flue gas usage), 281  
   waste heat recovery, 281  
*Future of Life, The* (Wilson), 65  
 Fuzzy Analytic Hierarchy Process (FAHP), 250–252  
 Fuzzy judgment matrix, 251

## G

GaBi, web site, 42  
 Gas exchange, 147  
 Gas-flame processes, 17  
 Gas metal arc welding (GMAW), 157  
 Gas ovens, waste heat recovery, 281  
 Gas usage rate, 276  
 Gate reclamation, 7  
 Gaussian sphere, 246–247  
 GENAD. *See* Generic Assembly and Disassembly  
 General Electric, silicone development, 1889  
 General Motors Saturn Project, employee commitment (organization structure/development), 63  
 Generic Assembly and Disassembly (GENAD), 214  
 Geometric locking, 39  
 Glass manufacturing, energy efficiency case studies, 289  
 GMAW. *See* Gas metal arc welding  
 Goal-oriented concept, 180  
 Godkin, Edwin L., 58  
 Government Printing Office (GPO), 297  
 Grain structure, orientation, 14  
 Graphs, basis. *See* Disassembly process  
 Gravity settling, 110  
 Green design, 32  
 Greenhouse gases, production (decrease), 31  
 Greenpeace, 59  
 Grinding, 158–159  
 Groundwater monitoring, 306  
 Growth, life cycle, 51

Guilds, participation, 48  
 Gutenberg, printing operations, 48

## H

Hand-operated lines, drain bar installation, 139  
 HAPs. *See* Hazardous air pollutants  
 Hazard communication standard (HCS), 316  
 Hazardous air pollutants (HAPs), 298–299, 302  
 Hazardous and Solid Waste Amendment (HSWA), 305, 311  
 Hazardous materials, definition, 81  
 Hazardous materials/processes, reduction, 80  
 Hazardous waste, 132–133  
   determination, 306  
   generator, 308–309  
   properties, dangers, 306  
 HCS. *See* Hazard communication standard  
 Health effects. *See* Air quality  
 Heating, Ventilation & Air Conditioning (HVAC)  
   bioaerosols, origination, 170  
   equipment, usage, 286–287  
   units, ventilation system configuration, 162  
 Heat pasteurization, 117–118  
   limits, 117–118  
 HEPA. *See* High-efficiency particulate air  
 Hierarchal operations, 50  
 Hierarchies, handicap, 49–51  
 High-efficiency particulate air (HEPA), 162  
 Higher-level systems, failure, 84  
 High-level goals, 84  
 High pressure carbon monoxide (HiPCO), 169  
 High-pressure water cut, usage, 213  
 High-pressure waterjets, usage, 228  
 High-quality materials, usage, 39  
 HiPCO. *See* High pressure carbon monoxide  
 Holding pressure, 21  
 Homogeneous aerosol, definition, 149  
 Hot-chamber die casting, 10–11  
 Hot runner modeling, 23  
 Hot-working, 14  
 House of quality, 60  
 HSWA. *See* Hazardous and Solid Waste Amendment  
 Hughes Aircraft, change, 189  
 Human expense, 239

Human resource issues, 58  
 Human respiratory system, function, 147  
 HVAC. *See* Heating, Ventilation & Air  
 Conditioning  
 Hydrocyclone, 113

## I

IAC. *See* Industrial Assessment Center  
 IACs. *See* Industrial assessment centers  
 IBM, stability, 63  
 IDEALS. *See* Improved Design Life and  
 Environmentally Aware  
 Manufacturing of Electronics  
 Assemblies by Lead-free Soldering  
 IE. *See* Industrial ecology  
 IEC. *See* International Electrotechnical  
 Commission  
 Ignitability, definition, 308  
 Illinois Waste Management and Research  
 Center, assessment, 129  
 Immersion plating, 125  
 Impression-die drop forging, 14  
 Improved Design Life and  
 Environmentally Aware  
 Manufacturing of Electronics  
 Assemblies by Lead-free Soldering  
 (IDEALS), 183  
 Improvement  
 activity, design, 60  
 impact, 59–61  
 Inception, life cycle, 51  
 Industrial Assessment Center (IAC)  
 database, 271  
 analysis, 277–280  
 recommendations, 277–278. *See also*  
 Cost savings  
 implementation, 278–279  
 Industrial assessment centers (IACs), 267  
 Industrial ecology (IE), 32, 180  
 Industrial energy  
 conservation, potential, 266–267  
 consumption, benchmarking, 266  
 Industrial energy efficiency  
 conclusion, 291  
 introduction, 265–269  
 literature review, 269–271  
 references, 292–294  
 Industrial environmental compliance  
 regulations, 295  
 Industrial Revolution, power density  
 (increase), 48  
 Industrial Technologies Program (ITP),  
 267  
 Industries of Future (IOF) program, 267  
 inclusion, 270

Industry consultants, reviews, 54  
 Information flow control, 228  
 Information laws, 315–316  
 Information technology (IT), growth, 67  
 Inhalable fraction, 152  
 In-house production, 41  
 Injection molding  
 auxiliaries, 23  
 equipment, 21–22  
 involvement, 24  
 materials, usage, 23  
 principle, 21  
 processes, environmental analysis,  
 24–25  
 products, 23–24  
 tooling, 22–23  
 usage, 25  
 In-plant mists, reduction, 107  
 In-process recycling  
 conclusions, 118–119  
 usage. *See* Metalworking fluids  
 Insulated runner modeling, 23  
 Intellectual property, 67  
 International Electrotechnical  
 Commission (IEC), 197  
 Inventory control system,  
 implementation, 138  
 Inventory turnover reports, 89  
 Investment casting, 11–12  
 Investment costs, 272  
 Investment process, 12  
 IOF. *See* Industries of Future  
 Ishikawa diagrams, 60  
 ISO 14000, 187  
 ISO140001, 79–80  
 Isothermal rolling, 14  
 IT. *See* Information technology  
 ITP. *See* Industrial Technologies Program

## J

Japan take-back policy, 184  
 JEDEC standard J-STD-020A Moisture  
 Sensitivity Classification, 192  
 Joining  
 elements, minimization, 39  
 methods, 212  
*Jungle, The* (Sinclair), 49  
 Just-in-time (JIT) manufacturing systems,  
 67

## K

Kaizen, 68  
 Kan-bans, usage, 69  
 Kidder, Tracey, 52

Knowledge workers, 58  
 Kondratieff, ideas, 52  
 Kyoto Protocol, 31

## L

Labor reduction, 62  
 Land disposal restrictions (LDRs), 311  
 Landfilling, 305  
 Large quantity generators (LQGs), 136, 309  
 Large-scale projects, usage, 47–48  
 Laser cut, usage, 213  
 Law on Promoting Green Purchasing, 184  
 LaySiD software, 224  
 LCA. *See* Life-cycle analysis  
 LCCCs. *See* Leadless ceramic chip carriers  
 LCD. *See* Life-cycle design  
 LCE. *See* Life-cycle engineering  
 LCI. *See* Life-cycle inventory  
 LCM. *See* Life-cycle management  
 LDRs. *See* Land disposal restrictions  
 Lead, pollutant, 302  
 Lead-based configurations, 201  
 Lead-based materials, alternatives, 195  
 Lead-based technologies, 200  
 Lead containment, addition, 201–202  
 Leadership  
   evolution, 49–51  
   issues, 58  
 Lead Exposure Reduction Act, 183  
 Lead-free alloys, reflow soldering temperature (increase), 191  
 Lead-free materials/processes, components, 193  
 Lead-free solder  
   impact, 192  
   lead, addition, 201  
 Lead-free technologies, switch, 195  
 Leadless ceramic chip carriers (LCCCs), 200  
 Lead plating, 129  
 Lead reporting level, adjustment, 184  
 Lead Tax Act (1983), 183  
 Lead termination finishes, 193  
 Lead-tin plating, 129  
 Leaks, prevention/containment, 138  
 Lean principles, 68  
 Legacy systems, 196  
 Legal jurisdictions, regulations, 31  
 LFC. *See* Lost foam casting  
 Liberty Brass, small company example, 69–70

Life-cycle analysis (LCA), 37. *See also* Streamlined life-cycle analysis  
   inclusion. *See* Design for the environment  
   origination, 186  
   usage, 145  
 Life-cycle design (LCD), 32  
 Life-cycle engineering (LCE), 32  
   efforts, 33  
   focus, 32–33  
 Life-cycle inventory (LCI), generation, 186  
 Life-cycle management (LCM), systems/software (availability), 59  
 Life-cycle stages, 40–42  
 Lighting, energy efficiency, 285–286  
 Localization Requirement, 250  
 Logistic control, 228  
 Logistics, usage, 58  
 Long-range objectives, 70  
 Lost foam casting (LFC), 160  
 Lost-wax casting processes, 11–12  
 LQGs. *See* Large quantity generators  
 Lunar Society, discussions, 48

## M

Machiavelli, 49  
 Machine tool, ECM, 95  
 Machining  
   allowances, 10  
   processes, 3–5  
 MACT. *See* Maximum achievable control technology  
 Magnetic ballasts, usage, 285  
 Magnetic separation, 113–114  
 Make to order, 85  
 Make to stock, 85  
 Management  
   briefing, 90  
   evolution, 49–51  
   issues, 58  
   styles, 49–50  
 Manorial system, 47  
 Manufactured product, 26–27  
   alternative process plan, 164–166  
   alternative process sequence, 166  
   process change, 166–167  
   processing conditions, 167  
 Manufacturers  
   exposure time, 192  
   federal environmental laws, impact, 316–317  
   responsibility, extension, 66  
 Manufacturing  
   air quality issues, 148

- atomic level, 168
- biotech applications, 170
- embeddedness, 64–67
- enterprise, responsibility, 148
- environmental laws, impact, 298–312
- environments, air quality, 153
- facility, effectiveness, 86
- industry, energy usage, 266
- molecular level, 168
- processes, environmental impact, 30
- supra-molecular level, 168
- trends, 167–171
- Manufacturing systems, 81–84
  - components, 57–58
  - control systems, 83
  - levels, 82–83
  - metasystem, 82
  - strategic level, 82–83
  - tactical level, 83
- Manufacturing systems, organiza-  
tion/management/improvement  
change, 73–74
- concepts, dichotomies, 72–73
- future, 72–74
- implementation, 67–72
- introduction, 46–47
- real-world examples, 68–70
- references, 74–77
- Manufacturing systems evaluation
  - introduction, 79–80
  - references, 93
- Mass concentration, 152
- Mass median aerodynamic diameter  
(MMAD), 158
- Mass production
  - efficiencies, 49
  - norm, 30
- Mass spectrometry, 152
- Material flow analysis (MFA), 187
- Materials
  - choice, 37
  - design, 39
    - module, 36
  - production/supply, 40–41
  - purchase orders, 89
  - recovery, 213
  - transformation, 57
  - variety, 212
- Material safety data sheets (MSDSs), 89,  
316
  - accompaniment. *See* Metalworking  
fluids
- Matrixed cross-functional teams, 51
- Maturation, life cycle, 51
- Maximum achievable control technology  
(MACT), 303, 311
- Maximum theoretical emissions (MTE),  
299
- Measurement, system, 54–57
- Melting temperature delta, 197
- Messaging software, 253
- Metal, inclusions/impurity material  
(reorientation), 14
- Metal casting, 3, 5–12
- Metal-cutting operations, environmental  
considerations, 102–103
- Metal-cutting process, 104
- Metal-fabricated products manufacturing,  
pollution prevention, 96–97
- Metal finishing, 123–124
  - environmental issues, 128–133
  - facilities, 133
  - federal regulations, impact, 133–137
  - operations
    - wastewater issues, 131–132
    - water issues, 129–131
  - post treatment, 128
  - processes, 124–126
    - alteration, 124
    - stages, 127–128
  - references, 143
  - regulatory issues, 128–133
  - standards, 135
  - surface preparation, 127
  - surface treatment, 127–128
- Metal forming, 3
- Metal-forming processes, 12–16
- Metal fume fever, 154
- Metal halide lamps, replacement, 285
- Metal inert gas (MIG) arc welding, 157
- Metal joining, 3
  - processes, 16–20
- Metallic coatings, vapor deposition, 127
- Metallic parts, separation, 39
- Metal pouring, 7, 8
- Metal preparation, 6, 8
- Metal products, improvements, 14
- Metal recovery, 141–142
  - site-specific savings, 141
- Metals manufacturing, energy efficiency
  - case studies, 289
- Metal-to-metal contact, prevention, 15
- Metalworking fluids (MWFs), 96–97
  - application, 147
  - bacterial byproducts, 101
  - BOD, 100
  - categories, 97–98
  - deterioration, microbial contamination,  
101
  - environmental impact, 99–100
  - formulation considerations, 108

- Metalworking fluids (MWFs),
    - (*Continued*)
    - hazardous chemical constituents, 99–100
    - hazardous metal carry-off, 99
    - health impact, 101–102
    - incorporation, 157
    - ingredients/contaminants, particle sizes (comparison), 116
    - minimal application, 106–107
    - minimum, research, 107
    - mists
      - production, 163
      - reduction, 107–108
    - MSDS, accompaniment, 99
    - MWF-associated NTMs, 170
    - nutrients, level elevation, 100
    - oil/grease, impact, 100
    - polymer additives, development, 108
    - recycling, dead-end filtration (usage), 115
    - state-of-the-art application, 98–99
    - usage, 170
    - uses/concerns, 97–99
  - Metalworking fluids (MWFs), pollution prevention
    - conclusion, 119
    - in-process recycling, usage, 109–119
    - introduction, 95–96
    - process modification, usage, 105–109
    - process planning, usage, 102–105
    - references, 120–122
  - Metalworking operations, straight oils/soluble oils (usage), 101
  - Metasystem, 82
    - decisions, 83
  - Methanesulfonic acid (MSA), 188
  - MFA. *See* Material flow analysis
  - MIG. *See* Metal inert gas
  - Minimum energy consumption, design, 39–40
  - Minimum quantity lubrication (MQL), 167
  - Minimum Theoretical Number of Parts, 249
  - Mist reduction. *See* Metalworking fluids
  - Mists, ANSI definitions, 149
  - MMAD. *See* Mass median aerodynamic diameter
  - MMS. *See* Motor management system
  - Mobile phones, recycling, 227
  - ModelDoc, 254
  - Module checklists, 39
  - Mok, proposals, 214
  - Mold preparation, 6
  - Molten glass lubricants, usage, 15
  - Monodisperse aerosol, definition, 150
  - Motor management system (MMS), implementation, 283–284
  - MotorMaster, 283
  - Motor-related energy efficiency measures, 285
  - Motors, energy saving opportunities, 283–285
  - MQL. *See* Minimum quantity lubrication
  - MSA. *See* Methanesulfonic acid
  - MSDSs. *See* Material safety data sheets
  - MTE. *See* Maximum theoretical emissions
  - Multicavity die, 10
  - Multidisciplinary technology-intensive products, 213
  - Multiple graphs, basis. *See* Disassembly process
  - Multishift operation, 88
  - Mushroom effect, 52
  - MWFs. *See* Metalworking fluids
  - Mycobacterium tuberculosis, 170
- N**
- NAAQS. *See* National Ambient Air Quality Standards
  - NAICS codes, usage, 277
  - Nanoparticles, 168–170
  - Nanotechnologies, 65
  - National Ambient Air Quality Standards (NAAQS), 148, 298
  - National Contingency Plan (NCP), 312–313
  - National Environmental Compliance Assistance Centers, 319
  - National Environmental Policy Act of 1969 (NEPA), 297–298, 304
  - National Institute for Occupational Safety and Health (NIOSH), 102
    - establishment, 155
  - National Performance Track*, 320
  - National Pollution Discharge Elimination System (NPDES), 134, 304
  - National Priorities List (NPL), 312–313
  - National Research Council of Canada (NRC), 40
  - Natural gas bills, components, 276–277
  - Natural gas ovens
    - air-fuel ratio adjustment, 281–282
    - preheating, hot flue gas (usage), 281
  - Nature, fair treatment, 30
  - NCP. *See* National Contingency Plan
  - Necessity factor, 66
  - Negative block, 22

- NEPA. *See* National Environmental Policy Act of 1969
- Neutral flame, production, 17
- New products, innovation, 30
- New Source Performance Standards, 304
- Nickel-gold boards, 199–200
- Nickel-gold printed circuit board finish, 200
- Nickel-tungsten-silicon carbide, 188
- Nitrogen dioxide, pollutant, 302
- No-clean processes, 190–191
- Nokia lead-free/lead-based mixed study, 200–201
- Nokia Mobile Phones. *See* Plastic ball grid array
- Nondirected graph, basis. *See* Disassembly process layout
- Nonfatal workplace illnesses (U.S. Bureau of Labor Statistics), 154
- Nonhazardous MWF, change, 99
- Nonionic wetting agents, usage, 139
- Nonpoint sources, 304
- Nontuberculosis mycobacteria (NTM), 170. *See also* Metalworking fluids
- NPDES. *See* National Pollution Discharge Elimination System
- NPL. *See* National Priorities List
- NRC. *See* National Research Council of Canada; Nuclear Regulatory Commission
- NTM. *See* Nontuberculosis mycobacteria
- Nuclear Regulatory Commission (NRC), 307
- Number concentration, 152
- Numbers, management, 49
- O**
- Occupancy sensors, installation, 285–286
- Occupational Safety and Health Act of 1970 (OSHA), 155, 316  
 employer requirement, 164
- OEM. *See* Original equipment manufacture
- Office of Energy Efficiency and Renewable Energy (EERE), 267, 269
- Off-shore foundries, pollution reduction, 9
- Off-site evaluation, 88
- Oil Pollution Act of 1990 (OPA), 314
- OLE-supported programming language, 252
- OPA. *See* Oil Pollution Act of 1990
- Open-die hammer, 14
- Operating agents, requirement, 58
- Optical emission spectrometry, 152
- Orchestral management, 53
- Organic solderability preservative (OSP), 194, 196, 198  
 boards, 199–200
- Organizational behavior, 52–53
- Organizational details, attention, 61
- Organizational effectiveness, measurement, 54
- Organizational maturity, 56
- Organizations  
 design, 59  
 dyslexia, 51  
 measurement intervals, 56–57  
 structures, 56–57  
 design, 59  
 system, 54–57  
 turbulence/internal rearrangement, 56
- Organizing tools, 32
- Original equipment manufacture (OEM), 166  
 bidding wars, 69
- OSHA. *See* Occupational Safety and Health Act of 1970; U.S. Occupational Safety & Health Administration
- OSP. *See* Organic solderability preservative
- Outside air, usage, 287
- Outside facilitator, usage, 71
- Ovens  
 bare surfaces, insulation, 280–281  
 energy efficiency measures, 280–283  
 preheating (hot flue gas usage), 281  
 waste heat recovery. *See* Gas ovens
- Oxidizing flame, production, 17
- Ozone, pollutant, 302
- P**
- Packing pressure, 21
- Palladium-nickel-finished components, 193–194, 196
- Parent organizations, expectations, 52
- Pareto plots, 60
- PartDoc, 254
- Part-fastener assembly relationship, 220
- Particle composition, identification  
 devices, 152
- Particle size, 150–152  
 ISO classifications, 152
- Particulate  
 characterization, 149–153  
 classification, 149–150  
 concerns, 167–171  
 generation, 151

- Particulate matter (PM), 147, 299
  - pollutant, 302
- Particulates not otherwise regulated (PNOR), 170
- Part Number, assignation, 248–249
- Parts
  - cleaning, 7
  - reclamation, 212
- PAW. *See* Plasma arc welding
- PBGA. *See* Plastic ball grid array
- PBT. *See* Persistent bio-accumulative toxic
  - substances, 320
- PBT Profiler*, 320
- PCBs. *See* Polychlorinated biphenyls
- PDCA. *See* Plan, do, check and act
- PELs. *See* Permissible exposure limits
- PEO. *See* Polyethylene oxide
- PEP, 268
- Performance, definition, 202–203
- Permissible exposure limits (PELs), 155–156
- Persistent bio-accumulative toxic (PBT) substances, 320
- Personal protection systems, 164
- Petri Net, 223
  - basis. *See* Disassembly process layout
  - disassembly model, 234–236
- PF. *See* Phenolics; Power factor
- P2 Framework*, 320
- PGA. *See* Purchase gas adjustment
- Phase separation, usage, 110–113
- PHAST. *See* Process Heating Assessment Tool
- Phenolics (PF), 23–24
- Phosphate-based lubricants, usage, 15
- Phosphating, preparation, 125
- PIB. *See* Polymer polyisobutylene
- PIXE. *See* Proton-induced X-ray emission spectrometry
- Plan
  - cycle. *See* Plan, do, check and act
  - phase, 83
- Plan, do, check and act (PDCA) cycle, 83–84
- Plasma arc welding (PAW), 17, 157
- Plastication stage, 21
- Plastic ball grid array (PBGA)
  - Nokia Mobile Phone assembly, 199–200
  - packages, 194
- Plastic product, life cycle, 25–26
- Plastics injection molding, 3, 20–26
  - environmental impact, 26
- Plastics manufacturing, energy efficiency case studies, 289–290
- Plating
  - baths, 132
    - chemicals, usage, 188
    - processes, 189–190
  - Playing field, 70–71
  - PM. *See* Particulate matter
  - Pneumoconosis, 154
  - PNOR. *See* Particulates not otherwise regulated
  - Pollutants, inclusion, 8
  - Pollution control laws, impact, 312–315
  - Pollution Prevention Act of 1990 (PPA), 185, 314
  - Pollution prevention (PP), 38
    - engagement, reasons, 180–181
    - focus, 181
    - goal, 180
  - Polychlorinated biphenyls (PCBs), 313
  - Polydisperse aerosol, definition, 150
  - Polyethylene oxide (PEO), usage (investigation), 164
  - Polymer polyisobutylene (PIB), addition, 163
  - Polymer resin, development, 25
  - Polypropylene, affinity, 110
  - Polytetrafluoroethylene-PTFE, 159
  - Popcorn impact, 197
  - Pore sizes, usage, 115
  - Positive block, 22
  - Post-solder assembly, 190
  - Post treatment. *See* Metal finishing
  - Potential, development, 55
  - Potential theoretical emissions (PTE), 299
  - POTWs. *See* Publicly owned treatment works
    - powder manufacture, 160–161
    - Power factor (PF), 275
  - PP. *See* Pollution prevention
  - PPA. *See* Pollution Prevention Act of 1990
  - Precision-casting processes, 11–12
  - Press forging, 14
  - Prince, The* (Machiavelli), 49
  - Principles of Scientific Management, The* (Taylor), 49
  - Printed wiring board (PWB), 189, 191
    - surface finish, 196, 198
  - Problem solving
    - journey, 61
    - usage, 59–61
  - Process bath, type, 141
  - Process data, feed-forward, 57
  - Process design, 212
  - Process-energy use targets, development, 270
  - Process equipment, requirement, 57

- Process Heating Assessment Tool (PHAST), 268, 281
  - Process modification, usage. *See* Metalworking fluids
  - Process planning, 85–86
    - levels, 86
    - macro level, 86
    - micro level, 86
  - Process plans, 165. *See also* Manufactured product
  - Process tank ingredients, concentration (reduction), 139
  - Production levels, 62
  - Productivity
    - improvements, 63
    - studies, 52
  - Product life cycle
    - consideration, 146
    - environmental hot spots, identification, 37, 38
    - importance, 24
  - Products
    - American Society of Mechanical Engineers, examination, 32
    - appropriateness, determination, 37
    - cleaning, 9
    - components, 30
    - configuration graph, 223
    - connection graph, 223
    - delivery, 56
    - design, 30, 39
      - environmental impact, 30
      - modules, 36
    - disassembly, 36
      - standardization, degree (measurement), 245
    - environmental impact, minimization, 29
    - green manufacture, 198–199
    - innovation. *See* New products
    - lifespan, segments, 212
    - lifetime, stages, 198–199
    - recycling, shredding (usage), 36
    - reutilization, 212
    - usage, 41
    - whole life cycle, 64
  - Program-focused teams, 51
  - Project-focused teams, 51
  - Proton-induced X-ray emission spectrometry (PIXE), 152
  - PTE. *See* Potential theoretical emissions
  - Publicly owned treatment works (POTWs), 134, 303, 304
    - water discharge, 136
  - Purchase gas adjustment (PGA), 276
  - PWB. *See* Printed wiring board
- Q**
- QFD. *See* Quality function deployment
  - Quality
    - enhancement, 55
    - experts, ideas, 61–62
  - Quality defect reports (QDRs), 89
  - Quality function deployment (QFD), 60
  - Quantity generators. *See* Conditionally exempt small quantity generators; Large quantity generators; Small quantity generators
  - Quasi-island economy, 50
- R**
- Rack-1 operations, 125
  - Radioactive wastes, exemptions, 307
  - Ramazzini, Bernardino, 153
  - Rating/ranking tools, 32
  - RCRA. *See* Resource Conservation and Recovery Act
  - Reachability, 249–250
  - Reach capability, 244–245
  - Real-time design information, distillation, 254
  - Rear block, 22
  - Reclaiming self-cost, optimization, 218
  - Reclamation, waste treatment
    - classification, 141
  - Recognition issues, 58
  - Recovering models, 231–236
  - Recovery/disposal, 41–42
  - Recyclable parts, 230
  - Recycled material, usage, 39
  - Recycling
    - consideration, 109
    - product design, nonsuitability, 212
  - Reengineering, phrase, 62
  - Reflow-processes components, 201
  - Reflow temperatures, 199
  - Regulatory compliance, 38
  - Relative index. *See* Disassembly
  - Reliability, definition, 202–203
  - Repetitive Operation Times, 249
  - Repetitive Times. *See* Summation of Difficulty Grades and Repetitive Times
  - Reporting/project formulation, 91–92
  - Resistance welding processes, 18–19
  - Resource Conservation and Recovery Act (RCRA), 134, 304–312
    - explanation, 135–136
    - Orientation Manual, 305, 306
    - regulations, 311

- Resources, effective use, 65
  - Respirable fraction, 152
  - Restoration, 66
  - Results, measurement, 71–72
  - Retrieval condition graph, 223–224
  - Reused components, usage, 39
  - Reward issues, 58
  - Right-sizing, phrase, 62
  - Rinse tanks, countercurrent configuration installation, 139
  - Rinse water, treatment, 132
  - Rinsewater purification/recovery techniques, 140–142
  - Rinsing baths, agitation, 139
  - Risk, reduction, 85
  - RoHS. *See* European Union RoHS
  - Roll forging, 15
- S**
- Safe Drinking Water Act (SDWA), 315
  - Sand casting, 5–7
    - environmental concerns, 7–9
    - steps, 5–6
  - Sand reclamation, 7, 9
  - SARA. *See* Superfund Amendments and Reauthorization Act
  - SAW. *See* Submerged arc welding
  - Schumpeter, Joseph, 52
  - Screw connection, accomplishment, 241–242
  - SD. *See* Sustainable design
  - SDWA. *See* Safe Drinking Water Act
  - Self-managed teams, 52
  - SETAC. *See* Society of Environmental Toxicology and Chemistry
  - Sewage plant operations, interference, 134
  - Shakeout, 7
  - Shielded metal arc welding (SMAW), 157
  - Shielding gases, absence, 20
  - Shredding, usage. *See* Products
  - SIC codes, usage, 277
  - Simapro, web site, 42
  - Sinclair, Upton, 49
  - SIPs. *See* State implementation plans
  - Site visit
    - inspection, 90
    - observations, 91
  - Six Sigma, 70
  - Sketch Dimension, 254
  - Skimming, 110
  - SLCA. *See* Streamlined life-cycle analysis
  - SldWorks, 254
  - Sliding block, positioning, 257
  - Small blind bores (bearings), disassembly tool (usage), 256–257
  - Small companies, assistance, 87
  - Small quantity generators (SQGs), 136309
  - SMAW. *See* Shielded metal arc welding
  - Smith, Adam, 49
  - Smoke, definition, 149
  - Smoothness, 60
  - Snap connection, accomplishment, 242–243
  - Social engineering, 61–64
  - Society of Environmental Toxicology and Chemistry (SETAC), 186
  - Software systems, 32
  - Soldering, 20
  - Solders, 195–197
  - Solid waste, 132–133
    - definition, 305
  - Solid Waste Disposal Act (1965), 304
  - SolidWorks, 252–253
    - application. *See* DFD system
    - capability, 253
    - dimension-driven system, 254
  - Soul of a New Machine, The* (Kidder), 52
  - Source reduction, 185, 305, 314
  - SPCC. *See* Spill Prevention Control and Countermeasures
  - Special Disassembly Problems, 250
  - Special projects, attention, 53
  - Spill Prevention Control and Countermeasures (SPCC), 314
  - Spills, prevention/containment, 138
  - Spray, definition, 149
  - Sprue reclamation, 7
  - SQGs. *See* Small quantity generators
  - SSAT. *See* Steam System Assessment Tool
  - SSST. *See* Steam System Scoping Tool
  - Stability, quest, 52–53
  - Standardization, degree (measurement). *See* Products
  - Standby charges, 276
  - Star systems, 53
  - State implementation plans (SIPs), 298–299
  - State of business session, usefulness, 71
  - State regulatory requirements, 317–319
  - Stationary platen, usage, 22
  - Statistics, benchmarking, 89
  - Steam engine, improvement, 48
  - Steam-related energy efficiency measures, 283

- Steam System Assessment Tool (SSAT), 268
- Steam systems  
bare surfaces, insulation, 280–281  
energy efficiency measures, 280–283
- Steam System Scoping Tool (SSST), 268
- Steam traps,  
inspection/repair/maintenance, 282–283
- Storage prohibition, 311
- Streamlined life-cycle analysis (SLCA), 36  
usage, 37
- Stripping rate, 188
- Subjective aspect, target correlations. *See* Disassembly
- Submerged arc welding (SAW), 157
- Suga, quantitative evaluation method, 216–217
- Sulfur dioxide, pollutant, 302
- Summation of Difficulty Grades, 250
- Summation of Difficulty Grades and Repetitive Times, 250
- Superfund Amendments and Reauthorization Act (SARA), 313, 315
- Supply chain, relationship. *See* Environmentally benign manufacturing
- Supply-chain model, 181–182
- Surface finishing technologies, 126–127
- Surface grinding, 159
- Surface preparation. *See* Metal finishing
- Surface treatment. *See* Metal finishing
- Sustain, definition, 64
- Sustainability, 64–66
- Sustainable design (SD), 32
- Sustainable development, 179
- Swaging, 15
- Synthetic minor permits, 302
- Systems design, 59–61
- System wastes, detection methods, 84
- T**
- Taguchi design-of-experiments method, application, 197–198
- Taguchi principles, 60
- Taylor, Frederick, 49
- TCLP. *See* Toxicity characteristic leaching procedure
- Team decomposition, 54–55
- Team interdependencies, management recognition, 53
- Team members, pre-interview, 88
- Technical criteria, EPA establishment, 305–306
- Technology, change, 56
- TEM. *See* Transmission electron microscopy
- Thermal emission, 19–20
- Thermoplastic materials, 192
- Thermoplastic resins, requirement, 23
- Thermosetting resin systems, 23–24
- Thin small outline package (TSOP), 194
- Thoracic fraction, 152
- Three-dimensional design software, characteristics, 252
- Three-dimensional environment, development. *See* Disassembly
- Three-phase separation capability, 112–113
- Threshold limit values (TLVs), 156
- Tier I/II supplier  
environmental issues, 2  
manufacturing processes, 3
- TIG. *See* Tungsten inert gas
- Tin-lead eutectic alloy, 197
- Tin-silver-bismuth solder joints, 199
- Tin-silver-copper solder paste, 196
- Tin whiskers, formation, 203–204
- Title V Permit Program, 302–303
- T12 lighting fixtures, replacement, 285
- TLVs. *See* Threshold limit values
- TMDLs. *See* Total maximum daily loads
- TMY data, 287
- Tooling, requirement, 57
- Toshiba Chemical Corporation, board testing, 191
- Total life-cycle basis, 179, 180
- Total maximum daily loads (TMDLs), 303–304
- Total quality management (TQM), 61–62
- Total quality objectives, 56
- Toxicity, definition, 308
- Toxicity characteristic leaching procedure (TCLP), 308
- Toxic reactions, promotions, 153
- Toxics Release Inventory (TRI), 134, 315–316  
reporting, 137
- Toxic Substances Control Act (TSCA), 313–314
- Toxic Use Reduction Institute (TURI), 44
- Toyota Production System (TPS), 68
- TQM. *See* Total quality management

Tramp oils, 110  
 Transmission electron microscopy (TEM), 159  
 Transportation charges, 276  
 Transporters, 3  
 Treatment, storage or disposal facilities (TSDFs), 306, 310  
 TRI. *See* Toxics Release Inventory  
 TSCA. *See* Toxic Substances Control Act  
 TSDFs. *See* Treatment, storage or disposal facilities  
 TSOP. *See* Thin small outline package  
 T8/T5 lighting fixtures, usage, 285  
 Tungsten inert gas (TIG) arc welding, 157  
 TURI. *See* Toxic Use Reduction Institute  
 Type of Disassembly Tasks, 249  
 Tzu, Sun, 49

## U

Ultraviolet (UV) radiation, 118  
 Underground storage tanks (UST), 312  
 Undirected graph model, 231, 233  
 Uniform hazardous waste manifest, 309  
 United States Code, impact, 296–297  
 Universal waste rules, 310  
 University of Washington, web site, 44  
 Unsaturated polyester (UP), 23–24  
 UP. *See* Unsaturated polyester  
 Upset forging, 14  
 U.S. Department of Energy (DOE) initiatives. *See* Energy efficiency  
 U.S. Environmental Protection Agency (EPA), 40  
   bibliographic report, production, 96  
   computer projection, 211  
   pollution prevention hierarchy, publication, 181–182  
 U.S. foundries, pollution reduction, 9  
 U.S. Occupational Safety & Health Administration (OSHA), mission, 148  
 Used Oil Recycling Act of 1980, 310  
 Users, quality-of-life, 66  
 UST. *See* Underground storage tanks  
 Utility bills  
   analysis, 271–277  
   demand charges, 272–273  
   energy charges, 272  
   rate schedules, 273

## V

Vacuum systems, usage, 106  
 Value-added output, 69  
 Value of Disassembly Force, 250  
 Vapor deposition. *See* Metallic coatings  
 Ventilation systems, 161–162  
   maintenance program, implementation, 162  
 Vertical integration, 67–68  
 Virtual Assembly and Disassembly (VIRAD), 214  
 Visual C++, 254  
 Viswanathan, studies, 214–216  
 Volatile organic compounds (VOCs), 299, 302  
   emission, 167  
   expected total amount, 302  
 Vortex-encouraging conical chamber, 113

## W

Walsh-Healy Public Contract Act (1936), 155  
 Waste  
   expenditures, 80  
   material, level, 26  
   minimization/pollution prevention, 278  
   reduction, 80  
   streams, segregation, 138  
   tracking, 138  
 Waste electrical and electronic equipment (WEEE), 184–185  
 Waste Management and Public Cleansing Law, 184  
 Wastewater  
   flow, obstruction, 134  
   sources, 132  
 Water-based MWFs, 163  
 Water meters (body/core disassembling), equipment usage (research), 255–256  
 Water-soluble MWFs, 101, 117  
 WEEE. *See* Waste electrical and electronic equipment  
 Welding, 16–17  
   operations, 156–157  
   processes, 17–20  
 West Virginia University, Industrial Assessment Center, 289  
 Wet machining, 157–158  
 Wild and Scenic Rivers Act, 304  
 WIP, 71

Workers  
  empowerment, 50  
  exposure, 161  
Workforce  
  considerations, 61–64  
  reduction, considerations, 62–63  
Workpieces  
  melting, 156–157  
  withdrawal, 138

Workplace air quality  
  maintenance, 163  
  regulations, 155–156

**X**

X-ray diffraction (XRD), 152  
X-ray fluorescence spectrometry (XRF),  
  152

