

Index

• Symbols and Numerics •

- { (curly braces), enclosing parameter field, 69
- \$ (dollar sign), preceding currency data, 173
- “ (double quotes), enclosing strings, 174
- + (plus sign), next to folder, 2–3
- # (pound sign), enclosing datetime literals, 174
- ? (question mark), preceding parameter field, 69
- ‘ (single quotes), enclosing strings, 174
- [] (square brackets), enclosing array elements or subscripts, 175
- _ (underscore), in ranges, 175
- 3-D riser chart, 216
- 3-D side-by-side bar chart, 216
- 3-D surface chart, 216

• A •

- absolute formatting, 10, 111–115
- access levels. *See* privileges
- Access (Microsoft)
 - connecting report to, 36–37
 - Crystal 9 Repository stored in, 269
 - direct access driver for, 51
 - support for, 12
- Access/Excel (DAO) dialog box, 20, 250
- Acrobat (Adobe), exporting reports to, 309
- ACT!, as data source, 51
- active trust relationship, 283
- Add Command node of data source, 318
- Add Command to Report dialog box, 318–320
- Admin Launchpad, Crystal Enterprise, 260–261
- Adobe Acrobat, exporting reports to, 309
- Advanced access level, 284
- Advanced Edition of Crystal Reports, 14
- Advanced layout
 - charts, 223
 - maps, 236, 238–240
- Alert Message Formula Editor, 124–126
- alerts, 10, 123–126
- Alerts command, Report menu, 124
- Align Center icon, Formatting toolbar, 137
- analysis buttons, 298
- Analysis, Crystal. *See* Crystal Analysis
- analysis reports
 - creating, 298–303
 - elements in, 297–298
- Application Experts, 298–303
- applications
 - analysis applications, creating, 296–303
 - exporting reports to, 309–310
 - integrating reports into, Crystal Reports Editions supporting, 13–14
- area chart, 213–214
- Arrange Lines command, Section Formatting menu, 97
- array data types, 175–176
- ascending order, 74. *See also* sorting data
- audience for report, 23, 33–34, 38–39, 327–328
- authentication
 - for Crystal Enterprise users, 281, 282, 283
 - for data source in Business View, 250–251
- author of report, 31
- Average summary type, 80, 134

• B •

background colors
 formatting conditionally, 118–119
 for sections, 100–103

bar chart
 maps, 237
 side-by-side, 211–212
 stacked, 213

Basic syntax for formulas, 161–162

BDE (Borland Database Engine), direct
 access driver for, 51

bins, 236

bitmapped objects. *See also* image files
 adding to Crystal Repository, 270–272
 using from Crystal Repository, 274

blank report, creating report from,
 19–22, 49–50

books, *SQL For Dummies* (Taylor),
 52, 168

Boolean data type
 definition of, 174
 sort order for, 74

borders, 118–119. *See also* boxes

Borland Database Engine (BDE), direct
 access driver for, 51

Bottom N report, 146

Bottom Percentage report, 147

boxes, 114–115, 332. *See also* borders

braces ({}), enclosing parameter
 field, 69

branching in formulas, 177–178

browser
 security and, 282
 viewing reports with, 16, 311–314
 viewing reports with, not supported
 by Standard Edition, 13

Btrieve, as data source, 51

bubble chart, 218

Business Element Wizard, 257–258

Business Elements, in Business View,
 257–259

business tier, Crystal Enterprise
 Business Elements in, 257–259
 Business Views in, 259–260

Data Connections in, 248–251

Data Foundations in, 253–257
 definition of, 248

Dynamic Data Connections in, 251–253

Business View Manager
 creating Data Connections, 248–251
 creating Data Foundations, 253–257
 creating Dynamic Data Connections,
 251–253
 creating formulas, 256–257

Business Views
 Business Elements in, 257–259
 creating, 259–260
 Data Connections in, 248–251
 Data Foundations in, 253–257
 definition of, 12, 247–248
 Dynamic Data Connections in, 251–253

• C •

calculations on data. *See* formulas;
 summary fields

Cancel Menu command, Section
 Formatting menu, 97

CCM (Crystal Configuration
 Manager), 264

Change in Record Selection Formula
 Detected dialog box, 69–70

character fields, sort order for, 74

Chart command, Insert menu,
 225, 229

Chart Expert
 Data tab, 226–227, 230, 232
 definition of, 225
 Options tab, 227–229, 230
 Text tab, 227
 Type tab, 226, 229, 232

Chart Expert icon, Standard toolbar,
 225, 229

Chart view, 150

charts
 adding to cross-tab report, 150–151
 in analysis application, 298
 area chart, 213–214
 bar chart map, 237

- bar chart, side-by-side, 211–212
- bar chart, stacked, 213
- bubble chart, 218
- changing, 232
- colors in, 227
- creating, 225–231
- data for, specifying, 226, 232–233
- definition of, 11
- doughnut chart, 215
- drill-down capability in, 231
- event triggering, 226
- funnel chart, 222
- Gantt chart, 221–222
- gauge chart, 221
- labels in, 228
- layout options for, 223–224, 226
- legend in, 229, 233
- line chart, 213
- numeric axis chart, 219–220
- pie chart, 214–215, 229–231
- pie chart map, 237
- placement of, 224–225, 226, 230, 334
- radar chart, 217–218
- stock chart, 218–219
- 3-D riser chart, 216
- 3-D side-by-side bar chart, 216
- 3-D surface chart, 216
- title of, 227, 230
- troubleshooting, 232–233
- types of, choosing, 226, 229
- types of, list of, 211–222
- underlying content beneath, 228
- when to use, 40, 330, 333
- XY scatter chart, 216–217
- Choose a Data Connection dialog box, 252
- Choose a Data Source dialog box, 249–250
- Choose Field dialog box, 61, 69, 156
- client tier, Crystal Enterprise, 248
- client/server database access, 38
- client/server environment, security for, 282
- Clipper, direct access driver for, 51
- Color tab, Section Expert, 100–103
- colors
 - background, for sections, 100–103
 - background, formatting conditionally, 118–119
 - in charts, 227
 - guidelines for, 332
- column headings
 - formatting, 26–27
 - moving from Group Heading to Page Heading, 145
- COM
 - Advanced Edition support for, 14
 - as data source, 51
- comments for report, 31
- Common tab, Section Expert, 98–99, 120–121, 140
- conditional formatting. *See also* formulas
 - creating with Format Formula Editor, 102–103, 116–117, 171–172
 - creating with Highlighting Expert, 118–119
 - definition of, 10, 99, 111–112
 - deleting, 140–141
- Configuration Manager, Crystal Enterprise, 264
- control structures in formulas, 177–180
- conventions used in this book, 2
- cookie, 280
- Correlation with summary type, 134
- Count summary type, 80, 134
- Covariance with summary type, 134
- Create Alerts dialog box, 124
- Create Business Elements dialog box, 258, 259
- Create New Connection node, Database Expert dialog box, 36–37
- Create Parameter Field dialog box, 68–69
- Create Running Total Field dialog box, 88
- creating reports. *See also* designing reports
 - analysis report, 298–303
 - from blank report, 19–22, 49–50
 - charts, 225–231
 - cross-tab report, 149–157
 - with Design view, 39–40

- creating reports (*continued*)
 - mailing labels, 106–110
 - maps, 238–243
 - OLAP report, 203–209
 - planning, 17, 35
 - standard report, 43–49
- Cross-Tab Expert, 154–155, 159–160
- Cross-Tab layout
 - charts, 223
 - maps, 236, 241–242
- Cross-Tab Report Creation Wizard, 49, 149–152
- cross-tab reports
 - formatting, 157–160
 - one cross-tab for all report data, 149–153
 - one cross-tab for each group, 153–157
 - sections of report that can contain, 157
 - spanning multiple pages, 160
 - suppressing selected data in, 159–160
- Crystal Analysis
 - creating reports with, 296–303
 - definition of, 295–296
- Crystal Configuration Manager (CCM), 264
- Crystal Dictionaries, 50, 53, 54
- Crystal Enterprise. *See also* business tier
 - administration of, 260–262, 264
 - Business Views feature of, 12, 247–248
 - client tier, 248
 - data tier, 248
 - features of, 4
 - importing from previous installations of, 265
 - security for, 279–284
 - upgrading, 265
 - user access to, 263–264
- Crystal Enterprise Admin Launchpad, 260–261
- Crystal Enterprise Publishing Wizard, 291–292
- Crystal Enterprise User Launchpad, 263
- Crystal Enterprise Web Desktop
 - definition of, 262, 263–264
 - publishing reports to, 265–267
 - viewing reports with, 16, 286
- Crystal Import Wizard, 265
- Crystal Info, importing into Crystal Enterprise, 265
- Crystal Management Console
 - definition of, 260–262
 - Folders screen, 284
 - Rights window, 284
- Crystal Management Server system
 - database, 269
- Crystal OLAP Connection Browser, 204
- Crystal Publishing Wizard, 265–267
- Crystal Reports. *See also* reports
 - editions of, 12–14
 - features of, 10–14
 - resources for, 5, 32
 - starting, 18–19
- Crystal Reports Gallery dialog box, 44–45
- Crystal Reports syntax for formulas, 161–162
- Crystal Reports User's Guide*, 32
- Crystal Repository
 - adding objects to, 270–273
 - adding SQL commands to, 321–322
 - definition of, 269
 - deleting objects from, 277
 - migrating previous versions of, 269
 - modifying objects, 274–275
 - modifying SQL commands in, 322–323
 - not supported by Standard Edition, 13
 - security of, 277
 - updating reports automatically from, 275–277
 - using objects in reports, 273–274
- Crystal Repository Migration Wizard, 269
- Crystal SQL Designer
 - as data source, 50
 - definition of, 52
 - when to use, 54
- .CSV file extension, 309
- cubes, OLAP
 - analyzing, 295–296
 - definition of, 202–203
 - selecting for analysis report, 297, 299
 - updating report after location change, 209–210
 - using in reports, 203–209

- curly braces ({}), enclosing parameter field, 69
- currency data type, 173
- currency fields
 - formatting with Highlighting Expert, 118–119
 - sort order for, 74
- Custom Function Editor, 163–165
- Custom Function Name dialog box, 163
- custom functions
 - accessibility of, Business View
 - determining, 253
 - adding to Crystal Repository, 273
 - creating, 162–165
 - creating as Business Element, 257
 - definition of, 11
 - operators for, 164
 - parameters for, 164
 - using from Crystal Repository, 274
 - using in formulas, 165–167
- **D** •
- D designator, enabling drill-down capability with, 85
- DAO/OLE, as data source, 51
- data. *See also* data sources; data types;
 - drill-down capability
 - comparisons with, 61, 63
 - counting number of records, 80
 - grouping, 79–82
 - multidimensional (OLAP cubes), 202–210, 295–296, 297, 299
 - passing between primary report and subreport, 192
 - performance of data retrieval, 61–62, 68, 71
 - refreshing report from current data, 15, 61–62
 - required for report, verifying existence of, 329
 - selecting with formulas, 63–65, 169–171
 - selecting with parameter fields, 65–71
 - selecting with Select Expert, 57–63
 - selecting with SQL expressions, 168–169
 - sorting, 73–79, 90–91, 109–110
 - summarizing, 79–83
- Data Connection icon, Business View Manager, 249
- Data Connections, in Business View, 248–251
- Data Explorer, 10
- Data Foundations, in Business View, 253–257
- Data Source Defaults tab, Options dialog box, 122
- data sources. *See also* Crystal Repository
 - accessible elements of, Business View
 - determining, 248, 253–260
 - authentication for, in Business View, 250–251
 - choosing for Business View, 249–250
 - choosing for report, 20
 - connecting to, 35–38, 50–54
 - connecting to, in Business View, 248–253
 - database drivers for, 38, 51–54
 - dictionaries accessing, 53
 - direct access to, 51
 - display options for, 121–122
 - finding, options for, 122
 - list of, supported by Crystal Reports, 12, 50, 203
 - multiple in one report, dictionaries for, 53
 - multiple in one report, ODBC for, 52
 - multiple in one report, subreports for, 181
 - ODBC connection to, 51–52
 - OLAP used to access, 50, 203
 - OLE DB connection to, 53
 - residing on server, connecting to, 38
 - sample database, 17
 - type of connections to, choosing, 53–54
 - type of connections to, list of, 38, 50
- Data tab
 - Chart Expert, 226–227, 230, 232
 - Map Expert, 238–239, 240

- data tier, Crystal Enterprise, 248
- data types
 - array data types, 175–176
 - Boolean, 74, 174
 - comparisons with, 63
 - currency, 173
 - date, 174
 - datetime, 174
 - list of, 173–176
 - number, 173
 - range data types, 175
 - sort order for, 74–75
 - string, 173–174
 - time, 74, 174
- database drivers
 - direct access database drivers, 38, 51
 - list of, available for Crystal Reports, 51
 - ODBC, 38, 51–52
 - OLE DB, 38, 53
 - types of, 38
 - types of, choosing, 53–54
- Database Expert, 274
- Database Expert command, Database menu, 318
- Database Expert dialog box
 - adding SQL commands to Repository, 273, 321
 - connecting to data source, 36–37
 - creating report from blank report, 19–21
 - creating SQL commands, 318
 - modifying SQL commands, 322
- Database Expert icon, Expert Tools toolbar, 274, 318
- Database menu
 - Database Expert command, 318
 - Set OLAP Cube Location command, 209–210
- Database tab, Options dialog box, 121–122
- databases. *See* data sources
- date data type, 174
- date fields
 - comparisons with, 63
 - formatting, 113
 - sort order for, 74
- date report printed, inserting
 - in report, 29
- datetime data type, 174
- DB2 OLAP Server (IBM), 203
- DB2 Server (IBM)
 - direct access driver for, 51
 - direct access driver for, not supported by Standard Edition, 13
 - support for, 12
- dBase, direct access driver for, 51
- Default clause, 178
- Delete icon, Formula Workshop, 172
- Delete Last Line command, Section Formatting menu, 97
- descending order, 74. *See also* sorting data
- Design view (Design tab)
 - definition of, 22
 - display options for, 121
 - when to use, 39–40
- designing reports, 329–330, 331–334
- Details section
 - centering records vertically in, 96
 - definition of, 22
 - fields in, 25–26
 - formatting, 76
 - vertical line spacing of, changing, 94–95
- Developer Edition of Crystal Reports, 13
- DHTML viewers, 287
- Dictionaries, Crystal, 50, 53, 54
- Dimension Explorers, in analysis application, 298
- direct access database drivers
 - definition of, 38
 - list of, supported by Crystal Reports, 51
 - not supported by Standard Edition, 13
 - when to use, 53
- directories. *See* folders
- displaying reports. *See* viewing reports
- Distinct count summary type, 134
- distributing reports. *See also* Business Views; viewing reports
 - choosing method of, 329
 - exporting reports to a file or application, 309–310

exporting reports to Web page,
309, 311–314
faxing reports, 308
features for, 12
printing reports, 307–308
publishing reports, 265–267
Do While loop, 180
.doc file extension, 309
Document Properties dialog box, 31
dollar sign (\$), preceding currency
data, 173
dot density maps, 237
double quotes (“), enclosing strings, 174
doughnut chart, 215
drag-and-drop operation, 24, 3
drill-down capability
in charts, 231
definition of, 15
enabling, 85, 98, 105–106, 139
in Report Parts, 287–293
in subreports, 186
suppressing, 97, 98, 106
using, 84–86
when to use, 334
drivers. *See* database drivers
drop shadows, 332
Dynamic Data Connections, in Business
View, 251–253

● E ●

Edit menu, Paste Special command, 199
Edit Summary dialog box, 82–83, 142–143
editors, display options for, 122
Editors tab, Options dialog box, 122
Else clause, 177
e-mail address, hyperlink to, 314–316
embedded OLE objects, 196, 197–199
Enter Parameter Values dialog box,
69, 70
Enterprise. *See* Crystal Enterprise
Enterprise authentication, 281, 282
equal count ranged map, 236
equal range map, 237
errors. *See* troubleshooting

Event Log, as data source, 51
event triggering chart, 226
Excel (Microsoft)
exporting reports to, 309
spreadsheets as OLE objects, 196
Exchange (Microsoft)
as data source, 51
exporting reports to, 310
Expert Tools toolbar
Database Expert icon, 274, 318
Formula Workshop icon, 162, 165, 274
Group Expert icon, 154
Group Sort Expert icon, 144
Insert Hyperlink icon, 314
Record Sort Expert icon, 89, 109
Select Expert icon, 156
Export command, File menu, 312
exporting reports
to a file, 12, 309–310
to a Web page, 309, 311–314

● F ●

False value for Boolean data type, 174
faxing reports, 308, 310
Field Explorer
parameter fields in, 68
running total fields in, 87–88
selecting fields from, 25–26
Special Fields in, 29
Field Explorer command, View menu, 25
fields (database). *See also* data types
accessibility of, Business View
determining, 257–259
change in, triggering chart display, 226
choosing for report, 25–26
display options for, 121–122
fields (report). *See also* summary fields
character fields, 74
currency fields, 74, 118–119
date fields, 63, 74, 113
formatting, 28, 76, 87, 116–117, 122, 159
linking primary report to subreport,
189–190
listed in Formula Editor, 166

- fields (report) (*continued*)
 - numeric fields, 28, 61, 63, 74, 118–119, 134
 - parameter fields, 65–71
 - text fields, 74, 134
- Fields tab, Options dialog box, 122
- Fields view, 46–47, 59
- file extensions
 - Crystal Reports native format, 12
 - Crystal SQL Designer, 52
 - for report exporting, 309
- File menu
 - Export command, 312
 - Options command, 22, 121, 276
 - Print command, 32, 307
 - Printer Setup command, 47, 308
 - Save command, 49
 - Summary Info command, 31
- files. *See also* image files
 - embedding or linking as OLE object, 197–199
 - exporting reports to, 12, 309–310
 - hyperlinks in report to, 315
- filtering report data
 - with formulas, 63–65, 169–171
 - with parameter fields, 65–71
 - with Select Expert, 57–63
 - with SQL expressions, 168–169
- filters
 - accessibility of, Business View
 - determining, 253
 - creating as Business Element, 257
- firewalls, 282
- Fit Section command, Section Formatting menu, 97
- flags in reports. *See* Report Alerts
- folders
 - access levels for, 284
 - adding to Crystal Repository, 270
 - plus sign (+) in, 2–3
- Folders screen, 284
- Font tab, Format Editor, 116
- fonts
 - choosing, 331–332
 - defaults for, setting, 122
 - setting properties of, 112–113, 118–119
 - setting properties of, conditionally, 116–117, 118–119
 - size of, changing, 25
 - used in this book, 2
- Fonts tab, Options dialog box, 122
- footers
 - Page Footer section, 22, 29–30
 - Report Footer section, 22, 30–31, 225, 238
- For loop, 178–179
- Format Editor
 - formatting cross-tab objects with, 158–159
 - formatting fields with, 28
 - Hyperlink tab, 289–291, 293–294, 314–316
 - setting font properties with, 116
 - Subreport tab, 191–192
- Format Field command, Format menu, 28
- Format Formula Editor
 - definition of, 99
 - deleting formulas, 140–141
 - entering formulas, 102, 116–117, 171–172
 - syntax used for, 117
- Format menu, Format Field command, 28
- Format Painter, 11
- formatting. *See also* designing reports
 - absolute, 10, 111–115
 - aligning preprinted forms, 120–121
 - boxes, 114–115, 332
 - colors, 100–103, 118–119, 227, 332
 - column headings, 26–27
 - conditional, formulas for, 10, 99, 102–103, 111–112, 116–119, 171–172
 - cross-tab reports, 157–160
 - date fields, 113
 - drop shadows, 332
 - features for, 10–11, 39–40
 - fields, 28, 76, 87, 116–117, 122, 159
 - fonts, 112–113, 116–117, 331–332
 - with Format Painter, 11
 - groups, 103–105
 - losing when exporting to HTML, 312

- mailing labels, 107–109
 - numbers, 28, 118–119
 - options for, 121–123
 - Page Header section, 26–27
 - sections, 96–99
 - sections, color of, 100–103
 - sections, size of, 93–96
 - summaries, 104–105
 - text in a chart, 227
 - underlying content, 99, 120–121, 228, 334
 - underlying subreport, 185
 - Formatting Formulas node, Formula Workshop, 162, 171
 - Formatting toolbar, Align Center icon, 137
 - forms, preprinted, aligning, 120–121
 - Formula Editor, 165–166
 - Formula Expert, 166–167
 - Formula Fields node, Formula Workshop, 162, 165, 166, 168
 - Formula Name dialog box, 165
 - Formula Workshop
 - creating custom functions, 162–165
 - creating formulas containing custom functions, 165–166
 - Formula Workshop Alert Message
 - Formula Editor, 124–126
 - Formula Workshop icon, Expert Tools toolbar, 162, 165, 274
 - Formula Workshop Record Selection
 - Formula Editor window, 63–64
 - formulas
 - accessibility of, Business View
 - determining, 253
 - changing, 172
 - checking for syntax errors, 170
 - control structures in, 177–180
 - creating for record selection, 63–65, 170–171
 - creating in Formula Editor, 165–166
 - creating in Formula Expert, 166–167
 - creating with Business View Manager, 256–257
 - custom functions in, 162–166, 167
 - data types and, 173–176
 - definition of, 11
 - deleting, 172
 - for formatting, 10, 99, 102–103, 111–112, 116–119, 171–172
 - linking primary report to subreport, 190, 193
 - operators for, 166
 - predefined functions in, 162
 - for report alerts, 123–126
 - selection formulas, 63–65, 169–171
 - SQL expressions in, 168–169
 - syntaxes for, 161–162
 - variables in, 176–177, 192, 193
 - FoxPro, direct access driver for, 51
 - Full Control access level, 284
 - functions. *See also* formulas
 - custom, 162–165, 253, 257, 273–274
 - predefined, 162
 - standard, listed in Formula Editor, 166
 - funnel chart, 222
- **G** •
- Gantt chart, 221–222
 - gauge chart, 221
 - geographic information, reporting.
 - See* maps
 - Global keyword, 176–177
 - global variables, 176
 - graduated maps, 237
 - graphical reports. *See* charts; maps
 - graphics files. *See* image files
 - graphs. *See* charts
 - grid, formatting options for, 121
 - Grid Style view, 151–152
 - Group chart layout, 230
 - Group Expert, 154
 - Group Expert dialog box, 91
 - Group Expert icon, Expert Tools toolbar, 154
 - Group Footer section
 - charts in, 225
 - maps in, 238
 - summary field in, 138

- Group Header section
 - charts in, 225
 - maps in, 238
- Group layout
 - charts, 223
 - maps, 236, 240–241
- Group Selection Formula Editor, 169–170
- group selection formulas, 169–170
- Group Sort Expert
 - sorting options in, 146–147
 - Top N report, 144–145
 - troubleshooting, 147–148
- Group Sort Expert icon, Expert Tools toolbar, 144
- Group Sorting view, 135
- group sum, 138
- Grouping view, 80, 135
- groups (in report)
 - creating, 79–82
 - formatting for, 103–105
 - sorting, by summary field, 134–142
 - sorting, choosing field for, 91
 - sorting, options for, 146–147
 - sorting, Top N, 144–146
 - sorting, troubleshooting, 147–148
 - summarizing in cross-tab report, 153–157
 - summary field in, 80, 134–142
 - troubleshooting, 91
- groups (of users), 283–284

• H •

- headers
 - Page Header section, 22, 26–27, 76
 - Report Header section, 22, 23–25, 76, 238, 255
- Hide (Drill-Down OK) command, Section Formatting menu, 85, 96–97, 106, 139
- Hide Section Names command, Section Formatting menu, 97
- Highlighting Expert, 118–119
- Holos HDC Cube, 203
- HTML page, exporting reports to, 309, 311–314

- Hyperion Essbase
 - direct access drivers for, not supported by Standard Edition, 13
 - supported for OLAP reports, 203
- Hyperlink tab, Format Editor, 289–291, 293–294, 314–316
- hyperlinks. *See also* links, between primary report and subreport to files, 315
 - to on-demand subreports, 191–192
 - between Report Parts, 287, 293–294, 315
 - for Report Parts drill-down, 289–291, 315
 - using, 15
 - to Web site or e-mail address, 314–316

• I •

- IBM DB2 OLAP Server, 203
- icons in Crystal Reports. *See* toolbar icons
- icons used in this book, 2, 5
- If keyword, 117
- If-Then-Else control structure, 177–178
- IIS log file, as data source, 51
- illustrations. *See* image files
- image files
 - adding to Crystal Repository, 270–272
 - inserting in report, 23–24, 119–120
 - removing from report, 137
 - using from Crystal Repository, 274
 - when to use, 40, 333
- Import Wizard, Crystal Enterprise, 265
- Increase Font Size icon, 25
- index icons in Link view, 68
- indexes
 - speeding retrieval of data, 68, 71
 - speeding sorting of data, 79
 - when not to use, 79
- Informix Online Server, direct access driver for, 51
- Infoview files, accessing data sources through, 50
- Inherited Rights access level, 284
- Insert a Picture from a File icon, Insert Tools toolbar, 119

Insert Box icon, Insert Tools toolbar, 114
 Insert Business Elements dialog box, 259–260
 Insert Cross-Tab icon, Insert Tools toolbar, 154
 Insert Data Tables dialog box, 253–254
 Insert Formula command, Insert menu, 256
 Insert Hyperlink icon, Expert Tools toolbar, 314
 Insert Line command, Section Formatting menu, 97
 Insert Map icon, Insert Tools toolbar, 238, 240
 Insert menu
 Chart command, 225, 229
 Insert Formula command, 256
 OLE Object command, 197
 Subreport command, 187
 Insert Object dialog box, 197–199
 Insert Picture icon, Insert Tools toolbar, 23–24
 Insert Section Below command, Section Formatting menu, 97
 Insert Subreport dialog box, 183, 187–188
 Insert Subreport icon, Insert Tools toolbar, 183
 Insert Summary icon, 138, 139
 Insert Text Object icon, Insert Tools toolbar, 24, 29, 76, 137
 Insert Tools toolbar
 Insert a Picture from a File icon, 119
 Insert Box icon, 114
 Insert Cross-Tab icon, 154
 Insert Map icon, 238, 240
 Insert Picture icon, 23–24
 Insert Subreport icon, 183
 Insert Text Object icon, 24, 29, 76, 137
 invisible objects, 148

• J •

Java
 Advanced Edition support for, 14
 as data source, 51
 justifying fields, 76

• K •

keywords for report, 31

• L •

Label view, 106–107
 Layout tab, Options dialog box, 22–23, 121
 LDAP authentication, 281
 legend in chart, 229, 233
 line chart, 213
 Link view, 37, 45–46, 58, 68
 linked OLE objects, 196–199
 links, between primary report and subreport, 187–191. *See also* hyperlinks
 local area network, viewing reports on, 16
 local variables, 176
 log files, as data source, 51
 logo for report, 23–24
 logon tokens, 280
 loops in formulas, 178–180
 Lotus Domino (IBM)
 as data source, 51
 exporting reports to, 310
 Lotus Domino Mail, exporting reports to, 310

• M •

magnifying glass cursor, 186
 Mail Label Report Creation Wizard, 49
 mailing labels, 106–110
 Mailing Labels Report Creation Wizard, 106–107
 Map Expert
 creating OLAP layout map with, 242–243
 Data tab, 238–239, 240
 Text tab, 239
 Type tab, 239, 240, 241
 MAPI (Microsoft Mail), exporting reports to, 310

maps

- changing, 243
- creating, 238–243
- definition of, 11, 235
- layout options for, 236
- placement of, 238, 243, 334
- troubleshooting, 243
- types of, 236–237
- when to use, 330, 333

Maximum summary type, 80, 134

Median summary type, 134

Member Selector, 206–207

menus, conventions used in this book, 2.

See also specific menus

Message Formula Editor, 124–126

metadata, 123

Microsoft Access

- connecting report to, 36–37
- Crystal 9 Repository stored in, 269
- direct access driver for, 51
- support for, 12

Microsoft Excel

- exporting reports to, 309
- spreadsheets as OLE objects, 196

Microsoft Exchange

- as data source, 51
- exporting reports to, 310

Microsoft Mail (MAPI), exporting reports to, 310

Microsoft OLE DB Provider for OLAP Services, 203

Microsoft Outlook, as data source, 51

Microsoft SQL Server, as data source, 12, 51

Microsoft Word, exporting reports to, 309

Minimum summary type, 80, 134

Mode summary type, 134

Modify Command dialog box, 322–323

monospaced font used in this book, 2

multicolumn report, 106–110

multidimensional representation of data.

See OLAP cubes

• N •

native database drivers. *See* direct access database drivers

natural break ranged map, 237

.NET, Advanced Edition support for, 14

network, viewing reports on, 16

New Application dialog box, 298–299

New Formatting Formula dialog box, 172

New icon, Field Explorer, 88

New Server dialog box, 204–205

No Access, access level, 284

No value for Boolean data type, 174

Nth largest summary type, 134

Nth most frequent summary type, 134

Nth smallest summary type, 134

null values, sort order for, 75

number data type, 173

numeric axis chart, 219–220

numeric fields

- comparisons with, 61, 63
- formatting, 28, 118–119
- sort order for, 74
- summary options for, 134

• O •

Object Information dialog box, 272

objects. *See also* report objects; *specific objects*

adding to Crystal Repository, 270–273

deleting from Crystal Repository, 277

invisible, 148

modifying, 274–275

using in reports, 273–274

ODBC (Open Database Connectivity)

connecting to data source with, 38, 51–52

querying with Crystal SQL Designer, 52

support for, 12, 50

when to use, 53

- OLAP cubes
 - analyzing, 295–296
 - definition of, 202–203
 - selecting for analysis report, 297, 299
 - updating report after location change, 209–210
 - using in reports, 203–209
 - OLAP layout
 - charts, 223
 - maps, 236, 242–243
 - OLAP (On-Line Analytical Processing)
 - as data source, 50, 203
 - definition of, 201–202
 - not supported by Standard Edition, 13
 - OLE DB accessing, 53
 - OLAP Report Creation Wizard,
 - 49, 204–209
 - OLE DB
 - connecting to data source with, 38
 - reporting on data in, 53
 - support for, 12, 50
 - when to use, 54
 - OLE DB Provider for OLAP Services (Microsoft), 203
 - OLE Object command, Insert menu, 197
 - OLE objects
 - editing, 199
 - inserting in report, 195–196, 197–199
 - types of, 196–197
 - on-demand subreports, 191–192, 193
 - On-Line Analytical Processing. *See* OLAP
 - Open Database Connectivity (ODBC)
 - connecting to data source with, 38, 51–52
 - querying with Crystal SQL Designer, 52
 - support for, 12, 50
 - when to use, 53
 - operators
 - for custom functions, 164
 - for formulas, 166
 - Options command, File menu,
 - 22, 121, 276
 - Options dialog box
 - Data Source Defaults tab, 122
 - Database tab, 121–123
 - Editors tab, 122
 - Fields tab, 122
 - Fonts tab, 122
 - Layout tab, 22–23, 121
 - Reporting tab, 122, 276
 - Smart Tag tab, 122
 - Options tab, Chart Expert, 227–229, 230
 - Oracle databases
 - direct access driver for, 51
 - direct access driver for, not supported by Standard Edition, 13
 - support for, 12
 - Outlook (Microsoft), as data source, 51
 - overlying content, 99, 120–121
- *p* ●
- page breaks
 - before groups, 103–104
 - before sections, 99
 - preventing between groups, 140
 - preventing within a section, 99
 - Page Footer section
 - definition of, 22
 - inserting items in, 29–30
 - Page Header section
 - definition of, 22
 - formatting, 26–27, 76
 - page numbers
 - inserting in report, 29
 - resetting after report section, 99
 - resetting before group, 105
 - page viewers
 - definition of, 286
 - navigating report objects with, 287
 - pages, cross-tab reports spanning, 160
 - Paradox, direct access driver for, 51
 - parameter fields in report, 65–71
 - parameters
 - for custom functions, 164
 - in data source, adding to Data Foundation, 253
 - for subreports, 184
 - passwords. *See* authentication
 - Paste Special command, Edit menu, 199

- Paste Special dialog box, 199
 - .pdf file extension, 309
 - percentages, in summaries, 82–83, 142–146
 - performance
 - of data retrieval, 61–62, 68, 71
 - of sorting data, 78–79
 - of subreports, 193
 - permissions. *See* privileges
 - pictures. *See* image files
 - pie chart, 214–215, 229–231
 - pie chart maps, 237
 - plus sign (+), next to folder, 2–3
 - Population standard deviation summary type, 134
 - Population variance summary type, 134
 - pound sign (#), enclosing datetime literals, 174
 - predefined functions, 162. *See also* custom functions
 - preprinted forms, aligning, 120–121
 - Preview mode
 - definition of, 27
 - display options for, 121
 - previewing reports, 27–28. *See also* viewing reports
 - Print command, File menu, 32, 307
 - print date, inserting in report, 29
 - Print Preview icon, Standard toolbar, 27
 - printed report, reading, 14
 - Printer Setup command, File menu, 47, 308
 - printing reports, 32, 307–308, 310
 - privileges. *See also* security
 - Crystal Enterprise, 262
 - for users and groups, 283–284
 - Professional Edition of Crystal Reports, 13
 - Proxy log file, as data source, 51
 - Pth percentile summary type, 134
 - publications, *SQL For Dummies* (Taylor), 52, 168
 - publishing reports, 265–267. *See also* distributing reports
 - Publishing Wizard, Crystal Enterprise, 265–267, 291–292
 - punctuation, sort order for, 74
 - purpose of report, 34–35, 41, 328
- *Q* •
- .QRY file extension, 52
 - question mark (?), preceding parameter field, 69
 - quotes, enclosing strings, 174
- *R* •
- radar chart, 217–218
 - range data types
 - definition of, 175
 - using with array elements, 176
 - ranged maps, 236–237, 243
 - RAS (Report Application Server), 286
 - Record Selection Formula Editor window, 63–64
 - record selection formulas, 63–65, 169–171
 - Record Selection view, 47, 59–60
 - Record Sort Expert, 77–78
 - Record Sort Expert command, Report menu, 77
 - Record Sort Expert icon, Expert Tools toolbar, 89, 109
 - Record Sort Order dialog box, 89–90, 109
 - red flags. *See* Report Alerts
 - Refresh icon, 70
 - Refresh Report Data dialog box, 70
 - Report Alerts, 10, 123–126
 - Report Application Server (RAS), 286
 - Report Creation Wizard
 - creating report with, 43–49
 - features of, 39
 - types of reports created by, 44, 49
 - Report Custom Functions node, Formula Workshop, 162, 163, 166
 - Report Experts, 10. *See also specific Experts*

- Report Footer section
 - charts in, 225
 - definition of, 22
 - inserting items in, 30–31
 - maps in, 238
- Report Header section
 - charts in, 225
 - definition of, 22
 - maps in, 238
 - report title in, 23–25, 76
- Report menu
 - Alerts command, 124
 - Record Sort Expert command, 77
 - Select Expert command, 61
 - Selection Formulas command, 63
- report objects
 - deleting from Crystal Repository, 277
 - modifying, 274–275
 - navigating by hyperlink paths to, 285, 293–294
 - navigating with Report Part drill-down capability, 285, 287–293
 - reports updated automatically from, 275–277
 - security for, 284
 - storing in Crystal Repository, 269–273
 - using from Crystal Repository, 273–274
 - viewing with Report Parts Viewer, 286, 287, 293
- Report Parts, 285–286
- Report Parts Viewer
 - drill-down capability with, 287–293
 - embedding in Web page, 285, 286, 291–293
 - hyperlinking to report objects with, 287, 293–294, 315
 - viewing reports with, 286, 287, 293
- Report Wizard. *See* Report Creation Wizard
- Reporting tab, Options dialog box, 122, 276
- reports. *See also* charts; cross-tab reports; maps; sections of report; subreports
 - accessing from Crystal Enterprise Web Desktop, 263–264
 - analysis reports, 296–303
 - audience for, 23, 33–34, 38–39, 327–328
 - author of, 31
 - comments for, 31
 - connecting to data source, 35–38, 50–54
 - connection to Repository, 269
 - creating from blank report, 19–22, 49–50
 - creating with Design view, 39–40
 - creating with Report Creation Wizard, 43–49
 - definition of, 9
 - designing, 33–35, 38–41, 329–330, 331–334
 - distributing, 12, 307–310, 329
 - document properties for, 31
 - drill-down capability in, 15, 84–86, 98, 105–106, 139, 334
 - existing, using as template for other reports, 50
 - exporting to a file, 12, 309–310
 - exporting to Web page, 309, 311–314
 - faxing, 308, 310
 - frequency of running, 34–35
 - hyperlinks in, 15, 191–192, 289–294, 314–316
 - layout options for, 22–23
 - logo for, 23–24
 - metadata for, 123
 - multicolumn, 106–110
 - passing data to subreport, 192
 - performance of, 61–62, 68, 71, 78–79, 193
 - planning, 17, 35
 - previewing, 27–28
 - printing, 32, 307–308, 310
 - publishing, 265–267
 - purpose of, 34–35, 41, 328
 - refreshing from current data, 15, 61–62, 70
 - saving, 49
 - schedule for, 328
 - security for, 279–284
 - summary information for, 31
 - summary reports, 15, 105–106, 139–140
 - templates for, 50, 127–130, 333

reports (*continued*)

- title for, 23–25, 31, 76, 112–113, 154
 - types of, choosing, 329, 330
 - updating automatically from
 - Repository, 275–277
 - viewing, 11–12, 14–16, 22–23, 311–314, 329
 - viewing parts of, 286
- Repository
- adding objects to, 270–273
 - adding SQL commands to, 321–322
 - definition of, 269
 - deleting objects from, 277
 - migrating previous versions of, 269
 - modifying objects, 274–275
 - modifying SQL commands in, 322–323
 - not supported by Standard Edition, 13
 - security of, 277
 - updating reports automatically from, 275–277
 - using objects in reports, 273–274
- Repository Custom Functions node, Formula Workshop, 162, 274
- Repository Explorer, 270, 272, 274, 277
- Repository Explorer icon, Standard toolbar, 270, 274
- resources
- books, 52, 168
 - Web sites, 5, 32
- Rich Text Format, exporting reports to, 309
- rights. *See* privileges
- Rights window, 284
- riser chart, 3-D, 216
- .rpt file extension, 12, 309
- .rtf file extension, 309
- running totals, 86–90, 92, 104–105



- sample database, 17
- Sample standard deviation
 - summary type, 134
- Sample variance summary type, 134
- Save command, File menu, 49
- scatter chart, 216–217

- Schedule access level, 284
- schedule for report, 328
- Section Expert
 - Color tab, 100–103
 - Common tab, 98–99, 120–121, 140
 - definition of, 97
- Section Expert command, Section Formatting menu, 97
- Section Formatting menu, 96–97
- sections of report
 - background colors for, 100–103
 - blank, suppressing, 99
 - chart placement in, 224–225
 - containing cross-tab reports, 157
 - Details section, 22, 25–26, 76, 94–95, 96
 - formatting, 96–97, 98–99
 - free-form object placement in, 98
 - Group Footer section, 138, 225, 238
 - Group Header section, 225, 238
 - guidelines in, 97, 98
 - hiding names of, 97
 - inserting new, 97
 - listed in Design tab, 22
 - overlying content in, 99, 120–121
 - page breaks in, preventing, 99
 - Page Footer section, 22, 29–30
 - Page Header section, 22, 26–27, 76
 - page number after, resetting, 99
 - printing at bottom of page, 98
 - printing at top of new page, 99
 - Report Footer section, 22, 30–31, 225, 238
 - Report Header section, 22, 23–25, 76, 225, 238
 - vertical line spacing of, changing, 93–96
 - width of, 93
- security
 - active trust relationship, 283
 - auditing Web activity, 282
 - of client/server environment, 282
 - Crystal Enterprise features for, 279
 - of Crystal Repository, 277
 - logon tokens, 280
 - session tracking, 280
 - Single Sign-On, 283
 - user authentication, 281, 282, 283

- Select All Section Objects command, Section Formatting menu, 97
- Select Case control structure, 178
- Select Expert
 - adding parameter fields to report using, 69
 - filtering report data using, 57–63
 - viewing formulas created by, 63–64
- Select Expert command, Report menu, 61
- Select Expert icon, Expert Tools toolbar, 156
- Select Export File dialog box, 312
- selecting data
 - with formulas, 63–65, 169–171
 - with parameter fields, 65–71
 - with Select Expert, 57–63
 - with SQL expressions, 168–169
- selection formulas, 169–171
- Selection Formulas command, Report menu, 63
- Selection Formulas node, Formula Workshop, 162, 169, 170
- Separated Values format, exporting reports to, 309
- server
 - client/server database access, 38
 - client/server environment, security for, 282
 - server-side viewer, zero-client, 287
 - session state, 280
 - session tracking, 280
 - session variable, 280
 - sessions, 280
- Set Data Connection Password dialog box, 250–251
- Set OLAP Cube Location command, Database menu, 209–210
- shared variables, 176, 192, 193
- side-by-side bar chart, 211–212
- simple data types, 173–174
- single quotes ('), enclosing strings, 174
- Single Sign-On, 283
- Slice Navigators, in analysis application, 298
- Smart Linking, Business View Manager, 254–255
- Smart Tag tab, Options dialog box, 122
- sorting data
 - based on multiple fields, 75–78
 - data types affecting, 74–75
 - default sort field, 76
 - direction of, 74
 - groups, sorting, 91, 134–142, 144–148
 - indexes and, 79
 - performance of, 78–79
 - with Record Sort Expert, 77–78
 - troubleshooting, 90–91
 - by zip code, for mailing labels, 109–110
- Special Fields, Field Explorer, 29, 123
- SQL, 18, 202, 317. *See also* Crystal SQL Designer
- SQL commands
 - accessibility of, Business View determining, 253
 - adding to Crystal Repository, 273, 321–322
 - creating for report, 318–320
 - modifying, 322–323
 - using from Crystal Repository, 274
- SQL Expression Editor, 168–169
- SQL Expression Fields node, Formula Workshop, 162
- SQL expressions
 - accessibility of, Business View determining, 253
 - creating, 168–169
 - creating as Business Element, 257
- SQL For Dummies* (Taylor), 52, 168
- SQL Server (Microsoft)
 - as data source, 12, 51
 - direct access drivers for, not supported by Standard Edition, 13
- square brackets ([]), enclosing array elements or subscripts, 175
- stacked bar chart, 213
- standard deviation ranged map, 237
- standard deviation, summary fields calculating, 134
- Standard Edition of Crystal Reports, 13

- Standard Report Creation Wizard
 - applying templates, 129–130
 - creating reports, 45–48
 - Standard toolbar
 - Chart Expert icon, 225, 229
 - Print Preview icon, 27
 - Repository Explorer icon, 270, 274
 - static OLE objects, 196
 - statistical functions in summaries, 80
 - stock chart, 218–219
 - stored procedures
 - accessibility of, Business View
 - determining, 253
 - viewing, 121–122
 - string data type, 173–174. *See also* text fields
 - string parser, 174
 - subject of report, 31
 - Subreport command, Insert menu, 187
 - Subreport Links dialog box, 189–190
 - Subreport tab, Format Editor, 191–192
 - subreports
 - definition of, 181
 - drill-down capability in, 186
 - embedding existing report as, 182–184
 - linking to primary report, 187–192, 193
 - maps in, 238, 243
 - on-demand subreports, 191–192, 193
 - parameters for, 184
 - passing data to primary report, 192
 - troubleshooting, 193
 - underlay formatting for, 185
 - subscript of array, 175
 - Sum summary type, 80, 134
 - Summaries view, 80, 135
 - summary fields
 - in cross-tab report, 150–151, 154–155
 - within groups, 79–83
 - percentages in, 82–83, 142–146
 - printing at bottom of page, 104–105
 - running totals, 86–90
 - sorting by, within groups, 134–142
 - troubleshooting, 92
 - types of, 134
 - Summary Info command, File menu, 31
 - summary reports, 15, 105–106, 139–140.
 - See also* drill-down capability;
 - subreports
 - Suppress (No Drill-Down) command, Section Formatting menu, 97, 106
 - surface chart, 3-D, 216
 - Sybase, direct access driver for, 51
 - syntax for formulas, 161–162
- T ●
- tab bar, overflowing, 186
 - tables
 - accessibility of, Business View
 - determining, 253–254, 257–259
 - choosing for report, 20–21
 - display options for, 121–122
 - links between, 45–46, 254–255
 - not linked, subreports for, 181
 - Tables node of data source, 21
 - tab-separated text, exporting reports to, 309
 - Taylor, Allen G. (*SQL For Dummies*), 52, 168
 - Template Expert, 11, 127, 128–129
 - template for report. *See also* Document Properties dialog box
 - applying to existing report, 128–129
 - applying to new report, 129–130
 - definition of, 127
 - using existing reports as, 50
 - when to use, 333
 - Template view, 127, 129–130
 - Text Boxes, in analysis application, 298
 - text fields
 - sort order for, 74
 - summary options for, 134
 - text files
 - exporting reports to, 309
 - inserting text from, 121
 - text objects
 - adding to Crystal Repository, 270–272
 - boxes around, 332
 - inserting in report, 24, 29
 - using from Crystal Repository, 274

- Text tab
 Chart Expert, 227
 Map Expert, 239
- Then clause, 177
- 3-D riser chart, 216
- 3-D side-by-side bar chart, 216
- 3-D surface chart, 216
- time data type
 definition of, 174
 sort order for, 74
- title
 of chart, 227, 230
 of map, 239
 of report, 23–25, 31, 76, 112–113, 154
- To keyword in ranges, 175
- toolbar icons
 Align Center icon, 137
 Chart Expert icon, 225, 229
 Data Connection icon, 249
 Database Expert icon, 274, 318
 Delete icon, 172
 displaying name of (tooltip), 24
 Formula Workshop icon, 162, 165, 274
 Group Expert icon, 154
 Group Sort Expert icon, 144
 Increase Font Size icon, 25
 index icons in Link view, 68
 Insert a Picture from a File icon, 119
 Insert Box icon, 114
 Insert Cross-Tab icon, 154
 Insert Hyperlink icon, 314
 Insert Map icon, 238, 240
 Insert Picture icon, 23–24
 Insert Subreport icon, 183
 Insert Summary icon, 138, 139
 Insert Text Object icon, 24, 29, 76, 137
 New icon, Field Explorer, 88
 Print Preview icon, 27
 Record Sort Expert icon, 89, 109
 Refresh icon, 70
 Repository Explorer icon, 270
 Select Expert icon, 156
 X+2 Check icon, 170
 X+2 icon, 99, 102
- Top N report, 134–135, 144–146
- Top Percentage report, 147
- totals. *See* summary fields
- troubleshooting. *See also* Report Alerts
 charts, 232–233
 exporting reports, 310, 312
 faxing reports, 310
 group sorting, 147–148
 grouping data, 91
 invisible objects, 148
 maps, 243
 OLAP cube location changed, 209–210
 performance of data retrieval, 71
 printing reports, 310
 resources for, 32
 retrieving incorrect data, 71
 sorting data, 90–91
 subreports, 193
 tab bar, overflowing, 186
- True value for Boolean data type, 174
- .txt file extension, 309
- Type tab
 Chart Expert, 226, 229, 232
 Map Expert, 239, 240, 241
- U •
- underlying content, 99, 120–121, 228, 334
- underlying subreport, 185
- underscore (), in ranges, 175
- UpperCase function, 162
- User Launchpad, Crystal Enterprise, 263
- users. *See also* audience for report
 authentication, 281, 282, 283
 groups of, 283–284
 privileges of, 284
 session security, 280
- V •
- Var, appended to variable data type, 176
- variables in formulas, 176–177, 192, 193
- variance, summary fields calculating, 134
- View access level, 284
- View menu, Field Explorer command, 25
- View On Demand access level, 284

viewers. *See* page viewers; Report Parts Viewer

viewing reports. *See also* distributing reports; previewing reports

- choosing method of, 11–12, 329
- with Crystal Reports, 14–16, 22–23
- layout options for, 22–23
- on local area network, 16
- reading printed report, 14
- on Web browser, 16, 311–314

views (database), 253. *See also* Business Views

Visual Studio .NET, Crystal Reports bundled with, 1

• W •

watermarks, 99

Web activity, auditing, 282

Web browser

- security and, 282
- viewing reports with, 16, 311–314
- viewing reports with, not supported by Standard Edition, 13

Web Component Server, 282

Web Desktop, Crystal Enterprise

- definition of, 262, 263–264
- publishing reports to, 265–267
- viewing reports with, 16, 286

Web page

- embedding Report Parts Viewer in, 285, 286, 291–293
- exporting reports to, 309, 311–314

Web server, security of, 282

Web sites

- for Crystal Reports, 32
- hyperlinks to, 314–316
- for this book, 5

Weighted average with summary type, 134

Welcome to Crystal Analysis dialog box, 297, 298

Welcome to Crystal Reports dialog box, 15–16, 18–19

While Do loop, 179–180

Windows AD authentication, 281

Windows Event Log, as data source, 51

Windows NT authentication, 281

Word files. *See* OLE objects

Word (Microsoft), exporting reports to, 309

Worksheet, in analysis application, 297

• X •

X+2 Check icon, Formula Workshop, 170

X+2 icon, Section Expert, 99, 102

XML

- exporting reports to, 309
- not supported by Standard Edition, 13

Xtreme Mountain Bikes Inc.. *See* sample database

xtreme.mdb database. *See* sample database

XY scatter chart, 216–217

• Y •

Yes value for Boolean data type, 174

• Z •

zero-client, server-side viewer, 287

