

Index

- α -D-GalNAc transferases 36–8, 45
- α -D-Manp 362, 366
- ab initio* methods 360, 364–5, 372
- adiabatic maps 343, 371–2
- advanced glycation end-products (AGEs) 183
- AFM *see* atomic force microscopy
- AGEs *see* advanced glycation end-products
- AMBER 344, 369, 375, 378, 381
- amino acids
 - glycosylation 153–7, 169–70
 - protein–carbohydrate interactions 435–44
- animal-specific lectins 417, 418–22
- anion exchange HPLC 211–12
- ANNs *see* artificial neural networks
- antigens
 - carbohydrate-active enzymes 101
 - carbohydrates 41
 - glycosylation 163
 - lectins 422
 - nuclear magnetic resonance 314–15
- API *see* Application Programming Interfaces
- Application Programming Interfaces (API) 127
- aromatic amino acids 153–4
- artificial neural networks (ANNs)
 - data processing 326–9
 - NeuroCarb 325–31
 - nuclear magnetic resonance 321–34
 - performance 331
 - prediction of glycosylation sites 164–5
 - supervised learning 322–5
 - test phase 329–30
 - training and validation phase 329
 - unsupervised learning 322–6
 - work phase 331
- atomic force microscopy (AFM) 346

- β -D-Galp 437–8, 443
- β -elimination of GAGs 272–3

- back-propagation algorithm 324–5
- bacterial
 - lectins 418
 - monosaccharides 30
 - oligosaccharides 76–7
 - polysaccharides 40–1, 296
- Bacterial Carbohydrate Structure Database (BCSDB) 50–1, 55–6, 66
- BCSDB *see* Bacterial Carbohydrate Structure Database
- big-PI 182
- BIOPSEL program 315
- BLAST-based analysis 95–6, 120, 126
- BLASTN searches 8
- BRENDA database 120, 122

- C-mannosylation 144, 171, 182–3
- C-type lectins 417, 419–20, 423, 425
- CabosML 50–1, 59–61
- calnexin (CNX) 146–8, 415, 419
- calreticulin (CRT) 146–7, 415
- Cambridge Structural Database (CSDB) 337, 390
- capillary electrophoresis (CE) 205–6, 210–11, 213, 281–3
- CarbBank 14–16, 50–1, 52–4, 299
- carbohydrate esterases (CEs) 93
- carbohydrate-active enzymes 91–118
 - abstract/symbolic representations 128
 - artificial neural networks 164–5
 - bioinformatics 94–6, 125–41
 - BLAST-based analysis 95–6, 120
 - BRENDA database 120, 122
 - C-mannosylation 171, 182–3
 - CAZy database 91–118, 120
 - classifications 92–4, 97–101
 - co-occurrence scores 135
 - Composite Maps 127–34, 138–40

- carbohydrate-active (*Contd.*)
- data collection 168–70
 - data mining 136–7
 - data-driven prediction methods 164–8
 - EC classification 93–4, 97
 - evaluation strategies 165–8
 - existing predictors 173–80, 182–3, 185
 - ExPASy ENZYME database 120, 122
 - family comparisons 101–14
 - FASTA-based analysis 120
 - genomics 137–8
 - glycation 170, 183–5
 - GlycoEnzyme 120–1
 - GlycoGene database 119–20
 - glycosylation 143–62, 163–92
 - glycosyltransferases 91–2, 97–115, 134–6, 139–40
 - GlySeq 151–9
 - GPI anchors 171, 180–2
 - KEGG database 119–20
 - KEGG GLYCAN 125–41
 - linkage-specific glycosylation 170–83
 - Markov models 136–7, 164
 - microarray analysis 136
 - Microarray Data 120–1
 - NCBI databases 120, 122
 - Protein Databank 120, 123
 - proteoglycans 150, 178–80
 - reaction libraries 134–5
 - sequence logos 169–70, 172–3, 175–7, 179–85
 - sequence motifs 172, 174–5, 177, 179–80, 182, 184
 - sequence/structure classification 99–101
 - stereochemical outcome 98–9, 102–14
 - structure prediction 134–6
 - Swiss-Prot/TrEMBL 120–1
- carbohydrate-binding molecules (CBMs) 93, 95, 101
- carbohydrates
- abstract/symbolic representations 49–50, 61–2
 - analytical complications 9–11
 - binding sites 422–3
 - bioinformatics 7–9, 195–201
 - biological roles 70–1, 72–3
 - biosynthetic pathways 5–7, 33, 76–8
 - composition 31–3
 - conformational analysis 337–57, 359–88, 389–412
 - databases 13–17, 33–4
 - descriptors and tools 61–4
 - digital representations 49–68, 80–2
 - disaccharide pairings 34
 - disease profile 13
 - drug and vaccine development 12–13
 - empirical structural classifications 34–44
 - evolution 78–9
 - experimental methods 195–201
 - extensible markup approaches 50–1, 58–61, 66
 - future developments 64–7, 80–2
 - glycolipids 38–9
 - glycomic mass spectrometry 257–68
 - high performance liquid chromatography 203–21
 - host defense mechanisms 74–6
 - host–pathogen interface 69–71, 74–8
 - lectins 415–31
 - life sciences research 3–4
 - linkage topologies 34
 - motifs 42–4
 - naturally occurring 28–30
 - nomenclature 24, 25–8
 - nuclear magnetic resonance 295–309, 311–12
 - pharmaceutical research 11–13
 - protein interactions 10
 - protein–carbohydrate interactions 415–31, 433–45
 - sequence formats 50–61
 - sialic acids 69–88
 - small molecule descriptors 62–4
 - species distribution 74
 - stereocodes 63–4
 - storage capabilities 50–1
 - structural heterogeneity 10
 - structure and diversity 23–47, 72–5
 - substituents 27–8
 - topological descriptors 51–2
 - see also* glycoproteins; monosaccharides; *N*-glycans; *O*-glycans; oligosaccharides; polysaccharides
- Cartoonist 245, 249
- CASPER program 301, 311–20, 344
- CAT *see* Conformational Analysis Tools
- Catalogue Library 246
- CAZy database 91–118, 120
- bioinformatics 94–6
 - BLAST-based analysis 95–6
 - classifications 92–4, 97–101
 - EC classification 93–4, 97
 - family comparisons 101–14

- glycosyltransferases 91–2, 97–115
 - sequence/structure classification 99–101
 - stereochemical outcome 98–9, 102–14
- CBMs *see* carbohydrate-binding molecules
- CCA *see* conformational clustering analysis
- CCSD *see* Complex Carbohydrate Structure Database
- CDGs *see* congenital disorders of glycosylation
- CE *see* capillary electrophoresis
- CEL-III 421
- cell–ECM interactions 269–70
- ceramide 38–9
- CEs *see* carbohydrate esterases
- CFG *see* Consortium for Functional Glycomics
- channels in conformational space analyzed by
 - driver approach (CICADA) 345, 373
- CHARMM-type force fields 343–4, 375
- ChemDraw 126
- Chemical Function database 50–1, 57–9, 127
- chemically induced dynamic nuclear polarization (CIDNP) 346
- chondroitin polymerase 101
- chondroitin sulfate 42, 178, 271, 278–9
- CICADA 345, 373
- CIDNP *see* chemically induced dynamic nuclear polarization
- CNX *see* calnexin
- co-occurrence scores 135
- coarse-grain force fields 382
- Complex Carbohydrate Structure Database (CCSD) 14–16, 50–1, 52–4, 299
- Composite Maps 127–34, 138–40
- Composite Reaction Maps (CRM) 127–32, 138
- Composite Structure Maps (CSM) 129–34, 138–40
- compositional analysis tools 240–4
- conformational analysis
 - accessible conformational space 370–9
 - carbohydrates 337–57, 359–88, 389–412
 - comparisons with theoretical data 401–7
 - databases 390–402
 - distance mapping 390, 406
 - energy maps 340–2, 343, 364, 366–8, 370–3, 378, 402, 406
 - exo*-anomeric effects 342–3, 360, 363–5, 367
 - exocyclic groups 368–70, 393–5
 - glycoproteins 344–6, 379–82, 391
 - glycosidic linkages 339–40, 344, 363–8, 370, 378, 390, 395–400, 403
 - glycosylation 346, 379, 391–3
 - H–H distances 404–6
 - hydrogen bonding 368–70, 376–8
 - Karplus equations 390
 - Metropolis Monte Carlo simulations 372–4, 404
 - molecular dynamics 370, 372–3, 374–9, 404–5
 - monosaccharides 337, 339, 346, 361–3, 365, 395–7
 - oligosaccharides 337, 343–6, 360, 363, 368, 373, 377, 402–3
 - pioneering work 339–42
 - polysaccharides 337–8, 339–42, 358
 - predictive methods 359–88
 - torsion angles 403–4
- Conformational Analysis Tools (CAT) 372
- conformational clustering analysis (CCA) 373
- conformational ensembles 361
- congenital disorders of glycosylation (CDGs) 13, 140, 146–7
- Consortium for Functional Glycomics (CFG) 11, 61–2, 120–1
 - carbohydrate-active enzymes 132
 - glycomic mass spectrometry 244
 - glycosaminoglycans 283
- corporate identity 4
- CRM *see* Composite Reaction Maps
- cross-relaxation experiments 404–6
- cross-validation 165–6
- CRT *see* calreticulin
- CSEARCH 297
- CSM *see* Composite Structure Maps
- cyclic graphs 49
- cycloamyloses 337
- cyclodextrins 337
- cytoplasmic proteins 177–8
- data quality 200
- data-driven prediction methods 164–8
- deglycosylated glycopeptides 238–9
- 3-deoxy-D-*arabino*-heptulosonate-7-phosphate 79
- dermatan sulfate 42, 178, 271
- DictyOGlyc 177
- digraphs 49
- disaccharide pairings 34
- distance mapping 390, 406
- DKFZ *see* German Cancer Research Center
- DNA sequences 23–4
- EC *see* Enzyme Classification
- electron capture dissociation (ECD) 238

- electrospray ionization–mass spectrometry (ESI–MS) 228–9, 235–6, 250, 276–7
- endoglycosidases 81
- endoplasmic reticulum (ER) 5, 7
carbohydrates 35, 37
glycosylation 145–50, 177, 180
lectins 416
- enzymatic digestion 199–200
- enzymatic sequencing 230, 234
- Enzyme Classification (EC) system 93–4, 97
- ENZYME database 120, 122
- Enzymes and Metabolic Pathways database 96
- EPO *see* erythropoietin
- ER *see* endoplasmic reticulum
- ERGIC-53 420–1, 424
- erythropoietin (EPO) 13
- ESI–MS *see* electrospray ionization–mass spectrometry
- eukaryotes 176–7, 415–16
- EUROCarbDB 15–17, 283
see also Glyco-Peakfinder; GlycoWorkbench
- exo*-anomeric effects 342–3, 360, 363–5, 367
- exocyclic groups 368–70, 393–5
- exoglycosidases 207–10, 230, 234, 321
- ExpASy ENZYME database 120, 122
- extensible markup (XML) 50–1, 58–61, 66
- FAB *see* fast atom bombardment
- Factor H 77
- false negatives/positives 166–8
- fast atom bombardment (FAB) 224
- FASTA-based analysis 120
- FEP *see* free energy perturbation
- fibroblast growth factors (FGFs) 417, 421
- fluorescence HPLC
experimental methods 198
glycomic mass spectrometry 231–4
glycoproteins 206–7, 209–10
sialic acids 81
- Fourier transform (FT) mass spectrometry 235, 238
- free energy perturbation (FEP) simulations 345
- FT *see* Fourier transform
- fungal lectins 416, 418, 425
- GAG–protein interactions 286–7
- GAGs *see* glycosaminoglycans
- galactins 416–17, 420, 425
- GalNAc
carbohydrate-active enzymes 144, 149, 151, 157
glycomic mass spectrometry 224, 240
glycosaminoglycans 279
linkage-specific glycosylation 174–6
GalNAc transferases 36–8, 45
gas chromatography–mass spectrometry (GC–MS) 224
GEGOP 345, 373
gel electrophoresis 204–5, 229, 235, 237–9, 274–6
geometry of glycoproteins (GEGOP) 345, 373
GEP *see* group epitope mapping
German Cancer Research Center (DKFZ) 15, 54
GHs *see* glycoside hydrolases
GlcNAc
conformational analysis 396–9, 402
glycomic mass spectrometry 224, 240
high performance liquid chromatography 204, 208–9
linkage-specific glycosylation 173, 176–8, 185
nuclear magnetic resonance 306
protein–carbohydrate interactions 423, 426, 437–8
GlcNAc₂
carbohydrate-active enzymes 144–50
conformational analysis 362, 366, 378
global minima 360
glucans 40–1
glucose units (gu) 215
GlycamWeb 379
Glycan Data Exchange *see* GLYDE II
GLYCAN database
carbohydrate-active enzymes 125–41
conformational analysis 400
glycomic mass spectrometry 241, 244
glycosaminoglycans 283
GlycanBuilder 262–3
glycans *see* carbohydrates; glycosaminoglycans; *N*-glycans; *O*-glycans
glycation 170, 183–5
GLYCH 246
Glyco-Peakfinder 257–62, 265–6
GlycoComp 240
GlycoCT 50–1, 65–6
GlycoEnzyme 120–1
glycoenzymes 4–9
glycoforms 144, 196
glycofragment mass fingerprinting (GMF) 248–9
GlycoGene database 8, 119–20
glycogenes 4–9

- glycoglycerolipids 39
- glycoinformatics 24
- glycolipids
 - carbohydrate-active enzymes 138
 - conformational analysis 346
 - structure and diversity 38–9
- GlycomeDB 24, 30–1, 33–4
- glycomic mass spectrometry 223–56
 - compositional analysis 258–62, 265–6
 - compositional analysis tools 240–4
 - data handling/analysis 239–51
 - derivatization 229–34
 - downstream analysis of glycan release 227–34
 - fragment annotation 260–8
 - GlycanBuilder 262–3
 - Glyco-Peakfinder 257–62, 265–6
 - glycopeptides 227, 237–9
 - glycoproteomics 224, 234–5
 - GlycoWorkbench 257–8, 260–8
 - in silico* fragmentation 263–4
 - linkage analysis 249–51
 - monosaccharides 228, 240–1, 249
 - oligosaccharides 224, 226, 227–36, 240
 - parallel approach 239
 - peak annotation 265
 - sample preparation 224–7
 - semi-automatic interpretation 257–68
 - sequence analysis 244–9
 - validation 250–1
- GlycoMod 240, 245
- glycopeptides 227, 237–9
- glycoproteins
 - conformational analysis 344–6, 379–82, 391
 - intracellular trafficking 415–16
 - protein folding 145–8
 - protein sequences 23–4
 - protein–carbohydrate interactions 415–31
 - structure and diversity 35–8
- glycoproteomics 224, 234–5
- glycosaminoglycans (GAGs) 11–12
 - analytical methods 274–8
 - bioinformatics 278–86
 - biological function 269–70
 - carbohydrate-active enzymes 149–50
 - chemical modification 272–3
 - composition/mass profiles 285
 - databases 283–6
 - depolymerization/modification 272–4
 - enzymatic characterization 273–4, 275
 - future developments 286–7
- linkage-specific glycosylation 178–9
- property-encoded nomenclature 276, 278–83
- sequence motifs 285–6
- sequencing 278–86
- structural characterization 270–2
- structure 40, 42, 270
- structure–function relationships 269–94
- GLYCOSCIENCES.de 15
 - conformational analysis 371, 379–80, 396
 - glycomic mass spectrometry 244–5, 260
 - glycosylation 151–9
 - nuclear magnetic resonance 301–6
 - sequence formats 54–5, 66
 - SWEET/SWEET-II 345, 406
- glycoside hydrolases (GHs) 92, 98–101, 113–14
- glycosphingolipids 38–9
- GlycoSuiteDB 15, 50–1, 56, 240–1, 244–5
- glycosylation 5–7
 - amino acids 153–7, 169–70
 - artificial neural networks 164–5
 - biological relevance 143–4
 - C-mannosylation 144, 171, 182–3
 - carbohydrate-active enzymes 143–62, 163–92
 - conformational analysis 346, 379, 391–3
 - congenital disorders 140, 146–7
 - data collection 168–70
 - data-driven prediction methods 164–8
 - evaluation strategies 165–8
 - existing predictors 173–80, 182–3, 185
 - functions of *O*-glycans 150
 - glycation 170, 183–5
 - glycomic mass spectrometry 223–4, 227, 236, 239
- GlySeq 151–9
- GPI anchors 171, 180–2
- high performance liquid chromatography 203–4
- linkage-specific 170–83, 185
- Markov models 164
- nuclear magnetic resonance 312–14, 316–17, 321
- prediction methods 163–92
- protein folding 145–8
- proteoglycans 150, 178–80
- sequence dependence 151–9
- sequence logos 169–70, 172–3, 175–7, 179–85
- sequence motifs 172, 174–5, 177, 179–80, 182, 184
- types 144
- see also N*-glycosylation; *O*-glycosylation

- glycosylphosphatidylinositols (GPIs) 13, 39, 171, 180–2
- glycosyltransferases (GTs)
 biosynthetic pathways 5, 7–8
 carbohydrate-active enzymes 134–6, 139–40, 145, 170–1, 177
 carbohydrates 3
 CAZy database 91–2, 97–115
 EC classification 97–9
 family comparisons 101–14
 glycomic mass spectrometry 228
 sequence/structure classification 99–101
 stereochemical outcome 98–9, 102–14
- GlycoWorkbench 257–8, 260–8
- GLYDE-II 16–17, 50–1, 59–60, 66–7
- GlyProt 379–80
- GlySeq 151–9
- GlyVicinity 434–44
- GMF *see* glycofragment mass fingerprinting
- Golgi apparatus 5
 carbohydrates 35, 37
 glycosylation 145–50
 lectins 416
- GPI *see* glycosylphosphatidylinositols
- GPI-SOM 182
- GROMOS 344, 375
- group epitope mapping (GEP) 346
- GTs *see* glycosyltransferases
- gu *see* glucose units
- HA *see* human influenza virus
- hard-sphere *exo*-anomeric (HSEA) program
 342–3, 345, 371
- Hassel–Ottar effect 340–1, 361
- HCA *see* hydrophobic cluster analysis
- HCGP-39 *see* human cartilage glycoprotein-39
- heparan sulfate
 glycosylation 149–50, 178
 structure 42
 structure–function relationships 270–1, 276, 278–82
- heparosan synthase 101
- hepatocyte growth factor/scatter factor (HGF/SF) 417, 420
- hidden Markov models (HMMs) 136–7, 164
- Hierarchical Organization of Spherical Environments (HOSE) 297–8
- high performance liquid chromatography (HPLC)
 capillary electrophoresis 205–6, 210–11, 213
 carbohydrates 81, 203–21
- data analysis 213–16
- display options 215–16
- experimental methods 196–7, 198–200, 204–10
- glucose units 215
- glycan labeling 205–6, 207
- glycan profiling 206
- glycan quantification 206–7
- glycan release 204–5, 227–8, 231–4
- glycan sequencing 207–10
- glycosaminoglycans 277
- glycosylation 203–4
 reversed phase 213
 separation techniques 211–13
- high-pH anion exchange with pulsed amperometric detection (HPAEC-PAD) 212–13
- high-temperature molecular dynamics (HTMD) 372
- HMMs *see* hidden Markov models
- HOSE *see* Hierarchical Organization of Spherical Environments
- host–pathogen interface 69–70
- HPAEC-PAD *see* high-pH anion exchange with pulsed amperometric detection
- HPLC *see* high performance liquid chromatography
- HSEA *see* hard-sphere *exo*-anomeric
- HTMD *see* high-temperature molecular dynamics
- human cartilage glycoprotein-39 (HCGP-39) 417, 419–20
- human influenza virus (HA) 10–11
- hyaluronan 42
- hyaluronan synthase 101
- hyaluronic acid 271
- hydrazinolysis 81
- hydrogen bonding 368–70, 376–8
- hydrophobic cluster analysis (HCA) 94
- I-type lectins 417, 422
- InChI 63
- independent linkage approximation 368, 370
- infrared multiphoton dissociation (IRMPD) 235, 238
- International Union of Biochemistry and Molecular Biology (IUBMB) 51–2, 122
- International Union of Pure and Applied Chemistry (IUPAC)
 carbohydrates 50, 51–3, 55–6, 59
 conformational analysis 396

- high performance liquid chromatography 215–16
- nomenclature 24, 25–8
- nuclear magnetic resonance 299, 317–18
- invertebrate lectins 417
- IPSA *see* isolated spin-pair approximation
- IRMPD *see* infrared multiphoton dissociation
- isolated spin-pair approximation (IPSA) 405
- IUBMB *see* International Union of Biochemistry and Molecular Biology
- IUPAC *see* International Union of Pure and Applied Chemistry
- Karplus equations 390, 403–4
- KCaM 125–7, 129
- KCF database 50–1, 57–9, 127
- Kdn 79, 80
- Kdo 78–9
- KegDraw 126–7
- KEGG *see* Kyoto Encyclopedia of Genes and Genomes
- keratan sulfate 42, 271
- 2-keto-3-deoxy-D-manno-octulosonic acid 78–9
- KO database 120, 125
- Kohonen networks 325–6
- Kohonen self-organizing maps 164
- Kyoto Encyclopedia of Genes and Genomes (KEGG) 15–16
 - carbohydrate-active enzymes 119–20, 125–41
 - Chemical Function database 50–1, 57–9, 127
 - co-occurrence scores 135
 - Composite Maps 127–34, 138–40
 - data mining 136–7
 - GENES 134
 - genomics 137–8
 - GLYCAN database 125–41, 241, 244, 283, 400
 - glycosyltransferases 134–6
 - KCaM 125–7, 129
 - KegDraw 126–7
 - Markov models 136–7
 - microarray analysis 136
 - Orthology database 120, 125
 - PATHWAY database 5–7
 - reaction libraries 134–5
 - structure prediction 134–6
- laser-induced desorption (LID) 261
- LC-MS *see* liquid chromatography–mass spectrometry
- lectin binding assays 198
- lectins
 - animal-specific 417, 418–22
 - carbohydrate recognition 422–7
 - conformational analysis 363
 - divergent/convergent evolution 420–2
 - eukaryotes 415–16
 - fold types 418–22
 - glycoprotein targeting 415–16
 - glycosylation 145
 - plant-specific 416, 418–22, 424–6
 - prokaryotes 418
 - protein–carbohydrate interactions 415–31
 - quaternary structure and avidity 423–6
 - sialic acids 76–8
 - viruses 418
- legionaminic acid 79
- LID *see* laser-induced desorption
- linear interaction energy (LIE) 346
- Linear Notation for Unique Description of Carbohydrate Sequences (LINUCS) 50–1, 54, 395–6
- LinearCode 50–1, 56–8
- linkage analysis 249–51
- linkage descriptors 299
- linkage topologies 34
- linkage-specific glycosylation 170–83, 185
- LINUCS 50–1, 54, 395–6
- lipooligosaccharides (LOS) 76–7
- lipopolysaccharides (LPS)
 - host–pathogen interface 76, 79
 - nuclear magnetic resonance 314, 318
 - structure and diversity 41, 43
- liquid chromatography–mass spectrometry (LC-MS) 227, 235, 238–9, 248–9, 274–6
- liquid secondary ion–mass spectrometry (LSI-MS) 224
- LOS *see* lipooligosaccharides
- LPS *see* lipopolysaccharide
- LSI-MS *see* liquid secondary ion–mass spectrometry
- MALDI *see* matrix-assisted laser desorption/ionization
- mammalian glycosylation 174–6
- mammalian monosaccharides 29–30
- mass spectrometry (MS)
 - carbohydrates 3, 204, 207, 210
 - compositional analysis 240–4, 258–62, 265–6
 - data handling/analysis 239–51
 - derivatization 229–34

- mass spectrometry (*Contd.*)
 downstream analysis of glycan release
 227–34
 experimental methods 196, 198–200, 204,
 207, 210
 fragment annotation 260–8
 GlycanBuilder 262–3
 Glyco-Peakfinder 257–62, 265–6
 glycomics 223–56, 257–68
 glycopeptides 227, 237–9
 glycoproteomics 224, 234–5
 glycosaminoglycans 276–7
 GlycoWorkbench 257–8, 260–8
in silico fragmentation 263–4
 linkage analysis 249–51
 monosaccharides 228, 240–1, 249
 oligosaccharides 224, 226, 227–36, 240
 parallel approach 239
 peak annotation 265
 sample preparation 224–7
 semi-automatic interpretation 257–68
 sequence analysis 244–9
 validation 250–1
 matrix-assisted laser desorption/ionization
 (MALDI) 229, 231, 234–9, 250, 259,
 276–7, 280–1
 Matthews correlation coefficient
 166, 173, 185
 MC *see* Monte Carlo
 MCM *see* Monte Carlo Multi Minimum
 MD *see* molecular dynamics
 Medline 168
 metabolic oligosaccharide engineering 13
 Metropolis Monte Carlo (MMC) simulations
 372–4, 404
 microarray analysis 11, 136
 Microarray Data 120–1
 microbial oligosaccharides 77
 milk oligosaccharides 75–6
 MM2CARB method 343–4
 MMC *see* Metropolis Monte Carlo
 molecular dynamics (MD) 342, 344–7, 370,
 372–9, 404–5
 monoclonal antibodies 321
 MonosaccharideDB 64–5
 monosaccharides
 carbohydrate-active enzymes 132, 137, 149
 conformational analysis 337, 339, 346,
 361–3, 365, 395–7
 digital representations 56–7, 60, 62–6
 glycomic mass spectrometry 228, 240–1, 249
 high performance liquid chromatography
 207–8, 215
 naturally occurring 28–30
 nomenclature 25–8
 nuclear magnetic resonance 295–6, 306,
 311–13, 321, 326, 328–9, 332
 protein-carbohydrate interactions 422–3
 small molecule descriptors 62–4
 structure and diversity 23–4, 25–30
 Monte Carlo (MC) simulations 345, 372–4, 404
 Monte Carlo Multi Minimum (MCM) 373
 MS *see* mass spectrometry
 MS/MS *see* tandem mass spectrometry
 mucins 75–6, 174–6

N-acetylneuraminic acid (Neu5Ac) 72–3,
 76–9, 80
N-glycans 4
 conformational analysis 359, 362, 368, 395,
 397–9
 glycomic mass spectrometry 227–9, 240,
 244, 249
 nuclear magnetic resonance 302–8
 protein-carbohydrate interactions 415–16
 structure and diversity 35–6, 45
N-glycosylation 5–7
 carbohydrate-active enzymes 128, 130–1,
 138, 143–4, 145–8, 153–9
 conformational analysis 391–2
 linkage-specific 171, 172–4
 National Center for Biotechnology Information
 (NCBI) 120, 122
 negative hyperconjugation 365
 NetCGlyc 183
 NetGlycate 185
 NetNGlyc 173–4
 NetOGlyc 175
 NetPGlyc 179–80
 Neu5Ac *see* *N*-acetylneuraminic acid
 neural networks *see* artificial neural networks
 NeuroCarb 325–32
 data preprocessing 326–9
 performance 331
 test phase 329–31
 training and validation 329
 work phase 330–1
 workflows 325, 327
 nitrous acid cleavage 272–3
 NMR *see* nuclear magnetic resonance
 NOEs *see* nuclear Overhauser effects
 nuclear magnetic resonance (NMR)

- advantages/disadvantages 295–6
artificial neural networks 321–34
automatic procedures 308, 311–20
bioinformatics 296–9
carbohydrates 295–309, 311–12
CASPER program 301, 311–20, 344
chemical shift estimation 301–8, 312–14, 328–9
comparisons with theoretical data 402–7
conformational analysis 338, 343–7, 365, 379, 389–90, 402–7
coupling constants 403–4
cross-relaxation experiments 404–6
data handling/analysis 315–16
databases 296, 298–9, 316–17
experimental methods 197–200
glycomic mass spectrometry 249
glycosaminoglycans 274, 277, 281–3
glycosylation 312–14, 316–17, 321
H–H distances 404–6
monosaccharides 295–6, 306, 311–13, 321, 326, 328–9, 332
NeuroCarb 325–32
oligosaccharides 306, 312–14, 316, 318–19, 321, 330–2
performance measures 318
polysaccharides 296, 306, 312–14, 319
protein–carbohydrate interactions 433
spectral matching 308
spectral searches 301
stereochemistry 297–8
structure generation 314–15, 319
SugaBase 299–301
torsion angles 403–4
nuclear Overhauser effects (NOEs) 277, 338, 345–6, 374, 389–90, 403, 405–6
nuclear proteins 177–8
NXS sequons 157, 169, 172–3
NXT sequons 157, 169, 172–3
- O*-glycans
conformational analysis 359, 395, 397–9
glycomic mass spectrometry 227–9, 239–40, 244
nuclear magnetic resonance 308
structure and diversity 36–7
- O-GLYCOBASE 152–3, 168
O-glycosylation 5–7, 36–8
carbohydrate-active enzymes 138, 144, 148–50, 153–9
data collection 168
linkage-specific 171–2, 174–8
O-mannosylglycans 149
Oligosaccharide Subtree Constraint Algorithm (OSCAR) 247, 250
oligosaccharides
assembly level 30–4
composition 31–3
conformational analysis 337, 343–6, 360, 363, 368, 373, 377, 402–3
database analysis 33–4
digital representations 52–6, 57–61
empirical structural classifications 34–44
experimental methods 195–6
glycomic mass spectrometry 224, 226, 227–36, 240
glycosylation 145, 148–9, 151
host–pathogen interface 69, 75–8, 81
nuclear magnetic resonance 306, 312–14, 316, 318–19, 321, 330–2
protein–carbohydrate interactions 422–4
structure and diversity 30–44
see also glycosaminoglycans
oligosaccharyl transferase (OST) 35–6, 144, 146
ordered tree Markov model (OTMM) 137
Orthology database 120, 125
OSCAR *see* Oligosaccharide Subtree Constraint Algorithm
OST *see* oligosaccharyl transferase
OTMM *see* ordered tree Markov model
Oxford GlycoSciences 249
- PAD *see* pulsed amperometric detection
particle-mesh Ewald (PME) 381
PATHWAY database 5–7
PBC *see* periodic boundary conditions
PCR *see* polymerase chain reaction
PDB *see* Protein Data Bank
PDI *see* protein disulfide isomerase
PEN *see* property-encoded nomenclature
pentraxins 420, 425
peptidoglycans 40–1
peracetylation 229–31
periodate oxidation 230–1, 272–3
periodic boundary conditions (PBC) 381
permethylation 229–31
PES *see* potential energy surfaces
PFOS *see* potential function for oligosaccharides
PGs *see* proteoglycans
plant polysaccharides 41–2
plant-specific lectins 416, 418–22, 424–6

- PLs *see* polysaccharide lyases
 PME *see* particle-mesh Ewald
 PNGase F/A 81, 227–8, 239
 polymerase chain reaction (PCR) 7, 9, 296
 polypeptides 145
 polysaccharide lyases (PLs) 93
 polysaccharides
 conformational analysis 337–8, 339–42, 358
 digital representations 52–6, 57–61
 host–pathogen interface 76
 nuclear magnetic resonance 296, 306,
 312–14, 319
 structure and diversity 24, 33, 39–42
 see also glycosaminoglycans
 positive predictive value (PPV) 166
 post-source decay (PSD) 231, 235
 post-translational modification (PTM) 23
 potential energy surfaces (PES) 373
 potential function for oligosaccharides
 (PFOS) 371
 PPV *see* positive predictive value
 probabilistic sibling-dependent tree Markov
 model (PSTMM) 137
 prokaryotic lectins 418
 property-encoded nomenclature (PEN) 276,
 278–83, 285
 Protein Data Bank (PDB)
 algorithm 396–7
 amino acids 435–44
 atomic level interactions 439–44
 carbohydrate-active enzymes 120, 123, 152–3
 carbohydrates 4, 63
 comparisons with theoretical data 401–2
 conformational analysis 338, 347, 379,
 390–402
 data handling/analysis 434–44
 dataset generation 434
 erroneous entries 399–400
 glycosylation 152–3
 GlyVicinity 434–44
 informational resources 390–3
 overview of detected structures 397–400
 protein–carbohydrate interactions 433–45
 searching 3D structures 393–7
 protein disulfide isomerase (PDI) 147
 Protein Mutant database 96
 protein–carbohydrate interactions
 amino acids 435–44
 atomic level interactions 439–44
 data handling/analysis 434–44
 dataset generation 434
 GlyVicinity 434–44
 lectins 415–31
 Protein Data Bank 433–45
 statistical analysis 433–45
 see also glycoproteins
 proteoglycans (PGs) 40, 42, 150, 178–80
 proteomic proteolytic digest mass
 spectrometry 228
 PSD *see* post-source decay
 pseudaminic acid 79
 PSTMM *see* probabilistic sibling-dependent
 tree Markov model
 PTM *see* post-translational modification
 public WEB-Medline (PubMed) 14
 pulsed amperometric detection (PAD) 205

 quantum mechanics (QM) 360, 364–5, 372, 404

 random array analysis method (RAAM) 210
 Random Molecular Mechanics (RAMM) 344,
 372–3
 reaction libraries 134–5
 receiver operating characteristic (ROC) curves
 167, 173, 175
 Red Queen Effect 78
 reducing end derivatization 230–4
 relaxed maps 342, 371
 reproductive and respiratory syndrome virus
 (RRSR) 78
 reversed phase HPLC 213
 ricin 416, 419, 421
 rigid energy maps 342
 rigid tissue approximation 340
 rigid-residue approach 371
 ring puckering 361
 RNA sequences 23–4
 ROC *see* receiver operating characteristic
 rotational nuclear Overhauser effect
 spectroscopy (ROESY) 277
 RRSR *see* reproductive and respiratory
 syndrome virus

 Saccharide Topology Analysis Tool (STAT)
 246, 250
 saccharides *see* monosaccharides;
 oligosaccharides; polysaccharides
 SAX *see* strong anion exchange
 SD *see* stochastic dynamics
 SDS-PAGE *see* sodium dodecyl sulfate
 polyacrylamide gel electrophoresis
 Secondary Red Queen Effect 78

- self-organizing maps (SOMs) 325
- sensitivity testing 165–7
- sequence analysis
 - CAZy database 99–101
 - glycomic mass spectrometry 244–9
 - LINUCS 50–1, 54, 395–6
- sequence formats 50–61
- sequence logos 169–70, 172–3, 175–7, 179–85
- sequence motifs 172, 174–5, 177, 179–80, 182, 184, 285–6
- Sequence Retrieval System (SRS) 168
- sialic acids 69–88
 - biological roles 70–1, 72–3
 - biosynthetic pathways 76–8
 - digital representations 80–2
 - esterification 230–1, 234
 - evolution 78–9
 - future directions 80–2
 - host defense mechanisms 74–6
 - pathogens 70–1
 - species distribution 74
 - structure and diversity 72–5
- siglecs 77–8, 417, 422
- SignalP 182
- simulated annealing 345
- size exclusion chromatography 209
- small molecule descriptors 62–4
- SMILES 62–3
- snowdrop lectin 419, 426–7
- sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) 204–5, 229, 237–8, 276
- SOMs *see* self-organizing maps
- Spanish flu 10–11
- specificity testing 165–7
- spermadhesins 417–19, 426
- sphingosine 39
- SPR *see* surface plasmon resonance
- SRS *see* Sequence Retrieval System
- STAT *see* Saccharide Topology Analysis Tool
- stem names 26–7
- stereocodes 63–4
- stochastic dynamics (SD) 345, 372
- StrOligo 247
- strong anion exchange (SAX) 211
- SugaBase 299–301
- supervised learning 322–5
- Support Vector machines 164
- surface plasmon resonance (SPR) 346
- SWEET/SWEET-II 345, 406
- Swiss-Prot 4
 - carbohydrate-active enzymes 152–3
 - glycosylation 152–3, 168, 173, 175–6
 - TrEMBL 120–1
- tandem mass spectrometry (MS/MS)
 - 226, 229, 234–5, 238, 244–50, 260, 263
- TBA *see* thiobarbituric acid
- teichoic acids 41
- terminal sialic acid esterification 230–1, 234
- thiobarbituric acid (TBA) assays 81
- time-of-flight (TOF) analysis 231, 235
- TINKER/MM3 364, 366, 372, 375–6, 406
- TOF *see* time-of-flight
- transferred nuclear Overhauser enhancement (TR-NOE) 346
- TrEMBL 120–1
- trisaccharides 337
- trypsin 237
- UDP-Glc:glycoprotein glucosyltransferase (UGGT) 147–8, 174
- unsupervised learning 322–6
- uridine triphosphate (UTP) 5
- vaccines 12–13
- vertebrates 76–7, 417
- viruses 418
- weak anion exchange (WAX) 211
- wheat germ agglutinin (WGA) 425, 427
- X-ray crystallography 337, 389, 407, 433
- X-ray diffraction 337
- XML *see* extensible markup
- YinOYang 177–8
- zanamivir 345

This index was prepared by Neil Manley

