

INDEX

- Absorption law, 585, 586
- Acquisition:
- conditional expected value, 364–366, 589, 592, 593, 594, 595, 600
 - expected value, 327–328, 364
 - software, 642, 661–663, 667–671
 - unconditional expected value, 364, 366
- Adverse effects, 4, 9, 23, 44, 328, 576, 642
- Aircraft development example (project management), 650, 657–661
- Airplane acquisition problem (fractile method), 170–175, 363–366
- Analytic hierarchy process (AHP), 168, 306, 446
- AND gate (Boolean algebra), 574–575, 581, 584–592
- Anticipatory failure determination (AFD), 101, 102, 651
- Aristotle, systems engineering, 7
- Artificial intelligence (AI), 218
- Assays (CPB), 547–569
- classes, 553
- Associative law, 582
- Automated Highway System (AHS), 141–148
- engineered systems, 141, 142, 143
 - failure, 142–148
 - hierarchical holographic model (HHM), 143–148
- Bands of indifference, 227, 228, 568
- Bank problem (uncertainty), 274–279
- Battery selection, 548–549, 552–554
- Bayes' formula, 385, 415, 419, 550
- carcinogenic predictivity, 46, 547–569
 - decision tree and, 161
 - multiobjective decision-tree analysis (MODT), 385–389
- Bayesian analysis, terrorism and, 744–749
- Bellman's principle of optimality, 951, 953, 956
- Benefit–cost concept, 256, 331
- Bertalanffy, systems engineering, 8, 9
- Boolean (logic) algebra, 579, 581–589
- AND gate, 574, 581, 584–592
 - distribution analyzer and risk evaluator (DARE), 589–594
 - fault trees, 580–585
 - OR gate, 581, 586, 587, 589–591, 599
 - rules, 584
- Boulding, systems engineering, 9
- Brainstorming:
- hierarchical holographic modeling (HHM), 136
 - influence diagrams, 177–181
- Bureau of Economic Analysis (BEA), 805–806
- Calculus, optimization and, 917, 919–920, 922, 926
- dynamic systems, 920
- Canonical transportation problem (linear programming), 949–950
- Capability maturity model (CMM), 662
- Car trouble problem (fault tree), 611–614
- Carcinogenicity prediction and battery selection (CPBS):
- accuracy, 548
 - assays, classes of, 553
 - carcinogenic, 547, 548, 555
 - carcinogens, 547–551, 553–556
 - classes of assays, 553
 - defined, 46
 - false characterization, 561
 - indifference bands, 560
 - noncarcinogen, 547, 548, 550
 - noncarcinogenic, 547, 548, 552, 554
 - objectives, 548
 - predictability, 549, 550
 - predictivity of an assay, 548, 552
 - randomness, 564
 - recursive formula, 558–560
 - risk of cancer, 547
 - selectivity, 554–564
 - sensitivity, 548–552
 - specificity, 548–552
 - test battery:
 - performance, 554–564
 - predictivity, 554–564
 - trade-offs, 564–569
- Cardinal scale, 604
- Case studies, 843
- extreme events and 6-sigma capability, 900–911
 - Hurricane Katrina, 861–877
 - management of lahar flow threat, 886–900
 - Northeast blackout, 843–911
 - September 11, 2001, 877–886
- Catastrophic events:
- damage, 21, 34
 - decision analysis and, 156
 - partitioned multiobjective risk method (PMRM), 511–512
 - risk of, 327, 328, 331, 333, 375
- Cauchy–Schwarz inequality, 287
- Chebyshev inequality, 505
- chi-square test, 484
- COCOMO (constructive cost model), 124, 670, 678–679
- Commercial off-the-shelf (COTS), 672, 775–777
- Commutative law, 582
- Complementation law, 582, 583

- Computer Aided Dispatch (CAD), 781–783
- Computer manufacturing problem (decision analysis), 208–211
- Conditional expected loss, 400
- Conditional expected value:
 - crutches problem (uncertainty), 159–161, 163–168
 - extreme events, 328–332, 374, 703
 - functions, 335, 380
 - log-normal distribution, 983–988
 - multiobjective decision–tree analysis (MODT), 376–377, 398–400
 - multiobjective multistage impact analysis method (MMIAM), 431–444
 - multiobjective risk–impact analysis method (MRIAM), 432
 - partitioned multiobjective risk method (PMRM), 431, 439
 - project risk management, 649, 664
 - triangular distribution, 988–991
- Constraints, 10, 13, 39, 43, 60, 66, 71, 84, 210
- Continuous risk management, 642, 644
- Cost function, 677
- COTS (commercial off-the-shelf), 672, 775–777
- Covey's *Seven Habits of Highly Effective People*, 6–19, 21
 - abundance mentality, 16
 - circle of concern, 14
 - circle of influence, 14
 - iteration, 18
 - kaizen, 18
 - knowledge management, 17
 - state variables, 15
 - systems approach, 18–19
 - time management, 16
 - trade-offs, 17
- Cost–benefit (C/B) models, 30, 429, 844, 860, 862, 887–888, 889
- Cramer's method, 531, 536, 539, 540, 542
- Criticality analysis (FMEA, FMFCA), 604–605
- Critical path method (CPM), 16
- Crutches problem, 159–161, 163–168
- Cumulative distribution function (cdf), 169, 328, 358, 543, 589, 593–595, 600, 781
- Cyber attack:
 - on water utility (extreme events), 367–372
 - SCADA, 367, 778–779, 781–783
- Cybernetics, 8
- Cyberterrorism, 735
- Dam failure problem (PMRM), 345–350
 - probable maximum flood (PMF), 346
- Data-into-intelligence, 64–65
- Database management system (DBMS), 672
- de Morgan's theorem, 582, 583
- Decision analysis:
 - channel reliability problem, 178–181
 - crutches problem, 159–161
 - decision matrix, 168–169
 - decision trees, 161–168
 - chance node, 162
 - consequences, 163
 - crutches problem, 159–161
 - decision node, 162
 - decision rules under uncertainty, 158–161
 - example problems, 201–214
 - computer manufacturing, 208–211
 - deicing, 205–208
 - dingo population, 211–214
 - expected monetary value, 204–205
 - testing, 203–207
 - expected value of outcome, 164
 - expected value of opportunity loss, 164–167
 - fractile method, 150–156, 169–175
 - Hurwitz:
 - model, 210
 - rule, 159–161
 - influence diagrams, 177–181
 - channel reliability problem, 178–181
 - variable impact, 181
 - Leslie matrix, 188–193
 - optimistic rule, 158
 - pessimistic rule, 158
 - population dynamics, 181–193
 - example problems, 183–188
 - exponential model, 183
 - macro population model, 181–183
 - Malthusian parameter, 182
 - micro population model, Leslie, 188–192
 - triangular distribution, 175–177
- Decision matrix, 168–169
- Decision rules under uncertainty:
 - conditional expected value of risk, 157
 - Hurwitz rule, 159–161, 202, 210
 - optimistic rule, 158
 - pessimistic rule, 158
- Decision-support systems (DSS), 218
- Decision tree, *see also* Multiobjective decision tree analysis (MODT):
 - Bayes' theorem, 161
 - chance node, 162
 - crutches problem, 163–168
 - consequences, 163
 - decision node, 162
 - defined, 43
 - differences, SODT vs. MODT, 407–409
 - expected opportunity loss (EOL), 164–167
 - fold back, 208, 395, 397, 398, 415–416
 - methods, 97
 - most likely value (MLV), 167–168
 - multiple objectives, 375–376
 - representation (illustration), 204, 206
 - single objective (SODT), 407
- Decision uncertainty:
 - defined, 272–273
 - risk measurement, 272, 278–279
 - social cost of risk, 273, 278–279
 - social values, quantification of, 273, 278–279
- Decision variables:
 - definition, 67, 68

- hierarchical holographic modeling (HHM), 98
 - modeling and, 63, 67, 68, 83-87
 - multiobjective trade-off analysis, 323, 238, 241, 243, 245, 250, 252
 - uncertainty and, 257
- Decisionmaking:
 - extreme events, quantification, 522-526
 - major categories of, 256
 - mathematical models, 43
 - multiobjective decision tree (MODT), 375
 - risk-based, 3
- Decomposition:
 - hierarchical holographic modeling (HHM), 91, 103
 - multilevel approach and, 920
- Deicing problem (decision analysis), 205-208
- Desalination plant problem (Lagrange), 929-930
- Deterministic models:
 - linear programming, 86
 - probabilistic, and, 918
 - uncertainty and, 256
- Diet problem (Lagrange, linear programming), 941-944
- Diffusion equation, 919
- Dingo population problem (decision analysis), 211-214
- Direct search, 919
- Discrete (integer) programming, 922
- Discrete-time dynamic system, 635
- Dissolved oxygen problem (PMRM), 529-531
- Distributed parameter, 59, 919
- Distribution analyzer and risk evaluator (DARE):
 - Boolean algebra, 589-594
 - conditional expectation, 587
 - conditional expected value, 589
 - conditional extreme expectation, 589
 - extreme events, risks of, 574
 - failure rate distributions, 612
 - fault trees and, generally, 46, 556, 587-592
 - flowcharts of, 591
 - Monte Carlo simulation, 587
 - partitioning, 589
 - time-to-failure distributions, 589-591
 - Weibull distribution, 587
- Distributive law, 582, 583
- Dual function in nonlinear programming, 969-971
- Dual in linear programming, 938-939
- Dual problems, 79-82
- Duality in linear programming, 937-944
- Dynamic model, 919
- Dynamic programming:
 - applications of, generally, 951-966
 - Bellman's principle of optimality, 953
 - inventory problem, 960-966
 - model formulation example, 960-962
 - network example, 951-953
 - water inventory problem, 960-966
- 36-37
- Environmental health and safety (PMRM), 362-364
- ϵ -constraint approach, 224-225, 235, 432, 461, 629, 679, 859
- Equality constraint problem, 921, 924-930
- Errors, measurement, 61
- Event trees, 101, 102, 602606
- Events, 62
- Exogenous variables:
 - generally, 11, 47
 - hierarchical holographic modeling (HHM), 100
 - modeling and, 67-68, 83-84, 87
- Expected monetary value (EMV), 204-205
- Expected opportunity loss, 163-166
- Expected value:
 - Decision-tree analysis, 414
 - denoted, 337
 - fallacy of, 46, 331-332
 - log-normal distribution, 980-982
 - opportunity loss, 163-166
 - outcome, 164
 - partitioned multiobjective risk method (PMRM), 332-337
 - probability density function (pdf), 981
 - project risk management, 650
 - random variable, 981
 - risk, *see* Expected value of risk
 - triangular distribution, 988-991
- Expected value of experimentation (EVE), 380-381
- Expected-value function, 380-381
- Expected value of risk:
 - extreme events, 328-330
 - extreme failures, 333
 - fallacy, 331-332
 - failure mode effects analysis (FMEA, FMECA), 604
 - generally, 32-33
 - highway design, 355-356
 - risk reduction, 346
- Expert evidence, 157
- Extreme event(s):
 - dam failure, 345-350
 - expected value of risk, 328-330
 - fallacy of expected value, 331-332
 - fault trees and, 592-596
 - lahar flow case study, 886-900
 - probability density function (pdf), 664
 - quantification, 666
 - risk and, 328-330, 376-378
 - statistics of, 900-911
 - sustainable development and, 114
- Extreme failure, value of, 344
- Extreme values:
 - partitioned multiobjective risk method (PMRM), 468-473
 - sensitivity analysis, 346
 - Weibull, 486-487, 490, 493-495, 499-506
- Engineering-based systems, risk characteristics,

- Faculty population problem, 184
- Failure:
- automated highway system (AHS) example, 142–146
 - engineering-based systems, organizational, 37–38
 - generally, 24–27
 - risk assessment process and, 63
 - software risk management, 36
 - sources, 22–23, 57
- Failure density, 578
- Failure mode effects analysis (FMEA, FMECA):
- criticality analysis, 604–605
 - failure effect probability, 604
 - failure mode ratio, 605
 - fault trees, 48
 - hierarchical holographic modeling (HHM), 101, 103, 142–143, 603
 - methodology, 557–559
 - MIL-STD-1629, 557–559
 - overview, 602–603
 - part failure rate, 605
 - probability, 604–605
 - project risk management, 603
 - risk filtering, ranking, and management (RFRM), 604
 - risk priority number, 604
 - scenarios, 101
 - SAE J1739, 603
 - space missions, 712
 - time management, 16
 - two- and three-attribute approaches, 604
 - weaknesses, 604
- Failure rate, fault-tree analysis, 590, 597
- Fallacy of expected value, 327–332
- Farmer's dilemma problem, 38–50, 57, 59, 72–83, 631–633
- Fault trees:
- AND gate, 574, 581, 584–592
 - applications of, generally, 46, 101, 104
 - approximations, 574
 - background, 571–574
 - Boolean (logic) algebra, 575, 579
 - car trouble problem, 611–614
 - conditional expectation, rare and catastrophic events, 600
 - conditional expected value, 589, 593
 - conditional extreme expectations, 589, 600
 - damage severity levels, 592, 587–588
 - definition, 574
 - distribution analyzer and risk evaluator (DARE), *see* Distribution analyzer and risk evaluator (DARE)
 - example problems, 605–614
 - exponential distributions, 589–591
 - extreme events and, 574, 584–588
 - Gumbel types, 574
 - hierarchical holographic modeling (HHM), 101–102
 - idempotent law, 610
 - importance measure, 602
 - integrated reliability and risk analysis (IRRAS), 573
 - intermediate event, 589
 - limitations, 575
 - minimal cut set, 583–586
 - model description, 572
 - normal distribution, 523
 - OR gate, 574, 576, 579–581, 588–589
 - overview, 571–574
 - partitioned multiobjective risk method (PMRM), 574
 - point probability distribution, 572
 - procedure, 574–575
 - regulation noncompliance problem, 608–611
 - reliability, 571
 - analysis, 575–583
 - safety and reliability, 571–572
 - scenarios, 101–102
 - space shuttle redesigned solid rocket motor (RSRM) problem, 596–602
 - top-down, 585
 - top event, 572, 579
 - unconditional expected values, 601
 - variance, 573
 - water distribution system problem, 605–607
 - Weibull distributions, 573, 590–591
- Filtering:
- expert opinion, 310
 - risk filtering, ranking and management (RFRM), 305–323
- Flood frequency distribution problem, 346
- Flood protection levee (fault tree), 569
- Flood warning problem (MOD1), 381–397, 400–407
- FMEA, FMECA *see* Failure mode effects analysis
- Fractile method:
- airplane acquisition problem, 170–175
 - applications, generally, 41
 - cumulative distribution function (cdf), 169–170
 - extreme events and, 356–363
 - probability density function (pdf), 169–170, 664
- Fréchet distribution, 490
- Furniture company problem, 94–96
- Gambler's ruin problem, 258
- Game theory, 920
- Gamma function, 423–424
- Gasket quality problem (6- σ), 900–911
- Gene-Tox database, 547–548
- General nonlinear programming problem, 966
- General optimization problem, 917–918
- Geometric programming, 919
- Gestalt philosophy, systems engineering, 7
- Gradient methods, 919
- Grapes, screening of, problem, 86–88
- Groundwater problem(s):
- conditional expected value, 354–355
 - constraints, 72, 83–85

- contamination problem, 31, 67–72, 83–85, 478–479
- decision variables, 74, 83–85
- exogenous variables, 67–68, 83–85
- extreme events, 330, 350–353
- input variables, 67
- mathematical models and, 66
- model parameters, 262–263
- model scope, 263
- multiobjective risk-impact analysis (MRIAM), 464–465
- Groundwater problem (*Continued*):
 - objective functions, 84
 - optimization techniques, 263–264
 - output variables, 68–70
 - partitioned multiobjective risk method (PMRM), 343–345, 350–354
 - random variables, 68
 - risk, generally, 31, 83–85
 - risk assessment process, 69
 - state variables, 68, 84
 - unconditional expected value, 325–353
 - variables, 68–71
- Gumbel type distribution, generally, 45, 490, 517, 532–533
- Hackers, 735
- Hazard and operability analysis (HAZOP), 102, 651
- Hazard U.S.-multihazard (HAZUS-MH), 198, 764
- Hegel, systems engineering, 7
- Heisenberg's uncertainty principle, 51
- Heroin addiction problem (MRIAM), 454–455
- Hessian matrix, 923
- Hierarchical aspects of risk management:
 - engineered systems, 91
 - generally, 90
 - risk, identifying, quantifying, and evaluating, 90
- Hierarchical holographic modeling (HHM):
 - action horizon, 122
 - aircraft development example, 657–661
 - applications, generally, 41, 92–94
 - attributes, 93–94
 - automated highway system (AHS), 141–148
 - comparison charts, 139–140
 - decision variables, 98
 - defined, 90–91
 - exogenous variables, 94
 - failure mode effects analysis (FMEA, FMECA), 101, 102, 104, 602–604, 605, 643, 712
 - fault-tree analysis, 91
 - hardening the water supply infrastructure, 129–134
 - head topics, 92, 306
 - hierarchical aspects, 90–91
 - hierarchical holographic submodels (HHS), 113–116
 - lahar flow case study, 889–891
 - multiple-criteria decisionmaking (MCDM), 218
 - operations other than war (OOTW), 135–140
 - Pareto-optimal solution, 92
 - partitioning, 101–102
 - project risk management, 650
 - risk:
 - identification, 41, 98–100, 121, 123
 - ranking of system, 118–119
 - risk filtering, ranking, and management (RFRM), 139
 - scenario model, 98
 - scenario structuring, 94–98
 - software acquisition, 123–129
 - space missions, 688, 721–727
 - subtopics, 93, 306–307
 - sustainable development, 113–118
 - system acquisition project, 118–123
 - program consequences, 128–29
 - system risks, 121
 - system constraints, 98, 106
 - terrorism, analysis of, 105
 - trade-offs, 90, 91, 122, 123
 - triplet questions, 100
 - water supply, hardening infrastructure, 129–134
 - water resource system, 110–113
- Hierarchical holographic submodels (HHS), 113–116
- Hierarchical-multiobjective framework, 26–28
- Hierarchical overlapping coordination (HOC):
 - decomposition, 92–98
 - defined, 92
 - furniture company problem, 94–96
 - hierarchical holographic modeling (HHM), 94–100
 - matrix organization, 92–94
- Hierarchical representation, of risk, 116–117
- High consequence-low probability, 328
- Highway construction problem (MSM), 633–635
- Highway design, conditional expected value, 355–356
- Highway traffic problem (MODT), 418–421
- Holographic, *see* Hierarchical holographic modeling (HHM)
- Homeland security,
 - adding resilience to systems, 751
 - protection of assets, 751
 - risk management phases, 751–771
 - strategic preparedness, 757
- Homework optimization problem, 85–86
- Hurricane Katrina case study:
 - background, 864
 - efficacy of preparedness, 873–876
 - impacts on industry and infrastructure, 864–873
 - education, recreation, and others, 872–873
 - oil and gas sector, 866–869
 - ports and water transportation, 871–872
 - public utilities, 869–871
- Hurwitz rule:
 - Decision analysis, influence diagram, 202
 - model, 210
 - rules under uncertainty, 159–161

- Idempotent law, 610
- Impact analysis, multiobjective decision-tree analysis (MODT), 376
- Imprecision, defined, 61
- Indifference band, 227, 228, 522
- Inequality constraints, 928
- Influence diagrams:
 - channel reliability problem, Mississippi River, 178–181
 - exogenous variables,
 - defined, 182
 - examples, 185–186
 - generally, 177–181
 - Hurwitz rule and, 202
 - quantification of risk, 177
- Information, intelligence, and models, 64–66
- Infrastructure,
 - defined, 91
 - interdependencies, 760–762, 795–839
- Infrastructure problem (MODT), 421–426
- Inoperability:
 - demand-side, 879
 - risk of, 798, 799, 800
- Inoperability input–output model (IIM), 795–839
 - background, 796–798
 - demand-side inoperability, 879
 - development and extensions, 814–819
 - dynamic, 819–825
 - example problems, 832–837
 - multiregional, 817–819
 - practical uses, 825–828
 - regimes of recovery, 802–803
 - regional I/O multiplier system (RIMS II), 812–814
 - supporting databases, 803–812
 - uncertainty (U-IIM), 829–832
- Integer (discrete) programming, 381–451
- Integrated reliability and risk analysis system (IRRAS), 573
- Intelligence, information, and models, 64–65
- Interdependency matrix (BEA), 803–838
- Interstate transportation problem (MODT), 409–413
- Inventory (water supply) problem (dynamic programming), 956–959
- Irreversibility, uncertainty and, 257–258, 260
- Kaizen, 18, 25
- KLOC, software risk management, 674–676
- Knowledge management, 645–647
 - boundaries, 646
 - communication, 17–18
 - compensation, 645
 - defined, 17
 - organizational failure, 25
 - search costs, 645–646
 - system goals, 18
 - trust, 17, 18, 645
- Knowledge uncertainty:
 - abnormal situations, 267
 - approximation, 267
 - disagreement, 267
 - excluded variables, 267
 - incorrect form, 267
 - model uncertainty, 267–269
 - sources of, 272
 - surrogate variables, 267–238
- Kolmogorov-Smirnov test, 470
- Kuhn–Tucker,
 - conditions, 967, 971–972, 973
 - multipliers, 235, 236, 250–251
 - multiobjective statistical method (MSM), 635–636
 - simplex method, 943–947
 - uncertainty sensitivity index model (USIM), 281
- Lagrangian function:
 - desalinization problem, 929–930
 - diet problem, 941–944
 - formulation of, 924–930
 - generalized nonlinear programming, 966–976
 - Kuhn–Tucker multipliers, 928, 947
 - Lagrange multipliers, 919, 928, 938, 967–969
 - multiobjective statistical method (MSM), 636
 - nonlinear equality constraints, 925
 - software acquisition, 680
- Lahar flow case study:
 - auto regressive moving average (ARMA), 891
 - conditional expected value, 897
 - extreme events, 887, 893
 - hierarchical holographic modeling (HHM), 889–891
 - infrastructure, 893
 - linear regression, 892
 - mathematical modeling, 887–888
 - modeling, 887–888
 - multiobjective risk impact analysis method (MRIAM), 896–899
 - multiple objective trade-off analysis, 893–896
 - multiple objectives, 887
 - Pareto frontier, 896
 - Pareto-optimal solutions, 894
 - partitioned multiobjective risk method (PMRM), 897
 - probability distributions, 892
 - risk assessment and management, 888–889
 - statistics of extremes, 893
 - surrogate worth trade-off (SWT), 893–896
 - triple questions, 888, 900
 - variables, 888
- Leibniz:
 - rule, 498
 - systems engineering, 7
- Leontief input-output model, 796–798
- Leslie matrix, 190, 211–213
- Levee drainage system problem (MSM), 616–619
- Life-cycle cost analysis, 643

- Linear dynamic software estimation model, 674–676
- Linear model, 801, 918
- Linear programming (LP), 934–950
 - diet problem, 941–947
 - dual primal problem, 940–941
 - dual variables, 937, 939, 941, 943, 946
 - duality:
 - generally, 937–938
 - Lagrange multipliers, 938–939
 - feasible solution, defined, 936
 - formulation, 935–936
 - geometric solution of, 935
 - model, 57
 - objective function, 934
 - optimal feasible solution, defined, 936
 - primal, 937, 938
 - primal problem, 937
 - problem, *see* Linear programming problem
 - simplex method, 945–947
 - simplex tableaux, 946
 - slack variables, 937
 - solution, defined, 936
 - transportation problem, 947–949
- Linear programming problem, 934–937
 - optimization and, 934–935
- Linear regression, 892
- Log-Pearson Type III, 749
- Low consequence-high probability, 328
- Low frequency-high consequence, 346
- Lumped parameter, 919
- MacLaurin expansion, 487
- Maintainability, defined, 90
- Majority rule, 553
- Malthusian parameter, 182
- Management information system, 772–773
- Manufacturing:
 - matrix organization, 92
 - software risk management and, 36
- Manufacturing problem (MSM), 635–636
- Marginal rate of substitution, 239–241
- Markov process models, 124
- Mathematical models. *see also* Model(s), Modeling
 - defined, 58, 918
 - deterministic vs. probabilistic, 58
 - distributed parameters vs. lumped parameters, 58
 - hierarchical holographic modeling (HHM), 90
 - linear model, 58, 72
 - linear vs. nonlinear, 58
 - modeling errors, 260–264
 - multiple-criteria decisionmaking (MCDM), 216
 - multiobjective multistage impact analysis method (MMIAM), 431–432
 - multiobjective risk-impact analysis method (MRIAM), 428–429
 - nonlinear model, 58
 - optimization techniques, 263–264
 - parameters, distributed vs. lumped, 58–59
 - static vs. dynamic, 58–59
 - uncertainty sensitivity index method (USIM), 279–284
 - variables, 67
- Mathematical programming:
 - classical equality constraint problem, 921, 924–930
 - discrete (integer) programming, 922
 - linear programming, 921
 - nonlinear programming. *see* Nonlinear programming
 - quadratic programming, 921
 - separable programming, 921
 - static optimization, 919, 921
 - unconstrained problem, 921
- Maumee River Basin problem (HHM, SWT), 110–113, 232
- Maximax criterion, 157, 158–159
- Maximin criterion, 157, 158
- Maximum likelihood measures, 163
- Maximum principle, 920
- Mean time to failure (MTTF), 409–413
- Modify problem, (extreme events), 357–364
- Metasystems methodology, 97
- MIL-STD, 603
- Minimal cut sets, 603–606
- Minimax criterion, 157–158
- Minimum sufficient conditions, 923
- Mises' criteria, 531–534, 537
- Model(s) and modeling
 - categories, 60
 - decision variables, 68
 - deterministic, 918
 - dynamic, 919
 - errors, *see* Modeling errors
 - hierarchical holographic modeling, *see* Hierarchical holographic modeling (HHM)
 - information (intelligence), 64–66
 - intelligence, 64–66
 - lahar flow case study, 887–888
 - Leontief input-output, 778, 796–798
 - Leslie, 188–193
 - linear, 918
 - mathematical, 66
 - building blocks of, 209–210
 - classifications, 58
 - defined, 78, 916
 - state variables, 737
 - mess chart, 178
 - micropopulation, 188–193
 - models, 428
 - multiobjective statistical method (MSM), 48–49
 - national goals, 60
 - nonlinear, 918
 - objective functions, 84–87
 - optimization, 76–81
 - optimization techniques, 263–264, 916–922
 - parameters, 262, 919–920
 - probabilistic, 918
 - random variables, examples, 84–86

- risk assessment process, 39–42, 57–88
- scope, 263
- sources of skepticism, 65–66
- static, 919
- system, 57–58
- topology, 262, 920
- uncertainty, 260–261
- water resource system, 111
- Modeling errors:
 - data, 263
 - human subjectivity, 264
 - parameters, 262–263
 - scope, 263
 - topology, 262
 - optimization techniques, 263–264
- Monte Carlo simulation:
 - fault trees, 587, 599
 - multiobjective statistical method (MSM), 631
 - project risk management, 656
- Most likely value (MLV), 167–168
- Multiobjective analysis:
 - multiobjective decision, tree analysis (MODT), 409
 - Pareto–optimum concept, 28, 60
 - noninferior solution, 28, 60
- Multiobjective–criteria decisionmaking (MCDM), 216–219
- Multiobjective decision tree (MODT):
 - analysis, 375–476
 - Bayes' formula, 385–389
 - calculations, 976–980
 - chance nodes, 378–379
 - continuous case, 400–407
 - decision node, 378–380
 - defined, 45
 - discrete case, flood warning, 381–397
 - expected value, 426
 - experimentation, 380–381
 - extreme events, 399
 - fold-back step, 379, 386, 398, 399
 - impact analysis, 376
 - loss vectors, 401–404
 - mean time to failure (MTTF), 410–413
 - multiple-risk measures, 398–400
 - sample problems, 381–397, 409–426
 - sequential structure of, 379
 - single objective (SODT), differences 380, 407–409
 - solution procedure, 379–380
 - terrorism, analysis of, 739
 - Weibull distribution, 421
- Multiobjective, multistage impact analysis method (MMIAM) 431–479
 - equivalent system, 440
 - expected values, 440
 - impact, defined, 432
 - partitioning, 444
 - stage trade-off, 431
- Multiobjective multistage problem, software risk management, 678–683
- Multiobjective problems:
 - multiobjective risk-impact analysis method (MRIAM), 466
 - statistics of extremes, 482
- Multiobjective risk-impact analysis method (MRIAM):
 - defined, 432
 - example problems, 457–478
 - groundwater contamination problem, 476–478
 - impact defined, 432
 - impact analysis, 430–431, 444, 460–461, 464
 - lahar flow case study, 896–900
 - modified heroin addiction problem, 467–476
 - multiobjective models, 428
 - pollution emission problem, 457–467
 - purpose, 428
 - risk-objective functions, 439
 - risk functions, 441, 444
 - sensitivity analysis, 467
 - single-objective models, 428
 - time horizon, 430
- Multiobjective statistical method (MSM):
 - conditional expectation, 631
 - decision variables, 616, 626, 627
 - expected value, 618, 622, 631
 - exogenous variables, 631, 634, 638
 - farmer's dilemma problem, 631–633
 - highway construction, problem, 633–635
 - Indran simulation model, 621
 - Kuhn-Tucker conditions, 636
 - Lagrangian multipliers, 636
 - levee drainage system problem, 616–619
 - linear regression, 629
 - log-normal distribution, 632
 - manufacturing problem, 635–636
 - methodology, 620–622
 - Monte Carlo simulation, 631
 - multiobjective functions, 626
 - objective functions, 621
 - optimization, 616, 618, 619
 - Pareto optimal, 617, 623, 624, 630, 631, 636
 - partitioned multiobjective risk method (PMRM), 622
 - Poisson distribution, 639, 640
 - quadratic regression, 629
 - random variables, 617, 631, 636
 - regression analysis, 616
 - risk functions, 622
 - schematic diagram of, 617
 - Siman simulation, 640
 - simulation, 616, 618, 632
 - state variables, 616, 618
 - supermarket checkout problem, 638–640
 - surrogate worth functions, 623
 - surrogate worth trade-off (SWT), 616, 622–624, 629, 638
 - trade-off values, 623
- Multiobjective trade-off analysis, 216–253, 664
 - advanced systems concepts, 216

- artificial intelligence (AI), 218
 decision-support system (DSS), 2180
 ϵ -constraint method, 224-225, 229, 237, 714
 decision space, 224
 functional space, 224
 example problems, 243-253
 hierarchical holographic modeling (HHM), 219
 improper inferior solution, 234-236
 improper noninferior solution, 234-236
 indifference band, 227-229
 Kuhn-Tucker multipliers, 225, 235, 236, 244, 247, 250-251
 lahar flow case study, 893-896
 Lambda theorem, 232
 modeling, 217-218
 multiple-criteria decisionmaking (MCDM), 216-219
 multiple decisionmakers, 217, 232
 ideal case, 232-233
 probable case, 233
 multiple environmental objectives, 220-222
 categories of concern, 220
 client, 220
 constraints, 220
 nature, 220
 scope, 220
 time horizon, 220
 multipleobjective (vector) optimization problem (MOP), 223-224, 247
 multiobjective statistical method (MSM), 616
 multiple perspectives, 219
 noninferior solution (Pareto optimal), 218, 226
 optimum solution, 227
 optimization, 217, 219
 impact analysis, 219
 philosophy, 216-217
 proper noninferior solution, 234-236
 Reid-Vemuri (water resources problem), 249-253
 reservoir problem, 220-222
 Multiobjective trade-off analysis (*Continued*):
 surrogate worth function, 227-231
 surrogate worth trade-off (SWT), 223-247
 ϵ -constraint method, 224-225
 indifference band, 227
 Kuhn-Tucker condition, 225
 Lambda theorem, 232
 Lagrange multiplier, 232
 multiple decisionmakers, 232-233
 multiple objective optimization problem (MOP), 223-224
 trade-off function, 225-227
 trade-off surface, 238-239
 trade-offs, 218, 223, 240
 utility function approach, 236-243
 water resources planning problem (Reid-Vemuri), 249-253
 weighting method, 223
 Weierstrass' theorem, 231
 Multiple-criteria decisionmaking (MCDM), 188-216-219
 chemical carcinogenicity, prediction of, 547
 examples, 220-222
 extreme events, 328-330
 multiobjective decision-tree analysis (MODT), 375
 multiobjective trade-off analysis, 216-253
 Multiple decision makers (MDMs), 217
 Multiple environmental objectives:
 categories of concern, 220
 examples, 220-222
 reservoir problem, 220-222
 NASA, *see* Space missions
 National Environmental Policy Act (NEPA), 114
 Network example (dynamic programming), 951-953
 Network theory, 920
 Newton, Isaac, and systems engineering, 7
 Newton-Raphson method, 930-933
 Noncompliance with regulations problem (fault tree), 608-611
 Noninferior solution, *see* Pareto optimum
 Nonlinear model, 918
 Nonlinear programming:
 direct search, 919
 dual function, 969, 973
 dual problem, 970
 dynamic programming, 951-966
 general nonlinear optimization problem, 966-976
 geometric programming, 919
 gradient methods, 919
 Kuhn-Tucker, 966, 967-968, 971-975
 Lagrangian multipliers, 919
 optimization and, 919
 primal problem, 967
 problem, 971-976
 saddle point, 969, 970, 976
 theorem II, III, IV, 970-971
 Objective functions, in risk assessment process, 84-87
 Operations other than war (OOTW):
 case study, 317-323
 hierarchical holographic model (HHM), 135-140, 310-311
 Opportunity loss matrix, 165, 166
 Optimum solution, 227
 Optimality principle, *see* Bellman's principle of optimality
 Optimistic rule, 158
 Optimization:
 defined, 917
 linear programming, 934-950
 modeling, 916
 multiobjective decision-tree analysis (MODT), 398
 multiobjective risk-impact analysis method (MRIAM), 428
 multiple-criteria decisionmaking (MCDM), 186

- Newton-Raphson method, 930–933
- OR gate and Boolean algebra, 581, 586, 587, 589–591, 599
- Ordinal scale, 603–605
- Output variables, in risk assessment process, 69–71
- Parameter uncertainty:**
- identification of, 269–272
 - measurement:
 - error, 269
 - generally, 277–278
 - random error in direct measurements, 269–270
 - sampling:
 - error, 278
 - generally, 270–271
 - statistical variation, 269
 - systematic:
 - error, 270
 - generally, 277–278
 - unpredictability, 271, 278
- Pareto distribution, Pearson type IV, 346
- Pareto optimal:**
- extreme events, 346
 - fault trees, 613, 614
 - frontier, 348, 388, 407, 417, 421, 642
 - extreme events, 346
 - fault trees, 613
 - multiobjective risk-impact analysis method (MRIAM), 460–464
 - hierarchical holographic modeling (HHM), 91
 - limitations, 248
 - multiobjective decision-tree analysis (MODT), 387–388, 407, 417
 - multiobjective risk-impact analysis method (MRIAM), 428, 460–464
 - multiobjective trade-off analysis, 218, 222, 248
 - set, 413
- Pareto optimum:**
- multiobjective decision-tree (MODT), 376
 - multiobjective trade-off analysis, 220, 230
- Pareto optimum (Continued):**
- multiple-criteria decisionmaking (MCDM), 218, 221–222
 - risk assessment process, 60, 62–64
- Partitioned multiobjective risk method (PMRM):**
- catastrophic events, 373
 - chi-square test, 484
 - coefficient of variation, 490, 506
 - conditional expectations, 332, 479, 514
 - conditional expected-risk function, 482–486, 495, 527
 - conditional expected value, 333–336, 983–988
 - conditional expected-value functions, 329, 331–332
 - cost function, 457
 - Cramer's method, 531, 536, 539, 540
 - cumulative distribution function (cdf), 328, 331
 - damage ranges, 332
 - defined, 326
 - dissolved oxygen problem, 529–530
 - distribution-free results, 516–519, 527
 - example problems, 528–545
 - expected value, 327–330, 457
 - exceedance probability, 328
 - exponential distribution, 485, 488–499, 507, 517
 - extension of, 482–487
 - extreme events, 327–330, 515–518
 - extreme failure, 325
 - extreme values, 338
 - extremes, 495–506
 - flood peak problem, 534–536
 - formulation, 336–339, 375–377
 - fractile distribution, 543–545
 - Gumbel Type I distribution, 490, 493, 495, 517, 532–533, 537
 - Gumbel Type II, 490, 492, 493, 495, 517, 532–533
 - Gumbel Type III, 346, 490, 493, 517, 532–533, 540
 - Kolmogorov-Smirnov test, 484
 - lahar flow case study, 897
 - log-normal distribution (*LN*), 346, 418, 485–486, 507, 509, 511–515
 - MacLaurin series, 487
 - mean, 335, 433, 438, 486, 516
 - medfly problem, 357–364
 - multiobjective optimization, 424, 442
 - multiobjective multistage impact analysis method (MMIAM) and, 431, 444
 - multiobjective statistical method (MSM), 622
 - natural hazards, 333, 345, 372–373
 - nonexceedance probability, 335
 - normal case, 526
 - normal (*N*) distribution, 384, 439, 442, 493, 507, 508, 519
 - Pareto distribution, 346, 517, 519–521
 - partitioning probability, 336–339, 502–504, 519, 521
 - partitioning points, 441, 511–514
 - probability density function (pdf), 335, 482, 488–490, 507, 522, 593
 - random damage, 513
 - ranges, 459
 - Rayleigh distribution, 536
 - risk analysis, 347–349
 - risk modeling, 330–331
 - risk objective, 348
 - sensitivity, 339, 347, 348, 486, 500
 - s/m, 502, 506–511, 515
 - software risk management, 664
 - space mission Challenger, 700–705
 - standard deviations, 472
 - standard normal distribution, 512
 - statistics of extremes, 340, 473–490, 499, 516
 - surrogate worth trade-off (SWT), 339
 - terrorism, analysis of, 743
 - triangular distribution, 495, 538–541

- Type I, 490, 493, 495, 517, 532-533, 537
 Type II, 490, 492, 493, 495, 517, 532-533
 Type III, 346, 490, 493, 517, 532-533, 540
 unconditional expected damages, 343
 Mises' criteria, 531-534, 537
 Weibull (W) distribution, 421, 485, 486, 487, 490, 493, 494, 499, 500, 502-503, 506-507, 509, 511-515
- Partitioning, 101-104, 497-500, 515
- Pearson type IV, 346
- Pessimistic rule, 158
- Phantom system models (PSM), 193-201
 risk modeling, 194
 decision-based modeling and simulation, 199
 graphical depiction of the methodological framework, 200
- Pharmaceuticals problem (MODT), 413-417
- Plato, systems engineering, 7
- Poisson distribution, 639, 640
- Pollution emission problem (MRIAM), 445-454
- Population dynamics:
 example problems, 183-188, 192-205
 exponential model, 183
 macro population model, 181-188
 Malthusian parameter, 182
 micro population model, Leslie, 188-192
 model:
 exponential, 183
 macro, 181-183
 micro, 188-192
 problems, 183, 188, 193, 206
- Population testing problem (decision analysis), 211-214
- Preparedness, 757
- Probable maximum flood (PMF), 346-348
- Probabilistic model, 918
- Probabilities:
 adverse effects, 856
 capability, 856
 cumulative (probability) density function (cdf), 328
 evidence-based, 40-41
 exceedance probability, 328, 333
 extreme event, 327-328, 748-750, 892-893
 statistics of extremes, 473
 failure mode effects analysis (FMEA, FMECA), 602
 generation of, 169
 fractile method, 169
 triangular distribution, 175
 intent, 737, 745
 objective, 157
 subjective, 157
 terrorism, analysis of, 739, 741, 746, 748-750
- Probability density function (pdf), 68, 664, 744
- Probability distributions, 451, 478, 484
- Problem-solving steps, 13, 14-18
- Program evaluation and review technique (PERT), 16, 124, 670
- Programmatic risk, 642
- Project risk management
 aircraft development example, 655-659
 continuous risk management, 642, 644
 cost estimation, 669-671
 cost overrun, 642
 failure mode and effects analysis (FMEA, FMECA), 643
 hierarchical holographic modeling (HHM), 648
 iteration, 654
 knowledge management, 642-645
 life cycle, 641-642
 literature review, 639-640
 methods, 645-654
 overview, 639-640
 participating parties, 641
 quantitative framework, 662-665
 quantitative risk assessment, 659-665
 risk:
 assessment, 653-654
 defined, 640
 filtration, 649-653
 generally, 641
 identification, 648-649
 management, 654
 tracking, 654-648
 schedule delays, 642
 software acquisition, 659-665
 software development taxonomy, 659-661
 software estimation model, 672-674
 examples, 676-677
 solution approach, 674-676
 software nontechnical risk, 669
 taxonomy, 659-661
 teams, 642-645
- Proper noninferior solution, 234-236
 s -constraint method, 235, 236
 improper noninferior solution, 234
 Kuhn-Tucker multipliers, 235
- Quadratic programming, 921
- Quality control, defined, 25
- Quantitative framework for software acquisition, 661-662
- Quantitative risk analysis, 101, 157, 603, 734
- Quantitative risk assessment, 157, 661-667
- Quantitative risk index, 257
- Quasilinearization, 920
- Queuing theory, 920
- Random variable, in risk assessment process, 67, 69, 84, 86, 433, 576
- Rayleigh distribution, 536
- Recursive equation, 953-959
 water supply problem, 956-959
- Redundancy, 313, 754-755
- Regional Input-Output Multiplier System (RIMS II), 812-814
- Regret matrix, *see* Opportunity loss matrix
- Reid-Vemuri (water resources problem), 249, 253

- Reliability, 571–614
 analysis, 575
 defined, 90, 571, 577, 578
 exponential distribution, 590
 fault trees, 574–583
 flood protection levee, 577
 parallel system, 580–581
 random variables, 576
 series system, 578–579
 Boolean (logic) algebra, 579
 time-to-failure distributions, 589–591
 trade-offs, 575
 unreliability, 800
 Venn diagram, 581–583
- Reservoir problem, 220–222
- Reservoir modification problem (PMRM), 507–510
- Resilience,
 defined, 313, 754, 755
 in emergent systems, 754–757
- Responsivity, uncertainty, 255–257
- Restaurant problem, choosing, 168–169
- Risk, generally:
 acceptance and avoidance, 63
 analysis, *see* Risk analysis
 assessment of, *see* Risk assessment
 catastrophic events, 327–331
 conditional expected value, 157
 decision analysis, 157
 defined, 4, 23, 61, 100, 101, 194, 255–328
 empirical process, 330
 evaluation, 63
 expected value of, 70, 157, 330–332
 extreme events, 327–329
 fault trees, 587, 606, 608, 610, 622
 groundwater contamination, 30–31
 identification, 63
 irreversibility, 255–257
 management, *see* Risk management
 modeling, 63
 multiobjective risk–impact analysis method (MRIAM), 429–430, 444
 multiobjective statistical method (MSM), 46–48
 perception of, 31
 quantification, 330
 responsivity, 255–257
 sensitivity, 255–257
 sources, 63
 stability, 255–257
 sustainable development, 113–118
 systems engineering, 20–21
 triplet questions, 100
- Risk analysis, generally:
 automated highway system (AHS), 142
 conditional expectation, 332
 criteria for, 37
 decision rules, 158–161
 extreme events and, 327–328
 holistic approach, 5–6
- multiobjective risk–impact analysis method (MRIAM), 432
- partitioned multiobjective risk method (PMRM), 332–336
- sources of skepticism, 65–66
- total quality management (TQM), 900
- universities, role of, 22–23
- Risk assessment:
 engineering-based systems, 36–37
 expected value of risk, 321
 extreme events, 32
 hierarchical holographic modeling (HHM), 96–105, 115
 lahar flow case study, 888–889
 multiple-criteria decisionmaking (MCDM), 216
 perception of, 31
 phantom system models, 194–196
 process overview, *see* Risk assessment process
 software acquisition, 123–129
 sustainable development, 113–118
 triplet questions, 62
- Risk assessment process:
 models, *see* Model(s) and modeling
 defined, 62
 elements, 64
 risk evaluation, 63
 risk identification, 63
 risk quantification and measurement, 63
 steps of, 62
 systems analysis, 66
 triplet questions, 62
- Risk communication, 22–23
- Risk evaluation, 63
- Risk filtering, ranking, and management (RFRM), 305–323
 Bayes' theorem, 314, 320–321
 failure mode effects analysis (FMEA, FMECA), 602
 hierarchical holographic modeling (HHM), 307–312, 318
 head topics, 308
 subtopics, 308
 large-scale systems, 305
 operations other than war (OOTW), 135–140, 317–323
 phases, 309–317
 bicriteria filtering and ranking, 309, 311–312, 318–319
 multicriteria evaluation, 309, 319–320
 operational feedback, 309, 317, 323
 quantitative ranking, 309, 314, 320–322
 risk management, 309, 314–306
 safeguarding against missing critical items, 309, 316–317, 323
 scenario filtering, 309, 310–311, 318
 scenario identification, 309–310
 principles, 307–309
 project risk management, 651–655
 redundancy, 313

- resilience, 313
- robustness, 313
- risk ranking and filtering (RRF), 307-309
- software acquisition quantitative framework, 664-667
- space missions, 688, 689, 721-726
- terrorism, analysis of, 310, 744
- U.S. Air Force matrix, 310
- Risk functions, in multiobjective decision-tree analysis (MODT), 376-377, 398
- Risk identification, 63
- Risk management:
 - comparison charts, 139-140
 - defined, 23
 - engineering-based systems, 36-37
 - failure, sources of, 22-23
 - hierarchical aspects, generally, 90
 - hierarchical holographic modeling (HHM), 41, 854
 - lahar flow case study, 888-889
 - linear programming model, 57
 - multiple-criteria decisionmaking (MCDM), 216
 - phantom system models, 194-196
 - projects, *see* Project risk management
 - software acquisition, 111, 112
 - software risk management, 123-124
 - sustainable development, 113-118
 - total risk management (TRM), 24-25
 - triple questions, 62-63, 100-102
- Risk modeling, 63
- Risk priority number (FMEA, FMECA), 604
- Risk ranking and filtering (RRF):
 - defined, 305-306
- Risk scenario, 716, 757-758, 834
- Risk tracking, 647-650
 - milestone chart, 648
- Robustness, 313, 755

- Saddle point, 969
- SAE J1739 (FMEA, FMECA), 603
- SCADA, 131, 367, 735, 771-779, 781-791
- Scenario model, 99-100
 - single-failure, 103
 - success or as-planned, 101
- Scenario structuring, theory of (TSS), 101-102
- Scenario tracking, intelligence gathering, 741-742, 747, 750-751
- Sensitivity:
 - analysis, *see* Sensitivity analysis
 - partitioned multiobjective risk method (PMRM), 490-499, 503
 - partitioning, 495-498
- Sensitivity analysis:
 - applications of, generally, 42-43
 - uncertainty and, 255-258
- Separable programming, 921
- Seven Habits, *see* Covey's Seven Habits
- Severity, failure mode effects analysis (FMEA, FMECA), 604
- Sigma-limit capabilities, 901
- Siman simulation, 640
- Simplex method, 945-947
- Simplex tableaux, 946-947
- Single-objective decision tree (SODT), 139, 408-410
- Six-sigma case study:
 - cumulative distribution function (cdf), 904
 - gasket quality problem, 901-911
 - return period (RP), 905
 - sigma, defined, 901
 - sigma-limit capabilities, 901
 - standard normal distribution table, 903
 - statistics of extremes, 901-911
 - tolerance limits (TL), 901
 - total quality management (TQM), 900
 - risk analysis, 901
 - zone control charts, 901
- Society for General Systems Research, systems engineering, 9
- Software acquisition, 123-129, 661-667
- Software capability evaluation (SCE), 662
- Software development:
 - acquisition, 661-667
 - commercial off-the-shelf (COTS), 672
 - conditional expected value, 664, 677, 678, 681
 - constructive cost model (COCOMO), 670, 678, 679
 - database management system (DBMS), 672
 - development environment, 663
 - discrete dynamic modeling, 673-684
 - extreme events:
 - conditional expected value, 681
 - risk of, 665
 - nontechnical risk factors, 667-671
 - product engineering, 662, 663
 - program constraints, 662, 663
 - program evaluation and review techniques (PERT), 670
 - taxonomy, 662
 - trade-off values, 680
 - variance, 671-673
- Software engineering, 35, 663
- Software Engineering Institute (SEI), 662, 663, 664
- Space missions
 - Cassini, 689, 692-700
 - band of indifference, 700
 - modeling, 692-694
 - scientific return, 695-698
 - surrogate worth trade-off (SWT), 698-700
 - Challenger, 689-690, 700-705
 - Bernoulli random variable, 701
 - conditional expectation of extreme events, 703
 - Gumbel types I, II, 703, 705
 - normal distribution, 704
 - partitioned multiobjective risk method (PMRM), 700, 703
 - statistics of extremes, 703
 - Columbia, 690-691, 705-711

- conditional expectation, 706
- gap analysis, 710–711
- NASA, 708–711
- failure mode effect criticality analysis (FMECA) 712
- “faster, better, cheaper” (FBC), 689, 691–692, 710, 713, 717, 720, 722, 724
- hierarchical holographic modeling (HHM), 689, 711, 716–721,
- Mars missions, 691–692, 711–716
 - band of indifference, 714
 - fault-tree analysis, 712
 - Lagrangian form, 714
 - model elements, 716
 - multiobjective decision tree (MODT), 713
 - Pareto optimal frontier, 713
 - program evaluation and review technique (PERT), 711
 - sensitivity analysis, 716
 - trade-offs, 713, 715
 - trade-off matrix, 714
 - triangular distribution, 712
 - triplet questions, 711–716
 - uncertainty sensitivity index method (USIM), 715–721
 - uncertainty taxonomy, 715
- NASA, 688, 708–711
- overview, 689–692
- Pathfinder, 713
- risk filtering, ranking and management (RFRM), 689, 721–726
 - Pareto frontier, 725
 - severity matrix, 722
 - trade-offs, 724
- solid rocket boosters, 596
- space shuttle redesigned Solid Rocket Motor (RSRM), 596–602
- space transportation system (STS), 596
- surrogate worth trade-off (SWT), 698–700, 713
- trade-off analysis, 721
- Space Shuttle Redesigned Solid Rocket Motor (RSRM) problem, 596–602
- Stability, uncertainty and, 255, 259–260
- Standard normal probability, 991–992
- State variables, 737
- Static model, 919
- Stationary point, 922
- Statistics of extremes:
 - cumulative distribution function (cdf), 486, 489
 - extension of partitioned multiobjective risk method (PMRM), 482–485
 - generalized quantification of risk, 488, 515–526
 - lahar flow case study, 892–893
 - Leibniz’s rule, 498
 - partitioned multiobjective risk method (PMRM), 499–506
 - recursive method, 503–506
 - risk functions, 484
 - sensitivity to partitioning, 506–515
 - six-sigma case study, 900–911
 - space mission Challenger, 701
- Statistics of extremes (*Continued*):
 - standard deviation, 486
- Stochastic variability, uncertainty and, 274–275
- Student dilemma problem, 25–29
- Supermarket checkout problem (MSM), 638–640
- Supervisory control and data acquisition (SCADA), 131, 367, 735, 771–779, 781–791
- Surrogate variables, uncertainty and, 267–268, 276
- Surrogate worth function:
 - ϵ -constraint method, 229, 242–243
 - interactive procedures, 231–233
 - Lambda theorem, 232
 - Weierstrass’ theorem, 231
- Surrogate worth trade-off (SWT) method:
 - ϵ -constraint method, 224–225, 229, 240–241
 - example problems, 243–253
 - fault-tree analysis, 614
 - interactive procedures, 241–243
 - lahar flow case study, 893–896
 - marginal rate of substitution, 239–241
 - Maumee River Basin problem, 232–233
 - multiobjective risk-impact analysis method (MRIAM) and, 432, 444
 - multiobjective optimization problems, 223–234
 - partitioned multiobjective risk method (PMRM), 338, 432
 - probable case, 233
 - space missions, 698–700, 713
 - trade-off function, 225–227
 - utility function approach, 236–243
- Sustainable development:
 - defined, 113
 - hierarchical holographic modeling (HHM):
 - framework, 114–116
 - for risk identification, 115
 - science and engineering, 117–118
- Sustainable future, 117
- Sylvester’s theorem, 923
- Synergy, defined, 18
- System acquisition (HHM), 118–123
- System of systems, 10
- Systems:
 - emergent properties of, 753
 - interdependencies between, 760–761
 - phantom system models, 193–201
- Systems analysis, sources of skepticism, 65–66
- Systems engineering:
 - circle of concern, 14
 - circle of influence, 14
 - Covey’s Seven Habits, 11–19
 - framework components, 758–760
 - historical perspective, 7–11
 - humans, 23
 - iteration, 18, 19
 - life cycle, 10
 - management, 23–24
 - optimization, 916
 - organization, 23
 - phases, 920–921

- philosophers, 7–8
- Systems modeling:
 - deterministic:
 - defined, 918
 - probabilistic vs., 918
 - distributed parameters, lumped parameters vs., 919
 - dynamic models, 919
 - linear:
 - defined, 918
 - nonlinear vs., 918
 - lumped parameters, 919
 - nonlinear model, 918
 - schematic, 916
 - probabilistic model, 918
 - static:
 - defined, 919
 - dynamic vs., 919
- Systems theory, 8
- Target industry markets (TIMs), stochastic variability, 274–275
- Taxonomy, 661–663
 - uncertainty, 265–279
- Taylor series expansion, 286–287
- Tech-Com study, 60, 220
- Technical coefficient matrix, 810–811
 - stability of, 828
- Technical risk, 642
- Terrorism:
 - Bayesian analysis, 744–749
 - Capability, defined, 737
 - evidence ratio, 746
 - hierarchical holographic model (HHM), 733, 743, 745, 748, 783
 - inoperability, defined, 799
 - inoperability input–output model (IIM), 798–802
 - intent, defined, 737
 - Leontief input–output model, 796–798
 - Log–Pearson type III, 749
 - modeling, 731–732
 - multiobjective decision tree (MODT), 744
 - network system, 731–733
 - observables, 744
 - analysis of, 744–745
 - planning, 730
 - probability, 742–743
 - quantitative risk analysis and management, 733
 - risk filtering, ranking, and management (RFRM), 744
 - risk of inoperability, defined, 799
 - risks of, 731, 737, 771, 779, 780
 - SCADA, 735, 771, 772
 - scenario model, defined, 743
 - scenario tracking, intelligence gathering, 735–738, 743–744
 - technical challenges, 744–745
 - threat scenario, 736–737
 - defined, 742
 - model of terrorist network systems, 732
 - vulnerability, 737–741
 - defined, 737
 - of satellites and GPS, 780–781
 - water supply system example, 734–735
- Terrorist network system, model, 732
- Theory of scenario structuring (TSS), 101–102
- Time management, 15–16
- Time-to-failure distributions, 589–591
- Total quality management (TQM), 900–901
- Total risk management (TRM), 27–28
- Transportation problem (linear programming), 947–950
 - canonical transportation problem, 949–950
- Triangular distribution:
 - decision analysis, 157, 175–177
 - expected value, 988–991
 - performance assessment problem, 176–177
 - statistics of extremes, 481, 522–523
- Triplet questions, 23–24, 711, 783, 834, 853, 862, 888
- Uncertainty:
 - decision, 272–273
 - defined, 61, 255
 - fault trees, 572–574, 587
 - hardening the water supply infrastructure, 129–134
 - hierarchical holographic modeling (HHM), 96–100
 - knowledge model, 267–273
 - multiobjective multistage impact analysis method (MMIAM), 431–432
 - multiobjective risk–impact analysis method (MRIAM), 432
 - multiobjective statistical method (MSM), 46–47
 - parameter, *see* Parameter uncertainty
 - responsivity, 258–259
 - sensitivity, generally, 257–258
 - sensitivity index method (USIM), 43
 - social cost of risk, 273
 - social values, quantification of, 273
 - sources, 55–56
 - stability, 257, 258–259
 - surrogate variables, 267–268, 276
 - target industry markets (TIMs), 274–279
 - taxonomy, 256, 265–279
 - uncertainty–sensitivity index method (USIM), 256–257
 - variability, 266–267
- Uncertainty–sensitivity index method (USIM), 279–284
 - algorithm of, 294–299
 - applications to dynamic systems, 289–290
 - defined, 279
 - ϵ -constraint form, 280–281
 - equality constraints, 290–294
 - Kuhn–Tucker, 281
 - Lagrangian function, 281
 - multiobjective optimization problem, 285–294

- multiple uncertain parameters, 286–294
- optimality, 299–302
- parameter optimization, 285–293
- sensitivity, generally, 256–258
- sensitivity objective function, 282
- surrogate worth trade-off (SWT), 284, 287
- Unconditional expected value,
 - triangular distribution, 988–991
- Unconstrained problem, 921
- Unreliability, 800
- U.S. Air Force matrix, 310–311
- Utility function, 236–243

- Variability, 61
- Variability uncertainty:
 - component sources of, 266–267
 - defined, 266
 - temporal, individual, and spatial, 275–276
- Variables, defined, 47, 67–72
- Variance:
 - multiobjective risk–impact analysis method (MRIAM), 437–442
 - partitioned multiobjective risk method (PMRM), 500, 503
 - uncertainty, 399
- Venn diagram, 581–583
- von Mises' criteria, 531–534, 537
- Vulnerability, 737

- Water cylinder (tower) problem, 926–927
- Water distribution system problem (fault tree), 605–607
- Water inventory problem (dynamic programming), 960–966
- Water resources problem (Reid-Vemuri), 249–253
- Water supply, hardening infrastructure, 129–134
- Waverly bank problem (uncertainty), 274–279
- Weibull distribution, *see specific types of analysis methods*
- Weierstrass' theorem, 231
- Wertheimer, systems engineering, 7
- Wiener, Norbert, systems engineering, 8, 21–22
- World [Brundtland] Commission on Environment and Development, 113