

# Index

## • Numerics •

20-hour rating, 62  
30/500 rule, 124, 220, 343  
100 percent fall protection, 281

## • A •

A (swept area), 71–73, 200, 257, 321, 343  
abbreviations, 346–347  
absorbed glass mat (AGM), 244  
Abundant Renewable Energy, 332  
AC (alternating current), 11, 59, 337  
acronyms, 346–347  
adjustable lanyards, 279  
AEO (annual energy output), 337, 346  
aesthetics, 28–29  
Ah (amp-hour)  
  as a battery measure, 62  
  defined, 11, 61, 337  
  formula for, 61  
  measuring, 62  
  overview, 61  
air density (D)  
  defined, 337  
  in wind energy formula, 70–71  
airfoil, 35–36, 337  
alternating current (AC), 11, 59, 337  
alternator  
  defined, 337  
  permanent-magnet, 211  
  wound-field, 212  
American Council for an Energy-Efficient  
  Economy, 103, 113  
ammeter, 60, 337  
ampacity, 249, 337  
amperage. *See also* current  
  alternating current (AC), 59  
  defined, 11, 337  
  direct current (DC), 58–59  
  flow of charges, 57–58  
  measuring, 59–60  
  overview, 56–57  
  power formula, 60–61

amp-hour (Ah)  
  as a battery measure, 62  
  defined, 11, 61, 337  
  formula for, 61  
  measuring, 62  
  overview, 61  
analyzing  
  costs, 154–164  
  incentives, 154–164  
  wind speed, 125–135  
anchors (tower), 37–38  
anemometer, 126–127, 307, 337  
annual energy output (AEO), 337, 346  
ascending devices, 281  
assembling system components, 267–268  
assessing  
  electrical components, 312–313  
  energy, 12  
  methods of, 88–98  
  overview, 85–88  
attachments, 280–281  
Audubon Society, 28  
authorities, 323–324  
availability of hydroelectricity, 169–171  
average power, 79–80  
average wind speed, 68–69, 337  
AWS Truewind, 128

## • B •

backfilling holes, 292  
backup  
  batteryless grid-tied system, 139–140  
  grid-tied system with battery backup, 142  
  off-grid system, 147  
  power system overview, 20–21  
balance of systems. *See* BOS (balance of systems)  
Barrie, Jeff (film producer)  
  *Kilowatts Ours: A Plan to Re-Energize America*, 152  
Bartmann, Dan (wind energy expert), 22, 331  
  *Homebrew Wind Power*, 331  
base, 37–38, 337

- batteries
    - amp-hour ratings, 62
    - balance of systems (BOS), 302
    - defined, 10, 338
    - grid-tied system with battery backup, 142
    - hazards, 274–275
    - maintaining, 313
    - minimizing drawbacks of, 244–245
    - overcharging, 246
    - overview, 41, 242
    - purpose of, 242–243
    - types of, 243–244
    - undercharging, 246
  - battery bank, 262–265
  - battery watering systems, 314
  - battery-based inverters, 239–240, 302
  - battery-charging generator, 204
  - batteryless grid-tied system
    - benefits of, 138–139
    - components of, 43, 140–141
    - defined, 338
    - drawbacks of, 139–140
    - generator, 204
    - overview, 13, 137, 138
  - batteryless inverters, 240
  - Beaty, Bill (electrical expert), 57
  - beta tester, 25
  - Betz limit, 80, 338
  - biners, 280, 338
  - biomass, 20
  - bird problems, 28
  - blade
    - chatter, 208, 211
    - defined, 338
    - pitch control, 36, 338
    - turbine, 35–36
  - blower door, 107
  - book
    - conventions, 2
    - icons, 4–5
    - organization, 3–4
  - BOS (balance of systems)
    - components of, 16, 237
    - defined, 337
    - overview, 301–304
  - brake, 300
  - brake switch, 39, 300, 338
  - Brand wattmeter, 113
  - breakers
    - balance of systems (BOS), 303–304
    - defined, 250, 338
  - brushes, 35, 338
  - budget evaluation, 216, 235
  - building envelope, 106–107
  - building permits, 31
  - bureaucracy
    - batteryless grid-tied system, 140
    - grid-tied system with battery backup, 142
  - buying green power, 104
- C •
- C (coulomb). *See* amperage
  - cable, 299
  - cable clamps, 295
  - calculating. *See also* measuring
    - swept area (A), 72–73
    - value of investment, 151–164
  - capacity, 26–27
  - capacity factor, 338
  - Cape & Island’s Self-Reliance, 194
  - carabiner, 280, 338
  - cell towers, sharing, 332–333
  - cellphones, 286
  - CFL (compact fluorescent light), 110, 338
  - charge, 57, 338
  - charge controllers
    - balance of systems (BOS), 303
    - defined, 338
    - features of, 247–248
    - grid-tied system with battery backup, 44–46
    - overview, 39, 245
    - purpose of, 246
    - series compared with diversion, 246–247
    - set points, 250
  - charger, 42
  - chest D-ring, 278
  - choosing
    - generator size, 254–258
    - generators, 16, 214–217
    - inverters, 240–241
    - tower height, 17, 221, 258–262
    - towers, 233–236
  - circuit, 64, 338. *See also* parallel; series
  - circuit breaker, 250, 252

- city dwellers, 23
- climbing
  - lines used for, 279
  - towers, 276–283
- clips, locking, 280
- closeable bags, 281
- clothes washer, 112
- coal, environmental impact of, 152
- COE (cost of energy), 339
- color temperatures, 110
- communication with ground crew, 285–286
- community wind, 203
- compact fluorescent light (CFL), 110, 338
- components, system
  - assembling, 267–268
  - assessing electrical, 312–313
  - batteries, 41
  - batteryless grid-tied system, 139, 140–141
  - electronics, 39–41
  - finding suppliers of, 266–267
  - fuel-fired generators, 42
  - grid-tied system with battery backup,
    - 143–144
  - off-grid system, 147–149
  - overview, 33–42, 265–266
  - tower, 37–38
  - transmission wires, 39
  - turbine, 34–37
  - utility interconnection equipment, 41–42
- concrete, pouring, 291–292
- conduit, 39, 300
- conduit fill, 39
- configuration (generator)
  - battery-charging, 204
  - batteryless grid-tied, 204
  - direct drive, 204–206
  - downwind, 209–211
  - gear driven, 204–206
  - homebuilt, 208
  - horizontal axis, 206–207
  - induction, 212–213
  - overview, 203–204
  - permanent-magnet alternator, 211
  - three blades, 207–209
  - two blades, 207–209
  - upwind, 209–211
  - vertical axis, 206–207
  - wound-field alternator, 212
- configuration (system)
  - batteryless grid-tied system, 43
  - grid-tied system with battery backup,
    - 43–45
  - off-grid system, 45–46
  - overview, 42–43, 149–150
- conservation, 255–256
- considerations
  - hazards, 186–187
  - installation difficulty, 186
  - maintenance requirements, 187
  - overview, 185
  - probability of technical problems, 187–188
- consistency of hydroelectricity, 171–172
- controllers, charge
  - balance of systems (BOS), 303
  - defined, 338
  - features of, 247–248
  - grid-tied system with battery backup,
    - 44–46
  - overview, 39, 245
  - purpose of, 246
  - series compared with diversions, 246–247
  - set points, 250
- controls, 10
- conversions
  - size, 345
  - speed, 345–346
- cooling sources, 103, 105
- cost
  - analyzing, 154–164
  - anemometer analysis, 126–127
  - battery, 142
  - comparing solar- and wind-electric,
    - 168–169
  - considerations, 326
  - current system, 100–101
  - of electricity, 159–160
  - fixed guyed towers, 228
  - freestanding towers, 231
  - installation, 155–156, 190, 193
  - maintenance, 156–157
  - off-grid system, 145, 146
  - system, 216
  - tilt-up tower, 226
  - tower, 223
- cost of energy (COE), 339

cost per kilowatt-hours, 160–162  
 coulomb (C). *See* amperage  
 cranes, 283–284, 296  
 creativity, 326  
 critical loads, 41  
 cube factor, 73–75  
 cube law, 339  
 current. *See also* amperage  
   alternating (AC), 11, 59, 337  
   defined, 58, 339  
   direct (DC), 11, 58–59, 339  
 cut-in, 339  
 cut-out, 339  
 cycle, 66

## • D •

D (air density)  
   defined, 337  
   in wind energy formula, 70–71  
 Danish Wind Energy Association  
   (DWEA), 260  
 Dans, the (Dan Bartmann and Dan Fink),  
   22, 331  
 Database of State Incentives for Renewables  
   & Efficiency (DSIRE), 32, 157  
 data-logging, 248  
 DC (direct current), 11, 58–59, 339  
 dead end of cable clamps, 295  
 decision tree, 236  
 decreasing  
   energy use in transportation, 179–180  
   load, 318  
 deep-cycle batteries, 243  
 DeGunther, Rik  
   *Energy Efficient Homes For Dummies*, 99  
   *Solar Power Your Home For Dummies*,  
     105, 166  
 demand heater, 109  
 depth of discharge (DOD), 313, 339.  
   *See also* state of charge (SOC)  
 design dangers, 27–28  
 designing wind-energy system, 14–17  
 digital multimeter (DMM), 274, 339  
 direct current (DC), 11, 58–59, 339  
 direct drive, 339  
 direct drive generator, 204–206  
 direct subsidies, 157–158

disconnects  
   defined, 10, 339  
   overview, 40–41, 248, 250–252  
 dishwasher, 112  
 distribution panel, 252  
 diversion charge controllers, 39, 246–247  
 DMM (digital multimeter), 274, 339  
 do-it-yourself installation  
   compared with professional, 188–191  
   finding help, 194–195  
   overview, 194  
   training, 194–195  
   warnings, 196  
 DOD (depth of discharge), 313, 339.  
   *See also* SOC (state of charge)  
 down-valley winds, 119–120  
 downwind, 339  
 downwind turbines, 36, 209–211  
 drift pins, 294  
 D-rings, 278, 339  
 DSIRE (Database of State Incentives for  
   Renewables & Efficiency), 32, 157  
 ducts, heating and cooling, 106  
 dump load  
   defined, 339  
   grid-tied system with battery backup,  
     44–45, 143  
   off-grid system, 45–46  
   relationship with diversion charge  
     controllers, 39, 246  
 DWEA (Danish Wind Energy  
   Association), 260  
 dynamic brake, 300

## • E •

efficiency  
   batteryless grid-tied system, 138  
   calculating results, 114–116  
   defined, 256, 339  
   electrical. *See* electrical efficiency  
   energy, 12  
   goal, 102  
   grid-tied system with battery backup, 143  
   increasing, 100–102  
   off-grid system, 147  
   phantom loads, 113–114  
   thermal, 102–107

- electrical efficiency
  - clothes washer, 112
  - dishwasher, 112
  - electronics, 111–112
  - lighting, 109–111
  - microwave, 112
  - overview, 107–108
  - refrigeration, 108–109
  - water, hot, 109
- electrical hazards, 273–276
- electrical installation
  - brake, 300
  - conduit, 300
  - grounding, 300–301
  - transmission wire, 299
- electrical permits, 31–32
- electrical sounds, 308–309
- electricity. *See also* solar electricity
  - amperage, 11, 56–61, 337
  - amp-hour (Ah), 11, 61–62, 337
  - analogies of terms, 63–64
  - assessing components, 312–313
  - circuits, 64–65, 338
  - cost of, 159–160
  - fundamentals of, 10–11
  - hertz (Hz), 11, 65–66, 340
  - parallel, 64–65
  - power factor, 66
  - series, 64–65
  - volt (V), 52–56
  - watt (W), 47–50, 60–61, 76–77, 344
  - watt-hour (Wh), 11, 50–52, 70, 344
- electrolyte, 243
- electromagnets, 212
- electronic braking, 36
- electronics
  - charge controller, 39
  - disconnects, 40–41
  - inverter, 40
  - overcurrent protection, 40–41
  - overview, 111–112
- embodied energy, 20, 180
- emotional perks of off-grid system, 146
- energy
  - assessment, 12
  - conservation, 255–256
  - defined, 70, 339
  - efficiency, 12
  - embodied, 20, 180
  - goals, 86–87
  - monitoring, 307–308
  - options, 13–14
  - overview, 11–12
  - quantifying needs for, 87–88
  - storing with batteries, 242–243
  - users, 12
  - zero, 140
- energy consciousness for off-grid system, 146
- energy curves, 77–79, 339
- energy efficiency. *See* efficiency
- Energy Efficient Economy, 92
- Energy Efficient Homes For Dummies* (DeGunther), 99
- energy load, 15
- energy payback of solar-electric (PV) modules, 153
- Energy Star, 92, 113
- energy use
  - batteryless grid-tied systems, 138
  - overestimating, 324
  - underestimating, 324
- envelope (building), 106–107
- environmental impact
  - batteryless grid-tied system, 139
  - measuring, 152–153
  - of renewables, 20
- environmental motivation, 20
- equalizing charge, 314
- equipment
  - quality of, 321–322
  - warranties, 189
- “Estimating Wind Energy” (Piggott), 79–80
- evacuated tube, 177
- evaluating
  - budgets, 216, 235
  - insulation, 106
  - site, 214–215, 234–235
  - wind resource, 214–215
  - yourself, 215–216, 235
- examples, real world, 327–333
- excavating, 290–291
- experience of installation professionals, 192
- experts, hiring, 14–15

## • F •

fall zone, 285  
 fall-arrest system, 340  
 farmers, 23  
 financing wind-electric systems, 157  
 finding  
   installation professional, 191–193  
   phantom loads, 113–114  
   suppliers, 266–267  
 Fink, Dan (wind energy expert), 22, 331  
   *Homebrew Wind Power*, 331  
 fixed guyed tower  
   advantages of, 228  
   assembly, 293  
   cost of, 228  
   defined, 340  
   disadvantages of, 228  
   layout, 289–290  
   overview, 16, 223, 226–227  
   site evaluation, 234  
   siting, 289–290  
   types of, 227  
 fixed lanyards, 279  
 flagging, 133, 340.  
   *See also* Griggs-Putnam Index  
 flat-plate, 177  
 flexible lines, 279  
 flooded batteries, 243  
 flow (hydroelectricity), 170  
 footprint  
   defined, 15, 222  
   freestanding towers, 230  
   tilt-up towers, 225  
 formulas  
   amp-hours (Ah), 61  
   power, 60–61  
   truth, 79–80  
   wind energy, 69–75  
 freestanding tower  
   advantages of, 230  
   assembly, 294  
   cost of, 231  
   defined, 340  
   disadvantages of, 231  
   layout, 290  
   overview, 223, 229  
   site evaluation, 234

  siting, 290  
   types of, 229–230  
 frequency, 340. *See also* hertz (Hz)  
 frost depth, 226  
 frost line, 37  
 fuel-fired generators, 42  
 fulfilling personal motivations, 154  
 functions of inverters, 238  
 furling, 27, 340

## • G •

gas, environmental impact of, 152  
 gear driven, 340  
 gear driven generator, 204–206  
 generator installation  
   in the air, 298–299  
   on the ground, 297–298  
   overview, 296–297  
 generators. *See also* turbines  
   as backup for off-grid system, 147  
   configuration of, 203–213  
   customer support, 325  
   defined, 10, 344  
   determining size of, 16, 254–258  
   fuel-fired, 42  
   inspecting, 312  
   overview, 15, 35, 199  
   selecting, 214–217  
   sizes of, 16, 199–203, 254–258  
 geothermal pumps, 105  
 gin pole, 224, 228, 296, 340  
 Gipe, Paul  
   *Wind Power: Renewable Energy for Home, Farm, and Business*, 117–118  
 goal review, 151–154  
 governing, 27, 340  
 governing mechanism (turbine), 36  
 gravity, as safety hazard, 272  
 Gray, Tom (AWEA), 28  
 green energy, non-wind options  
   green power investments, 178–179  
   hydroelectricity, 169–173  
   overview, 20  
   simplifying home/life, 180–182  
   solar electricity, 166–169  
   solar thermal applications, 173–178  
   transportation, 179–180

green power, purchasing, 14, 104, 178–179

grid  
 choices, 13, 17  
 defined, 340  
 interface, 10

grid-tied system with battery backup.  
*See* on-grid system with battery backup

Griggs-Putnam Index, 133–134, 340.  
*See also* flagging

ground crew, 283

ground fault, 251

ground wires, 301

grounding  
 defined, 10, 340  
 overview, 248, 251–252  
 tower, 300–301

groundwork  
 backfilling holes, 292  
 excavation, 290–291  
 layout, 289–290  
 overview, 288  
 pouring concrete, 291–292  
 reinforcing rod and anchors, 291  
 siting, 289–290

guy anchor  
 defined, 340  
 tower, 223

guy grips, 295

guy strand, 38, 295

guy wire  
 defined, 340  
 hooking up, 294–296  
 overview, 38  
 tower, 223

## • H •

hand signals, 286

harness, 278, 340

HAWT (horizontal-axis wind turbine),  
 206–207, 341

hazard potentials, 186–187

head (hydroelectricity), 171

heat capacity, 118

heat recovery ventilator (HRV), 107

heating  
 cost of, 91  
 patterns due to uneven, 118–120  
 sources, 103–105

height. *See* tower height

hertz (Hz), 11, 65–66, 340.  
*See also* frequency

Highland Energy, 332–333

hip D-rings, 278

hiring experts, 14–15, 191–193

holes, backfilling, 292

*Home Energy Diet, The* (Scheckel), 99

home heating  
 overview, 173  
 passive solar design, 174–175  
 solar hot air systems, 175–176  
 solar hot water for space heating, 176

*Home Power* (magazine), 79–80, 166, 195,  
 257, 266

*Homebrew Wind Power*  
 (Fink & Bartmann), 331

homebuilt towers, 233

homebuilt wind generators, 208

home-scale turbines, 202

horizontal-axis wind turbine (HAWT),  
 206–207, 341

“How to Buy a Wind Generator”  
 (Sagrillo & Woofenden), 257

HRV (heat recovery ventilator), 107

hub, 35, 341

hub height, 125, 257, 341

hydroelectricity  
 availability of, 169–171  
 consistency of, 171–172  
 drawbacks of, 172–173  
 environmental impact of, 152  
 overview, 14, 169  
 rooftop, 172

Hz (hertz), 11, 65–66, 340.  
*See also* frequency

## • I •

identifying potential sites for turbines,  
 121–125

impulse, 58

## incentives

- analyzing, 154–164
- defined, 341
- overview, 32

## increasing efficiency, 100–102

## independence of off-grid system, 145

## induction generator, 212, 341

inefficiency. *See* efficiency

## input voltage, 240

## installation

- accepting help with, 196–198
- balance of systems (BOS), 301–304
- costs of, 155–156
- dangers of, 27–28
- difficulty of, 186
- do-it-yourself, 188–191, 194–196
- electrical considerations, 299–301
- groundwork, 288–292
- hiring professionals, 191–193
- overview, 17–18
- professional, 188–191
- professional review of, 198
- quality of, 322
- teamwork, 197–198
- tower, 292–296
- warranties, 189
- wind generator, 296–299

## instantaneous wind speed, 68, 341

## insulation, evaluating, 106

## interpreting voltage, 53–55

## inverters

- balance of systems (BOS), 302
- defined, 341
- functions of, 238
- grid-tied system with battery backup, 44–45
- historically, 241
- off-grid system, 45–46
- overview, 40, 238–239
- parameters of, 240–241
- types of, 239–240

## investment

- calculating value of, 151–164
- in green power, 178–179

## ions, 57

## • J •

joule per second. *See* watt (W)

## • K •

K (ohm), 11, 56, 341

kellums grips, 299

Kill A Watt wattmeter, 113

kilowatt (kW), 341

*Kilowatt Ours: A Plan to Re-Energize America* (Barrie), 152

kilowatt-hour (kWh), 341.

*See also* watt-hour (Wh)

Klemen, Mike (turbine expert), 80

knots, 280

knowledge (personal), 190–191

kW (kilowatt), 341

kWh (kilowatt-hour), 341.

*See also* watt-hour

## • L •

land, shape of, 120–121

## lanyards

- adjustable, 279
- defined, 341
- fixed, 279
- tool, 280

large swept area, 199

lattice tower, 223, 227, 229–230

laying reinforcing rod and anchors, 291

layout (site), 289–290

LED (light-emitting diode), 110–111, 341

legal issues, 30–32

lifting tower, 296

## lightbulbs

- compact fluorescent light (CFL), 110, 338
- energy efficient, 110–111

light-emitting diode (LED), 110–111, 341

lighting, 109–111

line extension cost (off-grid system), 145

lines (safety), 278–280

live end (cable clamps), 295

live hazards, 276

## load

- defined, 15, 50, 211, 255, 341
- importance of knowing, 317–318
- shrinking, 318

load analysis, 255

- new home, 98

- off-grid home, 96–97

- on-grid home, 91–96

locating  
 installation professional, 191–193  
 phantom loads, 113–114  
 suppliers, 266–267  
 locking clips, 280  
 longevity of solar-electricity, 166–168  
 long-term costs of renewable energy systems, 20  
 Lovins, Amory (scientist), 99  
 LVD (low voltage disconnect), 248

• **M** •

magnets, 211–212  
 maintenance  
 batteries, 313–314  
 cost of, 156–157  
 electrical components, 312–313  
 fixed guyed towers, 228  
 freestanding towers, 231  
 generators, 312  
 off-grid systems, 146–147  
 overview, 311  
 real world example, 328–329  
 requirements, 187  
 systems, 18, 322, 326  
 towers, 311  
 mature height, 234  
 maximum power point tracking (MPPT), 138, 248, 341  
 measuring. *See also* calculating  
 amperage, 59–60  
 amp-hours (Ah), 62  
 environmental impacts, 152–153  
 voltage, 53–55  
 wattage (W), 49–50  
 watt-hour (Wh), 52  
 mechanical hazards, 273  
 mechanical sounds, 308–309  
 metering  
 balance of systems (BOS), 303  
 defined, 10  
 net, 159  
 overview, 248  
 meters (utility), 252  
 meters per second (m/s), 68  
 micro turbines, 200  
 microclimate, 120  
 microwave, 112

Midwest Renewable Energy Association, 194  
 minimizing drawbacks of batteries, 244–245  
 modified sine wave inverters, 241  
 modified square wave inverters, 241  
 monetary cost (off-grid system), 146  
 money saving, 21, 153  
 monitoring  
 electrical sounds, 308–309  
 energy, 307–308  
 mechanical sounds, 308–309  
 off-grid systems, 146–147  
 overview, 18, 305–306  
 power, 307  
 tracking historical data, 309–310  
 wind, 306–307  
 monopole towers, 38, 230  
 monthly zeroing, 255  
 motivations  
 fulfilling personal, 154  
 for using wind energy, 19–23  
 MPPT (maximum power point tracking), 138, 248, 341  
 m/s (meters per second), 68

• **N** •

NABCEP (North American Board of Certified Energy Practitioners), 266  
 negawatts, 99  
 neighbors, 29–30, 323–324  
 net metering, 159, 341  
 new homes, assessing energy usage, 98  
 noise, 27  
 nominal voltage, 55  
 North American Board of Certified Energy Practitioners (NABCEP), 266  
 nose cone, 35, 341  
 NREL's solar resource maps, 168  
 nuclear power, environmental impact of, 152

• **O** •

objections to wind-energy systems, 26–27  
 obstruction, 258  
 “off-grid hippies,” 23  
 off-grid system  
 assessing energy usage, 96–97  
 benefits, 145–146  
 components of, 45–46, 147–149

off-grid system (*continued*)  
 defined, 13, 341  
 drawbacks of, 146–147  
 overview, 137, 144  
 sizing batteries for, 262–264

offshore winds, 118–119

ohm (K), 11, 56, 341

Ohm's Law, 56, 341

oil, environmental impact of, 152

on-grid system with battery backup  
 assessing energy usage, 89–96  
 benefits of, 141–142  
 components of, 43–45, 143–144  
 defined, 340  
 drawbacks of, 142  
 overview, 13, 137, 141  
 real world example, 328  
 sizing batteries for, 264–265

100 percent fall protection, 281

onshore winds, 118–119

operation warranties, 189

opportunity loads, 147

output voltage, 240

overcharging batteries, 246

overcurrent protection, 10, 40–41,  
 248, 251, 342

overestimating  
 energy use, 324  
 wind resource, 324

owner evaluation, 215–216

● *p* ●

parallel. *See also* circuit  
 connections, 65  
 defined, 342

parameters of inverters, 240–241

partnering with suppliers, 197

passive solar design, 174–175

payback, 159, 342

peak power, 342

peak watts, 76–77

peak wind speed, 69, 342

percentage of total system cost, 158

perimeter foundation, 288

permanent magnet alternator (PMA),  
 211, 342

permits  
 building, 31  
 electrical, 31–32

personal knowledge, 190–191

phantom loads  
 defined, 101, 111, 342  
 finding, 113–114  
 overview, 113  
 removing, 114

photovoltaic (PV) arrays, 169

photovoltaic (PV) modules, 342.  
*See also* solar electricity

Piggott, Hugh (wind energy expert), 22,  
 79–80, 208, 330–331  
 “Estimating Wind Energy,” 79

PMA (permanent magnet alternator),  
 211, 342

polarity, 55

potential (wind-energy)  
 analyzing wind speed, 125–135  
 defined, 70  
 local effects, 117–121  
 turbine sites, 121–125

pouring concrete, 291–292

power. *See also* watt (W)  
 conditioning equipment, 342  
 consistency of, 26–27  
 defined, 70, 342  
 factor, 61, 66, 342  
 formula, 60–61, 70, 342  
 monitoring, 307  
 ratings, 76–77

power curve, 76–77, 342

power output, relationship with tower  
 height, 220–221

Preus, Robert, real world example, 331–332

probability of technical problems, 187–188

production meter, 42

professional installation, compared with  
 do-it-yourself, 188–191

professional review of installation, 198

propane bill, reducing, 327–328

property cost of off-grid system, 145

property values, 29

pulleys, 280–281

pulse with modulation (PWM), 247–248

purchasing green power, 117

PV (photovoltaic) arrays, 169  
 PV (photovoltaic) modules, 342.  
*See also* solar electricity  
 PWM (pulse with modulation), 247–248

## • Q •

quantifying energy needs, 87–88

## • R •

radiant floor, 105  
 radios, 286  
 ranchers, 23  
 ranch-scale turbines, 36, 202–203  
 rare earth, 211  
 rated power, 76–77, 342  
 rated wind speed, 342  
 RE (renewable energy), 20, 343  
 reactance, 66  
 rebar  
   defined, 38  
   laying, 291  
 rectifier, 300, 307, 342  
 red tape. *See* bureaucracy  
 reducing  
   energy use in transportation, 179–180  
   load, 318  
 refrigeration, 108–109  
 reliability  
   motivation of, 154  
   off-grid system, 145  
   solar electricity, 166–168  
 removing phantom loads, 114  
 renewable energy (RE), 20, 343  
 renewable energy contractors.  
   *See* installation, professional  
 replacing batteries, 313–314  
 requirements (system), 24–26  
 rescue lines, 279  
 resistance, 56, 343  
 resources  
   assessment of, 232  
   defined, 343  
   estimating, 329  
 return on energy efficiency, 163  
 revenue meter, 42

reviewing goals, 151–154  
 roof mounting tower, 232–233  
 rooftop hydroelectricity, 172  
 rotor  
   defined, 35, 343  
   furling, 36  
   overview, 321  
   size of, 324–325  
 runner, 169

## • S •

saddle, 295  
 safety  
   birds, 28  
   climbing towers, 276–283  
   communicating with crew, 286  
   cranes, 283–284  
   design, 27–28  
   electrical, 273–276  
   freestanding tower, 230  
   gravity, 272  
   ground crew, 283, 286  
   installation, 27–28  
   live hazards, 276  
   mechanical, 273  
   overview, 17  
   tilt-up towers, 284–285  
   weather, 272–273  
 Sagrillo, Mick  
   “*How to Buy a Wind Generator*”, 257  
 sailboat turbine, 127, 200–202  
 saving money, 21, 153  
 Scheckel, Paul  
   *The Home Energy Diet*, 99  
 sealed batteries, 244  
 seat D-rings, 278  
 selecting  
   generator size, 254–258  
   generators, 16, 214–217  
   inverters, 240–241  
   tower height, 17, 221–222  
   towers, 233–236  
   wind generator size, 16  
 self-reliance, increasing, 22–23  
 series, 64–65, 343. *See also* circuit  
 series charge controllers, 246–247

- service, 189–190
- set points
  - charge controllers, 250
  - defined, 246
- setting energy goals, 86–87
- sharing cell towers, 332–333
- short lines, 280
- shunt, 60, 303
- simple return on investment, 162
- simplicity
  - of home and life, 180–182
  - solar electricity, 166–168
- sine wave, 343
- single-throw, 300
- site
  - evaluation of, 214–215, 234–235
  - importance of knowing your, 319
  - tower, 258–259
- siting, 289–290
- size
  - batteries for off-grid system, 262–264
  - batteries for on-grid system with battery
    - backup, 264–265
  - battery bank, 262–265
  - batteryless grid-tied system, 138
  - conversions, 345
  - generators, 199–203, 254–258
  - grid-tied system with battery backup, 142, 143–144, 264–265
  - off-grid system, 147, 147–149, 262–264
  - overview, 253–254
  - tower height, 258–262
- skill requirements, 24–26
- slip rings, 343
- slip-joint conduit sections, 300
- SOC (state of charge), 313, 343.
  - See also* DOD (depth of discharge)
- solar contractors, 192. *See* installation, professional
- solar electricity
  - compared with wind-electric costs, 168–169
  - drawbacks of PV arrays, 169
  - longevity, reliability, and simplicity, 166–168
  - overview, 14, 166
- Solar Energy International, 194
- solar hot air systems, 175–176
- solar hot water for space heating, 176
- Solar Power Your Home For Dummies* (DeGunther), 105
- solar thermal applications
  - home heating, 173–176
  - hot water systems, 177–178
  - overview, 14, 173
- solar-electric (PV) modules, energy
  - payback of, 153
- soundboards, 232
- space as a requirement, 24
- speed conversions, 345–346
- speed, wind
  - analyzing, 125–135
  - anemometer, 126–127
  - average, 68–69, 259
  - evaluating at tower height, 215
  - instantaneous, 68
  - observing, 132–135
  - overview, 307
  - peak, 69
  - terminology, 67–69
  - wind roses, 129–130
- spuds, 294
- start-up, 75, 343
- state of charge (SOC), 313, 343.
  - See also* depth of discharge (DOD)
- stator, 343
- steel tower parts, 38
- step-down, 248, 343
- storing energy in batteries, 239, 242–243
- strain relief, 299
- stress level during professional
  - installation, 190
- style of installation professional, 193
- subsidies, direct, 157–158
- suburb dwellers, 23
- suppliers, finding, 266–267
- support, 24–26, 189–190
- surplus energy, 141–142
- sustainability, 20
- swaged ends, 295
- swept area (A), 71–73, 200, 257, 321, 343
- system
  - configurations, 149–150
  - considerations, 149–150
  - cost of, 216
  - designing, 14–17

- financing, 157
- installing and using, 17–18
- maintenance, 326
- requirements, 24–26
- system components
  - batteries, 242–245
  - charge controllers, 245–248, 250
  - disconnects, 248, 250–251
  - grounding, 248, 251–252
  - inverters, 237–241
  - overcurrent protection, 248, 251
  - overview, 10, 15–16, 33–42
  - wire, 248–249

## • T •

- tag line, 343
- tail (turbine), 36
- tail boom, 35, 343
- tail vane, 35, 343
- tax incentives, 158
- teamwork (installation), 197–198
- technology as a motivation, 154
- thermal breaks, 107
- thermal efficiency
  - building envelope, 106–107
  - evaluating insulation, 106
  - heating and cooling ducts, 106
  - heating and cooling sources, 103–105
  - overview, 102–103
- thermal masses, 174
- thimble, 295
- 30/500 rule, 124, 220, 343
- three-bladed wind generator, 207–209
- tilt-up tower
  - advantages of, 225
  - assembly, 293
  - costs of, 226
  - defined, 344
  - disadvantages of, 225–226
  - layout of, 289
  - lifting, 296
  - overview, 16, 222, 223, 224
  - safety, 284–285
  - site evaluation, 234
  - siting, 289
  - types of, 224–225
- tool lanyards, 280
- topography analysis, 121–125
- torque wrench, 294
- tower
  - adaptor, 37, 344
  - alternatives, 231–233
  - anchors, 37–38
  - base, 37–38, 223
  - defined, 10
  - evaluating proposed site, 214
  - guy wires, 38
  - homebuilt, 233
  - inspecting, 311
  - overview, 15–16, 44–46, 219
  - owner evaluation, 235
  - putting it together, 236
  - roof mounting, 232–233
  - selecting, 233–236
  - shadow, 210
  - site, 258–259
  - steel tower ports, 38
  - strikes, 210
  - terminology, 223
  - types of, 222–233
- tower climbing
  - gathering equipment, 276–281
  - overview, 276
  - technique, 282–283
- tower height
  - determining, 234–235, 258–262
  - overview, 17, 82, 215
  - relationship with power output, 219–222
  - tips, 320–321
  - troubleshooting, 325–326
- tower installation
  - assembly, 293–294
  - guy wires, 294–296
  - lifting, 296
  - overview, 292–293
- tracking historical data, 309–310
- traction batteries, 243
- training for do-it-yourself installation, 194–195
- transmission, 10, 344
- transmission wires, 39, 44–46, 299
- transportation
  - alternatives for, 14
  - reducing energy use in, 179–180
- trendiness as a motivation, 154

- triple-pole switch, 300
- troubleshooting batteries, 313–314
- truth formulas, 79–80
- tubular towers, 223, 227, 230
- turbines. *See also* generators
  - blades, 35–36
  - generator, 35
  - governing mechanism, 36
  - home-scale, 202
  - identifying potential sites for, 121–125
  - life expectancy of, 81–82
  - micro, 200
  - mini test, 127–128
  - overview, 34–35, 44–46
  - performance changes with altitude, 71
  - quality of, 325
  - ranch-scale, 202–203
  - sailboat, 127, 200–202
  - size of, 73
  - tail, 36
  - tower adaptor, 37
  - utility scale, 203
  - yaw bearing, 36
- turnkey system, 189
- 20-hour rating, 62
- two-bladed wind generator, 207–209

## • U •

- undercharging batteries, 246
- underestimating energy use, 324
- upfront subsidy, 158
- up-valley winds, 119–120
- upwind, 344
- upwind turbine, 209–211
- used systems, 330
- utility bills, 89–90
- utility company, 32
- utility grid. *See* batteryless grid-tied system; off-grid system; on-grid system
  - with battery backup
- utility interconnection equipment, 41–42, 44–45, 344
- utility meters, 252
- utility scale turbines, 203

## • V •

- $V^3$  (wind speed cubed), 73–75, 221
- VAWT (vertical-axis wind turbine), 206–207, 344
- vegetation, relationship with wind speed, 132–133
- vertical-axis wind turbine (VAWT), 206–207, 344
- voltage (V)
  - battery, 314
  - defined, 11, 344
  - hazards, 275–276
  - input, 240
  - interpreting, 53–55
  - measuring, 53–55
  - output, 240
  - overview, 52, 53
  - power formula, 60–61
- voltage clamp, 40, 252
- voltmeter, 53, 54–55

## • W •

- warranties, 189, 267
- Warwick Wind Trials, 232
- water, hot, 109
- watt (W)
  - defined, 11, 344
  - inverter, 240
  - measuring wattage, 49–50
  - overview, 47–49
  - peak, 76–77
  - power formula, 60–61
- watt-hour (Wh)
  - defined, 11, 70, 344
  - formula for, 51–52
  - measuring, 52
  - meter, 127–128
  - overview, 50–51
- wattmeter, 50, 51–52, 113
- Watts Up? wattmeter, 113
- weather
  - concerns with tilt-up towers, 225
  - local data, 130–132
  - as safety hazard, 272–273

## Web sites

- Abundant Renewable Energy, 332
  - American Council for an Energy-Efficient Economy, 103, 113
  - Audubon Society, 28
  - AWS Truewind, 128
  - Cape & Island's Self-Reliance, 194
  - Dan Bartmann, 331
  - Dan Fink, 331
  - Danish Wind Energy Association (DWEA), 260
  - Energy Efficient Economy, 92
  - Energy Star, 92, 113
  - Home Power* magazine, 166, 257, 266
  - Hugh Piggott, 330–331
  - knots, 280
  - Midwest Renewable Energy Association, 194
  - NABCEP (North American Board of Certified Energy Practitioners), 266
  - NREL's solar resource maps, 168
  - Solar Energy International, 194
  - wattmeters, 113
  - wind shear calculator, 128
- Wh (watt-hour)
- defined, 11, 70, 344
  - formula for, 51–52
  - measuring, 52
  - meter, 127–128
  - overview, 50–51
- wind
- community, 203
  - defined, 67
  - down-valley, 119–120
  - evaluation, 214–215
  - offshore, 118–119
  - onshore, 118–119
  - overestimating, 324
  - overview, 24
  - potential of, 256
  - resource, 319
  - up-valley, 119–120
  - watching, 306–307
- wind energy
- calculating potential for, 12–13
  - determining payback on, 13
  - formula, 69–75
  - motivations for using, 19–23
  - principles of, 11
  - reasons for using, 9–10
  - requirements for, 165
  - user lifestyles, 23
- wind energy potential
- analyzing wind speed, 125–135
  - defined, 70
  - local effects, 117–121
  - turbine sites, 121–125
- wind energy system configurations
- batteryless grid-tied system, 43
  - grid-tied system with battery backup, 43–45
  - off-grid system, 45–46
  - overview, 42–43, 149–150
- wind gauge, 307
- wind generators. *See also* turbines
- as backup for off-grid system, 147
  - configuration of, 203–204
  - customer support, 325
  - defined, 10, 344
  - determining size of, 16, 254–258
  - fuel-fired, 42
  - inspecting, 312
  - overview, 15, 35, 199
  - selecting, 214–217
  - sizes of, 16, 199–203, 254–258
- wind maps, 128–129
- Wind Power: Renewable Energy for Home, Farm, and Business* (Gipe), 117–118
- wind rose, 129–130, 344
- wind shear
- calculator, 128
  - defined, 258, 344
  - determining tower height using, 258–262
  - overview, 220–221
- wind speed
- analyzing, 125–135
  - anemometer, 126–127
  - average, 68–69, 259
  - evaluating at tower height, 215
  - instantaneous, 68
  - observing, 132–135
  - overview, 307

wind speed (*continued*)

peak, 69

terminology, 67–69

wind roses, 129–130

wind speed cubed ( $V^3$ ), 73–75, 221

wind-energy contractors.

See installation, professional

wire/wiring

overview, 248, 249, 304

transmission, 299

Woofenden, Ian

“How to Buy a Wind Generator,” 257

real world example, 333

wound-field alternator, 344

wound-field generator, 35

wound-field magnet alternator, 212

## • Y •

yaw, 344

yaw bearing

defined, 344

turbine, 36

yaw tube, 281

“yuppies,” 23

## • Z •

zerks, 312

zero bill, 143

zero energy, 140

zoning requirements, 30