

Index

- Access channel 476, 509–510, 515, 520–521, 529, 532
- Acquisition 379, 408, 501, 522, 536
- Ad hoc networks 14, 371
- Adaptive modulation 366, 406, 418, 547
- Adjacent channel interference 177, 181–182, 349, 412
- Alamouti codes 463–464, 537
- Aloha system 355–358, 511, 521
- Analog-to-digital converter 174, 177, 313
- Angular delay power spectrum 114, 127, 129
- Angular diversity 241, 246
- Angular power spectrum 114–115, 124–125, 127, 445, 454
- Antenna area 45–46
- Antenna array 115, 149, 152, 154, 166–168, 426–427, 430, 437
- Antenna efficiency 158
- Antenna gain 39–40, 45–46, 159–160
- Antenna pattern 426–427, 83–84, 113, 159–162, 166–168, 246
- Antipodal signals 215–216, 222–223
- Autocorrelation function 101, 113, 143, 145, 185, 212, 229, 326, 373, 486
- Automatic gain control 176, 549
- Automatic repeat request 177, 245
- Average duration of fades 86–87
- Average error probability 221–227, 405
- Azimuthal spread 114, 125

- Bad Urban environment 122–123, 125
- Bandpass signal 67, 180, 186–187, 191, 212
- Barker sequence 552
- Basis pulse 138, 180–181, 184–186, 188, 190–191, 209–210, 326–327, 400–401, 416, 519
- Beacon 475, 555, 558
- Beamforming 152, 249, 257, 426, 433–434, 440–442, 449, 453, 462

- Bearer service 497–498
- Beating 69
- Belief propagation 290–291, 293
- BER-driven diversity 252
- Bessel function 80–81, 241
- Bi-orthogonal signaling 217
- Binary-phase shift keying 187–188, 191, 209, 215, 217, 219, 221, 224, 227, 258–259, 375, 377, 405, 437, 547
- BLAST 452, 460–461, 563
- Blind equalizer 326, 341, 343
- Block codes 266–267, 272–273, 289–290, 296–297, 299, 484
- Bose–Chaudhuri–Hocquenghem code 273
- Branch metric 277–278
- Breakpoint 38–40, 51–52, 55, 119
- Breathing cells 388
- Broadcast 4, 8–9, 21, 301, 399, 441, 475–476, 494–495, 498, 520, 522
- BTS 469–470, 485, 493–498
- Bullington's method 57–58, 61
- Busy hour 350
- Butler matrix 430

- Calibration 142, 144, 148, 153, 156, 437–438, 445
- Call blocking 350
- Call forwarding 494, 498, 500
- Call waiting 499
- Canonical receiver 235
- Capacity 21, 265, 285, 288, 294, 350, 357–358, 361–362, 365–366, 369, 380, 384–388, 418–420, 425–427, 429, 439–440, 442, 444–461, 467–468, 481, 501–502
- Carrier recovery 176–177, 216, 235
- Carrier Sense Multiple Access 355, 357–358, 367, 557, 562
- Carrier spacing 402, 415, 518
- Cell planning 17, 363–365

- Cell search 534
- Cellular principle 5, 11, 35, 361
- Channel estimation 230, 327–328, 340, 354, 390, 407–408, 410, 501, 529, 549–550
- Channel sounder 117, 137, 154, 376, 434
- Channel-state information 262, 297, 321, 418, 421, 439–440, 445, 447–451, 453, 457, 460, 462–464, 537
- Channelization codes 522, 526, 528, 532–533
- Circuit-switched 302, 321, 359, 489, 491, 499
- Cluster 121–125, 127, 129, 134, 361–362, 364–365, 427
- Cluster arrival time 122
- Cluster size 361–362, 364–365, 427
- Co-channel interference 11, 38, 176, 250, 361, 427, 485
- Code division multiple access 7, 143–144, 242, 250, 345, 361, 369–370, 372, 374–388, 396–397, 399, 427–430, 434, 465–468, 499–501, 511, 518, 520, 526, 533, 536
- Code-excited linear prediction 319, 326–327, 502, 523
- Code polynomial 272–273, 524, 526
- Coded OFDM 404, 406, 418, 421
- Coding gain 265, 283, 296, 298, 413
- Coherence bandwidth 108, 110, 245, 349, 406, 439, 485
- Coherence length 63
- Coherence time 108, 138–140, 227–228, 252, 298, 438–439, 441, 444–445
- Collision detection 357
- Complementary Code Keying 551–552
- Concatenated codes 272, 298, 526
- Condensed parameters 95, 106, 116
- Constant modulus algorithm 171, 341
- Constraint nodes 291–292
- Contention window 557, 560
- Continuous-phase frequency shift keying 184, 186, 205, 209, 219
- Control channels 470, 475–479, 483–484, 500, 511–512, 520–522, 528–529, 532
- Convolutional codes 227, 266, 275–282, 296–299, 321, 337–338, 481–482, 484, 491, 503, 515, 524, 526, 563
- Cordless 7, 12–18, 20–21, 31, 33–35, 230, 242–243, 326, 345, 355, 465–466, 514
- Correction sphere 271–272
- Correlation coefficient 85, 108, 187, 201, 211, 215, 236, 240–245, 249, 259, 263, 382
- Correlation function 62–63, 85, 101, 103–106, 108, 113, 119, 121, 143, 145, 185, 212, 229, 311–312, 326, 373, 375, 380, 421, 486
- COST 207 123, 241, 486
- COST 231 119, 135
- COST 259 128–129
- Crest factor 139, 142–143, 395, 529, 533–534
- Cross-polarization ratio 126
- Cross-correlation 212, 331, 380, 486, 509, 532, 554
- Cyclic codes 268, 271–273
- Cyclic prefix 399, 402, 404, 410, 414–418, 422–424, 520, 522, 534–535
 - contention period 555, 558–561
- Cyclic redundancy check 524, 555
- Cyclostationary 185, 309, 312, 342
- Data rate 3–4, 13–14, 16–18, 21, 28, 30, 191, 228–229, 345, 353, 355, 386–388, 399–400, 426, 443, 466
- Decision feedback equalizer 335–336
- Decorrelation receiver 390–392
- Delay dispersion 43–44, 95–96, 98, 107, 110, 112, 121, 137, 180, 228, 230, 232, 234–235, 237, 248–249, 259, 325, 345, 349, 375–376, 381, 399, 402, 414, 416–417, 425–426, 472, 487
- Delay diversity 262, 264, 325, 377–378, 392, 463, 487
- Delay spread 107–108, 110, 115–116, 121–122, 129, 230, 232, 241, 308, 325, 417, 486
- Deterministic channel models 43, 118, 130, 134
- Deygout method 59, 61
- Dielectric constant 47–49, 63, 163
- Dielectric layer 47–49, 163
- Differential detection 219–220, 222–223, 229, 234–237
- Diffraction 52–53, 55–61, 89, 112, 120, 131, 133–134, 247
- Digital Enhanced Cordless Telecommunications 33, 210, 243, 355, 519
- Digital-to-analog converter 176–178
- Dipole antenna 161–162, 247
- Direct-sequence spread spectrum 372, 373, 466
- Direction of arrival 25, 113, 115, 124, 126–128, 135, 150, 425–426, 430, 434–435, 437, 439–440, 457
- Direction of departure 25, 113, 115, 124, 126, 128, 135
- Directional antennas 149, 156, 168, 241, 307, 427
- Directivity 46, 149, 157–158, 160
- Discontinuous transmission 322, 326, 365, 387, 482, 506, 526, 533
- Distributed coordination function 555, 557–561
- Diversity 229, 239–243, 245–260, 262–264, 296–297, 325, 345, 349, 353, 370–371, 377–378, 386, 404, 406–407, 421–422, 424–425, 433, 440–442, 460–464, 487, 513–514, 516, 518, 537–538
- Doppler
 - effect 83, 228–229, 414, 416
 - shift 69–70, 83, 104–106, 108, 127, 141, 228–229, 234, 414–416

- spectrum 83–87, 93, 103, 105, 119, 139, 229, 234, 417
- Double-directional impulse response 113, 115, 126, 129, 137
- Double-scattering 90
- Downlink 21, 348, 357, 360–361, 385–387, 437–441, 475–476, 478–479, 500–504, 507, 509–512, 520–522, 526, 532–535, 537, 539
- Emission mask 519
- Encryption 9, 469, 477, 485, 505
- Ensemble 76, 102
- Envelope correlation 85, 211–212
- Epstein–Petersen method 58–59, 61
- Equal gain combining 253–255
- Equalizer 95, 108, 110–111, 146, 171–173, 263, 325–333, 335–337, 339–341, 343, 349, 354, 379, 381, 391–392, 399, 486–487
- Equivalent isotropically radiated power 39–40, 45
- Ergodic capacity 445, 450–452, 454
- Erlang B 350
- Erlang C 352
- Error bursts 227, 266, 294–295, 298, 484
- Error floor 228–232, 246
- Error polynomial 274
- Error propagation 335–336, 340, 393–394, 461
- Error vector measurement 529
- ESPRIT algorithm 156, 434
- Euclidean distance 187, 214–215, 267, 277–278, 281–285, 297–298, 315–316
- European Telecommunications Standards Institute 6, 513–514, 541, 562
- Expansion function 186–187, 205, 213, 218
- Extrinsic information 287–288
- Fading 27–29, 38–40, 65–70
- Fading margin 38–40, 77, 80–81, 90–92, 228, 365, 385
- Fano bound 158
- Far IOs 127
- Fast Fourier Transform 152, 401–404, 410, 415, 422–424, 430–431, 547
- Feedback filter 326, 335–336
- Feedforward filter 336
- Fieldstrength 43, 65–72, 75–78, 82, 86, 89–90, 92, 95, 118–120, 130, 137, 158, 240
- Finite difference time domain 130, 135
- Fixed wireless access 7, 14–18, 22, 31, 466
- Fractional equalizer 340
- Fractional loading 366
- Frame 304, 308–313, 316, 320–323, 328, 357, 396–398, 471, 474–475, 477–480, 485, 491, 501–503, 506–507, 510–511, 514–516, 521–526, 528–532, 534–535, 538, 541, 549, 555–556, 558, 560–561
- Frequency correlation function 104, 106, 108
- Frequency discriminator 209, 215, 236
- Frequency dispersion 85, 176, 228–230, 234–235, 259, 402
- Frequency diversity 241, 245–246, 248, 262, 325, 349, 353, 370–371, 377, 404, 407, 421–422, 518 *see also* Delay diversity
- Frequency division multiple access 345, 347–349, 352–353, 355, 358, 360–362, 365, 371–372, 386–388, 400, 427, 467, 470–471
- Frequency domain duplex 348, 360–361, 438–440, 470, 513, 518, 538
- Frequency domain equalization 424
- Frequency hopping 246, 369–370, 397, 485–486, 541, 562–563
- Frequency modulation 229, 260
- Frequency shift keying 184, 201–202, 205, 209–210, 216–217, 219, 229, 236, 259, 263, 467
- Frequency-selective 98, 108, 246, 259, 264–265, 298–299, 372, 382, 402, 404–406, 414, 418, 454, 537 *see also* Delay dispersion
- Fresnel integral 52–53, 59
- Fresnel zone 55
- Friis' law 46, 51
- Galois field 268, 273
- Gamma distribution 82
- Gating 505–507, 510
- Gaussian 71, 75, 78, 88–89, 92, 95–96, 127, 153, 244, 452
- Gaussian minimum shift keying 209–210, 212, 237, 467–468, 471–472, 487
- General Packet Radio Service 491
- Generator polynomial 268, 272–274, 311, 316–317, 484, 504, 524, 526, 547, 554–555
- Geometry-based stochastic channel model 126, 135
- Global-positioning system 147–148, 379, 480, 500, 510
- Global System for Mobile Communications 6–7, 32–33, 39, 165, 242–243, 328, 340, 355, 427, 465–475, 477, 481–482, 484–501, 519–521
- Grazing incidence 48, 62
- Group delay 96–97, 230, 232, 234, 237
- Guard band 349, 354, 471
- Hadamard 381, 383, 385, 387, 423, 500, 504, 526
- Hamming code 269–270, 272–273
- Hamming distance 267–268, 278, 296–297
- Handoff *see* Handover
- Handover 12, 18, 354, 366, 386–387, 491, 495–496, 511–512, 516–517, 538
- Hexagonal cells 363, 366
- Hierarchical cell structure 538
- Hilly terrain environment 101, 122–123, 125

- History of wireless 1, 3–7, 11, 265, 467, 499, 513, 541
 Home location register 34, 470, 475–476, 492, 494, 497, 499, 515
 Homogeneous plane wave 47–48, 52, 67, 70–71
 Hotspot 516, 544
 Huygen principle 52–53
 Hybrid selection maximum ratio
 combining 256–257, 259, 378

 Image principle 132, 162
 Impulse radio 212, 369, 394–397
 In-phase component 85, 196, 411, 528
 Industrial environment 125
 Instantaneous frequency 88, 144, 202, 209, 229, 233
 Interframe spacing 556, 560
 Intersymbol interference 29–30, 95, 97, 171, 181, 230–232, 297–298, 325–326, 329–330, 332, 335–336, 354, 375, 379, 403–404, 415, 417–418, 423, 435, 472, 486–487, 534
 Interacting objects 25, 27, 45, 47, 52, 57, 64, 67–71, 96–99, 105, 112, 125–127, 129–131, 134, 150, 243, 245, 263, 444, 458
 Intercarrier interference 414
 Interchip interference 375–376, 379–380, 534
 Interference cancellation 388, 390, 393, 416, 461
 parallel 391, 418, 460, 462
 serial 379, 388, 390, 393
 Interference quotient 110–111
 Interference-limited 35, 40, 43, 78, 256, 354, 365
 Interleaving 174, 227, 245, 263, 285, 294, 296–297, 370, 406–407, 484, 503, 516, 523–525
 Intermodulation 176, 349, 412, 468, 473–474, 518–519
 International Telecommunications Union 60, 123, 307, 377, 513
 (ITU-R) model 61
 Irreducible errors 30, 228

 Jacobian 83, 222
 Jakes' spectrum 84–88, 93, 121
 Jamming 369

 Kasami 375, 380–381, 528
 Kernel 100
 Kirchoff theory 62–63
 Kronecker model 130, 135, 454

 Laplacian distribution 125, 127, 129, 135
 Large-scale fading 28, 65, 89, 119, 129, 227, 248
 Latency 21, 248, 295–296, 358, 407, 441–442, 484, 561
 Layered space–time structures 460
 Least-mean square algorithm 332

 Level crossing rate 85–87, 93
 Line of sight 25, 39, 51–52, 55, 76, 78, 80–81, 117, 120–121, 125, 241, 456–458, 464
 Linear code 268, 270–271
 Linear time variant 100, 116
 Link budget 35, 38–40, 42, 46, 361, 364, 440
 Local area network 8, 13, 17, 31, 123, 243, 399, 465, 541, 546, 555, 562
 Location update 470
 Log-likelihood ratio 287–288, 292, 394
 Logical channel 471, 474–475, 477–478, 491, 493, 520–523
 Long-code mask 504, 511
 Long-term prediction 318
 Low-density parity check code 265–266, 289–290, 292–294, 298, 300, 365, 451, 557
 Low-noise amplifier 34, 176
 Low-pass filter 176, 306

 M-ary PSK 199–200, 217, 219, 225
 Macrocells 17, 119, 123, 127, 129, 133–134, 166, 168, 516, 518
 Macrodiversity 248, 386
 Man-in-the-middle attack 485
 Marconi 4
 Marcum's Q function 81, 220, 224, 235
 Matched filter 143–144, 146, 177, 182, 209, 214, 326–327, 330, 338, 340, 392, 398, 403
 Maximum a posteriori 213, 276
 Maximum excess delay 98–99, 115, 140–141, 145, 230, 263, 378–379, 403, 414–415, 547
 Maximum-likelihood sequence estimation 276–278, 326, 337–340, 342, 390, 392–394, 433
 Maximum ratio combining 253–260, 262, 378
 Maximum ratio transmission 262
 Mean effective gain 160
 Mean opinion score 21, 307–308, 327
 Medium access control 466, 542, 544, 549, 555–559, 562–563
 Microcells 17, 119, 121, 125, 129, 134, 137, 366, 380, 458, 516, 518
 Microstrip antenna 162–166, 168
 Midamble 474, 478, 486
 Minimum distance 267, 271, 273, 283–284
 Minimum mean-square error 331–332, 336–337, 340, 390, 392, 408, 422, 424, 459, 563
 Minimum shift keying 205, 209, 215, 467, 471, 480
 Minimum variance method 152
 Mobile switching center 469, 512
 Mobility management 469, 509
 Mobility 3, 7, 10–11, 13, 15–18, 22–23, 25, 34, 441, 466, 469, 495, 509, 511
 Modulation index 184, 202, 205, 209–210
 Moment-generating function 226, 237, 254, 258
 Monopole antenna 162

- Motley–Keenan model 120
 MPEG 178
 Multipath component 27–29, 43, 65, 69, 71–72, 76, 78, 83, 96, 98, 104–105, 110–114, 120, 122–123, 125–127, 129, 132–133, 146, 148, 152–154, 242–243, 246–248, 262–263, 294, 325, 376–380, 398, 425–426, 429, 431, 433–434, 437, 439, 450
 Multicarrier CDMA 246, 418, 422–424, 513, 563
 Multiframe 477–480
 Multipath propagation 25, 43, 67, 70, 95, 105, 112, 376
 Multiple access 7, 10, 17, 20, 30, 95, 322, 345, 347–349, 353, 355, 357–358, 366, 369–370, 372, 374, 376, 383, 396–397, 399–400, 421, 425, 427, 465–467, 469, 471, 499, 513, 526, 534, 557
 Multiple-input multiple-output 129, 135, 149, 154, 248, 263, 425, 442, 445–446, 448, 450, 454, 456, 459–460, 462–463, 562
 Multiplexed array 149–150
 Multiplexing 176–177, 322, 345, 390, 399–400, 404–406, 442, 450, 464, 521, 523–524, 526, 528–529, 531, 541, 546, 562
 Multipulse modulation 184, 186, 201, 209–211
 Multiscreen loss 120
 Multiuser detection 7, 345, 366, 385, 388–391, 393, 416, 461, 532
 Multiuser diversity 440–442
 Mutual coupling 153, 246, 263, 454

 Nakagami distribution 82–83, 90, 93, 226
 Noise bandwidth 185
 Noise enhancement 36, 142, 146, 330–331, 336–337, 392, 422
 Noise figure 37, 39–40
 Noise raise 141
 Noise-limited 1, 35, 37, 42, 77, 255, 426
 Noise-whitening filter 326–327, 331, 336, 338, 345
 Non-line of sight 39, 160, 456–457
 Non-coherent detection 223, 227
 Normal distribution 71, 89–90, 93, 119, 122
 Notch 96, 427
 Nullspace 270
 Nyquist theorem 105, 139–140, 145, 181, 340, 528

 Offset quadrature-phase shift keying 196, 216
 Okumura–Hata model 119, 135
 One-tap equalizer 404, 422
 Optimum combining 255–256, 398, 460–461
 Order statistics 257
 Orthogonal signal 215–217, 220, 222–223
 Orthogonal variable spreading factor 382–383, 516, 528, 532–533, 537
 Orthogonality factor 381
 Orthogonality frequency division
 multiplexing 29–30, 85, 108, 144, 345, 399, 402, 404–408, 410–416, 418–424, 454, 542, 546–548, 550, 562–563
 Outage 77, 80, 90–92, 227–228, 450–451
 Overload control 538

 Packet data 301, 442, 518
 Packet radio 345, 347, 349, 355, 358–360, 509, 513, 515, 557
 Packet reservation multiple access 367
 Packet-switched 302, 322, 357–359, 490, 498
 Paging 9–10, 31, 229, 470, 476, 494, 504, 511, 520, 522
 Pairwise error probability 216–219
 Parity check 265, 267, 269–270, 272–273, 281, 288–292, 483, 502, 549
 Patch antenna 159, 162–163, 166, 247
 Pathloss 5, 38–40, 65, 103, 112, 119–120, 144, 362, 386, 501
 Pattern diversity 246, 262–263, 454
 Peak-to-offpeak ratio 139, 143–144, 146
 Peak-to-average 176, 196, 199, 395, 411–412
 Personal area network 13–14, 16–17, 31, 123, 466, 563
 Personal communications system 32, 468, 517
 Personal handyphone system 13
 Personal unblocking key 492–493
 Perturbation theory for diffuse scattering 62
 Phase modulation 184, 188, 190–191, 197, 200–201, 212, 219
 Phase-sweeping diversity 263
 PHY protocol data unit 546, 549, 554–555
 Physical layer Service Data Unit 544, 546–547, 549, 552, 554–555
 $\pi/4$ -DQPSK 194, 216, 236–237, 260, 263, 552–554
 Picocells 129, 166, 380, 516, 518
 Pilot 408–409, 500–501, 509–512, 522, 529, 531–533, 537, 547, 549
 Planar-inverted F antenna 164–166
 PN-sequence 327–328, 374–375, 380, 485–486, 501, 504, 509–511
 Poincaré sphere 160
 Point coordination function 555, 558–561
 Poisson distribution 122, 135, 356
 Polarization 48, 53, 63, 113, 125–126, 131, 158, 160, 162, 241, 247–248, 262–263
 Polarization diversity 125, 160, 241, 247–248, 262–263
 Polling 355, 358, 558, 560–562
 Power amplifier 33, 139, 349, 412, 473
 Power control 34, 375–376, 384–386, 428, 469, 473, 476, 495–497, 500–501, 506, 510–511, 513–515, 520–522, 529–531, 536–537, 541
 closed-loop 501, 520, 536–537

- Power control (*cont.*)
 group 511
 open-loop 501, 520, 530, 537
Power delay profile 106, 115, 121, 145, 230, 234, 241, 417
Power ramping 472
Power-spectral density 138–139, 185–186, 211, 372–373, 551
Preamble 486, 521–522, 530–532, 536, 544, 549–550, 552, 554–555
Precursor equalizer 327
Private automatic banch exchange 13, 17
Product distance 297–298
Propagation delay 357, 480–481, 518
Proportionally fair scheduling 440–441
Public Switched Telephone Network 4, 11–13, 15, 18, 301, 327, 470, 493–494, 498
Pulse amplitude modulation 180, 185–186, 188, 190–191, 197, 201, 210, 325, 397
Pulse position modulation 210, 216, 394, 397
Puncturing 280, 287, 491, 503, 516, 525, 538, 547
- Q-function 224–225, 258
QFGV method 235–237
Quadrature amplitude modulation 193, 198–200, 205, 208, 229, 231, 507
Quadrature-phase shift keying 191, 193–194, 196–198, 216, 219, 224, 232, 281, 284, 420, 460, 516, 532, 547
Quadrature-phase component 72, 75, 191, 196, 198, 205, 212, 505, 528
Quasi-static 68, 100, 325, 361, 444
Queuing theory 349
- Radiation coupling 165
Radiation resistance 158, 161–162
Radio frame 524–525
 segmentation 511, 525
 size equalization 524
Radio network controller 515
Raised cosine pulse 182–183, 190, 197, 519, 528
rake receiver 29–30, 263, 265, 345, 376–380, 386, 398–399, 433, 534, 537–538, 554
Random access 476, 478–479, 503, 512, 515, 520–521, 529, 532
Random beamforming 440–442
Random frequency modulation 70
Ray arrival time 122
Ray launching 131, 133, 135
Ray splitting 131–132, 135
Ray tracing 43, 61, 118, 129, 131–135
Rayleigh distance 46
Rayleigh distribution 71, 75–76, 78, 87, 119, 222, 226
Rayleigh fading 78, 86, 90–93, 103, 118–121, 222, 227, 230, 234–237, 239–240, 254, 259, 262, 440–441, 450, 454
- Reciprocity 158, 262, 438–439, 445
Recursive least squares 333
Recursive systematic convolutional codes 285, 526
Reed–Solomon codes 174, 267, 273
Regular pulse excitation 316, 327, 481–482
Relay 12, 355, 458
Repetition coding 245, 266, 370, 406, 563
Reuse distance 78, 361–366, 384, 390, 427, 459
Rice distribution 80, 82–83, 93, 226
Rice factor 80–81, 129, 222
Rough surface 61–62, 64
Routing 355, 359, 367, 470, 492, 494, 510, 512
RSSI-driven diversity 250–251, 262
- SAGE algorithm 153, 156, 434
Saleh–Valenzuela model 122, 135
Sampling instant 230, 233–235, 326, 435
Satellite communications 5, 15
Scattering function 104–106, 117, 141
Scheduling 440–441
Scrambling code 380, 385, 515, 522, 526, 528, 532–536, 538
Second-order statistics 102, 342, 437
Sector cell 366
Selection diversity 249–254, 256–257, 259–260, 262, 440
Sensitivity 33–34, 39–40, 179, 198, 321, 495, 518
Sensor networks 3, 8, 16, 23, 34, 355
Set partitioning 283–284
Shadowing 28, 65–66, 89, 92–93, 103, 119, 129, 146, 248, 365, 386, 501
Signal space diagram 186–188, 194, 197, 199, 205, 209, 212–214, 216, 277
Signal-to-interference ratio 32, 35, 78, 183, 250, 361–362, 389, 393, 426–427, 429, 435, 531, 536–537
Simplex 21, 512, 514
Simulcast 9, 31, 248–249
Singular value decomposition 410, 446, 462
Slotted (Aloha) 355–358, 521
Small-scale fading 27–28, 65, 68, 70, 78, 93, 129, 146–147, 227, 239–240, 248, 385–386, 438–439, 485, 511, 537
Smart antennas 370, 425–429, 434–435, 437, 439, 442, 516, 520–521, 533–534
Snell's law 47–48, 63, 131
Soft decoding 278, 297
Soft handover 386–387, 511–512, 536, 538
Soft-input soft-output 285, 287, 456
Source coder 174, 179, 321
Space division multiple access 366, 427, 430, 439–440, 459
Space–time codes 263, 463

- Space-time trellis codes 463–464
- Spatial diversity 113, 241–242, 246, 248, 262
- Spatial filtering for interference reduction 427, 429–430, 459
- Spatial multiplexing 442, 464, 562
- Spatial reference 433–434
- Spectral efficiency 6, 15–16, 32, 179, 181, 188, 190–191, 193, 197–198, 206–207, 209, 211–212, 265, 279, 281, 328, 334, 341, 348–349, 364, 366, 369, 388, 404, 408, 412, 414–416, 427, 437, 439, 513
- Specular reflection 47
- Spread spectrum 7, 33, 138, 345, 369, 372, 466, 499, 541
- Spreading code 374, 380, 382–386, 388, 393, 427, 500, 504–505, 507, 510–511, 514–515, 520–521, 526, 528, 532, 534, 536
- Spreading factor 369, 372, 382, 399, 429, 509, 514, 516, 521–522, 528–534, 536, 538
- Spreading function 101
- Spurious emissions 36, 176, 519
- Steering vector 115, 152–154
- Stochastic channel models 118, 126, 137
- Stochastic gradient method 332
- Streaming 16, 21, 499, 516–517
- Student's *t*-distribution 234
- Subcarrier 400–402, 404–408, 411–412, 414, 416–419, 421–424, 450, 547–548, 550, 563
- Subspace 152–153, 157
- Suzuki distribution 90–93, 135
- Swept time delay cross-correlator 145–146, 154
- Switched diversity 252
- Synchronization 147–148, 150, 174, 178, 248–249, 312–313, 348, 354, 370–372, 379–380, 394, 397, 417, 424, 435, 474–475, 478–480, 500, 510–511, 514, 522, 529, 532–535, 538, 549
- Syndrome 269–274, 290–292
- Systematic codes 267–270, 273
- Tanner graph 290, 293
- Tapped delay line 105, 113, 120, 123, 126, 128, 135, 338, 376–377
- Teleservice 497
- Temporal correlation function 106, 108
- Temporal reference 433–434
- Thermal noise 36, 40, 384
- Time division multiple access 30, 108, 242, 250, 327, 347, 349, 353–355, 358, 360–361, 365, 367, 370, 396, 421, 427, 429, 439–440, 466–467, 471, 473, 562
- Time domain duplex 360–361, 388, 418, 437, 439, 513, 517–518, 538
- Time hopping 369, 394–398
- Timing advance 248–249, 354, 371, 379, 476, 478–481, 495–497
- Training sequence 252, 326–328, 341–343, 431, 433–437, 439, 445, 486, 505, 549, 555
- Transfer function 67, 95–96, 98, 100–101, 104, 112, 130, 135, 144–146, 148, 233, 238, 307, 310, 319, 326, 328–329, 331, 335, 375–376, 404–407, 436–437, 445–446, 449, 456, 458, 510
- Transmit diversity 262, 264, 424, 441, 463, 516, 537
- Transmitted Reference 398, 480
- Transparent mode 490
- Transversal electric 47
- terminal equipment 47–48, 53
- Transversal magnetic 47
- Trellis-coded modulation 281, 283–284, 298–299
- Truncation depth 278
- Trunking gain 349, 352
- Trunking radio 11, 31, 466
- Turbocodes 265–266, 285–288, 298–299, 365, 515–516, 524, 526
- Turbodetector 394
- Two-path model 66–70, 96–97, 121
- Typical urban environment 122–123, 125, 129, 241
- Ultrawideband 20, 95, 112, 135, 156, 304, 369, 394, 466, 563
- Underspread 140–141, 145
- Union bound 217–219, 225
- Universal frequency reuse 384
- Universal Mobile Telecommunications System 32, 36, 388, 466, 473–474, 513–517, 520, 523, 528, 534, 536–537, 539, 541
- Unslotted (Aloha) 355, 357
- Upconverter 176, 178
- Uplink 31, 39, 262, 348, 360–361, 371, 376, 379–380, 384–386, 421, 430, 437–439, 441, 459, 471, 473, 476, 478–479, 495, 500–505, 507, 509–512, 520–521, 524, 526, 528–529, 532–533, 536–537, 539, 541
- Variable nodes 290–293
- Virtual cell deployment area 129
- Visitor location register 34, 470, 492, 497
- Viterbi decoder 177, 266, 276–278, 285, 287, 337–338, 343, 474, 482, 484, 486–487, 503, 515
- Voice encoding 475, 482, 498
- Walsh–Ikegami model 119, 135, 139
- Walsh 381, 383, 385, 387, 423, 500, 504–505, 507, 509–511, 513, 516, 526
- Waterfilling 419–420, 450, 453
- Waveguide 64, 125, 304–305
- Weibull paper 76
- Whitening 277, 326–327, 331, 336, 338, 345, 370, 485, 532

-
- Wide-sense stationary uncorrelated scattering 95, 103–106, 108, 113, 116
 - Wideband code division multiple access 242, 466, 499, 523, 528, 534, 536, 538
 - Wideband 20, 76, 95, 98–99, 118, 120, 135, 137, 141, 147, 156, 165, 303–304, 322, 324, 369, 372–374, 466
 - Wiener filter 331, 333, 391
 - Window parameters 110–111
 - Wireless Local Loop 7
 - Writing on dirty paper 390
 - Zero-forcing equalizer 146, 325, 329, 336, 391–392, 422, 424

