

Index

SYMBOLS AND NUMERICS

- & (ampersand) URL item separator, 686**
- && (ampersands) AND operator, 71**
- * (asterisk)**
 - multiplication operator, 36
 - regular expression repetition character, 304
 - regular expression special character, 916
- *= (asterisk, equals sign) increment operator, 39**
- ** (asterisks) empty string delimiters, 41**
- | (bar) regular expression alternation character, 310, 800**
- || (bars) OR operator, 71, 72, 800**
- { } (braces, curly)**
 - code block delimiters, 67, 368, 800
 - CSS property delimiters, 604
 - HTML style attribute delimiters, 447
- [] (brackets, square) regular expression special character, 300, 302**
- ^ (caret) regular expression special character, 300, 302, 305**
- :** (colon)
 - CSS property prefix, 605
 - HTML style attribute assignment operator, 447
- ,** (comma)
 - array data separator, 50
 - operator, 892
- (dash) decrement operator, 37**
- > (dash, greater than sign) DTD comment suffix, 595, 602**
- = (equals sign) assignment operator, 24, 66, 70–71, 369**
- == (equals signs) comparison operator, 65, 66**
- != (exclamation mark, equals sign)**
 - not equal to operator, 65
 - NOT logical operator, 71
- >= (greater than sign, equals sign) greater than or equal to operator, 65, 80**
- > (greater than sign) greater than operator, 65, 80**
- < > (greater than sign, less than sign) XML tag delimiters, 583**
- = (hyphen, equals sign) decrement operator, 39**
- (hyphen) subtraction operator, 36**
- <= (less than sign, equals sign) less than or equal to operator, 65, 80**
- <!— (less than sign, exclamation mark, dash) DTD comment prefix, 595, 602**
- < (less than sign) less than operator, 65, 80**
- <% (less than sign, percent sign) script delimiter, 668, 696–698**
- <? (less than sign, question mark) XML declaration prefix, 586**
- = (minus sign, equals sign) decrement operator, 39**
- (minus sign) subtraction operator, 36**
- () (parentheses)**
 - array data delimiters, 50
 - condition delimiters, 76, 369–370
 - error caused by incorrect number of, 369–370
 - method parameter delimiters, 110, 836
 - regular expression group delimiters, 309
- %> (percent sign, greater than sign) script delimiter, 668, 696–698**
- % (percent sign) URL special character prefix, 686**
- .** (period)
 - CSS class prefix, 448
 - regular expression special character, 300

... (periods) regular expression special character, 300

+ (plus sign)

- addition operator, 35
- concatenation operator, 42, 368
- regular expression repetition character, 304

++ (plus signs) increment operator, 37

?> (question mark, greater than sign) XML declaration suffix, 586

? (question mark) regular expression repetition character, 304

“ ” (quotation marks, double)

- escape sequence, 21
- string delimiters, 21–22
- XHTML attribute value delimiters, 527
- XML attribute value delimiters, 599–600

‘ ’ (quotation marks, single) escape sequence, 21

;(semicolon)

- cookie string portion separator, 425, 433
- CSS property suffix, 605
- for statement element separator, 85
- HTML style attribute separator, 447
- JavaScript statement suffix, 7
- SQL statement suffix, 741

/ (slash)

- regular expression delimiter, 297
- XML element suffix, 592

\ (slash, backward)

- escape character/sequence, 21
- regular expression special character, 322, 916

// (slashes) comment prefix, 11

A

A

- HTML tag
 - Anchor object, creating using, 926
 - href property, 167, 807–808
 - onclick event, 168–169, 173
 - rollover effect using, 185, 810–812, 843–844
- object, 167, 168–169, 173, 811, 843–844

abs method (Math object), 122–123, 910

Access

- AutoNumber data type, 729, 733
- currency display, 757
- Datasheet View, 741
- Design view, 740
- driver, 750
- Edit Relationships dialog box, 737
- General tab, 726

- New Database option, 724
- Objects tab, 740
- Relationships window, 736–737
- round function, 757
- Run icon, 741
- Show Table window, 736, 737
- SQL view, 740
- table design view, 725–726
- version used in this book, 722

acos method (Math object), 910

action attribute (form tag), 188, 674, 716, 875

action property (Form object), 933

Active Server Pages. See ASP

ActiveX. See also ADO (ActiveX Data Objects)

- control
 - array of controls, returning, 930
 - blocking/unblocking, 646
 - browser, redirecting if not installed, 638, 643
 - browser support, 640, 644
 - codebase attribute, 634, 637–638
 - container program, 634
 - detecting, 634–636, 638, 640–641
 - embedding, 634–637, 639
 - event handling, 638, 639, 640, 642
 - id value, 634, 636–637, 639
 - installing, 637–638
 - listing installed controls, 634–635
 - method belonging to, accessing, 639
 - operating system considerations, 644–645
 - plug-in compared, 628, 634, 637
 - property belonging to, accessing, 639
 - ready status, checking, 638
 - referencing, 639
 - troubleshooting, 643–646
 - URL associated with, 637–638
 - version, displaying, 636
 - version, returning, 645–646
 - warning display, 646
 - web page, adding to, 634–637
 - XML file loading, role in, 614

ActiveX Data Objects. See ADO

ActiveXObject object, 614, 900

actOnTag variable, 468

add method (Option object), 220–221

addBooking method (cinema class), 150–151, 154

addition (arithmetic), 35, 887, 889

AddOrderDetails.asp file, 761, 763, 764, 767

addPage function, 245, 246

addToBasket function, 824

ADO (ActiveX Data Objects). *See also* database

Connection object
 close method, 753
 creating, 752–753, 758
 described, 747
 Execute method, 753, 758, 761
 open method, 752
 recordset, opening using, 753–754, 758
 SQL, executing using, 747, 753, 761, 768
 CreateObject method, accessing using, 746, 752
 functionality provided by, 746
 PWS, included with, 746
 Recordset object
 Bof property, 755
 creating, 760
 database query, returning Recordset object using,
 753–754, 758
 Eof property, 754–755
 MoveFirst method, 760
 MoveLast method, 760
 MoveNext method, 754, 759, 760
 MovePrevious method, 760
 open method, 759–760

ADODB library, 752

adoRecordSet **variable, 753, 754, 758, 769**

AdvertImage_.jpg **files, 350, 669**

advertisement

cookie, updating using, 444, 839–841
 timer, updating using, 349–352, 364, 829–831

Adverts.htm **file, 350, 830**

Age **cookie, 429**

alert

function, 11, 25–26, 27–28
 window object method, 159, 947

aliasing, 662

align **attribute, 551–552**

alinkColor **property (document object), 930**

all **property (document object), 163, 174, 175, 514–515, 518–519**

alphaWorks **website, 438**

altKey **property (event object), 553**

ampersand (&) **URL item separator, 686**

ampersands (&&) **AND operator, 71**

Anchor

element, 918, 926
 object, 926–927
 String object method, 918, 926

anchors **property (document object), 930**

AND logical operator, 71–72, 888, 891

angle in radians, returning, 910

answer **variable, 232, 284, 789, 790**

answerCorrect **function, 99, 232–233, 284, 285**

answerRegExp **variable, 790**

Apache server, 650

appCodeName **property (navigator object), 937**

appendChild **method (Node object), 547, 549**

applet element array, returning, 930

applet **HTML tag, 927**

Applet **object, 927**

applets **property (document object), 930**

Application **object, 712–713**

apply **method (Function object), 907**

appName **property (navigator object), 177, 937**

appVersion **property (navigator object), 182, 937**

arccosine, returning, 910

arcsine, returning, 910

arctangent, returning, 910

Area **object, 604, 927**

arguments **property (Function object), 906**

arithmetic. See also math

addition, 35, 887, 889

division, 36, 887, 889

multiplication, 36, 39, 800–803, 887, 889

subtraction, 36, 39, 887, 889

arity **property (Function object), 907**

array

ActiveX control array, returning, 930

applet element array, returning, 930

concatenating, 130–131, 132–133

copying portion of, 132

creating, 50, 51–52

data, filling with, 50–51, 52–53, 156, 804–805

DHTML menu, populating from, 486–487, 501, 503,
 506, 510

embedded object array, returning, 930

extending, 59

Form object, storing in, 188–190, 930

frames in current window, returning array of, 249, 946

hyperlink array, returning, 930

image array, returning, 163, 166–167, 172–173, 930

index, 49, 54, 56, 87, 835

introduced, 49

length, returning, 109, 130, 901, 902

looping, accessing during, 87, 88

MIME type array, returning, 633, 938

multi-dimensional, 54–58

naming, 50

navigator object

mimeTypes array, 633, 938

plugins array, 630, 631–632, 640, 938

array (continued)

array (continued)

- option list, storing in, 216–217, 220, 226–227
- plug-ins installed, returning array of, 630, 631–632, 640, 938
- pushing element to end, 901
- radio button array, 208, 213
- removing and returning first element, 901
- reversing, 901
- Select object options array, 216, 220–221
- single-dimensional, 49–54
- size
 - declaring, 50
 - maximum, 49
 - returning, 109, 130
- slicing, 132
- sorting, 107, 133–136, 156, 804
- source code, returning, 901
- splicing, 901
- text
 - case sensitivity when sorting, 134
 - match operation, returning in, 296–297, 318–319
 - string, converting array to, 132–134, 902
- variable
 - array compared, 49
 - declaring variable as array, 50, 52, 56
- VBScript array, 921
- Visual Basic array, 921
- watchpoint, 902
- web page, filling with data from, 53, 57–58
- web page visited, storing file name in, 245–246
- window reference, storing in, 249
- write method, using with, 53, 57–58, 486, 503

Array function, 50

Array object

- concat method, 130–131, 901
- constructor property, 900
- creating, 107–108
- eval method, 901
- index property, 900
- input property, 900
- join method, 132–133, 901
- length property, 109, 130, 134, 189, 900
- pop method, 901
- prototype property, 900
- push method, 901
- reverse method, 134–135, 901
- shift method, 901
- slice method, 132, 901
- sort method, 133–134, 804–805, 901

- splice method, 901
- toSource method, 901
- toString method, 225, 902
- unshift method, 902
- unwatch method, 902
- valueOf method, 902
- watch method, 902

asin method (Math object), 910

AskQuestion.asp file, 778

AskQuestion.htm file, 275–278, 283–284, 323, 328, 782–787

ASP (Active Server Pages)

- banner image, updating using, 667, 669–671
- browser
 - detecting, 690–696, 704
 - redirecting, 698–703, 720
 - support, 667
- component, running, 704–710
- cookie, working with, 689, 698, 703
- database, accessing from web page using
 - ADO involvement, 746–747
 - connection, 747, 752–753
 - data source setup, 747–751
 - deleting data, 761
 - inserting data, 761–769
 - query, 753–759
 - Recordset object access, 759–760
 - updating data, 761
- enabling, 665
- event handling, 710–711, 712, 713, 714, 715
- global.asa file, 711, 712, 713, 715
- HTML, as, 667
- installing, 651
- logon application using, 699–703, 720
- object model, 673–674
- request handling
 - browser detection, 690–696, 704
 - client system data, retrieving, 673, 690–696
 - cookie data, 689
 - form checkbox data, 678, 682
 - form data sent via get method, 685
 - form data sent via post method, 674, 685
 - form select element data, 677–678
 - form text data, 674–677, 678, 682–685
 - HTTP role in, 674
 - object model, 673–674
 - operating system, detecting, 694
 - radio button data, 677–678, 682
 - URL, data passed in, 685–689
 - web page request, 650, 673, 674

- response
 - browser, redirecting, 698–703, 720
 - cookie data, 689, 698, 703
 - object model, 673–674
 - server, installing on, 651
 - session tracking, 710–712
 - SSI, inserting in web page using, 708–710
 - validation, 684
 - web page, inserting in, 668–669, 696–698, 708–710
 - website representation, 712–713
 - .asp files, **667**
 - ASP.NET, 718**
 - assignment operator, 24, 66, 70–71, 369, 887**
 - asterisk (*)**
 - multiplication operator, 36
 - regular expression repetition character, 304
 - regular expression special character, 916
 - asterisk, equals sign (*=) increment operator, 39**
 - asterisks (* *) empty string delimiters, 41**
 - async property, **615**
 - atan method (Math object), **910**
 - atan2 method (Math object), **910**
 - AtEnd method (Enumerator object), **906**
 - Attr object, **534**
 - attribute. See also specific attribute**
 - DOM
 - creating, 550–551
 - value, replacing, 550
 - value, returning, 550, 552
 - value, setting, 550, 552
 - event handler as, 168–170
 - hyperlink attribute, returning, 167
 - XML
 - element, relation to, 587
 - syntax, 599–600
 - attribute.htm file, **550**
 - audio. See sound**
 - AutoNumber data type, **729, 733**
 - availHeight property (screen object), **942**
 - availWidth property (screen object), **942**
 - AWalkOnTheServerSide virtual directory, **662, 664–666, 670**
- ## B
- back method (history object), **161, 934**
 - backspace escape sequence, 21**
 - BakedFreshToday cookie, **689**
 - banner**
 - ASP, updating using, 667, 669–671
 - scripting, updating using server-side, 669–671
 - timer, updating using, 349–352, 364, 829–831
 - BannerAdvert.asp file, **670**
 - bar (|) regular expression alternation character, 310, 800**
 - bars (||) OR operator, 71, 72, 800**
 - basketWindow variable, **824**
 - beg_asp3_details.htm file, **261, 825**
 - beg_dreamweaver_details.htm file, **260, 261**
 - beg_dreamweaver.gif file, **259**
 - Berners-Lee, Tim (HTML creator), 522–523**
 - BGCOLOR attribute (body tag), **7**
 - bgColor property (document object), **7, 8, 930**
 - big method (String object), **918**
 - bitwise operator, 71, 889–890, 893**
 - blank.htm file, **819**
 - blink method (String object), **918**
 - block, code, 6, 67, 800, 893**
 - BLOCK object, **604**
 - block-level HTML element, 463**
 - blur method
 - Button object, 928
 - Checkbox object, 929
 - FileUpload object, 932
 - form element object, 194
 - Password object, 939
 - Reset object, 941
 - Select object, 943
 - Submit object, 943
 - Textarea object, 945
 - window object, 947
 - body HTML tag
 - BGCOLOR attribute, 7
 - DOM tree structure, place in, 530, 531–532
 - BodyElement variable, **545**
 - Bof property (Recordset object), **755**
 - bold method (String object), **919**
 - BOM (Browser Object Model)**
 - debugging, accessing BOM property when, 386
 - described, 157–158
 - DHTML dependence on, 445
 - DOM
 - BOM versus, 521–522, 529
 - overlap with BOM, 538–539
 - frame area object, 159
 - hierarchy, 159
 - IE, 158, 163, 445

BOM (Browser Object Model) (continued)

BOM (Browser Object Model) (continued)

- NN, 158, 163, 445, 446
- scripting, using in server-side, 669
- bookingId **property (CustomerBooking class), 148**
- bookings **property (cinema class), 150**
- Boolean
 - data type, 22
 - object, 902–903
 - operator, database query using, 742
- border**
 - image, 935
 - menu, 505
 - table, 581, 853
- border **property (IMG object), 935**
- br **HTML tag, 133**
- braces, curly ({ })**
 - code block delimiters, 67, 368, 800
 - CSS property delimiters, 604
 - HTML style attribute delimiters, 447
- brackets, square ([]) regular expression special character, 300, 302**
- break **statement, 80, 81, 84, 91–92, 895**
- breakpoint, 383–384, 394–395**
- Breakpoints window (Venkman Debugger), 394**
- BricksMenu.gif **file, 486**
- bricksMenuItems **variable, 487**
- BrowsCapComponent **variable, 707**
- browscap.ini **file, 704–705, 706**
- browser. See also BOM (Browser Object Model); IE (Internet Explorer); NN (Netscape Navigator)**
 - ActiveX control
 - redirecting if not installed, 638, 643
 - support, 640, 644
 - ASP
 - detecting browser in, 690–696, 704
 - redirecting browser in, 698–703, 720
 - support, 667
 - clipboardData property support, 176
 - code, opening in, 5
 - compatibility overview, 12–13
 - component, browser capability, 704–708
 - cookie support, testing, 437
 - CSS
 - override by browser, 448
 - support, 454
 - date format support, 137
 - DHTML
 - DOM, cross-browser programming using, 557–558
 - menu cross-browser programming, 567–571, 575–580
 - mouse rollover effect cross-browser programming, 565–567
 - page change, cross-browser programming involving small, 514–519
 - redirecting browser using, 518–519
 - support, 445–446
 - text addition/deletion cross-browser programming, 561–565
 - text animation cross-browser programming, 558–560
 - directory button, displaying/hiding, 263
 - document object
 - IE/NN difference, 163
 - support, checking, 174, 175
 - version, returning using, 174–175
 - DOM
 - browser independence, 521–522
 - support, 522, 529
 - embed tag support, 630, 639
 - error display, 28–34
 - event object support, 498–501, 553, 554, 569, 577–578
 - Exception object support, 402, 403
 - font formatting override, 448
 - getElementByName method support, 568
 - getFullYear method support, 137
 - history list, 161, 934
 - img tag support, 261, 502
 - innerHTML property support, 569–570
 - innerWidth property support, 355, 848
 - instance, tracking when debugging, 389–391
 - JavaScript support, checking if disabled, 176
 - layer tag support, 489
 - loading of page, tracking when debugging, 389–391
 - menu bar, displaying/hiding, 263
 - message, displaying when JavaScript not supported, 173, 183
 - method support, checking, 174
 - name, returning, 177, 179–180, 810, 937
 - object tag support, 630, 639
 - operating system, returning, 179, 180–181, 938
 - Option object support, 220–221
 - p tag support, 452
 - plug-in
 - message, displaying if not supported, 640
 - redirecting if not installed, 630, 643
 - support, 628, 630, 644
 - popup blocking, 257
 - redirecting
 - ActiveX control, if not installed, 638, 643
 - ASP, 698–703, 720

- DHTML, 518–519
 - plug-in, if not installed, 630, 643
- regular expression support, 294, 295, 306, 307–308
- script tag support, 6
- scrollbar, displaying/hiding, 263
- scrollWidth property support, 355
- security, 270–271
- setMilliseconds method support, 144
- sidebar property support, 176
- source code, viewing in, 671
- specification development, 523–524
- status bar
 - displaying/hiding, 263
 - message default, changing, 160–161, 946
 - message text, scrolling, 353–357
- style object support, 538–539
- temporary Internet file folder, clearing, 416–417
- testing application on, 400
- toDateString method support, 336
- toFixed method support, 129
- toLocaleDateString method support, 336
- toLocaleTimeString method support, 336
- toolbar, displaying/hiding, 263
- toTimeString method support, 336
- try...catch statement support, 402–403
- user base, 13
- VBScript support, 4
- version, returning
 - document object, using, 174–175
 - method support, via checking, 174
 - navigator object, using, 162, 176–177, 179, 181–183, 937
 - window object, using, 176
- window
 - array, storing window reference in, 249
 - buffering, off-screen, 946
 - child, 239, 249
 - closed, checking if, 268, 269, 946
 - closing, 258, 270, 947
 - document object in current, returning reference to, 160, 946
 - frames in, returning number of, 946
 - interval set, canceling, 352, 362, 947
 - name, returning, 946
 - naming, 241, 254, 258
 - onload event, applying to XML object, 615
 - onload event, IMG object, 935
 - onload event, Layer object, 496
 - onload event, window object, 185, 189, 226, 241, 807–808
 - onresize event, 925, 946
 - onunload event, 269, 925, 946
 - open, checking if, 268, 269
 - opening, 257–265, 947
 - parent, 239, 246, 248–249, 250–251
 - positioning, 263, 268
 - referencing, 241, 946
 - scripting, inter-window, 265–269
 - scrolling, 947
 - size, returning, 355, 848
 - sizing, 240, 254, 258, 263, 268
 - timeout set, canceling, 348–349, 947
 - width, determining, 355
- XML
 - loading, 614–616, 625, 854–855
 - parsing, 592
- Browser Object Model. See BOM**
- BrowserCapability.asp **file, 706**
- browserVersion **variable, 182, 695–696**
- bubbles **property (event object), 553**
- buffering, off-screen, 946**
- butAddWed_onclick **function, 219, 220–221**
- butCalculate_onclick **function, 407, 410**
- butCheckForm_onclick **function, 201**
- butCheck_onclick **function, 212, 214**
- butCheckQ_onclick **function, 284**
- butCheckValid_onclick **function, 303**
- butGetText_onclick **function, 269**
- butNavigate_onclick **function, 688**
- butOpenWin_onclick **function, 268**
- butPlay_onclick **function, 642, 643**
- butRemoveWed_onclick **function, 219**
- butShowVisited_onclick **function, 246, 255**
- butStop_onclick **function, 642**
- butStopTimer_onclick **function, 349**
- butToCent_onclick **function, 813**
- button**
 - browser directory button, displaying/hiding, 263
 - DHTML, coding in, 466–468, 471
 - event handling
 - focus, 194
 - onclick event, 194–196, 214, 219, 229, 642
 - radio button, 209, 212–213, 214
 - form
 - reset button, 197–198
 - submit button, 194, 197–198, 683
 - getQuestion function button coding, 229, 231–232
 - image button, 488, 520, 841–844
 - radio button
 - array, 208, 213

button (continued)

button (continued)

- ASP request handling, 677–678, 682
- checkbox group, as, 208
- creating, 208, 212
- DHTML document, in, 466–468
- event handling, 209, 212–213, 214
- naming, 208
- referencing, 940
- status, checking, 208–209, 213–214, 817–818, 940
- status default, checking, 940
- status default, setting, 212, 466
- Trivia Quiz application, 229–233
- RealPlayer control button set, adding to page, 641–642

Button **object**

- blur method, 928
- click method, 928
- creating, 195
- focus method, 928
- form property, 928
- name property, 928
- onblur event, 927
- onfocus event, 927
- onmousedown event, 196–197, 927
- onmouseup event, 196–197, 927
- type property, 928
- value property, 196, 928

button **property** (event **object**), **471, 553**

buttonCheckOnClick **function**, **229, 232**

button1_onclick **function**, **320–321, 387, 388**

ButtonItem.asp **file**, **759, 761–762**

C

- .cab **files**, **638**
- calcFactorial **function**, **407, 410**
- CalcFactorial.htm **file**, **406–407**
- CalcFactorialTopFrame.htm **file**, **405, 406, 410**
- call **method** (Function **object**), **907**
- Call Stack window**
 - Microsoft Script Debugger, 386–389
 - Venkman Debugger, 394
- caller **property** (Function **object**), **907**
- calling**
 - function, 94, 95
 - method, 110
- cancelable **property** (event **object**), **553**
- caret (^) regular expression special character**, **300, 302, 305**
- carriage return escape sequence**, **21, 205**
- Cascading Style Sheets. See CSS**

Cascading Style Sheets: The Definitive Guide (O'Reilly publishers), 452

- case **statement**, **80, 81, 83, 84**
- case (text)**
 - checking, 113–117
 - converting, 80, 122, 367, 920
 - sensitivity
 - array sorting, 134
 - error caused by mistake in, 367
 - password, 874
 - regular expression, 299, 301
 - replacement operation, 299–300
 - SQL, 739
 - string comparison, 79, 80
 - variable name, 23, 367, 836
 - XML, 527, 586, 599
- catch **statement**
 - browser support, 402–403
 - exception, catching, 401–404, 407–408, 409
 - finally clause, 411, 896
 - nesting, 408–410
 - throwing error within, 404–408
- CDATA **block**, **601**
- CDATASection **object**, **534**
- ceil **method** (Math **object**), **123, 124, 910**
- cellPadding **property** (TABLE **object**), **622**
- centigrade to Fahrenheit converter application**, **62, 797–798. See also Fahrenheit to centigrade converter application**
- changeImg **function**, **172**
- character index**, **112**
- charAt **method** (String **object**), **112–113, 919**
- charCode **variable**, **115**
- charCodeAt **method** (String **object**), **112–113, 115, 919**
- charToCheck **variable**, **115**
- CheckAnswer.asp **file**, **778**
- checkbox control**, **192, 208–215, 928–929**
- Checkbox **object**, **209, 929**
- checkboxValue **variable**, **678**
- checkBrowser **function**, **810**
- checkCharType **function**, **114**
- checked
 - input tag attribute, 208
 - property
 - Checkbox object, 209, 929
 - Radio object, 940
- CheckLogOn.asp **file**, **700**
- ch1_examp1.htm **file**, **7**
- ch2_examp1.htm **file**, **24**

- ch2_examp2.htm **file**, 26
 ch2_examp3.htm **file**, 36
 ch2_examp4.htm **file**, 40
 ch2_examp5.htm **file**, 42
 ch2_examp6.htm **file**, 44
 ch3_examp1.htm **file**, 68
 ch3_examp2.htm **file**, 74
 ch3_examp3.htm **file**, 81–82
 ch3_examp4.htm **file**, 86
 ch4_examp1.htm **file**, 114
 ch4_examp2.htm **file**, 119
 ch4_examp3.htm **file**, 124
 ch4_examp4.htm **file**, 127
 ch4_examp5.htm **file**, 135
 ch4_examp6.htm **file**, 138
 ch4_examp7.htm **file**, 143
 ch5_examp1.htm **file**, 160
 ch5_examp2.htm **file**, 164
 ch5_examp3.htm **file**, 167
 ch5_examp4.htm **file**, 171
 ch5_examp5.htm **file**, 172
 ch5_examp6.htm **file**, 179
 ch5_examp6.htm **file**, 175
 ch6_examp1.htm **file**, 189
 ch6_examp2.htm **file**, 196
 ch6_examp3.htm **file**, 197
 ch6_examp4.htm **file**, 200
 ch6_examp5.htm **file**, 206
 ch6_examp6.htm **file**, 211
 ch6_examp7.htm **file**, 218, 221
 ch6_examp9.htm **file**, 223
 ch6_examp8_IE.htm **file**, 221
 ch8_examp1.htm **file**, 293
 ch8_examp2.htm **file**, 302
 ch8_examp3.htm **file**, 313
 ch8_examp5.htm **file**, 320
 child **property** (window object), 239, 249
 childNode **variable**, 622–623
 chkDaylightSaving_onclick **function**, 344–345
 choosePage_onchange **function**, 254
 ch16_q2_BuySystem.asp **file**, 866, 868
 ch16_q2_FinalStage.asp **file**, 866
 ch02_q1.htm **file**, 797
 ch02_q2.htm **file**, 799
 ch03_q2.htm **file**, 800
 ch03_q3.htm **file**, 801
 ch03_q4.htm **file**, 802
 ch04_q1.htm **file**, 803
 ch04_q2.htm **file**, 804
 ch04_q3.htm **file**, 806
 ch05_q1.htm **file**, 807
 ch05_q3.htm **file**, 811
 ch06_q1.htm **file**, 813
 ch06_q2.htm **file**, 816
 ch08_q2.htm **file**, 827
 ch08_q3.htm **file**, 828
 ch09_q1.htm **file**, 830
 ch09_q2.htm **file**, 832
 ch11_q1.htm **file**, 838
 ch11_q2.htm **file**, 841
 ch15_q1.htm **file**, 857
 Ch17_LogOn.asp **file**, 870, 872
 Ch17_MessageBoard.htm **file**, 876
 Ch17_MessageBody.asp **file**, 877, 881
 Ch17_Messages.asp **file**, 876, 880
 Ch17_NewMessage.asp **file**, 878, 882
 ch16_q2_PickSystem.htm **file**, 863, 867
 ch16_q2_PurchaseOrder.asp **file**, 867
 Ch17_StoreMessage.asp **file**, 879
 ch16_q2_TopFrame.htm **file**, 862
 ch07_q1_TopFrame.htm **file**, 818, 820
 cinema **class**, 150–151, 154
class. *See also specific class*
 constructor, 146
 CSS class, 448–449
 defining, 146–148
 empty, 146
 house analogy, 145–146
 instance, 146–147, 148–150
 introduced, 145–146
 method definition, 146
 object, relation to, 145, 146–147
 property, 146
 class **attribute** (HTML element), 449
 classid **attribute** (object tag), 634, 636–637
 clearInterval **method** (window object), 352, 362, 947
 clearTimeout **method** (window object), 348–349, 947
 click
 event, 554, 556
 method
 Button object, 928
 Checkbox object, 929
 Reset object, 941
 Submit object, 943
 clientHeight **property**, 848
client-side scripting, server-side compared, 650, 669
 clientWidth **property**, 848
 clientX **property** (event object), 553, 557

clientY property (event object)

clientY property (event object), 553, 557
clipboardData property (window object), 176
clip.right property (Layer object), 507
cloneNode method (Node object), 547
close method
 Connection object, 753
 document object, 498, 931
 window object, 258, 270, 947
closed property (window object), 268, 269, 946
cmdStartQuiz_onclick function, 283, 358–359, 717, 778–779
code
 areas, splitting into logical, 16–17
 block, 6, 67, 800, 893
 breakpoint, inserting in, 383–384, 394–395
 browser, opening in, 5
 commenting
 DTD, 595
 HTML, 534
 JavaScript, 11
 XML, 534, 600, 602
 editor, 4–5
 execution order, 2
 frame code, accessing from another frame, 247–250
 function, splitting into, 16
 introduced, 1
 looping
 array, accessing, 87, 88
 condition, testing, 85–88, 89–91, 894–895
 counter, 85–86, 87, 90, 833
 data, handling invalid, 92
 debugging loop structure, 380–382, 386
 do while loop, 90–91, 894, 895
 exiting prematurely, 90–91
 Fahrenheit to centigrade converter application, in, 86–88, 90, 91–92
 for in loop, 88–89, 894
 for loop, 85–88, 894
 infinite loop, 90
 introduced, 84–85
 scripting, in server-side, 671–673
 variable, using in, 85–86, 87
 while loop, 89–90, 672
 modular, 237
 parsing, 8
 processing, 1
 reusing, 16
 running, 1
 stepping through, 378, 379–383
 syntax, 5–6

codebase attribute (object tag), 634, 637–638
collection property, 675
colon (:)
 CSS property prefix, 605
 HTML style attribute assignment operator, 447
color
 background, 7, 11–12, 490, 502, 515
 DHTML, formatting using, 455–457, 490, 497–498, 515, 565–567
 foreground, 930
 hyperlink, 930
 screen color depth, 163–166
 text
 DHTML color effect, 456–457, 565–567
 font formatting, using, 919
 mouse rollover effect, 456–457, 565–567
 style, applying using, 448, 455–457
color property (style object), 455–456, 457
colorDepth property (screen object), 163, 164–165
cols attribute
 frameset tag, 254
 textarea tag, 205
comma (,)
 array data separator, 50
 operator, 892
Command window
 Microsoft Script Debugger, 384–386
 Venkman Debugger, 394
comment
 object, 534
 statement, 898
commenting code
 DTD, 595
 HTML, 534
 JavaScript, 11
 XML, 534, 600, 602
CompBitsCo database
 AddOrderDetails.asp file, 761, 763, 764, 767
 adoRecordSet variable, 753, 754, 758, 769
 BuyItem.asp file, 759, 761–762
 CompBitsCo.mdb file, 724, 751
 CustomerAddress field, 727
 CustomerName field, 727
 CustomerOrder table, 728–729, 739, 761, 768
 DisplayStock.asp file, 756, 763
 form submission, 766–767
 form1_onsubmit function, 766
 GoodsOrdered field, 727
 ItemCost field, 723
 ItemDescription field, 723

- mySQL variable, 758, 768
- NumberInStock field, 723
- Order table, 739
- OrderDate field, 727, 767
- OrderItem table, 728, 729, 731, 761, 769
- OrderNo field, 727
- QtyOrdered field, 727
- Stock table, 725, 731–733
- StockId field, 733
- TelNumber field, 727
- compile **method (RegExp object), 915**
- compiling**
 - conditional, 896–897
 - introduced, 2
- complete **property (IMG object), 935**
- ComplexForm.htm **file, 680, 682**
- complex_frameset_page.htm **file, 252**
- component, 704–710**
- concat **method**
 - Array object, 130–131, 901
 - String object, 919
- concatenating**
 - array, 130–131, 132–133
 - string, 42–43, 368, 887, 919
 - URL, variable to, 688
- concatString **variable, 43**
- condition, testing**
 - combining conditions, 76
 - comparison
 - assignment versus, 66, 70–71, 369
 - equal to, 65
 - greater than, 65, 80, 888
 - greater than or equal to, 65, 80, 888
 - less than, 65, 80, 888
 - less than or equal to, 65, 80, 888
 - not equal to, 65, 888
 - string comparison, 79–80
 - variable, assigning result to, 66
 - compilation, conditional, 896–897
 - debugging, evaluating condition when, 385–386, 399
 - else if statement, using, 77–79, 893
 - else statement, using, 77–79
 - if statement, using, 66–71, 73–77
 - logical operator, 71–73
 - loop statement, in, 85–88, 89–91, 894–895
 - multiple conditions, 73–77
 - negation, 73
 - number value, comparing, 65
 - operand, 65
 - precedence, 65–66
 - RHS, 65
 - switch statement, using, 80–84, 116, 893, 895
 - variable, assigning comparison result to, 66
- confirm **method (window object), 947**
- Connection **object**
 - close method, 753
 - creating, 752–753, 758
 - described, 747
 - Execute method, 753, 758, 761
 - open method, 752
 - recordset, opening using, 753–754, 758
 - SQL, executing using, 747, 753, 761, 768
- constructor **property**
 - Array object, 900
 - Boolean object, 902
 - Date object, 903
 - Function object, 907
 - Number object, 911
 - Object object, 912
 - RegExp object, 914
 - String object, 918
- Container **variable, 539, 540**
- continue **statement, 91–92, 895**
- Control Panel (Windows)**
 - Add or Remove Programs option, 655
 - Add/Remove Windows Components option, 651
 - Administrative Tools, 657, 749
 - Create New Data Source dialog box, 750
 - Data Sources (ODBC) icon, 749
 - ODBC window, 749, 751
 - Performance and Maintenance option, 657, 748
 - System DSN tab, 749
- controlIndex **variable, 215**
- convertToCentigrade **function, 94, 95–97**
- cookie. See also specific cookie**
 - advertisement, updating using, 444, 839–841
 - ASP, working with in, 689, 698, 703
 - browser support, testing, 437
 - character position, returning, 432
 - creating, 415, 427–431, 698, 709
 - deleting, 419, 422, 431, 841
 - domain parameters, 425–427
 - expiration, 425, 429, 431, 838
 - lifespan, 425
 - name, 419, 426
 - number of cookies on user computer, maximum, 437
 - opening, 419
 - page update since last visit, checking using, 433–437
 - page visit number, tracking using, 444, 837–839
 - personalization enabled by, 415

cookie (continued)

cookie (continued)

- privacy, 438
- P3P recommendation, 438
- scripting, working with in server-side, 689
- security, 419, 426, 427, 438–439
- session
 - limiting cookie lifespan to, 425
 - tracking using, 710, 712
- size, maximum, 437
- SSI, inserting using, 709
- storing multiple pieces of information in single, 437–438
- string
 - domain portion, 427
 - empty, 429
 - expires portion, 425, 429, 431
 - introduced, 415
 - name portion, 424–425, 428, 429, 430
 - path portion, 425–427, 428, 429
 - searching, 432
 - secure portion, 427
 - value portion, 424–425, 428, 429, 430
- Trivia Quiz application, 439–443, 793
- value
 - changing, 431
 - escaping/unescaping, 428, 433
 - returning, 428, 430, 431–433, 435, 438
 - setting, 429–431, 435, 436, 437, 438
 - variable, storing in, 432
- viewing, 416–424

Cookie Manager (NN), 423–424

cookie **property** (document **object**), **415, 429, 930**

Cookies **property**

- Request object, 689
- Response object, 698, 794

cookies.txt **file**, **421, 422**

cookieValue

- function, 441
- variable, 432

Coordinated Universal Time. See UTC

cos **method** (Math **object**), **910**

Create New Data Source dialog box (Windows Control Panel), 750

createAttribute **method** (document **object**), **547**

CreateCookie.htm **file**, **430**

createElement **method** (document **object**), **547, 549**

create.htm **file**, **548, 550**

createMenu **function**, **486, 487–488, 513–514, 576**

CreateObject **method** (Server **object**), **704, 707, 746, 752**

createTextNode **method** (document **object**), **547, 549**

credit card information, validating, 868

CSS (Cascading Style Sheets)

- AREA object, 604
- BLOCK object, 604
- browser
 - override of CSS by, 448
 - support, 454
- class, 448–449
- described, 450
- Display property, 604
- FLOW object, 604
- PAGE object, 604
- property, 604–605
- XML, using with, 603–608, 612–613

ctrlKey **property** (event **object**), **554**

Currency data type, 723

currentImgNumber **variable**, **351–352**

currentTarget **property** (event **object**), **553**

cursor type, 760

CustomerAddress **field**, **727**

CustomerBooking **class**

- bookingId property, 148
- customerName property, 147, 148
- definition, 146–148
- film property, 148
- get method, 147–148, 152
- getCustomerName method, 148
- set method, 147–148
- showDate property, 148

CustomerName **field**, **727**

CustomerOrder **table**, **728–729, 739, 761, 768**

D

daily message display application, 617–624

dash (—) decrement operator, 37

dash, greater than sign (—>) DTD comment suffix, 595, 602

data, 19

data source name. See DSN

data type

- AutoNumber, 729, 733
- Boolean, 22
- converting, 45–48, 69
- Currency, 723
- database field, 722–723, 725–727, 734
- Date, 723
- described, 19

JavaScript as weakly typed, 20
 Memo, 723
 mixing types, 43–44
 numerical, 20, 43–48, 723
 primitive, 106, 108, 109, 110–111, 112
 text, 20–22, 43–45, 723
 Time, 723
 Yes/No, 723

database. See also ADO (ActiveX Data Objects); SQL (Structured Query Language)

adding data, 734, 744, 761–769
 authorization to access, 753, 764
 beginning of file, finding, 755
 connection
 closing, 753, 759
 creating, 752–753, 758
 opening, 752–753, 758, 883
 string, 747, 752
 creating, 724–727
 cursor type, 760
 data source setup, 747–751, 873, 880
 deleting
 record, 745, 761
 relationship, 738
 DSN, 752, 880
 EOF, finding, 754–755, 874
 field
 autonumbering, 729, 733, 768
 creating, 723
 data type, 722–723, 725–727, 734
 described, 722
 Indexed property, 733
 key, defining as primary, 733, 736
 naming, 722, 725
 query, specifying for, 739, 754
 record, relation to, 723
 size, specifying, 726–727
 table, splitting into, 728
 IIS security, error message caused by, 761
 index, 733
 integrity of data, 736, 737
 key, primary, 733, 736
 logon data, storing in, 796, 870–875
 message board application, 796, 876–883
 normalization, 731
 password data, storing in, 796, 870–875
 query
 Boolean operator, using, 742
 criteria, on multiple, 742
 criterion, limiting record return by, 741–742

field, specifying, 739, 754
 recordset, returning, 747, 753–754, 758
 result, displaying, 741, 755–759
 result, loading to HTML table, 755–759
 result, rounding numerical, 757–758
 result, sorting, 742–743
 running, 741, 758
 SQL `select` statement, using, 739–743
 table, specifying, 739

record
 closing recordset, 759
 deleting, 745, 761
 described, 722
 field, relation to, 723
 forward only cursor type recordset, 760
 inserting, 734, 744, 761–769
 navigating recordset, 754, 759, 760
 number in recordset, returning highest, 769
 opening recordset using `Connection` object, 753–754, 758
 opening recordset using `Recordset` object, 759–760
 query, limiting by record criterion, 741–742
 query, returning recordset from, 747, 753–754, 758
 selecting, 739–743
 table row, relation to, 734
 updating, 743–744, 761

relational, 722

relationship
 data integrity enforcement, role in, 736, 737
 defining, 736–739
 deleting, 738
 displaying, 738
 editing, 737
 key, primary, 733
 many-to-many, 736
 one-to-many, 736
 one-to-one, 736

replication, avoiding unnecessary, 728

security, 753, 761, 764–766

table
 adding data to, 734, 744, 761–769
 creating, 725
 date, inserting, 767
 described, 722
 field, splitting into, 728
 query, specifying in, 739
 relationship, defining, 736–739
 row focus, changing, 754
 row, inserting, 731–733
 row, record relation to, 734

database (continued)

- text file data storage versus, 721
- Trivia Quiz application
 - Answer field, 770
 - AskQuestion.htm file, coding for database functionality, 782–787
 - key, primary, 775
 - NoteUserSelections.asp file, coding for database functionality, 777–778, 781
 - OptionOrder field, 772
 - query coding, 785, 789
 - Question table, 770–772, 774, 776
 - Questionhtml field, 770
 - QuestionId field, 770, 772, 775–776, 778
 - QuestionOptions table, 770, 771–772, 775–776, 777
 - QuestionType field, 770, 789
 - referential integrity, 776
 - table relationship, 775–776
 - updating, 743–744, 761
 - web page, accessing from
 - connection, closing, 753, 759
 - connection, creating, 752–753, 758
 - connection, opening, 752–753, 758, 883
 - connection string, 747, 752
 - location of database, 746
 - ODBC data source, 747–751
 - web server, located on, 746
- Date data type, 723**
- Date **object**
 - constructor property, 903
 - creating, 108, 136–137
 - declaring, 136
 - getDate method, 137, 903
 - getDay method, 137, 832, 903
 - getFullYear method, 137, 139, 903
 - getHours method, 107, 141, 903
 - getMilliseconds method, 143, 903
 - getMinutes method, 107, 141, 144, 903
 - getMonth method, 137, 139, 226, 803–804, 903
 - getSeconds method, 143, 903
 - getTime method, 107, 903
 - getTimezoneOffset method, 334, 337, 346, 903
 - getUTCDate method, 340, 904
 - getUTCDay method, 340–341, 904
 - getUTCFullYear method, 340, 904
 - getUTCHours method, 340, 904
 - getUTCMilliseconds method, 340, 904
 - getUTCMinutes method, 340, 904
 - getUTCMonth method, 340, 904
 - getUTCSeconds method, 340, 904
 - getVarDate method, 904
 - getYear method, 139, 904
 - initializing, 137, 139, 143
 - parse method, 904
 - prototype property, 903
 - setDate method, 140, 141, 904
 - setFullYear method, 140, 904
 - setHours method, 144, 904
 - setMilliseconds method, 144, 904
 - setMinutes method, 144, 904
 - setMonth method, 140, 141, 225, 904
 - setSeconds method, 144, 904
 - setTime method, 905
 - setUTCDate method, 339, 905
 - setUTCFullYear method, 339, 905
 - setUTCHours method, 339, 905
 - setUTCMilliseconds method, 339, 905
 - setUTCMinutes method, 339, 905
 - setUTCMonth method, 339, 905
 - setUTCSeconds method, 339, 905
 - setYear method, 905
 - toDate string method, 137, 334, 336
 - toGMTString method, 905
 - toLocaleDateString method, 334, 336
 - toLocaleString method, 334, 905
 - toLocaleTimeString method, 334, 336, 338
 - toSource method, 905
 - toString method, 905
 - toTimeString method, 143, 334, 336, 338
 - toUTCString method, 334, 337, 905
 - UTC method, 905
 - valueOf method, 227, 905
- date operation. See also time operation**
 - birth date form, 364, 831–832
 - calculation involving date value, 107, 141, 221–228
 - cookie
 - expiration date, 425, 429, 431, 838
 - web page visit date, storing in, 838
 - current date, returning, 138–140, 145
 - database table, inserting date into, 767
 - day, returning, 137, 139, 340–341, 832, 904
 - drop-down date list, creating, 224–225
 - format considerations, 136–137
 - hour, returning, 142
 - millisecond
 - returning, 142, 227
 - UTC millisecond, getting/setting, 339, 340, 905
 - minute, returning, 142, 144
 - modification date, returning, 436, 930

- month, returning, 137, 139, 156, 225–226, 803–804
- second
 - returning, 142
 - UTC second, getting/setting, 339, 340, 905
- setting date value, 140, 141, 339–341, 904, 905
- storage format, 136
- time zone, returning date based on, 137
- validation, 868
- year
 - returning, 137, 139
 - UTC year, getting/setting, 339, 340, 905
- DatePosted **field**, **880**
- daylightSavingsAdjust **variable**, **346**
- dayNow **variable**, **139**
- days **variable**, **220**
- dbl.mdb **file**, **724**
- debug_bottomFrame.htm **file**, **390**
- debug_callstack.htm **file**, **387**
- debug_frameset.htm **file**, **389, 390**
- debugger **keyword**, **378–379**
- debugging**
 - BOM property, accessing, 386
 - breakpoint, using, 383–384, 394–395
 - browser, tracking instance/page load, 389–391
 - condition, evaluating, 385–386, 399
 - function call stack, displaying, 386–389, 394–395
 - logic error, 367, 369, 833, 835
 - loop structure, 380–382, 386
 - stepping through code, 378, 379–383
 - syntax error, 367–368, 369–370, 404, 836
 - variable value, checking, 385, 394
- debug_timestable.htm **file**, **375, 377, 378, 380**
- debug_timestable2.htm **file**, **380, 383, 392, 412, 833**
- debug_topFrame.htm **file**, **389, 390**
- decimalPlaces **variable**, **806**
- decodeURI **function**, **899**
- DecodeURIComponent **function**, **899**
- decrement operator**, **37–38, 86**
- default statement**, **80, 81, 83**
- Default Web Site Properties dialog box (IIS)**, **661**
- defaultChecked **property**
 - Checkbox object, 929
 - Radio object, 940
- defaultSelected **property** (**Option object**), **938**
- defaultStatus **property** (**window object**), **160–161, 946**
- defaultValue **property**
 - Password object, 939
 - Text object, 944
 - Textarea object, 945
- degCent **variable**, **69–70, 798**
- degFahren **variable**, **69–70, 71**
- delete operator**, **891**
- delete SQL statement**, **745**
- description
 - property
 - Exception object, 402, 403
 - Plugin object, 630
 - variable, 754
- DescriptionDiv **style class**, **843**
- detailsWindow **variable**, **261**
- DevEdge website, **158, 630**
- DHTML (Dynamic HTML)**. *See also* **HTML (Hypertext Markup Language)**
 - adding content in IE environment, 468–470
 - appearance coding in IE environment, 454–457
 - BOM dependence, 445
 - browser
 - DOM, cross-browser programming using, 557–558
 - menu cross-browser programming, 567–571, 575–580
 - mouse rollover effect cross-browser programming, 565–567
 - page change, cross-browser programming involving small, 514–519
 - redirecting browser using, 518–519
 - support, 445–446
 - text addition/deletion cross-browser programming, 561–565
 - text animation cross-browser programming, 558–560
 - button coding, 466–468, 471
 - changing content in IE environment, 460–468
 - color, formatting, 455–457, 490, 497–498, 515, 565–567
 - error handling, 467
 - event handling
 - argument, passing explicitly, 568–569
 - button-related, 471
 - function, passing **event** object to, 498–499, 507, 568–569, 577
 - IE environment, 470–472, 473, 474–475, 477, 481
 - layer-related, 494, 496–497, 502
 - NN environment, 498–501, 503–504, 505, 506
 - form, referencing, 454–455
 - HTML versus, 446–447
 - id attribute, referencing element by, 455, 535, 568
 - image effect
 - cross-browser environment, in, 520, 844–850
 - IE environment, in, 473–476, 479–480, 486
 - NN environment, in, 501, 502, 503, 505–507, 512

DHTML (Dynamic HTML). (continued)

DHTML (Dynamic HTML). (continued)

- `innerHTML` property, getting/setting, 462–468, 569–570
- `innerText` property, getting/setting, 461–462
- inserting content, 468–470
- introduced, 445
- layer
 - content, changing, 495–496
 - creating, 489–490
 - `div` tag coding, 490, 492–495, 496, 497–498
 - event handling, 494, 496–497, 502
 - implicit, 490
 - inline, 490
 - menu, creating using, 501–508, 512–514
 - moving, 490–495
 - NN environment, in, 489–498
 - positioning, 490–495
 - referencing, 490
 - z-index, 491–494
- menu
 - array, populating from, 486–487, 501, 503, 506, 510
 - border, 505
 - cross-browser programming, 567–571, 575–580
 - `div` tag coding, 473–475, 476, 487–488, 570–571
 - event handling in IE environment, 473, 474–475, 477, 481
 - event handling in NN environment, 503–504, 505, 506
 - function, creating using, 486–488, 513–514, 576–577
 - hiding, 476, 480, 505–507, 577
 - hyperlink, 476, 481, 502–503
 - image effect in cross-browser environment, 520, 844–850
 - image effect in IE environment, 473–476, 479–480, 486
 - image effect in NN environment, 501, 502, 503, 505–507, 512
 - layer, creating using, 501–508, 512–514
 - mouse rollover effect, 473–475, 480–481, 503–505, 507–508
 - showing, 475–476, 479, 505–507, 577
 - style sheet, applying to, 478–479, 480–481
 - table coding, 477–479, 481, 487–488, 570–571
- mouse rollover effect
 - color change, 456–457
 - cross-browser programming, 565–567
 - menu, in, 473–475, 480–481, 503–505, 507–508
 - style change, 480–481
 - text change, 456–457, 565–567
 - moving content, 458–460, 515–517
- object model, 454
- `outerhtml` property, getting/setting, 462–468
- page tag, referencing in IE environment, 454–455
- paragraph
 - color, changing, 456–457, 497–498
 - positioning, 459–460, 494–495
 - referencing, 455, 462
 - style sheet, applying to, 447, 448, 449
- positioning content in IE environment, 458–460
- radio button, 466–468
- `style` object coding in IE environment, 454–457
- style sheet
 - introduced, 446
 - menu, applying to, 478–479, 480–481
- table
 - aligning, 581, 853
 - border, 581, 853
 - menu, table coding for, 477–479, 481, 487–488, 570–571
- text
 - adding, 561–565
 - animating, 558–561
 - color effect, 456–457, 565–567
 - deleting, 561–565
 - mouse rollover effect, 456–457, 565–567
 - moving, 458–460
 - referencing `Text` object, 455
 - sizing, 455
 - spacing, 455
 - timer, 458–460
 - XML, using with, 617–624
- `diceThrow` **variable, 126**
- `dimensions` **method (VBArray object), 921**
- directive, server, 668**
- directory, virtual, 662–665, 715**
- `Display` **property (CSS), 604**
- `displayedImages` **cookie, 841**
- `DisplayEvent` **function, 207–208**
- `displayPDAS` **function, 622**
- `DisplayStock.asp` **file, 756, 763**
- `div`
 - HTML tag
 - DHTML layer coding, 490, 492–495, 496, 497–498
 - DHTML menu coding, 473–475, 476, 487–488, 570–571
 - element positioning, using for, 450, 451–454, 459
 - `left` attribute, 451–453

- onmouseout event handler, 474–475, 476, 502
- style container, as, 450
- top attribute, 451–453
- object
 - moving, 847, 848–849
 - referencing, 476
 - style property, 517, 848
 - variable, 128
- divhtml **variable**, 487
- division (arithmetic)**, 36, 887, 889
- DivMenu **style class**, 478
- DivStyle1 **style class**, 452
- do while **statement**, 90–91, 894, 895
- DOCTYPE **declaration**, 597
- document **object**
 - alinkColor property, 930
 - all property, 163, 174, 175, 514–515, 518–519
 - anchors property, 930
 - applets property, 930
 - bgColor property, 7, 8, 930
 - browser
 - IE/NN difference, 163
 - support, checking, 174, 175
 - version, returning using, 174–175
 - close method, 498, 931
 - cookie property, 415, 429, 930
 - createAttribute method, 547
 - createElement method, 547, 549
 - createTextNode method, 547, 549
 - documentElement property, 539, 545
 - DOM document object, 534–538, 614
 - domain property, 930
 - embeds property, 930
 - fgColor property, 930
 - Form_name property, 930
 - forms property, 188–190, 930
 - getElementById method, 174, 517, 535, 543, 568
 - getElementsByName method, 535, 538, 618
 - images property, 163, 166–167, 172–173, 930
 - lastModified property, 436, 930
 - layers property, 175, 490, 506, 515, 517
 - linkColor property, 930
 - links property, 163, 167, 930
 - load method, 614
 - location property, 930
 - NN support, 163, 175
 - onclick event, 929
 - onclick property, 171
 - ondblclick event, 929
 - onkeydown event, 929
 - onkeypress event, 929
 - onkeyup event, 929
 - onmouseout event, 477, 480
 - onmouseover event, 477, 480–481
 - onmouseup event, 929
 - onreadystatechange event, 638
 - open method, 931
 - plugins property, 930
 - referrer property, 930
 - securityPolicy property, 175
 - title property, 930
 - URL property, 930
 - vlinkColor property, 930
 - window, returning reference to document object in current, 160, 946
 - write method
 - array, using with, 53, 57–58, 486, 503
 - described, 931
 - DOM, using with, 580–581, 850–852
 - Layer object, writing to using, 495
 - multiplication table result, writing using, 103, 800–803
 - replacing text using, 262
 - writeln method, 931
- Document Object Model. See DOM**
- document **property (window object)**, 160, 946
- Document Type Definition. See DTD**
- documentElement **property (document object)**, 539, 545
- DocumentFragment **object**, 534
- document_onmouseout **function**, 480, 481, 579–580
- document_onmouseover **function**, 480–481, 579, 580
- DocumentType **object**, 534
- DOM (Document Object Model)**
 - attribute
 - creating, 550–551
 - value, replacing, 550
 - value, returning, 550, 552
 - value, setting, 550, 552
 - BOM
 - DOM versus, 521–522, 529
 - overlap with DOM, 538–539
 - browser
 - independence, 521–522
 - support, 522, 529
 - comment, 534
 - cross-browser programming using, 557–558

DOM (Document Object Model) (continued)

- element
 - creating, 547–549
 - node of, returning, 541
 - referencing, 534–538, 539, 543, 568
 - value, setting, 541
- event model, 552–557
- introduced, 521
- language support, 527–528
- method, 534–539, 617
- node
 - appending, 547
 - child, 530, 541, 545, 546
 - creating, 547
 - introduced, 530
 - leaf, 531
 - objects related to, 533
 - parent, 530, 541
 - removing, 547
 - replacing, 547
 - returning, 541
 - root, 530
 - sibling, 541, 545, 546
 - text node, 547, 549, 569–570
- object overview, 533–534
- platform independence, 521–522
- property overview, 539–544
- standard, 528–529
- style object coverage by, 538–539
- tree structure, 522, 529–532, 543–546
- write method, using with, 580–581, 850–852

domain **property (document object)**, 930

DoPlay **method (RealPlayer)**, 628, 643, 858

download detector application, 616

Dreamweaver MX, 5

drop-down list, 192, 216, 224–225

DSN (data source name), 752, 880

DTD (Document Type Definition). *See also* XML (Extensible Markup Language)

- creating, 595–596
- document prologue, as, 584
- external, 584, 597
- introduced, 526
- markup declaration, 595
- referencing, 596–597
- sharing between documents, 584
- XHTML DTD declaration, 527
- XML validity, role in, 584, 594–595

Dynamic HTML. *See* DHTML

E

E property (Math object), 909

ECMA (European Computer Manufacturers Association), 525

ECMAScript standard, 524–525

e-commerce site. *See also* CompBitsCo database

- shopping basket, 289, 820–825
- user interface, 235, 720, 813–818, 819–820, 862–870

EDI (Electronic Data Interchange), 583

Edit Relationships dialog box (Access), 737

editor for writing code, 4–5

Element object

- getAttribute method, 549–550, 552
- introduced, 534
- removeAttribute method, 549–550
- setAttribute method, 549–550, 552
- tagName property, 539–540

elementCount **variable**, 836

ElementName **HTML tag**, 447

elements **property (Form object)**, 190, 194, 933

else if **statement**, 77–79, 893

else **statement**, 77–79

embed **HTML tag**

- browser support, 630, 639
- object tag, using in conjunction with, 639
- pluginspage attribute, 630
- quality attribute, 629, 637
- src attribute, 628, 637
- type attribute, 629

embeds **property (document object)**, 930

encodeURIComponent **function**, 899

encodeURIComponent **function**, 899

encoding **property (Form object)**, 933

Enterprise Server, 650

Entity **object**, 534

EntityReference **object**, 534

Enumerator **object**, 906

EOF (end of file), 754–755, 874

Eof **property (Recordset object)**, 754–755

Equal operator, 65, 88

equals sign (=) assignment operator, 24, 66, 70–71, 369

equals signs (==) comparison operator, 65, 66

error

- browser error display, 28–34
- exception versus, 401

- handling
 - catching exception, 401–404, 407–408, 409
 - DHTML, 467
 - Fahrenheit to centigrade converter application, 91–92
 - looping, invalid data in, 92
 - variable name error, 31–32, 33
 - preventing, 366–370, 400–401
 - throwing, 404–408, 896
- escape
- character/sequence, 21–22, 45, 294, 295, 686
 - function, 428, 686, 899
- European Computer Manufacturers Association.**
See ECMA
- eval
- function, 899
 - method
 - Array object, 901
 - Object object, 913
- event handling**
- ActiveX control, 638, 639, 640, 642
 - Application_OnEnd event, 713
 - Application_OnStart event, 713
 - ASP, 710–711, 712, 713, 714, 715
 - attribute, event handler as, 168–170
 - button event
 - DHTML, in, 471
 - focus, 194
 - radio button, 209, 212–213, 214
 - click event, 554, 556
 - DOM event model, 552–557
 - form
 - focus event, 194, 199, 204
 - mouse event, 196–197
 - onsubmit event, 190, 683, 925
 - Select element event, 221–228
 - HTML control event, 925
 - hyperlink event, 168–171, 936
 - layer, 494, 496–497, 502
 - menu, DHTML
 - IE environment, in, 473, 474–475, 477, 481
 - NN environment, in, 503–504, 505, 506
 - mousedown event, 554
 - mousemove event, 554
 - mouseout event, 554
 - mouseover event, 554
 - mouseup event, 554
 - onabort event, 926, 935
 - onblur event
 - Button object, 927
 - Checkbox object, 209
 - described, 925
 - FileUpload object, 932
 - Layer object, 496
 - Password object, 939
 - Radio object, 209
 - Reset object, 941
 - Select object, 942
 - Submit object, 943
 - Text object, 194, 199, 204, 944
 - Textarea object, 945
 - window object, 946
 - onchange event
 - described, 925
 - Select object, 224, 942
 - Text object, 198–199, 201, 944
 - Textarea object, 206–207, 945
 - onclick event
 - A tag handler, 168–169, 173
 - button, of, 194–196, 214, 219, 229, 642
 - Checkbox object, 209
 - described, 924
 - document object, 929
 - Link object, 935–936
 - Radio object, 212–213, 214
 - Reset object, 941
 - Submit object, 943
 - TD tag handler, 476
 - ondblclick event, 554, 924, 929, 936
 - ondragstart event, 470
 - onerror event
 - described, 926
 - IMG object, 935
 - window object, 946
 - onfocus event
 - Button object, 927
 - Checkbox object, 209
 - described, 925
 - FileUpload object, 932
 - form element object, 194
 - Layer object, 496
 - Password object, 939
 - Radio object, 209
 - Reset object, 941
 - Select object, 942

event handling (continued)

event handling (continued)

- Submit object, 943
- Text object, 199, 944
- Textarea object, 945
- window object, 946
- onkeydown event
 - described, 925
 - document object, 929
 - Link object, 936
 - Textarea object, 206–207, 945
- onkeypress event
 - described, 925
 - document object, 929
 - Link object, 936
 - Textarea object, 206–207, 945
- onkeyup event
 - described, 925
 - document object, 929
 - Link object, 936
 - Textarea object, 206–207, 945
- onload event
 - IMG object, 935
 - Layer object, 496
 - window object, 185, 189, 226, 241, 807–808
 - XML, 615
- onmousedown event
 - Button object, 196–197, 927
 - described, 924
 - Link object, 936
- onmousemove event, 924
- onmouseout event
 - A object, 811, 843–844
 - capturing, 475
 - described, 924
 - div tag handler, 474–475, 476, 502
 - document object, 477, 480
 - img tag handler, 46
 - Layer object, 496, 503, 505, 506
 - layer tag, behavior in relation to, 502
 - Link object, 936
 - myPara_onmouseout function handler, 457
- onmouseover event
 - A object, 811, 843–844
 - capturing, 475
 - described, 924
 - document object, 477, 480–481
 - event object coding involving, 472
 - Layer object, 496, 497, 503, 505, 506
 - Link object, 936

- onmouseup event
 - Button object, 196–197, 927
 - described, 924
 - document object, 929
 - Layer object, 496
 - Link object, 936
- onreadystatechange event, 638
- onreset event, 925, 933
- onresize event, 925, 946
- onscroll event, 470
- onselect event
 - described, 925
 - Text object, 198–199, 944
 - Textarea object, 945
- onsubmit event, 190, 683, 925
- onunload event, 269, 925, 946
- plug-in, 639, 640, 642
- propagation, preventing, 932
- property, event handler as, 170–173
- scripting, in server-side, 710–711, 712, 713, 714, 715
- Select element event, 221–228
- Session_OnEnd event, 710–711
- Session_OnStart event, 710–711, 712, 715
- web page, 167–168
- XML object event, 615

event **object**

- altKey property, 553
- bubbles property, 553
- button property, 471, 553
- cancelable property, 553
- clientX property, 553, 557
- clientY property, 553, 557
- ctrlKey property, 554
- currentTarget property, 553
- eventPhase property, 553
- fromElement property, 472
- function, passing to, 498–499, 507, 568–569, 577
- InitEvent method, 932
- metaKey property, 554
- mouse event object, 553–554
- NN support, 498–501, 553, 554, 569, 577–578
- onmouseover event, coding involving, 472
- preventDefault method, 932
- relatedTarget property, 554, 569, 577–578
- screenX property, 471, 554, 931
- screenY property, 471, 554, 931
- shiftKey property, 554
- srcElement property, 472, 479, 481, 569, 577
- stopPropagation method, 932

- target property, 553, 569, 577
 - timeStamp property, 553
 - toElement property, 472, 569, 577, 578
 - type property, 553, 555, 931
 - window object property, as, 471
 - x property, 931
 - y property, 931
 - eventPhase **property (event object), 553**
 - Evil_Laugh.ra **file, 857**
 - exception**
 - catching using try...catch statement, 401–404, 407–408, 409
 - error versus, 401
 - variable, storing in, 402, 407–408
 - Exception **object**
 - browser support, 402, 403
 - description property, 402, 403
 - message property, 402, 409
 - name property, 402, 409
 - number property, 402
 - exception **variable, 402, 407–408**
 - exclamation mark, equals sign (!=)**
 - not equal to operator, 65
 - NOT logical operator, 71
 - exec **method (RegExp object), 915**
 - Execute **method (Connection object), 753, 758, 761**
 - exp **method (Math object), 910**
 - Explosion.ra **file, 857**
 - export **statement, 898**
 - expression, regular**
 - alphanumeric character, matching, 301–304
 - alternation character, matching, 310
 - browser support, 294, 295, 306, 307–308
 - case sensitivity, 299, 301
 - constructor, 297, 322–323
 - digit, matching, 300, 302, 311–312
 - flag, multi-line, 299
 - grouping, 309–312, 314, 826
 - introduced, 291
 - match, global, 299
 - message board application, 828–829
 - plug-in version number, returning using, 646
 - position character, matching, 305–308
 - repetition character, matching, 304–305
 - replace method parameter, as, 298–299, 314–315
 - special character, matching, 300–301
 - splitting text, in, 313–314, 321
 - syntax, 297, 300
 - Trivia Quiz application, 323–329, 789–790
 - white space, matching, 300
 - wildcard, 300, 302
 - word, matching, 300, 306–307, 310, 331, 826–829
 - Extensible HyperText Markup Language. See XHTML**
 - Extensible Markup Language. See XML**
 - eXtensible Style Language. See XSLT**
- ## F
- Fahrenheit to centigrade converter application. See also centigrade to Fahrenheit converter application**
 - convertToCentigrade function, 94, 95–97
 - data, handling invalid, 91–92
 - degCent variable, 69–70, 798
 - degFahren variable, 69–70, 71
 - for statement usage, 86–88
 - function, defining custom in, 93, 95–96
 - if statement usage, 66–71, 73–74
 - logical operator usage, 71
 - looping, 86–88, 90, 91–92
 - operator precedence, 40–41
 - result, writing to page, 69–70
 - string/number value mixing, 44–45
 - user interface, 235, 812–813
 - value series, converting, 86–88, 91
 - fgColor **property (document object), 930**
 - field, database. See database, field**
 - file download detector application, 616**
 - File window (Venkman Debugger), 395**
 - filename **property (Plugin object), 630, 631**
 - file1_onblur **function, 642**
 - FileUpload **object, 932**
 - film **property (CustomerBooking class), 148**
 - FinalResults.asp **file, 778, 788, 790, 791–794**
 - findIndex **variable, 182**
 - firstBooking **variable, 148**
 - firstChild **property (Node object), 541, 545, 546**
 - firstDay **variable, 227**
 - firstNumber **variable, 798, 799**
 - FirstVisit **cookie, 429**
 - fix **function, 128, 156, 805–807**
 - fixed **method (String object), 919**
 - fixNumber **variable, 806**
 - Flash plug-in**
 - detecting, 630
 - embedding, 628–629, 637
 - extension associated with, 628
 - image quality, specifying, 629, 637
 - loading, 628–629
 - MIME type, 629

FloatingDiv style class

FloatingDiv **style class**, 847

floating-point number, 20, 47

floor **method** (*Math* **object**), 123, 124, 910

FLOW **object**, 604

focus event handling

onblur event

 Button object, 927

 Checkbox object, 209

 described, 925

 FileUpload object, 932

 Layer object, 496

 Password object, 939

 Radio object, 209

 Reset object, 941

 Select object, 942

 Submit object, 943

 Text object, 194, 199, 204, 944

 Textarea object, 945

 window object, 946

onfocus event

 Button object, 927

 Checkbox object, 209

 described, 925

 FileUpload object, 932

 form element object, 194

 Layer object, 496

 Password object, 939

 Radio object, 209

 Reset object, 941

 Select object, 942

 Submit object, 943

 Text object, 199, 944

 Textarea object, 945

 window object, 946

focus **method**

 Button object, 928

 Checkbox object, 929

 FileUpload object, 932

 form element object, 194

 Password object, 939

 Reset object, 941

 Select object, 943

 Submit object, 943

 Textarea object, 945

 window object, 947

font. *See* **text**

font **HTML tag**, 446

fontcolor **method** (*String* **object**), 919

fontsize **method** (*String* **object**), 919

for in **statement**, 88–89, 894, 896

for **statement**, 85–88, 894

form. *See also specific control*

 array, storing *Form* object in, 188–190, 930

 ASP

 checkbox data, handling, 678, 682

 data sent via *get* method, handling, 685

 data sent via *post* method, handling, 674, 685

 select element data, handling, 677–678

 submitting form in ASP environment, 868–869

 text data, handling, 674–677, 678, 682–685

 declaring, 188

 DHTML, referencing in, 454–455

 element object, 193–194

 end point, declaring, 188

 event handling

 focus event, 194, 199, 204

 mouse event, 196–197

 onsubmit event, 190, 683, 925

 Select element event, 221–228

 focus, 194, 199, 204, 209

 introduced, 187

 list box, 192, 215

 message board application, 880–881, 882–883

 object in, hidden, 766, 934

 referencing, 188, 202, 454–455, 930, 939

 resetting, 191, 197–198, 941

 start point, declaring, 188

 submitting

 ASP environment, in, 673, 674–677, 678, 683, 868–869

 button, programming for, 194, 197–198, 683

 CompBitsCo database application, 766–767

 form tag coding for, 188, 716

 HTML element placement considerations, 187

 input box, using, 869

 input tag coding for, 197–198

 logon application, in, 702

 onsubmit event, 190, 683, 925

 scripting, in server-side, 868–869

 submit method, using, 190, 202, 933

 Trivia Quiz application, 717, 779

 validating input data before, 203, 204, 873

 text element, 191, 198–199, 201–203, 204–206

 Trivia Quiz application, 228–229, 715–716, 717, 779

 validating, 199–204, 684, 873

form feed escape sequence, 21

form **HTML tag**

 action attribute, 188, 674, 716, 875

 id attribute, 675

 method attribute, 188, 674–677, 716

- name attribute, 675
- target attribute, 258
- Form **object**
 - action property, 933
 - array, storing in, 188–190, 930
 - data checker, passing to, 194
 - DHTML, referencing in, 455
 - elements property, 190, 194, 933
 - encoding property, 933
 - length property, 190, 933
 - method property, 933
 - name property, 188, 190, 933
 - onreset event, 933
 - onsubmit event, 190, 683, 925
 - referencing, 202
 - reset method, 191, 933
 - submit method, 190, 202, 933
 - target property, 933
- form **property**
 - Button object, 928
 - Checkbox object, 929
 - FileUpload object, 932
 - Hidden object, 934
 - Password object, 939
 - Radio object, 940
 - Request object, 675, 677, 768
 - Reset object, 941
 - Select object, 942
 - Submit object, 943
 - Text object, 944
 - Textarea object, 945
- formElement **variable, 817**
- formIndex **variable, 190**
- Form_name **property (document object), 930**
- formobject **variable, 256**
- form1_onsubmit **function, 683, 702, 766, 873**
- forms **property (document object), 188–190, 930**
- forward **method (history object), 161, 934**
- forward only cursor type recordset, 760**
- foundAtPosition **variable, 119–120**
- fraGlobalFunctions **frame, 280–283, 284**
- frame**
 - array of frames in current window, returning, 249, 946
 - BOM frame area object, 159
 - child window, 239, 249
 - code of another frame, accessing, 247–250, 818–820
 - column, arranging in, 254
 - loading external, 224
 - method of another frame, accessing, 242–247
 - module, using frameset-defining page as, 242
 - naming, 241, 254
 - number of frames in window, returning, 946
 - page, multiple frames on same, 238–241
 - parent window, 239, 246, 248–249, 250–251
 - property of another frame, accessing, 242–247
 - referencing, 240, 246, 248–249, 255, 257
 - sizing, 240, 254
 - top property, 250–251
 - Trivia Quiz application
 - banner frame (menubar.htm), 272, 280
 - fraGlobalFunctions frame, 280–283, 284
 - fraMenubar frame, 279–280
 - frameset pages, 273, 274, 278–280
 - fraQuizPage frame, 274, 777
 - fraTopFrame frame, 278–279
 - globalfunctions.htm frame coding, 272, 280–283, 284–287
 - question frame (AskQuestion.htm), 272, 275–278, 283–284, 323, 328
 - quiz frame (QuizPage.htm), 272, 274–275, 283, 357–359, 715
 - variable value, keeping between frames, 244
 - window object, association with, 238–241
 - writing to another frame, 289, 818–820
- frame **HTML tag, 238**
- frame **object, 933**
- fraMenubar **frame, 279–280**
- frames **property (window object), 249, 946**
- frameset **HTML tag**
 - cols attribute, 254
 - frame tag, relation to, 238
 - id attribute, 240
 - rows attribute, 240
- FramesetPage.htm **file, 244**
- frameset_page.htm **file, 242, 245–246**
- fraQuizPage **frame, 274, 777**
- fraTopFrame **frame, 278–279**
- FreshBakedCookie.htm **file, 416**
- fromCharCode **method (String object), 117, 283**
- fromElement **property (event object), 472**
- function. See also specific function**
 - call stack, displaying when debugging, 386–389, 394–395
 - calling, 94, 95
 - closing, 368
 - code, splitting into, 16
 - creating, 93–100, 366–367, 368
 - described, 92
 - DHTML menu, creating using, 486–488, 513–514, 576–577

function (continued)

function (continued)

error caused by incorrect declaration, 366–367
event object, passing to, 498–499, 507, 568–569, 577
exiting, 94
invoking, 94
library, building, 94
method compared to, 106
modal, 11
parameter, 11, 93, 94
stepping out of, 379
top-level, 899, 926
value, returning from, 94, 116
Function **object**, 906–907
function **statement**, 93, 894

G

g **attribute** (RegExp **object**), 299
garbage collection, 26
get **method**
 CustomerBooking class, 147–148, 152
 form submission method, 685
getAnswer **function**, 283–284, 328
getAttribute **method** (Element **object**),
 549–550, 552
getBookingsTable **method** (cinema **class**), 151, 154
getBrowserName **function**, 179, 182, 693, 695
getBrowserVersion **function**, 179, 181–182,
 693, 695
getCookieValue **function**, 431–432, 438, 439, 841
getCustomerName **method** (CustomerBooking
 class), 148
getDate **method** (Date **object**), 137, 903
getDay **method** (Date **object**), 137, 832, 903
getElementById **method** (document **object**), 174,
 517, 535, 543, 568
getElementByName **method**, 568
getElementsByTagName **method** (document **object**),
 535, 538, 618
getFullYear **method** (Date **object**), 137, 139, 903
getHours **method** (Date **object**), 107, 141, 903
gethtml **function**, 468
GetInfo.asp **file**, 687–689
getItem **method** (VBArray **object**), 921
getMilliseconds **method** (Date **object**), 143, 903
getMinutes **method** (Date **object**), 107, 141, 144, 903
getMonth **method** (Date **object**), 137, 139, 226,
 803–804, 903
getOS **function**, 179, 180, 694

getQuestion **function**
 button coding, 229, 231–232
 cookie coding, 440
 GlobalFunctions.htm, coding when located in,
 285, 323
 trivia_quiz.htm, coding when located in, 229,
 231–232
getSeconds **method** (Date **object**), 143, 903
getTime **method** (Date **object**), 107, 903
getTimeString **function**, 346
getTimezoneOffset **method** (Date **object**), 334,
 337, 346, 903
getUTCDate **method** (Date **object**), 340, 904
getUTCDay **method** (Date **object**), 340–341, 904
getUTCFullYear **method** (Date **object**), 340, 904
getUTCHours **method** (Date **object**), 340, 904
getUTCMilliseconds **method** (Date **object**),
 340, 904
getUTCMinutes **method** (Date **object**), 340, 904
getUTCMonth **method** (Date **object**), 340, 904
getUTCSeconds **method** (Date **object**), 340, 904
getVarDate **method** (Date **object**), 904
getYear **method** (Date **object**), 139, 904
global **property** (RegExp **object**), 914
global.asa **file**, 711, 712, 713, 715
globalfunctions.htm **file**
 ASP environment, 718
 cookie handling, coding for, 439–441
 database interaction, coding for, 779–781
 frame handling, coding for, 272, 280–283, 284–287
 string manipulation coding for, 323, 325–328
 timer, coding for, 357, 358, 359–362
GMT (Greenwich Mean Time), 334
go **method** (history **object**), 161, 934
GoodsOrdered **field**, 727
goPage **function**, 476
graphics. *See* image
greater than sign, equals sign (>=) greater than or
 equal to operator, 65, 80
greater than sign (>) greater than operator, 65, 80
greater than sign, less than sign (< >) XML tag delimit-
 ers, 583
Greenwich Mean Time. *See* GMT
greeting **variable**, 143

H

hacksrus.com website, 391
handleClick **function**, 557

- hasChildNodes **method** (**Node object**), **547**
 hash **property**
 Link object, 936
 location object, 937
 head **HTML tag**
 DOM tree structure, place in, 530, 531–532
 script tag placement in, 6
 style tag placement in, 447
 HeadingElement **variable**, **545**
 height **property**
 IMG object, 935
 screen object, 163, 268
 window object, 258
 H1Element **variable**, **542**
hexadecimal character equivalent, returning, **428**
 Hidden **object**, **205**, **934**
 hideMenu **function**, **476**, **480**, **577**
 history
 object
 back method, 161, 934
 forward method, 161, 934
 go method, 161, 934
 length property, 161, 934
 window object property, as, 160, 946
 window object property, 160, 946
 horizontalMovement **variable**, **847**, **849**
 host **property**
 Link object, 936
 location object, 937
 hostname **property**
 Link object, 936
 location object, 162, 937
 href **property**
 A object, 167, 807–808
 Link object, 936
 location object, 162, 241, 481, 937
 hspace **property** (**IMG object**), **935**
 html **HTML tag**, **6**
HTML (Hypertext Markup Language). *See also* **DHTML (Dynamic HTML)**; **XHTML (Extensible HyperText Markup Language)**; *specific tag*
 ASP as, 667
 background, historical, 522–523, 524
 block-level element, 463
 commenting, 534
 container tag, 463
 control event handling, 925
 DHTML versus, 446–447
 DOM tree structure, document representation in, 522, 529–532, 543–546
 drop-down list, 192, 216, 224–225
 element positioning
 absolute, 450, 451
 relative, 450, 452
 style sheet, using, 450–454
 font, formatting, 446, 448, 449
 form submission, element placement considerations in, 187
 grouping tag, 463
 inline element, 463
 looping in server-side scripting, effect on, 671–673
 SGML, relation to, 522
 splitting, 319–321
 standard, 524
 static, 12
 style sheet
 attributes, assigning multiple, 447
 class, 448
 div tag as style container, 450
 element, positioning using, 450–454
 font, applying to, 448, 449
 paragraph, applying to, 447, 448, 449
 style tag, applying using, 447–449
 table cell, applying to, 447, 448
 table
 database query result, loading to, 755–759
 method result, inserting, 125–126
 style, applying to cell, 447, 448
 XHTML compared, 527
 XML compared, 526
HTTP (HyperText Transfer Protocol), **3**, **674**, **938**
 HTTP_USER_AGENT **variable**, **690**, **693**, **695**
Hungarian notation, **23**
hyperlink
 anchor, 918, 926–927, 930
 array of hyperlinks, returning, 930
 attribute, returning, 167
 color, 930
 DHTML menu item, 476, 481, 502–503
 event handling, 168–171, 936
 String object link method, creating using, 919
 target attribute, 258
Hypertext Markup Language. *See* **HTML**
HyperText Transfer Protocol. *See* **HTTP**
hyphen, equals sign (=) decrement operator, **39**
hyphen (-) subtraction operator, **36**

i attribute (RegExp object), 299

IBM alphaWorks website, 438

id attribute

DHTML, using to reference element in, 455, 535, 568

form tag, 675

frameset tag, 240

IE (Internet Explorer). See also browser

ActiveX control, detecting, 634

BOM, 158, 163, 445

cookie

security, 438–439

viewing, 416–421

CSS support, 454

DHTML, programming for

adding content, 468–470

appearance coding, 454–457

changing content, 460–468

event handling, 470–472, 473, 474–475, 477, 481

menu image effect, 473–476, 479–480, 486

moving content, 458–460

page tag, referencing, 454–455

positioning content, 458–460

style object coding, 454–457

support, 445–446

document object support, 163

DOM support, 522, 529

embed tag support, 639

error display, 29–31, 33–34

event object support, 569, 577, 578

Exception object support, 402, 403

getFullYear method support, 137

instance, tracking when debugging, 389–391

Internet Options dialog box, 416–417, 438, 634–635

JavaScript

support, enabling/disabling, 5

version support list, 885

Microsoft Script Debugger

enabling, 374

View menu, accessing using, 376–377

object tag support, 639

Option object support, 220–221

p tag support, 452

page load, tracking when debugging, 389–391

plug-in support, 628

scrollWidth property support, 355

setMilliseconds method support, 144

temporary Internet file folder, clearing, 416–417

toFixed method support, 129

try...catch statement support, 402–403

version notation, 12

View menu, 376–377

web page source code, viewing in, 671

XML file, loading, 614–616

IEMenus.htm file, **484, 518**

IE_NN_Menus.htm file, **575**

IEOnly.htm file, **185, 810**

if else statement, **894**

if statement

scripting, using in server-side, 671–673

testing multiple conditions using, 73–77

testing single condition using, 66–71

ignoreCase property (RegExp object), **914**

IIS (Internet Information Server)

aliasing, 662

console, 657–658

database error caused by IIS security, 761

Default Web Site Properties dialog box, 661

directory

home, 661–662

virtual, 662–665, 715

web, 658

web-shared, 666

installing, 651–656

loading web page from local server, 659

location, 653

Microsoft Script Debugger included with, 371

NT Option pack, 651

opening, 659

PWS, as, 651

scripting, enabling server-side, 665

security, 761

setup.exe file, 653

system requirement, 653

Under Construction page, 660

usage statistics, checking, 658

version considerations, 651

website default

displaying, 661

specifying, 658

Windows editions included with, 651

ilayer **HTML tag, 489, 515**

image

array of images, returning, 163, 166–167, 172–173, 930

banner image, updating

ASP, using, 667, 669–671

timer, using, 349–352, 364, 829–831

border, 935

- button image, 488, 520, 841–844
- DHTML image effect
 - cross-browser environment, in, 520, 844–850
 - IE environment, in, 473–476, 479–480, 486
 - NN environment, in, 501, 502, 503, 505–507, 512
- loading
 - status, returning, 935
 - temporary low resolution image, 935
- margin, 935
- moving randomly, 520, 844–850
- rollover effect
 - sound, playing, 647, 856–858
 - switching image, 185, 810–812, 847
- sizing, 935
- web page loading, displaying random image when, 171–173
- images **property** (document object), **163, 166–167, 172–173, 930**
- img
 - HTML tag
 - NN support, 261, 502
 - onmouseout event handler, 46
 - src attribute, 167, 351
 - object
 - border property, 935
 - complete property, 935
 - creating, 166
 - height property, 935
 - hspace property, 935
 - introduced, 109
 - lowsrc property, 935
 - name property, 935
 - onabort event, 935
 - onerror event, 935
 - onload event, 935
 - src property, 166–167, 173, 811, 935
 - vspace property, 935
 - width property, 935
- img1.jpg **file**, **811**
- img2.jpg **file**, **811**
- imageName **variable**, **671**
- import **statement**, **898**
- in operator, **745–746, 891**
- .inc **files**, **791**
- include **statement**, **708**
- increment operator, **37–38, 86**
- index **property**
 - Array object, 900
 - Option object, 216, 938
 - RegExp object, 914
 - indexCounter **variable**, **220**
 - Indexed database field property**, **733**
 - indexOf **method** (String object), **117–120, 432, 919**
 - Infinity **property**, **898**
 - InitEvent **method** (event object), **932**
 - inline HTML element**, **463**
 - innerHTML **HTML property**, **462–468, 569–570**
 - innerHTMLhtml **variable**, **514**
 - innerOuterhtml_IE.htm **file**, **465**
 - innerText **HTML property**
 - DHTML, getting/setting using, 461–462
 - P object, 455, 457
 - innertext_IE.htm **file**, **461**
 - innerWidth **property** (window object), **355, 848**
 - input
 - HTML tag
 - checked attribute, 208
 - maxLength attribute, 198, 201
 - size attribute, 198, 201
 - type attribute, 193, 195, 197–198, 204, 208
 - value attribute, 195, 198
 - property
 - Array object, 900
 - RegExp object, 914
 - input type **HTML element**, **191–193**
 - inputName **variable**, **804**
 - insert **SQL statement**, **744**
 - insertAdjacenthtml **method**, **468–470**
 - insertAdjacentText **method**, **468–470**
 - insertBefore **method** (Node object), **547**
 - instance, object/class**, **146–147, 148–150**
 - instanceof operator**, **891**
 - integer**, **20**
 - Internet Explorer**. **See IE**
 - Internet Information Server**. **See IIS**
 - Internet Options dialog box (IE)**, **416–417, 438, 634–635**
 - interpreter**, **2**
 - invalidTrys **variable**, **861**
 - IP (Internet Protocol) address**, **web server**, **3**
 - isFinite **function**, **899**
 - isIE **variable**, **847, 848**
 - isNaN **function**, **48, 91, 92, 803, 899**
 - IsValid **cookie**, **703**
 - italics **method** (String object), **919**
 - Item **method** (Enumerator object), **906**
 - ItemCost **field**, **723**
 - itemCostAfterTax **variable**, **129**
 - ItemDescription **field**, **723**

J

java **object**, 908
JavaArray **object**, 908
JavaClass **object**, 908
javaEnabled **method**, 938
JavaObject **object**, 909
JavaPackage **object**, 909
JavaScript console (NN), 28–29, 33, 396–400
join **method** (Array **object**), 132–133, 901
JS_XML.htm **file**, 620

K

key, primary, 733, 736
keyboard event handling

- onkeydown event
 - described, 925
 - document object, 929
 - Link object, 936
 - Textarea object, 206–207, 945
- onkeypress event
 - described, 925
 - document object, 929
 - Link object, 936
 - Textarea object, 206–207, 945
- onkeyup event
 - described, 925
 - document object, 929
 - Link object, 936
 - Textarea object, 206–207, 945

L

label **statement**, 895
language

- choosing appropriate, 3–4
- compiled, 2
- declaring, 6, 527, 669
- DOM support, 527–528
- interpreted, 2
- introduced, 1
- operating system default, specifying, 938
- scripting language, 3–4, 669

language **attribute** (script **tag**), 6
language **directive**, 793
lastChild **property** (Node **object**), 541
lastIndex **property** (RegExp **object**), 914
lastIndexOf **method** (String **object**), 117–120, 806, 919

lastMatch **property** (RegExp **object**), 914
lastModified **property** (document **object**), 436, 930
lastName **variable**, 677
lastoption **variable**, 220
lastParen **property** (RegExp **object**), 914
lastUpdated **variable**, 436
LastVisit **variable**, 436
Latin-1 character set, 949–955
layer

- content, changing, 495–496
- creating, 489–490
- DHTML menu, creating using, 501–508, 512–514
- div tag coding, 490, 492–495, 496, 497–498
- event handling, 494, 496–497, 502
- implicit, 490
- inline, 490
- moving, 490–495
- positioning, 490–495
- referencing, 490
- z-index, 491–494

layer **HTML tag**

- background, historical, 557
- left attribute, 490, 503
- NN support, 489, 515
- onmouseout event behavior in relation to, 502
- syntax, 489
- top attribute, 490, 503
- z-index attribute, 491–494, 503

Layer **object**

- clip.right property, 507
- creating, 489–490
- left property, 490
- moveBy method, 491
- moveTo method, 491
- onblur event, 496
- onfocus event, 496
- onload event, 496
- onmouseout event, 496, 503, 505, 506
- onmouseover event, 496, 497, 503, 505, 506
- onmouseup event, 496
- top property, 490
- write method, writing to using, 495
- zIndex property, 491–494

layerCount **variable**, 513

LayerOutMenu **style class**, 504

layers **property** (document **object**), 175, 490, 506, 515, 517

lbound **method** (VbArray **object**), 921

- left
 - attribute
 - div tag, 451–453
 - layer tag, 490, 503
 - Layer object property, 490
- leftContext **property** (RegExp **object**), **914**
- left-hand side operand. See LHS operand**
- length **property**
 - Array object, 109, 130, 134, 189, 900
 - Form object, 190, 933
 - Function object, 907
 - history object, 161, 934
 - JSONArray object, 908
 - Plugin object, 630
 - Radio object, 209
 - Select object, 942
 - String object, 110–111, 112, 918
 - window object, 946
- lengthOfSecondString **variable**, **111**
- Less Than operator, 65, 80, 888**
- Less Than Or Equal operator, 65, 80, 888**
- less than sign, equals sign (<=) less than or equal to operator, 65, 80**
- less than sign, exclamation mark, dash (<!—) DTD comment prefix, 595, 602**
- less than sign (<) less than operator, 65, 80**
- less than sign, percent sign (<%) script delimiter, 668, 696–698**
- less than sign, question mark (<?) XML declaration prefix, 586**
- LF (line feed) character, 600**
- LHS (left-hand side) operand, 65**
- line escape sequence, 21**
- link. See hyperlink**
- link method** (String **object**), **919**
- Link object, 935–936**
- linkColor property** (document **object**), **930**
- links property** (document **object**), **163, 167, 930**
- linkSomePage_onclick function, 169–170, 171**
- list box, working with in HTML form, 192, 215**
- literal, 25, 37, 115**
- LiveConnect technology, 630**
- LN2 property** (Math **object**), **909**
- LN10 property** (Math **object**), **909**
- load method** (document **object**), **614**
- Local Variables window (Venkman Debugger), 394**
- location
 - object
 - described, 161–162, 936
 - hash property, 937
 - host property, 937
 - hostname property, 162, 937
 - href property, 162, 241, 481, 937
 - pathname property, 937
 - port property, 162, 937
 - protocol property, 162, 937
 - reload method, 937
 - replace method, 162, 183, 518, 937
 - search property, 937
 - window object property, as, 160, 946
 - property
 - document object, 930
 - window object, 160, 946
- log method** (Math **object**), **910**
- logical operator, 71–73, 890–891**
- logon application**
 - ASP, 699–703, 720
 - CheckLogOn.asp file, 700
 - Ch17_LogOn.asp file, 870, 872
 - counting logon attempts, 860, 874, 875
 - database, 796, 870–875
 - form, submitting, 702
- LogOn.asp file, 860**
- Logon.htm file, 700**
- LogonTrys variable, 860, 874**
- LOG2E property** (Math **object**), **909**
- LOG10E property** (Math **object**), **909**
- londonOdeon variable, 154**
- loopCounter variable, 85–86, 87**
- looping**
 - array, accessing, 87, 88
 - condition, testing, 85–88, 89–91, 894–895
 - counter, 85–86, 87, 90, 833
 - data, handling invalid, 92
 - debugging loop structure, 380–382, 386
 - do while loop, 90–91, 894, 895
 - exiting prematurely, 90–91
 - Fahrenheit to centigrade converter application, in, 86–88, 90, 91–92
 - for in loop, 88–89, 894
 - for loop, 85–88, 894
 - infinite loop, 90
 - introduced, 84–85
 - scripting, in server-side, 671–673
 - variable, using in, 85–86, 87
 - while loop, 89–90, 672
- LowerWindow.htm file, 238–239, 241**
- lowsrc property** (IMG **object**), **935**
- lsBrowser variable, 694**
- lsMessageBody variable, 881, 882**

M

m **attribute** (RegExp object), 299

MainPage.htm file, 435

match **method** (String object), 296–297, 318–319, 919

math

absolute value, returning, 122–123

addition, 35, 887, 889

angle in radians, returning, 910

arccosine, 910

arcsine, 910

arctangent, 910

comparing number value, 65

constant, 122

cosine, 910

decimal

- returning value to required decimal place, 156, 805–807
- rounding to required decimal place, 129–130, 758

decrement operator, 37–38, 86

division, 36, 887, 889

finite number, checking for, 899

floating-point number, 20, 47

increment operator, 37–38, 86

logarithm, 910

modulus, 887, 889

multiplication, 36, 39, 800–803, 887, 889

number, checking if data is, 48, 91, 92, 103, 803

operator, 35, 39–42, 887

pi, 122

postfix increment, 889

power, raising number to, 126–128

prefix increment, 889

random number, returning, 126

rounding

- decimal place, to required, 129–130, 758
- up/down, 123–126, 128, 757

sine, 911

square root, 911

subtraction, 36, 39, 887, 889

tangent, 911

time, calculation involving, 106–107

variable, storing value in during calculation, 35–37

Math **object**

- abs method, 122–123, 910
- acos method, 910
- asin method, 910
- atan method, 910
- atan2 method, 910

- ceil method, 123, 124, 910
- cos method, 910
- E property, 909
- exp method, 910
- floor method, 123, 124, 910
- LN2 property, 909
- LN10 property, 909
- log method, 910
- LOG2E property, 909
- LOG10E property, 909
- max method, 910
- min method, 910
- PI property, 122, 910
- pow method, 126–128, 910
- random method, 126, 911
- round method, 123, 124, 128, 806, 911
- sin method, 911
- sqrt method, 911
- SQRT1_2 property, 910
- SQRT2 property, 910
- tan method, 911

Max **SQL function**, 769

maxLength

- input tag attribute, 198, 201
- variable, 354

MAX_VALUE **property** (Number object), 911

.mdb files, 750, 753

Memo data type, 723

memory

- buffering, off-screen, 946
- component, keeping in, 708
- garbage collection, 26
- object address, 108
- reference, address, 108

menu, creating dynamic using DHTML

- array, populating from, 486–487, 501, 503, 506, 510
- border, formatting, 505
- cross-browser programming, 567–571, 575–580
- div tag coding, 473–475, 476, 487–488, 570–571
- event handling
 - IE environment, 473, 474–475, 477, 481
 - NN environment, 503–504, 505, 506
- function, creating using, 486–488, 513–514, 576–577
- hiding menu, 476, 480, 505–507, 577
- hyperlink, 476, 481, 502–503
- image effect
 - cross-browser environment, 520, 844–850
 - IE environment, 473–476, 479–480, 486
 - NN environment, 501, 502, 503, 505–507, 512
- layer, using, 501–508, 512–514

- mouse rollover effect, 473–475, 480–481, 503–505, 507–508
- showing menu, 475–476, 479, 505–507, 577
- style sheet, applying to, 478–479, 480–481
- table coding, 477–479, 481, 487–488, 570–571
- menubar.htm **file**, **272, 280**
- menu_page.htm **file**, **252–253**
- menuToHide
 - function, 480
 - variable, 578
- message
 - Exception object property, 402, 409
 - variable, 354
- message board application**
 - database, 796, 876–883
 - DatePosted field, 880
 - DSN, 880
 - form coding, 880–881, 882–883
 - lsMessageBody variable, 881, 882
 - MessageBoardDSN DSN, 880
 - MessageBody field, 880
 - MessageId field, 880
 - Message.mdb file, 880
 - MessageSubject field, 880
 - regular expression usage, 828–829
 - UserName field, 880
 - word, barring specific from being posted, 331, 828–829
- metadata, 584**
- metaKey **property (event object), 554**
- MetalButton.gif **file**, **486**
- method. See also specific method**
 - ActiveX control method, accessing, 639
 - browser support, checking, 174
 - calling, 110
 - class method definition, 146
 - constructor, 108, 146
 - DOM, 534–539, 617
 - frame, accessing method of another, 242–247
 - function compared, 106
 - HTML table, inserting method result in, 125–126
 - object, of, 106, 110
 - parameter, 110, 836
 - plug-in method, accessing, 639
 - property, error caused by using as, 370
- method **attribute (form tag), 188, 674–677, 716**
- method **property (Form object), 933**
- Microsoft Access**
 - AutoNumber data type, 729, 733
 - currency display, 757
 - Datasheet View, 741
 - Design view, 740
 - driver, 750
 - Edit Relationships dialog box, 737
 - General tab, 726
 - New Database option, 724
 - Objects tab, 740
 - Relationships window, 736–737
 - round function, 757
 - Run icon, 741
 - Show Table window, 736, 737
 - SQL view, 740
 - table design view, 725–726
 - version used in this book, 722
- Microsoft Script Debugger. See also debugging**
 - Call Stack Window, 386–389
 - Clear All Breakpoints icon, 384
 - Command window, 384–386
 - downloading, 371
 - enabling/disabling, 374
 - error highlighting, 375
 - IE View menu, accessing using, 376–377
 - IIS, included with, 371
 - installing, 371, 372–374
 - introduced, 33
 - opening, 374–378
 - PWS, included with, 371
 - Run icon, 383
 - running documents window, 389–391
 - Step Into icon, 379
 - Step Over icon, 379
 - Toggle Breakpoint icon, 383
 - version, 374
- Microsoft website**
 - ASP resources, 761, 766
 - IE resources, 158
 - MtsSetup.dll file update, 652
 - NT Option pack download, 651
- Microsoft.Jet.OLEDB driver, 752**
- MIME (Multipurpose Internet Mail Extensions) type, 629, 630, 632–633, 938**
- contentType **object**, **633**
- mimeTypes **property (navigator object), 633, 938**
- min **method (Math object), 910**
- minus sign, equals sign (=) decrement operator, 39**
- minus sign (-) subtraction operator, 36**
- MIN_VALUE **property (Number object), 911**
- modular code, 237**
- modulus, 887, 889**
- monthNow **variable, 139**

mouse

- click event, 554, 556
- event object, 553–554
- mousedown event, 554
- mousemove event, 554
- mouseout event, 554
- mouseover event, 554
- mouseup event, 554
- onclick event
 - A tag handler, 168–169, 173
 - button, of, 194–196, 214, 219, 229, 642
 - Checkbox object, 209
 - described, 924
 - document object, 929
 - Link object, 935–936
 - Radio object, 212–213, 214
 - Reset object, 941
 - Submit object, 943
 - TD tag handler, 476
- ondblclick event, 554, 924, 929, 936
- ondragstart event, 470
- onmousedown event
 - Button object, 196–197, 927
 - Link object, 936
- onmousemove event, 924
- onmouseout event
 - A object, 811, 843–844
 - capturing, 475
 - described, 924
 - div tag handler, 474–475, 476, 502
 - document object, 477, 480
 - img tag handler, 46
 - Layer object, 496, 503, 505, 506
 - layer tag, behavior in relation to, 502
 - Link object, 936
 - myPara_onmouseout function handler, 457
- onmouseover event
 - A object, 811, 843–844
 - capturing, 475
 - described, 924
 - document object, 477, 480–481
 - event object coding involving, 472
 - Layer object, 496, 497, 503, 505, 506
 - Link object, 936
- onmouseup event
 - Button object, 196–197, 927
 - described, 924
 - document object, 929
 - Layer object, 496
 - Link object, 936
- rollover effect involving image
 - sound, playing on rollover, 647, 856–858
 - switching image on rollover, 185, 810–812, 847
- rollover effect using A tag, 185, 810–812, 843–844
- rollover effect using DHTML
 - color change, 456–457
 - cross-browser programming, 565–567
 - menu, in, 473–475, 480–481, 503–505, 507–508
 - style change, 480–481
 - text change, 456–457, 565–567
- rollover effect using RealPlayer, 647, 856–858
- mouseevent.htm **file, 556**
- mouseLastIn **variable, 577, 578**
- moveBy **method**
 - Layer object, 491
 - window object, 947
- moveDiv **function, 847, 848**
- MoveFirst **method**
 - Enumerator object, 906
 - Recordset object, 760
- MoveLast **method (Recordset object), 760**
- MoveNext **method**
 - Enumerator object, 906
 - Recordset object, 754, 759, 760
- moveParas **function, 459–460**
- MovePrevious **method (Recordset object), 760**
- moveTo **method**
 - Layer object, 491
 - window object, 947
- MovingTags_IE.htm **file, 459, 494**
- MovingTags_NN.htm **file, 495, 516**
- MovingTags_NN_IE.htm **file, 516**
- msgobj **variable, 618**
- MSIEPage.htm **file, 179**
- MtsSetup.dll **file, 652**
- multicol_heading.jpg **file, 280**
- multiline **property (RegExp object), 915**
- multiplication (arithmetic), 36, 39, 800–803, 887, 889**
- Multipurpose Internet Mail Extensions type. See MIME type**
- myAge **variable, 75, 400**
- MyAppVariable **variable, 713**
- myButton_onclick **function, 196**
- myButton_onmousedown **function, 197**
- myButton_onmouseup **function, 197**
- MyCinemaBookingClasses.js **file, 150**

myDate **variable, 340**
 myDiv_onmouseover **function, 496**
 MyFormPage.htm **file, 674**
 myLayer_onmouseover **function, 496**
 mylink_onclick **function, 499**
 myMatchArray **variable, 297**
 myName **variable, 79**
 myNumber **variable, 672**
 MyOtherPage.inc **file, 708–709**
 myPage.htm **file, 662**
 myPage2.htm **file, 662**
 myPara **object, 455, 457**
 myPara_onmouseout **function, 457**
 myRegExp **variable, 302**
 MySessionVariableName **variable, 712**
 mySQL **variable, 758, 768**
 myString **variable, 119, 315**
 myTemp **variable, 94**
 MyWebPage.asp **file, 708**

N

name
 cookie, 429
 form tag attribute, 675
 property
 Button object, 928
 Checkbox object, 929
 Exception object, 402, 409
 FileUpload object, 932
 form element object, 193
 Form object, 188, 190, 933
 Hidden object, 934
 IMG object, 935
 Password object, 939
 Plugin object, 630, 631
 Radio object, 940
 Reset object, 941
 Select object, 942
 Submit object, 943
 Text object, 944
 Textarea object, 945
 window object, 241, 946
 NamedNodeMap **object, 533**
 NameOfServerVariable **variable, 690**
 namesArray **variable, 804**
 NaN **property (Number object), 898, 911**

navigator
 object
 appName property, 937
 appName property, 177, 937
 appVersion property, 182, 937
 browser information, returning using, 162, 176–183, 937
 javaEnabled method, 938
 mimeTypes property, 633, 938
 platform property, 938
 plugins property, 630, 631–632, 640, 938
 System language property, 938
 taintEnabled method, 938
 userAgent property, 177, 180–181, 182, 690, 938
 userLanguage property, 938
 window object property, as, 160
 window object property, 160
 navInfo **variable, 694**
 navlast.htm **file, 544**
negation (condition testing), 73
 NEGATIVE_INFINITY **property (Number object), 912**
Netscape DevEdge website, 158, 630
Netscape Enterprise Server, 650
Netscape Navigator. See NN
 netscape **object, 911**
 NetscapePage.htm **file, 179**
new operator, 891
 newElem **variable, 549**
 newImgNumber **variable, 172**
 newWindow **variable, 258, 267, 268–269**
 newWindow.htm **file, 266**
 nextSibling **property (Node object), 541, 545, 546**
NN (Netscape Navigator). See also browser
 assignment/equality operator error alert, 369
 blur event support, 204
 BOM, 158, 163, 445, 446
 clipboardData property support, 176
 Cookie Manager, 423–424
 cookie, viewing, 421–424
 CSS support, 454
 date format support, 137
 DHTML programming in NN environment
 event handling, 498–501, 503–504, 505, 506
 image effect, 501, 502, 503, 505–507, 512
 layer, 489–498
 document object support, 163, 175
 DOM support, 522, 529

NN (Netscape Navigator) (continued)

NN (Netscape Navigator) (continued)

- embed tag support, 630, 639
 - error display, 28–29, 32–33
 - event object support, 498–501, 553, 554, 569, 577–578
 - Exception object support, 402, 403
 - getElementByName method support, 568
 - getFullYear method support, 137
 - ilayer tag support, 515
 - img tag support, 261, 502
 - innerHTML property support, 569–570
 - innerWidth property support, 355, 848
 - JavaScript
 - console, 28–29, 33, 396–400
 - relation to, 2–3
 - support, enabling/disabling, 5
 - version support list, 885
 - layer tag support, 489, 515
 - LiveConnect technology, use of, 630
 - object tag support, 630, 639
 - plug-in
 - detecting, 630–633
 - installing, 630–633
 - listing installed plug-ins, 629
 - support, 628, 630
 - preferences file, 29
 - Privacy and Security option, 423
 - regular expression support, 294, 295, 306, 307–308
 - scrollWidth property support, 355
 - setMilliseconds method support, 144
 - sidebar property support, 176
 - toDateString method support, 336
 - toFixed method support, 129
 - toLocaleDateString method support, 336
 - toLocaleTimeString method support, 336
 - toTimeString method support, 336
 - try...catch statement support, 402–403
 - version notation, 12
 - web page source code, viewing in, 671
 - XML file, loading, 614–615
 - XPCConnect technology, use of, 630
- NN_ConsoleTest.htm file, 398**
- NNMenus.htm file, 510, 512, 518–519**
- NNOnly.htm file, 185, 808–810**
- node**
- appending, 547
 - child, 530, 541, 545, 546
 - creating, 547
 - introduced, 530
 - leaf, 531
 - objects related to, 533
 - parent, 530, 541
 - removing, 547
 - replacing, 547
 - returning, 541
 - root, 530
 - sibling, 541, 545, 546
 - text node, 547, 549, 569–570
- Node object**
- appendChild method, 547, 549
 - cloneNode method, 547
 - firstChild property, 541, 545, 546
 - hasChildNodes method, 547
 - insertBefore method, 547
 - introduced, 533
 - lastChild property, 541
 - nextSibling property, 541, 545, 546
 - nodeName property, 541
 - nodeType property, 541, 545, 578
 - nodeValue property, 541
 - ownerDocument property, 541
 - parentNode property, 541
 - previousSibling property, 541, 546
 - removeChild method, 547
 - replaceChild method, 547
- NodeList object, 533**
- noembed HTML tag, 633, 638, 640**
- noexternaldata attribute (object HTML tag), 646**
- NoMenus.htm file, 518**
- NoQsToAsk variable, 716**
- noQuestions variable, 359**
- NoRealPlayerPage.htm file, 641**
- normalization, 731**
- noscript HTML tag, 176**
- Not Equal operator, 65, 888**
- NOT IN SQL operator, 745–746**
- NOT logical operator, 71, 73, 891**
- Not Strictly Equal operator, 889**
- Notation object, 534**
- NoteUserSelections.asp file, 716, 717, 777–778, 781**
- nowDate variable, 143, 145, 226, 803**
- nowTime variable, 345, 346**
- ns variable, 576**

NT Option pack, 651

Number

- Exception object property, 402
- function, 69, 899
- object
 - constructor property, 911
 - MAX_VALUE property, 911
 - MIN_VALUE property, 911
 - NaN property, 898, 911
 - NEGATIVE_INFINITY property, 912
 - POSITIVE_INFINITY property, 912
 - prototype property, 912
 - toFixed method, 129–130
 - toSource method, 912
 - toString method, 912
 - valueOf method, 912
- numberForms **variable, 189**
- NumberInStock **field, 723**
- numberOfClicks **variable, 196**
- numberOfControls **variable, 214**
- numberOfQuestionsAsked **variable, 285, 360**
- numberOfQuestionsCorrect **variable, 285**
- numerical data type, 20, 43–48, 723**

OOakWood.htm **file, 476****object. See also specific object**

- ASP object model, 673–674
- BOM, 157–158
- class, relation to, 145, 146–147
- component, object creation by, 704, 707
- constructor, 108, 146
- creating, 107–109
- DHTML object model, 454
- HTML form element object, 193–194
- instance, 146–147, 148–150
- introduced, 105–106
- length property, 109, 112
- memory address, 108
- method, 106, 110
- native, 111
- plug-in, accessing object created by, 628
- primitive
 - converting to object, 111, 112
 - object versus, 110–111
- property, 106, 109–110
- variable, assigned to, 108, 109

Object expected **error message, 409**object **HTML tag**

- browser support, 630, 639
- classid attribute, 634, 636–637
- codebase attribute, 634, 637–638
- embed tag, using in conjunction with, 639
- noexternaldata attribute, 646

Object **object**

- constructor property, 912
- eval method, 913
- prototype property, 912
- readyState property, 615–616, 638, 641
- toSource method, 913
- toString method, 913
- unwatch method, 905, 913
- valueOf method, 913
- watch method, 905, 913

ODBC Microsoft Access Setup dialog box (Windows Control Panel), 750–751**ODBC (Open Database Connectivity), 747–751, 873****ODBC window (Windows Control Panel), 749, 751**offscreenBuffering **property (window object), 946****OLE DB technology, 747, 752**onabort **event, 926, 935**onblur **event**

- Button object, 927
- Checkbox object, 209
- described, 925
- FileUpload object, 932
- Layer object, 496
- Password object, 939
- Radio object, 209
- Reset object, 941
- Select object, 942
- Submit object, 943
- Text object, 194, 199, 204, 944
- Textarea object, 945
- window object, 946

onchange **event**

- described, 925
- Select object, 224, 942
- Text object, 198–199, 201, 944
- Textarea object, 206–207, 945

onclick

- document object property, 171
- event
 - A tag handler, 168–169, 173
 - button, of, 194–196, 214, 219, 229, 642

onclick (continued)

onclick (**continued**)

- Checkbox object, 209
- described, 924
- document object, 929
- Link object, 935–936
- Radio object, 212–213, 214
- Reset object, 941
- Submit object, 943
- TD tag handler, 476

ondblclick **event**, **554, 924, 929, 936**

ondragstart **event**, **470**

onerror **event**

- described, 926
- IMG object, 935
- window object, 946

onfocus **event**

- Button object, 927
- Checkbox object, 209
- described, 925
- FileUpload object, 932
- form element object, 194
- Layer object, 496
- Password object, 939
- Radio object, 209
- Reset object, 941
- Select object, 942
- Submit object, 943
- Text object, 199, 944
- Textarea object, 945
- window object, 946

onkeydown **event**

- described, 925
- document object, 929
- Link object, 936
- Textarea object, 206–207, 945

onkeypress **event**

- described, 925
- document object, 929
- Link object, 936
- Textarea object, 206–207, 945

onkeyup **event**

- described, 925
- document object, 929
- Link object, 936
- Textarea object, 206–207, 945

online_books.htm **file**, **259, 821–822, 824**

onload **event**

- IMG object, 935
- Layer object, 496
- window object, 185, 189, 226, 241, 807–808
- XML, 615

onmousedown **event**

- Button object, 196–197, 927
- described, 924
- Link object, 936

onmousemove **event**, **924**

onmouseout **event**

- A object, 811, 843–844
- capturing, 475
- described, 924
- div tag handler, 474–475, 476, 502
- document object, 477, 480
- img tag handler, 46
- Layer object, 496, 503, 505, 506
- layer tag, behavior in relation to, 502
- Link object, 936
- myPara_onmouseout function handler, 457

onmouseover **event**

- A object, 811, 843–844
- capturing, 475
- described, 924
- document object, 477, 480–481
- event object coding involving, 472
- Layer object, 496, 497, 503, 505, 506
- Link object, 936

onmouseup **event**

- Button object, 196–197, 927
- described, 924
- document object, 929
- Layer object, 496
- Link object, 936

onreadystatechange **event**, **638**

onreset **event**, **925, 933**

onresize **event**, **925, 946**

onscroll **event**, **470**

onselect **event**

- described, 925
- Text object, 198–199, 944
- Textarea object, 945

onsubmit **event**, **190, 683, 925**

onunload **event (window object)**, **269, 925, 946**

Open Database Connectivity. See ODBC

open method

Connection object, 752
 document object, 931
 Recordset object, 759–760
 window object
 copyHistory option, 263
 described, 947
 directories option, 263
 height option, 263
 left option, 263
 location option, 263
 menubar option, 263
 name parameter, 258
 resizable option, 263
 scrollbars option, 263
 sizing parameters, 258
 status option, 263
 toolbar option, 263
 top option, 263
 URL parameter, 257, 261
 width option, 263

opener **property** (window **object**), **265, 269, 946**

openerwindow.htm **file**, **266**

operating system

ActiveX control, operating system considerations in,
 644–645
 ASP request handling, detecting in, 694
 browser operating system, returning, 179, 180–181,
 938
 carriage return difference, 205
 language default, specifying, 938
 testing application on different platform, 400

operator

AND, 71–72, 888, 891
 assignment, 24, 66, 70–71, 369, 887
 bitwise, 71, 889–890, 893
 comma, 892
 comparison, 64–66, 888–889
 conditional, 892
 decrement, 37–38, 86, 889
 delete, 891
 Equal, 65, 88
 Greater Than, 65, 80, 888
 Greater Than Or Equal, 65, 80, 888
 in, 891
 increment, 37–38, 86, 889
 instanceof, 891

Less Than, 65, 80, 888
 Less Than Or Equal, 65, 80, 888
 logical, 71–73, 890–891
 math, 35, 39–42, 887
 new, 891
 NOT, 71, 73, 891
 Not Equal, 65, 888
 Not Strictly Equal, 889
 OR, 71, 72, 76–77, 888, 891
 precedence, 39–42, 65–66, 892–893
 shorthand, 887–888
 Strictly Equal, 889
 this, 891
 typeof, 268, 327, 892
 unary, 592
 void, 892
 XOR, 888

option **HTML tag**, **215, 225**

option list, **192, 215–221, 226–227, 716–717**

Option object

add method, 220–221
 defaultSelected property, 938
 IE support, 220–221
 index property, 216, 938
 remove method, 221
 Select object, relation to, 216
 selected property, 939
 text property, 216, 220, 939
 value property, 216, 220, 939

optionCounter **variable**, **225**

options **property** (Select **object**), **216, 220–221**

OR logical operator, **71, 72, 76–77, 888, 891**

Order **table**, **739**

OrderDate **field**, **727, 767**

OrderItem **table**, **728, 729, 731, 761, 769**

OrderNo **field**, **727**

O'Reilly publishers (Cascading Style Sheets: The Definitive Guide), **452**

outerhtml **HTML property**, **462–468**

outerLayerhtml **variable**, **513**

OutOfTime.asp **file**, **778, 795**

ownerDocument **property** (Node **object**), **541**

P**p**

HTML tag, 125, 452, 454, 457, 463
 object, 455, 457

Packages object

- Packages **object**, 913
- PAGE **object**, 604
- page_a,b,c, d .htm files, 242–244, 246, 253
- pageFirstVisited **variable**, 838
- pagesVisited **variable**, 245
- pageViewCount **cookie**, 838–839
- param **HTML tag**, 637
- parameter**, function, 11, 93, 94
- para1Style **variable**, 517
- para2Style **variable**, 517
- parent **property** (window **object**), 239, 246, 248–249, 250–251, 946
- parentheses** ()
 - array data delimiters, 50
 - condition delimiters, 76, 369–370
 - error caused by incorrect, 369–370
 - method parameter delimiters, 110, 836
 - regular expression group delimiters, 309
- parentNode **property** (Node **object**), 541
- parse **method** (Date **object**), 904
- parseFloat **function**, 46–48, 798, 899
- parseInt **function**, 45–48, 123–124, 125, 899
- password**
 - case sensitivity, 874
 - database, storing in, 796, 870–875
 - input box, creating, 204, 701–702
 - referencing, 939
 - validating, 301–304, 703
 - value default, returning, 939
- Password **field**, 873
- Password **object**, 204, 939
- pathname **property**
 - Link object, 936
 - location object, 937
- pdalist **XML tag**, 586–587
- pdalist.css **file**, 603
- pdalist2.css **file**, 606
- pdalist.dtd **file**, 595
- pdalist.xml **file**, 585, 588, 620–621
- pdalist2.xml **file**, 593
- pdalist3.xml **file**, 597
- pdalist4.xml **file**, 606, 612
- pdalist5.xml **file**, 613
- pdalist6.xml **file**, 621
- PElement **variable**, 542
- percent sign**, greater than sign (%>) **script delimiter**, 668, 696–698
- percent sign** (%) **URL special character prefix**, 686
- period** (.)
 - CSS class prefix, 448
 - regular expression special character, 300
- periods** (...) **regular expression special character**, 300
- Personal Web Server**. See PWS
- PI **property** (Math **object**), 122, 910
- PickSystem.htm **file**, 820
- picture**. See image
- Platform for Privacy Preferences**. See P3P
- platform **property** (navigator **object**), 938
- play **function**, 857
- plug-in**. See also *specific plug-in*
 - ActiveX control compared, 628, 634, 637
 - array of installed plug-ins, returning, 630, 631–632, 640, 938
 - browser
 - message, displaying if plug-in not supported, 640
 - redirecting if plug-in not installed, 630, 643
 - support, 628, 630, 644
 - detecting, 630–633, 640–641
 - embedding, 628–629, 630, 639
 - event handling, 639, 640, 642
 - file to load, specifying initial, 628–629
 - id value, 639
 - installing, 630–633
 - introduced, 627
 - listing installed plug-ins, 629, 938
 - method of, accessing, 639
 - MIME type support, verifying, 630, 632–633
 - name variation with platform, 632
 - object created by, accessing, 628
 - property of, accessing, 639
 - referencing, 631, 639
 - scripting difference between plug-ins, 644
 - troubleshooting, 643–646
 - URL associated with, 628–629
 - user interface, 627
 - version, returning, 645–646
 - web page, adding to, 628–629, 630
- Plugin **object**
 - description property, 630
 - filename property, 630
 - length property, 630
 - name property, 630, 631
 - referencing, 631
 - version information stored in, 646
- plugInInstalled **variable**, 640, 641
- plugins **property**

- document object, 930
 - navigator object, 630, 631–632, 640, 938
 - pluginspage **attribute** (embed **tag**), 630
 - plus sign (+)**
 - addition operator, 35
 - concatenation operator, 42, 368
 - regular expression repetition character, 304
 - plus signs (++) increment operator, 37**
 - pop **method** (Array **object**), 901
 - popup blocking, 257**
 - port **property**
 - Link object, 936
 - location object, 162, 937
 - position **attribute** (style **tag**), 450–452
 - position character, matching in regular expression, 305–308**
 - POSITIVE_INFINITY **property** (Number **object**), 912
 - post **method**, 674, 685
 - postedAge **variable**, 675
 - postedName **variable**, 675
 - Postfix Decrement operator, 889**
 - Postfix Increment operator, 889**
 - PostInfo.htm **file**, 687
 - pow **method** (Math **object**), 126–128, 910
 - P3P (Platform for Privacy Preferences), 438**
 - P3PEdit **utility**, 438
 - Prefix Decrement operator, 889**
 - Prefix Increment operator, 889**
 - prefs.js **file**, 29, 396
 - preventDefault **method** (event **object**), 932
 - previousSibling **property** (Node **object**), 541, 546
 - primitive data type, 106, 108, 109, 110–111, 112**
 - print **method** (window **object**), 947
 - pro_asp_details.htm **file**, 260, 261
 - pro_asp.gif **file**, 259
 - ProcessFormPage.asp **file**, 675
 - processing, server-side, 650. See also scripting, server-side**
 - ProcessingInstruction **object**, 534
 - prof_js_details.htm **file**, 261, 824
 - ProgID (**programmable ID**), 704
 - prompt
 - function, 41, 62, 798–799
 - window object method, 947
 - property. See also specific property**
 - ActiveX control property, accessing, 639
 - BOM property, accessing when debugging, 386
 - browser version, checking via testing property availability, 174–176
 - class property, 146
 - collection property, 675
 - CSS, 604–605
 - DOM property overview, 539–544
 - event handler as, 170–173
 - frame, accessing property of another, 242–247
 - method, error caused by using as, 370
 - object property, 106
 - plug-in property, accessing, 639
 - top-level, 898
 - protocol **property**
 - Link object, 936
 - location object, 162, 937
 - prototype **property**
 - Array object, 900
 - Boolean object, 902
 - Date object, 903
 - Function object, 907
 - Number object, 912
 - Object object, 912
 - RegExp object, 915
 - String object, 918
 - PStyle1 **style class**, 452
 - push **method** (Array **object**), 901
 - PWS (Personal Web Server), 371, 651, 746. See also IIS (Internet Information Server)**
- ## Q
- QtyOrdered **field**, 727
 - quality **attribute** (embed **tag**), 629, 637
 - QueryString **property** (Request **object**), 686, 766
 - question mark, greater than sign (?>) XML declaration suffix, 586**
 - question mark (?) regular expression repetition character, 304**
 - questionChoice **variable**, 231
 - questionHTML **variable**, 229, 232, 286
 - questionLength **variable**, 231
 - questionNumber **variable**, 231
 - questionsAsked **variable**, 285
 - quizcomplete.gif **file**, 791
 - QuizPage.asp **file**, 714, 715, 717–718, 778–779
 - QuizPage.htm **file**, 272, 274–275, 283, 357–359, 715
 - quotation marks, double (“ ”)**
 - escape sequence, 21
 - string delimiters, 21–22
 - XHTML attribute value delimiters, 527
 - XML attribute value delimiters, 599–600
 - quotation marks, single (' ') escape sequence, 21**

R

.ra files, 628

radCpuSpeedIndex **variable, 212–213**

radCPUSpeed_onclick **function, 212–213**

radio button

array, 208, 213

ASP request handling, 677–678, 682

checkbox group, as, 208

creating, 208, 212

DHTML document, in, 466–468

event handling, 209, 212–213, 214

naming, 208

referencing, 940

status

checking, 208–209, 213–214, 817–818, 940

default, setting, 212, 466, 940

Trivia Quiz application, 229–233

Radio object

blur method, 940

checked property, 940

click method, 940

defaultChecked property, 940

focus method, 940

form property, 940

length property, 209

name property, 940

onblur event, 209

onclick event, 212–213, 214

onfocus event, 209

type property, 940

value property, 940

radioValue **variable, 678**

random **method (Math object), 126, 911**

random number, returning, 126

randomAdvertNumber **variable, 671**

readyState **property (Object object), 615–616, 638, 641**

Real Audio plug-in, 627

Real Producer Basic software, 642

RealOne player plug-in, 628

RealPlayer plug-in, 632, 639–643, 647, 856–858

realplayer.htm **file, 639, 641**

recalcDateDiff **function, 224, 226**

ReceiveComplexForm.asp **file, 680, 684**

ReceiveSimpleForm.asp **file, 676**

record, database. See database, record

Recordset object

Bof property, 755

creating, 760

Eof property, 754–755

MoveFirst method, 760

MoveLast method, 760

MoveNext method, 754, 759, 760

MovePrevious method, 760

open method, 759–760

query, returning using, 753–754, 758

Redirect method (Response object), 698–699

ReferenceError error message, 409

referrer property (document object), 930

RegExp

function, 297, 322–323

object

compile method, 915

constructor, 297, 322–323, 914

exec method, 915

g attribute, 299

global property, 914

i attribute, 299

ignoreCase property, 914

index property, 914

initializing, 321

input property, 914

lastIndex property, 914

lastMatch property, 914

lastParen property, 914

leftContext property, 914

m attribute, 299

multiline property, 915

prototype property, 915

RegExp function, 297, 322–323

replace method parameter, as, 298–299, 314–315

rightContext property, 915

search method parameter, as, 318

source property, 915

test method, 297–298, 303, 915

toSource method, 915

toString method, 915

valueOf method, 915

regExpIs_Valid function, 302–303

regular expression. See expression, regular

relatedTarget property (event object), 554, 569, 577–578

relativepos.htm file, 452

reload method (location object), 937

remote scripting, 401

remove method (Option object), 221

removeAttribute method (Element object), 549–550

removeChild method (Node object), 547

- removeItem **function**, **823, 824**
- replace **method**
 location object, 162, 183, 518, 937
 String object, 296, 298–299, 314–318, 826–827, 919
- replaceChild **method (Node object)**, **547**
- replaceQuote **function**, **317–318**
- replication, data**, **728**
- request handling, server-side scripting**
 browser detection, 690–696, 704
 client system data, retrieving, 673, 690–696
 cookie data, 689
 form
 checkbox data, 678, 682
 get method, data sent via, 685
 post method, data sent via, 674, 685
 select element data, 677–678
 text data, 674–677, 678, 682–685
 HTTP role in, 674
 object model, 673–674
 operating system, detecting, 694
 radio button data, 677–678, 682
 URL, data passed in, 685–689
 web page request, 650, 673, 674
- Request **object**
 Cookies property, 689
 form property, 675, 677, 768
 introduced, 673
 QueryString property, 686, 766
 ServerVariables property, 690
- Reset
 Form object method, 191, 933
 object, 198, 941
- resetQuiz **function**, **283, 284–285, 778**
- resizeBy **method (window object)**, **947**
- resizeTo **method (window object)**, **947**
- resolution, screen**, **451, 453**
- Response **object**
 Cookies property, 698, 794
 Redirect method, 698–699
 write method, 696–698, 769
- resultsArray **variable**, **321**
- resultsFrame **variable**, **345**
- return **statement**, **94, 116, 895**
- returnPagesVisited **function**, **245, 246, 255**
- returnValue **variable**, **114, 115–116, 213, 245, 684**
- reverse **method (Array object)**, **134–135, 901**
- RHS (right-hand side) operand**, **65**
- rightContext **property (RegExp object)**, **915**
- RollOut **attribute (TD tag)**, **477, 481**
- RollOver **attribute (TD tag)**, **477, 481**
- RollOverHeading_NN.htm **file**, **497**
- rollover.htm **file**, **566**
- rollover_IE.htm **file**, **456**
- round
 function, 757
 Math object method, 123, 124, 128, 806, 911
- rows **attribute**
 frameset tag, 240
 textarea tag, 205
- ## S
- schema**, **526**. *See also* **XML (Extensible Markup Language)**
- school.xml **file**, **854**
- scope, variable**, **97, 366, 713**
- screen**
 display capability of client screen, returning, 163
 resolution, 451, 453
- screen **object**
 availHeight property, 942
 availWidth property, 942
 colorDepth property, 163, 164–165, 942
 described, 941
 height property, 163, 268, 942
 width property, 163, 268, 942
 window object property, as, 160
- screen **property (window object)**, **160**
- screenX **property (event object)**, **471, 554, 931**
- screenY **property (event object)**, **471, 554, 931**
- script block**, **6**
- Script Debugger**. *See* **Microsoft Script Debugger**
- script **HTML tag**
 browser support, 6
 closing, 8
 computer language, identifying in, 6
 header, placing in, 6
 language attribute, 6
 purpose of, 5–6, 7
 server-side usage, 668
 src attribute, 150
 type attribute, 6
- scripting, client-side**, **650, 669**
- scripting language**, **3–4**
- scripting, remote**, **401**
- scripting, server-side**. *See also* **ASP (Active Server Pages)**
 advertisement, updating using, 669–671
 BOM object, using in, 669

scripting, server-side (continued)

- browser detection, 690–696, 704
- client-side scripting compared, 650, 669
- content, separating from logic, 709
- cookie, working with, 689
- event handling, 710–711, 712, 713, 714, 715
- form, submitting, 868–869
- if statement, using in, 671–673
- image, updating using, 669–671
- introduced, 649–650
- JavaScript-based, 650
- language, declaring, 669
- looping, 671–673
- request handling
 - browser detection, 690–696, 704
 - client system data, retrieving, 673, 690–696
 - cookie data, 689
 - form checkbox data, 678, 682
 - form data sent via `get` method, 685
 - form data sent via `post` method, 674, 685
 - form select element data, 677–678
 - form text data, 674–677, 678, 682–685
 - HTTP role in, 674
 - object model, 673–674
 - operating system, detecting, 694
 - radio button data, 677–678, 682
 - URL, data passed in, 685–689
 - web page request, 650, 673, 674
- server directive, 668
- session tracking, 710–712
- Trivia Quiz application, 713–718
- web page
 - inserting script in, 668–669, 696–698
 - request, 650, 673, 674
 - variable content, writing to, 668
- web server requirement, 650
- `script.js` **file**, 709
- `scroll` **method** (`window` **object**), 947
- `scrollBy` **method** (`window` **object**), 947
- `scrolling_status.htm` **file**, 354
- `scrollMessage` **function**, 356
- `scrollTo` **method** (`window` **object**), 947
- `scrollWidth` **property** (`window` **object**), 355
- search
 - property
 - Link object, 936
 - location object, 937
 - String object method, 296, 318, 920
- `secondBooking` **variable**, 148
- `secondCall` **function**, 388
- `secondDate` **variable**, 227
- `secondNumber` **variable**, 798, 799
- `secretNumber` **variable**, 82–83
- `SecureHome.asp` **file**, 701, 703
- security**
 - browser, 270–271
 - cookie, 419, 426, 427, 438–439
 - database, 753, 761, 764–766
 - IIS, 761
- `security.mdb` **file**, 870, 873
- `securityPolicy` **property** (`document` **object**), 175
- Select
 - HTML tag, 215–216, 224
 - method
 - FileUpload object, 932
 - Password object, 939
 - Text object, 198
 - Textarea object, 945
 - object
 - blur method, 943
 - element event, 221–228
 - focus method, 943
 - form property, 942
 - length property, 942
 - name property, 942
 - onblur event, 942
 - onchange event, 224, 942
 - onfocus event, 942
 - Option object, relation to, 216
 - options property, 216, 220–221, 942
 - selectedIndex property, 216, 227, 817, 942
 - type property, 942
 - SQL statement, 739–743
- `selected` **property** (`Option` **object**), 939
- `selectedCity` **variable**, 344
- `selectedIndex` **property** (`Select` **object**), 216, 227, 817
- `selectValue` **variable**, 678
- `self` **property** (`window` **object**), 257, 946
- semicolon (;)**
 - cookie string element separator, 425, 433
 - CSS property suffix, 605
 - for statement element separator, 85
 - HTML style attribute separator, 447
 - JavaScript statement suffix, 7
 - SQL statement suffix, 741
- server. See also specific server type**
 - ASP, installing on, 651
 - directive, 668
 - domain name, returning, 930

- variable, 690
- web page, loading from local server in IIS, 659
- Server **object**
 - CreateObject method, 704, 707, 746, 752
 - Transfer method, 699
- server-side include. See SSI**
- server-side processing, 650**
- server-side scripting. See scripting, server-side**
- ServerVariables **property** (Request **object**), 690
- session**
 - ASP tracking in, 710–712
 - cookie
 - limiting cookie lifespan to, 425
 - tracking session using, 710, 712
 - introduced, 425
 - object, 710–711, 712, 715
- SessionID **property** (Session **object**), 710
- Session_OnEnd **event, 710–711**
- Session_OnStart **event, 710–711, 712, 715**
- set **method** (CustomerBooking **class**), 147–148
- setAttribute **method** (Element **object**), 549–550, 552
- setCookie **function, 429–431, 437, 438, 439**
- setDate **method** (Date **object**), 140, 141, 904
- setFrameAndPageControls **function, 255–256**
- setFullYear **method** (Date **object**), 140, 904
- setHours **method** (Date **object**), 144, 904
- sethtml **function, 468**
- setInterval **method** (window **object**), 352, 353, 360, 459, 947
- setMilliseconds **method** (Date **object**), 144, 904
- setMinutes **method** (Date **object**), 144, 904
- setMonth **method** (Date **object**), 140, 141, 225, 904
- setSeconds **method** (Date **object**), 144, 904
- SetSource **method** (RealPlayer), 643, 858
- setTime **method** (Date **object**), 905
- setTimeout **method** (window **object**), 347–348, 351, 947
- settimetest.htm **file, 339**
- setup.exe **file** (IIS), 653
- setUTCDate **method** (Date **object**), 339, 905
- setUTCFullYear **method** (Date **object**), 339, 905
- setUTCHours **method** (Date **object**), 339, 905
- setUTCMilliseconds **method** (Date **object**), 339, 905
- setUTCMinutes **method** (Date **object**), 339, 905
- setUTCMonth **method** (Date **object**), 339, 905
- setUTCSeconds **method** (Date **object**), 339, 905
- setYear **method** (Date **object**), 905
- SGML (Standard Generalized Markup Language), 522, 525**
- shift **method** (Array **object**), 901
- shiftKey **property** (event **object**), 554
- shockWavePlugin **variable, 631**
- ShoppingBasket.htm **file, 824**
- Show Table window (Access), 736, 737**
- showBasket **function, 823–824**
- showDate **property** (CustomerBooking **class**), 148
- showDescription **function, 844**
- showMenu **function, 475–476, 479, 577**
- showNNMenu **function, 505–506**
- sidebar **property** (window **object**), 176
- SimpleForm.htm **file, 675, 676**
- sin **method** (Math **object**), 911
- sine, returning, 911**
- size **attribute**
 - font tag, 446
 - input tag, 198, 201
 - select tag, 215–216, 224
- slash (/)**
 - regular expression delimiter, 297
 - XML element suffix, 592
- slash, backward (\)**
 - escape character/sequence, 21
 - regular expression special character, 322, 916
- slashes (//) comment prefix, 11**
- slice **method**
 - Array **object**, 132, 901
 - String **object**, 920
- small **method** (String **object**), 920
- sort **method** (Array **object**), 133–134, 804–805, 901
- sound**
 - image rollover, playing sound on, 647, 856–858
 - RealPlayer control button set, adding to page, 641–642
- source **property** (RegExp **object**), 915
- spaces **variable, 355**
- span **HTML tag, 463**
- splice **method** (Array **object**), 901
- split **method** (String **object**), 292–295, 312–314, 920
- splitAndReverseText **function, 294**
- SQL (Structured Query Language). See also database**
 - case sensitivity, 739
 - coding using Access, 740–741
 - Connection **object**, executing using, 747, 753, 761, 768
 - delete statement, 745
 - IN operator, 745–746
 - insert statement, 744

SQL (Structured Query Language) (continued)

SQL (Structured Query Language) (continued)

- Max function, 769
- NOT IN operator, 745–746
- select statement, 739–743
- syntax, 740–741
- update statement, 743–744
- sqrt **method (Math object), 911**
- SQRT1_2 **property (Math object), 910**
- SQRT2 **property (Math object), 910**
- square root, returning, 911**
- src
 - attribute
 - embed tag, 628, 637
 - frame tag, 238
 - img tag, 167, 351
 - script tag, 150
 - IMG object property, 166–167, 173, 811, 935
- srcElement
 - event object property, 472, 479, 481, 569, 577
 - variable, 479
- SSI (server-side include), 708–710, 790–791**
- Standard Generalized Markup Language. See SGML**
- startChar **variable, 354, 357**
- startTimer **function, 779, 781, 847**
- statement, 7**
- statistics on site usage, checking, 658**
- status bar**
 - displaying/hiding, 263
 - message default, changing, 160–161, 946
 - message text, scrolling, 353–357
- status **property (window object), 360, 946**
- Stock **table, 725, 731–733**
- StockId **field, 733**
- stopPropagation **method (event object), 932**
- stopTimer **function, 779, 781**
- Strictly Equal operator, 889**
- strike **method (String object), 920**
- string. See text**
- String
 - function, 899
 - object
 - anchor method, 918, 926
 - big method, 918
 - blink method, 918
 - bold method, 919
 - charAt method, 112–113, 919
 - charCodeAt method, 112–113, 115, 919
 - concat method, 919
 - constructor property, 918
 - fixed method, 919

- fontcolor method, 919
- fontSize method, 919
- fromCharCode method, 117, 283, 919
- indexOf method, 117–120, 432, 919
- italics method, 919
- lastIndexOf method, 117–120, 806, 919
- length property, 110–111, 112, 918
- link method, 919
- match method, 296–297, 318–319, 919
- prototype property, 918
- replace method, 296, 298–299, 314–318, 826–827, 919
- search method, 296, 318, 920
- slice method, 920
- small method, 920
- source code, returning, 920
- split method, 292–295, 312–314, 920
- strike method, 920
- sub method, 920
- substr method, 120–121, 920
- substring method, 120–121, 182, 225, 245, 357
- sup method, 920
- toLowerCase method, 80, 122, 920
- toSource method, 920
- toString method, 920
- toUpperCase method, 80, 122, 367, 920
- valueOf method, 920

String **object, 110–112**

Structured Query Language. See SQL

- style
 - Div object property, 517, 848
 - HTML tag
 - color attribute, 448
 - CSS class, creating within, 448–449
 - font-family attribute, 448
 - font-size attribute, 448, 449
 - header, placement in, 447
 - position attribute, 450–452
 - syntax, 447
 - z-index attribute, 478
- object
 - browser support, 538–539
 - color property, 455–456, 457
 - DHTML coding for, 454–457
 - DOM, coverage by, 538–539
 - top property, 458

style sheet

- CSS
 - AREA object, 604
 - BLOCK object, 604

- browser override, 448
 - browser support, 454
 - class, 448–449
 - described, 450
 - Display property, 604
 - FLOW object, 604
 - PAGE object, 604
 - property, 604–605
 - style tag, creating CSS class within, 448–449
 - XML, using with, 603–608, 612–613
 - DHTML
 - coding style object, 454–457
 - introduced, 446
 - menu, applying to, 478–479, 480–481
 - HTML
 - attributes, assigning multiple, 447
 - class, 448
 - div tag as style container, 450
 - element, positioning using, 450–454
 - font, formatting using, 448, 449
 - paragraph, formatting using, 447, 448, 449
 - style tag, applying using, 447–449
 - table cell, formatting using, 447, 448
 - XSLT, 609–613
 - Submit
 - Form object method, 190, 202, 933
 - object, 198, 943
 - substr **method (String object), 120–121, 920**
 - substring **method (String object), 120–121, 182, 225, 245, 357**
 - subtraction (arithmetic), **36, 39, 887, 889**
 - sun **object, 921**
 - sup **method (String object), 920**
 - .swf **files, 628**
 - switch **statement, 80–84, 116, 893, 895**
 - switchDirection **variable, 460**
 - switchImage **function, 351**
 - System language **property (navigator object), 938**
- ## T
- tab escape sequence, 21**
 - table, database. See database, table**
 - table (layout element)**
 - DHTML
 - alignment, 581, 853
 - border, 581, 853
 - menu, table coding for, 477–479, 481, 487–488, 570–571
 - HTML
 - database query result, loading to, 755–759
 - method result, inserting, 125–126
 - style, applying to cell, 447, 448
 - XML, 611–612, 622–624
 - TABLE **object, 622**
 - tablehtml **variable, 487**
 - tagName **property (Element object), 539–540**
 - taint **function, 926**
 - taintEnabled **method, 938**
 - tan **method (Math object), 911**
 - tangent, returning, 911**
 - target
 - form tag attribute, 258
 - property
 - event object, 553, 569, 577
 - Form object, 933
 - Link object, 936
 - tbody
 - HTML tag, 570, 571
 - object, 622, 623
 - TD **HTML tag**
 - ElementName tag property, as, 447
 - onclick event handler, 476
 - RollOut attribute, 477, 481
 - RollOver attribute, 477, 481
 - style tag, defining within, 448
 - syntax, 126
 - TDMenu **style class, 478**
 - TECHFREAKZ.ORG website (www.hackrus.com), 391**
 - TelNumber **field, 727**
 - template rule, 609–610**
 - temporary Internet file folder, clearing, 416–417**
 - test **method (RegExp object), 297–298, 303**
 - test2.htm **file, 258**
 - test3.htm **file, 258**
 - testing application on different platform, 400**
 - text**
 - array
 - case sensitivity when sorting, 134
 - match operation, returning in, 296–297, 318–319
 - string, converting array to, 132–134, 902
 - blinking, 918
 - box, creating, 204–205
 - case, checking, 113–117
 - case, converting, 80, 122, 367, 920
 - case sensitivity
 - array sorting, 134
 - error caused by mistake in, 367

text (continued)

text (continued)

- password, 874
- regular expression, 299, 301
- replacement operation, 299–300
- SQL, 739
- string comparison, 79, 80
- variable name, 23, 367, 836
- XML, 527, 586, 599
- character
 - escape, 21–22, 45, 294, 295, 686
 - hexadecimal, returning, 428
 - index, 112
 - position, returning character at specific, 112, 919
 - regular expression, matching alternation character in, 310
 - regular expression, matching position character in, 305–308
 - regular expression, matching repetition character in, 304–305
 - regular expression, matching special character in, 300–301
 - selecting character in string, 112–113
 - Unicode value, returning, 113, 919
- color
 - DHTML color effect, 456–457, 565–567
 - font formatting, using, 919
 - mouse rollover effect, 456–457, 565–567
 - style, applying using, 448, 455–457
- comparing strings, 79–80
- concatenating, 42–43, 368, 887, 919
- cookie string
 - domain portion, 427
 - empty, 429
 - expires portion, 425, 429, 431
 - introduced, 415
 - name portion, 424–425, 428, 429, 430
 - path portion, 425–427, 428, 429
 - searching, 432
 - secure portion, 427
 - value portion, 424–425, 428, 429, 430
- copying substring, 120–122
- counting substring occurrences, 119–120
- data type, 20–22, 43–45, 723
- delimiting string, 21–22
- DHTML, in
 - adding text, 561–565
 - animating text, 558–561
 - color effect, 456–457, 565–567
 - deleting text, 561–565
 - mouse rollover effect, 456–457, 565–567
 - moving text, 458–460
 - referencing `Text` object, 455
 - sizing text, 455
 - spacing text, 455
- DOM text node, 547, 549, 569–570
- empty string, 41, 429
- escape character/sequence, 21–22, 45, 294, 295, 686
- font
 - bold, 919
 - browser override of formatting, 448
 - color, 919
 - italic, 919
 - size, 919
 - small, 920
 - style sheet, formatting using, 446, 448, 449
 - XML, formatting using, 543
- HTML form text element, 191, 198–199, 201–203, 204–206
- Latin-1 character set, 949–955
- length of string, returning, 111, 112
- literal string, 115
- numerical data type
 - converting text to, 45–48, 69
 - mixing with text in same expression, 43–45
- order, reversing, 292–295
- position of string, returning, 118, 432
- primitive
 - converting to string, 112
 - declaring, 112
 - string, as, 109
- replacing, 262, 296, 298–300, 314–318, 919
- search operation in cookie string, 432
- search operation using `indexOf` method, 117–120, 432, 919
- search operation using `match` method, 296–297, 318–319
- search operation using regular expression
 - alphanumeric character, 301–304
 - alternation character, 310
 - browser support, 294, 295, 306, 307–308
 - case sensitivity, 299, 301
 - constructor, 297, 322–323
 - digit, 300, 302, 311–312
 - flag, multi-line, 299
 - global match, 299
 - grouping, 309–312, 314, 826
 - introduced, 291
 - position character, 305–308
 - repetition character, 304–305
 - special character, 300–301

- splitting text, 313–314, 321
- syntax, 297, 300
- Trivia Quiz application, 323–329, 789–790
- white space, 300
- wildcard, 300, 302
- word, 300, 306–307, 310, 331, 826–829
- search operation using `search` method, 296, 318, 920
- sizing, 455, 919
- splitting, 292–295, 312–314, 319–321, 920
- status bar text, scrolling, 353–357
- `String` object, 110–112
- time
 - formatting time string, 346–347
 - string, returning time value as, 142, 337–338
- Unicode value, returning, 113, 919
- word
 - regular expression, matching in, 300, 306–307, 310, 331, 826–829
 - reserved, 23, 33, 885–886
- wrap, 205, 678, 682
- XML
 - CDATA block, 601
 - character encoding, 586
 - entity reference, 600–601
 - LF character, 600
 - reserved character, 600
- Text object**
 - `blur` method, 944
 - `defaultValue` property, 944
 - DHTML, referencing in, 455
 - DOM `Text` object, 534
 - `focus` method, 944
 - `form` property, 944
 - `name` property, 944
 - `onblur` event, 194, 199, 204, 944
 - `onchange` event, 198–199, 201, 944
 - `onfocus` event, 199, 944
 - `onselect` event, 198–199, 944
 - `select` method, 198, 944
 - `type` property, 944
 - `value` property, 198, 944
- text property**
 - `Anchor` object, 927
 - `Option` object, 216, 220, 939
- textarea HTML tag**
 - `cols` attribute, 205
 - `rows` attribute, 205
 - `wrap` attribute, 205, 678, 682
- Textarea object**
 - `blur` method, 945
 - `defaultValue` property, 945
 - described, 945
 - `focus` method, 945
 - `form` property, 945
 - `name` property, 945
 - `onblur` event, 945
 - `onchange` event, 206–207, 945
 - `onfocus` event, 945
 - `onkeydown` event, 206–207, 945
 - `onkeypress` event, 206–207, 945
 - `onkeyup` event, 206–207, 945
 - `onselect` event, 945
 - `select` method, 945
 - `type` property, 945
 - `value` property, 206, 945
- textArray variable, 295**
- tfoot HTML tag, 570**
- thead HTML tag, 570**
- toDate variable, 225**
- theregExp variable, 313**
- theTotal variable, 799**
- thirdCall function, 388**
- this**
 - keyword, 146–147
 - operator, 891
- throw statement, 404–408, 896**
- Time data type, 723**
- time operation. See also date operation**
 - calculation involving, 106–107
 - current time, returning, 142–144, 145
 - date, returning based on time zone, 137
 - daylight saving time, 337, 340, 343, 344–346
 - file download timer, 616
 - GMT, 334
 - setting time value, 144–145, 339–341
 - string
 - formatting time string, 346–347
 - returning time value as, 142, 337–338
 - timer
 - banner, updating using, 349–352, 364, 829–831
 - clearing, 348–349, 352, 362
 - DHTML, using, 458–460
 - image movement, using in, 847
 - one-shot timer, 347–352
 - starting, 347–349, 351
 - status bar text, scrolling using, 353–357

time operation (continued)

time operation (continued)

- stopping, 348–349
- Trivia Quiz application, 357–363, 779, 781
- updating at regular interval, 352–357, 360
- UTC
 - converting local time to, 334–339
 - getting/setting, 339–341, 905
 - introduced, 334
 - offset of local time from, calculating, 334, 337, 346
- web page
 - inserting current time in, 142–144
 - inserting one-shot timer in, 347–352
 - inserting updating timer in, 352–357, 360
- world time, 333
- World Time Converter application, 341–347, 352–353
- timeDiff **variable**, **346**
- timeLeft **variable**, **360, 361**
- timelimit **variable**, **359**
- timertest.htm **file**, **348**
- timertest2.htm **file**, **349**
- timesTable **variable**, **380, 394, 802**
- timeStamp **property** (event **object**), **553**
- timeString **variable**, **347**
- timetest.htm **file**, **336**
- title **property** (document **object**), **930**
- toArray **method** (VBArray **object**), **921**
- toDateString **method** (Date **object**), **137, 334, 336**
- toElement **property** (event **object**), **472, 569, 577, 578**
- toElementid **variable**, **578**
- toFixed **method** (Number **object**), **129–130**
- toGMTString **method** (Date **object**), **905**
- toLocaleDateString **method** (Date **object**), **334, 336**
- toLocaleString **method** (Date **object**), **334, 905**
- toLocaleTimeString **method** (Date **object**), **334, 336, 338**
- toLowerCase **method** (String **object**), **80, 122, 920**
- toolbar, displaying/hiding, 263**
- Tools ⇨ JavaScript Console (NN), 397**
- Tools ⇨ Web Development ⇨ JavaScript Debugger (NN), 392**
- top
 - attribute
 - div tag, 451–453
 - layer tag, 490, 503
 - property
 - Layer object, 490
 - style object, 458
 - window object, 250–251, 946
- TopWindow.htm **file**, **238, 240**
- toSource **method**
 - Array object, 901
 - Boolean object, 902
 - Date object, 905
 - Function object, 907
 - Number object, 912
 - Object object, 913
 - RegExp object, 915
 - String object, 920
- toString **method**
 - Array object, 225, 902
 - Boolean object, 902
 - Date object, 905
 - JavaArray object, 908
 - Number object, 912
 - Object object, 913
 - RegExp object, 915
 - String object, 920
- totalLayers **variable**, **513**
- totalQuestionsToAsk **variable**, **360, 362**
- toTimeString **method** (Date **object**), **143, 334, 336, 338**
- toUpperCase **method** (String **object**), **80, 122, 367, 920**
- toUTCString **method** (Date **object**), **334, 337, 905**
- tr **HTML tag**, **126**
- Transfer **method** (Server **object**), **699**
- Trivia Quiz application**
 - Answer field, 770
 - answer variable, 232, 284, 789, 790
 - answerCorrect function, 99, 232–233, 284, 285
 - answerRegExp variable, 790
 - areas, logical, 16–17
 - AskQuestion.asp file, 778
 - AskQuestion.htm file, 275–278, 283–284, 323, 328, 782–787
 - butCheckQ_onclick function, 284
 - buttonCheckQ_onclick function, 229, 232
 - CheckAnswer.asp file, 778
 - cmdStartQuiz_onclick function, 283, 358–359, 717, 778–779
 - code reuse, 16
 - cookie usage, 439–443, 793
 - cookieValue function, 441
 - data reuse, 16
 - database
 - Answer field, 770
 - AskQuestion.htm file, coding for database functionality, 782–787

- key, primary, 775
- NoteUserSelections.asp file, coding for
 - database functionality, 777–778, 781
- OptionOrder field, 772
- query coding, 785, 789
- Question table, 770–772, 774, 776
- Questionhtml field, 770
- QuestionId field, 770, 772, 775–776, 778
- QuestionOptions table, 770, 771–772, 775–776, 777
- QuestionType field, 770, 789
 - referential integrity, 776
 - table relationship, 775–776
- described, 14–15
- FinalResults.asp file, 778, 788, 790, 791–794
- form, 228–229, 715–716, 717, 779
- frame structure
 - banner frame (menubar.htm), 272, 280
 - fraGlobalFunctions frame, 280–283, 284
 - fraMenubar frame, 279–280
 - frameset pages, 273, 274, 278–280
 - fraQuizPage frame, 274, 777
 - fraTopFrame frame, 278–279
 - globalfunctions.htm frame coding, 272, 280–283, 284–287
 - question frame (AskQuestion.htm), 272, 275–278, 283–284, 323, 328
 - quiz frame (QuizPage.htm), 272, 274–275, 283, 357–359, 715
- function, defining custom in, 97–100
- getAnswer function, 283–284, 328
- getQuestion function
 - button coding, 229, 231–232
 - cookie coding, 440
 - GlobalFunctions.htm, coding when located in, 285, 323
 - trivia_quiz.htm, coding when located in, 229, 231–232
- globalfunctions.htm file
 - ASP environment, 718
 - cookie handling, coding for, 439–441
 - database interaction, coding for, 779–781
 - frame handling, coding for, 272, 280–283, 284–287
 - string manipulation coding for, 323, 325–328
 - timer, coding for, 357, 358, 359–362
- menubar.htm file, 272, 280
- multicol_heading.jpg file, 280
- noQuestions variable, 359
- NoteUserSelections.asp file, 716, 717, 777–778, 781
- numberOfQuestionsAsked variable, 285, 360
- numberOfQuestionsCorrect variable, 285
- OptionOrder field, 772
- OutOfTime.asp file, 778, 795
- questionChoice variable, 231
- Questionhtml field, 770
- questionHTML variable, 229, 232, 286
- QuestionId field, 770, 772, 775–776, 778
- questionLength variable, 231
- questionNumber variable, 231
- questionsAsked variable, 285
- QuestionType field, 770, 789
- quizcomplete.gif file, 791
- QuizPage.asp file, 714, 715, 717–718, 778–779
- QuizPage.htm file, 272, 274–275, 283, 357–359, 715
- radio button, 229–233
- regular expression usage, 323–329, 789–790
- resetQuiz function, 283, 284–285, 778
- scripting, server-side, 713–718
- SSI usage, 790–791
- startTimer function, 779, 781
- stopTimer function, 779, 781
- timeLeft variable, 360, 361
- timelimit variable, 359
- timer, 357–363, 779, 781
- TopFrame.htm file, 273
- totalQuestionsToAsk variable, 360, 362
- TriviaQuestions.mdb file, 772
- TriviaQuiz.htm file, 273
- updateTimeLeft function, 360, 781, 795
- truth table, 72**
- try...catch **statement**
 - browser support, 402–403
 - exception, catching, 401–404, 407–408, 409
 - finally clause, 411, 896
 - nesting, 408–410
 - throwing error within, 404–408
- TryCatch.htm **file, 402**
- txtName_onchange **function, 201**
- type
 - attribute
 - embed tag, 629
 - input tag, 193, 195, 198, 204, 208
 - script tag, 6
 - property
 - Button object, 928
 - Checkbox object, 929
 - event object, 553, 555, 931
 - FileUpload object, 932

type (continued)

type (continued)

- form element object, 194
 - Hidden object, 934
 - Password object, 939
 - Radio object, 940
 - Reset object, 941
 - Select object, 942
 - Submit object, 943
 - Text object, 944
 - Textarea object, 945
- typeof operator, 268, 327, 892**

U

- ubound **method** (VbArray object), **921**
- unary operator, 592**
- undefined **property, 898**
- Under Construction page (IIS), 660**
- unescape **function, 428, 899**
- Unicode value of character, returning, 113, 919**
- Uniform Resource Locator. See URL**
- unshift **method** (Array object), **902**
- untaint **function, 926**
- unwatch **method**
 - Array object, 902
 - Object object, 905, 913
- update **SQL statement, 743–744**
- updateOrderDetails **function, 816, 819–820, 863**
- updateTime **function, 344, 345, 346, 353**
- updateTimeLeft **function, 360, 781, 795**
- updateTimeZone **function, 344**
- UpperWindow.htm **file, 238–239, 241**
- URL **property** (document object), **930**
- URL (Uniform Resource Locator)**
 - ActiveX control, associated with, 637–638
 - document, returning URL of current, 930
 - escaping special character in, 686
 - passing/retrieving data in, 685–689
 - plug-in, associated with, 628–629
 - referrer URL, returning, 930
 - variable, concatenating to, 688
 - web page request handling, role in, 650
- urlData **variable, 688**
- usage statistics, checking, 658**
- user base, 13**
- User **table, 873**
- userAgent
 - navigator object property, 177, 180–181, 182, 690, 938
 - variable, 799, 800

- userLanguage **property** (navigator object), **938**
- username**
 - case sensitivity, 874
 - database, storing in, 870–875
- UserName
 - cookie, 424, 425, 689, 698
 - field, 873, 880
 - variable, 95
- userPlat **variable, 694, 695**
- UTC (Coordinated Universal Time)**
 - converting local time to, 334–339
 - getting/setting, 339–341, 905
 - introduced, 334
 - offset of local time from, calculating, 334, 337, 346
- UTC **method** (Date object), **905**

V

- validation**
 - ASP application, in, 684
 - authentication, 699–703, 858–862
 - credit card information, 868
 - date, 868
 - error prevention mechanism, as, 401
 - form data, 199–204, 684, 873
 - password, 301–304, 703
- validChars **variable, 303**
- value
 - attribute
 - input tag, 195, 198
 - option tag, 225
 - property
 - Button object, 196, 928
 - Checkbox object, 929
 - FileUpload object, 932
 - form element object, 193
 - Hidden object, 934
 - Option object, 216, 220, 939
 - Password object, 939
 - Radio object, 940
 - Reset object, 941
 - Submit object, 943
 - Text object, 198
 - Textarea object, 206, 945
- valueOf **method**
 - Array object, 902
 - Boolean object, 902
 - Date object, 227, 905
 - Function object, 907
 - Number object, 912

Object object, 913
 RegExp object, 915
 String object, 920
 var **statement**, 24–26, 366, 894
variable. *See also specific variable*
 alert function, using in, 25–26, 27–28
 array
 declaring variable as, 50, 52, 56
 variable compared, 49
 case sensitivity, 23, 367, 836
 comparison result, assigning to, 66
 cookie value, storing in, 432
 counter variable, 85–86, 87, 90, 833
 declaring, 24–26, 50, 52, 56, 366–367
 error caused by undefined, 366–367
 exception, storing in, 402, 407–408
 function parameter as, 94
 garbage collection, 26
 global, 97
 Hungarian notation, 23
 initializing, 27, 85
 introduced, 22–23
 lifespan, 23, 25–26
 lifetime, 97
 loop statement, using in, 85–86, 87
 naming, 23, 31–32, 33, 886–887
 object, assigned to, 108, 109
 page-level, 97
 primitive data compared, 108
 scope, 97, 366, 713
 scripting, writing variable content to page in server-side, 668
 server variable, 690
 session variable, 711–712
 URL, concatenating to, 688
 value
 assigning, 24–28, 36, 41
 calculation, storing in during, 35–37
 debugging, checking when, 385, 394
 decreasing, 37–38, 86
 frames, keeping between, 244
 increasing, 37–38, 86
 literal, 25, 37, 115
 undefined, 25
 VBAArray **object**, 921
 VBScript, 4, 921
Venkman Debugger
 Breakpoints window, 394
 Call Stack window, 394
 Command window, 394
 File window, 395

installing, 391–392
 Local Variables window, 394
 opening, 392
 website, 391
 verticalMovement **variable**, 847, 849
View ⇄ **Script Debugger** ⇄ **Break at Next Statement (IE)**, 377
virtual directory, 662–665, 715
Visual Basic array, 921
 vlinkColor **property** (document **object**), 930
void operator, 892
 vspace **property** (IMG **object**), 935

W

watch **method**
 Array object, 902
 Object object, 905, 913
W3C (World Wide Web Consortium)
 background, historical, 523
 block-level element definition, 463
 DOM standard, 528
 ECMAScript standard, 524–525
 HTML standard, 524
 inline element definition, 463
 P3P recommendation, 438
 specification development role, 523
 website, 438
 XHTML standard, 526–527
 XML standard, 525–526
web directory, 658
web page. *See also browser; frame*
 ActiveX control, adding, 634–637
 array data, filling with, 53, 57–58
 ASP, inserting in, 668–669, 696–698, 708–710
 banner
 ASP, updating using, 667, 669–671
 scripting, updating using server-side, 669–671
 timer, updating using, 349–352, 364, 829–831
 database, accessing from
 connection, closing, 753, 759
 connection, creating, 752–753, 758
 connection, opening, 752–753, 758, 883
 connection string, 747, 752
 location of database, 746
 ODBC data source, 747–751
 event handling, 167–168
 IIS, loading from local server in, 659
 loading
 image, displaying random when, 171–173
 tracking when debugging, 389–391

web page (continued)

web page (continued)

- location, 161–162, 183
- name, displaying onscreen, 185, 808–810
- plug-in, adding, 628–629, 630
- scripting, server-side
 - inserting server-side script, 668–669, 696–698
 - page request, 650, 673, 674
 - variable content, writing to page, 668
- source code, viewing, 671
- time, inserting
 - current time, 142–144
 - timer, one-shot, 347–352
 - timer, updating, 352–357, 360
- user, tracking
 - array, storing file name of page visited in, 245–246
 - number of page visits, 444, 837–839
 - update since last visit, 433–437

web server. *See also* IIS (Internet Information Server)

- database located on, 746
- IP address, 3
- PWS, 371, 651
- server-side scripting requirement, 650

Web Wiz Guide website, 753, 761, 766

web-shared directory, 666

website. *See also specific website*

- ASP website representation, 712–713
- IIS default website, 658, 661
- usage statistics, checking, 658

WhatsNew.htm file, 435–436

while statement, 89–90, 672

white space

- regular expression, matching in, 300
- XML, 600, 618

Whoosh.ra file, 857

width property

- IMG object, 935
- screen object, 163, 268
- window object, 258

window

- array, storing window reference in, 249
- buffering, off-screen, 946
- child, 239, 249
- closed, checking if, 268, 269, 946
- closing, 258, 270, 947
- document object in current, returning reference to, 160, 946
- frames in, returning number of, 946
- interval set, canceling, 352, 362, 947
- name, returning, 946
- naming, 241, 254, 258

- onload event
 - IMG object, 935
 - Layer object, 496
- window object, 185, 189, 226, 241, 807–808
- XML, 615

- onresize event, 925, 946
- onunload event, 269, 925, 946
- open, checking if, 268, 269
- opening, 257–265, 947
- parent, 239, 246, 248–249, 250–251
- positioning, 263, 268
- referencing, 241, 946
- scripting, inter-window, 265–269
- scrolling, 947
- size, returning, 355, 848
- sizing, 240, 254, 258, 263, 268
- status bar
 - displaying/hiding, 263
 - message default, changing, 160–161, 946
 - message text, scrolling, 353–357
- timeout set, canceling, 348–349, 947
- width, determining, 355

window object

- alert method, 159, 947
- blur method, 947
- browser version, returning using, 176
- child property, 239, 249
- clearInterval method, 352, 362, 947
- clearTimeout method, 348–349, 947
- clipboardData property, 176
- close method, 258, 270, 947
- closed property, 268, 269, 946
- confirm method, 947
- defaultStatus property, 160–161, 946
- described, 945
- document property, 160, 946
- event object as window object property, 471
- focus method, 947
- frame, association with, 238–241
- frames property, 249, 946
- height property, 258
- history object as window object property, 160, 946
- history property, 160, 946
- innerWidth property, 355, 848
- length property, 946
- location property, 160, 946
- moveBy method, 947
- moveTo method, 947
- name property, 241, 946
- navigator property, 160

- nesting, 238
 - offscreenBuffering property, 946
 - onblur event, 946
 - onerror event, 946
 - onfocus event, 946
 - onload event, 185, 189, 226, 241, 807–808
 - onresize event, 925, 946
 - onunload event, 269, 925, 946
 - open method
 - copyHistory option, 263
 - described, 947
 - directories option, 263
 - height option, 263
 - left option, 263
 - location option, 263
 - menubar option, 263
 - name parameter, 258
 - resizable option, 263
 - scrollbars option, 263
 - sizing parameters, 258
 - status option, 263
 - toolbar option, 263
 - top option, 263
 - URL parameter, 257, 261
 - width option, 263
 - opener property, 265, 269, 946
 - parent property, 239, 246, 248–249, 250–251, 946
 - print method, 947
 - prompt method, 947
 - referencing, 241
 - resizeBy method, 947
 - resizeTo method, 947
 - screen property, 160
 - scroll method, 947
 - scrollBy method, 947
 - scrollTo method, 947
 - scrollWidth property, 355
 - self property, 257, 946
 - setInterval method, 352, 353, 360, 459, 947
 - setTimeout method, 347–348, 351, 947
 - sidebar property, 176
 - status property, 360, 946
 - top property, 250–251, 946
 - width property, 258
 - windowFeatures **variable, 268**
 - windowobject **variable, 254**
 - window_onload **function, 640**
 - window_onunload **function, 269**
 - Windows Control Panel**
 - Add or Remove Programs option, 655
 - Add/Remove Windows Components option, 651
 - Administrative Tools, 657, 749
 - Create New Data Source dialog box, 750
 - Data Sources (ODBC) icon, 749
 - ODBC window, 749, 751
 - Performance and Maintenance option, 657, 748
 - System DSN tab, 749
 - Windows NT Option pack, 651**
 - winLeft **variable, 268**
 - winTop **variable, 268**
 - with **statement, 895, 896**
 - WML (Wireless Markup Language), 583**
 - WoodButton.gif **file, 486**
 - WoodMenuDiv **object, 476**
 - woodMenuItems **variable, 486–487**
 - word**
 - regular expression, matching in, 300, 306–307, 310, 331, 826–829
 - reserved, 23, 33, 885–886
 - world time, 333**
 - World Time Converter application, 341–347, 352–353**
 - World Wide Web Consortium. See W3C**
 - WorldTimeConverterFrameset.htm **file, 341, 343, 353**
 - WorldTimeConverter.htm **file, 343, 352**
 - wrap **attribute (textarea tag), 205, 678, 682**
 - write **function, 53, 57–58, 486**
 - write **method**
 - document object
 - array, using with, 53, 57–58, 486, 503
 - described, 931
 - DOM, using with, 580–581, 850–852
 - Layer object, writing to using, 495
 - multiplication table result, writing using, 103, 800–803
 - replacing text using, 262
 - Response object, 696–698, 769
 - writeMonthOptions **function, 225**
 - writeOptions **function, 224–225**
 - writeString **variable, 385, 394**
 - writeTimesTable **function, 377, 382, 383, 394, 801**
 - writeUserWelcome **function, 94, 95**
 - wroxCount **variable, 119, 120**
 - wwwRoot **directory, 680**
- ## X
- x **property (event object), 931**
 - XHTML (Extensible HyperText Markup Language), 526–527, 552**

XML (Extensible Markup Language)

XML (Extensible Markup Language). See also DTD (Document Type Definition)

- ActiveX, role in loading, 614
- attribute
 - element, relation to, 587
 - syntax, 599–600
- browser
 - loading by, 614–616, 625, 854–855
 - parsing by, 592
- case sensitivity, 527, 586, 599
- CDATA block, 601
- character encoding, declaring, 586
- commenting, 534, 600, 602
- creating document, 584–592
- CSS, using with, 603–608, 612–613
- declaring, 586, 598
- DHTML, using with, 617–624
- DOCTYPE declaration, 597
- DOM method, applying to, 617
- DTD
 - creating, 595–596
 - document prologue, as, 584
 - external, 584, 597
 - introduced, 526
 - markup declaration, 595
 - referencing, 596–597
 - sharing between documents, 584
 - XHTML DTD declaration, 527
 - XML validity, role in, 584, 594–595
- EDI replacement, as, 583
- element
 - attribute, relation to, 587
 - child, 598
 - declaring, 584
 - entity, relation to, 587
 - nesting, 584, 592, 599
 - root, 586, 598, 599
 - tag, relation to, 584, 587
- entity
 - DOM Entity object, 534
 - DOM EntityReference object, 534
 - element, relation to, 587
 - reference, 600–601
- error display, 590
- event handling, 615
- font, formatting, 543
- HTML compared, 526
- introduced, 525–526
- LF character, 600
- namespace, 527

- onload event, 615
- platform independence, 526
- processing instruction, 587
- reading XML document with JavaScript, 614–615
- schema, 526
- SGML, relation to, 525
- sorting data, 624–625, 853–854
- standard, 525–526
- syntax overview, 598–602
- table coding, 611–612, 622–624
- tag
 - closing, 586, 592, 594, 598–599
 - declaring, 586–587, 596
 - element, relation to, 584, 587
 - naming, 586
 - node, relation to, 587
 - opening, 586
 - syntax, 586, 598–599
- text
 - CDATA block, 601
 - character data, 600–601
 - character encoding, 586
 - entity reference, 600–601
 - LF character, 600
 - reserved character, 600
 - valid, 584, 594–595
 - well-formed, 592–593
 - white space, 600, 618
 - WML, relation to, 583

XOR operator, 888

XPCConnect technology, 630

xPos variable, 479

xsl namespace-prefix declaration, 610

xsl:apply-templates element, 611

XSLT (eXtensible Style Language), 609–613

xsl:template element, 610

Y

y property (event object), 931

yearNow variable, 139

Yes/No data type, 723

yPos variable, 479

Z

z-index attribute

- layer tag, 491–494, 503

- style tag, 478

zIndex property (Layer object), 491–494

zindex_NN.htm file, 492