

# Index

## • A •

- accessory lenses, advantages of, 104–108
- action shots
  - benefits of blur, 167
  - manual focus for, 100
  - panning technique, 168–169
  - strobes for, 170
- Adobe Camera Raw plug-in, 124, 143, 153
- Adobe Creative Suite, 204
- Adobe DNG (digital negative) format, 139
- Adobe Photoshop. *See also* selection in Photoshop
  - Auto Color, 224
  - Auto Contrast tool, 219
  - Auto Levels tool, 219
  - basics, 202–205
  - blur filters, 230–231
  - Box blur, 231
  - Brightness/Contrast controls, 219–220
  - Clone Stamp tool, 227–228
  - Color Balance, 224
  - Crop tool, 217–218
  - Curves, 220, 222–223
  - Despeckle filter, 227
  - Dust & Scratches filter, 227
  - Eraser tool, 252
  - file format options, 140
  - Gaussian Blur filter, 231
  - Healing Brush, 228
  - Hue/Saturation control, 224
  - Lasso tools, 217, 252
  - Lens Correction tool, 190–191
  - Levels, 220, 221–222
  - Magnetic Lasso tool, 239, 240
  - Patch tool, 228
  - Polygonal Lasso tool, 239
  - Quick Selection tool, 241, 242
  - Radial blur, 231
  - Reduce Noise filter, 124, 226
  - Refine Edge tool, 245
  - Shadow/Highlight controls, 220–221
  - Shape blur, 231
  - Sharpen Edged filter, 229
  - Sharpen filter, 229
  - Sharpen More filter, 229
  - Smart Sharpen filter, 230
  - Spot Healing Brush, 228
  - Unsharp Mask filter, 229
  - Variations, 224
- Adobe Photoshop Elements
  - basics, 205–207
  - Reduce Noise filter, 124
- adorama.com, 310
- Aldus, 140
- Alien Skin, 204, 231, 232
- ambient lighting, 314
- amp glow, 123
- amp noise phenomenon, 123
- Andromeda, 204
- anti-aliased edges for selection, 236
- anti-aliasing, 314–315
- anti-aliasing filter, 37
- anti-shake feature, 112
- anti-vibration technology, 128–130
- anticipating action for lag reduction, 161
- AOL, picture services, 260
- aperture
  - basics, 35
  - and depth-of-field, 15
  - and f-stop, 41–42
- Aperture Priority mode, EV adjustment
  - and, 94, 97
- Apple iPod, for backup, 70
- Applied Science Fiction, 204
- architecture photographs
  - composition of, 188–193
  - wide-angle lenses for, 109
- archives for photos, 70–71
- Askey, Phil, DPReview, 301
- Auto Color (Photoshop), 224
- Auto Contrast tool (Photoshop), 219

Auto FX, 204  
 Auto Levels tool (Photoshop), 219  
 autofocus  
   basics, 101–102  
   lock, and shutter lag, 160  
 automatic autofocus, 102  
 available lighting, 314

## • B •

background  
   adding new, 248–251  
   and composition, 181  
   out-of-focus, 112, 114  
 background noise, 38  
 backup media, 69  
 backups of photographs, 215  
 bald heads in photographs, 183  
 barndoors, 273  
 barrel distortion, 191  
 basic dSLR cameras, 55–56  
 battery, dSLR power consumption, 17  
 battery pack, for external flash, 164  
 Bayer pattern, 38  
 bhphotovideo.com, 310  
 Bibble Pro, 153, 154  
 black, clipping, 221  
 blooming, 35, 86, 323  
 blurring for effect, 215, 230–231  
 bokeh, 114  
 Box blur (Photoshop), 231  
 bracketing, 93, 315–316  
 Brightness/Contrast controls (Photoshop), 219–220  
 buffer memory, for temporary photo  
   storage, 17, 45, 163–164  
 build quality of lenses, 61  
 burning, 317–318  
 burst shooting mode  
   basics, 17, 45, 162, 165  
   file format for, 275  
 BytePhoto, 307–308

## • C •

camera costs, and photo quality, 52  
 camera electronics, preventing damage  
   from flash, 175

camera selection  
   checking out key features, 60–64  
   feature categories, 52  
   having second body, 80–81  
   with upgrade potential, 53–54  
 camera shake, 125–130  
 Canon digital cameras  
   basics, 12, 30  
   image stabilization, 129  
   lenses, 61  
   RAW format variations, 138  
 Canon Digital Photo Professional, 152  
 Canon Digital Rebel, 55  
 Canon Digital Rebel XTi, 57, 104  
 Canon EF-series lenses, 54  
 Canon EOS 1D Mark III, 58, 166  
 Canon EOS-1Ds Mark II, 58  
 Canon EOS 5D, 58  
 Canon EOS 30D/40D, 58  
 Canon EOS utility, 152  
 capacity of memory card, 66, 68  
 Capture One PRO, 153, 154, 155  
 catadioptric telephoto lens, 114  
 CCD (charge coupled device) imagers, 36, 62  
 CDs  
   maximizing life of, 71  
   for photo backup, 69  
 center weighting metering scheme, 91  
 charge coupled device (CCD) imagers, 36, 62  
 chromatic aberration, 316–317  
 chrominance (color) information in JPEG, 142  
 circular polarizer, 73  
 cleaning  
   CDs and DVDs, 71  
   sensors, 47  
 Clipboard, copying or cutting Photoshop  
   selection to, 237  
 clipping black or white, 221  
 Clone Stamp tool (Photoshop), 227–228  
 close-up equipment, 81  
 CMOS (complementary metal-oxide semiconductor) imagers, 36, 62  
 Cokin, 73  
 Color Balance (Photoshop), 224

- color correction, in image editing, 215, 223–226
  - color filters, 37, 294
  - CompactFlash (CF) memory card
    - basics, 45
    - evaluation, 308
  - complementary metal-oxide semiconductor (CMOS) imagers, 36, 62
  - compositing
    - basics, 251–254
    - creativity with, 255–256
    - pitfalls, 254–255
  - composition
    - for architecture photographs, 188–193
      - basics, 177–179
      - group photos, 184–185
      - individual portraits, 183–184
      - landscapes, 194–195
      - for message and intent, 179–181
      - for publicity and PR photography, 185–188
    - Rule of Thirds, 181–182
    - travel shots, 195–197
    - visual frames, 193
  - computer, for time-lapse photography, 131
  - continuous advance, 165
  - continuous autofocus (AF-C), 101–102, 162
  - continuous shooting mode, 162
  - contrast, 297
  - cookies, 273
  - copying Photoshop selection, 237
  - Corel Paint Shop Pro, 208–210
  - Corel Painter, 205, 210–211
  - Corel Photo-Paint, 207–208
  - CorelDRAW, 207
  - costs
    - of cameras, and photo quality, 52
    - of digital SLRs, 55
    - of memory card, and capacity, 68
  - CR2 files, 154
  - creativity
    - with compositing, 255–256
    - fast shutter speed and, 292–293
    - slow shutter speed and, 291–292
    - with telephoto lens, 117–118
    - with wide-angle lenses, 115–116
  - crop factor, 22, 47–49, 113, 166
  - Crop tool (Photoshop), 217–218
  - cropping photos, 215, 216–218
  - CRW files, 154
  - Curves (Photoshop), 220, 222–223
  - cutting Photoshop selection, 237
- D •
- DCR files, 154
  - DCT (Discrete Cosine Transformation), 142
  - dedicated flash unit, 174
  - deep focus, 115
  - defocus control, 112
  - defraction, 277
  - demosaicing, 38
  - depth-of-field
    - basics, 10, 277
    - control of, 14–16
      - and f-stop, 15, 44
    - hyperfocal distance and, 319
    - maximizing, 97
    - telephoto lens and, 119
      - wide-angle lenses to increase, 115
  - depth-of-field preview, 10
  - Despeckle filter (Photoshop), 227
  - diaphragm in lens, 44
  - diffused lighting, 184, 272, 273
  - Digital Negative Converter, 139
  - digital photography, advantages of, 1
  - Digital Photography Review, 301–303
  - digital SLRs
    - advantages of, 8, 9
    - basics, 7–9
    - comparisons, 302, 303
    - components, 34
    - controls location, 19
    - costs, 55
    - downsides, 21–26
    - versus film SLR, 9
    - manual for, 282
    - overcoming quirks, 46–49
    - special features, 63–64
    - types
      - basic cameras, 55–56
      - dSLR-like, 59–60
      - entry-level enthusiast, 57–58
      - professional cameras, 58–59
      - prosumer, 58
    - weight of, 25–26

- digital video (DV) camcorder, 26
- Discrete Cosine Transformation (DCT), 142
- DNG (digital negative) file format, 139
- documentation for camera, 282
- dodging, 317–318
- downsampling, 32
- DPreview, 301–303
- duplex printing, 265
- dust
  - automatic removal, 133
  - and sensor, 22–23
- Dust & Scratches filter (Photoshop), 227
- DVDs
  - for archiving images, 70
  - maximizing life of, 71
  - for photo backup, 69, 150
- dye-sublimation printers, 267–268
- dynamic focus area, 101
- dynamic range of sensors, 87, 219

## • E •

- ears, in photographs, 184
- eBay, 310–312
- eBay auctions, photos for, 275
- Edgerton, Harold, 170
- effects filters, creating, 293–294
- electronic flash. *See* flash
- electronic viewfinder (EVF)
  - basics, 10, 43
  - internal, 59
- entry-level enthusiast dSLR, 57–58
- Eraser tool (Photoshop), 252
- EV (exposure value)
  - basics, 90, 94
  - for night photos, 122
- EXIF data, 149
- exposure
  - basics, 40–43, 86–88
  - bracketing, 315
  - camera systems, 62
  - and histograms, 88–90
  - metering system to fine-tune, 90–93
  - ways to choose, 94–98
- exposure time, 41
- exposure value (EV)
  - basics, 90, 94
  - for night photos, 122

- extension tubes, 81, 82, 110, 288
- Extensis, 204
- external flash, 164, 174–175
- Eye Candy, 231
- eye-point, 24

## • F •

- f-stop
  - and aperture, 41–42
  - to correct exposure, 90, 276–277
  - and depth-of-field, 15, 44
  - ND filter and, 72
- feathered edges for selection, 236, 239
- feedback on eBay, 311–312
- feet, in photographs, 183
- field of view, of lens, 22
- file formats
  - choosing, 144–147
  - DNG (digital negative), 139
  - JPEG, 137, 138, 141–143, 145–147
  - proliferation, 138
  - RAW, 137, 138, 143–144, 147–148
  - saving photo in RAW and JPEG, 147
  - TIFF, 137, 138, 140–141, 144–145
- fill flash, 318
- film SLR, versus digital SLRs, 9
- filters
  - basics, 71–73
  - creating, 293–294
  - gradient color, 195
  - for infrared photos, 284
  - neutral density (ND), 72, 73
  - for Photoshop selection, 237
  - size of, 54
  - types, 73
- filters in software, for image editing, 231–233
- fireworks, 295–296
- first-shot delays, minimizing, 162–163
- fish-eye lens, 151
- fish-eye view, 106
- fixed-focal-length lenses, 44, 108
- flare, from telephoto lens, 119
- flash
  - basics, 78
  - coordinating with shutter, 172–174
  - at different distances, 171–172

- disadvantages, 172
- external, 164, 174–175
- fill flash, 318
- freezing action, 293
- lag from recharging, 160
- Manual Exposure mode and, 98
- minimizing delays from, 164
- optimal distance for, 172
- strobes, 170
- and telephoto lens, 119
- tools for triggering, 79–80
- types, 78–79
- and wide-angle lens, 117
- flash memory
  - basics, 45
  - versus hard disk, 67
- flash sync speed, 172
- focal length
  - basics, 44
  - and depth-of-field, 15
  - ranges, 61
- focal plane shutter, 172
- focus assist lamp, 101
- focus zones, 162
- focusing system
  - autofocus, 101–102
  - automatic or manual, 63
  - basics, 62–63, 99
  - manual, 99–100
  - and shutter lag, 162
- folders for storing photos, 214
- form factor of memory card, 66
- Foveon CMOS imager, 39
- framing subject of photo, 193
- freezing action, 167–171
- front curtain, 172
- front-curtain sync, 173
- Fuji, 12
- Fujifilm cameras, 36
- Fujifilm FinePix S3 Pro UVIR D-SLR, 133
- Fujifilm FinePix S5 Pro, 58
- Fujifilm SuperCCD SR sensor, 39

## • G •

- Galbraith, Rob, 68, 308
- Gaussian Blur filter (Photoshop), 231

- gelatin filters, 73
- ghost image, preventing, 173
- glass filters, 73
- glasses, avoiding reflections from, 184
- gobos, 273
- GoLive (Adobe), 204
- Google, newsgroup searches, 305, 306
- gradient color filters, 195
- grain, adding, 297
- GraphicConverter, 153
- Greeks, Golden Rectangle, 181
- group photos, 184–185

## • H •

- hands in photographs, 183
- hard disk, miniature
  - basics, 66
  - versus flash memory, 67
- hardwired Prontor-Compur (PC)
  - connection, 79
- harsh lighting, 193
- HDR (high dynamic range), 87
- head of tripod, 77
- Healing Brush (Photoshop), 228
- high contrast, 219
- high dynamic range (HDR), 87
- high-speed sync, 174
- highlight details, exposure to preserve, 87
- histograms
  - absence of live, 24
  - and exposure, 88–90
  - in Photoshop Levels dialog box, 221–222
- Hitachi, 67
- hood for lens, 119
- horizon, positioning on landscape photos, 195
- horizontal composition, 180
- hot mirror filter, 132, 284
- hot shoe connection, 80
- Hoya R72 filter, for infrared photos, 284
- hue
  - basics, 224, 225, 321
  - manipulating, 296
- Hue/Saturation control (Photoshop), 224
- hyperfocal distance, 319

## • I •

Illustrator (Adobe), 204  
 image editing, 201  
   adding new background, 248–251  
   adding to, 248  
   basics, 280–282  
   blurring for effect, 230–231  
   color correction, 223–226  
   combining several photographs, 251–256  
   creativity in, 298  
   cropping, 216–218  
   filters, 231–233  
   selective modifications, 236–237  
   sharpening of images, 228–230  
   spot removers, 226–228  
   subtracting from, 245–247  
   tonal adjustments, 219–223  
   workflow workarounds, 213–215  
 image editors, 20–21. *See also* Adobe Photoshop  
   Adobe Photoshop Elements, 205–207  
   basics, 202  
   Corel Paint Shop Pro, 208–210  
   Corel Painter, 210–211  
   Corel Photo-Paint, 207–208  
   noise reduction with, 124  
   for RAW files  
     basics, 150  
     Canon Digital Photo Professional, 152  
     Canon EOS utility, 152  
     Nikon Capture NX, 151  
     third-party applications, 153–154  
   Ulead PhotoImpact, 212–213  
 image stabilization, 125–130  
 InDesign (Adobe), 204  
 indoor sports, lens for, 109  
 InfranView, 153, 154  
 infrared filter, 37, 73  
 infrared photos  
   basics, 131–133, 283–285  
   filter for, 24  
 inkjet printers, 264–266  
 input tray on printer, 266  
 internal electronic viewfinder (EVF), 59  
 interpolation, 31, 38  
 inverse-square law, 171

ISO (International Organization for Standardization), 12  
   for night photos, 122  
   and noise, 13–14, 38, 280  
 ISO Auto option, 97  
 isolating subject, telephoto lens for, 118

## • J •

JPEG file format, 137, 138, 141–143, 145–147

## • K •

keh.com, 310  
 Keppler, Herbert, *Popular Photography & Imaging*, 304  
 Kodak DCS 460, 55  
 Kodak picture services, 260  
 Kurosawa, Akira, 115, 178

## • L •

lag. *See also* shutter lag  
   minimizing first-shot delays, 162–163  
   minimizing flash delays, 164  
   minimizing shot-to-shot delays, 163–164  
 landscapes  
   composition of, 194–195  
   wide-angle lens for, 110  
 Lasso tools (Photoshop), 217, 239–240, 252  
 lateral chromatic aberration, 316  
 layers in Photoshop  
   to add to image, 248  
   to subtract from image, 246  
 LCD  
   on point-and-shoot digital camera, 10  
   working without preview, 23–24  
 Lens Correction tool (Photoshop), 190–191  
 lens hood, 119  
 lens lust, 8, 279  
 lenses, 35  
   advantages of accessory, 104–108  
   and camera selection, 61  
   capabilities, 279–280  
   concepts, 112–114  
   flexibility, 19–20

- macro, 108, 110, 112, 279
    - prime, 20, 44, 108–112
    - switching, 8
    - telephoto, 8, 107
      - basics, 8, 107, 111, 279
      - and camera shake, 126
      - creative use, 117–118
      - impact on photo sharpness, 75
      - pitfalls, 119
    - wide-angle
      - for architecture photographs, 188
      - basics, 22, 106, 280
      - creative use, 115–116
      - for landscape photos, 194
      - pitfalls, 117
      - zoom lenses, 110
  - Levels (Photoshop), 220, 221–222
  - light-sensitive component, 35
  - light sensitivity, measuring, 12
  - lighting
    - ambient versus available, 314
    - for architecture photographs, 192
    - common problems, 192–193
    - Manual Exposure mode to balance, 98
    - and photo quality, 271–273
    - for portraits, 184
    - shooting in low, 104
    - for small objects, 286
  - linear polarizer, 73
  - lock, for exposure, 92–93
  - longitudinal chromatic aberration, 316
  - lossless compression, 141, 319–320
  - lossy compression, 142, 319–320
  - low contrast, 219
  - low light, shooting in, 104
  - luminance in JPEG, 142
  - The Luminous Landscape, 307
- **M** ●
- macro photography
    - lens for, 108, 110, 112, 279
    - manual focus for, 99
    - telephoto lens for, 118
  - Macromedia, 204
  - Magic Wand tool (Photoshop), 240–242
  - Magnetic Lasso tool (Photoshop), 239, 240
  - magnification factor, 22
  - magnification of lens, and depth-of-field, 15
  - Manual Exposure mode, 97
  - manual modes, for reduced shutter lag, 162
  - marching ants, 236
  - Marquee selection (Photoshop), 238–239
  - masking in Photoshop, 237
  - megapixels
    - basics, 29
    - problems of excess, 33
  - memory card
    - basics, 45, 66–68
    - delay from writing to, 160
    - on eBay, 312
    - file size and consumption, 33, 274
    - flash memory versus hard disk, 67
    - printer slot for, 265, 266
    - risk of lost photos, 69
    - speed of, 163
    - transferring files from, 275
    - writing JPEG files to, 146
  - memory, for TIFF requirements, 145
  - mergers, avoiding, 196
  - metering system to fine-tune exposure, 90–93
  - microlenses, 37
  - mid-range zoom lens, 111
  - Miranda, Fred, 309
  - mirror telephoto lens, 114
  - modems, 142
  - moiré, 320–321
  - monolights, 79
  - monopod, 76
  - motion picture clips, 26
  - movement, camera detection of speed, 167–168
  - moving objects, vanishing, 72
  - multiplication factor, 48
  - multipoint metering, 92
- **N** ●
- National Institute of Standards Technology (NIST), 70
  - nature photography, 307

ND (neutral density) filter  
 for architecture photographs, 193  
 basics, 72, 73  
 nearest subject, autofocus on, 101  
 Neat Image, 124  
 NEF files, 154  
 neutral density (ND) filter  
 for architecture photographs, 193  
 basics, 72, 73  
 newsgroups, 305–306  
 newsreader, 305, 306  
 night photos  
 basics, 122  
 at short shutter speeds, 122  
 Nikkor lens, 106  
 Nikon cameras  
 basics, 30, 36, 53–54  
 image stabilization, 129  
 lens with defocus control, 112  
 lenses, 61  
 RAW format variations, 138  
 Nikon Capture NX, 151  
 Nikon D2xs, 58  
 Nikon D2Xs model, sequence shooting, 166  
 Nikon D40, 55, 104  
 Nikon D40x, 55, 104  
 Nikon D80, 57  
 Nikon D200, 58  
 Nikon LBCAST CMOS sensor, 39  
 Nikon zoom lens, 108  
 noise  
 background, 38  
 basics, 1, 280  
 high ISO settings and, 122  
 Noise Ninja, 124  
 noise reduction  
 basics, 12–14, 123–124  
 with image editors, 124, 226  
 non-antialiased edges for selection, 236  
 noses in photographs, 184





ohnoseconds, 21  
 online resources  
 BytePhoto, 307–308  
 Digital Photography Review, 301–303  
 eBay, 310–312

Fred Miranda, 309  
 The Luminous Landscape, 307  
 news groupies, 305–306  
 PBase, 300–301  
*Popular Photography & Imaging*, 304–305  
 Rob Galbraith, 308  
 Shutterbug, 303–304  
 optical image stabilization, 112  
 ORF files, 154  
 out-of-focus areas of image, 114  
 outdoor sports, lens for, 109  
 output tray on printer, 266  
 overexposed image, histogram for, 89



PageMaker (Adobe), 204  
 Paint Shop Pro (Corel), 208–210  
 Painter (Corel), 205, 210–211  
 painting with light, 192  
 panning technique, 168–169  
 panorama series, tripod for, 75  
 paper, printer options for, 265  
 Patch tool (Photoshop), 228  
 PayPal, 312  
 PBase, 300–301  
 peak action, catching, 169–170  
 PEF files, 154  
 Pentax K10, 57  
 Pentax K10D, 104  
 Pentax/Samsung cameras, 36, 53, 55, 129  
 personal storage devices (PSDs), 70  
 perspective control lens, 109, 112, 190  
 perspective distortion, 189  
 Phase One C1 Pro, 153, 154, 155  
 photo galleries, online, 300–301  
 Photo-Paint (Corel), 207–208  
 photographs. *See also* prints  
 backups of, 215  
 combining several, 251–256  
 displaying on Web, 258  
 folders for organizing, 214  
 improvement options  
 angle of shot, 278  
 f-stop, 276–277  
 focus, 277–278  
 image editing, 280–282  
 lenses, 279–280

- lighting, 269–273
    - noise, 280
    - resolution, 273–276
    - shutter speed, 276
  - risk of lost, 69
  - use, and resolution, 30
  - PhotoImpact (Ulead), 212–213
  - photons, 12, 35
  - photosites, 29, 35, 113
  - PictBridge cable, printer connection for, 265, 266
  - pincushion distortion, 191
  - pinhole camera, digital SLR as, 287
  - pixels
    - adding or dropping, 32
    - basics, 27–28
    - determining camera needs for, 30
    - matching to print sizes and printers, 31
    - selection in Photoshop based on similar hue, 240
  - point-and-shoot cameras
    - design, 18–19
    - LCD on, 10, 177
    - speed, versus dSLRs, 17
  - polarizing filters, 73
  - Polygonal Lasso tool (Photoshop), 239
  - Popular Photography & Imaging* magazine, 304–305
  - portraits
    - basics, 183–184
    - lens for, 109
  - post-processing, 201. *See also* image editing
  - PR photography, composition for, 185–188
  - preflash, 174
  - preview, depth-of-field, 10
  - prime lenses, 20, 44, 108–112
  - print size
    - at different resolutions, 32
    - matching to pixels to, 31
  - printers
    - basics, 263
    - dye-sublimation, 267–268
    - inkjet, 264–266
    - resolution of, 30
  - prints
    - options for creating
      - basics, 259
      - do it yourself, 260
      - local retailer or professional lab, 261–262
      - online outsourcing options, 260–261
      - reasons for, 258–259
  - professional dSLR cameras
    - basics, 58–59
    - pixel dimensions, 28
  - Programmed exposure mode, 94, 95
  - proprietary RAW format, 138
  - prosumer dSLR, 58
  - PSDs (personal storage devices), 70
  - publicity, photo composition for, 185–188
- 
-  •
  - quality of photo
    - camera costs and, 52
    - loss from repeated JPEG editing, 146
  - Quick Mask mode (Photoshop), 242–244
  - Quick Selection tool (Photoshop), 241, 242
- 
-  •
  - Radial blur (Photoshop), 231
  - RAF files, 154
  - RAW file format
    - archiving, 149–150
    - basics, 137, 138, 143–144, 147–148
    - conversion in workflow, 214
  - image editors
    - basics, 150
    - Canon Digital Photo Professional, 152
    - Canon EOS utility, 152
    - Nikon Capture NX, 151
    - third-party applications, 153–154
    - salvaging images from, 148–149
  - rear curtain, 172
  - rear-curtain sync, 173
  - Reduce Noise filter (Photoshop), 124, 226
  - Refine Edge tool (Photoshop), 245
  - resampling, 31

- resolution
    - of photo, 30, 273–276
    - print sizes at different, 32
    - of printers, 30, 265
    - of sensor, 29
  - RGB+E sensor technology, 39
  - Rule of Thirds, 181–182
- S ●
- saturation, 224, 225, 296, 321–322
  - saving Photoshop selection, 237
  - Scene modes, 95
  - Secure Digital High Capacity (SDHC)
    - memory card, 46
  - Secure Digital (SD) memory card
    - basics, 45, 46
    - evaluation, 308
  - selection in Photoshop
    - adjusting, 244–245
    - basics, 236, 238
    - border for, 236
    - changes, 237
    - with Lasso tool, 239–240
    - with Magic Wand tool, 240–242
    - Marquee selection, 238–239
    - Quick Mask mode, 242–244
  - selective focus, 99
  - sensors
    - basics, 11–12, 35
    - cleaning, 47
    - cleaning kit, 81
    - crop factor, 113
    - and dirt, 22–23
    - dynamic range of, 87
    - exceptions, 39
    - heat, and noise, 123
    - and image processors, 62
    - operation by, 35–43
  - sequence shooting, 165–166
  - Series *x* adapter ring, 293
  - Shadow/Highlight controls (Photoshop), 220–221
  - shadows, fill flash to soften, 318
  - shakiness, 125–130
  - Shape blur (Photoshop), 231
  - Sharpen Edged filter (Photoshop), 229
  - Sharpen filter (Photoshop), 229
  - Sharpen More filter (Photoshop), 229
  - sharpening of images
    - basics, 215, 228–230
    - lens change and, 105
  - shooting angle, impact on composition, 180
  - shot-to-shot time
    - minimizing delays, 163–164
    - speed of, 17
  - shutter
    - basics, 35
    - coordinating with flash, 172–174
    - and exposure time, 41
  - shutter lag
    - basics, 18, 21, 158–159
    - minimizing, 160–162
    - sources of, 160
  - Shutter Priority mode, EV adjustment and, 95, 96–97
  - shutter speed
    - for action shots, 167
    - to correct exposure, 90, 276
    - creativity with fast, 292–293
    - creativity with slow, 291–292
    - and exposure, 93
    - ND filter and, 72
    - tripod for long, 75
  - Shutterbug, 303–304
  - Shutterfly, picture services, 260
  - Sigma 10-20mm f/4-5.6 optic, 106
  - Sigma lenses, 61
  - single autofocus (AF-S), 102, 162
  - single lens reflex (SLR), 7, 103
  - skewed lines, in wide-angle shots, 117
  - slave device for external flash, 79, 174
  - slow-sync, 173
  - SLR (single lens reflex), 7
  - Smart Sharpen filter (Photoshop), 230
  - SmugMug, 308
  - SnapArt, 231, 232
  - Sony Alpha, 163
  - Sony Alpha DSLR-A100, 57
  - Sony cameras, 36, 129

Sony Memory Stick Pro Duo cards, 45  
 Sony sensor, emerald color addition, 39  
 special effects filters, 73  
 speed  
   point-and-shoot versus dSLRs, 17  
   of printer, 264  
 speedlight, 78–80. *See also* flash  
 Spot Healing Brush (Photoshop), 228  
 spot metering, 92  
 spot removers, in image editing, 215, 226–228  
 starry night, creating filter for, 294  
 Steadicam, 129  
 step-down rings, 54  
 storage media  
   basics, 35, 45, 69–71  
   variations in file format requirements, 147  
 strobes for action shots, 170  
 studio flash, 79  
 subscribing to newsgroup, 306  
 super-wide lenses, absence or expense of, 21–22

## • T •

tags in TIFF, 140  
 Tamron lenses, 61  
 telephoto lens  
   basics, 8, 107, 111, 279  
   and camera shake, 126  
   creative use, 117–118  
   impact on photo sharpness, 75  
   pitfalls, 119  
 tents, for soft lighting, 286  
 threads of newsgroup messages, 306  
 threshold for pixel, 35, 322–323  
 through-the-lens (TTL) metering, 174  
 TIFF file format, 137, 138, 140–141, 144–145  
 tilting, 168, 189  
 time exposure, 41  
 time lag, point-and-shoot versus dSLRs, 158–159  
 time-lapse photography, 289–290  
   basics, 131  
   USB port for, 64  
 tipod clamp, 76

Tokina fish-eye zoom lens, 106  
 Tokina lenses, 61  
 tolerance, 323  
 tonal adjustments, in image editing, 215, 219–223  
 transfer ribbon, for dye-sublimation printers, 267  
 travel shots, composition of, 195–197  
 tremor, testing for, 126  
 tripod  
   basics, 74–75  
   choosing, 76–77  
   for fireworks photos, 295  
   for infrared photos, 24, 133  
   for landscape photos, 195  
   need for, 125  
   for night photos, 122  
   reasons to use, 75–76  
 TTL (through-the-lens) metering, 174  
 twin-lens reflex, 103

## • U •

Ulead PhotoImpact, 212–213  
 underexposed image, histogram for, 89, 90  
 Unsharp Mask filter (Photoshop), 229  
 unsharp masking, 324  
 upsampling, 32  
 USB port, 64  
 Usenet, 305  
 user forums, 302

## • V •

Variations (Photoshop), 224  
 vertical composition, 180  
 viewfinder, 10–11, 43–44, 177–178  
 viewing system, 35  
 vignetting, 73, 117

## • W •

wake-up time, speed of, 17  
 Web display  
   JPEG file format for, 145  
   photos for, 275

weight, of digital SLRs, 25–26  
Wein Safe-Sync, 79, 175  
white, clipping, 221  
white point, 321  
wide-angle lenses  
  for architecture photographs, 188  
  basics, 22, 49, 106, 280  
  creative use, 115–116  
  for landscape photos, 194  
  pitfalls, 117  
  zoom lenses, 110  
wireless trigger, for external flash, 79, 174  
workflow workarounds, 213–215  
Wratten filters, for infrared photos, 284  
write-once CD-R, for archiving images, 70  
write speed, of memory card, 66, 67–68



xD cards, 45  
Xenofex, 231



Yahoo!, picture services, 260



Zoom Blur feature, in image editor, 20  
zoom lenses, 44, 110–111